


duraflo[®]



Innovative Designs
for the Construction
Industry



WE KNOW VENTILATION



duraflo® Roofing Ventilation

2

Welcome to Duraflo®

State of the Art Manufacturing



Canplas, manufacturer of Duraflo ventilation products, has over 40 years of plastics manufacturing experience. This expertise allows Duraflo to continue as the innovation leader in the roof ventilation. Throughout our history Duraflo has listened to you, the customer, to create solutions to meet your building needs. In developing and maintaining an open dialogue with both our internal and external partners we have created a wide variety of unique products second to none in the marketplace.

canplas®

an OAliaxis company

Roof Vent Products
- pg. 4

Ridge Vent Products
- pg. 10

Exhaust Vent Products
- pg. 12

Roof Flashing Products
- pg. 14

Ventilation Calculator
- pg. 17

Decorative Gable Vents
- pg. 18

Siding & Soffit
- pg. 21

Siding & Soffit Accessories
- pg. 22

Index
- pg. 27

For more information on
Duraflo products call
CANADA: 1-800-461-5300
or visit www.duraflo.com

www.duraflo.com


Why Ventilate with duraflo®?

3

Roofing

To Effectively Remove Winter Moisture

Without proper ventilation heat from the home can build in the attic space, then cool and condense, soaking the insulation and ceilings with moisture.



To Drastically Remove Summer Heat

Without proper ventilation trapped summer heat builds up in the attic warming the living space below.



To Protect Shingle Life Span

Proper Ventilation eliminates extreme temperature ranges, assuring the life span of the shingles.



Good Ventilation =

- ✓ 1. Proper number of vents positioned correctly along the ridge line.
- ✓ 2. Proper soffit ventilation allows cool air to enter soffit, replacing warm air that rises through roof vents.
- ✓ 3. **Did you know?** Ideally, your attic temperature should approximate the outside temperature.

We Know Ventilation!

WeatherPRO® Series

PROTurbo

Control the Weather

- **Superior Air Flow**
- **No Maintenance**
- **Wards off Rain and Snow**
- **Internal Flow Through Technology**
- Eliminates traditional turbine "squeaking"
- 117 sq. in. net free area
- Available in black, brown or weatherwood UV resistant polypropylene
- Turbo Cap resists crushing, denting and peeling
- Extreme cold & heat resistant
- Adjustable base
- US Patent # 7,774, 999
- CSA & Dade County approved


Weather Protection:

WeatherPRO's patented internal baffles deflect water and snow, allowing it to drain harmlessly out the drainage openings. Designed to allow high airflow while providing excellent defense against weather infiltration.

DESCRIPTION	PART #	CTN. QTY	WT.CTN (LBS.)
Black	6000BL	1	4
Brown	6000BR	1	4
Weatherwood	6000WW	1	4


MIAMI-DADE COUNTY
APPROVED





WeatherPRO® Series Universal Turbine Ball Replacement

- **Fits 12" & 14" bases**
Replaces traditional "squeaking" turbines easily without removing existing vent base or shingles.




DESCRIPTION	PART #	CTN. QTY	WT.CTN. (LBS.)
Black	6001BL	1	3
Brown	6001BR	1	3
Grey	6001G	1	3
Weatherwood	6001WW	1	3



WeatherPRO® Series Turbo Guard

- **Install WeatherPRO® Guard over existing 50 sq in roof vents to eliminate weather infiltration.**

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6070BL	6	6
Brown	6070BR	6	6
Grey	6070G	6	6
Weatherwood	6070WW	6	6




We Know Ventilation!

duraflo® Roofing Ventilation

WeatherPRO® baffle system
wards off driving snow and
blistering rain



Unique baffle system wards off
driving snow and blistering rain



Drainage openings allow
for water to escape


Warm moist air exits in a
chimney like fashion eliminating
shingle stains

TDI
Texas Department of Insurance

MIAMIDADE COUNTY
APPROVED



WeatherPRO® Series **PRO50** *Control the Weather*



Weather Protection:

WeatherPRO's patented internal baffles deflect water and snow, allowing it to drain harmlessly out the drainage openings. Designed to allow high airflow while providing excellent defense against weather infiltration.

- Dade County & CSA approved
- 50 sq. in. of net free area
- Ideal for most roof pitches
- Eliminates bird nesting
- Cold impact resistant down to -40°
- UV resistant polypropylene
- Patent Pending

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	60PRO50BL	9	16
Brown	60PRO50BR	9	16
Grey	60PRO50G	9	16
White	60PRO50W	9	16
Weatherwood	60PRO50WW	9	16

WeatherPRO Series PRO SlantBack

**Tested to Category 2
Hurricane Strength
Winds of up to 110 mph**

With the WeatherPRO® Series PRO SlantBack you no longer need to worry about extreme weather. The unique baffle system within the WeatherPRO® Series wards off wind driven snow and rain.

- Great on standard roof pitches, **ideal for extreme pitches**
- Dade County Tested & Approved
- Patent Pending baffle system
- Patent Pending Moisture Control System
- 50 sq. in. of net free area
- Eliminates bird nesting
- Cold impact resistant down to -40°
- UV resistant polypropylene
- CSA Approved

Warm moist air exits in a chimney like fashion eliminating shingle stains

Moisture Control Systems direct and deflect precipitation away from vent openings (ribs under lid, textured flange, ribbed baffle walls, lateral flange deflectors)

Offset Vent Throat Position

Unique baffle system wards off wind driven snow and rain

Drainage openings allow for water to escape

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	60PRO50SLBL	8	13
Brown	60PRO50SLBR	8	13
Gray	60PRO50SLG	8	13
White	60PRO50SLW	8	13
Weatherwood	60PRO50SLWW	8	13



We Know Ventilation!

duraflo® Roofing Ventilation

Square Top Roof Vent, 50 & 75 Sq. In.

An attractive low profile style


- Excellent UV performance
- Molded-in screen
- Unique angled screen that prevents birds from nesting
- Angled throat to efficiently deflect water

TDI
Texas Department of Insurance



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6050BL	10	11
Brown	6050BR	10	11
Grey	6050G	10	11
Green	6050GN	10	11
White	6050W	10	11
Weatherwood	6050WW	10	11

PART #	CTN. QTY.	WT.CTN. (LBS.)
6075BL	5	10
6075BR	5	10
6075G	5	10
6075GN	5	10
6075W	5	10
6075WW	5	10



6050T Universal Roof Vent, 50 Sq. In.

Works and looks great with wood shakes or shingles

- Excellent UV protection
- Specially blended material designed to endure all seasons, from the hottest summers to the coldest winters
- Extended throat and wider flange offer increased protection from the elements and easier installation with both shakes and shingles



TDI
Texas Department of Insurance

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6050TBL	12	17
Brown	6050TBR	12	17
Grey	6050TG	12	17
Weatherwood	6050TWW	12	17



Shed Light Roof Vent, Translucent Skylight Vent A Skylight for Storage Sheds,

Garages and Barns

- Available in 50 & 75 Sq. In. sizes
 - Lets in free natural light
 - Ventilates hot air and fumes
 - Wide flange for ease of installation
- Patent Number: 6,155,008

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
50 Sq. In.	5950C	6	8
75 Sq. In.	5975C	5	10



TDI
Texas Department of Insurance

Slant Back Roof Vent, 61 Sq. In.

Ideal for steep pitched roofs

- Attractive low profile with a slanted back
- Will not scratch, crush or dent the way metal vents do

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6065BL	12	21
Brown	6065BR	12	21
Grey	6065G	12	21
Weatherwood	6065WW	12	21



WeatherPRO® baffle system with
AirFoil technology

WeatherPRO® Series PRORidge

Control the Weather

**AirFoil
TECHNOLOGY**

Drainage Openings

- Dade County & CSA approved
- Net Free Area: 18.3 sq.in./lin.ft.
- With UV inhibitors
- Molded nail supports
- Code regulated insect grill
- Manufactured in both U.S. & metric sizes
- TriFold flexibility for ease of use on full range of pitches
- Patent Pending


TDI
Texas Department of Insurance

MIAMI-DADE COUNTY
APPROVED



PRORidge SOLID


- Black with UV inhibitors
- 3 tab & metric




Latch Connectors
to assure secure
placement

PRORidge

- Black, Brown & Weatherwood with UV inhibitors
- Manufactured in both U.S. & metric sizes



Center
Opening
allows
expansion
and provides
sight line
for straight
installation



Weather Protection:

WeatherPRO's patented
internal baffles deflect water
and snow, allowing it to drain
harmlessly out the drainage

openings. Designed
to allow high airflow
while providing
excellent defense
against weather
infiltration.

DESCRIPTION	PART #	A	CTN. QTY.	WT.CTN. (LBS.)
Black	6094BL	12	12	28

DESCRIPTION	PART #	A	CTN. QTY.	WT.CTN. (LBS.)
Metric - Black	6072METBL	12-7/8"	12	24
Metric - Black	6072METBLF	12-7/8"	12	26
Metric - Brown	6072METBR	12-7/8"	12	24
Metric - Weatherwood	6072METWW	12-7/8"	12	24
Imperial - Black	6073BL	12-5/8"	12	24
Imperial - Brown	6073BR	12-5/8"	12	24

We Know

duraflo® Roofing Ventilation

10

Ready to Roll! 

duraflo® **RidgeRoll**

***Rolled product
for faster,
more flexible
installation***

- Nail gun installation with embossed nail line for faster application
- Durable and compression resistant for a smooth installation
- Externally baffled for powerful protection against rain, snow & insect infiltration
- Available in Filter and Non- Filter
- Nails Included

TDI

Texas Department of Insurance

**MIAMI-DADE COUNTY
APPROVED**



DESCRIPTION	PART #	WIDTH	LENGTH	THICKNESS	CTN. QTY.	WT.CTN. (LBS.)
Black	6025BL	14"	25' roll	5/8"	1	14
Black with filter	6025BLF	14"	25' roll	5/8"	1	14

- Made from more than 90% recycled materials (more than 30% post consumer content)
- Won't corrode, rust or turn brittle
- Won't damage from hail or ice
- Helps keep insects, dust, and moisture out of attic space.
- Helps eliminate mold build up in the attic space
- Won't warp, loosen or curl
- 50 year manufacturers warranty

Ready to Roll! 

DURAROLL

DESCRIPTION	PART #	WIDTH	LENGTH	THICKNESS	CTN. QTY.	WT.CTN. (LBS.)
Gray	60DURV20METBL	11.75"	20' roll	3/4"	1	5



- Dade County and TDI approved
- Easy installation
- Included coil nails
- Metric and U.S. widths
- NFA - 15 Sq. In./Ft.
- 20 ft. roll or 50 ft. roll

Ready to Roll! 

duraflo RidgeRoll

100% Natural Fiber

DESCRIPTION	PART #	WIDTH	LENGTH	THICKNESS	CTN. QTY.	WT.CTN. (LBS.)
Black	60RVA20MET	11.5"	20" roll	3/4"	1	7
Black	60RVA208	8"	20" roll	3/4"	1	2
Black	60RVA20US	10.5"	20" roll	3/4"	1	3



- Nail gunable for fast installation
- Low-profile design
- Almost invisible once installed
- Helps prevent rain, snow and insect infiltration
- Easy to center over ridge
- Ridged material creates smooth finish
- 17 sq in./lin. Ft.
- 40 year manufacturers warranty

Ready to Roll! 

Matrix

RIDGE VENT

DESCRIPTION	PART #	WIDTH	LENGTH	THICKNESS	CTN. QTY.	WT.CTN. (LBS.)
Black	60RVC20METBL	11.5"	20' roll	3/4"	1	5



We Know Ventilation!



Bathroom Exhaust Vent with Flapper & Attached Collar

- Exhausts bathroom fans through the roof
- Seamless outer body will not leak


DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6011BL	6	6
Brown	6011BR	6	6
Grey	6011G	6	6
Weatherwood	6011WW	6	6



Bathroom Exhaust Vent with Flapper & Unattached Collar


- Collar is detached to allow trades to work independently

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6010BL	4	4
Brown	6010BR	4	4
Grey	6010G	4	4
Weatherwood	6010WW	4	4



Bathroom Exhaust Vent with or without Flapper

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
With Flapper			
Black	6008BL	4	3
Brown	6008BR	4	3
Grey	6008G	4	3
Green	6008GN	4	3
White	6008W	4	3
Weatherwood	6008WW	4	3



Roof Dryer Vent with Flapper

- Exhausts clothing dryer through the roof
- Ideal for condominiums, town-houses, apartments and upstairs laundry rooms

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6012BL	4	3
Brown	6012BR	4	3

Adapter Collar

(For Bathroom & Dryer Exhaust Vent)

- Attaches any 4" or 5" duct or pipe to Duraflo Bathroom Exhaust Vent or Roof Dryer Vent

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6010-1BC	8	2

Roof Dryer Vent with Flapper & Attached Collar

- Roof dryer vent with 4" or 5" adjustable attached collar for easy connection to ducting

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6013BL	6	6
Brown	6013BR	6	6
Weatherwood	6013WW	6	6

Rangehood Exhaust Vent with Adapter Collar

- For venting kitchen range hoods and other large exhaust fans through the roof
- Large enough to handle most modern, high powered kitchen fans
- Includes a 6", 7" and 8" adapter collar
- The seamless body and dual flapper system helps prevent back draft and weather infiltration

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6020BL	2	6
Brown	6020BR	2	6



Adapter Collar

(For Rangehood Exhaust Vent)

- Will connect a 6", 7" or 8" adapter collar

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	6021-4	1	1

We Know Ventilation!

Thermoplastic Base Flashing

- Fits roof pitches from 2/12 – 12/12
- UV and Extreme Cold Resistant
- Water Deflectors

Available in White, Brown, Green, Grey, Weatherwood & Black.

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 1.5" FLANGE SIZE 15" x 13"			
Black	551101BL	12	8
Brown	551101BR	12	8
Grey	551101G	12	8
Green	551101GN	12	8
White	551101W	12	8
Weatherwood	551101WW	12	8
PIPE SIZE 2" FLANGE SIZE 15" x 13"			
Black	551102BL	12	8
Brown	551102BR	12	8
Grey	551102G	12	8
Green	551102GN	12	8
White	551102W	12	8
Weatherwood	551102WW	12	8

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 3" FLANGE SIZE 16-1/4" x 16-1/4"			
Black	551103BL	12	11
Brown	551103BR	12	11
Grey	551103G	12	11
Green	551103GN	12	11
White	551103W	12	11
Weatherwood	551103WW	12	11
PIPE SIZE 4" FLANGE SIZE 18" x 16-1/4"			
Black	551104BL	12	12
Brown	551104BR	12	12
Grey	551104G	12	12
Green	551104GN	12	12
White	551104W	12	12
Weatherwood	551104WW	12	12

PermOseal® StretchFit

PIPE FLASHING

The PermOseal® StretchFit requires no adjustment, no cutting and no tearing!

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 1.5" to 2"			
Black	551222BL	12	5
Brown	551222BR	12	5
Grey	551222G	12	5
Green	551222GN	12	5
White	551222W	12	5
Weatherwood	551222WW	12	5
PIPE SIZE 3" to 4"			
Black	551224BL	12	8
Brown	551224BR	12	8
Grey	551224G	12	8
Green	551224GN	12	8
White	551224W	12	8
Weatherwood	551224WW	12	8

MODEL:
551222
1.5"-2"
Pipe Sizes

MODEL:
551224
3"-4"
Pipe Sizes

Available in Black, Brown, Grey, Green, White & Weatherwood:



*StretchFit seal fits
1.5" - 2" and 3" - 4" vent pipe sizes*

**3 Sizes
in 1!**

**PermOseal®
Multiple 3 in 1
Size**

*Cut and Peel for
1.5" to 3" vent
pipe sizes*

- UV and Extreme Cold Resistant
- Built in water deflectors
- Fits roof pitches from 2/12 to 12/12

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 1.5" to 3"			
Black	551233BL	12	8



Cut



& Peel

We Know Ventilation!


duraflo® Roof Flashings

16

Roof Flashings

PermOseal®

Flexible BASE FLASHING



Engineered material stays flexible in extreme cold conditions

- Built in water deflectors
- Fits roof pitches from 2/12 to 12/12

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 1.5"			
Black	551141BL	12	9
PIPE SIZE 2"			
Black	551142BL	12	10
PIPE SIZE 3"			
Black	551143BL	12	15
PIPE SIZE 4"			
Black	551144BL	12	15



Steep Roof Flashing



Works on pitches up to 20/12 (60°)

- Patented one-piece design
- Easy installation with thermoplastic base
- 2/12 (10°) up to 20/12 (60°)
- Tear away ring sizing for different pipe sizes
- Double seal, No-Calk® water tight collar

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 1.5" - 3" FLANGE SIZE 11-1/4" x 19"			
Black	5511930	6	8
PIPE SIZE 3" - 4" FLANGE SIZE 13" x 20-1/8"			
Black	5511931	6	8

O-Guard™ Roof Flashing Seal Protector



Protection from harmful UV rays and weather conditions

- Easy installation - simply slide down pipe over flashing
- Does not reduce pipe size
- Unique innovation protects the seal

COLOR	PART #	CTN. QTY.	WT.CTN. (LBS.)
PIPE SIZE 3"			
Black	5503	12	2

duraflo[®] Ventilation Calculator

HOW MANY VENTS DO YOU NEED?




A home requires an equal amount of intake (soffit) & exhaust (roof) ventilation.

Note: Roof pitches under 4/12 require double the amount of ventilation.
Use this chart to determine how many vents your attic requires.

Ventilation requirements for your home

NUMBER OF VENTS NEEDED FOR

1000 1500 2000 2500

		NET FREE AREA OF VENT	SQ.FT. OF ATTIC SPACE			
			1000	1500	2000	2500
	WEATHERPRO TURBO	117 SQ. INCHES	1	2	2	3
	60PRO50 WEATHERPRO	50 SQ. INCHES	5	8	10	12
	RIDGE VENTS	72 SQ. INCHES	4	5	7	10
	RIDGE ROLL - 20ft	300 SQ. INCHES	16ft.	24ft.	32ft.	40ft.
	6050 SQUARE TOP	50 SQ. INCHES	5	8	10	12
	6075 SQUARE TOP	75 SQ. INCHES	4	5	7	8
	6065 SLANT BACK	61 SQ. INCHES	4	6	8	9

Vents suitable for pitch ranges 3/12 to 12/12

The included ventilation calculator is only a guide, please consult your local building code for specific ventilation requirements.

duraflo® Gable Vents

18

Decorative Gable Vents



duraflo®

offers a full line of Decorative Gable Vents in many sizes and colour options adding functionality and design style to any home.

- Molded in vent screen helps eliminate nesting insect infiltration.
- Wide trim ring for easy installation and profession finish.
- Removable rough cut opening template for easy installation.
- Built in drip channels direct moisture way from the interior wall surface
- Weeping holes help eliminate moisture build up.
- Deep wood grain finish for authentic styling.
- Large flange allows for ease of fastening during installation.
- Built in level lines help ensure proper installation.



www.duraflo.com

Cathedral Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
22" White	107 Sq. In.	626110-00	1	6	22

Octagon Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
22" White	58 Sq. In.	626060-00	1	6	16
18" White	58 Sq. In.	626058-00	1	6	15

Round Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
22" White	55 Sq. In.	626055-00	1	6	15
18" White	55 Sq. In.	626053-00	1	6	14

Square Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
18" X 18" White	44 Sq. In.	626045-00	1	6	12
12" X 12" White	44 Sq. In.	626043-00	1	6	11

Small and Large Rectangular Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
18" X 24" White	44 Sq. In.	626080-00	1	6	17
12" X 18" White	44 Sq. In.	626075-00	1	6	16

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
22" X 28" White	74 Sq. In.	626120-00	1	6	24

Half Moon Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	MASTER CTN. QTY.	WT.CTN. (LBS.)
22" X 34" White	111 Sq. In.	626095-00	1	5	21
18" X 30" White	111 Sq. In.	626093-00	1	5	20

We Know
Ventilation!

duraflo® Gable Vents

Square and Rectangular Standard Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
8" X 8" White	21 Sq. In.	620808	12	4
12" X 12" White	75 Sq. In.	621212	12	10

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
8" X 12" White	45 Sq. In.	620812	12	5
8" X 16" White	60 Sq. In.	620816	12	8
12" X 18" White	112 Sq. In.	621218	12	15

Square and Rectangular Combined Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
8" X 8" White	21 Sq. In.	620808COMB	8	6
8" X 12" White	32 Sq. In.	620812COMB	6	6
8" X 12" White	45 Sq. In.	620812REC	12	6
12" X 12" White	75 Sq. In.	621212COMB	6	10
12" X 18" White	112 Sq. In.	621218COMB	6	14

Square and Rectangular Recessed Gable Vents

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
8" X 8" White	21 Sq. In.	620808REC	12	4
12" X 12" White	75 Sq. In.	621212REC	13	11
12" X 18" White	112 Sq. In.	621218REC	13	15



Combined Vents

Ultimate in gable weather protection.
Can be installed to display raised profile or reversed to show recessed profile.

Inverted rear vents block weather infiltration, directing it downward back out of the vent.

Home Interior

Combined Gable Vents provide large air flow while helping to block extreme weather infiltration.



duraflo® Siding & Soffit

Duraflo® siding and soffit accessories make for a clean professional installation. We have created our accessories with aesthetics and functionality in mind.

Foundation Vent

All-In-One Block Application

- Standard U.S. Block
- Metric Block
- Queen Brick

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
Black	51 Sq. In.	649000BL	12	13
Grey	51 Sq. In.	649000G	12	13
Brown	51 Sq. In.	649000BR	12	13




Foundation Vent

Siding Application

- For ventilating crawl spaces and foundations.
- Designed for stucco, vinyl, aluminum or wood

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	32.6 Sq. In.	643032-00	12	13



Meter Mount Plate

- 17-5/8" X 15-7/8"

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	645080-00	10	3



Round Soffit Vent, 4"

- Flush mount with molded-in grill

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	646020-00	60	15



duraflo® Siding & Soffit

Plastic Soffit Vents

- Installs easily under eaves
- Small louvers guard against weather and insect entry
- Measurable net free area

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
16" X 4" White	18.6 Sq. In.	641604	36	4
16" X 4" Brown	18.6 Sq. In.	641604BR	36	4

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
16" X 8" White	45.5 Sq. In.	641608	36	7
16" X 8" Brown	45.5 Sq. In.	641608BR	36	7



Metal Soffit Vents

- Installs easily under eaves
- Small louvers guard against weather and insect entry

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
16" X 4" Mill	15.75 Sq. In.	61VENT164MF	24	3
16" X 4" White	15.75 Sq. In.	61VENT164WH	24	3

DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
16" X 8" Mill	40.5 Sq. In.	61VENT168MF	24	5
16" X 8" White	40.5 Sq. In.	61VENT168WH	24	5


Midget Vents

- Aluminum

Available in full box quantities only.



DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
1.0"	0.20"	61RAA10D	250	2
1.5"	0.43"	61RAA15D	120	1
2.0"	0.66"	61RAA20D	65	1
2.5"	1.31"	61RAA25D	85	2
3.0"	1.77"	61RAA30D	55	2
4.0"	2.85"	61RAA40D	30	1
6.0"	5.20"	61RAA60D	8	1



- 2- 16x4 soffit vents = 1- 50 sq in roof vent
- 2- 16x8 soffit vents = 2- 50 sq in roof vent

8 Ft. Plastic Soffit Strip Vent


- Economical and easy to install



DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
8 Ft. White	69 Sq. In.	648WH	50	29
8 Ft. Brown	69 Sq. In.	648BR	50	29

8 Ft. Metal Soffit Strip Vent

- Economical and easy to install




DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
8 Ft. Mill	68 Sq. In.	61VENT8MF	50	19
8 Ft. White	68 Sq. In.	61VENT8WH	50	19
8 Ft. Brown	68 Sq. In.	61VENT8BR	50	19

Mini Louvers

- Plastic

Available in full box quantities only.



DESCRIPTION	NET FREE AREA	PART #	CTN. QTY.	WT.CTN. (LBS.)
1.0"	0.20"	61PML101	100	1
1.5"	0.43"	61PML151	100	1
2.0"	0.66"	61PML201	100	1
2.5"	1.31"	61PML251	100	2
3.0"	1.77"	61PML301	100	3
4.0"	2.85"	61PML401	50	2
5.0"	3.80"	61PML501	20	1
6.0"	5.20"	61PML601	20	3



Dryer Vent Block

- Brick & Stucco Applications
- Reversible Trim Ring for easy installation
- Helps eliminate bird nesting

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641015-00	8	4

Dryer Vent

- Siding Applications
- Helps eliminate bird nesting
- Can be used on vinyl siding

DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641010-00	6	3

Wall Vent, 6"

- Works as an intake or exhaust


DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
Without Collar			
White	646010-00	30	8
With Collar			
White	646025-00	12	7

Bathroom Soffit Exhaust Vent

Easy To Install and Virtually Invisible...

- Mounts flush to the soffit for a virtually invisible installation
- No need to penetrate the roof or wall
- Unique flapper lets out hot moist air while keeping out cold air. Will adapt to 4" or 5" ducting or flex hose


DESCRIPTION	PART #	CTN. QTY.	MASTER PACK	WT.CTN. (LBS.)
White	646015	6	6	3
Brown	646015BR	6	6	3




We Know Ventilation!



Siding Accessories Scalloped Series



Split Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641020-00	12	3

Recessed Electrical Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641040-00	12	2

Jumbo Block

- Reversible Model



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641030-00	12	6

Surface Series Block

- Double 4, 5, 6 - 8 & 10, Triple 3" & Dutch Lap



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641060-00	12	3

Electrical Plug Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641095-00	12	7

Flush Electrical Block

- Reversible Model



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641050-00	12	4

Double Walled Recessed Electrical Block

- Reversible Model



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641090-00	12	6

Mounting Block

- Reversible Model



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641000-00	12	4

Dryer Vent

- Siding Applications



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641010-00	6	3

Electrical Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	641055-00	12	8



Siding Accessories WeatherPRO® Plate Series

The **WeatherPRO®** Series features engraved rain channels that incorporate the principal of Surface Tension. Water, as it cascades down the surface of the wall, is diverted to each side down the engraved rain channels and diverted out over the exterior finish by means of the bottom rain flange.

Pro Electrical Flush Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	642115-00	12	3

Pro Light Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	642145-00	12	4

Pro Recessed Electrical Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	642125-00	12	3

Pro Surface Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	642155-00	12	4

Pro Recessed Split Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	642175-00	12	3

Pro 5 x 6 Mounting Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White	642165-00	12	4

Pro Mini Mounting Block



DESCRIPTION	PART #	CTN. QTY.	WT.CTN. (LBS.)
White 3" X 5"	642135-00	12	3

Dryer Vent Plate




DESCRIPTION	PART #	CTN. QTY.	MASTER PACK	WT.CTN. (LBS.)
White	646004-00	6	6	5

Rain Channels

Bottom Rain Flange

Reversible trim ring models:

By simply reversing the trim ring, the fixture will accommodate 5/8" to 1-1/4" siding.



We Know Ventilation!

duraflo[®] Colour Options

26

Colour Options

Before

After

by duraflo

Roof Vents



BL - Black



BR - Brown



GR - Grey



GN - Green



W - White



WW - Weatherwood

PART #	PAGE #	SKID QTY.
5503	16	960
551101BL	14	384
551101BR	14	384
551101G	14	384
551101GN	14	384
551101W	14	384
551101WW	14	384
551102BL	14	384
551102BR	14	384
551102G	14	384
551102GN	14	384
551102W	14	384
551102WW	14	384
551103BL	14	192
551103BR	14	192
551103G	14	192
551103GN	14	192
551103W	14	192
551103WW	14	192
551104BL	14	192
551104BR	14	192
551104G	14	192
551104GN	14	192
551104W	14	192
551104WW	14	192
551141BL	16	384
551142BL	16	384
551143BL	16	192
551144BL	16	192
5511930	16	360
5511931	16	360
551222BL	15	576
551222BR	15	576
551222G	15	576
551222GN	15	576
551222W	15	576
551222WW	15	576
551224BL	15	384
551224BR	15	384
551224G	15	384
551224GN	15	384
551224W	15	384
551224WW	15	384
551233BL	15	384
5950C	8	96
5975C	8	80
60DURV20METBL	11	36
60RVA20MET	11	36
60RVA20US	11	45
60RVA208	11	36
60RVC20METBL	11	32
60PRO50BL	6	108
60PRO50BR	6	108
60PRO50G	6	108
60PRO50W	6	108
60PRO50WW	6	108
60PRO50SLBL	7	48
60PRO50SLBR	7	48
60PRO50SLG	7	48
60PRO50SLW	7	48
60PRO50SLWW	7	48
6000BL	4	12
6000BR	4	12
6000WW	4	12
6001BL	5	24
6001BR	5	24
6001G	5	24
6001WW	5	24
6008BL	12	192
6008BR	12	192
6008G	12	192
6008GN	12	192
6008W	12	192
6008WW	12	192
6010-1BC	13	576
6010BL	12	192
6010BR	12	192
6010G	12	192
6010WW	12	192
6011BL	12	108
6011BR	12	108
6011G	12	108
6011WW	12	108
6012BL	12	192
6012BR	12	192
6013BL	13	108
6013BR	13	108
6020BL	13	24
6020BR	13	24

PART #	PAGE #	SKID QTY.
6021-4	13	N/A
6025BL	10	18
6025BLF	10	18
6050BL	8	160
6050BR	8	160
6050G	8	160
6050GN	8	160
6050W	8	160
6050WW	8	160
6050TBL	8	216
6050TBR	8	216
6050TG	8	216
6050TWW	8	216
6065BL	8	144
6065BR	8	144
6065G	8	144
6065WW	8	144
6070BL	5	72
6070BR	5	72
6070G	5	72
6070WW	5	108
6072METBL	9	108
6072METBR	9	108
6072METWW	9	108
6073BL	9	108
6073BR	9	108
6073WW	9	108
6075BL	8	80
6075BR	8	80
6075G	8	80
6075GN	8	80
6075W	8	80
6075WW	8	80
6094BL	9	108
61PML101	22	27000
61PML151	22	10800
61PML201	22	14400
61PML251	22	8000
61PML301	22	8000
61PML401	22	4000
61PML501	22	1080
61PML601	22	648
61RAA10D	22	38700
61RAA15D	22	15000
61RAA20D	22	8125
61RAA25D	22	10625
61RAA30D	22	6875
61RAA40D	22	3750
61RAA60D	22	1000
61VENT164MF	22	3840
61VENT164WH	22	3840
61VENT168MF	22	2304
61VENT168WH	22	2304
61VENT8BR	22	N/A
61VENT8MF	22	N/A
61VENT8WH	22	N/A
620808	20	768
620808COMB	20	288
620808REC	20	768
620812	20	576
620812COMB	20	216
620812REC	20	576
620816	20	336
621212	20	324
621212COMB	20	351
621212REC	20	351
621218	20	324
621218COMB	20	162
621218REC	20	351
626043-00	19	72
626045-00	19	72
626053-00	19	72
626055-00	19	72
626058-00	19	72
626060-00	19	72
626075-00	19	72
626080-00	19	72
626093-00	19	40
626095-00	19	40
626110-00	19	48
626120-00	19	48
641000-00	24	720
641010-00	24	96
641015-00	23	144
641020-00	24	2304
641030-00	24	432
641040-00	24	2304
641050-00	24	720

PART #	PAGE #	SKID QTY.
641055-00	24	720
641060-00	24	1008
641090-00	24	720
641095-00	24	720
641604	22	9720
641604BR	22	9720
641608	22	4860
641608BR	22	4860
642115-00	25	720
642125-00	25	720
642135-00	25	720
642145-00	25	720
642155-00	25	720
642165-00	25	720
642175-00	25	720
643032-00	21	288
645080-00	21	160
646004-00	25	180
646010-00	23	900
646015	23	216
646015BR	23	216
646020-00	21	1296
646025-00	23	540
648BR	22	N/A
648WH	22	N/A
649000BL	21	288
649000G	21	288
649000BR	21	288

WE KNOW VENTILATION

duraflo[®] *Ventilation Systems*

Duraflo[®] products provide exceptional protection against weather infiltration. Many of our innovative products along with our WeatherPRO[®] series are designed with ease of installation in mind. Cold impact resistance, patented baffle systems, UV protection and colour selection make Duraflo products leaders in the construction industry.



Dryer Vents



Utility Blocks



Mounting Blocks



Electrical Blocks

CANADA

Canplas Industries Ltd.

P.O. Box 1800, 500 Veterans Drive
Barrie, Ontario

Canada L4M 4V3

1-800-461-5300

Tel: (705) 726-3361

Fax: (705) 726-8991

Canplas Industries Ltd.

9489 - 200 Street, Unit 201
Langley, B.C.

Canada V1M 3A7

Tel: (604) 455-0432

Fax: (604) 455-0452

Email: bc.sales@canplas.com

Canplas Industries Ltd.

11408 - 163rd Street
Edmonton, Alberta,

Canada T5M 3T3

Tel: (780) 451-3206

Fax: (780) 452-0536

Email: prairie.sales@canplas.com

E-mail: duraflo@canplas.com www.duraflo.com

canplas[®]

an *OAliaxis* company