


"The Professional's Choice"™

Type XT-II™ Deck and Fence

Type XT-II™ — GTXT



DrawTite™ Shank | Flat Head - Type 17 Point



Star Drive
Type 17 Point

EXTERIOR WOOD Deck and Fence

Grabber's XT-II™ premium exterior grade GrabberGard™ coated fasteners are ideal for pressure treated lumber applications and for all outdoor wood construction such as decking, patios, lawn furniture, window boxes, etc. XT's unique engineering reduces wood splitting and provides superior holding power.

- Star drive
- Deep threads for greater holding power
- Type 17 self-drilling point
- DrawTite™ shanks pulls both wood members together for a secure fastening job
- Flat head

PART NO.	SIZE	COUNT	DESCRIPTION
GTXT114PP	6 X 1-1/4-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT114FP	6 X 1-1/4-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT114	6 X 1-1/4-in	8M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT112PP	6 X 1-1/2-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD™ COATED
GTXT112FP	6 X 1-1/2-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT112	6 X 1-1/2-in	5M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT200PP	7 X 2-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT200FT	7 X 2-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT200	7 X 2-in	3.5M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT214PP	8 X 2-1/4-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT214FP	8 X 2-1/4-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT214	8 X 2-1/4-in	3M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT212PP	8 X 2-1/2-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT212FP	8 X 2-1/2-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT212	8 X 2-1/2-in	2.5M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT300	9 X 3-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT300PP	9 X 3-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT300FP	9 X 3-in	2M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD COATED
GTXT312	10 X 3-1/2-in	1-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT312PP	10 X 3-1/2-in	5-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT312FP	10 X 3-1/2-in	1M, Bulk	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT400	10 X 4-in	1-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT400PP	10 X 4-in	5-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT400FP	10 X 4-in	1M, Bulk	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT500	10 X 5-in	1-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT500PP	10 X 5-in	5-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED
GTXT500FP	10 X 5-in	1M, Bulk	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD COATED



TYPE XT - II™
GrabberGard Coated Deck Screws

Type XT-II™ — Trim Head



DrawTite™ Shank | Flat Head - Type 17 Point



#1 Square Drive
Type 17 Point

EXTERIOR WOOD Deck and Fence

Grabber's XT-II™ premium exterior grade GrabberGard™ coated fasteners are ideal for pressure treated lumber applications and for all outdoor wood construction such as decking, patios, lawn furniture, window boxes, etc. XT's unique engineering reduces wood splitting and provides superior holding power.

- #1 Square drive
- Deep threads for greater holding power
- Type 17 self-drilling point
- DrawTite™ shanks pulls both wood members together for a secure fastening job
- Trim head

PART NO.	SIZE	COUNT	DESCRIPTION
GXTR158PP	7 X 1-5/8-in	1-lb Pack	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR158FP	7 X 1-5/8-in	5-lb Pack	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR158	7 X 1-5/8-in	5M, Bulk	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR214PP	7 X 2-1/4-in	1-lb Pack	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR214FP	7 X 2-1/4-in	5-lb Pack	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR214	7 X 2-1/4-in	3M, Bulk	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR300PP	8 X 3-in	1-lb Pack	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR300FP	8 X 3-in	5-lb Pack	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD
GXTR300	8 X 3-in	2M, Bulk	TRIM HEAD DECK SCREW, #1 SQUARE DRIVE, GRABBERGARD



TYPE XT - II™
GrabberGard Coated Deck Screws

"The Professional's Choice"™

Type XT-II™ Deck and Fence

Type XT-II™ — GTXT — Red



DrawTite™ Shank | Flat Head - Type 17 Point



Star Drive Type 17 Point

EXTERIOR WOOD Deck and Fence

Grabber's XT-II™ premium exterior grade GrabberGard™ coated fasteners are ideal for pressure treated lumber applications and for all outdoor wood construction such as decking, patios, lawn furniture, window boxes, etc. XT's unique engineering reduces wood splitting and provides superior holding power.

AVAILABLE ON THE WEST COAST ONLY

- Star drive
- New 8 x 2-1/4" decking screw properly sized for use with today's 5/4 lumber
- Deep threads for greater holding power
- Type 17 self-drilling point
- DrawTite™ shanks pulls both wood members together for a secure fastening job
- Flat head

PART NO.	SIZE	COUNT	DESCRIPTION
XTXT114R	6 X 1-1/4-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
VBXTXT114R	6 X 1-1/4-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
TXT114R	6 X 1-1/4-in	8M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
XTXT112R	6 X 1-1/2-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
VBXTXT112R	6 X 1-1/2-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
TXT112R	6 X 1-1/2-in	5M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
XTXT200R	7 X 2-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
VBXTXT200R	7 X 2-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
TXT200R	7 X 2-in	3.5M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
XTXT212R	8 X 2-1/2-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
VBXTXT212R	8 X 2-1/2-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
TXT212R	8 X 2-1/2-in	2.5M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
XTXT300R	9 X 3-in	1-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
VBXTXT300R	9 X 3-in	5-lb Pack	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
GTXT300	9 X 3-in	2M, Bulk	FLAT HEAD DECK SCREW, #20 STAR, GRABBERGARD RED
XTXT312R	10 X 3-1/2-in	1-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD RED
VBXTXT312R	10 X 3-1/2-in	5-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD RED
TXT312R	10 X 3-1/2-in	1M, Bulk	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD RED
XTXT400R	10 X 4-in	1-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD RED
VBXTXT400R	10 X 4-in	5-lb Pack	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD RED
TXT400R	10 X 4-in	1M, Bulk	FLAT HEAD DECK SCREW, #25 STAR, GRABBERGARD RED



* AVAILABLE ON THE WEST COAST ONLY

TYPE XT - II™
GrabberGard Coated Deck Screws



"The Professional's Choice"™

Wood to Wood Framing

Lag-Master™



Performance Data:

Application: Structural
Compliance with the following codes:
2012, 2009, 2006 International Building Code® (IBC)
2012, 2009, 2006 International Residential Code® (IRC)
All local code requirements must be followed and a design professional should be consulted for proper spacing requirements.

Allowable fastener strength for shear ((1,046 lbf)(37,275 psi))
Allowable fastener strength for tension ((1,492 lbf)(53,180 psi))

Structural Framing Fasteners

Multi-purpose wood fastener for general wood construction such as ledger boards, laminated beams, underdeck connections, trusses and dimensional lumber.

- ICC-ES 3531 Certified
- 3/8-in Hex head
- Type 17 point
- Draw-Tite shank
- Galvanized

PART NO.	SIZE	COUNT	DESCRIPTION
GLM212RP	14 x 2-1/2-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM212CP	14 x 2-1/2-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM212	14 x 2-1/2-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300RP	14 x 3-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300CP	14 x 3-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300	14 x 3-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM312RP	14 x 3-1/2-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM312CP	14 x 3-1/2-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM312	14 x 3-1/2-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400RP	14 x 4-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400CP	14 x 4-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400	14 x 4-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412RP	14 x 4-1/2-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412CP	14 x 4-1/2-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412	14 x 4-1/2-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500RP	14 x 5-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500CP	14 x 5-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500	14 x 5-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600RP	14 x 6-in	Retail Pack, 10-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600CP	14 x 6-in	Count Pack, 50-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600	14 x 6-in	Bulk, 500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED



Tie-Master™



Performance Data:

Application: Structural
Compliance with the following codes:
2012, 2009, 2006 International Building Code® (IBC)
2012, 2009, 2006 International Residential Code® (IRC)
All local code requirements must be followed and a design professional should be consulted for proper spacing requirements.

Allowable fastener strength for shear ((1,046 lbf)(37,275 psi))
Allowable fastener strength for tension ((1,492 lbf)(53,180 psi))

Structural Framing Fasteners

Multi-purpose wood fastener for general wood construction such as ledger boards, laminated beams, underdeck connections, trusses and dimensional lumber, decks, docks and boardwalks.

- ICC-ES 3531 Certified
- Flat head
- Star recess
- Type 17 point
- Draw-Tite shank
- Galvanized

PART NO.	SIZE	COUNT	DESCRIPTION
GTIE4RP	14 X 4-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE4CP	14 X 4-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE4	14 X 4-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412RP	14 X 4-1/2-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412CP	14 X 4-1/2-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412	14 X 4-1/2-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5CP	14 X 5-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5RP	14 X 5-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5	14 X 5-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6RP	14 X 6-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6CP	14 X 6-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6	14 X 6-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8RP	14 X 8-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8CP	14 X 8-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8	14 X 8-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE10RP	14 X 10-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE10CP	14 X 10-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE10	14 X 10-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE12RP	14 X 12-in	Retail Pack, 10-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE12CP	14 X 12-in	Count Pack, 50-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE12	14 X 12-in	Bulk, 500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED



GRABBER TIE-MASTER™ AND LAG-MASTER™

Grabber Tie-Master™ and Lag-Master™ deck framing fasteners have received an evaluation report from ICC Evaluation Service (ICC-ES) certifying the fasteners are in compliance with the following codes

- ▶ 2012, 2009, and 2006 International Building Code (IBC)
- ▶ 2012, 2009, and 2006 International Residential Code (IRC)

Grabber's Tie-Master™ and Lag-Master™ Multipurpose Wood Fasteners described in the report are used for engineered wood-to-wood connections in accordance with the IBC and the ANSI/AWC National Design Specification for Wood Construction (NOS). The fasteners may be used under the IRC when an engineered design is submitted in accordance with IRC Section R301.1.3.

"The Professional's Choice"™

SuperDrive® Automated Fastening System

SuperDrive® 75 Series

PART NO.	PACK COUNT	DESCRIPTION
7525XT	1-each	75 SERIES W ROCKER 2500 RPM W EXTENSION
7540IT	1-each	COMPLETE "G" TOOL - 75 SERIES W ROCKER 4000 RPM
7540XT	1-each	75 SERIES W ROCKER 4000 RPM W EXTENSION



Features and Benefits:

- ▶ Use for any screw application from 5/8-in - 3-in
- ▶ Use with screw diameters from 6 - 12 gauge
- ▶ Simple design, easy to service
- ▶ Compact and lightweight industrial design
- ▶ Most versatile tool on the market
- ▶ Set and forget depth control system
- ▶ Extra long bit life with patented LOX® bits

Recommended Applications:

- ▶ Subfloor/deck/dock
- ▶ Roof tile
- ▶ Wood to metal
- ▶ Drywall and sheathing
- ▶ Wood to wood construction

SuperDrive® Collated Screws

SHEATHING or Subfloor to Wood

PART NO.	SIZE	COUNT	DESCRIPTION
C8175L3YZ	8 x 1-3/4-in	Pack, 1000-ct	SUBFLOOR, WAXED, YELLOW ZINC, LOX3
C8200L3YZ	8 X 2-in	Pack, 1000-ct	SUBFLOOR, WAXED, YELLOW ZINC, LOX3
C9200L3NG	9 X 2-in	Pack, 1000-ct	SUBFLOOR, "NOGLUESCREW", BLUE ZINC, LOX3
C8250L3YZ	8 X 2-1/2-in	Pack, 1000-ct	SUBFLOOR, WAXED, YELLOW ZINC, LOX3
C8300L3YZ	8 X 3-in	Pack, 1000-ct	SUBFLOOR, WAXED, YELLOW ZINC, LOX3



EXTERIOR DECKING

PART NO.	SIZE	COUNT	DESCRIPTION
C8200L2M	8 X 2-in	Pack, 1000-ct	FLAT HEAD, TYPE 17, 1000HR - GRABBERGARD, LOX2
C8250L2M	8 x 2-1/2-in	Pack, 1000-ct	FLAT HEAD, TYPE 17, 1000HR - GRABBERGARD, LOX2
C9300L2M	9 X 2-1/2-in	Pack, 1000-ct	FLAT HEAD, TYPE 17, 1000HR - GRABBERGARD, LOX2



EXTERIOR DECKING

PART NO.	SIZE	COUNT	DESCRIPTION
C8300TXG2	8 X 3-in	Pack, 1000-ct	FLAT HEAD, TYPE 17, 1000HR - GRABBERGARD, #2 SQ.DR.



GrabberGard LifeTime™
Exterior Grade Coating
Life time warranty against fastener corrosion

SuperDrive® Bits

PART NO.	PACK COUNT	DESCRIPTION
2178LN	1-each	#2 LOX BIT TIP FOR THE 75 TOOL
3178LN	1-each	#3 LOX BIT TIPS FOR THE 75 TOOL
2178SQ	1-each	#2 SQUARE BIT ROD FOR SUPERDRIVE 75 TOOL 178MM



SuperDrive® 75 Series

"The Professional's Choice"™

DECKMASTER® Deck and Fence

G6 Hidden Fastening System



EXTERIOR WOOD Deck

DECKMASTER® G6 Hidden Deck Fastening System is the strongest hidden fastening clip on the market. Made of highest grade, heavy-gauge steel and coated with the advanced corrosion protection of GrabberGard®. Uniquely engineered with four claws to bite into decking material increasing shear values by 50-70% giving you a grip that will virtually eliminate squeaking, rattling and inconsistent gapping. G6 system uses frame head screws rather than trim head for better holding power.

- **Unibody design assures consistent spacing in board gapping**
- **Built in security that grips deck boards to permanently lock them into place**
- **Stronger four winged design for the strongest deck clip available with 30% more steel — Made from the highest grade steel.**

PART NO.	COUNT	RECOMMENDED FOR:
DMG6CB	Count Bucket, 175-ct	ChoiceDeck, DuraLife, EverGrain, FIBERON, Gossen, IPE Hardwood, Latitudes, Kleer, Nyloboard, ModerView, MoistureShield, TREX, WeatherReady
DMG6BKS	Bulk Bucket, 875-ct	ChoiceDeck, DuraLife, EverGrain, FIBERON, Gossen, IPE Hardwood, Latitudes, Kleer, Nyloboard, ModerView, MoistureShield, TREX, WeatherReady
DMGT6CB	Count Bucket, 175-ct	AZEK, TimberTech
DMGT6BKS	Bulk Bucket, 875-ct	AZEK, TimberTech



GRABBERGARD®
30
YEAR GUARANTEE
DECKMASTER

GrabberGard® advanced corrosion protection: Grabber's new Deckmaster G6 deck clips feature GrabberGard® advanced corrosion protection. GrabberGard® is ACO compliant and 2,000 hours salt spray and 30 cycles Kesternich testing certified. GrabberGard® is recommended for PVC, wood or composite materials in non-coastal areas. GrabberGard® Salt spray results ASTM B117 2,000 hours salt spray and 30 cycles Kesternich per DIN50018, no red rust.

DECKMASTER®
HIDDEN DECK FASTENING SYSTEM

Angle Bracket



EXTERIOR WOOD Deck

DECKMASTER® Hidden Deck Angle Bracket is a heavy-duty steel bracket for securing the first and last deck boards as well as stairs and post. Your deck is only as strong and secure as the first board.

PART NO.	COUNT	DESCRIPTION
DMACP	Count Pack, 20-ct	HIDDEN DECK ANGLE BRACKETS AND SCREW PACKS



GRABBERGARD®
30
YEAR GUARANTEE
DECKMASTER

DECKMASTER®
HIDDEN DECK FASTENING SYSTEM

Hidden Deck Bracket



EXTERIOR WOOD Deck

The strongest longest lasting decks are built using Deckmaster brackets. Its unique undermount design uses fasteners at two angles, virtually eliminating deck racking and shearing. And because Deckmaster is completely hidden beneath the deck boards, there are no exposed screws or nails on the deck surface. As such, moisture won't pool around screws and nails reducing the potential for water damage associated with decks top fastened with screws or nails. Deckmaster is the best hidden fastening system available.

- **ACO compliant**
- **Outstanding corrosion resistance**
- **LOX® 2 recess for a sure driving experience**
- **GrabberGard® corrosion protection**

PART NO.	COUNT	DESCRIPTION
DMP100-10	Red Box, 10-ct	FOR 3/4-in DECKING POWDER COAT BRACKETS
DMP100-100	Red Box, 10-ct	FOR 3/4-in DECKING GRABBERGARD BRACKETS
DMP125-10	Blue box, 10-ct	FOR 5/4-in DECKING GRABBERGARD BRACKETS
DMP125-100	Blue box, 10-ct	FOR 5/4-in DECKING GRABBERGARD BRACKETS
DMP175-10	Green Box, 10-ct	FOR 2X DECKING GRABBERGARD BRACKETS
DMP175-100	Green Box, 10-ct	FOR 2X DECKING GRABBERGARD BRACKETS

POWDER COATED
50
YEAR GUARANTEE
DECKMASTER

DECKMASTER®
HIDDEN DECK FASTENING SYSTEM

Joist Jaw



EXTERIOR WOOD Deck

Joist Jaw is the perfect accessory for the professional wood framer. Like a second pair of hands, the Joist Jaw holds up the rafters and joists. The Joist Jaw automatically levels the crossmember with the rimjoist or ledger giving the framer a "hands free" position while installing the joist hanger or other connectors. With just a couple of twists, the Joist Jaw clamps down on its target from the top or the bottom and holds lumber tight! This tool increases the accuracy and production of a 2 man framing crew whether they're building a deck, a roof or a floor, saving time and money. The joist jaw is reusable and made of zinc plated durable steel. Each package comes complete with 2 Joist Jaws.

- **Saves time and money**
- **Second pair of hands**
- **Solid steel construction**
- **Perfect for decking, roofing and flooring applications**

PART NO.	COUNT	DESCRIPTION
GJJ2	Blister Pack 2-ct	SET OF JOIST JAWS

Joist Jaw™
A Builder's Extra Hands