

CAN-CELL DISTRIBUTION PRODUCTS CATALOG 2016



www.can-cell.com



[.com/cancellindustries](https://www.facebook.com/cancellindustries)



[@cancell1976](https://twitter.com/cancell1976)

CAN-CELL STOCK PRODUCT CATALOG










CATEGORY VENDOR


ACRYLIC SHEETS	PLASKOLITE (pg 4)
ADHESIVES	3M CANADA INC. (pg 5) CONVENIENCE (pg 6) FRANKLIN INTERNATIONAL (pg 6) HENKEL (LEPAGES) (pg 9)
ATTIC HATCHES	ATTIC HATCH (pg 13)
BUILDERS HARDWARE	L SHAPE ANCHOR BOLT (pg 14) CRIMPED SHAPE ANCHOR BOLT (pg 14) BOLT DOWNS (pg 15) GATE KITS (pg 15) STEEL FENCE POST (pg 15) GROUND SPIKE (pg 15) ONWARD (pg 16) ALUMINUM PLYWOOD CLIPS (pg 16) STEEL PLYWOOD CLIPS (pg 16) POST HOLDERS (pg 18) SIMPSON STRONG-TIE (pg 19) STAIR RISERS (pg 51)
BUILDING PRODUCTS	DEE BUILDERS HARDWARE (pg 52) FLOOR AND SURFACE DRAINAGE (pg 54)
CAULKS & SEALANTS	3M CANADA INC. (pg 68) CSL SILICONES INC. (pg 68) DAP (pg 69) DOW CORNING (pg 73) FRANKLIN INTERNATIONAL (pg 74) G. H. INTERNATIONAL (pg 82) HENKEL (LEPAGES) (pg 83) SASHCO PRODUCTS (BIG STRETCH) (pg 84) WEATHERSHIELD (pg 85)
CEILING GRID & ACCES	ARMSTRONG CEILING GRID (pg 85) ARMSTRONG (pg 86)
CEILING TILES	ARMSTRONG (pg 87)
CLOSET DOOR HARDWARE	STANLEY HOME DÉCOR (pg 92)
CLOSET DOORS	STANLEY HOME DÉCOR (pg 94)
CLOSET RODS	ONWARD (pg 95) VANGUARD (pg 96)
CONCRETE ACCESSORIES	BAR LOOP TIES (pg 97) TIE WIRE (pg 98)
CONCRETE FORMS	BIGFOOT SYSTEMS (pg 98) CARAUSTAR (pg 99)
DAYLIGHTING SYSTEMS	SOLATUBE (pg 101)
DECK PRODUCTS	TY-LAN ENT (SHADOE TRACK) (pg 107)
DOOR STOPS	ONWARD (pg 108)
DRIVEWAY SEALERS	BAKOR (pg 108) G. H. INTERNATIONAL (pg 108)
FILLERS & SPACKLING	DAP (pg 109) G. H. INTERNATIONAL (pg 110) HENKEL (LEPAGES) (pg 110)
HANDRAIL BRACKETS	ONWARD (pg 111)
HINGES	ONWARD (pg 111)
HOOKS	ONWARD (pg 112)
HOUSEWRAP	TYPAR (pg 112)
INSULATION	CONVENIENCE (pg 113) MANUFACTURED PRODUCTS (FG) (pg 116)
INSULATION STOPS	ADO PLASTICS (pg 117) NORAMPAC (pg 117)
LIGHTING PANELS	PLASKOLITE (pg 118)
MEDICINE CABINETS	RSI HOME PRODUCTS (pg 120)
MIRRORS	STANLEY HOME DÉCOR (pg 123)
NAILS - BOX	DEE IMPORT NAILS (pg 123)
NAILS - COIL & STRIP	CRISPO (pg 124) DEE IMPORT NAILS (pg 132)


NAILS - COMMON	DEE IMPORT NAILS (pg 133)
NAILS - CONCRETE	DEE IMPORT NAILS (pg 133)
NAILS - DUPLEX	DEE IMPORT NAILS (pg 134)
NAILS - FINISH	DEE IMPORT NAILS (pg 134)
NAILS - FLOORING	DEE IMPORT NAILS (pg 135)
NAILS - JOIST HANGER	DEE IMPORT NAILS (pg 135)
NAILS - RINGED	DEE IMPORT NAILS (pg 135)
NAILS - ROOFING	DEE IMPORT NAILS (pg 136)
NAILS - SIDING	DEE IMPORT NAILS (pg 136)
NAILS - SPIRAL-ARDOX	DEE IMPORT NAILS (pg 137)
POLY	RALSTON (POLY) (pg 138)
RECYCLED PAVERS	MFG OF PAVERS, LANDSCAPE PROD. (pg 139)
REFLECTIVE FOIL INSL	TVM (pg 143)
RIGID INSULATION	BEAVER PLASTICS HALO THERMAL INSULATION (pg 144)
ROOFING PRODUCTS	BAKOR (pg 145) DEE 15LB ROOF FELT (pg 155) DEE SYNTHETIC (pg 155) G. H. INTERNATIONAL (pg 155)
SAFETY PRODUCTS	3M CANADA INC. (pg 158)
SCREENING & ACCESS	DIY / PHIFER SCREENING (pg 158) SCREENEZE (pg 159)
SCREWS - DRYWALL	DEE IMPORT SCREWS (pg 160)
SCREWS - EXTERIOR	DEE IMPORT SCREWS (pg 162)
SCREWS - YELLOW ZINC	DEE IMPORT SCREWS (pg 165)
SEASONAL PRODUCTS	CRISPO (pg 167)
SHELF BRACKETS	ONWARD (pg 168)
SHELF SUPPORTS	ONWARD (pg 168)
SHELVING & STORAGE	FREEDOM RAIL - GARAGE, CLOSET & PANTRY (pg 168) ORGANIZED LIVING - VENTILATED WIRE (pg 205)
SIDE SPLASH	EAGLE BUILDING PRODUCTS (pg 221)
SILLPLATE GASKETS	SILL PLATE GASKET (pg 222) TVM (pg 222)
SINKS	BATHROOM SINKS (pg 223) DEE STAINLESS STEEL SINKS (pg 223)
STAPLERS	CRISPO (pg 224) GENERAL FASTNERS (pg 225)
STAPLES	CRISPO (pg 225) DEE IMPORT NAILS (pg 225) GENERAL FASTNERS (pg 226)
STRETCH WRAP	GENERAL FASTNERS (pg 226)
TAPE	CANADIAN TECHNICAL TAPE (pg 227)
TELEPOSTS	QUALI-T-FAB (pg 230)
TOILETS	BATHROOM TOILETS (pg 231)
UNDERLAY	TVM (pg 232)
VANITIES	CAN-CELL RTA BATHROOM (pg 233) BATHROOM VANITIES (pg 233) RSI HOME PRODUCTS (pg 234)
VANITIES 12 IN WIDE	CAN-CELL RTA BATHROOM (pg 234)


VANITIES 15 IN WIDE	CAN-CELL RTA BATHROOM (pg 235)
VANITIES 18 IN WIDE	RSI HOME PRODUCTS (pg 235)
VANITIES 24 IN WIDE	CAN-CELL RTA BATHROOM (pg 235) RSI HOME PRODUCTS (pg 236)
VANITIES 30 IN WIDE	CAN-CELL RTA BATHROOM (pg 237) RSI HOME PRODUCTS (pg 237)
VANITIES 36 IN WIDE	CAN-CELL RTA BATHROOM (pg 238) RSI HOME PRODUCTS (pg 239)
VANITIES 48 IN WIDE	CAN-CELL RTA BATHROOM (pg 239) RSI HOME PRODUCTS (pg 240)
VANITY TOPS	GRANITE TOPS (pg 240) MARBLE TOPS & SIDE SPLASHES (pg 243)
VENTS	CELCO PLASTICS (pg 246) LOMANCO (pg 247)
WATERPROOFING	BAKOR (pg 262) SUPERSEAL DIMPLED MEMBRANES (pg 264) TYPAR (pg 267)
WEEPING TILE	POLYTUBES (1977) LTD. (pg 269)
WEEPING TILE ACCESS	POLYTUBES (1977) LTD. (pg 270)
WOOD GLUES	FRANKLIN INTERNATIONAL (pg 271) HENKEL (LEPAGES) (pg 275)
WOOD SHELF HARDWARE	VANGUARD (pg 276)


Product	Description	
ACR24X48-080	ACR24X48-080 ACRYLIC SHEET 24" X 48" X 5/64" (10/CASE) (11G0075A)	
	<p>2' x 4' x 5/64in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (10/CASE)</p>	
	UPC: 074507720358 Unit: EA WT: 3.70 lbs	PLASKOLITE
ACR24X48-250	ACR24X48-250 ACRYLIC SHEET 24" X 48" X 1/4" (4/CASE) (1AG2196A)	
	<p>24in x 48in x 1/4in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (4/CASE)</p>	
	UPC: 074507710236 Unit: EA WT: 11.33 lbs	PLASKOLITE
ACR30X32-080	ACR30X32-080 ACRYLIC SHEET 30" X 32" X 5/64" (10/CASE) (11G0184A)	
	<p>30in x 32in x 5/64in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (10/CASE)</p>	
	UPC: 080515910575 Unit: EA WT: 2.92 lbs	PLASKOLITE
ACR30X60-080	ACR30X60-080 ACRYLIC SHEET 30" X 60" X 5/64" (10/CASE) (1AG0500A)	
	<p>30in x 60in x 5/64in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (10/CASE)</p>	
	UPC: 074507720327 Unit: EA WT: 5.52 lbs	PLASKOLITE
ACR30X60-125	ACR30X60-125 ACRYLIC SHEET 30" X 60" X 1/8" (5/CASE) (1AG1700A)	
	<p>30in x 60in x 1/8in Plaslolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (5/CASE)</p>	
	UPC: 080515010602 Unit: EA WT: 8.70 lbs	PLASKOLITE
ACR36X72-125	ACR36X72-125 ACRYLIC SHEET 36" X 72" X 1/8" (5/CASE) (1AG1775A)	
	<p>36in x 72in x 1/8in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (5/CASE)</p>	
	UPC: 080515910629 Unit: EA WT: 12.84 lbs	PLASKOLITE


ACR48X96-080	ACR48X96-080 ACRYLIC SHEET 48" X 96" X 5/64" (5/CASE) (1AG0595A)	
	48in x 96in x 5/64in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (5/CASE)	
	UPC: 080515010633 Unit: EA WT: 14.20 lbs	PLASKOLITE


ACR48X96-125	ACR48X96-125 ACRYLIC SHEET 48" X 96" X 1/8" (3/CASE) (1AG1496A)	
	48in x 96in x 1/8in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (3/CASE)	
	UPC: 080515910643 Unit: EA WT: 22.43 lbs	PLASKOLITE


ACR48X96-187	ACR48X96-187 ACRYLIC SHEET 48" X 96" X 3/16" (2/CASE) (1AG8706A)	
	48in x 96in x 3/16in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (2/CASE)	
	UPC: 0805150106547 Unit: EA WT: 32.50 lbs	PLASKOLITE


ACR48X96-250	ACR48X96-250 ACRYLIC SHEET 48" X 96" X 1/4" (2/CASE) (1AG2180A)	
	48in x 96in x 1/4in Plaskolite Acrylic Sheet. High quality clear sheet that's durable lightweight and ideal for virtually any kind of DIY project. Exceeds industry standards for quality and safety, and its impact resistance will prohibit the sheet shattering into sharp edged pieces like glass. Special UV stabllization protects the sheet from yellowing. Lightweight for easy handling. (2/CASE)	
	UPC: 07450772003 Unit: EA WT: 43.50 lbs	PLASKOLITE


Product	Description	ADHESIVES - 3M CANADA INC.
SUPER77	SUPER77 3M MULTIPURPOSE ADHESIVE 24oz 710ML (77-24OZ/CHIM)	
	3M SUPER77 MULTIPURPOSE ADHESIVE 24oz 710ML. 3M Super 77 Multipurpose Adhesive is an extremely versatile, fast-drying adhesive that bonds a wide range of lightweight materials. Its fast, aggressive tack and low soak-in make it ideal for projects all around your home or business. It forms strong bonds with everything from paper, cardboard, fabric and cushion foam to plastic, metal, wood and much more. (77-24oz/CHIM)	
	UPC: 021200212109 Unit: EA WT: 1.07 lbs	3M CANADA INC.


Product	Description	ADHESIVES - CONVENIENCE
4004532450	TNFPROSUB TNF PRO SUBFLOOR ADHESIVE GUN FOAM 680G (6/CASE) (144CASES/PLT) (864PCS/PLT) (4004532450)	
	TNFPROSUB TNF PRO SUBFLOOR ADHESIVE GUN FOAM 680G (6/CASE) (144CASES/PLT) (864PCS/PLT)	
	UPC: 075650324233 Unit: EA WT: 1.95 lbs	CONVENIENCE

Product	Description	ADHESIVES - FRANKLIN INTERNATIONAL
FK3131	FK3131 TITEBOND LANDSCAPE RETAINING WALL ADHESIVE 311ml (12/case) - CONSUMER COMMODITY - (3131)	
	Titebond Landscape Retaining Wall Adhesive 311ml. Method of application Cartridge/caulking gun Coverage (maximum) Approximate length of bead according to bead diameter: 1/8in bead 129ft./ 1/4in bead 32ft./ 3/8in bead 14ft. Titebond Landscape Retaining Wall Adhesive is a professional strength adhesive for use on retaining and landscape decorative wall systems. It is specifically formulated for use with concrete, wood, brick, masonry, pavers and most other common landscaping materials. Titebond Landscape Retaining Wall Adhesive works well on dry, damp, and cold surfaces to provide a long lasting bond. It is strong enough to resist water and frost. (12/case)	
	UPC: 037083031317 Unit: EA WT: 0.92 lbs	FRANKLIN INTERNATIONAL

FK3132	FK3132 TITEBOND LANDSCAPE RETAINING WALL ADHESIVE 858ml (12/case) - CONSUMER COMMODITY - (3132)	
	Titebond Landscape Retaining Wall Adhesive 858ml. Method of application Cartridge/caulking gun Coverage (maximum) Approximate length of bead according to bead diameter: 1/8in bead 355ft./ 1/4in 89ft./ 3/8in bead 39ft. Titebond Landscape Retaining Wall Adhesive is a professional strength adhesive for use on retaining and landscape decorative wall systems. It is specifically formulated for use with concrete, wood, brick, masonry, pavers and most other common landscaping materials. Titebond Landscape Retaining Wall Adhesive works well on dry, damp, and cold surfaces to provide a long lasting bond. It is strong enough to resist water and frost. (12/case)	
	UPC: 037083031324 Unit: EA WT: 2.50 lbs	FRANKLIN INTERNATIONAL

FK3251	FK3251 TITEBOND PROFESSIONAL RADON SEALANT GREENCHOICE GRAY 10.1OZ CARTRIDGE (12/CASE) (3251) - DO NOT FREEZE -	
	FK3251 TITEBOND PROFESSIONAL RADON SEALANT GREENCHOICE GRAY 10.1OZ CARTRIDGE (12/CASE) (3251)	
	UPC: 037083032512 Unit: EA	FRANKLIN INTERNATIONAL

FK3401	FK3401 TITEBOND COVE BASE ADHESIVE SOLVENT FREE 311ml (12/case) (3401) -- DO NOT FREEZE --	
	Titebond Solvent Free Cove Base Adhesive 311ml. Method of application Cartridge/caulking gun, trowel or putty knife cutting and piecing should be done before applying adhesive. Surfaces to be bonded should be clean, dry and free from oil and grease or any other material that may deter adhesion. Apply enough adhesive to hold cove base in place without causing squeeze-out. Press the cove base firmly and uniformly against the wall within 5-10 minutes after applying adhesive. Irregular or curved wall surfaces may require bracing until adhesive has set. Coverage (maximum) Approximately 15-25 linear feet when used with 4" cove base. GREENchoice Professional Cove Base Adhesive is designed for the quick and easy installation of rubber and vinyl cove bases. Its fast, strong grab holds materials firmly in place and eliminates sagging. It offers excellent adhesion to drywall, plaster, paint, wallpaper, paneling and ceramic tile. GREENchoice Professional Cove Base is a VOC-compliant formula containing no ozone-depleting chemicals, making it safer for you and the environment. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water. (12/case)	
	UPC: 037083934014 Unit: EA WT: 1.16 lbs	FRANKLIN INTERNATIONAL

FK4054	FK4054 TITEBOND FRP ADHES. FAST GRAB SOLVENT FREE 15.12L (36/PLT) (4054) -- DO NOT FREEZE --	
	Titebond Solvent Free FRP Adhesive 15.12L Method of application V-notch trowel 3/16in wide x 1/4in deep, spaced 1/2in c.c. Coverage 50 sq. ft. per gallon. Titebond GREENchoice Fast Grab FRP Adhesive is a high-quality, VOC-compliant, adhesive specifically formulated for the installation of FRP (fiber-reinforced plastic) panels. Its fast grab and bonding power greatly reduce the need for extended bracing. GREENchoice Fast Grab FRP is environmentally superior and contains no ozone-depleting chemicals. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water.	
	UPC: 037083040548 Unit: EA WT: 49.05 lbs	FRANKLIN INTERNATIONAL

FK4056**FK4056 TITEBOND FRP ADHES. FAST GRAB SOLVENT FREE 3.79L (2/CASE, 90/PLT) (94056) -- DO NOT FREEZE --**

Titebond FRP Adhesive Solvent Free 3.79L Method of application V-notch trowel 3/16in wide x 1/4in deep, spaced 1/2in c.c. Coverage 50 sq. ft. per gallon. Titebond GREENchoice Fast Grab FRP Adhesive is a high-quality, VOC-compliant, adhesive specifically formulated for the installation of FRP (fiber-reinforced plastic) panels. Its fast grab and bonding power greatly reduce the need for extended bracing. GREENchoice Fast Grab FRP is environmentally superior and contains no ozone-depleting chemicals. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water. (2/case)(90/Pallet)

UPC: 037083040562 Unit: EA WT: 13.00 lbs

FRANKLIN INTERNATIONAL**FK4122****FK4122 TITEBOND SUBFLOOR ADHESIVE GREEN CHOICE SOLVENT FREE 858ml (12/case) (4122) -- DO NOT FREEZE --**

Titebond Green Choice Solvent Free Subfloor Adhesive 858ml. Method of application Cartridge/caulking gun Coverage (maximum) Approximate length of bead according to bead diameter: 1/8in bead 355ft./1/4in bead 89ft./3/8in bead 39ft. GREENchoice Weatherproof Subfloor Adhesive is a professional-strength formula designed for subfloor installations and plywood use. It provides a permanent bond that remains flexible, reduces nailing and helps eliminate squeaky floors. GREENchoice Subfloor is a VOC-compliant formula containing no ozone depleting chemicals, making it safer for you and the environment. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water. (12/case)

UPC: 037083041224 Unit: EA WT: 3.08 lbs

FRANKLIN INTERNATIONAL**FK5252****FK5252 TITEBOND CONSTRUCTION ADHESIVE PROVANTAGE HEAVY DUTY 825ml (12/case) (5252)**

Titebond ProVantage heavy duty construction adhesive. A premium-grade, waterproof adhesive designed for more demanding projects and heavier materials. It is ideal for wood, metal, concrete, ceramic, masonry and most other common building materials, It offers excellent bond strength and extrudes well in severe weather conditions. (12/case)

UPC: 037083052527 WT: 5.67 lbs

FRANKLIN INTERNATIONAL**FK5481****FK5481 TITEBOND SUBFLOOR ADHESIVE PROVANTAGE 300ml (12/case) (5481)**

Titebond ProVantage Subfloor Adhesive 300ml. Specifically designed for subfloor and plywood installations, this professional-grade formula is ideal for particleboard, OSB, engineered lumber and wet, frozen and treated lumber. It offers strong initial tack, excellent bond strength and long term durability. 12/case)

UPC: 037083054811 WT: 2.13 lbs

FRANKLIN INTERNATIONAL**FK5482****FK5482 TITEBOND SUBFLOOR ADHESIVE PROVANTAGE 825ml (12/case) (5482)**

Titebond ProVantage Subfloor Adhesive 825ml. Specifically designed for subfloor and plywood installations, this professional-grade formula is ideal for particleboard, OSB, engineered lumber and wet, frozen and treated lumber. It offers strong initial tack, excellent bond strength and long term durability. 12/case)

UPC: 037083054828 WT: 5.67 lbs

FRANKLIN INTERNATIONAL**FK7272****FK7272 TITEBOND DRYWALL ADHESIVE SOLVENT FREE 858ml (12/case, 528/PLT) (7272) -- DO NOT FREEZE --**

Titebond Solvent Free Drywall Adhesive 858ml. Method of application Cartridge/caulking gun Coverage (maximum) Approximate length of bead according to bead diameter: 1/8in bead 355ft./ 1/4in bead 89ft./ 3/8in bead 39ft. GREENchoice Professional Drywall Adhesive is specifically designed for installing drywall and paneling to most common building materials. It offers excellent adhesion, reduces nail pops and provides a "no sag" installation. GREENchoice Professional Drywall is a VOC-compliant formula containing no ozone depleting chemicals, making it safer for you and the environment. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water. (12/case)

UPC: 037083072723 Unit: EA WT: 3.00 lbs

FRANKLIN INTERNATIONAL

FK84221

FK84221 TITEBOND FAST SET POLYURETHANE CONSTRUCTION ADHESIVE 296ml (10oz)(12/case) - CONSUMER COMMODITY - (84221)



FK84221 TITEBOND FAST SET POLYURETHANE CONSTRUCTION ADHESIVE 296ml (12/case) - CONSUMER COMMODITY -

UPC: 037083842210 Unit: EA WT: 1.00 lbs

FRANKLIN INTERNATIONAL**FK895261**

FK895261 TITEBOND CONSTRUCTION ADHESIVE HEAVY DUTY 296ml (12/case) - CONSUMER COMMODITY - (5261)



Titebond Heavy Duty Construction Adhesive 311ml. Method of application cartridge/caulking gun. Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 129ft./1/4in bead 32ft./3/8in bead 14ft. Titebond Heavy Duty Construction Adhesive is a versatile adhesive that exceeds the APA's AFG-01 specification. It is designed for a wide range of construction applications including wet, frozen and treated lumber. It is also ideal for metal, brick, concrete, ceramics and most large panel-type substrates. Titebond Heavy Duty fills gaps and irregularities between materials and provides a more solid backup surface. It reduces the amount of nailing and helps eliminate squeaky floors. It also offers excellent water-resistance and remains permanently flexible. (12/case)

UPC: 037083052619 Unit: EA WT: 0.92 lbs

FRANKLIN INTERNATIONAL**FK93451**

FK93451 TITEBOND CONSTRUCTION ADHESIVE INTERIOR-EXTERIOR 311ml (12/case) - CONSUMER COMMODITY - - DO NOT FREEZE - (3451)



Titebond Interior/Exterior Construction Adhesive 311ml. Method of application cartridge/caulking gun. Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 129ft./1/4in bead 32ft./3/8in bead 14ft. Titebond Interior/Exterior Construction Adhesive is a versatile adhesive ideal for wood, paneling, drywall, ceramic tile, metal, foamboard and tub surrounds. It is also effective for installing foam insulation and panels to most building materials. Titebond Interior/Exterior provides excellent water-resistance and works extremely well in colder temperatures. It also offers a 10-minute working time to allow precise placement of materials. It exceeds the ASTM C557 specification. (12/case)

UPC: 037083934519 Unit: EA WT: 1.00 lbs

FRANKLIN INTERNATIONAL**FK93452**

FK93452 TITEBOND CONSTRUCTION ADHESIVE INTERIOR-EXTERIOR 858ml (12/case) - CONSUMER COMMODITY - DO NOT FREEZE - (3452)



Titebond Interior/Exterior Construction Adhesive 858ml. Method of application cartridge/caulking gun. Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 129ft./1/4in bead 32ft./3/8in bead 14ft. Titebond Interior/Exterior Construction Adhesive is a versatile adhesive ideal for wood, paneling, drywall, ceramic tile, metal, foamboard and tub surrounds. It is also effective for installing foam insulation and panels to most building materials. Titebond Interior/Exterior provides excellent water-resistance and works extremely well in colder temperatures. It also offers a 10-minute working time to allow precise placement of materials. It exceeds the ASTM C557 specification. (12/case)

UPC: 037083934526 Unit: EA WT: 2.50 lbs

FRANKLIN INTERNATIONAL**FK94222**

FK94222 TITEBOND FAST SET POLYURETHANE CONSTRUCTION ADHESIVE 828ML (28oz)(12/case) - CONSUMER COMMODITY - (94222)



FK94222 TITEBOND FAST SET POLYURETHANE CONSTRUCTION ADHESIVE 828ML (12/case) - CONSUMER COMMODITY -

UPC: 037083942224 Unit: EA WT: 3.00 lbs

FRANKLIN INTERNATIONAL**FK95352**

FK95352 TITEBOND DRYWALL ADHESIVE PROFESSIONAL 858ml (12/case) - CONSUMER COMMODITY - (95352)



Titebond Professional Drywall Adhesive 858ml. Method of application Cartridge/caulking gun Coverage (maximum) Approximate length of bead according to bead diameter:1/8in bead 355ft./1/4in bead 89ft./3/8in bead 39ft. Titebond Drywall Adhesive is specifically designed for applying drywall to wood, hardboard, gypsum wallboard, cold-rolled steel and aluminum. Its strong initial tack allows the panels to be positioned quickly without slipping. Titebond Drywall Adhesive fills irregularities and gaps in substrates, providing a strong bond and a more solid backup surface. It is unaffected by moisture and resists aging - it will not become hard or brittle with age. It exceeds the ASTM C557 specification. (12/case)

UPC: 037083953527 Unit: EA WT: 2.50 lbs

FRANKLIN INTERNATIONAL

FK95492**FK95492 TITEBOND SUBFLOOR ADHESIVE ALL-WEATHER 858ml (12/case 528/PLT) - CONSUMER COMMODITY - (5492) (16896/TL)**

Titebond All-Weather Subfloor Adhesive 858ml. Method of application cartridge/caulking gun Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 129ft./1/4in bead 32ft./3/8in bead 14ft. Titebond All Weather Subfloor Adhesive is the ideal choice for subfloor installations. It is designed for particleboard, OSB, engineered lumber and wet, frozen and treated lumber. It offers a strong initial tack, provides superior strength and remains permanently flexible. Titebond All Weather fills gaps and irregularities between materials and provides a more solid backup surface. It reduces the amount of nailing and helps eliminate squeaky floors. It also works extremely well in colder temperatures. (12/case 528ea/pallet)

UPC: 037083954920 Unit: EA WT: 2.50 lbs

FRANKLIN INTERNATIONAL**FK97471****FK97471 TITEBOND CONSTRUCTION ADHESIVE SOLVENT FREE 311ML (12/case) (7471) -- DO NOT FREEZE --**

Titebond Solvent Free Construction Adhesive 311ml. Method of application cartridge/caulking gun Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 129ft./1/4in bead 32ft./3/8in bead 14ft. GREENchoice Heavy Duty Construction Adhesive offers superior interior and exterior strength. Its all-purpose versatility is ideal for all common building materials. It provides a strong grab, fills gaps and irregularities and will remain permanently flexible. GREENchoice Heavy Duty is a VOC-compliant formula containing no ozone depleting chemicals, making it safer for you and the environment. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water. (12/case)

UPC: 037083974713 Unit: EA WT: 1.17 lbs

FRANKLIN INTERNATIONAL**FK97472****FK97472 TITEBOND CONSTRUCTION ADHESIVE SOLVENT FREE 858ml (12/case) (7472) -- DO NOT FREEZE --**

Titebond Solvent Free Construction Adhesive 858ml. Method of application cartridge/caulking gun Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 355ft./1/4in bead 89ft./3/8in bead 39ft. GREENchoice Heavy Duty Construction Adhesive offers superior interior and exterior strength. Its all-purpose versatility is ideal for all common building materials. It provides a strong grab, fills gaps and irregularities and will remain permanently flexible. GREENchoice Heavy Duty is a VOC-compliant formula containing no ozone depleting chemicals, making it safer for you and the environment. Unlike solvent-based adhesives, it is nonflammable, emits no harmful fumes and cleans up with water.(12/case)

UPC: 037083974720 Unit: EA WT: 3.08 lbs

FRANKLIN INTERNATIONAL**FK975261****FK975261 TITEBOND CONSTRUCTION ADHESIVE HEAVY DUTY 296ml MINI PLT (12/CASE, 288/MINI PLT) - CONSUMER COMMODITY - (975261)**

Titebond Heavy Duty Construction Adhesive 311ml. Mini Pallet (288ea/24cases)

UPC: 0037083952612 Unit: EA WT: 300.00 lbs

FRANKLIN INTERNATIONAL**FK995262****FK995262 TITEBOND CONSTRUCTION ADHESIVE HEAVY DUTY 858ml (12/case) - CONSUMER COMMODITY - (5262)**

Titebond Heavy Duty Construction Adhesive 858ml. Method of application cartridge/caulking gun Coverage (maximum) approximate length of bead according to bead diameter:1/8in bead 355ft./1/4in bead 89ft./3/8in bead 39ft. Titebond Heavy Duty Construction Adhesive is a versatile adhesive that exceeds the APA's AFG-01 specification. It is designed for a wide range of construction applications including wet, frozen and treated lumber. It is also ideal for metal, brick, concrete, ceramics and most large panel-type substrates. Titebond Heavy Duty fills gaps and irregularities between materials and provides a more solid backup surface. It reduces the amount of nailing and helps eliminate squeaky floors. It also offers excellent water-resistance and remains permanently flexible. (12/case)

UPC: 037083052626 Unit: EA WT: 2.50 lbs

FRANKLIN INTERNATIONAL**Product****Description****ADHESIVES - HENKEL (LEPAGES)****1536624 PRES-TITE GREEN LATEX CONTACT CEMENT 1.5L (6/CT) (1536624) -- DO NOT FREEZE --**

LePage Pres-tite Green Latex Contact Cement 1.5L. LePage Pres-tite Green Contact Cement is a water-based contact adhesive that provides strong, tough bonds with excellent hot-creep resistance. It applies smoothly without stringing and evenly by brush, roller or spraying. Recommended for Plastic laminates, particleboard, plywood, wallboard, veneers, cork, fabric and polystyrene and polyurethane foam. Bonding decorative laminates and veneers to cabinets, countertops and other large flat surfaces. (6/CT)

UPC: 10061083631526 Unit: EA WT: 4.40 lbs

HENKEL (LEPAGES)

110476**110476 GREEN SERIES DRAFT AND ACOUSTICAL SOUND SEALANT 825ML (12/CT) (1469493)**

LePage Green Series Draft & Acoustical Sound Sealant. LePage GreenSeries Draft & Acoustical Sound Sealant is a non-flammable, latex-based sealant specially designed to reduce sound transmissions and drafts in all types of wall systems where a sound-rated assembly is required. RECOMMENDED FOR: Commercial construction utilizing light weight cavity walls and floor systems; Exposed and unexposed applications at perimeter joints, floor and ceiling runners, cutouts in gypsum board and veneer plaster systems. (12/CT)

UPC: 061083022020 Unit: EA WT: 2.40 lbs

HENKEL (LEPAGES)**1417396****1417396 PL PREMIUM POLYURETHANE FAST GRAB, TAN 295ML (20/CTN) (1140/PLT)**

PL Premium Polyurethane Fast Grab, Tan 295ml. (20/CT) (1140/PLT)

UPC: 061083630485 Unit: EA WT: 2.20 lbs

HENKEL (LEPAGES)**1505670****1505670 PRES-TITE GREEN CONTACT CEMENT LATEX WITH BRUSH 237ML (6/CT) (1505670) -- DO NOT FREEZE --**

LePage Pres-tite Green Latex Contact Cement plastic bottle with brush 237ml. LePage Pres-tite Green Contact Cement is a water-based contact adhesive that provides strong, tough bonds with excellent hot-creep resistance. It applies smoothly without stringing and evenly by brush, roller or spraying. Recommended for Plastic laminates, particleboard, plywood, wallboard, veneers, cork, fabric and polystyrene and polyurethane foam. Bonding decorative laminates and veneers to cabinets, countertops and other large flat surfaces. (6/CT)

Unit: EA WT: 0.66 lbs

HENKEL (LEPAGES)**1541****1541 PRES-TITE CONTACT CEMENT 250ML W/BRUSH (ECO .05) (12/CT) (530532)**

LePage Pres-tite Contact Cement w/Brush 250ml. LePage Pres-Tite Blue Contact Cement is a premium grade solvent-based adhesive that offers a high strength bond resistant to heat creep water and oil. It dries quickly and bonds on contact thus eliminating clamping. Bonds plastic laminates veneers plywood particleboard wallboard metals (ferrous and non ferrous) cork fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets countertops etc. (12/CT)

UPC: 061083154110 Unit: EA WT: 0.67 lbs

HENKEL (LEPAGES)**1542****1542 PRESTITE CONTACT CEMENT 500ML (ECO .10) (12/CT) (530531)**

LePage Pres-tite Contact Cement 500ml. LePage Pres-Tite Blue Contact Cement is a premium grade solvent-based adhesive that offers a high strength bond resistant to heat, creep, water and oil. It dries quickly and bonds on contact thus eliminating clamping. Bonds plastic laminates, veneers, plywood, particleboard, wallboard, metals (ferrous and non ferrous), cork, fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets, countertops, etc. Bonds plastic laminates, veneers, plywood, particleboard, wallboard, metals (ferrous and non ferrous), cork, fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets, countertops, etc. (12/CT)

UPC: 061083154219 Unit: EA WT: 1.17 lbs

HENKEL (LEPAGES)**1543****1543 PRES-TITE CONTACT CEMENT BLUE 946ML (6/CT) (530530)**

LePage Pres-tite Contact Cement 946ml. LePage Pres-Tite Blue Contact Cement is a premium grade solvent-based adhesive that offers a high strength bond resistant to heat, creep, water and oil. It dries quickly and bonds on contact thus eliminating clamping. Bonds plastic laminates, veneers, plywood, particleboard, wallboard, metals (ferrous and non ferrous), cork, fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets, countertops, etc. Bonds plastic laminates, veneers, plywood, particleboard, wallboard, metals (ferrous and non ferrous), cork, fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets, countertops, etc. (6/CT)

UPC: 061083154318 Unit: EA WT: 2.17 lbs

HENKEL (LEPAGES)

1545-2**1545-2 PRES-TITE CONTACT CEMENT 3.8L (ECO .95) (2/CT) (531216) #1504629**

LePage Pres-tite Contact Cement 3.8L. LePage Pres-Tite Blue Contact Cement is a premium grade solvent-based adhesive that offers a high strength bond resistant to heat, creep, water and oil. It dries quickly and bonds on contact thus eliminating clamping. Bonds plastic laminates, veneers, plywood, particleboard, wallboard, metals (ferrous and non ferrous), cork, fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets, countertops, etc. Bonds plastic laminates, veneers, plywood, particleboard, wallboard, metals (ferrous and non ferrous), cork, fabric and rubber. Ideal for bonding decorative laminates or wood veneer to cabinets, countertops, etc. (2/CT)

UPC: 061083154516 Unit: EA WT: 8.50 lbs

HENKEL (LEPAGES)**1597****1597 LEPAGE PL9000 CONSTRUCTION ADHESIVE, TAN 295ML (12/CTN, 1680/PLT) (1421925)**

LePage PL 9000 Heavy Duty Construction Adhesive, Tan 295ml. LePage PL 9000 is a versatile premium grade solvent-based adhesive for more demanding construction jobs. Provides a professional strength bond with extremely high initial grab. Bonds to a large variety of building materials. Use for installing metal and wood studs or strapping to concrete, wood furring strips to concrete floors for carpet installation, mounting paneling, and vinyl cove base. (12/CT) (1680/PLT)

UPC: 061083159528 Unit: EA WT: 0.85 lbs

HENKEL (LEPAGES)**391****391 5 MINUTE EPOXY SYRINGE 25ML (10/CT) (1418137)**

LePage 5-Minute Epoxy Syringe 25ml. LePage Speed Set Epoxy is a two-part adhesive consisting of an epoxy resin and a hardener. When mixed in equal volumes, the resin and hardener react to produce a tough, rigid, high strength bond in 5 minutes. RECOMMENDED FOR: Bonding metal, glass, ceramic, wood, many rigid plastics, china, tile, fiberglass, concrete and stone. Can be combined with fiberglass cloth for a durable patch. (10/CT)

UPC: 061803039110 Unit: EA WT: 0.20 lbs

HENKEL (LEPAGES)**PL200-300****PL200-300 DRYWALL CONSTRUCTION ADHESIVE 295ML BEIGE (12/CTN, 1440/PLT) CONSUMER COMMODITY (1421928)**

LePage PL 200 Panel & Construction Adhesive Beige 295ml. It is especially formulated to provide a water-resistant bond that offers rapid bond development, the ability to bridge minor framing irregularities and long-acting adhesion. It minimizes unsightly nails and hammer dents. RECOMMENDED FOR: Pre-finished and unfinished paneling, chipboard, drywall, fibreboard, cork board, wood moulding and furring to studs (wood or metal), drywall, concrete and masonry, fully cured concrete, metal and other common materials. (12/CT)

UPC: 056643019251 Unit: EA WT: 0.93 lbs

HENKEL (LEPAGES)**PL200-825****PL200-825 MULTI-PURPOSE ADHESIVE 825ML (12/CTN, 720/PLT) - CONSUMER COMMODITY - (1113121)**

LePage PL 200 Panel & Construction Adhesive Beige 825ml. It is especially formulated to provide a water-resistant bond that offers rapid bond development, the ability to bridge minor framing irregularities and long-acting adhesion. It minimizes unsightly nails and hammer dents. RECOMMENDED FOR: Pre-finished and unfinished paneling, chipboard, drywall, fibreboard, cork board, wood moulding and furring to studs (wood or metal), drywall, concrete and masonry, fully cured concrete, metal and other common materials. (12/CT)

UPC: 056643019213 Unit: EA WT: 2.40 lbs

HENKEL (LEPAGES)**PL300-300****PL300-300 FOAM ADHESIVE BULLDOG GRIP 295ML (12/CTN, 1440/PLT) - CONSUMER COMMODITY - (1421916)**

LePage PL 300 Foam Insulation Adhesive Tan 295ml. LePage PL 300 is a high grab, premium grade foamboard insulation adhesive specially developed for bonding all types of polystyrene and polyurethane insulation materials. RECOMMENDED FOR: Fully compatible with polystyrene and urethane foams, including Styrofoam, SM, Celfort and white Styrofoam. Bonds foam to concrete, wood, brick and drywall. Recommended for cold storage unit construction. (12/CT)

UPC: 056643019350 Unit: EA WT: 0.93 lbs

HENKEL (LEPAGES)

PL300-825**PL300-825 FOAM ADHESIVE BULLDOG GRIP 825ML (12/CT, 720EA/PLT) - CONSUMER COMMODITY - (1113123)**

LePage PL 300 Foam Insulation Adhesive Blue 825ml. LePage PL 300 is a high grab, premium grade foamboard insulation adhesive specially developed for bonding all types of polystyrene and polyurethane insulation materials. RECOMMENDED FOR: Fully compatible with polystyrene and urethane foams, including Styrofoam, SM, Celfort and white Styrofoam. Bonds foam to concrete, wood, brick and drywall. Recommended for cold storage unit construction. (12/CT)

UPC: 056643019312 Unit: EA WT: 2.40 lbs

HENKEL (LEPAGES)**PL400-300****PL400-300 SUBFLOOR ADHESIVE 295ML (12/CTN, 1440/PLT) - CONSUMER COMMODITY - - DO NOT FREEZE - (1421917)**

LePage PL 400 Heavy-Duty Sub-Floor Adhesive 295ml. LePage PL 400 is an interior and exterior heavy-duty premium quality adhesive, designed for structural projects that require strength and durability. Ideal for installing sub-floors, exterior sheathing, siding and decking. RECOMMENDED FOR: Many common construction building materials in various combinations such as wood, fiberglass, drywall, fiberboard, hardboard, metal, concrete and masonry; All exterior projects, such as decks, fences and gazebos. (12/CT)

UPC: 056643019404 Unit: EA WT: 2.42 lbs

HENKEL (LEPAGES)**PL400-825****PL400-825 SUBFLOOR ADHESIVE 825ML (12/CTN, 720EA/PLT) - CONSUMER COMMODITY - (526370)**

LePage PL 400 Heavy-Duty Sub-Floor Adhesive 825ml. LePage PL 400 is an interior and exterior heavy-duty premium quality adhesive, designed for structural projects that require strength and durability. Ideal for installing sub-floors, exterior sheathing, siding and decking. RECOMMENDED FOR: Many common construction building materials in various combinations such as wood, fiberglass, drywall, fiberboard, hardboard, metal, concrete and masonry; All exterior projects, such as decks, fences and gazebos. (12/CT)

UPC: 056643019411 Unit: EA WT: 2.40 lbs

HENKEL (LEPAGES)**PL700-300****PL700-300 TUB KIT ADHESIVE 295ML (12/CTN, 1440/PLT) - CONSUMER COMMODITY - - DO NOT FREEZE - (1421920)**

LePage PL 700 Tub & Shower Kit Adhesive 295ml. LePage PL 700 has been specifically designed to bond most bathroom and shower enclosures. It is unaffected by moisture, steam, water, heat or cold when fully cured. It will not harm tub kit materials if used as directed. After installation, be sure to seal around the bathtub, sink, shower stall, tiles and all plumbing fixtures with LePage Ultra Seal Kitchen & Bath Acrylic Sealant. RECOMMENDED FOR: Bonds most plastic (polystyrene, acrylic, ABS), and fiberglass bathroom and shower enclosures to waterproof drywall, cement board, wood, Barker Board and ceramic tile. (12/CT)

UPC: 056643002611 Unit: EA WT: 0.93 lbs

HENKEL (LEPAGES)**PLPREM300****PLPREM300 PREMIUM CONSTRUCTION ADHESIVE BEIGE 295ML (20/CTN, 1140/SKID) (1403221)**

LePage PL Premium Polyurethane Adhesive Beige 295ml. LePage PL Premium is a revolutionary construction adhesive. The bonding strength of PL? Premium is so strong it offers twice the coverage of conventional adhesives and therefore much less adhesive is required. RECOMMENDED FOR: Bonds most common construction materials such as wood, hardwood flooring, concrete, stone, marble, slate, masonry, brick, foam insulation, carpets, metal, lead, cement-based products, ceramic, fiberglass, drywall and mirrors. (20/CT)






UPC: 056643002406 Unit: EA WT: 0.93 lbs

HENKEL (LEPAGES)**PLPREM825****PLPREM825 PREMIUM CONSTRUCTION ADHESIVE 825ML (12/CT, 684/PLT) (1403222)**


LePage PL Premium Polyurethane Adhesive Beige 825ml. LePage PL Premium is a revolutionary construction adhesive. The bonding strength of PL? Premium is so strong it offers twice the coverage of conventional adhesives and therefore much less adhesive is required. RECOMMENDED FOR: Bonds most common construction materials such as wood, hardwood flooring, concrete, stone, marble, slate, masonry, brick, foam insulation, carpets, metal, lead, cement-based products, ceramic, fiberglass, drywall and mirrors. (12/CT)


UPC: 056643002413 Unit: EA WT: 2.36 lbs


HENKEL (LEPAGES)


Product	Description	
<p>AH5070-DK</p> 	<p>AH5070-DK DELUXE ATTIC HATCH KIT (4PC OSB BOARD FOR INSULATION DAM)</p> <p>Deluxe Attic Hatch Kit. OSB Board for insulation dam. 4 pieces.</p> <p>UPC: 627843025948 WT: 2.00 lbs</p>	<p>ATTIC HATCH</p>
<p>AH5070-MK</p> 	<p>AH5070-MK ATTIC HATCH MOLDING KIT</p> <p>Attic Hatch Molding Kit, 4 pc. Does not include attic hatch.</p> <p>UPC: 627843025955 WT: 2.00 lbs</p>	<p>ATTIC HATCH</p>
<p>AH5070-S</p> 	<p>AH5070-S ATTIC HATCH STANDARD 22-1/2" X 26-3/8" (SKID QTY 32)</p> <p>Standard Attic Hatch. 22-1/2in x 26-3/8in. Easy and quick to install. Double weather strip seal. Recycled material. Pre-fabricated, Hassle Free, R15 Insulated Lid, Reduces Heat Loss, Meets National Building Code requirements. Molding sold separately.</p> <p>UPC: 773967311693 WT: 11.00 lbs</p>	<p>ATTIC HATCH</p>
<p>AH5070-SP</p> 	<p>AH5070-SP ATTIC HATCH STANDARD SECOND PANEL ONLY.</p> <p>Standard Attic Hatch Second Panel Only.</p> <p>UPC: 62784302599 WT: 4.00 lbs</p>	<p>ATTIC HATCH</p>
<p>AH5590-S</p> 	<p>AH5590-S ATTIC HATCH STANDARD 22-1/2" X 38" MULTI DWELLING</p> <p>Standard Attic Hatch. 22-1/2in x 38in. Easy and quick to install. Double weather strip seal. Recycled material. Pre-fabricated, Hassle Free, R15 Insulated Lid, Reduces Heat Loss, Meets National Building Code requirements. Molding sold separately.</p> <p>UPC: 627843025931 WT: 15.00 lbs</p>	<p>ATTIC HATCH</p>

Product Description BUILDERS HARDWARE - CRIMPED SHAPE ANCHOR BOLT


DAB586C **DAB586C 5/8" X 6" CRIMPED ANCHOR BOLT W/WASHER & NUT (50EA/CT)(48CT/PLT)**
 Crimped Anchor Bolt 5/8in x 6in W/Nut & Washer (50/box)

 UPC: 773967309331 Unit: CT WT: 24.25 lbs **CRIMPED SHAPE ANCHOR BOLT**


DAB588C **DAB588C 5/8" X 8" CRIMPED ANCHOR BOLT W/WASHER & NUT (50EA/CT)(48CT/PLT)**
 Crimped Anchor Bolt 5/8in x 8in W/Nut & Washer (50/box)

 UPC: 773967309348 Unit: CT WT: 31.97 lbs **CRIMPED SHAPE ANCHOR BOLT**

DAB6C **DAB6C 1/2" X 6" CRIMPED ANCHOR BOLT W/WASHER & NUT (100EA/CT)(48CT/PLT)**
 Crimped Anchor Bolt 1/2in x 6in W/Nut & Washer (100/box)

 UPC: 773967309317 Unit: CT WT: 28.66 lbs **CRIMPED SHAPE ANCHOR BOLT**


DAB8C **DAB8C 1/2" X 8" CRIMPED ANCHOR BOLT W/WASHER & NUT (100EA/CT)(48CT/PLT)**
 Crimped Anchor Bolt 1/2in x 8in W/Nut & Washer (100/box)

 UPC: 773967309324 Unit: CT WT: 37.48 lbs **CRIMPED SHAPE ANCHOR BOLT**

Product Description BUILDERS HARDWARE - L SHAPE ANCHOR BOLT


DAB6L **DAB6L 1/2" X 6" ANCHOR BOLT W/WASHER & NUT (100EA/CT) (48CT/PLT)**
 Anchor Bolt 1/2in x 6in W/Nut & Washer (100/box)

 UPC: 773967304145 Unit: CT WT: 35.00 lbs **L SHAPE ANCHOR BOLT**


DAB8L **DAB8L 1/2" X 8" ANCHOR BOLT W/WASHER & NUT (100EA/CT) (48CT/PLT)**
 Anchor Bolt 1/2in x 8in W/Nut & Washer (100/box)

 UPC: 773967304152 Unit: CT WT: 43.70 lbs **L SHAPE ANCHOR BOLT**


BUILDERS HARDWARE - ONWARD

Product	Description	BUILDERS HARDWARE - ONWARD
301X-V	301X-V GATE LATCH ZINC (BULK) (10/BOX) (301X-V)	
	Gate Latch Zinc Mounting Screws Included. (Bulk) (10/Box)	
	UPC: 062703003016 Unit: EA WT: 0.21 lbs	ONWARD


BUILDERS HARDWARE - ALUMINUM PLYWOOD CLIPS

Product	Description	BUILDERS HARDWARE - ALUMINUM PLYWOOD CLIPS
DPWC1/2	DPWC1/2 DEE ALUMINUM PLYWOOD CLIP 1/2" (100/BG, 25BG/CT, 48CT/PLT)	
	1/2in Dee Plywood Clip 100 Per Bag 25 Bags per Carton 48 Cartons Per Pallet	
	UPC: 773967306019 Unit: BG WT: 0.68 lbs	ALUMINUM PLYWOOD CLIPS

DPWC3/8	DPWC3/8 DEE ALUMINUM PLYWOOD CLIP 3/8" (100/BG, 25BG/CT, 48CT/PLT)	
	3/8in Dee Plywood Clip 100 Per Bag 25 Bags per Carton 48 Cartons Per Pallet	
	UPC: 773967306002 Unit: BG WT: 0.68 lbs	ALUMINUM PLYWOOD CLIPS


DPWC7/16	DPWC7/16 DEE ALUMINUM PLYWOOD CLIP 7/16" (100/BG, 25BG/CT, 48CT/PLT)	
	7/16in Dee Plywood Clip 100 Per Bag 25 Bags per Carton 48 Cartons Per Pallet	
	UPC: 773967305999 Unit: BG WT: 0.68 lbs	ALUMINUM PLYWOOD CLIPS

BUILDERS HARDWARE - STEEL PLYWOOD CLIPS

Product	Description	BUILDERS HARDWARE - STEEL PLYWOOD CLIPS
DSPWC12-250	DSPWC12-250 DEE STEEL PLYWOOD CLIP 1/2" (250/BG, 8 BG/CT)(192/SKID)	
	1/2in Dee Steel Plywood Clip 250 Per Bag, 8 Bags per Carton	
	UPC: 773967310436 Unit: BG WT: 6.60 lbs	STEEL PLYWOOD CLIPS

<p>DSPWC12-50</p> 	<p>DSPWC12-50 DEE STEEL PLYWOOD CLIP 1/2" (50/BG, 40 BG/CT) 1/2in Dee Steel Plywood Clip 50 Per Bag, 40 Bags per Carton</p> <p>UPC: 773967310429 Unit: BG WT: 1.32 lbs</p> <p style="text-align: right;">STEEL PLYWOOD CLIPS</p>
<p>DSPWC38-250</p> 	<p>DSPWC38-250 DEE STEEL PLYWOOD CLIP 3/8" (250/BG, 8 BG/CT) 3/8in Dee Steel Plywood Clip 250 Per Bag, 8 Bags per Carton</p> <p>UPC: 773967310450 Unit: BG WT: 6.60 lbs</p> <p style="text-align: right;">STEEL PLYWOOD CLIPS</p>
<p>DSPWC38-50</p> 	<p>DSPWC38-50 DEE STEEL PLYWOOD CLIP 3/8" (50/BG, 40 BG/CT) 3/8in Dee Steel Plywood Clip 50 Per Bag, 40 Bags per Carton</p> <p>UPC: 773967310443 Unit: BG WT: 1.32 lbs</p> <p style="text-align: right;">STEEL PLYWOOD CLIPS</p>
<p>DSPWC58-250</p> 	<p>DSPWC58-250 DEE STEEL PLYWOOD CLIP 5/8" (250/BG, 8BG/CTN) 5/8in Dee Steel Plywood Clip 250 Per Bag, 8 Bags per Carton</p> <p>UPC: 773967310474 Unit: BG WT: 6.61 lbs</p> <p style="text-align: right;">STEEL PLYWOOD CLIPS</p>
<p>DSPWC58-50</p> 	<p>DSPWC58-50 DEE STEEL PLYWOOD CLIP 5/8" (50/BG, 40 BG/CT) 5/8in Dee Steel Plywood Clip 50 Per Bag, 40 Bags per Carton</p> <p>UPC: 773967310467 Unit: BG WT: 1.32 lbs</p> <p style="text-align: right;">STEEL PLYWOOD CLIPS</p>
<p>DSPWC716-250</p> 	<p>DSPWC716-250 DEE STEEL PLYWOOD CLIP 7/16" (250/BG, 8 BG/CT) 7/16in Dee Steel Plywood Clip 250 Per Bag, 8 Bags per Carton</p> <p>UPC: 773967310498 Unit: BG WT: 6.60 lbs</p> <p style="text-align: right;">STEEL PLYWOOD CLIPS</p>

DSPWC716-50 DSPWC716-50 DEE STEEL PLYWOOD CLIP 7/16" (50/BG, 40 BG/CT)




7/16in Dee Steel Plywood Clip 50 Per Bag, 40 Bags per Carton

UPC: 773967310481 Unit: BG WT: 1.32 lbs

STEEL PLYWOOD CLIPS

Product Description BUILDERS HARDWARE - POST HOLDERS

DPH3.5HDG DPH3.5HDG HOT DIPPED GALV. POST HOLDER 4X4 (26) (OLD SKU DRCPS3.5HDG)




Hot Dipped Galvanized Post Holder 4x4 (26)

UPC: 773967308594 Unit: EA WT: 1.54 lbs

POST HOLDERS

DPH46HDG DPH46HDG HOT DIPPED GALV. POST HOLDER 4X6 (14) (OLD SKU DRCPS46HDG)




4x6 Hot Dipped Galvanized Post Holder Rough

UPC: 773967308617 Unit: EA WT: 2.31 lbs

POST HOLDERS

DPH4HDG DPH4HDG HOT DIPPED GALV. POST HOLDER 4X4 ROUGH (24) (OLD SKU DRCPS4HDG)




4x4 Hot Dipped Galvanized Post Holder Rough (24)

UPC: 773967308631 Unit: EA WT: 1.74 lbs

POST HOLDERS

DPH5.5HDG DPH5.5HDG HOT DIPPED GALV. POST HOLDER 6X6 (14) (OLD SKU DRCPS5.5HDG)




6x6 Hot Dipped Galvanized Post Holder (14)

UPC: 773967308655 Unit: EA WT: 2.91 lbs

POST HOLDERS

DPH6HDG DPH6HDG HOT DIPPED GALV. POST HOLDER 6X6 ROUGH (10) (OLD SKU DRCPS6HDG)




6x6 Hot Dipped Galvanized Post Holder Rough (10)

UPC: 773967308679 Unit: EA WT: 3.24 lbs

POST HOLDERS

DPH7.5HDG

DPH7.5HDG HOT DIPPED GALV. POST HOLDER 8X8 (10) (OLD SKU DRCPS7.5HDG)




8x8 Hot Dipped Galvanized Post Holder (10)

UPC: 773967308693 Unit: EA WT: 4.17 lbs

POST HOLDERS**DPH8HDG**

DPH8HDG HOT DIPPED GALV. POST HOLDER 8X8 ROUGH (10) (OLD SKU DRCPS8HDG)



8x8 Hot Dipped Galvanized Post Holder Rough (10)

UPC: 773967308716 Unit: EA WT: 4.28 lbs

POST HOLDERS**Product****Description****BUILDERS HARDWARE - SIMPSON STRONG-TIE****1212L****1212L 12" X 12" X 2" L STRAP (10/CARTON) (1212L)**

12in x 12in x 2in L Strap Tie. Versatile utility straps. 14 gauge. Galvanized. (10/Carton)

UPC: 044315003202 Unit: EA WT: 0.88 lbs

SIMPSON STRONG-TIE**1212T****1212T 12" X 12" X 2" T STRAP (10/CARTON) (1212T)**

12in x 12in x 2in T Strap. Versatile utility straps. 14 gauge. Galvanized. (10/Carton)

UPC: 044315003301 Unit: EA WT: 0.88 lbs

SIMPSON STRONG-TIE**128T****128T 12" X 8" X 2" T STRAP (10/CARTON) (128T)**

12in x 8in x 2in T Strap Tie. Versatile utility straps. 14 gauge. Galvanized. (10/Carton)







UPC: 044315004100 Unit: EA WT: 0.72 lbs

SIMPSON STRONG-TIE**66L****66L 6" X 6" X 1-1/2" L STRAP (10/CARTON) (66L)**

6in x 6in x 1-1/2in L Strap Tie. Versatile utility straps. 14 gauge. Galvanized. (10/Carton)

UPC: 044315037009 Unit: EA WT: 0.31 lbs

SIMPSON STRONG-TIE

<p>66T</p> 	<p>66T 6" X 5" X 1-1/2" T STRAP (10/CARTON) (66T) 6in x 5in x 1-1/2in T Strap Tie. Versatile utility straps. 14 gauge. Galvanized. (10/Carton)</p> <p>UPC: 044315037108 Unit: EA WT: 0.27 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>88L</p> 	<p>88L 8" X 8" X 2" L STRAP (10/CARTON) (88L) 8in x 8in x 2in L Strap Tie. Versatile utility straps. 14 gauge. Galvanized. (10/Carton)</p> <p>UPC: 044315042003 Unit: EA WT: 0.55 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>A21</p> 	<p>A21 2" X 1-1/2" X 1-3/8" ANGLE BRACKET (200/CARTON) (A21) 2in X 1-1/2in X 1-3/8in Angle Bracket. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 18 gauge. Galvanized. (200/Carton)</p> <p>UPC: 044315823305 Unit: EA WT: 0.07 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>A23</p> 	<p>A23 2"X1-1/2"X2-3/4" ANGLE BRACKET (200/CARTON) (A23) 2in X 1-1/2in X 2-3/4in Angle Bracket. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 18 gauge. Galvanized. (200/box)</p> <p>UPC: 044315610707 Unit: EA WT: 0.13 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>A23Z</p> 	<p>A23Z 2" X 1-1/2" X 2-3/4" Z-MAX ANGLE BRACKET (200/CARTON) (A23Z) 2in X 1-1/2in X 2-3/4in Angle Bracket ZMax. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 18 gauge. (200/box)</p> <p>UPC: 044315753305 Unit: EA WT: 0.13 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>A24</p> 	<p>A24 3-7/8" X 2" X 2-1/2" ANGLE BRACKET (25/CARTON) (A24) 3-7/8in X 2in X 2-1/2in Angle Bracket. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 12 gauge. Galvanized. (25/Carton)</p> <p>UPC: 044315043000 Unit: EA WT: 0.42 lbs</p> <p>SIMPSON STRONG-TIE</p>

A33**A33 3" X 3" X 1-1/2" ANGLE BRACKET (25/CARTON) (A33)**

3in x 3in x 1-1/2in Angle Bracket. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 12 gauge. Galvanized. (25/Carton)

UPC: 044315044809 Unit: EA WT: 0.27 lbs

SIMPSON STRONG-TIE

A34**A34 1-7/16" X 1-7/16" X 2-1/2" FRAMING ANGLE (100/CARTON) (A34)**

1-7/16in X 1-7/16in X 2-1/2in Framing Angle. 18 Gauge. Galvanized. (100/Carton)

UPC: 044315045004 Unit: EA WT: 0.08 lbs

SIMPSON STRONG-TIE

A34Z**A34Z 1-7/16" X 1-7/16" X 2-1/2" Z-MAX FRAMING ANGLE (100/CARTON) (A34Z)**

1-7/16in x 1-7/16in x 2-1/2in Framing Angle ZMax. 18 Gauge. (100/Carton)

UPC: 044315432804 Unit: EA WT: 0.08 lbs

SIMPSON STRONG-TIE

A35**A35 1-7/16"X1-7/16"X 4-1/2" FRAMING ANGLE (100/CARTON) (A35)**

1-7/16in x 1-7/16in x 4-1/2in Framing Angle. The A35 anchors exclusive bending slot allows instant accurate field bends for all two- and three-way ties. Balanced completely reversible design permits the A35 to secure a great variety of connections. (100/Carton)

UPC: 044315046001 Unit: EA WT: 0.13 lbs

SIMPSON STRONG-TIE

A35Z**A35Z 1-7/16" X 1-7/16" X 4-1/2" Z-MAX FRAMING ANGLE (100)**

1-7/16in x 1-7/16in x 4-1/2in Framing Angle ZMax. The A35 anchor's exclusive bending slot allows instant accurate field bends for all two- and three-way ties. Balanced completely reversible design permits the A35 to secure a great variety of connections. (100/box)

UPC: 044315393600 Unit: EA WT: 0.13 lbs

SIMPSON STRONG-TIE


A44**A44 4-9/16"X4-3/8"X1-1/2" ANGLE BRACKET (25/CARTON) (A44)**

4-9/16in x 4-3/8in x 1-1/2in Framing Angle. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 12 gauge. Galvanized. (25/Carton)

UPC: 044315047008 Unit: EA WT: 0.40 lbs

SIMPSON STRONG-TIE

A66 **A66 5-7/8" X 5-7/8" X 1-1/2" ANGLE BRACKET (25/CARTON) (A66)**




5-7/8in x 5-7/8in x 1-1/2in Angle Bracket. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 12 gauge. Galvanized. (25/box)

UPC: 044315048005 Unit: EA WT: 0.52 lbs

SIMPSON STRONG-TIE

A88 **A88 8" X 8" X 2" ANGLE BRACKET (25/CARTON) (A88)**




8in x 8in x 2in Angle Bracket. Used to secure 2 x 4 flat blocking between joists or trusses to support sheathing. 12 gauge. Galvanized. (25/Box)

UPC: 044315049002 Unit: EA WT: 0.92 lbs

SIMPSON STRONG-TIE

ABA44Z **ABA44Z 4" X 4" Z-MAX POST BASE (20/CARTON) (ABA44Z)**




4in x 4in Adjustable Post Base ZMax. Adjustable post base which offers moisture protection and finished hardware appearance. These post bases feature 1 inch standoff height above concrete floors code-required when supporting permanent structures that are exposed to the weather or water splash or in basements. They reduce the potential for decay at post and column ends. 12 gauge plates. 16 gauge base cover. (20/Cartron)

UPC: 044315430701 Unit: EA WT: 0.81 lbs

SIMPSON STRONG-TIE

ABA66Z **ABA66Z 6" X 6" Z-MAX POST BASE (10/CARTON) (ABA66Z)**




6in x 6in Adjustable Post Base ZMax. Adjustable post base which offers moisture protection and finished hardware appearance. These post bases feature 1 inch standoff height above concrete floors code-required when supporting permanent structures that are exposed to the weather or water splash or in basements. They reduce the potential for decay at post and column ends. 12 gauge plates. 16 gauge base cover. (10/Cartron)

UPC: 044315671906 Unit: EA WT: 1.60 lbs

SIMPSON STRONG-TIE

AC4Z **AC4Z 3-9/16" X 6-1/2" Z-MAX ADJUSTABLE POST CAP (20/CARTON) (AC4Z)**




3-9/16in x 6-1/2in Adjustable Post Cap Zmax. 18 Gauge. (20/Cartron)

UPC: 044315337208 Unit: EA WT: 0.50 lbs

SIMPSON STRONG-TIE

AC6Z **AC6Z 5-1/2" X 8-1/2" Z-MAX ADJUSTABLE POST CAP (20/CARTON) (AC6Z)**



5-1/2in x 8-1/2in Adjustable Post Cap Zmax. 18 Gauge. (20/Cartron)

UPC: 044315409202 Unit: EA WT: 0.60 lbs

SIMPSON STRONG-TIE

BC40**BC40 4"X4" POST CAP/BASE (50/CARTON) (BC40)**

4in x 4in Post Cap/Base. Dual purpose post cap/base for light cap or base connections. 18 Gauge. (50/Carton)

UPC: 044315100505 Unit: EA WT: 0.45 lbs

SIMPSON STRONG-TIE

BC40Z**BC40Z 4"X4" Z-MAX POST BASE ONLY (50/CARTON) (BC40Z)**

4in x 4in Post Base Zmax. 18 Gauge. (50/Case)

UPC: 707392228301 Unit: EA WT: 0.45 lbs

SIMPSON STRONG-TIE

BC4Z**BC4Z 4"X4" Z-MAX POST CAP/BASE (40/CARTON) (BC4Z)**

4in x 4in Post Cap/Base Zmax. Dual purpose post cap/base for light cap or base connections. 18 Gauge. (40/Carton)

UPC: 707392202608 Unit: EA WT: 0.53 lbs

SIMPSON STRONG-TIE

BC60R**BC60R 6"X6" POST BASE ROUGH (10/CARTON) (BC60R)**

6in x 6in Post Base Rough Size. 18 Gauge. (10/Carton)

UPC: 044315103605 Unit: EA WT: 1.15 lbs

SIMPSON STRONG-TIE

BC60Z**BC60Z 6"X6" Z-MAX POST BASE (10/CARTON) (BC60Z)**

6in x 6in Post Base Zmax. 18 Gauge. (10/Carton)

UPC: 707392239703 Unit: EA WT: 0.95 lbs

SIMPSON STRONG-TIE

BC6Z**BC6Z 6"X6" Z-MAX POST CAP/BASE (10/CARTON) (BC6Z)**

6in x 6in Post Cap/Base Zmax. Dual purpose post cap/base for light cap or base connections. 18 Gauge. (10/Carton)

UPC: 707392817505 Unit: EA WT: 1.00 lbs

SIMPSON STRONG-TIE

CS16**CS16 COILED STRAP 16 GA 150' (CS16)**

150' Coiled Strap 16 Gauge. Continuous utility straps can be cut to length on job site.

UPC: 044315996108 Unit: EA WT: 39.00 lbs

SIMPSON STRONG-TIE

CS16-R**CS16-R COILED STRAP 16 GA 25' (4/CARTON) (CS16-R)**

25' Coiled Strap 16 Gauge. Continuous utility straps which can be cut to length on job site. (4/Carton)

UPC: 044315178603 Unit: EA WT: 6.50 lbs

SIMPSON STRONG-TIE

DJT14Z**DJT14Z Z-MAX DECK JOIST TIE (25/CARTON) (DJT14Z)**

Deck Joist Tie Zmax. Is designed to attach 2x deck joists to the side of 4x or lesser support posts. The DJT14Z can be installed with either nails or bolts. (25/Carton)

UPC: 044315183904 Unit: EA WT: 0.46 lbs

SIMPSON STRONG-TIE

DPT5Z**DPT5Z 2"X4" Z-MAX DECK POST TIE (50/CARTON) (DPT5Z)**

2 x 4 Deck Post Tie Zmax. Used to attach 2 x 4 vertical posts to the side of stringers rims or other wood members. 14 Gauge. (50/Carton)

UPC: 044315184208 Unit: EA WT: 0.33 lbs


SIMPSON STRONG-TIE

DPT7Z**DPT7Z 4"X4" Z-MAX DECK POST TIE (25/CARTON) (DPT7Z)**

4 X 4 Deck Post Tie Zmax. Used to attach 4 x4 vertical posts to the side of stringers rims or other wood members. 14 Gauge. (25/Carton)

UPC: 044315184307 Unit: EA WT: 0.38 lbs

SIMPSON STRONG-TIE

EPB44PHDG**EPB44PHDG 4"X4" ELEVATED POST BASE HDG (10/CARTON) (EPB44PHDG)**

4 X 4 Elevated Post Base Hot Dipped Galvanized. Can be used both for pier block and cast-in-place installation for 4 x 4 posts. (10/Carton)

UPC: 707392962601 Unit: EA WT: 1.70 lbs


SIMPSON STRONG-TIE

FB24R**FB24R FENCE BRACKET 2"X4" ROUGH (100/CARTON) (FB24R)**

2in x 4in Fence Bracket Rough Size. Used to make the connection between fence rails and posts simple and strong. Eliminates the need for toe nailing or screwing. Clean versatile connections make planning and building fences deck/porch railings and louvers easier and faster. (100/Cartron)

UPC: 044315235603 Unit: EA WT: 0.12 lbs

SIMPSON STRONG-TIE

FB24Z**FB24Z FENCE BRACKET (100/CARTON) (FB24Z)(96CASE/SKID)**

2in x 4in Fence Bracket ZMax. Used to make the connection between fence rails and posts simple and strong. Eliminates the need for toe nailing or screwing. Clean versatile connections make planning and building fences deck/porch railings and louvers easier and faster. (100/Cartron)

UPC: 707392696605 Unit: EA WT: 0.10 lbs

SIMPSON STRONG-TIE

FB24ZB**FB24ZB FENCE BRACKET (500/CARTON) (FB24ZB)**

2in x 4in Fence Bracket ZMax. Used to make the connection between fence rails and posts simple and strong. Eliminates the need for toe nailing or screwing. Clean versatile connections make planning and building fences deck/porch railings and louvers easier and faster. (500/Cartron)

UPC: 707392802402 Unit: EA WT: 0.10 lbs


SIMPSON STRONG-TIE

H1**H1 HURRICANE TIE (100/CARTON) (H1)**

Hurricane Tie. For trusses and rafters. Also rated for download to provide additional bearing capacity between the truss and wall. Galvanized. (100/Cartron)

UPC: 044315300004 Unit: CT WT: 0.22 lbs

SIMPSON STRONG-TIE

H10A**H10A HURRICANE TIE (50) (1800/PLT)**

Hurricane Tie (50) (1800/PLT)

UPC: 707392821106 Unit: EA WT: 0.40 lbs

SIMPSON STRONG-TIE

H1Z**H1Z HURRICANE TIE (100/CARTON) (H1Z)**

Hurricane Tie Z-Max. For trusses and rafters. Also rated for download to provide additional bearing capacity between the truss and wall. (100/Cartron)

UPC: 707392123101 Unit: EA WT: 0.22 lbs

SIMPSON STRONG-TIE

H2.5A**H2.5A HURRICANE TIE (100/CARTON) (H2.5A)**

Hurricane Tie. The H2A features an improved design and higher uplift loads to replace the H2. (100/Cartron)

UPC: 707392398806 Unit: EA WT: 0.13 lbs


SIMPSON STRONG-TIE

H2.5AZ**H2.5AZ HURRICANE TIE (100/CARTON) (H2.5AZ)**

Hurricane Tie Z-Max. The H2A features an improved design and higher uplift loads to replace the H2. (100/box)

UPC: 707392172109 Unit: EA WT: 0.11 lbs


SIMPSON STRONG-TIE

H3**H3 HURRICANE TIE (100/CARTON) (H3)**

Hurricane Tie. Features various configurations of wind and seismic ties for trusses and rafters. 18 Gauge Galvanized (100/Cartron)

UPC: 044315302008 Unit: EA WT: 0.11 lbs


SIMPSON STRONG-TIE

H5**H5 HURRICANE TIE (100/CARTON) (H5)**

Hurricane Tie. Features various configurations of wind and seismic ties for trusses and rafters. 18 Gauge Galvanized (100/Cartron)

UPC: 044315304002 Unit: EA WT: 0.11 lbs


SIMPSON STRONG-TIE

H6**H6 HURRICANE TIE (50/CARTON) (25 EACH LEFT/RIGHT) (H6)**

Hurricane Tie 25 Left/Right Pairs. Features various configurations of wind and seismic ties for trusses and rafters. 16 Gauge Galvanized (50/Cartron)

UPC: 044315305009 Unit: EA WT: 0.72 lbs


SIMPSON STRONG-TIE

H8**H8 HURRICANE TIE (100/CARTON) (H8)**

Hurricane Tie. features various configurations of wind and seismic ties for trusses and rafters. 18 Gauge Galvanized (100/Cartron)

UPC: 044315974304 Unit: EA WT: 0.13 lbs

SIMPSON STRONG-TIE

HD5B**HD5B BOLTED HOLDOWN (12/CARTON) (HD5B)**

Bolted Holdowns, provide a bolted holdown solution. (12/Cartron)

UPC: 0707392301301 Unit: EA WT: 3.10 lbs

SIMPSON STRONG-TIE

HDU2-SDS2.5**HDU2-SDS2.5 HOLDOWNS (20/CARTON) (HDU2-SDS2.5)**

Holdown pre-deflected during the manufacturing process virtually eliminating deflection under load due to material stretch. Galvanized. (20/Cartron)

UPC: 707392650508 Unit: EA WT: 2.05 lbs

SIMPSON STRONG-TIE

HDU4-SDS2.5**HDU4-SDS2.5 HOLDOWN (15/CARTON) (HDU4-SDS2.5)**

Holdown pre-deflected during the manufacturing process virtually eliminating deflection under load due to material stretch. Galvanized. (15/Cartron)

UPC: 707392207306 Unit: EA WT: 2.50 lbs

SIMPSON STRONG-TIE

HDU5-SDS2.5**HDU5-SDS2.5 HOLDDOWN (15/CARTON) (HDU5-SDS2.5)**

Holdown pre-deflected during the manufacturing process virtually eliminating deflection under load due to material stretch. Galvanized. (15/Cartron)

UPC: 707392715801 Unit: EA WT: 2.60 lbs


SIMPSON STRONG-TIE

HDU8-SDS2.5**HDU8-SDS2.5 HOLDOWN (6/CARTON) (HDU8-SDS2.5)**

Holdown pre-deflected during the manufacturing process virtually eliminating deflection under load due to material stretch. Galvanized. (6/Cartron)

UPC: 707392934608 Unit: EA WT: 6.25 lbs


SIMPSON STRONG-TIE

HGUS210-2**HGUS210-2 FACE MT BEAM HANGER 2 PLY 2"X10" (12/CARTON) (HGUS210-2)**

2in x 10in Face Mount Beam Hanger 2 Ply. Double shear nailing. Galvanized. (12/Cartron)

UPC: 044315125102 Unit: EA WT: 2.66 lbs

SIMPSON STRONG-TIE

HGUS28-2**HGUS28-2 FACE MT BEAM HGR 3"X7" (12/CARTON) (HGUS28-2)**

3in x 7in Face Mount Beam Hanger. Double shear nailing. Galvanized. (12/Cartron)

UPC: 044315917301 Unit: EA WT: 2.17 lbs

SIMPSON STRONG-TIE

HHUS210-3**HHUS210-3 FACE MT BEAM HGR 4-1/2"X9" (25/CARTON) (HHUS210-3)**

4-1/2in x 9in Face Mount Beam Hanger. Double shear nailing. Galvanized. (12/Cartron)

UPC: 044315659102 Unit: EA WT: 1.43 lbs

SIMPSON STRONG-TIE

HHUS210-4**HHUS210-4 FACE MT BEAM HGR 6"X9" (25/CARTON) (HHUS210-4)**

6in X 9in Face Mount Beam Hanger. Double shear nailing. Galvanized. (25/Cartron)

UPC: 044315712005 Unit: EA WT: 1.46 lbs

SIMPSON STRONG-TIE

HTT4**HTT4 TENSION TIES (16/CARTON) (HTT4)**

2-1/2in x 12-3/8in Tension Tie. Tension ties offer a solution for resisting tension loads that is fastened with nails. The latest generation of tension ties. They feature an optimized nailing pattern which results in better performance with less deflection. Designed to meet new code standards. (16/Cartron)

UPC: 707392894605 WT: 1.85 lbs

SIMPSON STRONG-TIE

HTT5**HTT5 TENSION TIES (10/CARTON) (HTT5)**

2-1/2in x 16in Tension Tie. Tension ties offer a solution for resisting tension loads that is fastened with nails. The latest generation of tension ties. They feature an optimized nailing pattern which results in better performance with less deflection. Designed to meet new code standards. (10/Cartron)

UPC: 707392617907 Unit: EA WT: 2.10 lbs

SIMPSON STRONG-TIE

HUC210-2**HUC210-2 HEAVY DUTY HANGER (25/CARTON) (HUC210-2)**

Heavy Duty Hanger Concealed Flanges. Most models have triangle and round holes. To achieve maximum loads, fill both round and triangle holes with common nails. These heavy-duty connectors are designed for schools and other structures requiring additional strength, longevity and safety factors. (25/Cartron)

UPC: 044315420009 Unit: EA WT: 1.10 lbs

SIMPSON STRONG-TIE

HUC210-3**HUC210-3 HEAVY DUTY HANGER (25/CARTON) (HUC210-3)**

Heavy Duty Hangers Concealed Flanges. Most models have triangle and round holes. To achieve maximum loads, fill both round and triangle holes with common nails. These heavy-duty connectors are designed for schools and other structures requiring additional strength, longevity and safety factors. (25/Carton)

UPC: 044315420108 Unit: EA WT: 1.15 lbs

SIMPSON STRONG-TIE

HUS1.81/10**HUS1.81/10 1-3/4 X 9-1/2 FACE MOUNT HANGER (25/CARTON) (HUS1.81/10)**

1in x 3/4in Laminated Joist Hanger. Double shear nailing. Galvanized. (25/Carton)

UPC: 044315975608 Unit: EA WT: 1.03 lbs

SIMPSON STRONG-TIE

HUS210**HUS210 2"X10" SAWN LBR JOIST HNGR (25/CARTON) (HUS210)**

2" x 10" Sawn Lumber Joist Hanger. Double shear nailing. Galvanized. (25/Carton)

UPC: 044315440007 Unit: EA WT: 0.99 lbs

SIMPSON STRONG-TIE

ICFVL**ICFVL ICF LEDGER CONNECTOR SYSTEM (15/CARTON) (ICFVL)**

ICFVL ICF Ledger Connector System. This is engineered to solve the challenges of mounting wood or steel ledgers to insulated concrete form (ICF) walls. The ICFVL is designed to provide both vertical and lateral in-plane performance. There are many benefits over traditional anchor bolting, including better on center spacing in most cases faster installation and no protrusions. The embedded legs of the ICFVL are embossed for additional stiffness and the hole allows for concrete to flow through and around the connector. The exposed flange on the face of the ICF provides a structural surface for mounting either a wood or steel ledger. 14 Gauge. Galvanized.(15/Carton)

UPC: 707392404408 Unit: EA WT: 1.49 lbs

SIMPSON STRONG-TIE

ICFVL-CW**ICFVL-CW ICF LEDGER CONNECTOR SYSTEM 1-13/16" (15/CARTON) (ICFVL-CW)**

ICFVL-CW ICF Ledger Connector System. This is engineered to solve the challenges of mounting wood or steel ledgers to insulated concrete form (ICF) walls. The ICFVL is designed to provide both vertical and lateral in-plane performance. There are many benefits over traditional anchor bolting, including better on center spacing in most cases faster installation and no protrusions. The embedded legs of the ICFVL are embossed for additional stiffness and the hole allows for concrete to flow through and around the connector. The exposed flange on the face of the ICF provides a structural surface for mounting either a wood or steel ledger. 16 Gauge. Galvanized. (15/Carton)

UPC: 707392582700 Unit: EA WT: 1.49 lbs

SIMPSON STRONG-TIE

ICFVL-W**ICFVL-W ICF LEDGER CONNECTOR SYSTEM 1-9/16" (15/CARTON) (ICFVL-W)**

ICFVL-W ICF Ledger Connector System. This is engineered to solve the challenges of mounting wood or steel ledgers to insulated concrete form (ICF) walls. The ICFVL is designed to provide both vertical and lateral in-plane performance. There are many benefits over traditional anchor bolting, including better on center spacing in most cases faster installation and no protrusions. The embedded legs of the ICFVL are embossed for additional stiffness and the hole allows for concrete to flow through and around the connector. The exposed flange on the face of the ICF provides a structural surface for mounting either a wood or steel ledger. 16 Gauge. Galvanized. (15/Carton)

UPC: 707392881100 Unit: EA WT: 1.49 lbs

SIMPSON STRONG-TIE

IS16 IS16 INSULATION SUPPORT (100/PK) (IS16)

IS16 Insulation Support. (100/PK)

UPC: 044315396601 Unit: PK WT: 0.03 lbs

SIMPSON STRONG-TIE**IUS2.37/9.5 IUS2.37/9.5 FACE MT. I JOIST HGR 2-1/4"X9.5" (25/CARTON) (IUS2.37/9.5)**

2-1/4in X 9.5in Face Mount I Joist Hanger. The improved IUS is now fully compatible with shallow flange I-joists. I-joists with flange thicknesses between 1-1/8in and 1-1/2in achieve the full allowable table loads including uplift values and joist nails are not required. The IUS is a hybrid hanger that incorporates the advantages of the face mount and top mount hanger. (25/Carton)

UPC: 707392660408 Unit: EA WT: 0.62 lbs

SIMPSON STRONG-TIE**IUS2.56/11.88 IUS2.56/11.88 FACE MT. I JOIST HGR 2-1/2"X11-7/8" (25/CARTON) (IUS2.56/11.88)**


2-1/2in x 11-7/8in Face Mount I Joist Hanger. The improved IUS is now fully compatible with shallow flange I-joists. I-joists with flange thicknesses between 1-1/8in and 1-1/2in achieve the full allowable table loads including uplift values and joist nails are not required. The IUS is a hybrid hanger that incorporates the advantages of the face mount and top mount hanger. (25/Carton)

UPC: 707392863106 Unit: EA WT: 0.68 lbs

SIMPSON STRONG-TIE**JB210 JB210A TOP MOUNT HANGER (25/CARTON) (JB210)**


Top Mount Joist Hanger. (25/Carton)

UPC: 044315655005 Unit: EA WT: 0.62 lbs

SIMPSON STRONG-TIE**KST6 KST6 KWIK STRIP TIES 6" (250/CARTON) (KST6)**

6in Kwik Strip Ties. Speed Wall Ties provide an economical way to support concrete forms from bowing or collapsing while concrete is being poured. (250/Carton)


UPC: 707392372509 Unit: EA WT: 0.16 lbs

SIMPSON STRONG-TIE**KST8 KST8 KWIK STRIP TIES 8" (250/CARTON) (KST8)**

8in Kwik Strip Ties. Speed Wall Ties provide an economical way to support concrete forms from bowing or collapsing while concrete is being poured. (250/Carton)

UPC: 707392903505 Unit: EA WT: 0.16 lbs


SIMPSON STRONG-TIE

L50 L50 REINFORCING ANGLE (100/CARTON) (L50)

Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. (100/Carton)

UPC: 044315660108 Unit: EA WT: 0.26 lbs


SIMPSON STRONG-TIE

L70 L70 REINFORCING ANGLE (50/CARTON) (L70)

7in Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. (50/Carton)

UPC: 044315660207 Unit: EA WT: 0.36 lbs

SIMPSON STRONG-TIE

L70Z L70Z REINFORCING ANGLE ZMAX (50/CARTON - 36 CTN/PALLET)

7" Reinforcing Angle ZMax (50/box)

UPC: 707392280903 Unit: EA WT: 0.36 lbs

SIMPSON STRONG-TIE

L90 L90 REINFORCING ANGLE (50/CARTON) (L90)

Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. (50/Carton)

UPC: 044315660306 Unit: EA WT: 0.45 lbs

SIMPSON STRONG-TIE

LF1711 LF1711 FACE MT I JOIST HGR 1-3/4"X11" (50/CARTON) (LF1711)

1-3/4in x 11in Face Mount I Joist Hanger. Ideal for applications not requiring web stiffeners. The economical LF series comes with a height designed to support the top chord of the I-Joist. 18 Gauge Galvanized. (50/Carton)

UPC: 707392820703 Unit: EA WT: 0.70 lbs


SIMPSON STRONG-TIE

LF2511 LF2511 FACE MT I JOIST HGR 2-1/2"X11" (50/CARTON) (LF2511)

2-1/2in x 11in Face Mount I Joist Hanger. Ideal for applications not requiring web stiffeners. The economical LF series comes with a height designed to support the top chord of the I-Joist. 18 Gauge Galvanized. (50/Carton)

UPC: 707392793700 Unit: EA WT: 0.71 lbs


SIMPSON STRONG-TIE

LJS26DS**LJS26DS TRUSS HGR 1-1/2"X5-1/2" DEEP SEAT (50/CARTON) (LJS26DS)**

1-1/2in x 5-1/2in Truss Hanger-Deep Seat. Double shear nailing. 18 Gauge Galvanized. (50/Carton)

UPC: 707392552901 Unit: EA WT: 0.56 lbs


SIMPSON STRONG-TIE

LPC4Z**LPC4Z 4X POST CAP ADJUSTABLE (40/CARTON) (LPC4Z)**

4in x 3-1/2in Adjustable Post Cap ZMax. universal design provides high capacity while eliminating the need for rights and lefts. For use with 4x or 6x lumber. LPCZ - Adjustable design allows greater connection versatility. 18 Gauge. Galvanized. (40/Carton)

UPC: 044315990601 Unit: EA WT: 0.27 lbs

SIMPSON STRONG-TIE

LPC6Z**LPC6Z 6X POST CAP ADJUSTABLE (40/CARTON) (LPC6Z)**

6in x 5-1/2in Adjustable Post Cap ZMax. universal design provides high capacity while eliminating the need for rights and lefts. For use with 4x or 6x lumber. LPCZ - Adjustable design allows greater connection versatility. 16 Gauge Galvanized. (40/Carton)

UPC: 044315744402 Unit: EA WT: 0.45 lbs

SIMPSON STRONG-TIE

LS30**LS30 REINFORCING ANGLE (50/CARTON) (LS30)**

3-3/8in Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. 18 Gauge. Galvanized. (50/Carton)

UPC: 044315665103 Unit: EA WT: 0.19 lbs

SIMPSON STRONG-TIE

LS50**LS50 REINFORCING ANGLE (50/CARTON) (LS50)**

4-7/8in Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. 18 Gauge. Galvanized. (50/Carton)

UPC: 044315665202 Unit: EA WT: 0.26 lbs

SIMPSON STRONG-TIE

LS50Z**LS50Z REINFORCING ANGLE (50/CARTON) (LS50Z)**

4-7/8in Reinforcing Angle Z-Max Coating. Staggered nail pattern reduces the possibility for splitting. 18 Gauge. Galvanized. (50/Carton)

UPC: 044315981807 Unit: EA WT: 0.26 lbs

SIMPSON STRONG-TIE

LS70**LS70 REINFORCING ANGLE (25/CARTON) (LS70)**

6-3/8in Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. 18 Gauge. Galvanized. (50/Carton)

UPC: 044315665301 Unit: EA WT: 0.34 lbs

SIMPSON STRONG-TIE

LS90**LS90 REINFORCING ANGLE (50/CARTON) (LS90)**

7-7/8in Reinforcing Angle. Staggered nail pattern reduces the possibility for splitting. 18 Gauge. Galvanized. (50/Carton)

UPC: 044315937606 Unit: EA WT: 0.42 lbs

SIMPSON STRONG-TIE

LS90Z**LS90Z REINFORCING ANGLE ZMAX (50/CARTON) (LS90)**

7-7/8in Reinforcing Angle Z Max. Staggered nail pattern reduces the possibility for splitting. 18 Gauge. (50/Carton)

UPC: 707392639302 Unit: EA WT: 0.42 lbs

SIMPSON STRONG-TIE

LSCZ**LSCZ ADJUSTABLE STAIR STRINGER CONNECTOR Z-MAX (25)**

UPC: 10707392273100

SIMPSON STRONG-TIE

LSSU210**LSSU210 2"X10" LIGHT SLOPE/SKEWABLE (25/CARTON)(LSSU210)**

2in x 10in Light Slope/Skewable U Hanger. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. 18 Gauge. Galvanized. (25/Carton)

UPC: 044315043307 Unit: EA WT: 0.73 lbs

SIMPSON STRONG-TIE

LSSU28**LSSU28 2"X8" LIGHT SLOPE/SKEW ANGLE (25/CARTON) (LSSU28)**

2in x 8in Light Slope/Skew Angle. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. 18 Gauge. Galvanized. (25/Carton)

UPC: 044315698705 Unit: EA WT: 0.62 lbs

SIMPSON STRONG-TIE

LSSUH310**LSSUH310 SLOPE/SKEWED HANGER 2-1/2"X8-1/2" (25/CARTON) (LSSUH310)**

2-1/2in x 8-1/2in Slope/Skewed Hanger. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. 16 Gauge Galvanized. (25/Carton)

UPC: 044315522000 Unit: EA WT: 1.43 lbs

SIMPSON STRONG-TIE

LSSUI25**LSSUI25 SLOPE/SKEWED HANGER 1-3/4"X8-1/2" (25/CARTON) (LSSUI25)**

1-3/4in x 8-1/2in Slope/Skewed U Hanger. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. 18 Gauge Galvanized. (25/Carton)

UPC: 044315481703 Unit: EA WT: 0.78 lbs


SIMPSON STRONG-TIE

LSSUI35**LSSUI35 SLOPE/SKEWED HANGER 2-1/4"X8-1/2" (25/CARTON) (LSSUI35)**

2-1/4in x 8-1/2in Slope/Skewed U Hanger. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. 18 Gauge Galvanized. (25/Carton)

UPC: 044315934407 Unit: EA WT: 0.87 lbs

SIMPSON STRONG-TIE

LSTA36**LSTA36 LITE STRAP TIE (50/CARTON) (LSTA36)**

36in Light Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members, with a nailing pattern that reduces the potential for splitting. (50/Carton)

UPC: 044315667503 Unit: EA WT: 0.59 lbs

SIMPSON STRONG-TIE

LSU26**LSU26 2"X6" LIGHT SLOPE/SKEW ANGLE (25/CARTON) (LSU26)**

2in x 6in Light Slope/Skew Angle. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. (50/Carton)

UPC: 044315670305 Unit: EA WT: 0.43 lbs

SIMPSON STRONG-TIE

LSU26Z**LSU26Z 2"X6" LIGHT SLOPE/SKEW ANGLE Z-MAX (25/CARTON) (LSU26Z)**

2in x 6in Light Slope/Skew Angle Z Max. May be sloped and skewed in the field offering a versatile solution for attaching joists and rafters. These hangers may be sloped up or down and skewed left or right up to 45 degrees. (25/Carton)

UPC: 707392162506 Unit: EA WT: 0.43 lbs


SIMPSON STRONG-TIE

LT239**LT239 TOP MT I JOIST HGR 2-1/4"x9-1/2" (25/CARTON) (LT239)**

2-1/4in x 9-1/2in Top Mount I Joist Hanger. Top flange hangers is designed for use with wood I-joists. Installation is fast and easy. The hanger's top flange simplifies placement and the side flanges laterally support the I-joist top flange eliminating the need for web stiffeners. Securing the carried I- joist is simple with only one screw required into the bottom flange through the seat of the hanger for joists less than 3in wide and two screws for joists 3in and wider. 18 Gauge Galvanized (25/Carton)

UPC: 707392995807 Unit: EA WT: 0.74 lbs


SIMPSON STRONG-TIE

LT251188**LT251188 TOP MT I JOIST HGR 2-1/2"X11-7/8" (25/CARTON) (LT251188)**

2-1/2in x 11-7/8in Top Mount I Joist Hanger. Top flange hangers is designed for use with wood I-joists. Installation is fast and easy. The hanger's top flange simplifies placement and the side flanges laterally support the I-joist top flange eliminating the need for web stiffeners. Securing the carried I- joist is simple with only one screw required into the bottom flange through the seat of the hanger for joists less than 3in wide and two screws for joists 3in and wider. 18 Gauge Galvanized (25/Carton)

UPC: 707392942306 Unit: EA WT: 0.70 lbs


SIMPSON STRONG-TIE

LTP4**LTP4 LATERAL TIE PLATE (200/CARTON) (LTP4)**

Lateral Tie Plate. The LTP4 Lateral Tie Plate transfers shear forces for top plate-to-rim joist or blocking connections. Nail holes are spaced to prevent wood splitting for single and double top plate applications. May be installed over plywood sheathing. 20 Gauge (200/Carton)

UPC: 044315247903 Unit: EA WT: 0.11 lbs

SIMPSON STRONG-TIE

LTP5**LTP5 LATERAL TIE PLATE (100/CARTON) (LTP5)**

Lateral Tie Plate. The larger LTP5 spans subfloor at the top of the blocking or rim joist. The embossments enhance performance and the min/max nailing option allows for design flexibility. 20 Gauge (200/Carton)

UPC: 707392727507 Unit: EA WT: 0.19 lbs


SIMPSON STRONG-TIE

LU210-2L**LU210-2L DOUBLE JOIST HANGER 2"X10" (50/CTN - 2,700/SKID) (LU210-2L)**

2in x 10in Double Joist Hanger. Ideal for end of ledger/ header or post conditions. Galvanized. (50/Carton)

UPC: 707392867609 Unit: EA WT: 0.34 lbs


SIMPSON STRONG-TIE

LU210L**LU210L 2"X10" JOIST HANGER (50/CTN - 3600/SKID)(LU210L)**

2in x 10in Joist Hanger. Ideal for end of ledger/ header or post conditions. (50/Carton)

UPC: 044315937309 Unit: EA WT: 0.27 lbs


SIMPSON STRONG-TIE

LU24L**LU24L 2"X4" JOIST HANGER (100/CARTON - 4,800/SKID) (LU24L)**

2in x 4in Joist Hanger. Ideal for end of ledger/ header or post conditions. (100/Carton)

UPC: 044315793301 Unit: EA WT: 0.12 lbs

SIMPSON STRONG-TIE

LU26-2L**LU26-2L DOUBLE JOIST HANGER 2"X6" (50/CTN - 3,600/SKID) (LU26-2L)**

2in x 6in Double Joist Hanger. Ideal for end of ledger/ header or post conditions. (50/Carton)

UPC: 707392465201 Unit: EA WT: 0.46 lbs

SIMPSON STRONG-TIE

LU26L**LU26L 2"X6" JOIST HANGER (100/CARTON - 7,200/SKID) (LU26L)**

2in x 6in Joist Hanger. Ideal for end of ledger/ header or post conditions. (100/Carton)

UPC: 044315438509 Unit: CT WT: 0.17 lbs


SIMPSON STRONG-TIE

LU28-2L**LU28-2L DOUBLE JOIST HANGER 2"X8" (50/CARTON) (LU28-2L)**

2in x 8in Double Joist Hanger. Ideal for end of ledger/ header or post conditions. (50/Carton)

UPC: 707392784104 Unit: EA WT: 0.24 lbs

SIMPSON STRONG-TIE

LU28L**LU28L 2X8 JOIST HANGER (100/CTN - 5400/SKID) (LU28L)**

2in x 8in Joist Hanger (100/box)

UPC: 044315683206 Unit: EA WT: 0.23 lbs

SIMPSON STRONG-TIE

LUC210Z**LUC210Z 2"X10" Z-MAX CONCEALED FLANGE HANGER (25/CARTON) (LUC210Z)**

2in x 10in Concealed Flange Joist Hanger Z-Max. Provides cleaner lines for exposed conditions such as overhead decks. (25/Carton)

UPC: 707392693000 Unit: EA

SIMPSON STRONG-TIE

LUC26Z**LUC26Z 2X6 Z-MAX CONCEALED FLANGE HANGER (25/CARTON) (LUC26Z)**

2in x 6in Concealed Flange Joist Hanger Z-Max. Provides cleaner lines for exposed conditions such as overhead decks. (25/Carton)

UPC: 707392607403 Unit: EA WT: 0.26 lbs

SIMPSON STRONG-TIE

LUS210**LUS210 2"X10" JOIST HANGER (50/CTN - 3600/SKID)(LUS210)**

2in x 10in Face Mount Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (50/Carton)

UPC: 044315684005 Unit: EA WT: 0.40 lbs

SIMPSON STRONG-TIE

LUS210-2**LUS210-2 2"X10" DBL JOIST HANGER (25/CARTON) (LUS210-2)**

2in x 10in Face Mount Double Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315684104 Unit: EA WT: 1.12 lbs

SIMPSON STRONG-TIE

LUS210-2Z**LUS210-2Z 2"X10" ZMAX DBL JOIST HANGER (25/CARTON) (LUS210-2Z)**

2in x 10in Face Mount Double Joist Hanger Z-Max. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315250804 Unit: EA WT: 0.60 lbs

SIMPSON STRONG-TIE

LUS210-3**LUS210-3 2"X10" TRIPLE JOIST HANGER (25/CARTON) (LUS210-3)**

2in x 10in Face Mount Triple Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315955600 Unit: EA WT: 0.57 lbs


SIMPSON STRONG-TIE

LUS210-3Z**LUS210-3Z 2"X10" ZMAX TRIPLE JOIST HANGER (25/CARTON) (LUS210-3Z)**

2in x 10in Face Mount Triple Joist Hanger Z-Max. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 707392185505 Unit: EA WT: 0.57 lbs

SIMPSON STRONG-TIE

LUS210Z**LUS210Z 2"X10" ZMAX JOIST HANGER (50/CTN - 3,600/SKID) (LUS210Z)**

2in x 10in Face Mount Double Joist Hanger Z-Max. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (50/Carton)

UPC: 044315000607 Unit: EA WT: 0.42 lbs

SIMPSON STRONG-TIE

LUS24**LUS24 2"X4" JOIST HANGER (100/CARTON) (LUS24)**

2in x 4in Face Mount Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (100/Carton)

UPC: 044315683909 Unit: EA WT: 0.19 lbs

SIMPSON STRONG-TIE

LUS24Z**LUS24Z 2"X4" ZMAX JOIST HANGER (100/CTN - 4,800/SKID) (LUS24Z)**

2in x 4in Face Mount Joist Hanger ZMax. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (100/Carton)

UPC: 044315804304 Unit: EA WT: 0.19 lbs

SIMPSON STRONG-TIE

LUS26**LUS26 2"X6" JOIST HANGER (100/CARTON) (LUS26)**

2in x 6in Face Mount Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (100/Carton)

UPC: 044315684401 Unit: EA WT: 0.00 lbs

SIMPSON STRONG-TIE

LUS26-2**LUS26-2 2"X6" DBL JOIST HANGER (25/CARTON) (LUS26-2)**

2in x 6in Face Mount Double Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315684500 Unit: EA WT: 0.01 lbs

SIMPSON STRONG-TIE

LUS26-2Z**LUS26-2Z 2"X6" ZMAX DBL JOIST HANGER (25/CARTON) (LUS26-2Z)**

2in x 6in Face Mount Double Joist Hanger ZMax. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315271908 Unit: EA WT: 0.39 lbs

SIMPSON STRONG-TIE

LUS26Z**LUS26Z 2"X6" ZMAX JOIST HANGER (100/CTN - 4,800/SKID) (LUS26Z)**

2in x 6in Face Mount Joist Hanger Z-Max. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (100/Carton)

UPC: 044315734403 Unit: EA WT: 0.28 lbs


SIMPSON STRONG-TIE

LUS28**LUS28 2"X8" JOIST HANGER (50/CARTON) (LUS28)**

2in x 8in Face Mount Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (50/Carton)

UPC: 044315684609 Unit: EA WT: 0.01 lbs


SIMPSON STRONG-TIE

LUS28-2**LUS28-2 2"X8" DBL JOIST HANGER (25/CARTON) (LUS28-2)**

2in x 8in Face Mount Double Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315684708 Unit: EA WT: 0.46 lbs


SIMPSON STRONG-TIE

LUS28-2Z**LUS28-2Z 2"X8" ZMAX DBL JOIST HANGER (25/CARTON) (LUS28-2Z)**

2in x 8in Face Mount Double Joist Hanger ZMax. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315572302 Unit: EA WT: 0.50 lbs


SIMPSON STRONG-TIE

LUS28-3**LUS28-3 2"X8" TRIPLE JOIST HANGER (25/CARTON) (LUS28-3)**

2in x 8in Face Mount Triple Joist Hanger. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (25/Carton)

UPC: 044315880902 Unit: EA WT: 0.48 lbs

SIMPSON STRONG-TIE

LUS28-3Z**LUS28-3Z 2"X8" Z-MAX TRIPLE JOIST HANGER (15/CARTON) (LUS28-3Z)**

2in x 8in Face Mount Triple Joist Hanger ZMax. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (15/Carton)

UPC: 707392970309 Unit: EA WT: 0.48 lbs

SIMPSON STRONG-TIE

LUS28Z**LUS28Z 2"X8" JOIST HANGER ZMAX (50/CTN - 3,600/SKID) (LUS28Z)**

2in x 8in Face Mount Joist Hanger ZMax. Double shear nailing. This innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails faster installation and the use of standard nails for all connections. (Do not bend or remove tabs) (50/Carton)

UPC: 044315268700 Unit: EA WT: 0.35 lbs

SIMPSON STRONG-TIE

ML24Z**ML24Z MEDIUM L ANGLE 2X4 ZMAX (CTN 15)**

Medium L Angle 2x4 Zmax

UPC: 707392267706 Unit: EA

SIMPSON STRONG-TIE

ML26Z**ML26Z H.D. ANGLE (15/CARTON) (ML26Z)**

2in x 6in Angle. Fastener holes are staggered to minimize wood splitting and opposing hole patterns allows for back to back installation without fastener interference. (15/Carton)

UPC: 707392334408 Unit: EA

SIMPSON STRONG-TIE

MP14**MP14 MENDING PLATE 1"X4" (100/CARTON) (MP14)**

1in x 4in Mending Plate. Versatile and easy-to-use mending plates for wood-to-wood connections. No nails or notching of wood required. For non-structural applications only not for truss applications. (100/Carton)

UPC: 044315481802 Unit: EA WT: 0.05 lbs

SIMPSON STRONG-TIE

MP24**MP24 MENDING PLATE 2"X4" (100/CARTON - 7,200/SKID) (MP24)**

2in x 4in Mending Plate. Versatile and easy-to-use mending plates for wood-to-wood connections. No nails or notching of wood required. For non-structural applications only not for truss applications. (100/Carton)

UPC: 044315444609 Unit: EA WT: 0.09 lbs


SIMPSON STRONG-TIE

MP36**MP36 MENDING PLATE 3"X6" (100/CTN - 3,600/SKID) (MP36)**

3in x 6in Mending Plate. Versatile and easy-to-use mending plates for wood-to-wood connections. No nails or notching of wood required. For non-structural applications only not for truss applications. (100/Carton)

UPC: 044315898006 Unit: EA WT: 0.19 lbs


SIMPSON STRONG-TIE

MST27**MST27 27" MEDIUM STRAP TIE 12GA (10/CARTON) (MST27)**

27in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Splitting may be a problem with installations on lumber smaller than 3 1/2in either fill every nail hole with 10dx1 1/2in nails or fill every-other hole with 16d common nails. Reduce the allowable load based upon the size and quantity of fasteners used. 12 Gauge (10/Carton)

UPC: 044315716003 Unit: EA WT: 1.55 lbs


SIMPSON STRONG-TIE

MST37**MST37 37" MEDIUM STRAP TIE 12GA (10/CARTON) (MST37)**

37in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Splitting may be a problem with installations on lumber smaller than 3 1/2in either fill every nail hole with 10dx1 1/2in nails or fill every-other hole with 16d common nails. Reduce the allowable load based upon the size and quantity of fasteners used. 12 Gauge (10/Carton)

UPC: 044315716102 Unit: EA WT: 2.16 lbs


SIMPSON STRONG-TIE

MST48**MST48 48" MEDIUM STRAP TIE 12GA (10/CARTON) (MST48)**

48in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Splitting may be a problem with installations on lumber smaller than 3 1/2in either fill every nail hole with 10dx1 1/2in nails or fill every-other hole with 16d common nails. Reduce the allowable load based upon the size and quantity of fasteners used. 12 Gauge (10/Carton)

UPC: 044315716201 Unit: EA WT: 2.73 lbs


SIMPSON STRONG-TIE

MST60**MST60 60" MEDIUM STRAP TIE 10GA (10/CARTON) (MST60)**

60in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Splitting may be a problem with installations on lumber smaller than 3 1/2in either fill every nail hole with 10dx1 1/2in nails or fill every-other hole with 16d common nails. Reduce the allowable load based upon the size and quantity of fasteners used. 12 Gauge (10/Carton)

UPC: 044315716300 Unit: EA WT: 4.62 lbs

SIMPSON STRONG-TIE

MSTA12**MSTA12 12" MEDIUM STRAP TIE 18GA (50/CARTON) (MSTA12)**

12in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members with a nailing pattern that reduces the potential for splitting. 18 Gauge. (50/Carton)

UPC: 044315718007 Unit: EA WT: 0.19 lbs

SIMPSON STRONG-TIE

MSTA18**MSTA18 18" MEDIUM STRAP TIE 18GA (50/CARTON) (MSTA18)**

18in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members with a nailing pattern that reduces the potential for splitting. 18 Gauge. (50/Carton)

UPC: 044315718205 Unit: EA WT: 0.32 lbs

SIMPSON STRONG-TIE

MSTA18Z**MSTA18Z 18" MEDIUM STRAP TIE 18GA (50/CARTON) (MSTA18Z)**

18in Medium Strap Tie with Z-Max coating. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members with a nailing pattern that reduces the potential for splitting. 18 Gauge. (50/Carton)

UPC: 044315125201 Unit: EA WT: 0.30 lbs

SIMPSON STRONG-TIE

MSTA24Z**MSTA24Z 24" MEDIUM STRAP TIE 18GA (50/CARTON) (MSTA24Z)**

24in Medium Strap Tie with Z-Max coating. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members with a nailing pattern that reduces the potential for splitting. 18 Gauge. (50/Carton)

UPC: 044315350306 Unit: EA WT: 0.42 lbs


SIMPSON STRONG-TIE

MSTA36**MSTA36 36" MEDIUM STRAP TIE 16GA (50/CARTON) (MSTA36)**

36in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members with a nailing pattern that reduces the potential for splitting. 18 Gauge. (50/Carton)

UPC: 044315718502 Unit: EA WT: 0.72 lbs


SIMPSON STRONG-TIE

MSTA9**MSTA9 9" MEDIUM STRAP TIE 18GA (50/CARTON) (MSTA9)**

9in Medium Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. Designed for use on the edge of 2x members with a nailing pattern that reduces the potential for splitting. 18 Gauge. (50/Carton)

UPC: 044315718601 Unit: EA WT: 0.15 lbs

SIMPSON STRONG-TIE

MSTC40**MSTC40 3"X40-1/4" STRAP TIE 16GA COUNTERSUNK (10/CARTON) (MSTC40)**

3in x 40-1/4in Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. High Capacity strap which utilizes a staggered nail pattern to help minimize wood splitting. Nail slots have been countersunk to provide a lower nail head profile. 16 Gauge. (10/Carton)

UPC: 044315965401 Unit: EA WT: 2.10 lbs

SIMPSON STRONG-TIE

MSTC52**MSTC52 STRAP TIE 3"X52-1/4" 16GA COUNTERSUNK (10/CARTON) (MSTC52)**

3in x 52-1/4in Strap Tie. Straps are designed to transfer tension loads in a wide variety of applications. High Capacity strap which utilizes a staggered nail pattern to help minimize wood splitting. Nail slots have been countersunk to provide a lower nail head profile. (10/Carton)

UPC: 044315373602 Unit: EA WT: 2.72 lbs

SIMPSON STRONG-TIE

MSTC66**MSTC66 3" x 65-3/4" STRAP TIES 14GA COUNTERSUNK (10/CARTON) (MSTC66)**

3in x 65-3/4in Strap Ties. Straps are designed to transfer tension loads in a wide variety of applications. High Capacity strap which utilizes a staggered nail pattern to help minimize wood splitting. Nail slots have been countersunk to provide a lower nail head profile. 14 Gauge. (10/Carton)

UPC: 044315563706 Unit: EA WT: 4.29 lbs


SIMPSON STRONG-TIE

MTS16**MTS16 16" MEDIUM TWIST STRAP (100/CARTON) (MTS16)**

16in Medium Twist Strap. Twist straps provide a tension connection between two wood members. They resist uplift at the heel of a truss economically. The 3in bend section eliminates interference at the transition points between wood members. 16 Gauge (100/Carton)

UPC: 044315383304 Unit: EA WT: 0.33 lbs

SIMPSON STRONG-TIE

MTS30**MTS30 30" MEDIUM TWIST STRAP (MTS30)**

30in Medium Twist Strap. Twist straps provide a tension connection between two wood members. They resist uplift at the heel of a truss economically. The 3in bend section eliminates interference at the transition points between wood members. 16 Gauge

UPC: 044315525209 Unit: EA WT: 0.60 lbs


SIMPSON STRONG-TIE

N10D5HDG**N10D5HDG 10D X 1-1/2 HDG NAIL 5Lbs/box (6 BOX PER CARTON)**

N10D5HDG 10D X 1-1/2 HDG NAIL

UPC: 707392107804 WT: 5.00 lbs

SIMPSON STRONG-TIE

N10DHDG**N10DHDG HOT DIP GALV 10DX1-1/2 JOIST HGR NAIL (24PKGS/BX)(120/PK) 1LB (N10DHDG)**

10d x 1-1/2in Joist Hanger Nail Hot Dip Galvanized. Many Simpson Strong-Tie connectors have been designed and tested for use with specific types and sizes of nails. The specified quantity type and size of nail must be installed in the correct holes on the connector to achieve published loads. Other factors such as nail material and finish are also important. Incorrect fastener selection or installation can compromise connector performance and could lead to failure. (24 Packs of 120 nails)

UPC: 707392715207 Unit: PK WT: 1.00 lbs

SIMPSON STRONG-TIE

NS1**NS1 NAIL STOP (100/CARTON) (NS1)**

1-1/2in x 3in Nail Stopper. Nail Stoppers help prevent nails from piercing pipes and electrical lines. Installed over utilities that pass through framing members. 16 Gauge. (100/Carton)


UPC: 044315760006 Unit: EA WT: 0.07 lbs

SIMPSON STRONG-TIE

PGT2-R**PGT2-R PIPE GRIP TIE**


Pipe Grip Tie

UPC: 044315778704 Unit: EA WT: 0.55 lbs

SIMPSON STRONG-TIE**PSCL1/2****PSCL1/2 1/2" PLYWOOD CLIP (250/CARTON) (PSCL1/2)**


1/2in Plywood Clip Bulk. These are used to brace unsupported sheathing edges. (250/box)

UPC: 044315213205 Unit: CT WT: 7.50 lbs

SIMPSON STRONG-TIE**PSCL1/2-R50****PSCL1/2-R50 1/2" PLYWOOD CLIP 50/BAG(10 BAG/CARTON) (PSCL1/2-R50)**


1/2in Plywood Clip. These are used to brace unsupported sheathing edges. (50/Bag-10Bag/Carton)

UPC: 044315654312 Unit: BG WT: 2.00 lbs

SIMPSON STRONG-TIE**PSCL7/16****PSCL7/16 7/16" PLYWOOD CLIP (BULK/250CARTON) (25000/PALLET) (PSCL7/16)**

7/16in Plywood Clip Bulk. These are used to brace unsupported sheathing edges. (250/Carton)

UPC: 044315293207 Unit: CT WT: 7.50 lbs

SIMPSON STRONG-TIE**PSCL7/16-R50****PSCL7/16-R50 7/16" PLYWOOD CLIP 50/BAG (10BAG/CARTON) (PSCL7/16-R50)**

7/16in Plywood Clip. These are used to brace unsupported sheathing edges. 50/Bag 10Bag/Carton)

UPC: 044315497612 Unit: BG WT: 2.00 lbs

SIMPSON STRONG-TIE**PWF24****PWF24 24" 20 GAUGE PWF STRAP TIE (50/CARTON) (PWF24)**

24in - 20 Gauge Perserved Wood Foundation Strap Tie (50/Carton)

UPC: 707392582106 Unit: EA WT: 0.21 lbs

SIMPSON STRONG-TIE

RCPS3.5HDG**RCPS3.5HDG HOT DIPPED GALV. POST HOLDER 4"X4" (12/CARTON) (RCPS3.5HDG)**

4in x 4in Hot Dipped Galvanized Post Holder. Rebar saddle bracket for connecting post to concrete. 13 Gauge. (12/Carton)

UPC: 707392486503 Unit: EA WT: 1.54 lbs

SIMPSON STRONG-TIE**RCPS46HDG****RCPS46HDG HOT DIPPED GALV POST HOLDER 4"X6" (12/CARTON) (RCPS46HDG)**

4in x 6in Hot Dipped Galvanized Post Holder. Rebar saddle bracket for connecting post to concrete. 13 Gauge. (12/Carton)

UPC: 707392291107 Unit: EA WT: 2.53 lbs

SIMPSON STRONG-TIE**RCPS4HDG****RCPS4HDG HOT DIPPED GALV. POST HOLDER 4"X4" ROUGH (12/CARTON) (RCPS4HDG)**

4in x 4in Hot Dipped Galvanized Post Holder Rough Size. Rebar saddle bracket for connection post to concrete. 13 Gauge. (12/Carton)

UPC: 707392847403 Unit: EA WT: 1.63 lbs

SIMPSON STRONG-TIE**RCPS5.5HDG****RCPS5.5HDG HOT DIPPED GALV. 6"X6" POST HOLDER (10/CARTON) (RCPS5.5HDG)**

6in x 6in Hot Dipped Galvanized Post Holder. Rebar saddle bracket for connecting post to concrete. 13 Gauge. (10/Carton)

UPC: 707392833109 Unit: EA WT: 2.93 lbs

SIMPSON STRONG-TIE**RCPS6HDG****RCPS6HDG HOT DIPPED GALV. POST HOLDER 6"X6" ROUGH (10/CARTON) (RCPS6HDG)**

Hot Dipped Galvanized Post Holder Rough Size. Rebar saddle bracket for connecting post to concrete. 13 Gauge. (10/Carton)







UPC: 707392673903 Unit: EA WT: 3.00 lbs

SIMPSON STRONG-TIE**RCPS8HDG****RCPS8HDG HOT DIPPED GALV. POST HOLDER 8"X8" ROUGH (10/CARTON) (RCPS8HDG)**

8in x 8in Hot Dipped Galvanized Post Holder Rough Size. Rebar saddle bracket for connecting post to concrete. 13 Gauge. (10/Carton)

UPC: 707392321804 Unit: EA WT: 3.50 lbs

SIMPSON STRONG-TIE


<p>RR</p> 	<p>RR RIDGE RAFTER (50/CARTON) (RR)</p> <p>Ridge Rafter. An interlock provides alignment control and correct nailing locations. For a rafter-to-face connector flatten the top flange into the face plane. The RR may be used with rafters sloped up to 30 degrees. 18 Gauge. (50/Carton)</p> <p>UPC: 044315795008 Unit: EA WT: 0.21 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>RTA2Z</p> 	<p>RTA2Z 2"X4" RIGID TIE ANGLE Z-MAX (50/CARTON) (RTA2Z)</p> <p>2in x 4in Rigid Tie Angle ZMAX. Used to connect two 2x wood members at a 90 degree angle. (50/Carton)</p> <p>UPC: 044315018602 Unit: EA WT: 0.32 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>SD9112R100</p> 	<p>SD9112R100 STRONG DRIVE SCREW SD #9 X 1 1/2 100/BOX</p> <p>#9X1 1/2" STRUCTURAL SCREW (100/PAK)</p> <p>UPC: 707392977001</p> <p>SIMPSON STRONG-TIE</p>
<p>SD9212R100</p> 	<p>SD9212R100 STRONG DRIVE SCREW SD #9 X 2 1/2 100/BOX</p> <p>#9 X 2 1/2" STRUCTURAL SCREW (100/PAK)</p> <p>UPC: 707392395300 WT: 1.07 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>ST2122</p> 	<p>ST2122 STRAP TIE 2"X12" (50/CARTON) (ST2122)</p> <p>2in x 12in STRAP TIE. Straps are designed to transfer tension loads in a wide variety of applications. 20 Gauge (50/Carton)</p> <p>UPC: 044315807305 Unit: EA WT: 0.22 lbs</p> <p>SIMPSON STRONG-TIE</p>
<p>ST2215</p> 	<p>ST2215 STRAP TIE 2"X16" (50/CARTON) (ST2215)</p> <p>2in x 16in STRAP TIE. Straps are designed to transfer tension loads in a wide variety of applications. 20 Gauge (50/Carton)</p> <p>UPC: 044315807503 Unit: EA WT: 0.30 lbs</p> <p>SIMPSON STRONG-TIE</p>

ST292**ST292 STRAP TIE 2"X9" (50/CARTON) (ST292)**

2in x 9in STRAP TIE. Straps are designed to transfer tension loads in a wide variety of applications. 20 Gauge (50/Carton)

UPC: 044315807602 Unit: EA WT: 0.16 lbs


SIMPSON STRONG-TIE

ST6224**ST6224 STRAP TIE 2"X23" (25/CARTON) (ST6224)**

2in x 23in STRAP TIE. Straps are designed to transfer tension loads in a wide variety of applications. 16 Gauge (25/Carton)

UPC: 044315807800 Unit: EA WT: 0.67 lbs


SIMPSON STRONG-TIE

ST6236**ST6236 STRAP TIE 2"X33" (25/CARTON) (ST6236)**

2in x 33in STRAP TIE. Straps are designed to transfer tension loads in a wide variety of applications. 14 Gauge (25/Carton)

UPC: 044315807909 Unit: EA WT: 1.28 lbs

SIMPSON STRONG-TIE

STC**STC TRUSS CLIP (200/CARTON) (STC)**

Roof Truss Clip. For alignment control between a roof truss and nonbearing walls the 1 1/2in slot permits vertical truss chord movement when loads are applied. 18 Gauge Galvanized. (200/Carton)

UPC: 044315810008 Unit: EA WT: 0.08 lbs

SIMPSON STRONG-TIE

STHD10**STHD10 STRAP TIE HOLDDOWN EMBEDDED (1) (STHD10)**

10in STRAP TIE HOLDDOWN EMBEDDED. The STHD is an embedded strap tie holddown with high load capacity and a staggered nail pattern to help minimize splitting. Galvanized. (1)

UPC: 044315912504 Unit: EA WT: 3.16 lbs

SIMPSON STRONG-TIE

STHD14**STHD14 STRAP TIE HOLDDOWN EMBEDDED (1) (STHD14)**

14in STRAP TIE HOLDDOWN EMBEDDED. The STHD is an embedded strap tie holddown with high load capacity and a staggered nail pattern to help minimize splitting. Galvanized. (1)

UPC: 044315576003 Unit: EA WT: 4.30 lbs

SIMPSON STRONG-TIE

SUL210**SUL210 SINGLE 2"X10" SKEW HGR (25/CARTON) (SUL210)**

2in x 10in Left Skew Hanger. Angled nail slots direct nails for proper installation. 16 Gauge. (25/Carton)

UPC: 044315812002 Unit: EA WT: 0.98 lbs

SIMPSON STRONG-TIE

SUL210-2**SUL210-2 LEFT SKEWED DBL JOIST HANGER 2"x10" (25/CARTON) (SUL210-2)**

2in x 10in Double Joist Hanger Skewed Left. Angled nail slots direct nails for proper installation. (25/Carton)

UPC: 044315811906 Unit: EA WT: 1.51 lbs

SIMPSON STRONG-TIE

SUL210Z**SUL210Z Z-MAX LEFT SKEWED JOIST HANGER 2"x10" (10/CARTON) (SUL210Z)**

2in x 10in Left Skewed Joist Hanger Z-MAX. Angled nail slots direct nails for proper installation. (25/Carton)

UPC: 707392523406 Unit: EA WT: 0.98 lbs

SIMPSON STRONG-TIE

SUL26**SUL26 LEFT SKEWED JOIST HANGER 2"x6" (25/CARTON) (SUL26)**

2in x 6in Left Skewed Joist Hanger. Angled nail slots direct nails for proper installation. (25/Carton)

UPC: 044315812309 Unit: EA WT: 0.64 lbs


SIMPSON STRONG-TIE

SUL26Z**SUL26Z Z-MAX SKEWED JOIST HANGER 2"x6" (10/CARTON) (SUL26Z)**

2in x 6in Left Skewed Joist Hanger Z-MAX. Angled nail slots direct nails for proper installation. (25/Carton)

UPC: 707392197201 Unit: EA

SIMPSON STRONG-TIE

SUR210**SUR210 SINGLE 2"X10" SKEW HGR (25/CARTON) (SUR210)**

2in x 10in Single Right Skew Hanger. Angled nail slots direct nails for proper installation. (25/Carton)

UPC: 044315814006 Unit: EA WT: 0.98 lbs

SIMPSON STRONG-TIE

SUR210Z**SUR210Z Z-MAX RIGHT SKEWED JOIST HANGER 2"x10" (10/CARTON) (SUR210Z)**

2in x 10in Right Skewed Joist Hanger Z-MAX. Angled nail slots direct nails for proper installation. (25/Cartron)

UPC: 707392375906 Unit: EA WT: 0.98 lbs

SIMPSON STRONG-TIE

SUR26**SUR26 RIGHT SKEWED JOIST HANGER 2"x6" (25/CARTON) (SUR26)**

2in x 6in Right Skewed Joist Hanger. Angled nail slots direct nails for proper installation. (25/Cartron)

UPC: 044315814303 Unit: EA WT: 0.64 lbs

SIMPSON STRONG-TIE

SUR26Z**SUR26Z Z-MAX RIGHT SKEWED JOIST HGR 2"x6" (10/CARTON) (SUR26Z)**

2in x 6in Right Skewed Joist Hanger Z-MAX. Angled nail slots direct nails for proper installation. (25/Cartron)

UPC: 707392172703 Unit: EA WT: 0.64 lbs

SIMPSON STRONG-TIE

TA10Z**TA10Z STAIRCASE ANGLE (50/CARTON) (TA10Z)**

10-1/4in Staircase Angle. For use in structurally-sound staircase framing. The TA eliminates costly conventional notching. Z-MAX coating. 12 Gauge. (50/Cartron)

UPC: 707392723103 Unit: EA WT: 0.74 lbs


SIMPSON STRONG-TIE

TA9Z**TA9Z STAIRCASE ANGLE (50/CARTON) (TA9Z)**

8-1/4in Staircase Angle. For use in structurally-sound staircase framing. The TA eliminates costly conventional notching. Z-MAX Coating. 12 Gauge. (50/Cartron)

UPC: 707392828402 Unit: EA WT: 0.30 lbs


SIMPSON STRONG-TIE

TP15**TP15 TIE PLATE 1"x5" (150) (TP15)**

1in x 5in Tie Plate. Nail on tie plate. 20 Gauge Galvanized. (150/Cartron)

UPC: 044315831003 Unit: EA WT: 0.10 lbs


SIMPSON STRONG-TIE

TP35**TP35 TIE PLATE 3"X5" (100/CARTON) (TP35)**

3in x 5in Tie Plate. Nail on plates. 20 Gauge Galvanized. (100/Cartron)

UPC: 044315832109 Unit: EA WT: 0.16 lbs

SIMPSON STRONG-TIE

TP37**TP37 TIE PLATE 3"X7" (100/CARTON) (TP37)**

3in x 7in Tie Plate. Nail on plate. 20 Gauge Galvanized. (100/Cartron)

UPC: 044315832208 Unit: EA WT: 0.22 lbs

SIMPSON STRONG-TIE

U210R**U210R FACE MOUNT U HANGER 2"X10" ROUGH (50/CARTON) (U210R)**

2in x 10in Face Mount U Hanger Rough Size. The standard U hanger provides flexibility of joist to header installation. (50/Cartron)

UPC: 044315900402 Unit: EA WT: 0.67 lbs

SIMPSON STRONG-TIE

U26R**U26R FACE MOUNT U HANGER 2"X6" ROUGH (50/CARTON) (U26R)**

2in x 6in Face Mount U Hanger Rough Size. The standard U hanger provides flexibility of joist to header installation. (50/Cartron)

UPC: 044315901607 Unit: EA WT: 0.44 lbs


SIMPSON STRONG-TIE

WUB44HDG**WUB44HDG POST BRACKET HDG PLATE 4"X4" (WUB44HDG)**

4in x 4in Post Bracket. Hot dip galvanized bracket with 5/8in rebar. Used for connecting posts to concrete.

UPC: 707392574507 Unit: EA WT: 4.50 lbs


SIMPSON STRONG-TIE

WUB44RHDG**WUB44RHDG ROUGH POST BRACKET HDG PLATE 4"X4" (WUB44RHDG)**

4in x 4in Post Bracket Rough Size Hot Dip Galvanized Plate. With 5/8in rebar. Used for connecting posts to concrete. (100/Cartron)

UPC: 707392534204 Unit: EA WT: 5.00 lbs


SIMPSON STRONG-TIE

WUB66HDG**WUB66HDG POST BRACKET HDG PLATE 6"x6" (WUB66HDG)**

6in x 6in Post Bracket. Hot dip galvanized bracket with 5/8in rebar. Used for connecting posts to concrete.

UPC: 707392546405 Unit: EA WT: 6.00 lbs

SIMPSON STRONG-TIE

WUB66RHDG**WUB66RHDG ROUGH POST BRACKET HDG PLATE 6"x6" (WUB66RHDG)**

6in x 6in Post Bracket Rough Size. Hot dip galvanized bracket with 5/8in rebar. Used for connecting posts to concrete.

UPC: 707392822707 Unit: EA WT: 6.50 lbs

SIMPSON STRONG-TIE

Product**Description****BUILDERS HARDWARE - STAIR RISERS****SSR1****SSR1 STEEL STAIR RISER 1 STEP (4)**

Steel Stair Riser 1 Step (4/box)

UPC: 773967304053 Unit: EA WT: 4.19 lbs

STAIR RISERS

SSR2**SSR2 STEEL STAIR RISER 2 STEP (4)**

Steel Stair Riser 2 Step (4/box)

UPC: 773967304060 Unit: EA WT: 7.08 lbs


STAIR RISERS

SSR3**SSR3 STEEL STAIR RISER 3 STEP (4)**

Steel Stair Riser 3 Step (4/box)

UPC: 773967304077 Unit: EA WT: 10.11 lbs

STAIR RISERS

SSR4**SSR4 STEEL STAIR RISER 4 STEP (4)**

Steel Stair Riser 4 Step (4/box)

UPC: 773967304084 Unit: EA WT: 12.95 lbs

STAIR RISERS

SSR5**SSR5 STEEL STAIR RISER 5 STEP (2)**

Steel Stair Riser 5 Step (2/box)

UPC: 773967304091 Unit: EA WT: 16.38 lbs

STAIR RISERS**SSR6****SSR6 STEEL STAIR RISER 6 STEP (2)**

Steel Stair Riser 6 Step (2/box)

UPC: 773967304107 Unit: EA WT: 19.51 lbs

STAIR RISERS**SSR7****SSR7 STEEL STAIR RISER 7 STEP (2)**

Steel Stair Riser 7 Step (2/box)

UPC: 773967304114 Unit: EA WT: 22.37 lbs

STAIR RISERS**SSR8****SSR8 STEEL STAIR RISER 8 STEP (2)**

Steel Stair Riser 8 Step (2/box)

UPC: 773967304121 Unit: EA WT: 24.14 lbs

STAIR RISERS**SSR9****SSR9 STEEL STAIR RISER 9 STEP (2)**

Steel Stair Riser 9 Step (2/box)

UPC: 773967304138 Unit: EA WT: 28.93 lbs

STAIR RISERS**Product****Description****BUILDING PRODUCTS - DEE BUILDERS HARDWARE****MCAP****MCAP MUSHROOM REBAR SAFETY CAP (250/CTN) (24CTN/PLT) (MCAO)**

MCAP MUSHROOM REBAR SAFETY CAP (250/CTN) (24CTM/PLT)

UPC: 773967312157 Unit: EA WT: 0.04 lbs

DEE BUILDERS HARDWARE

OCAP

OCAP OSHA REBAR SAFETY CAP 25/CTN (100 CARTONS/PALLET) (OCAP)



OSHA Rebar Cap


OCAP OSHA REBAR SAFETY CAP 25/CTN (100 CARTONS/PALLET)

UPC: 773967312140 Unit: EA WT: 0.44 lbs

DEE BUILDERS HARDWARE

RC16

RC16 #3 ROD CHAIR 16" 100/BOX (32 BOXES/PALLET) (RC16)




RC16 #3 ROD CHAIR 16" 100/BOX (32 BOXES/PALLET)

UPC: 773967312171 WT: 0.06 lbs

DEE BUILDERS HARDWARE

RC20

RC20 #3 ROD CHAIR 20" 100/BOX (24 BOXES/PALLET) (RC20)




RC20 #3 ROD CHAIR 20" 100/BOX (24 BOXES/PALLET)

UPC: 773967312188 Unit: EA WT: 0.07 lbs

DEE BUILDERS HARDWARE

RC6/8

RC6/8 #2 ROD CHAIR 6"/8" 100/BOX (40 BOXES/PALLET) (RC6/8)



RC6/8 #2 ROD CHAIR 6"/8" 100/BOX (40 BOXES/PALLET)

UPC: 773967312164 Unit: EA WT: 0.04 lbs

DEE BUILDERS HARDWARE

RMC1

RMC1 ROUND 1"-11/4" MESH UP CHAIR 200/BAG (72 BAGS/PALLET) (RMC1)



RMC1 ROUND 1"-11/4" MESH UP CHAIR 200/BAG (72 BAGS/PALLET)

Unit: EA WT: 0.02 lbs

DEE BUILDERS HARDWARE

RMC1.5


RMC1.5 ROUND 1.5"-2" MESH UP CHAIR 200/BAG (60 BAGS/PALLET) (RMC1.5)





RMC1.5 ROUND 1.5"-2" MESH UP CHAIR 200/BAG (60 BAGS/PALLET)


UPC: 773967312089 Unit: EA WT: 0.02 lbs


DEE BUILDERS HARDWARE


RMC2	RMC2 ROUND 2"-2.5" MESH UP CHAIR 200/BAG (30 BAGS/PALLET) (RMC2)
	RMC2 ROUND 2"-2.5" MESH UP CHAIR 200/BAG (30 BAGS/PALLET)
UPC: 773967312096 Unit: EA WT: 0.03 lbs	
DEE BUILDERS HARDWARE	

RMC2.5	RMC2.5 ROUND 2.5"-3" MESH UP CHAIR 200/BAG (20 BAGS/PALLET) (RMC2.5)
	RMC2.5 ROUND 2.5"-3" MESH UP CHAIR 200/BAG (20 BAGS/PALLET)
UPC: 773967312102 Unit: EA WT: 0.04 lbs	
DEE BUILDERS HARDWARE	

RMC3	RMC3 ROUND 3"-3.5" MESH UP CHAIR 200/BAG (20 BAGS/PALLET) (RMC3)
	RMC3 ROUND 3"-3.5" MESH UP CHAIR 200/BAG (20 BAGS/PALLET)
UPC: 773967312119 Unit: EA WT: 0.05 lbs	
DEE BUILDERS HARDWARE	

RMC3.5	RMC3.5 ROUND 3.5"-4" MESH UP CHAIR 200/BAG (20 BAGS/PALLET) (RMC3.5)
	RMC3.5 ROUND 3.5"-4" MESH UP CHAIR 200/BAG (20 BAGS/PALLET)
UPC: 773967312126 Unit: EA WT: 0.05 lbs	
DEE BUILDERS HARDWARE	

RMC4	RMC4 ROUND 4"-4.5" MESH UP CHAIR 180/BAG (20 BAGS/PALLET) (RMC4)
	RMC4 ROUND 4"-4.5" MESH UP CHAIR 180/BAG (20 BAGS/PALLET)
UPC: 773967312133 Unit: EA WT: 0.06 lbs	
DEE BUILDERS HARDWARE	

Product	Description	BUILDING PRODUCTS - FLOOR AND SURFACE DRAINAGE
11682	11682 COM. GALVANIZED A-L ADAPTER PLATE (10/PLT) (11682) .43946	
	11682 COM. GALVANIZED A-L ADAPTER PLATE (10/PLT) .43946	
WT: 2.29 lbs		FLOOR AND SURFACE DRAINAGE

11683

11683 COM. GALVANIZED B-L ADAPTER PLATE (10/PLT) (11683) .43947



11683 COM. GALVANIZED B-L ADAPTER PLATE (10/PLT) (11683) .43947

WT: 2.21 lbs

FLOOR AND SURFACE DRAINAGE

11684

11684 COM. GALVANIZED C-L ADAPTER PLATE (10/PLT) (11684) .43948



11684 COM. GALVANIZED C-L ADAPTER PLATE (10/PLT) .43948

WT: 2.14 lbs

FLOOR AND SURFACE DRAINAGE

11685

11685 COM. GALVANIZED D-L ADAPTER PLATE (10/PLT) (11685) .43949



11685 COM. GALVANIZED D-L ADAPTER PLATE (10/PLT) .43949

WT: 2.06 lbs

FLOOR AND SURFACE DRAINAGE

11686

11686 COM. GALVANIZED E-L ADAPTER PLATE (10/PLT) (11686) .43950



11686 COM. GALVANIZED E-L ADAPTER PLATE (10/PLT) .43950

WT: 1.99 lbs

FLOOR AND SURFACE DRAINAGE

11687

11687 COM. GALVANIZED F-L ADAPTER PLATE (10/PLT) (11687) .43951




11687 COM. GALVANIZED F-L ADAPTER PLATE (10/PLT) (11687) .43951

WT: 1.92 lbs

FLOOR AND SURFACE DRAINAGE

11688

11688 COM. GALVANIZED G-L ADAPTER PLATE (10/PLT) (11688) .43953



11688 COM. GALVANIZED G-L ADAPTER PLATE (10/PLT) (11688) .43953

WT: 1.84 lbs

FLOOR AND SURFACE DRAINAGE

11689

11689 COM. GALVANIZED H-L ADAPTER PLATE (10/PLT) (11689) .43954

11689 COM. GALVANIZED H-L ADAPTER PLATE (10/PLT) (11689) .43954



WT: 1.77 lbs

FLOOR AND SURFACE DRAINAGE

11690

11690 COM. GALVANIZED I-L ADAPTER PLATE (10/PLT) (11690) .43955

11690 COM. GALVANIZED I-L ADAPTER PLATE (10/PLT) (11690) .43955



WT: 1.70 lbs

FLOOR AND SURFACE DRAINAGE

11712

11712 COM. GALV END-A FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11712) .44021

11712 COM. GALV END-A FLANGE 9'10" U-DRAIN SECTION (10/PLT)



END-A

Unit: EA WT: 98.00 lbs

FLOOR AND SURFACE DRAINAGE

11713

11713 COM. GALV A-B FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11713) .43876

11713 COM. GALV A-B FLANGE 9'10" U-DRAIN SECTION (10/PLT)



A-B

WT: 101.00 lbs

FLOOR AND SURFACE DRAINAGE

11714

11714 COM. GALVEND B-C-FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11714) .43877

11714 COM. GALVEND B-C-FLANGE 9'10" U-DRAIN SECTION (10/PLT)



B-C

WT: 103.00 lbs

FLOOR AND SURFACE DRAINAGE

11715

11715 COM. GALV END C-C FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11715) .43878

11715 COM. GALV END C-C FLANGE 9'10" U-DRAIN SECTION (10/PLT)



WT: 104.00 lbs

FLOOR AND SURFACE DRAINAGE

11716

11716 COM. GALV C-D FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11716) .43879



11716 COM. GALV C-D FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 105.00 lbs

FLOOR AND SURFACE DRAINAGE

11717

11717 COM.GALV END D-E FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11717) .43880



11717 COM.GALV END D-E FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 107.00 lbs

FLOOR AND SURFACE DRAINAGE

11718

11718 COM.GALV END E-F FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11718) .43883



11718 COM.GALV END E-F FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 109.00 lbs

FLOOR AND SURFACE DRAINAGE

11719

11719 COM.GALV END F-G FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11719) .43885



11719 COM.GALV END F-G FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 111.00 lbs

FLOOR AND SURFACE DRAINAGE

11720

11720 COM.GALV END G-G FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11720) .43886



11720 COM.GALV END G-G FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 112.00 lbs

FLOOR AND SURFACE DRAINAGE

11721

11721 COM.GALV G-H FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11721) .43887




11721 COM.GALV G-H FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 113.00 lbs

FLOOR AND SURFACE DRAINAGE

11722

11722 COM.GALV END H-I FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11722) .43890



11722 COM.GALV END H-I FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 115.00 lbs

FLOOR AND SURFACE DRAINAGE

11723

11723 COM.GALV END I-J FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11723) .43891



11723 COM.GALV END I-J FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 117.00 lbs

FLOOR AND SURFACE DRAINAGE

11724

11724 COM.GALV END-A FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11724) .43893



11724 COM.GALV END-A FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 119.00 lbs

FLOOR AND SURFACE DRAINAGE

11725

11725 COM. GALVANIZED END K-K FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11725) .43894



11725 COM. GALVANIZED END K-K FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 120.00 lbs

FLOOR AND SURFACE DRAINAGE

11726

11726 COM.GALVANIZED END K-L FLANGE 9'10" U-DRAIN SECTION (10/PLT) (11726) .43895




11726 COM.GALVANIZED END K-L FLANGE 9'10" U-DRAIN SECTION (10/PLT)

WT: 121.00 lbs

FLOOR AND SURFACE DRAINAGE

11727

11727 COM. GALV. C-C FLANGE 1' U-DRAIN SECTION (10/PLT) (11727) .43873



11727 COM. GALV. C-C FLANGE 1' U-DRAIN SECTION (10/PLT)

Unit: EA WT: 14.00 lbs

FLOOR AND SURFACE DRAINAGE

11728

11728 COM. GALVANIZED C-C FLANGE 3' U-DRAIN SECTION (10/PLT) (11728) .43896



11728 COM. GALVANIZED C-C FLANGE 3' U-DRAIN SECTION (10/PLT)

WT: 34.00 lbs

FLOOR AND SURFACE DRAINAGE

11729

11729 COM. GALVANIZED C-C FLANGE 5' U-DRAIN SECTION (10/PLT) (11729) .43897



11729 COM. GALVANIZED C-C FLANGE 5' U-DRAIN SECTION (10/PLT)

WT: 54.00 lbs

FLOOR AND SURFACE DRAINAGE

11730

11730 COM. GALVANIZED G-G FLANGE 1' U-DRAIN SECTION (10/PLT) (11730) .43898



11730 COM. GALVANIZED G-G FLANGE 1' U-DRAIN SECTION (10/PLT)

WT: 15.00 lbs

FLOOR AND SURFACE DRAINAGE

11731

11731 COM. GALVANIZED G-G FLANGE 3' U-DRAIN SECTION (10/PLT) (11731) .43899



11731 COM. GALVANIZED G-G FLANGE 3' U-DRAIN SECTION (10/PLT)

WT: 35.00 lbs

FLOOR AND SURFACE DRAINAGE

11732

11732 COM. GALVANIZED G-G FLANGE 5' U-DRAIN SECTION (10/PLT) (11732) .43900



11732 COM. GALVANIZED G-G FLANGE 5' U-DRAIN SECTION (10/PLT)

WT: 60.00 lbs

FLOOR AND SURFACE DRAINAGE

11733

11733 COM. GALVANIZED K-K FLANGE 1' U-DRAIN SECTION (10/PLT) (11733) .43903



11733 COM. GALVANIZED K-K FLANGE 1' U-DRAIN SECTION (10/PLT)

WT: 16.00 lbs

FLOOR AND SURFACE DRAINAGE

11734

11734 COM. GALVANIZED K-K FLANGE 3' U-DRAIN SECTION (10/PLT) (11734) .43904



11734 COM. GALVANIZED K-K FLANGE 3' U-DRAIN SECTION (10/PLT)

WT: 41.00 lbs

FLOOR AND SURFACE DRAINAGE

11735

11735 COM. GALVANIZED K-K FLANGE 5' U-DRAIN SECTION (10/PLT) (11735) .43905



11735 COM. GALVANIZED K-K FLANGE 5' U-DRAIN SECTION (10/PLT)

WT: 66.00 lbs

FLOOR AND SURFACE DRAINAGE

11748

11748 COM. GALVANIZED U-DRAIN PADDLE (10/PLT) (11748) .43957



11748 COM. GALVANIZED U-DRAIN PADDLE (10/PLT) (11748) .43957

WT: 3.00 lbs

FLOOR AND SURFACE DRAINAGE

11749

11749 COM. GALVANIZED U-DRAIN PADDLE HANGER (10/PLT) (11749) .43958



11749 COM. GALVANIZED U-DRAIN PADDLE HANGER (10/PLT) (11749) .43958

WT: 0.50 lbs

FLOOR AND SURFACE DRAINAGE

11755

11755 COM. GALVANIZED 24"x 24" CHECKERPLATE LID (10/PLT) (11755) .43964




11755 COM. GALVANIZED 24"x 24" CHECKERPLATE LID (10/PLT) (11755) .43964

WT: 112.00 lbs

FLOOR AND SURFACE DRAINAGE

11756

11756 COM. GALVANIZED 24"x 24" GRATE LID (10/PLT) (11756) .43965



11756 COM. GALVANIZED 24"x 24" GRATE LID (10/PLT) (11756) .43965

WT: 188.00 lbs

FLOOR AND SURFACE DRAINAGE

11759

11759 RES. GALVANIZED 60" U-DRAIN SECTION (11759) .43988



11759 RES. GALVANIZED 60" U-DRAIN SECTION (11759) .43988

WT: 26.00 lbs

FLOOR AND SURFACE DRAINAGE

11760

11760 RES. GALVANIZED 12"X12"X12" SINGLE INLET SUMP PIT (11760) .43989



11760 RES. GALVANIZED 12"X12"X12" SINGLE INLET SUMP PIT (11760) .43989

WT: 38.00 lbs

FLOOR AND SURFACE DRAINAGE

11761

11761 RES. GALVANIZED BOLT ON END CAP (11761) .43992



11761 RES. GALVANIZED BOLT ON END CAP (11761) .43992

WT: 0.60 lbs

FLOOR AND SURFACE DRAINAGE

11841

11841 COM. GALVANIZED 18"x18" CHECKERPLATE LID (10/PLT) (11841) .43960



11841 COM. GALVANIZED 18"x18" CHECKERPLATE LID (10/PLT) (11841) .43960

WT: 32.00 lbs

FLOOR AND SURFACE DRAINAGE

11880

11880 COM. GALVANIZED A FLANGED BOLT ON END CAP (10/PLT) (11880) .43907




11880 COM. GALVANIZED A FLANGED BOLT ON END CAP (10/PLT)

WT: 1.91 lbs

FLOOR AND SURFACE DRAINAGE

11881

11881 COM. GALVANIZED B FLANGED BOLT ON END CAP (10/PLT) (11881) .43909




11712 COM. GALVANIZED END-A FLANGE - 9'10" U-DRAIN SECTION (10/PLT)

WT: 2.02 lbs

FLOOR AND SURFACE DRAINAGE

11883

11883 COM. GALVANIZED D FLANGED BOLT ON END CAP (10/PLT) (11883) .43912




11883 COM. GALVANIZED D FLANGED BOLT ON END CAP (10/PLT)

WT: 2.23 lbs

FLOOR AND SURFACE DRAINAGE

11884

11884 COM. GALVANIZED E FLANGED BOLT ON END CAP (10/PLT) (11884) .43913



11884 COM. GALVANIZED E FLANGED BOLT ON END CAP (10/PLT)

WT: 2.35 lbs

FLOOR AND SURFACE DRAINAGE

11885

11885 COM. GALVANIZED F FLANGED BOLT ON END CAP (10/PLT) (11885) .43914




11885 COM. GALVANIZED F FLANGED BOLT ON END CAP (10/PLT)

WT: 2.46 lbs

FLOOR AND SURFACE DRAINAGE

11887

11887 COM. GALVANIZED G FLANGED BOLT ON END CAP (10/PLT) (11887) .43915




11887 COM. GALVANIZED G FLANGED BOLT ON END CAP (10/PLT)

WT: 2.56 lbs

FLOOR AND SURFACE DRAINAGE

11888

11888 COM. GALVANIZED H FLANGED BOLT ON END CAP (10/PLT) (11888) .43916




11888 COM. GALVANIZED H FLANGED BOLT ON END CAP (10/PLT)

WT: 2.67 lbs

FLOOR AND SURFACE DRAINAGE

11889

11889 COM. GALVANIZED I FLANGED BOLT ON END CAP (10/PLT) (11889) .43917




11889 COM. GALVANIZED I FLANGED BOLT ON END CAP (10/PLT) .43917

WT: 2.78 lbs

FLOOR AND SURFACE DRAINAGE

11891

11891 COM. GALVANIZED J FLANGED BOLT ON END CAP (10/PLT) (11891) .43918




11891 COM. GALVANIZED J FLANGED BOLT ON END CAP (10/PLT) .43918

WT: 2.89 lbs

FLOOR AND SURFACE DRAINAGE

11892

11892 COM. GALVANIZED K FLANGED BOLT ON END CAP (10/PLT) (11892) .43919




11892 COM. GALVANIZED K FLANGED BOLT ON END CAP (10/PLT) .43919

WT: 3.00 lbs

FLOOR AND SURFACE DRAINAGE

11893

11893 COM. GALVANIZED L FLANGED BOLT ON END CAP (10/PLT) (11893) .43920



11893 COM. GALVANIZED L FLANGED BOLT ON END CAP (10/PLT) .43920

WT: 3.11 lbs

FLOOR AND SURFACE DRAINAGE

12528

12528 COM. GALVANIZED 18"x18" OSR CHECKERPLATE LID (10/PLT) (12528) .43963



12528 COM. GALVANIZED 18"x18" OSR CHECKERPLATE LID (10/PLT) (12528) .43963

WT: 25.00 lbs

FLOOR AND SURFACE DRAINAGE

12737

12737 RES GALV U-DRAIN PADDLE (12737) .44010



12737 RES GALV U-DRAIN PADDLE (12737) .44010

WT: 2.00 lbs

FLOOR AND SURFACE DRAINAGE

20009

20009 COM. GALVANIZED U-DRAIN BOLT ON FLUSH NOZZLE (10/PLT) (20009) .43959



20009 COM. GALVANIZED U-DRAIN BOLT ON FLUSH NOZZLE (10/PLT) (20009) .43959

WT: 0.50 lbs

FLOOR AND SURFACE DRAINAGE

24871

24871 COM. GALVANIZED END-FLANGE 5' U-DRAIN SECTION (10/PLT) (24871) .43906



END-A 5'

24871 COM. GALVANIZED END-FLANGE 5' U-DRAIN SECTION (10/PLT)

WT: 53.00 lbs

FLOOR AND SURFACE DRAINAGE

27346

27346 COM. GALVANIZED 36"x 36"X 36" SUMP PIT (10/PLT) (27346) .43984



27346 COM. GALVANIZED 36"x 36"X 36" SUMP PIT (10/PLT) (27346) .43984

WT: 191.00 lbs

FLOOR AND SURFACE DRAINAGE

29186

29186 RES. GALVANIZED 12"X12"X12" DOUBLE INLET SUMP PIT (29186) .43991



29186 RES. GALVANIZED 12"X12"X12" DOUBLE INLET SUMP PIT (29186) .43991

WT: 39.00 lbs

FLOOR AND SURFACE DRAINAGE

29868

29868 COM. GALVANIZED 18"x18" SLOTTED LID (10/PLT) (29868) .43962



29868 COM. GALVANIZED 18"x18" SLOTTED LID (10/PLT) (29868) .43962

WT: 28.00 lbs

FLOOR AND SURFACE DRAINAGE

30061

30061 COM. GALVANIZED 18"x 18"X 24" SUMP PIT (10/PLT) (30061) .43985



30061 COM. GALVANIZED 18"x 18"X 24" SUMP PIT (10/PLT) (30061) .43985

WT: 137.00 lbs

FLOOR AND SURFACE DRAINAGE

30063

30063 COM. GALVANIZED 24"x 24"X 24" SUMP PIT (10/PLT) (30063) .43986



30063 COM. GALVANIZED 24"x 24"X 24" SUMP PIT (10/PLT) (30063) .43986

WT: 195.00 lbs

FLOOR AND SURFACE DRAINAGE

30065

30065 COM. GALVANIZED 36"x 36"X 36" SUMP PIT (10/PLT) (30065) .43987



30065 COM. GALVANIZED 36"x 36"X 36" SUMP PIT (10/PLT) (30065) .43987

WT: 377.00 lbs

FLOOR AND SURFACE DRAINAGE

30212

30212 COM. GALVANIZED A FLANGED BOLT ON END CAP W STUB (10/PLT) (30212) .43934



30212 COM. GALVANIZED A FLANGED BOLT ON END CAP W STUB (10/PLT) .43934

WT: 2.31 lbs

FLOOR AND SURFACE DRAINAGE

30213

30213 COM. GALVANIZED B FLANGED BOLT ON END CAP W STUB (10/PLT) (30213) .43936



30213 COM. GALVANIZED B FLANGED BOLT ON END CAP W STUB (10/PLT) (30213) .43936

WT: 2.42 lbs

FLOOR AND SURFACE DRAINAGE

30214

30214 COM. GALVANIZED C FLANGED BOLT ON END CAP W STUB (10/PLT) (30214) .43935




30214 COM. GALVANIZED C FLANGED BOLT ON END CAP W STUB (10/PLT) .43935

WT: 2.53 lbs

FLOOR AND SURFACE DRAINAGE

30215

30215 COM. GALVANIZED D FLANGED BOLT ON END CAP W STUB (10/PLT) (30215) .43937



30215 COM. GALVANIZED D FLANGED BOLT ON END CAP W STUB (10/PLT) .43937

WT: 2.63 lbs

FLOOR AND SURFACE DRAINAGE

30216

30216 COM. GALVANIZED E FLANGED BOLT ON END CAP W STUB (10/PLT) (30216) .43938



30216 COM. GALVANIZED E FLANGED BOLT ON END CAP W STUB (10/PLT) .43938

WT: 2.75 lbs

FLOOR AND SURFACE DRAINAGE

30217

30217 COM. GALVANIZED F FLANGED BOLT ON END CAP W STUB (10/PLT) (30217) .43939



30217 COM. GALVANIZED F FLANGED BOLT ON END CAP W STUB (10/PLT) .43939

WT: 2.86 lbs

FLOOR AND SURFACE DRAINAGE

30218

30218 COM. GALVANIZED G FLANGED BOLT ON END CAP W STUB (10/PLT) (30218) .43940



30217 COM. GALVANIZED F FLANGED BOLT ON END CAP W STUB (10/PLT) .43940

WT: 2.96 lbs

FLOOR AND SURFACE DRAINAGE

30219

30219 COM. GALVANIZED H FLANGED BOLT ON END CAP W STUB (10/PLT) (30219) .43941



30219 COM. GALVANIZED H FLANGED BOLT ON END CAP W STUB (10/PLT) .43941

WT: 3.07 lbs

FLOOR AND SURFACE DRAINAGE

30220

30220 COM. GALVANIZED I FLANGED BOLT ON END CAP W STUB (10/PLT) (30220) .43942



30220 COM. GALVANIZED I FLANGED BOLT ON END CAP W STUB (10/PLT) .43942

WT: 3.18 lbs

FLOOR AND SURFACE DRAINAGE

30221

30221 COM. GALVANIZED J FLANGED BOLT ON END CAP W STUB (10/PLT) (30221) .43943



30221 COM. GALVANIZED J FLANGED BOLT ON END CAP W STUB (10/PLT) .43943

WT: 3.29 lbs

FLOOR AND SURFACE DRAINAGE

30222

30222 COM. GALVANIZED K FLANGED BOLT ON END CAP W STUB (10/PLT) (30222) .43944



30222 COM. GALVANIZED K FLANGED BOLT ON END CAP W STUB (10/PLT) .43944

WT: 3.40 lbs

FLOOR AND SURFACE DRAINAGE

30223

30223 COM. GALVANIZED L FLANGED BOLT ON END CAP W STUB (10/PLT) (30223) .43945



30223 COM. GALVANIZED L FLANGED BOLT ON END CAP W STUB (10/PLT) .43945

WT: 3.51 lbs

FLOOR AND SURFACE DRAINAGE

30360

30360 RES. GALVANIZED BOLT ON END CAP WITH STUB (30360) .43993



30570 COM. GALVANIZED COMMERCIAL SUMP ADAPTER PLATE (30570) .43994

WT: 1.30 lbs

FLOOR AND SURFACE DRAINAGE

30570

30570 COM. GALVANIZED COMMERCIAL SUMP ADAPTER PLATE (30570) .43994



30570 COM. GALVANIZED COMMERCIAL SUMP ADAPTER PLATE (30570) .43994

WT: 3.20 lbs

FLOOR AND SURFACE DRAINAGE

39511

39511 10' SECTION & END A 5' BOLT PACKAGE (39511) .44003



39511 10' SECTION & END A 5' BOLT PACKAGE (39511) .44003

FLOOR AND SURFACE DRAINAGE

39512

39512 5' SECTION BOLT PACKAGE (39512) .44004



39512 5' SECTION BOLT PACKAGE (39512) .44004

FLOOR AND SURFACE DRAINAGE

39513

39513 10' END CAP AND ADAPTER PLATE BOLT PACKAGE (39513) .44005



39513 10' END CAP AND ADAPTER PLATE BOLT PACKAGE (39513) .44005

FLOOR AND SURFACE DRAINAGE

39514

39514 RESIDENTIAL SECTION BOLT PACKAGE (39514) .44009



39514 RESIDENTIAL SECTION BOLT PACKAGE (39514) .44009

FLOOR AND SURFACE DRAINAGE

Product

Description

CAULKS & SEALANTS - 3M CANADA INC.

3M1000

3M1000 FIRE BARRIER SEALANT - WALL 300ML (12/CASE) -- DO NOT FREEZE --



3M Fire Barrier Sealant - Wall 300ml. Non-slump ready-to-use single component neutral cure elastomeric silicone firestop that also acts as a barrier to water leakage and airborne sound transmission. Typically used to firestop items that penetrate fire-rated wall or floor assemblies. Provides up to 3-hour fire protection. Light gray color, no mixing required. (12/Case)

UPC: 051115115356 Unit: EA WT: 1.00 lbs

3M CANADA INC.

Product

Description

CAULKS & SEALANTS - CSL SILICONES INC.

160AL

160AL 300ML ALUMINUM SILICONE SEAL (20/CASE) (1600/PLT) (CSL-160AL)



CSL Silicone Sealant Interior/Exterior Aluminum. 300ml Excellent general-purpose sealant. Mildew Resistant. Will not shrink, crack, crumble, bleed or dry out. Seals around tubs, sinks, shower and bath panel joints, counter tops, etc. (20/CASE)

UPC: 059478160051 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160ALM

160ALM 300ML ALMOND SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160ALM)

CSL Silicone Sealant Interior/Exterior Almond 300ml. Excellent general-purpose sealant. Mildew Res...

UPC: 059478160068 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160BGE

160BGE 300ML BEIGE SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160BGE)

CSL Silicone Sealant Interior/Exterior Beige. 300ml Excellent general-purpose sealant. Mildew Resi...

UPC: 059478160020 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160BLK

160BLK 300ML BLACK SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160BLK)

CSL Silicone Sealant Interior/Exterior Black 300ml. Excellent general-purpose sealant. Mildew Resi...

UPC: 059478160037 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160BNE

160BNE 300ML BONE SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160BNE)

CSL Silicone Sealant Interior/Exterior Bone 300ml. Excellent general-purpose sealant. Mildew Resi...

UPC: 059478160044 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160CLR

160CLR 300ML CLR SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160CLR)

CSL Silicone Sealant Interior/Exterior Clear 300ml. Excellent general-purpose sealant. Mildew Resi...

UPC: 059478160006 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160DBRN

160DBRN 300ML DK BRN SILICONE SEALANT (20/CASE) (1600/PLT)(CSL-160DBRN)

CSL Silicone Sealant Interior/Exterior Dark Brown 300ml. Excellent general-purpose sealant. Mildew ...

UPC: 059478160075 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160GRY

160GRY 300ML GRY SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160GRY)

CSL Silicone Sealant Interior/Exterior Grey 300ml. Excellent general-purpose sealant. Mildew Resis...

UPC: 059478160099 Unit: EA WT: 0.84 lbs

CSL SILICONES INC.

160MBRN

160MBRN 300ML BRN MED SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160MBRN)


CSL Silicone Sealant Interior/Exterior Medium Brown 300ml. Excellent general-purpose sealant. Mild...


UPC: 059478160082 Unit: EA WT: 0.84 lbs


CSL SILICONES INC.

160TRL	160TRL 300ML TRANSLUCENT SILICONE (20/CASE) (1600/PLT) (CSL-160TRL)	
CSL Silicone Sealant Interior/Exterior Translucent 300ml. Excellent general-purpose sealant. Milde...		
UPC: 059478160105	Unit: EA WT: 0.84 lbs	CSL SILICONES INC.
160WHT	160WHT 300ML WHT SILICONE SEALANT (20/CASE) (1600/PLT) (CSL-160WHT)	
CSL Silicone Sealant Interior/Exterior White 300ml. Excellent general-purpose sealant. Mildew Resi...		
UPC: 059478160013	Unit: EA WT: 0.84 lbs	CSL SILICONES INC.
335CLR	335CLR 300ML CLR NEUTRAL CURE SILICONE SEALANT (20/CASE) (CSL-335CLR)	
CSL High Performance Silicone Building Sealant Clear Neutral Cure 300ml. Excellent adhesion to gla...		
UPC: 773967306705	Unit: EA WT: 0.85 lbs	CSL SILICONES INC.
335WHT	335WHT 300ML WHT NEUTRAL CURE SILICONE SEALANT (20/CASE) (CSL-335WHT)	
CSL High Performance Silicone Building Sealant White Neutral Cure 300ml. Excellent adhesion to gl...		
UPC: 773967306712	Unit: EA WT: 0.90 lbs	CSL SILICONES INC.
343WHT	343SWHT 300ML STONE WHT GLAZING AND BACKBEDDING SEALANT (20/CASE) (CSL-343SWHT)	
343SWHT 300ML STONE WHT GLAZING AND BACKBEDDING SEALANT (12/CASE)		
UPC: 059478160280	Unit: EA WT: 0.84 lbs	CSL SILICONES INC.
502CLR	502CLR 300ML CLR SILICONE INDUSTRIAL (20/CASE) (CSL-502CLR)	
CSL Industrial Silicone Sealant/Adhesive Clear 300ml. Excellent sealant/adhesive for industrial us...		
UPC: 773967306729	Unit: EA	CSL SILICONES INC.
503RED	503RED 300ML RED SILICONE HI-HEAT (600F) (20/CASE) (CSL-503)	
CSL Hi-Temp Silicone Rubber Gasket Material Red 300ml. Unaffected by extreme temperatures from -60...		
UPC: 773967306743	Unit: EA WT: 0.95 lbs	CSL SILICONES INC.
504BLK	504BLK 300ML BLACK SILICONE HI-HEAT (20/CASE) (CSL-504)	
CSL Hi-Temp Silicone Rubber Gasket Material Black 300ml. Unaffected by extreme temperatures from -...		
UPC: 773967306750	Unit: EA WT: 0.95 lbs	CSL SILICONES INC.

Product	Description	CAULKS & SEALANTS - DAP
---------	-------------	-------------------------

70790	70790 DAP 3.0 266ML GLOSS WHITE KITCHEN AND BATH (12/CASE) (108/SKID)	
	70790 DAP 3.0 266ML Gloss White Kitchen and Bath Sealant. Fights the growth of stain and odor causing mildew on the sealant. Ideal for sinks, showers, tubs, and countertops. (12/CASE) (108/SKID)	
	UPC: 007079870797 Unit: EA WT: 1.07 lbs	DAP

70795	70795 DAP 3.0 266ML CRYSTAL CLEAR KITCHEN & BATH (12/CASE) (108/SKID)	
	70795 DAP 3.0 266ML Crystal Clear Kitchen & Bath Sealant, fights the growth of stain and odor-causing mildew on sealant, Ideal for Sinks , showers, tubs, countertops (12/CASE) (108/SKID)	
	UPC: 070798707952 Unit: EA WT: 0.83 lbs	DAP

71005	71005 162ML WHT KWIK-SEAL PLUS (12/CASE) -- DO NOT FREEZE --	
	DAP KWIK SEAL PLUS Premium Kitchen & Bath Adhesive Caulk White 162ml. Premium adhesive caulk with MICROBAN antimicrobial product protection fights the growth of stain and odor causing bacteria mold and mildew on the caulk. Specially formulated silicized latex provides maximum adhesion and flexibility for a watertight seal. Paintable. Easy water clean up. Low odor. (12/Case)	
	UPC: 070798710054 Unit: EA WT: 1.00 lbs	DAP

71023 71023 KWIK SEAL REG 162ML WHT (12/CASE) (1440/PLT)

DAP KWIK SEAL Tub & Tile Adhesive Caulk White 162ml. Bonds like a glue and seals like caulk. Provides a durable watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew resistant. Paintable. Easy water clean up. (12/Case)

UPC: 070798710238 Unit: EA WT: 0.53 lbs

DAP

71050 71050 KWIK SEAL 162ML ALMOND (12/CASE)

DAP KWIK SEAL Tub & Tile Adhesive Caulk Almond 162ml. Bonds like a glue and seals like a caulk. Provides a durable watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew resistant. Paintable. Easy water clean up. (12/Case)

UPC: 070798710504 Unit: EA WT: 0.53 lbs

DAP

71055 71055 KWIK SEAL 162ML CLR (12/CASE)

DAP KWIK SEAL Tub & Tile Adhesive Caulk Clear 162ml. Bonds like a glue and seals like a caulk. Provides a durable watertight seal. Excellent adhesion and flexibility. Tools easily. Cured caulk is mildew resistant. Paintable. Easy water clean up. (12/Case)

UPC: 070798710559 Unit: EA WT: 0.50 lbs

DAP

71360 71360 DAP 3.0 266ML WHITE ALL PURPOSE SEALANT (12/CASE) (108/SKID)

71360 DAP 3.0 266ML White All Purpose Sealant is all weather and sub-zero application, Indoor, Outdoor use, Ideal for windows, doors, siding, trim, baseboards, molding, ducts, vents. (12/CASE) (108/SKID)

UPC: 070798713601 Unit: EA WT: 1.01 lbs

DAP

71362 71362 DAP 3.0 266ML CRYSTAL CLEAR ALL PURPOSE SEALANT (12/CASE) (108/SKID)

71362 DAP 3.0 266ML Crystal Clear All Purpose Sealant is all weather and sub-zero application, Indoor / Outdoor use, Ideal for Windows, Doors, Siding, Trim, Baseboards, Molding, Ducts, Vents. (12/CASE) (108/SKID)

UPC: 070798713625 Unit: EA WT: 0.83 lbs

DAP

73444 73444 BATHTUB SILICONE 300ML CLR (12/CASE)

DAP 100% Silicone Kitchen and Bath Sealant Clear 300ml. Superior quality tub and tile sealant. Offers long lasting flexibility and excellent adhesion. Provides a watertight seal around non porous surfaces such as ceramic tile and plumbing fixtures. Safe for incidental food contact. Cured sealant is mildew resistant. (12/Case)

UPC: 070798734449 Unit: EA WT: 1.00 lbs

DAP

73446**73446 BATHTUB SILICONE 300ML WHT (12/CASE)**

DAP 100% Silicone Kitchen and Bath Sealant White 300ml. Superior quality tub and tile sealant. Offers long lasting flexibility and excellent adhesion. Provides a watertight seal around non porous surfaces such as ceramic tile and plumbing fixtures. Safe for incidental food contact. Cured sealant is mildew resistant. (12/Case)

UPC: 070798734463 Unit: EA WT: 1.00 lbs

DAP**73461****73461 SILICONE 300ML WHT (12/CASE)**

DAP 100% Silicone Rubber Sealant White 300ml. Superior quality multi purpose sealant. Offers long lasting flexibility and excellent adhesion. Provides a weatherproof watertight seal. Resists cracking crumbling and chalking. Interior exterior use. (12/Case)

UPC: 070798734616 Unit: EA WT: 1.00 lbs

DAP**73473****73473 SILICONE 300ML CLR (12/CASE)**

DAP 100% Silicone Rubber Sealant Clear 300ml. Superior quality multi purpose sealant. Offers long lasting flexibility and excellent adhesion. Provides a weatherproof watertight seal. Resists cracking crumbling and chalking. Interior exterior use. (12/Case)

UPC: 070798734739 Unit: EA WT: 1.00 lbs

DAP**73635****73635 ALEX 300ML WHT (12/CASE)(73630)**

DAP ALEX Painter's Acrylic Latex Caulk White 300ml. Applies smoothly and easily. Adheres to wood plaster drywall and masonry. Resists cracking and chalking. Interior exterior use. Paintable. Water clean up. (12/Case)

UPC: 070798736351 Unit: EA WT: 1.31 lbs

DAP**74082****74082 DYNAFLEX 230 300ML WHT (12/CASE)**

DAP DYNAFLEX 230 Premium Elastomeric Sealant White 300ml. Dap's most advanced latex sealant technology. It combines the superior flexibility and durability of a silicone with the easy tooling excellent paintability and low odor of latex. Provides excellent adhesion and a watertight weatherproof seal. Cured caulk is mildew resistant. Interior exterior use. Easy water clean up. (12/Case)

UPC: 070798740822 Unit: EA WT: 1.16 lbs

DAP**74086****74086 DYNAFLEX 230 300ML ALMD (12/CASE)**

DAP DYNAFLEX 230 Premium Elastomeric Sealant Almond 300ml. Dap's most advanced latex sealant technology. It combines the superior flexibility and durability of a silicone with the easy tooling excellent paintability and low odor of latex. Provides excellent adhesion and a watertight weatherproof seal. Cured caulk is mildew resistant. Interior exterior use. Easy water clean up. (12/Case)

UPC: 070798740860 Unit: EA WT: 1.16 lbs

DAP

74118 74118 DYNAFLEX 230 300ML CLR (12/CASE) (74120)

DAP DYNAFLEX 230 Premium Elastomeric Sealant Clear 300ml. Dap's most advanced latex sealant technology. It combines the superior flexibility and durability of a silicone with the easy tooling excellent paintability and low odor of latex. Provides excellent adhesion and a watertight weatherproof seal. Cured caulk is mildew resistant. Interior exterior use. Easy water clean up. (12/Case)

UPC: 070798741188 Unit: EA WT: 1.16 lbs

DAP

74225 74225 ALEX PLUS 162ML WHT (12/CASE)

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone White 162ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up. (12/Case)

UPC: 070798742253 Unit: EA WT: 0.73 lbs

DAP

74233 74233 ALEX PLUS 300ML WHT (30/CASE) (1440/PLT) (74270)

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone White 300ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up. (30/Case)

UPC: 070798742338 Unit: EA WT: 1.00 lbs

DAP

74235 74235 ALEX PLUS 300ML CLR (12/CASE) (74252)

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone Clear 300ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up. (12/Case)

UPC: 070798742352 Unit: EA WT: 1.00 lbs

DAP

74237 74237 ALEX PLUS 300ML TAN (12/CASE) (74254)

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone Cedar Tan 300ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up.(12/Case)

UPC: 070798742376 Unit: EA WT: 1.33 lbs

DAP

74239 74239 ALEX PLUS 300ML GRY (12/CASE)

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone Grey 300ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up. (12/Case)

UPC: 070798742390 Unit: EA WT: 1.33 lbs

DAP

74245**74245 ALEX PLUS 300ML BRN (12/CASE)(74258)**

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone Brown 300ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up. (12/Case)

UPC: 070798742451 Unit: EA WT: 1.33 lbs

DAP**74247****74247 ALEX PLUS 300ML ALMD (12/CASE) (74260)**

DAP ALEX PLUS Acrylic Latex Caulk Plus Silicone Almond 300ml. Superior quality multi purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior exterior use. Paintable. Easy water clean up. (12/Case)

UPC: 070798742475 Unit: EA WT: 1.33 lbs

DAP**Product****Description****CAULKS & SEALANTS - DOW CORNING****786CL****786CL 300ML CLR SILICONE MILDEW RESISTANT (12/CASE)(1296/PLT)**

Dow Silicone Mildew Resistant Clear 300ml. Designed to seal nonporous surfaces around showers sinks and plumbing fixtures. Mildew resistant even in prolonged hot and humid environments. Remains permanently flexible without shrinking cracking crumbling or drying out. Resists staining spotting and color changes. (12/Case)

UPC: 773967306767 Unit: EA WT: 1.00 lbs

DOW CORNING**786DC****786DC 300ML TRANSLUCENT WHT SILICONE MILDEW RESISTANT (12/CASE)(1296/PLT)**

Dow Silicone Mildew Resistant White Translucent 300ml. Designed to seal nonporous surfaces around showers sinks and plumbing fixtures. Mildew resistant even in prolonged hot and humid environments. Remains permanently flexible without shrinking cracking crumbling or drying out. Resists staining spotting and color changes. (12/Case)

UPC: 773967306774 Unit: EA WT: 1.00 lbs

DOW CORNING**786WH****786WH 300ML WHT SILICONE MILDEW RESISTANT (12/CASE)(1296/PLT)**

Dow Silicone Mildew Resistant White 300ml. Designed to seal nonporous surfaces around showers sinks and plumbing fixtures. Mildew resistant even in prolonged hot and humid environments. Remains permanently flexible without shrinking cracking crumbling or drying out. Resists staining spotting and color changes. (12/Case)

UPC: 773967306781 Unit: EA WT: 1.00 lbs

DOW CORNING

Product**Description****CAULKS & SEALANTS - FRANKLIN INTERNATIONAL****FK1701 TITEBOND KITCHEN & BATH 100% SILICONE 305ml WHITE MODIFIED ACRYLIC BASE (12/case) (1701)**

Titebond Kitchen & Bath White 305ml. Method of application Cartridge/caulking gun, Coverage (maximum)1/4" bead 32 ft./1/2" bead 13.5 ft./3/8" bead 7.5 ft. Titebond Kitchen & Bath Sealant is a 100% silicone modified acrylic formula specifically designed to permanently seal high-moisture areas found in kitchens and baths. It is ideal for sealing around tubs, showers, sink and countertops and offers excellent adhesion to many common materials including vinyl, ceramic tile, aluminum, glass and painted surfaces. This flexible, mildew-resistant sealant offers strong, watertight adhesion and will not shrink or discolor over time. When fully cured, Kitchen & Bath is safe for food preparation areas and is unaffected by water, heat or humidity. (12/case)

UPC: 037083017017 Unit: EA WT: 0.92 lbs

FRANKLIN INTERNATIONAL**FK1711****FK1711 TITEBOND KITCHEN & BATH SEALANT 305ml CLEAR (12/case) (1711)**

Titebond Kitchen & Bath Sealant Clear 305ml. Method of application Cartridge/caulking gun, Coverage (maximum)1/4" bead 32 ft./1/2" bead 13.5 ft./3/8" bead 7.5 ft. Titebond Kitchen & Bath Sealant is a 100% silicone formula specifically designed to permanently seal high-moisture areas found in kitchens and baths. It is ideal for sealing around tubs, showers, sink and countertops and offers excellent adhesion to many common materials including vinyl, ceramic tile, aluminum, glass and painted surfaces. This flexible, mildew-resistant sealant offers strong, watertight adhesion and will not shrink or discolor over time. When fully cured, Kitchen & Bath is safe for food preparation areas and is unaffected by water, heat or humidity. (12/case)

UPC: 037083017113 Unit: EA WT: 0.92 lbs

FRANKLIN INTERNATIONAL**FK2601****FK2601 TITEBOND MULTI-PURPOSE SEALANT 100% SILICONE 305ml WHITE (12/case) (2601)**

Titebond 100% Silicone Multi-purpose Sealant White 305ml. Method of application Cartridge/ caulking gun. Coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 32ft./ 3/8in bead 13.5ft./1/2in bead 7.5ft. Titebond 100% Silicone Sealant is a versatile 100% silicone formula that is ideal for both interior and exterior applications. It offers excellent adhesion to many common construction materials, including vinyl, aluminum, brick, glass and painted surfaces. It also provides a strong, flexible seal that offers excellent water-resistance. When fully cured, Titebond 100% Silicone Sealant can withstand extreme temperature conditions. It will not crack or become brittle with age and will not fade or yellow from its original color. It also extrudes easily in lower temperatures and dries quickly. (12/case)

UPC: 037083026016 Unit: EA WT: 0.75 lbs

FRANKLIN INTERNATIONAL**FK2611****FK2611 TITEBOND MULTI-PURPOSE SEALANT 100% SILICONE 305ml CLEAR (12/case) (2611)**

Titebond 100% Silicone Multi-purpose Sealant Clear 305ml. Method of application Cartridge/ caulking gun. Coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 32ft./ 3/8in bead 13.5ft./1/2in bead 7.5ft. Titebond 100% Silicone Sealant is a versatile 100% silicone formula that is ideal for both interior and exterior applications. It offers excellent adhesion to many common construction materials, including vinyl, aluminum, brick, glass and painted surfaces. It also provides a strong, flexible seal that offers excellent water-resistance. When fully cured, Titebond 100% Silicone Sealant can withstand extreme temperature conditions. It will not crack or become brittle with age and will not fade or yellow from its original color. It also extrudes easily in lower temperatures and dries quickly. (12/case)

UPC: 037083026115 Unit: EA WT: 0.75 lbs

FRANKLIN INTERNATIONAL**FK2892****FK2892 TITEBOND ACOUSTICAL SEALANT LATEX 858ml (12/case)**

Titebond Acoustical Sound Sealant 858ml. Method of application Cartridge/caulking gun Coverage (maximum)approximate length of bead according to bead diameter: 1/8in bead 356ft./1/4in bead 89ft./3/8in bead 35ft. Titebond GREENchoice Professional Acoustical Sound Sealant is a non-flammable, latex-based product designed specifically for the reduction of sound transmission in wall partition systems. Its primary function is to achieve and maintain the specific STC (Sound Transmission Class) value of the system designed. GREENchoice Acoustical Sound Sealant remains permanently flexible and adheres firmly to wood or metal studs, concrete, gypsum board, and most other types of building substrates. Its unique formulation is non-drying, non-hardening, non-staining and non-migrating. The sealant is used for unexposed applications at perimeter joints, floor and ceiling runners (either wood or metal), cutouts in gypsum board, veneer plaster systems, and other areas where a sound rated assembly is required. (12/case)

UPC: 037083028928 Unit: EA WT: 3.00 lbs

FRANKLIN INTERNATIONAL**FK3191****FK3191 TITEBOND CONCRETE JOINT CAULK SELF LEVELING 305ml GRAY (12/case) (3191)**

Titebond Concrete Joint Caulk Self Leveling Gray 305ml. Method of application Cartridge/caulking gun Coverage (maximum)Approximate length of bead according to bead diameter:1/4in bead 32ft./3/8in bead 13.5ft./1/2in bead 7.5ft. Titebond Self-Leveling Concrete Floor Joint Sealant is a one-component, self-leveling, premium grade, high performance advanced polymer sealant which is specifically engineered for contraction/expansion joints and cracks in concrete decks and floors. Designed to flow easily and smoothly into concrete cracks and joints providing a permanent and durable seal. Meets or exceeds Federal Specification TT-S-00230C, Type I, Class A, ASTM C920 Type S Grade P Class 25, Use T and M, CAN/CGSB-19.13-M87, Class-1-40-B-N and C-1-25-B-N. (12/case)

UPC: 037083031911 WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK3192**FK3192 TITEBOND CONCRETE JOINT CAULK SELF LEVELING 858ml GRAY (12/case) (3192)**

Titebond Concrete Joint Caulk Self Leveling Gray 858ml. Method of application Cartridge/caulking gun Coverage (maximum)Approximate length of bead according to bead diameter:1/4in bead 32ft./3/8in bead 13.5ft./1/2in bead 7.5ft. Titebond Self-Leveling Concrete Floor Joint Sealant is a one-component, self-leveling, premium grade, high performance advanced polymer sealant which is specifically engineered for contraction/expansion joints and cracks in concrete decks and floors. Designed to flow easily and smoothly into concrete cracks and joints providing a permanent and durable seal. Meets or exceeds Federal Specification TT-S-00230C, Type I, Class A, ASTM C920 Type S Grade P Class 25, Use T and M, CAN/CGSB-19.13-M87, Class-1-40-B-N and C-1-25-B-N. (12/case)

UPC: 037083031928 WT: 3.33 lbs

FRANKLIN INTERNATIONAL

FK44041**FK44041 GRAY/WHT WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case)**

Titebond 44041 WeatherMaster Exterior Sealant 305ml. Gray White 004 . Method of application Cartridge/caulking gun. Coverage (maximum)1/4in bead 31 ft./3/8in bead 13.5ft./1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083440416 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44051**FK44051 BRONZE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (44051)**

Titebond 44051 WeatherMaster Exterior Sealant 305ml. Bronze 201. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter:1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083440515 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44211**FK44211 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (44211)**

Titebond 44211 WeatherMaster Exterior Sealant 305ml. Brown 207. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter:1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083442113 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44221**FK44221 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (94221)**

Titebond 44221 WeatherMaster Exterior Sealant 305ml. Brown 211. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter:1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083442212 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44261**FK44261 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (44261)**

Titebond 44261 WeatherMaster Exterior Sealant 305ml. Brown 219. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter:1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083442618 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44291**FK44291 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case)**

Titebond 44291 WeatherMaster Exterior Sealant 305ml. Brown 224. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083442915 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44321**FK44321 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (44321)**

Titebond 44321 WeatherMaster Exterior Sealant 305ml. Brown 239. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083443219 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44371**FK44371 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE**

Titebond 44371 WeatherMaster Exterior Sealant 305ml. Brown 267. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083443714 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44501**FK44501 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (44501)**

Titebond 44501 WeatherMaster Exterior Sealant 305ml. Brown 259. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083445015 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK44741**FK44741 CLAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (44741)**

Titebond 44741 WeatherMaster Exterior Sealant 305ml. Clay 327. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083447415 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46021**FK46021 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (46021)**

Titebond 46021 WeatherMaster Exterior Sealant 305ml. Beige 404. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083460216 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46091**FK46091 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (46091)**

Titebond 46091 WeatherMaster Exterior Sealant 305ml. Beige 413. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 0370834609169 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46181**FK46181 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case)**

Titebond 46181 WeatherMaster Exterior Sealant 305ml. Beige 429. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083461817 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46651**FK46651 GRAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case)**

Titebond 46651 WeatherMaster Exterior Sealant 305ml. Gray 509. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083466515 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46661**FK46661 GRAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (46661)**

Titebond 46661 WeatherMaster Exterior Sealant 305ml. Gray 511. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083466614 WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46721**FK46721 GRAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (46721)**

Titebond 46721 WeatherMaster Exterior Sealant 305ml. Gray 517. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083467215 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK46811**FK46811 GRAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (46811)**

Titebond 46811 WeatherMaster Exterior Sealant 305ml. Gray 537. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083468113 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK49311**FK49311 GREEN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (49311)**

Titebond 49311 WeatherMaster Exterior Sealant 305ml. Green 739. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083493115 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK49551**FK49551 BLUE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (49551)**

Titebond 49551 WeatherMaster Exterior Sealant 305ml. Blue 896. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083495515 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK49561**FK49561 BLUE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) NON RETURNABLE (49561)**

Titebond 49561 WeatherMaster Exterior Sealant 305ml. Blue 827. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083495614 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK71001**FK71001 WHITE ULTIMATE MP WEATHERMASTER SEALANT 10.1 OZ. (12)**

Titebond? WeatherMaster? ULTIMATE MP Sealant is specifically formulated to outperform all other sealant technologies, including VOC solvent, silicones, tripolymers, and urethanes. It offers unbeatable adhesion to aluminum, painted metal, PVC, concrete, wood, masonry, vinyl, glass, plastic, steel, asphalt roofing and most common building materials such as wall panels, siding, flashing, and sheet metal including Kynar? and Hylar? 5000 coated metal panels. Titebond? WeatherMaster ULTIMATE MP Sealant adheres well to damp surfaces and provides a weather-tight seal against water, wind, dust and dirt. This sealant is ideal for use on a variety of roofing applications, gutters, metal and vinyl siding, windows, doors, and air vents. It will form a flexible seal that is perfect for use on recreational vehicles, tractor trailers and buses. Titebond WeatherMaster ULTIMATE MP Sealant is available in over 20 colors. If touch-ups are necessary, it may be painted* with a water-based (latex-based) paint two hours after application. This sealant extrudes well in cold weather conditions (down to 0°F/-18°C) and is UV-resistant, making it the ideal choice for exterior applications. It will expand and contract with the changes in weather and temperature and will not crack. ULTIMATE MP Sealant contains no solvents or isocyanates and is VOC-compliant.

UPC: 037083710014 Unit: EA WT: 1.00 lbs

FRANKLIN INTERNATIONAL

FK71021**FK71021 GRAY ULTIMATE MP WEATHERMASTER SEALANT 10.1 OZ. (12)**

Titebond? WeatherMaster? ULTIMATE MP Sealant is specifically formulated to outperform all other sealant technologies, including VOC solvent, silicones, tripolymers, and urethanes. It offers unbeatable adhesion to aluminum, painted metal, PVC, concrete, wood, masonry, vinyl, glass, plastic, steel, asphalt roofing and most common building materials such as wall panels, siding, flashing, and sheet metal including Kynar? and Hylar? 5000 coated metal panels. Titebond? WeatherMaster ULTIMATE MP Sealant adheres well to damp surfaces and provides a weather-tight seal against water, wind, dust and dirt. This sealant is ideal for use on a variety of roofing applications, gutters, metal and vinyl siding, windows, doors, and air vents. It will form a flexible seal that is perfect for use on recreational vehicles, tractor trailers and buses. Titebond WeatherMaster ULTIMATE MP Sealant is available in over 20 colors. If touch-ups are necessary, it may be painted* with a water-based (latex-based) paint two hours after application. This sealant extrudes well in cold weather conditions (down to 0°F/-18°C) and is UV-resistant, making it the ideal choice for exterior applications. It will expand and contract with the changes in weather and temperature and will not crack. ULTIMATE MP Sealant contains no solvents or isocyanates and is VOC-compliant.

UPC: 037083710212 Unit: EA WT: 1.00 lbs

FRANKLIN INTERNATIONAL

FK71091**FK71091 BLACK ULTIMATE MP WEATHERMASTER SEALANT 10.1 OZ. (12)**

Titebond? WeatherMaster? ULTIMATE MP Sealant is specifically formulated to outperform all other sealant technologies, including VOC solvent, silicones, tripolymers, and urethanes. It offers unbeatable adhesion to aluminum, painted metal, PVC, concrete, wood, masonry, vinyl, glass, plastic, steel, asphalt roofing and most common building materials such as wall panels, siding, flashing, and sheet metal including Kynar? and Hylar? 5000 coated metal panels. Titebond? WeatherMaster ULTIMATE MP Sealant adheres well to damp surfaces and provides a weather-tight seal against water, wind, dust and dirt. This sealant is ideal for use on a variety of roofing applications, gutters, metal and vinyl siding, windows, doors, and air vents. It will form a flexible seal that is perfect for use on recreational vehicles, tractor trailers and buses. Titebond WeatherMaster ULTIMATE MP Sealant is available in over 20 colors. If touch-ups are necessary, it may be painted* with a water-based (latex-based) paint two hours after application. This sealant extrudes well in cold weather conditions (down to 0°F/-18°C) and is UV-resistant, making it the ideal choice for exterior applications. It will expand and contract with the changes in weather and temperature and will not crack. ULTIMATE MP Sealant contains no solvents or isocyanates and is VOC-compliant.

UPC: 037083710915 Unit: EA WT: 1.00 lbs

FRANKLIN INTERNATIONAL

FK71111**FK71111 TRANSLUCENT ULTIMATE MP WEATHERMASTER SEALANT 10.1 OZ. (12) (NOT PAINTABLE)**

Titebond® WeatherMaster® ULTIMATE MP Sealant is specifically formulated to outperform all other sealant technologies, including VOC solvent, silicones, tripolymers, and urethanes. It offers unbeatable adhesion to aluminum, painted metal, PVC, concrete, wood, masonry, vinyl, glass, plastic, steel, asphalt roofing and most common building materials such as wall panels, siding, flashing, and sheet metal including Kynar® and Hylar® 5000 coated metal panels. Titebond® WeatherMaster ULTIMATE MP Sealant adheres well to damp surfaces and provides a weather-tight seal against water, wind, dust and dirt. This sealant is ideal for use on a variety of roofing applications, gutters, metal and vinyl siding, windows, doors, and air vents. It will form a flexible seal that is perfect for use on recreational vehicles, tractor trailers and buses. Titebond WeatherMaster ULTIMATE MP Sealant is available in over 20 colors. If touch-ups are necessary, it may be painted* with a water-based (latex-based) paint two hours after application. This sealant extrudes well in cold weather conditions (down to 0°F/-18°C) and is UV-resistant, making it the ideal choice for exterior applications. It will expand and contract with the changes in weather and temperature and will not crack. ULTIMATE MP Sealant contains no solvents or isocyanates and is VOC-compliant. Not Paintable

UPC: 037083711110 Unit: EA WT: 1.00 lbs

FRANKLIN INTERNATIONAL

FK7301**FK7301 TITEBOND PAINTERS CAULK 305ml WHITE (12/case) (7301) -- DO NOT FREEZE --**

Titebond Painters Caulk White 305ml. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 32ft./ 3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond Painters Caulk is an economical, easy-to-use caulk that is formulated for interior and exterior pre-paint preparation. It offers good weather-resistance and provides a strong bond to most common building materials, including wood, metal, glass, masonry, aluminum and brick. It can be used for sealing joints, repairing cracks and backfilling gaps. Titebond Painters is de-aired for a smooth, uniform bead that extrudes and tools easily. It can be painted or stained with one coat and will not bleed through the paint. Titebond Painters is a non-stringing formula that won't sag or drool and it has excellent bead cut-off. It also cleans up with water when wet. (12/case)

UPC: 037083073010 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK8301**FK8301 TITEBOND PAINTERS PLUS 305ml WHITE (12/case) (8301) -- DO NOT FREEZE --**

Titebond Painters Plus Caulk White 305ml. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 32ft./ 3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond Painters Plus is a high-quality, versatile siliconized acrylic caulk that is designed for both interior and exterior applications. It offers excellent weather-resistance and provides a strong bond to most common building materials, including wood, metal, glass, masonry, aluminum and brick. It is ideal for sealing joints, repairing cracks and backfilling gaps. Titebond Painters Plus is de-aired for a smooth, uniform bead that extrudes and tools easily. It can be painted or stained with one coat and will not bleed through the paint. Titebond Painters Plus is a non-stringing formula that won't sag or droop and it has excellent bead cut-off. It also cleans up with water when wet. (12/case)

UPC: 037083083019 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK8701**FK8701 TITEBOND 9.8 OZ WHT ADHESIVE SEALANT (12/case) --- DO NOT FREEZE --- (8701)**

Titebond Adhesive Caulk White 9.8oz (12/box)

UPC: 037083087017 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK93991**FK93991 CLEAR WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (FK43991) ***CRYSTAL CLEAR*****

Titebond 93991 WeatherMaster Exterior Sealant 305ml. CrystalClear. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083439915 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK94001**FK94001 WHITE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (FK44001)**

Titebond 94001 WeatherMaster Exterior Sealant 305ml. White 001. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083440010 Unit: EA WT: 1.01 lbs

FRANKLIN INTERNATIONAL

FK94011**FK94011 TRANSLUCENT WEATHERMASTER TITEBOND SEALANT EXTERIOR NOT PAINTABLE 305ml (12/case) (1296/SKID) (FK44011)**

Titebond 94011 WeatherMaster Exterior Sealant 305ml. Clear 000. NOT PAINTABLE Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083440119 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL**FK94031****FK94031 BLACK WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (FK44031)**

Titebond 44031 WeatherMaster Exterior Sealant 305ml. Black 003. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083440317 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL**FK94441****FK94441 BROWN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (94441)**

Titebond 94441 WeatherMaster Exterior Sealant 305ml. Brown 253. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083444414 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL**FK94771****FK94771 CLAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (FK44771)**

Titebond 94771 WeatherMaster Exterior Sealant 305ml. Clay 335. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083447712 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL**FK96041****FK96041 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (96041)**

Titebond 96041 WeatherMaster Exterior Sealant 305ml. Beige 406. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083460414 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL**FK96341****FK96341 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) -NON RETURNABLE-**

Titebond 96341 WeatherMaster Exterior Sealant 305ml. Beige 455. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match todays popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083463415 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK96351**FK96351 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (96351)**

Titebond 96351 WeatherMaster Exterior Sealant 305ml. Beige 456. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083463514 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK96461**FK96461 BEIGE WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case)**

Titebond 96461 WeatherMaster Exterior Sealant 305ml. Beige 497. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083464610 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK96631**FK96631 GRAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case)**

Titebond 96631 WeatherMaster Exterior Sealant 305ml. Gray 505. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083466317 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK96881**FK96881 GRAY WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (96881)**

Titebond 46881 WeatherMaster Exterior Sealant 305ml. Gray 551. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083468816 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

FK99321**FK99321 GREEN WEATHERMASTER TITEBOND SEALANT EXTERIOR 305ml (12/case) (99321)**

Titebond 99321 WeatherMaster Exterior Sealant 305ml. Green 727. Method of application Cartridge/caulking gun coverage (maximum) approximate length of bead according to bead diameter: 1/4in bead 31ft./3/8in bead 13.5ft./ 1/2in bead 7.5ft. Titebond WeatherMaster Sealant has been specifically formulated to outperform all other sealant technologies, including silicones and urethanes. This superior polymer formula provides the best possible performance on siding, windows, doors and vents. In addition to offering exceptional flexibility, it provides unbeatable adhesion to wood, fiberboard, vinyl, aluminum, metal, brass and other common building materials. WeatherMaster Sealant is available in over 200 colors, all of which match today's popular siding colors, regardless of the material or manufacturer. If touch-ups are necessary, it is paintable in less than one hour after application. It is waterproof, extrudes in extreme weather conditions and is UV-resistant, making it the ideal choice for exterior applications. Safety is not compromised, as this sealant contains no solvents or isocyanates and is VOC-compliant. (12/case)

UPC: 037083493214 Unit: EA WT: 1.25 lbs

FRANKLIN INTERNATIONAL

WS/SUB828**WS/SUB828 SUB-FLOOR & CONSTRUCTION ADHESIVE 828ML WEATHERSHIELD (12EA/BX, 528EA/PLT) CONSUMER COMMODITY**

Weathershield Sub-Floor & Construction Adhesive 858ml (12/box 528/plt)

UPC: 773967402001 Unit: EA WT: 2.27 lbs

FRANKLIN INTERNATIONAL

Product Description CAULKS & SEALANTS - G. H. INTERNATIONAL

1230GRY 1230GRY 24X300ML GRY BUTYLOID (24/CASE) (48CS/PLT) (1230-700-64)



GH Butyloid Rubber Caulk Grey 300ml. COVERAGE 25 Linear feet per 300ml @ .64cm(1/4in)X .64cm(1/4in). Butyloid Butyl Rubber Caulk is an elastomer-based sealant for use on many dissimilar building surfaces. It has exceptional adhesion to common construction surfaces such as metal glass wood brick stone and paint. It is ideal for sealing narrow openings in mobile homes skylights and recreational vehicles. Highly recommended to seal the joints in Preserved Wood Foundations (PWF). (24/case)

UPC: 065224123072 Unit: EA WT: 1.29 lbs

G. H. INTERNATIONAL

1230GRYQ 1230GRYQ 12X825ML BUTYLOID GRY (12/CASE) (50CS/PLT) (1230-700-84)



GH Butyloid Rubber Caulk Grey 825ml. Butyloid Butyl Rubber Caulk is an elastomer-based sealant for use on many dissimilar building surfaces. It has exceptional adhesion to common construction surfaces such as metal glass wood brick stone and paint. It is ideal for sealing narrow openings in mobile homes skylights and recreational vehicles. Highly recommended to seal the joints in Preserved Wood Foundations (PWF). (12/case)

UPC: 065224123089 Unit: EA WT: 3.50 lbs

G. H. INTERNATIONAL

1230WHT 1230WHT 24X313ML WHT BUTYLOID (24/CASE) (48CS/PLT) (1230-100-64)



GH Butyloid Rubber Caulk White 313ml. COVERAGE 25 Linear feet per 313ml @ .64cm(1/4in)X .64cm(1/4in). Butyloid Butyl Rubber Caulk is an elastomer-based sealant for use on many dissimilar building surfaces. It has exceptional adhesion to common construction surfaces such as metal glass wood brick stone and paint. It is ideal for sealing narrow openings in mobile homes skylights and recreational vehicles. Highly recommended to seal the joints in Preserved Wood Foundations (PWF). (24/case)

UPC: 065224123010 Unit: EA WT: 0.53 lbs

G. H. INTERNATIONAL

1232GRYQ-PWF 1232GRYQ-PWF 12X825ML GRY PWF BUTYL CAULK (12/CASE) (50CS/PLT) (1232-229-84)



GH PWF Butyl Rubber Caulk Grey 825ml. Butyl Rubber Caulk is an elastomer-based sealant for use on many dissimilar building surfaces. It has exceptional adhesion to common construction surfaces such as metal glass wood brick stone and paint. It is ideal for sealing narrow openings in mobile homes skylights and application of vapour barrier. (12/case)

UPC: 065224123287 Unit: EA WT: 3.09 lbs

G. H. INTERNATIONAL

2210-313 2210-313 ACOUSTICAL SEAL 300ML CHARCOAL (24/CASE)(48CS/PLT) (2210-228-64)



GH Acoustical Sealant Charcoal Grey 300ml. COVERAGE 25 Linear feet per 300ml @ .64 cm (1/4in)X.64 cm (1/4in). Acoustical Sealant is a unique blend of synthetic rubber compounds that provide outstanding adhesion and durability properties. It has excellent adhesion to common construction surfaces. This non-skinning flexible, high solids sealant is ideal for use in conjunction with polyethylene vapour barrier systems, and connections between foundation and floor. Acoustical Sealant is formulated for easy gunnability and has outstanding resistance to sunlight ozone, cleaning chemicals, water and weathering. It is not usually recommended for use in exposed areas due to excessive dirt pick-up, common to all non-skinning products. (24/case)(48cases/pallet)

UPC: 065224221037 Unit: EA WT: 0.55 lbs

G. H. INTERNATIONAL

2210-858 2210-858 12X825ML ACOUSTICAL SEALANT 12/CASE (50CS/PLT) (2210-228-84)




GH Acoustical Sealant Grey 825ml. COVERAGE 25 Linear feet per 313 ml @ .64 cm (1/4in)X.64 cm (1/4in). Acoustical Sealant is a unique blend of synthetic rubber compounds that provide outstanding adhesion and durability properties. It has excellent adhesion to common construction surfaces. This non-skinning flexible high solids sealant is ideal for use in conjunction with polyethylene vapour barrier systems and connections between foundation and floor. Acoustical Sealant is formulated for easy gunnability and has outstanding resistance to sunlight ozone cleaning chemicals water and weathering. It is not usually recommended for use in exposed areas due to excessive dirt pick-up common to all non-skinning products. (12/case)(50/plt)

UPC: 065224221082 Unit: EA WT: 1.46 lbs

G. H. INTERNATIONAL

Product Description CAULKS & SEALANTS - HENKEL (LEPAGES)

1306768 1306768 QUAD CLEAR HIGH PERFORMANCE SIDING & WINDOW SEALANT 295ML EXTERIOR USE (12/CTN) (1680/PLT)



Quad Clear High Performance Siding and Window Sealant, Exterior use. 295ml. (12/CT) (1680/PLT)

UPC: 028756985266 Unit: EA WT: 0.88 lbs

HENKEL (LEPAGES)

1365302 1365302 QUAD TRANSLUCENT HIGH PERFORMANCE SIDING & WINDOW SEALANT 295ML EXTERIOR USE (12/CTN) (1680/PLT)



Quad Translucent High Performance Siding and Window Sealant, Exterior use. 295ml. (12/CT) (1680/PLT)

UPC: 028756982463 Unit: EA WT: 0.88 lbs

HENKEL (LEPAGES)

2000L 2000L NO MORE NAILS CONSTRUCTION ADHESIVE 295ML (12/CT) (1654384)



No More Nails 295ml Construction Adhesive. LePage No More Nails is a premium quality, latex-based adhesive for interior construction and multi-purpose use. Its high instant grab formulation minimizes nailing and screwing requirements and bracing / clamping needs. Seal any interior gaps or cracks around windows, door frames, baseboards, walls and moulding using LePage Ultra Seal Paint, Gaps & Cracks Sealant. Bonding a variety of construction materials, such as: Wood or metal studs, drywall, masonry, glass and ceramics, carpet and carpet grippers, polystyrene foam board, cork, PVC, decorative wall trim and moulding. (12/CT)

UPC: 061083020002 Unit: EA WT: 1.17 lbs

HENKEL (LEPAGES)

PLACOUSTI PLACOUSTI ACOUSTICAL SEALANT 295ML (24/CTN, 1152/PLT) (1435208)



LePage PL Acousti-Seal 295ml. PL Acousti-Seal has a unique blend of synthetic rubber and polymers to bond polyethylene vapour barrier sheets. It provides an efficient seal to aid in the reduction of airborne sound transmission in wall assembly systems. RECOMMENDED FOR: May be used as the following: Acoustical Sealant, Vapour Barrier Sealant, Bedding Sealant and Curtainwall Sealant. Bonds most common vapour barrier films to metal, concrete, masonry, asbestos, gypsum board, plaster, etc. (24/CT)

UPC: 056643000907 Unit: EA WT: 0.93 lbs

HENKEL (LEPAGES)

PLACOUSTI825 PLACOUSTI825 ACOUSTICAL SEALANT 825ML (12/CTN 528/PLT) - CONSUMER COMMODITY - (628822)



LePage PL Acousti-Seal 825ml. PL Acousti-Seal has a unique blend of synthetic rubber and polymers to bond polyethylene vapour barrier sheets. It provides an efficient seal to aid in the reduction of airborne sound transmission in wall assembly systems. RECOMMENDED FOR: May be used as the following: Acoustical Sealant, Vapour Barrier Sealant, Bedding Sealant and Curtainwall Sealant. Bonds most common vapour barrier films to metal, concrete, masonry, asbestos, gypsum board, plaster, etc. (12/CT)

UPC: 056643000914 Unit: EA WT: 2.40 lbs

HENKEL (LEPAGES)


URCM-LST URCM-LST PL POLYURETHANE CONCRETE & MASONRY SEALANT 300ML (12/CT) (394143)



LePage PL Polyurethane Concrete & Masonry Sealant Limestone 300ml. PL Polyurethane Concrete and Masonry is a high performance, one-component, polyurethane sealant designed for easy gunning. This sealant exhibits outstanding durability, tear resistance and movement capability of 25%. RECOMMENDED FOR: Seals cracks in foundation walls, concrete floors and expansion joints. Also seals around bricks and walls. Bonds concrete, brick, stucco, metal, wood, vinyl, plastic and fiberglass. (12/CT)


UPC: 056643011330 Unit: EA WT: 0.92 lbs


HENKEL (LEPAGES)


Product	Description	CAULKS & SEALANTS - SASHCO PRODUCTS (BIG STRETCH)
16810	16810 SLAB 10.5OZ CARTRIDGE GRAY (16810)	
	Slab 10.5 oz Cartridge Gray (16810)	
	UPC: 031525816104 Unit: EA WT: 0.89 lbs	SASHCO PRODUCTS (BIG STRETCH)
30800	30800 FILLER ROPE 3/8" X 20' GRAY SOFT CELL BACKER ROD WITH WATER RESISTANCE SKIN (30800)	
	Filler Rope 3/8in x 20' gray soft cell backer rod with water resistance skin (30800)	
	UPC: 031525308005 Unit: EA WT: 0.11 lbs	SASHCO PRODUCTS (BIG STRETCH)
30810	30810 FILLER ROPE 5/8" X 20' GRAY SOFT CELL BACKER ROD WITH WATER RESISTANCE SKIN (30810)	
	Filler Rope 5/8in x 20' gray soft cell backer rod with water resistance skin (30810)	
	UPC: 031525308104 Unit: EA WT: 0.20 lbs	SASHCO PRODUCTS (BIG STRETCH)
30820	30820 FILLER ROPE 1 1/8" X 10' GRAY SOFT CELL BACKER ROD WITH WATER RESISTANCE SKIN (30820)	
	Filler Rope 1 1/8in x 10' gray soft cell backer rod with water resistance skin (30820)	
	UPC: 031525308203 Unit: EA WT: 0.28 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSALM	BSALM BIG STRETCH SEALANT 310ML ALMOND (12/CASE) (10062)	
	Big Stretch Sealant Almond 310ml cartridge. Big Stretch is a water cleanup caulk that can span gap...	
	UPC: 031525100623 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSBLK	BSBLK BIG STRETCH SEALANT 310ML BLACK (12/CASE) (125CA/PALLET) (10064)	
	Big Stretch Sealant Black 310ml cartridge. Big Stretch is a water cleanup caulk that can span gaps...	
	UPC: 031525100647 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSCLR	BSCLR BIG STRETCH SEALANT 310ML CLEAR (12/CASE) (125CS/SK) (1500PCS/SK)(10056)	
	Big Stretch Sealant Clear 310ml cartridge. Big Stretch is a water cleanup caulk that can span gaps...	
	UPC: 031525100562 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSDBN	BSDBN BIG STRETCH SEALANT 310ML DARK BROWN (12/CASE) (125CS/PALLET) (10068)	
	Big Stretch Sealant Dark Brown 310ml cartridge. Big Stretch is a water cleanup caulk that can span...	
	UPC: 031525100685 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSGRY	BSGRY BIG STRETCH SEALANT 310ML GRAY (12/CASE) (125CS/PALLET) (10060)	
	Big Stretch Sealant Gray 310ml cartridge. Big Stretch is a water cleanup caulk that can span gaps ...	
	UPC: 031525100609 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSRWD	BSRWD BIG STRETCH SEALANT 310ML REDWOOD (12/CASE) (125/CS/PALLET) (10072)	
	Big Stretch Sealant Redwood 310ml cartridge. Big Stretch is a water cleanup caulk that can span ga...	
	UPC: 031525100722 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSTAN	BSTAN BIG STRETCH SEALANT 310ML TAN (12/CASE)(125CS/PALLET) (10074)	
	Big Stretch Sealant Tan 310ml cartridge. Big Stretch is a water cleanup caulk that can span gaps u...	
	UPC: 031525100746 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSWDT	BSWDT BIG STRETCH SEALANT 310ML WOODTONE (12/CASE)(125CS/PALLET) (10088)	
	Big Stretch Sealant Woodtone 310ml cartridge. Big Stretch is a water cleanup caulk that can span g...	
	UPC: 031525100883 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
BSWHT	BSWHT BIG STRETCH SEALANT 310ML WHITE (12/CASE) (125CS/PALLET) (10066)	
	Big Stretch Sealant White 310ml cartridge. Big Stretch is a water cleanup caulk that can span gaps...	
	UPC: 031525100661 Unit: EA WT: 0.88 lbs	SASHCO PRODUCTS (BIG STRETCH)
EXACTCOLOR	EXACTCOLOR SEALANT 9.5OZ C/W ACTIVATOR PACK, MEASURING SYRINGE, NOZZLE, CLEAR CAP ** DO NOT FREEZE ** (6/CASE) (12810) (3Freeze/3Thaw Cycles) **	
	Exact Color Sealant use with any latex paint, water based solid stain or universal pigments to cre...	
	UPC: 031525120102 Unit: EA WT: 1.00 lbs	SASHCO PRODUCTS (BIG STRETCH)
LXCLR	LXCLR LEXEL SASHCO SEALANT 310ML CLEAR (12/CASE) (1500/sKID) - CONSUMER COMMODITY - (LXL10CL) (13060)	
	Lexel Clear 310ml Cartridge. The superior alternative to Silicone in adhesion elasticity and paint...	
	UPC: 031525130606 Unit: EA WT: 0.78 lbs	SASHCO PRODUCTS (BIG STRETCH)
LXCLR148	LXCLR148 LEXEL SASHCO SEALANT 148ML CLEAR (12/CASE) - CONSUMER COMMODITY - (LXL5.0CL) (13063)	
	Lexel Clear Sashco Sealants 148ml squeeze tube. The superior alternative to Silicone in adhesion e...	
	UPC: 031525130132 Unit: EA WT: 0.35 lbs	SASHCO PRODUCTS (BIG STRETCH)

LXWHT	LXWHT LEXEL WHT 310ML SASHCO SEALANT (12/CASE) - CONSUMER COMMODITY - (LXWHT)(13070)	
Lexel White Sashco Sealant 310ml cartridge. The superior alternative to Silicone in adhesion elast...		SASHCO PRODUCTS (BIG STRETCH)
UPC: 031525130705	Unit: EA WT: 0.78 lbs	
MORFLEX-GRAY	MORFLEX-GRAY MORTAR & STUCCO SEALANT 310ML (12/CASE)(1500PCS) (125CSE/PLT) (15820)	
Morflexx Gray 310ml tube. Mortor and Stucco Repair Sealant. Morflexx looks like mortar stretches l...		SASHCO PRODUCTS (BIG STRETCH)
UPC: 031525158204	Unit: EA WT: 0.94 lbs	
TR1L	TR1L THROUGH THE ROOF SEALANT 946ML CLEAR (6/CASE) - CONSUMER COMMODITY - (TRFQT) (14013)	
Through The Roof .946ml Clear Sealant. For outstanding repairs that don't stick out. Sticks to wet...		SASHCO PRODUCTS (BIG STRETCH)
UPC: 031525140131	Unit: EA WT: 2.25 lbs	
TR310	TR310 THROUGH THE ROOF SEALANT 310ML CLEAR (12/CASE) - CONSUMER COMMODITY - (TRF10) (14020)	
Through The Roof 310ml Clear Sealant. For outstanding repairs that don't stick out. Sticks to wet ...		SASHCO PRODUCTS (BIG STRETCH)
UPC: 031525140209	Unit: EA WT: 0.73 lbs	
TR4	TR4 THROUGH THE ROOF SEALANT 3.78L CLEAR (2/CASE)(75C/SKID)- CONSUMER COMMODITY - (TRF1) (14014)	
Through The Roof 3.78L Clear Sealant. For outstanding repairs that don't stick out. Sticks to wet ...		SASHCO PRODUCTS (BIG STRETCH)
UPC: 031525140148	Unit: EA WT: 8.63 lbs	


Product	Description	CAULKS & SEALANTS - WEATHERSHIELD
----------------	--------------------	--


WSSILCLR	WSSILCLR WEATHERSHIELD SILICONE MILDEW RESISTANT 300ML CLEAR (12/CASE) (WSSILCLR) (144 CASES/SKID)	
	WEATHERSHIELD Silicone Mildew resistant Sealant 300ML CLEAR. Multi-Purpose silicone sealant is a high quality joint sealant that cures to form a low modulus, water resistant bond. Weathershield clear is an Interior/Exterior sealant that remains flexible and has excellent adhesion to a wide range of materials. This product skins in 7 minutes with a curing rate of 2mm/24 Hrs. Weathershield meets ASTM C920, Type S, gRADE p, Class 25, Use NT, m, G, A, O, as well as CAN/CGSB-19.13-M87, Class MCG-1-25-A-L. (12/CASE)	WEATHERSHIELD
UPC: 673181002288	Unit: EA WT: 0.85 lbs	


WSSILTRANS	WSSILTRANS WEATHERSHIELD SILICONE MILDEW RESISTANT 300ML TRANSLUCENT (12/CASE) (WSSILTRANS) (144 CASES/SKID)	
	WEATHERSHIELD Silicone Mildew resistant Sealant 300ML TRANSLUCENT. Multi-Purpose silicone sealant is a high quality joint sealant that cures to form a low modulus, water resistant bond. Weathershield clear is an Interior/Exterior sealant that remains flexible and has excellent adhesion to a wide range of materials. This product skins in 7 minutes with a curing rate of 2mm/24 Hrs. Weathershield meets ASTM C920, Type S, gRADE p, Class 25, Use NT, m, G, A, O, as well as CAN/CGSB-19.13-M87, Class MCG-1-25-A-L. (12/CASE)	WEATHERSHIELD
UPC: 673181002332	Unit: EA WT: 0.85 lbs	


WSSILWHT	WSSILWHT WEATHERSHIELD SILICONE MILDEW RESISTANT 300ML WHITE (12/CASE) (WSSILWHT) (144 CASES/SKID)	
	WEATHERSHIELD Silicone Mildew resistant Sealant 300ML WHITE. Multi-Purpose silicone sealant is a high quality joint sealant that cures to form a low modulus, water resistant bond. Weathershield clear is an Interior/Exterior sealant that remains flexible and has excellent adhesion to a wide range of materials. This product skins in 7 minutes with a curing rate of 2mm/24 Hrs. Weathershield meets ASTM C920, Type S, gRADE p, Class 25, Use NT, m, G, A, O, as well as CAN/CGSB-19.13-M87, Class MCG-1-25-A-L. (12/CASE)	WEATHERSHIELD
UPC: 673181002295	Unit: EA WT: 0.85 lbs	


Product	Description	CEILING GRID & ACCES - ARMSTRONG CEILING GRID
----------------	--------------------	--

ARM7800RWH	ARM7800RWH 12' FIREGUARD WALL MOLDING WHT 30/CT	
	12' x 7/8in x 7/8in Prelude Fire Guard Wall Moulding White (30 mouldings/carton 360 linear ft)	ARMSTRONG CEILING GRID
UPC: 042369163446	Unit: CT WT: 49.00 lbs	


ARM7891	ARM7891 12GA X 12' HANG WIRE (140PCS/CTN)	
	Hanger Wire Prelude Fire Guard (140pcs x 12'/carton 12 Gauge)	
UPC: 042369158251 Unit: CT WT: 50.00 lbs		ARMSTRONG CEILING GRID


ARM8300RWH	ARM8300RWH 12' FIREGUARD MAIN BEAM WHT 20/CT	
	12' x 1-1/2in x 15/16in Prelude Fire Guard Main Beam White (20 pc/carton 240 linear ft)	
UPC: 042369131919 Unit: CT WT: 56.00 lbs		ARMSTRONG CEILING GRID


ARM8323RWH	ARM8323RWH 2' FIRE GUARD CROSS T WHT (2'X1-3/8"X15/16") 60/CT (XL8323RWH)	
	2' x 1-3/8in x 15/16in Prelude Fire Guard Stab-In Cross Tee White (60 tees/carton 120 linear ft)	
UPC: 042369162906 Unit: CT WT: 22.00 lbs		ARMSTRONG CEILING GRID

ARM8340RWH	ARM8340RWH 4' FIRE GUARD CROSS T WHT 60/CT (XL8340RWH)	
	4' x 1-1/2in x 15/16in Prelude Fire Guard Stab-In Cross Tee White (60 tees/carton 240 linear ft)	
UPC: 042369131957 Unit: CT WT: 50.00 lbs		ARMSTRONG CEILING GRID

Product	Description	CEILING GRID & ACCES - ARMSTRONG
----------------	--------------------	---

ARM1190	ARM1190 8' EASY UP TRACK 20/CT	
	8' Easy Up Track (20 pc/carton)	
UPC: 042369733847 Unit: CT WT: 38.00 lbs		ARMSTRONG

ARM1191	ARM1191 EASY UP CLIP (45/BAG) 8 BAGS/CTN	
	Easy Up Clips, 45 per bag, 8 bags per carton	
UPC: 042369833851 Unit: BG WT: 1.50 lbs		ARMSTRONG

ARMUHDC**ARMUHDC HOLD DOWN CLIP FOR CEILING TILE (1000/CT)**

Hold Down Clip For Ceiling Tile (1000/ctn)

Unit: CT WT: 7.00 lbs

ARMSTRONG**Product****Description****CEILING TILES - ARMSTRONG****ARM1148B****ARM1148B 5"x84"x3/8" WHITE WOODHAVEN, PLANK, BEVEL, T&G, (10/CTN) 29 SQ FT PER CTN**

5in X 84in x 3/8in WoodHaven. 29 Sqft. per carton, 10 pieces per carton. Tongue and Groove, Natural wood-grain look, prefinished, durable laminate surface, superior humidity and sag resistance, maintenance free, Class C fire rated, easy installation. While there's nothing like the clean look of white, our WoodHaven Painted White ceiling planks also give you the option of reating your own design. Feel free to paint these planks to declare your own sense of style. WoodHaven Painted White planks can be used as a wainscot on walls or as a backsplash in any room in the home. Use our WoodHaven Ceiling Installation kit included in every carton.

UPC: 042369225984 Unit: CT WT: 47.00 lbs

ARMSTRONG**ARM1149B****ARM1149B 5"x84"x3/8" WHITE WOODHAVEN, BEADBOARD, BEVEL, T&G. (10/CTN) 29 SQ FT PER CTN**

5in X 84in x 3/8in WoodHaven Beadboard. 29 Sq. Ft. per carton, 10 pieces per carton. Tongue and Groove, Natural wood-grain look, prefinished, durable laminate surface, superior humidity and sag resistance, Class C fire rated, maintenance free, easy installation. Our WoodHaven Beadboard planks allow you to give your home a vintage or country look with classic beadboard. And, if you're looking for a color other than white, feel free to paint these ceiling planks for a unique look. WoodHaven Painted Beadboard planks can be used as a wainscot on walls or as a backsplash in any room in the home. Use our WoodHaven Ceiling Installation kit included in every carton.

UPC: 042369269810 Unit: CT WT: 47.00 lbs

ARMSTRONG**ARM1201****ARM1201 24"X24"X5/8" RAISED PANEL 6/CT MIN FIBER**

24x24x5/8 Raised Panel. 24 sq.ft. per carton, 6 pieces per carton. Traditional ceiling design, Square Edge, Grid blending design, Install with grid, Fire retardant Class A. Add visual flair to any space with our Raised Panel 24in X 24in X 5/8in HomeStyle ceiling tile. Installed in a suspended grid system, this multi-panel tile is suitable for a traditional room, as well as contemporary or transitional rooms. Contains recycled post-consumer and post-industrial products.

UPC: 042369131971 Unit: CT WT: 22.00 lbs

ARMSTRONG**ARM1203****ARM1203 24"X24"X5/8" FLUTED SQUARE EDGE LAY-IN 6/CT CEILING TILE (1203)**

24in x 24in x 5/8in Fluted ceiling tile 24 Sq.Ft. per carton, 6 pieces per carton.

UPC: 042369708159 WT: 22.00 lbs

ARMSTRONG**ARM1205****ARM1205 24"X24"X5/8" SINGLE RAISED PANEL, SQUARE EDGE, 6/CT MIN FIBER**

24X24X5/8 Raised Panel. 24 Sq. Ft. per carton, 6 pieces per carton. Square Lay-in edge, Traditional ceiling design, Grid blending design, Install with grid, Fire retardant Class A, Mildew retardant. The classic look of a coffered ceiling can be achieved with our HomeStyle 2' X 2' Raised Panel tile. Installed in our HomeStyle Suspended Ceiling Installation System, this single panel tile brings a sense of traditional elegance to any space. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369384292 Unit: CT WT: 22.00 lbs

ARMSTRONG

ARM1206**ARM1206 24"X24"X5/8" TANGO SQUARE EDGE LAY-IN 6/CT CEILING TILE (36/PLT)**

24in x 24in x 5/8in Tango ceiling tile 24 Sq.Ft. per carton, 6 pieces per carton.

UPC: 042369444576 WT: 22.00 lbs

ARMSTRONG**ARM1240A****ARM1240A 12"X12"X1/2" TINTILE 40/CT HOME STYLE SERIES**

12x12x1/2 TinLook Tile. 40 Sq.Ft. per carton, 40 pieces per carton. Tin ceiling design, Hidden seams, Durable, vinyl coated surface, Install without grid, Fire retardant. Paintable, Tongue and Groove Square Edge. The classic look of the most popular tin ceiling ever created in easy-to-install 12in X 12in decorative tiles. Available in white and ready to be faux painted, Tin Look TinTile tiles can coordinate with any room. Apply it directly to the ceiling using furring strips or adhesive. Residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369850094 Unit: CT WT: 35.00 lbs

ARMSTRONG**ARM1270****ARM1270 24"X24"X3/4" CASCADE 12/CT MIN FIBER**

24x24x3/4 Cascade. 48 Sq. Ft. per carton, 12 pieces per carton. Angled Tegular edge, Traditional ceiling design, Grid blending design, 3-dimensional look, Install with grid, Fire retardant Class A, Mildew resistant. This three-dimensional tile will bring your room to a whole other visual level. With its tegular edge and cascading visual, our 2' X 2' HomeStyle Cascade ceiling tile stands out above the rest. Install it in our HomeStyle Suspended Ceiling Installation System. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369122580 Unit: CT WT: 37.00 lbs

ARMSTRONG**ARM1301A****ARM1301A 24"X48"X1/2" NON-DIRECTIONAL (12/CT) (28/SKID (BP1301A))**

24x48x1/2 Non-Directional. 96 Sq.Ft. per carton, 12 pieces per carton. Square Lay-in edge. Sound reduction and Class A fire retardant. Increase installation efficiency with these light commercial Non-Directional 2' X 4' ceiling tiles. The absence a pattern allows installation to move faster with less waste. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369127615 Unit: CT WT: 27.00 lbs

ARMSTRONG**ARM1693****ARM1693 16"x16"x1/2" T&G SAHARA TILE, 20/CTN, 24CTN/PALLET (ARM1693) (BP1693)**

ARM1693 16"x16"x1/2" T&G SAHARA TILE, 20/CTN, 24CTN/PALLET (BP1693)

UPC: 042369702447 Unit: CT WT: 35.00 lbs

ARMSTRONG**ARM1728BL****ARM1728ABL 24"X24"X5/8" BLACK FINE FISSURED HG MINABOARD SQUARE LAY-IN 16/CT MINERAL FIBER (36/PLT)**

24x24x5/8 Tech Black fine fissured 64 Sq.Ft. per carton, 16 pieces per carton.

UPC: 042369407755 WT: 52.00 lbs

ARMSTRONG

ARM231**ARM231G 12"X12"X1/2" WASHABLE PLAIN WHT 40/CT HOME STYLE SERIES**

12x12x1/2 Washable White. 40 Sq. Ft. per carton, 40 pieces per carton, Tongue and Groove beveled edge, Neutral ceiling design, Install without grid, Fire retardant Class A. When you just need the look of a basic, plaster ceiling, then our HomeStyle 12in x 12in Washable White ceiling tile is the perfect solution. And, did we mention that it's easy to clean, too? Apply it directly to the ceiling using furring strips or adhesive. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369106511 Unit: CT WT: 28.00 lbs

ARMSTRONG**ARM258F****ARM258G 12"X12"X1/2" GRENOBLE 40/CT**


12x12x1/2 Grenoble. 40 Sq. Ft. per carton, 40 pieces per carton. Tongue and Groove beveled edge, Sculpted plaster ceiling design. Install without grid, Fire retardant Class A. For the look of a traditional heavily textured ceiling, our 12in x 12in Grenoble HomeStyle ceiling tile is for you. It brings the look of plaster to a whole new level. Apply it directly to the ceiling using furring strips or adhesive. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369106566 Unit: CT WT: 28.00 lbs

ARMSTRONG**ARM266B****ARM266B 2'X2'X1/2" BRIGHTON BRIGHTER WHITE CEILING TILE 16/CT MIN FIBER (ARM266B) (40CT/PLT)**


24x24x1/2 Brighton Brighter ceiling tile. 64 Sq. Ft. per carton, 16 pieces per carton. Angled Tegular edge with enhanced pattern and brighter white colour than 266. Contains BioBlock and HumiGuard Plus. Install with grid, Fire retardant Class A. HomeStyle 2' X 2' Brighton ceiling tile features the look of plaster but with a rougher surface for a more defined visual. With a tegular edge, Brighton provides an extra dimension installed in our HomeStyle Suspended Ceiling Installation System.

UPC: 042369709569 Unit: CT WT: 43.00 lbs

ARMSTRONG**ARM269A****ARM269A 24"X24"X5/8" SAND PEBBLE 16/CT MIN FIBER (TEGULAR)**


24x24x5/8 Sand Pebble. 64 Sq.Ft. per carton, 16 pieces per carton. Angled Tegular edge. Neutral ceiling design, 3-dimensional look, Install with grid, Sound Reduction, Fire retardant Class A. With a texture reminiscent of a smooth, beach, our 2'x2' Contractor Series Sand Pebble panel will compliment your room with a minimal amount of visual interest. With its three-dimensional look, Sand Pebble also can provide an acoustical solution since it can reduce sound within a space by 55%. Install in our Prelude Ceiling Suspension System. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369160445 Unit: CT WT: 43.00 lbs

ARMSTRONG**ARM271****ARM271 24"X24"X5/8" SAHARA 16/CT MIN FIBER**

24x24x5/8 Sahara. 64 Sq.Ft. per carton, 16 pieces per carton. Angled Tegular edge. Neutral ceiling design, 3-dimensional look, Install with grid, Sound Reduction and Sag Resistant, Fire retardant Class A. As fine as the desert sands, Sahara 2' X 2' ceiling panels deliver a very smooth, refined plaster visual to any space. A part of our Contractor Series for high-performance business spaces. It installs in our Prelude Ceiling Suspension System. This residential ceiling tile contains recycled post-consumer and post-industrial products.


UPC: 042369166966 Unit: CT WT: 51.00 lbs

ARMSTRONG**ARM280C****ARM280C 24"X48"X1/2" PLAIN WHT 8/CT MIN FIBER LAY-IN**

24x48x1/2 Plain White. 64 Sq.Ft. per carton, 8 pieces per carton. Square Lay-in edge. Neutral ceiling design, Install with grid, Fire retardant Class A. When the look of a totally smooth basic plaster ceiling is desired, 2' X 4' HomeStyle Plain White ceiling panels is our recommendation. This square-edge panel is installed in our HomeStyle Suspended Ceiling Installation System. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369100045 Unit: CT WT: 44.00 lbs

ARMSTRONG

ARM292**ARM292 2'X2'X5/8" ZEPHYR SQUARE EDGE PANEL FOR 15/16" GRID 16 PC/CTN**

24 x 24 x 5/8" Zephyr 64 Sq. Ft. per carton, 19 pieces per carton. Square Edge Panel for 15/16" grid sound reduction, mildew resistant.

UPC: 042369737432 Unit: CT WT: 44.00 lbs


ARMSTRONG

ARM297C**ARM297C 24"X48"X1/2" GRENOBLE (8/CTN)**

24x48x1/2 Grenoble. 64 Sq.Ft. per carton, 8 pieces per carton. Square Lay-in edge. Sculpted plaster ceiling design, Install with grid, Fire retardant Class A. Grenoble HomeStyle ceiling panels feature the look of plaster with some light texture to provide a level of visual interest. This square-edge panel is installed in our HomeStyle Suspended Ceiling Installation System. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369100632 Unit: CT WT: 44.00 lbs


ARMSTRONG

ARM410A**ARM410A 24"X48"X5/8" SONOFLEX RANDOM FISSURED F/G (16/CT)**

24x48x5/8 SONOFLEX Random Fissured Fiberglass. 128 Sq.Ft. per carton, 16 pieces per carton. Square edge. Low overhead clearance.

UPC: 042369164863 Unit: CT WT: 22.00 lbs


ARMSTRONG

ARM416A**ARM416A 24"X48"X5/8" SONOFLEX ETCHED F/G (16/CT)**

24x48x5/8 Sonoflex Etched Fiberglass. 128 Sq.Ft. per carton, 16 pieces per carton. Square edge. Low overhead clearance.

UPC: 042369160490 Unit: CT WT: 22.00 lbs

ARMSTRONG

ARM46B**ARM46B 12X12"X1/2" WELLINGTON (40/CTN)**

12x12x1/2 TinLook Wellington. 40 Sq.Ft. per carton, 40 pieces per carton. Tin ceiling design, Hidden seams, Pearlescent paint finish, Install without grid, Fire retardant. Tongue and Groove Square Edge. This decorative tile can bring a vintage tin ceiling look or a contemporary feel to any space. Available in white, Wellington can be painted to create the ceiling you desire. Apply it directly to the ceiling using furring strips or adhesive. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369850087 Unit: CT WT: 35.00 lbs


ARMSTRONG

ARM480**ARM480 6"X48"X1/2" COUNTRY CLASSIC PLANK (20/CTN)**

6x48x1/2 Country Classic Plank. 40 Sq. Ft. per carton, 20 pieces per carton. Tongue and Groove beveled edge, Real wood grain look ceiling design, Hidden seams, Extra easy to install, Install without grid, Fire retardant Class A. The visual of our 6in X 48in HomeStyle Country Classic Ceiling Plank is wider than Heritage Plank for an even greater country rustic look. These easy-to-install planks come in white or you can paint or stain them for the style you're looking for. Apply it directly to the ceiling with furring strips or adhesive. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369114387 Unit: CT WT: 33.00 lbs


ARMSTRONG

ARM902A**ARM902A 24"X48"X1/2" TEXTURED (10/CTN)(30/PLT)**

24x48x1/2 Textured. 80 Sq.Ft. per carton, 10 pieces per carton. Square edge.

UPC: 042369126458 Unit: CT WT: 47.00 lbs

ARMSTRONG

ARM915**ARM915 24"X48"X5/8" FIREGUARD (8/CT)**

24X48x5/8 Textured Fire Guard. 64 Sq.Ft. per carton, 8 pieces per carton. Square Lay-in edge. UL-rated, Sound Reduction, Class A fire-retardant. A basic light commercial 2' X 4' visual in a UL-approved ceiling panel for fire rated ceiling assemblies. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369100724 Unit: CT WT: 71.00 lbs


ARMSTRONG

ARM922**ARM922A 24"X48"X5/8" FINE FISSURED (8/CT)**

24X48x5/8 Fine Textured. 64 Sq.Ft. per carton, 8 pieces per carton. Square Lay-in edge. Sound reduction, Sag and Mildew resistant, Class A fire retardant. For a smoother appearance, this basic light commercial 2' X 4' Fine Fissured ceiling panel is the solution. Performance features include HumiGuard Plus and BioBlock for protection against moisture. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369306942 Unit: CT WT: 53.00 lbs


ARMSTRONG

ARM933**ARM933 24"X48"X5/8" RANDOM TEXTURED (10/CT) (30 CTN/SKID) (BP933)**

24X48x5/8 Random Textured. 80 Sq.Ft. per carton, 10 pieces per carton. Square Lay-in edge. Sound reduction and Class A fire retardant. Our most basic commercial 2' X 4' ceiling panel. It's perfect for most light commercial applications. And, it reduces sound by 55 percent for good acoustical performance. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369100700 Unit: CT WT: 53.00 lbs


ARMSTRONG

ARM934A**ARM934A 24"X24"X5/8" REVEAL EDGE RANDOM TEXTURED 16/CT**

24X24x5/8 Random Textured. 64 Sq.Ft. per carton, 16 pieces per carton. Angled Tegular edge. Traditional ceiling design, 3-dimensional look, Class A fire-retardant, Sound Reduction. This basic 2' X 2' Random Textured light commercial panel has a tegular edge for a three-dimensional appearance. It reduces sound by 55 percent. Perfect when acoustical quality is a must. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.

UPC: 042369101950 Unit: CT WT: 48.00 lbs


ARMSTRONG


ARM935A**ARM935A 24"X24"X5/8" RANDOM TEXTURED (16/CTN)**


24X24x5/8 Randomed Textured. 64 Sq.Ft. per carton, 16 pieces per carton. Square Lay-in edge. Class A fire-retardant and Sound Reduction. This basic 2' X 2' Random Textured light commercial panel has a square edge for a traditional appearance. It reduces sound by 55 percent. Perfect when acoustical quality is a must. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.


UPC: 042369101967 Unit: CT WT: 41.00 lbs

ARMSTRONG


ARM954	ARM954 24"X24"X3/4" CLASSIC FINE TEXTURED (12/CTN)
	24X24x3/4 Classic Fine Textured. 48 Sq.Ft.per carton, 12 pieces per carton. Angeled Tegular edge. Neutral ceiling design, 3-dimensional look, High light reflectance, Class A fire-retardant, Sound Reduction, Sag and Mildew resistant. Get the traditional look of rough plaster with 2' X 2' Classic Fine Textured light commercial panels. Its tegular edge adds three-dimensional interest. It reduces sound 70 percent for excellent acoustical quality. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.
	UPC: 042369166980 Unit: CT WT: 51.00 lbs ARMSTRONG

ARM972	ARM972 LUMAWASH 15/16" LAY-IN 24"x48"x5/8" (8/CTN)
	
	UPC: 042369850483 Unit: CT WT: 45.00 lbs ARMSTRONG

ARM973	ARM973 LUMAWASH 15/16" LAY-IN 24"x24"x5/8" (16/CT)
	
	UPC: 042369850490 Unit: CT WT: 44.00 lbs ARMSTRONG

ARM9767	ARM9767 24"X48"X3/4" SCORED (10/CT)
	24X48x3/4 Scored. 80 Sq.Ft. per carton, 10 pieces per carton. Traditional ceiling design, Sound reduction and Class A fire retardant. With its unique score and tegular edge for a three dimensional look, these 2' X 4' Scored ceiling panels will enhance the design of any light commercial space. They also reduce sound by 55 percent for good acoustical performance. Use with our Contractor Suspended Ceiling Installation Systems. This residential ceiling tile contains recycled post-consumer and post-industrial products.
	UPC: 042369160476 Unit: CT WT: 58.00 lbs ARMSTRONG

Product Description CLOSET DOOR HARDWARE - STANLEY HOME DÉCOR

0766	0766 POCKET DOOR HARDWARE PARTS (PD113P)
	POCKET DOOR HARDWARE KIT 760
	UPC: 773967307054 Unit: EA WT: 0.25 lbs STANLEY HOME DÉCOR


121-1-PK	121-1-PK ADJUSTABLE DOOR GUIDE (1)(BP101P)
Sliding By-Pass Door Adjustable Guide(1)	
	UPC: 026457001216 Unit: EA WT: 0.11 lbs STANLEY HOME DÉCOR

1603-1-PK	1603-1-PK BOTTOM GUIDE ASSEMBLY (2/PK) (6/CT)(BP113P)
Sliding Panel Door Bottom Guide Assembly (2/PK) (6/CT)	
	UPC: 026457016036 Unit: EA WT: 0.12 lbs STANLEY HOME DÉCOR

2007-024-WT	2007-024-WT WHT STEEL TRACK-2 DR (17034-02312-BW)	
White Steel Track 2 DR UPC: 026457932664 Unit: EA WT: 1.00 lbs		STANLEY HOME DÉCOR
2007-030-WT	2007-030-WT STEEL TOP TRACK 2DR WHT (17034-02912-BW)	
STEEL TOP TRACK 2DR WHT UPC: 026457932671 Unit: EA WT: 0.57 lbs		STANLEY HOME DÉCOR
2007-036-WT	2007-036-WT WHT STEEL TOP TRACK 2 DR (25/CT) (BF110B-03600-BW)	
White Steel Top Track 2 Door (50/CT) UPC: 026457932688 Unit: EA WT: 1.00 lbs		STANLEY HOME DÉCOR
2007-048-WT	2007-048-WT 48" WHT STEEL TOP TRACK 4 DR (BF110B-04800-BW)	
48in WHT STEEL TOP TRACK 4 DR UPC: 026457032692 Unit: EA WT: 2.00 lbs		STANLEY HOME DÉCOR
2007-060-WT	2007-060-WT 60" WHT STEEL TOP TRACK 4DR (25/CT) (17034-05912-BW)	
59-3/4in White Steel Bi Fold Door Track 4 Door (25/CT) UPC: 773967307061 Unit: EA WT: 2.50 lbs		STANLEY HOME DÉCOR
2007-072-WT	2007-072-WT 72" WHT STEEL TOP TRACK 4DR (17034-057112-BW)	
72in WHT STEEL TOP TRACK 4DR UPC: 773967307078 Unit: EA WT: 2.50 lbs		STANLEY HOME DÉCOR
2026-1-PK	2026-1-PK DOOR ALIGNERS (2/PKG)(6PR/CT)(BF109P)	
Door Aligners for Folding Door (2/PKG)(6PR/CT) UPC: 026457020262 Unit: EA WT: 0.12 lbs		STANLEY HOME DÉCOR
2062-1-PK	2062-1-PK UNIVERSAL TOP PIVOT (6/CT)(BF103P)	
Folding Door Universal Top Pivot (6/CT) UPC: 026457020620 Unit: EA WT: 0.09 lbs		STANLEY HOME DÉCOR
2065-1-PK	2065-1-PK UNIVERSAL BI-FOLD HDW (4PAN/CT) (BF105P)	
Universal Bi-Fold Hardware Components (2panel) (4/CT) UPC: 026457020651 Unit: EA WT: 0.09 lbs		STANLEY HOME DÉCOR
221-1-PK	221-1-PK NON-MORTISE HINGE (2/PK) (6PK/CASE) (BF111P)	
Non- Mortise Hinge for Bi-Fold Door (2/Pkg) (6/Case) UPC: 026457002213 Unit: EA WT: 0.30 lbs		STANLEY HOME DÉCOR
2386-014	2386-014 2 DR B/FOLD KIT PLAS.KNOB PULL (63050)	
2 DR Bi-Fold Kit Plastic Knob Pull UPC: 773967308587 Unit: EA WT: 0.20 lbs		STANLEY HOME DÉCOR
2386-015-33	2386-015-33 2 DR B/FOLD KIT FLOWER PULL (52-2103)(63060)	
2 DR Bi-Fold Kit Flower Pull UPC: 773967305821 Unit: EA WT: 0.20 lbs		STANLEY HOME DÉCOR
2586-011-WT	2586-011-WH 4 DR HARDWARE SET 00-2451	
4 DR HARDWARE SET UPC: 339230802901 Unit: ST WT: 2.00 lbs		STANLEY HOME DÉCOR
2800-1-PK	2800-1-PK JAMB BRACKET (6/CT) (BF102P)	
JAMB BRACKET (10/CT) UPC: 026457028008 Unit: EA WT: 0.11 lbs		STANLEY HOME DÉCOR
2903-1-PK	2903-1-PK BOTTOM PIVOT (6/PKG)(BF104P)	
Folding Door Bottom Pivot (1)(6Pkg) UPC: 026457029036 Unit: EA WT: 0.07 lbs		STANLEY HOME DÉCOR
2924-1	2924-1 2 DR 24" FOLDING DR HDW KIT (BF106K-02400-BW)	
2 DR 24in Folding Door Hardware Kit UPC: 026457292409 Unit: EA WT: 1.05 lbs		STANLEY HOME DÉCOR
2936-1	2936-1 2 DR 36" FOLDING DR HDW KIT (6/CT) (BF106K-3600-BW)	
2 Door 36in Bi-Fold Door Hardware Kit (6/CT) UPC: 026457293611 Unit: EA WT: 1.30 lbs		STANLEY HOME DÉCOR
2948-1	2948-1 4 DR 48" FOLDING DR HWD KIT (BF106K-04800-BW)	
4 DR 48in Folding Door Hardware Kit UPC: 026457294816 Unit: EA WT: 2.30 lbs		STANLEY HOME DÉCOR
301-10-PK	301-10-PK 3/4" ROUND FINGER DR PULL(2/PK) (10/CT)(BP108P)	
3/4in Round Finger Door Pull(2/PK) UPC: 024657003012 Unit: EA WT: 0.04 lbs		STANLEY HOME DÉCOR

302-03-PK	302-03-PK 2-1/2" OBLONG FINGER PULL BRASS (1) (BP110P)	
2-1/2in Oblong Finger Pull Brass (1) UPC: 026457003029 Unit: EA WT: 0.04 lbs		STANLEY HOME DÉCOR
305-03-PK	305-03-PK PRIVACY DOOR SET-BRASS (5/CASE) (305-03-OK)(PD117P)	
Pocket Door Privacy Door Set - Brass (5/Case) UPC: 026457003050 Unit: EA WT: 0.37 lbs		STANLEY HOME DÉCOR
4096-048-WT	4096-048-WT 96"HX48"W WHT SLID DR KT (2002-04800-09600-2P-BW)	
96in X 48in Wide White Sliding Door Kit UPC: 026457491482 Unit: EA WT: 17.00 lbs		STANLEY HOME DÉCOR
4096-072-WT	4096-072-WT 96"X72" WHT SLID DR KT (BP114K-07200-BW)	
96in X 72in White Sliding Door Kit UPC: 026457491727 Unit: EA WT: 22.10 lbs		STANLEY HOME DÉCOR
8600-465-WT	40054-04608-BW 48" WHT STEEL TRACK (10/PKG) (40054-04608-BW)	
48in White Steel Track (10/Package) UPC: 773967307108 Unit: EA WT: 1.00 lbs		STANLEY HOME DÉCOR
8600-705-WT	40054-07008-BW 72" WHT STEEL TRACK	
72in WHT STEEL TRACK UPC: 773967307115 Unit: EA WT: 1.40 lbs		STANLEY HOME DÉCOR
8900-BX	8900-BX SINGLE WHEEL HANGER SET (63240)	
SINGLE WHEEL HANGER SET UPC: 773967308860 Unit: ST		STANLEY HOME DÉCOR
8903-PK	8903-PK 7/16" OFFSET ADJ TOP HNG (6/CT)(BP107P)	
7/16in Offset Dial Adjust Top Hanger (6/CT) UPC: 026457890308 Unit: EA WT: 0.35 lbs		STANLEY HOME DÉCOR
8904-PK	8904-PK 1/8 OFFSET ADJ TOP HNG 1PR (6PR/PKG) (BP109P)	
1/8in Offset Dial Adjust Top Hanger for Sliding Door (1PR) (6Pr/Pkg) UPC: 026457890407 Unit: EA WT: 0.35 lbs		STANLEY HOME DÉCOR
8948	8948 2DR 47" SLIDING DR HWD KIT PRE-FINISHED WHITE (BP102K-04800-BW)	
2Door 47in Sliding Door Hardware Kit Pre-finished white UPC: 026457894801 Unit: EA WT: 2.50 lbs		STANLEY HOME DÉCOR
8960	8960 2 DR 59" SLIDING DR HDW KIT PRE-FINISHED WHITE (BP102K-06000-BW)	
2 DR 59in Sliding Door Hardware Kit Pre-finished White UPC: 026457896003 Unit: EA WT: 3.00 lbs		STANLEY HOME DÉCOR
8972	8972 2DR 71" SLIDING DR HDW KIT PRE-FINISHED WHITE (8972) (BP102K-07200-BW)	
2DR 71in Wide Sliding Door Hardware Kit Pre-finished White UPC: 026457897208 Unit: EA WT: 3.50 lbs		STANLEY HOME DÉCOR
BF101P	BF101P ACME 1PK SLIDE GUIDE (6/CT) (BF101P) OLD NO.2066-1-PK	
Folding Door Slide Guide (10/CT) UPC: 026457020668 Unit: EA WT: 0.05 lbs		STANLEY HOME DÉCOR
PD150	PD101K 760 POCKET DR KIT 24"-36"W X 80"H (40-3925) (PD101K)	
24in-36in W X 80in H Pocket Door Kit UPC: 033923090476 Unit: EA WT: 23.00 lbs		STANLEY HOME DÉCOR


Product Description CLOSET DOORS - STANLEY HOME DÉCOR

20-1120	20-1120 20" X 24" 3MM BEVEL EDGE FRAMELESS MIRROR (6/CTN)	
20in X 24in 3mm Beveled Edge Frameless Mirror (6/Carton)		
		
UPC: 043044210028 Unit: EA		STANLEY HOME DÉCOR

20-1200	20-1200 24" X 36" 3MM BEVEL EDGE FRAMELESS MIRROR (6/CTN)	
24in X 36in 3mm Beveled Edge Frameless Mirror (6/Carton) UPC: 043044210059 Unit: EA WT: 42.00 lbs		STANLEY HOME DÉCOR

20-1260	20-1260 30" X 42" 3MM BEVEL EDGE FRAMELESS MIRROR (4/CTN)	
30in X 42in 3mm Bevel Edge Frameless Mirror (4/Cartron)		
UPC: 043044210103	Unit: EA WT: 16.50 lbs	STANLEY HOME DÉCOR
24-0213	24-0213 48"X80" WHT/CLEAR BIPASS	
48in X 80in White/Clear Bi-Pass		
UPC: 026457454814	Unit: EA WT: 52.00 lbs	STANLEY HOME DÉCOR
24-0223	24-0223 60"X80" WHT/CLR BIPASS MIRROR DOOR	
60in X 80in White/Clear Bi-Pass		
UPC: 026457456016	Unit: EA WT: 63.00 lbs	STANLEY HOME DÉCOR
24-0233	24-0233 72"X80" WHT/CLEAR BIPASS	
72in X 80in White/Clear Bi-Pass		
UPC: 026457157210	Unit: EA WT: 74.00 lbs	STANLEY HOME DÉCOR
24-0353	24-0353 36"X80" WHT/CLEAR BIPASS (1/PK)	
36in X 80in White/Clear Bi-Pass (1/PK)		
UPC: 026457453619	Unit: EA WT: 41.00 lbs	STANLEY HOME DÉCOR
24-2723	24-2723 FRMLESS/WHT CLR BEVEL 72"X80" BIPASS	
72in X 80in Frameless White/Clear Bi-Pass		
UPC: 026457227289	Unit: EA WT: 96.00 lbs	STANLEY HOME DÉCOR
24-3503	24-3503 FRMLESS WHT 24" X 80" BIFOLD MIRROR	
24in X 80in Frameless White Bi-Fold Mirror		
UPC: 026457422479	Unit: EA WT: 39.00 lbs	STANLEY HOME DÉCOR
24-3523	24-3523 FRMLESS WHT 30" X 80" BIFOLD	
30in X 80in Frameless White Bi-Fold		
UPC: 026457423070	Unit: EA WT: 47.00 lbs	STANLEY HOME DÉCOR

Product	Description	CLOSET RODS - ONWARD
----------------	--------------------	-----------------------------

01830FEWV	01830FEWV CLOSET ROD ADJ. WHT 18"-30" FIXED ENDS (5/BOX) (1830FEWV)	
18in - 30in Closet Rod Adjustable Fixed Ends White Mounting Screws included. (5/Box)		
		
UPC: 062703183015	Unit: EA WT: 0.95 lbs	ONWARD

01830FEXV	01830FEXV CLOSET ROD ADJ ZINC 18"-30" FIXED ENDS (5/BOX) (1830FEXV)	
18in - 30in Closet Rod Adjustable Fixed Ends Zinc Mounting Screws included. (5/Box)		
UPC: 062703183022	Unit: EA WT: 0.95 lbs	ONWARD

01830WV	01830WV CLOSET ROD ADJ WHT 18"-30" (5/BOX)(1830WV)	
18in - 30in Closet Rod Adjustable White Mounting Screws included. (5/Box)		
UPC: 062703183039	Unit: EA WT: 0.95 lbs	ONWARD

01830XV	01830XV CLOSET ROD ADJ ZINC 18"-30" FLUTED (5/BOX) (1830XV)	
18in - 30in Closet Rod Adjustable Zinc Mounting Screws included. (10/Box)		
UPC: 062703183046	Unit: EA WT: 0.95 lbs	ONWARD

03048FEWV	03048FEWV CLOSET ROD ADJ WHT 30"-48" FIXED ENDS (5/BOX) (3048FEWV)	
30in - 48in Closet Rod Adjustable Fixed Ends White Mounting Screws included. (5/Box)		
UPC: 062703304816	Unit: EA WT: 1.45 lbs	ONWARD


03048FEXV	03048FEXV CLOSET ROD ADJ ZINC 30"-48" FIXED ENDS (5/BOX) (3048FEXV)	
30in - 48in Closet Rod Adjustatble Fixed Ends Zinc Mounting Screws included. (5/Box)		
UPC: 062703304823	Unit: EA WT: 1.45 lbs	ONWARD

03048WV	03048WV CLOSET ROD ADJ WHT 30"-48" (5/BOX) (3048WV)	
30in - 48in Closet Rod Adjustable White Mounting Screws included. (5/Box)		
UPC: 062703304830	Unit: EA WT: 1.45 lbs	ONWARD

03048XV	03048XV CLOSET ROD ADJ ZINC 30"-48" (5/BOX) (3048XV)(FLUTED)	
30in - 48in Closet Rod Adjustable Zinc Mounting Screws included. (5/Box)		
UPC: 062703304847	Unit: EA WT: 1.45 lbs	ONWARD






04872FEWV	04872FEWV CLOSET ROD ADJ WHT 48"-72" FIXED ENDS (5/BOX) (4872FEWV)	
48in - 72in Closet Rod	Adjustable Fixed End White Mounting Screws included. (5/Box)	
UPC: 062703487212	Unit: EA WT: 2.40 lbs	ONWARD
04872FEXV	04872FEXV CLOSET ROD ADJ ZINC 48"-72" FIXED ENDS (5/BOX) (4872FEXV)	
48in - 72in Closet Rod	Adjustable Fixed Ends Zinc Mounting Screws included. (5/Box)	
UPC: 062703487229	Unit: EA WT: 2.40 lbs	ONWARD
04872WV	04872WV CLOSET ROD ADJ WHT 48"-72" (5/BOX) (4872WV)	
48in - 72in Closet Rod	Adjustable White Mounting Screws included. (5/Box)	
UPC: 062703487236	Unit: EA WT: 2.40 lbs	ONWARD
04872XV	04872XV CLOSET ROD ADJ ZINC 48"-72" (5/BOX) (4872XV)(FLUTED)	
48in - 72in Closet Rod	Adjustable Zinc Mounting Screws included. (5/Box)	
UPC: 062703487243	Unit: EA WT: 2.40 lbs	ONWARD
07296FEWV	07296FEWV CLOSET ROD ADJ WHT 72"-96" FIXED ENDS (5/BOX) (7296FEWV)	
72in - 96in Closet Rod	Adjustable Fixed Ends White Mounting Screws included. (5/Box)	
UPC: 062703729619	Unit: EA WT: 2.55 lbs	ONWARD
07296FEXV	07296FEXV CLOSET ROD ADJ ZINC 72"-96" FIXED ENDS (5/BOX) (7296FEXV)	
72in - 96in Closet Rod	Adjustable Fixed Ends Zinc Mounting Screws included. (5/Box)	
UPC: 062703729626	Unit: EA WT: 2.55 lbs	ONWARD
07296WV	07296WV CLOSET ROD ADJ WHT 72"-96" (5/BOX) (7296WV)FLUTED	
72in - 96in Closet Rod	Adjustable White Mounting Screws included. (5/Box)	
UPC: 062703729633	Unit: EA WT: 2.55 lbs	ONWARD
07296XV	07296XV CLOSET ROD ADJ ZINC 72"-96" FLUTED (5/BOX)(7296XV)	
72in - 96in Closet Rod	Adjustable Zinc Mounting Screws included. (5/Box)	
UPC: 062703729640	Unit: EA WT: 2.55 lbs	ONWARD
096120FEWV	096120FEWV CLOSET ROD ADJ WHT 96"-120" FIXED ENDS (5/BOX) (96120FEWV)	
96in - 120in Closet Rod	Adjustable Fixed Ends White Mounting Screws included. (5/Box)	
UPC: 062703961217	Unit: EA WT: 3.80 lbs	ONWARD
096120FEXV	096120FEXV CLOSET ROD ADJ ZINC 96"-120" FIXED ENDS (5/BOX) (96120FEXV)	
96in - 120in Closet Rod	Adjustable Fixed Ends Zinc Mounting Screws included. (5/Box)	
UPC: 062703961224	Unit: EA WT: 3.80 lbs	ONWARD
096120WV	096120WV CLOSET ROD ADJ WHT 96"-120" (5/BOX) (96120WV)	
96in - 120in Closet Rod	Adjustable White Mounting Screws included. (5/Box)	
UPC: 062703961231	Unit: EA WT: 3.80 lbs	ONWARD
096120XV	096120XV CLOSET ROD ADJ ZINC 96"-120" (5/BOX) (96120XV)	
96in - 120in Closet Rod	Adjustable Zinc Mounting Screws included. (5/Box)	
UPC: 062703961248	Unit: EA WT: 3.80 lbs	ONWARD

Product	Description	CLOSET RODS - VANGUARD
---------	-------------	------------------------

600-651	600-651 18"-30"WH EXTEND CLOSET ROD (10/BOX) (600-651)	
	Extendable Closet Rod 18in - 30in White. Heavy duty extendible Closet Rods. 1 1/8in metal tube with durable white powder coat finish. Save installation time. Unique interior design allows Closet Rods to be extended to the desired length and locked into position by a simple twist action. Excellent value when compared to entry level non-locking adjustable closet rods. (10/Box)	
	UPC: 067295006513 Unit: EA WT: 1.00 lbs	VANGUARD

600-652	600-652 30"-48"WH EXTEND CLOSET ROD (10/BOX) (600-652)	
Extendable Closet Rod	30in - 48in White. Heavy duty extendible Closet Rods. 1 1/8in metal tube wit...	
UPC: 067295006520	Unit: EA WT: 1.45 lbs	VANGUARD
600-653	600-653 48"-72" WH EXTEND CLOSET ROD (10/BOX) (600-653)	
Extendable Closet Rod	48in - 72in White. Heavy duty extendible Closet Rods. 1 1/8in metal tube wit...	
UPC: 067295006537	Unit: EA WT: 2.17 lbs	VANGUARD
700641CWH	700641CWH 96" PLASTIC COVERED WOOD CLOSET ROD WHT (18/BOX) (700-641C-WH)	
96in Plastic Covered Wood Closet Rod	White. Wood Closet Rod with seamless durable and scratch resi...	
UPC: 067295000269	Unit: BX WT: 40.00 lbs	VANGUARD

CONCRETE ACCESSORIES - BAR LOOP TIES

Product	Description	
DBLT4	DBLT4 4" 16.5 GA BAR LOOP TIE (2500PC/COIL,BAG)	
	4in 16.5 Gauge Bar Loop Tie 2500 Pieces Per Coil 2 Coils Per Box	
	UPC: 773967307795 Unit: EA WT: 15.43 lbs	BAR LOOP TIES
DBLT5	DBLT5 5" 16.5 GA BAR LOOP TIE (2500PC/COIL,1/BAG) (112BAGS/PLT)	
	5in 16.5 Gauge Bar Loop Tie 2500 Pieces Per Coil, 1 Coil Per Bag, 112 Bags/Plt	
	UPC: 773967307801 Unit: EA WT: 16.20 lbs	BAR LOOP TIES
DBLT6	DBLT6 6" 16.5 GA BAR LOOP TIE (2500PC/COIL,BAG)1/BAG (96 BAGS/PLT)	
	6in 16.5 Gauge Bar Loop Tie 2500 Pieces Per Coil, 1 Coil Per Box, 96 Bags/Plt	
	UPC: 773967307818 Unit: EA WT: 18.30 lbs	BAR LOOP TIES
DBLT8	DBLT8 8" 16.5 GA BAR LOOP TIE (2500PC/COIL, 1/BAG) (80 BAGS/PLT)	
	8in 16.5 Gauge Bar Loop Tie 2500 Pieces Per Coil, 1 Coils Per Bag, 80 Bags/Plt	
	UPC: 773967307825 Unit: EA WT: 30.86 lbs	BAR LOOP TIES
DBLTOOL	DBLTOOL BAR LOOP TIE TOOL (5 TOOLS PER BAG/50 TOOLS PER CTN)	
	Bar Loop Tie Tool 5 Per Bag 50 pieces Per Carton	
	UPC: 773967307917 Unit: EA WT: 0.32 lbs	BAR LOOP TIES

Product Description CONCRETE ACCESSORIES - TIE WIRE

TIEWIRE TIEWIRE TIE WIRE 16 GAUGE (1.5MM) 300'/COIL (16/CT-48CT/PLT)



Tie Wire 16 Gauge (1.5MM) 300'/coil Shrink Wrapped (16roll/box 48box/pallet)

UPC: 773967304657 Unit: EA WT: 2.75 lbs

TIE WIRE

Product Description CONCRETE FORMS - BIGFOOT SYSTEMS

BF20 BF20 6" & 8" PLASTIC BELL FOOTING FORM FOR CONSTRUCTION TUBES (SMALL, MEDIUM AND LARGE) BLACK (252/PLT) (BF20)



20" Diameter Base will accept 6" & 8", Bigfoot Footing Form used for Pier foundations. Easy single fills both pier and footong

UPC: 626794000011 Unit: EA WT: 3.60 lbs

BIGFOOT SYSTEMS

BF24 BF24 8" & 10" PLASTIC BELL FOOTING FORM FOR CONSTRUCTION TUBES (SMALL, MEDIUM AND LARGE) BLACK (252/PLT) (BF24)



24" Diameter base will accept 8" & 10", Bigfoot Footing Form used for Pier foundations. Easy single fills both pier and footong

UPC: 626794000028 Unit: EA WT: 2.40 lbs

BIGFOOT SYSTEMS

BF28 BF28 10" & 12" PLASTIC BELL FOOTING FORM FOR CONSTRUCTION TUBES (SMALL, MEDIUM AND LARGE) BLACK (126/PLT) (BF28)



28" Diameter base will accept 10" & 12", Bigfoot Footing Form used for Pier foundations. Easy single fills both pier and footing

UPC: 626794012281 Unit: EA WT: 4.50 lbs

BIGFOOT SYSTEMS

BF28 BF36 12" & 14" & 16" PLASTIC BELL FOOTING FORM FOR CONSTRUCTION TUBES (MEDIUM AND LARGE) BLACK (50/PLT) (BF36)



36" Diameter base will accept 12", 14", 16", Bigfoot Footing Form used for Pier foundations. Easy single fills both pier and footing

UPC: 626794018368 Unit: EA WT: 15.00 lbs

BIGFOOT SYSTEMS

BFT10 BFT10 TUBE ATTACHMENT TO MODEL BF24 & BF28 PLASTIC BELL FOOTING FORM FOR CONSTRUCTION TUBES BLACK (80/PLT) (BFT10)



BFT10 Tube attaches to the BF24 and BF28, Bigfoot Footing Form used for Pier foundations. Easy single fills both pier and footing

UPC: 626794000066 Unit: EA WT: 5.60 lbs

BIGFOOT SYSTEMS

Product

Description

REDI1010 10"X10' REDI-POUR CONCRETE FORM



10in x 10' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

WT: 14.00 lbs

CARAUSTAR

HANDI10X8

HANDI10X8 10" x 8' STRIPPABLE CONCRETE FORM



10in x 8' Handi-Man Strippable Concrete Form. Use Handi-Man forms for patio decks pool decks and fence posts. 100% Recycled Paperboard. Light weight easy to handle. Easily sawed to required lengths.

UPC: 620490112108 Unit: EA WT: 8.00 lbs

CARAUSTAR

HANDI12X8

HANDI12X8 12" x 8' STRIPPABLE CONCRETE FORM



12in x 8' Handi-Man Strippable Concrete Form. Use Handi-Man forms for patio decks pool decks and fence posts. 100% Recycled Paperboard. Light weight easy to handle. Easily sawed to required lengths.

UPC: 620490112122 Unit: EA WT: 10.00 lbs

CARAUSTAR

HANDI6X8

HANDI6X8 6" X 8' STRIPPABLE CONCRETE FORM



6in x 8' Handi-Man Strippable Concrete Form. Use Handi-Man forms for patio decks pool decks and fence posts. 100% Recycled Paperboard. Light weight easy to handle. Easily sawed to required lengths.

UPC: 620490112061 Unit: EA WT: 4.50 lbs

CARAUSTAR

HANDI8X8

HANDI8X8 8" X 8' STRIPPABLE CONCRETE FORM



8in x 8' Handi-Man Strippable Concrete Form. Use Handi-Man forms for patio decks pool decks and fence posts. 100% Recycled Paperboard. Light weight easy to handle. Easily sawed to required lengths.

UPC: 620490112085 Unit: EA WT: 6.00 lbs

CARAUSTAR

REDI110

REDI110 10" X 12' REDI-POUR CONCRETE FORM



10in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512106 Unit: EA WT: 18.00 lbs

CARAUSTAR

REDI14**REDI14 14" X 12' REDI-POUR CONCRETE FORM**

14in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512144 Unit: EA WT: 30.00 lbs

CARAUSTAR

REDI16**REDI16 16" X 12' REDI-POUR CONCRETE FORM**

16in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512168 Unit: EA WT: 34.00 lbs

CARAUSTAR

REDI18**REDI18 18" X 12' REDI-POUR CONCRETE FORM**

18in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512182 Unit: EA WT: 36.00 lbs

CARAUSTAR

REDI20**REDI20 20" X 12' REDI-POUR CONCRETE FORM**

20in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512205 Unit: EA WT: 51.00 lbs

CARAUSTAR

REDI24**REDI24 24" X 12' REDI-POUR CONCRETE FORM**

24in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512243 Unit: EA WT: 63.00 lbs

CARAUSTAR

REDI30**REDI30 30" X 12' REDI-POUR CONCRETE FORM**

30in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512304 Unit: EA WT: 105.00 lbs

CARAUSTAR

REDI36**REDI36 36" X 12' REDI-POUR CONCRETE FORM**

36in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512366 Unit: EA WT: 125.00 lbs

CARAUSTAR

REDI6**REDI6 06" X 12' REDI-POUR CONCRETE FORM**

6in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512069 Unit: EA WT: 9.00 lbs

CARAUSTAR

REDI8**REDI8 8" X 12' REDI-POUR CONCRETE FORM**

8in x 12' Redi-Pour Concrete Form. These are the fast modern way to pour perfect cylindrical columns of concrete. Forms are light weight and can be easily carried and sawed to desired length at construction site.

UPC: 620490512083 Unit: EA WT: 12.00 lbs

CARAUSTAR

Product**Description****DAYLIGHTING SYSTEMS - SOLATUBE****SOLA120610****SOLA120610 10" SOLATUBE KIT (120610)**

10in Solatube Kit. Single pack Kit with Pitched metal flashing. Vusion Diffuser. Softening Effect Lens and 2-16in tubes. Highly effective and simple to install, these models can transform dark interior applications and light more expansive spaces with multiple units creating a unique architectural effect. Great for Bathrooms, Hallways, Corridors, Utility Rooms, Dens, Home Offices, Kitchens, Dining Rooms, and Closets. Light coverage area 150-200 sqft.

UPC: 769276120262 Unit: EA WT: 16.00 lbs

SOLATUBE

SOLA121520**SOLA121520 14" SOLATUBE KIT (16/PLT) (121520)**

14in Solatube Kit. Single pack kit with Pitched metal flashing. Vusion Diffuser Softening Effect Lens. 2-16in tubes. Highly effective and simple to install these models can transform dark interior applications and light more expansive spaces with multiple units creating a unique architectural effect. Great for Bathrooms, Hallways, Corridors, Utility Rooms, Dens, Home Offices, Kitchens, Dining Rooms, and Closets. Light coverage area 250 to 300 sqft.

UPC: 769276124161 Unit: EA WT: 21.00 lbs

SOLATUBE

SOLA200430**SOLA200430 14"X6" FLAT ROOF FLSHG (10/PKG) (200430)**

14in x 6in Solatube No Pitch Roof Flashing. For fast and easy installation, Solatube flashings are available for nearly all roof types and pitches. The flashings provide complete protection and create an attractive appearance on the roof. They're fabricated as a single, seamless piece to ensure leak-proof performance. Pitched flashings provide the optimal position for the dome to capture daylight on sloped roofs.

UPC: 769276200438 Unit: EA WT: 3.20 lbs


SOLATUBE

SOLA210030**SOLA210030 10"X6" FLAT ROOF FLSHG (10/PKG) (210030)**

10in x 6in Solatube No Pitch Roof Flashing. For fast and easy installation, Solatube flashings are available for nearly all roof types and pitches. The flashings provide complete protection and create an attractive appearance on the roof. They're fabricated as a single, seamless piece to ensure leak-proof performance. Pitched flashings provide the optimal position for the dome to capture daylight on sloped roofs.

UPC: 769276210031 Unit: EA WT: 2.28 lbs

SOLATUBE

SOLA230500**SOLA230500 12" HIGH TURRET EXTENSION (BARE) FOR 160DS (230500)**

12in High Turret Extension (Bare). Use to raise the height of the Solatube dome on a roof to avoid snow, water, or shading from roof obstructions. Order additional Spectralight Infinity tubing to accommodate turret height.

Unit: EA


SOLATUBE

SOLA230510**SOLA230510 TURRET EXTEN. 24" HIGH FOR 160DS (10") (1/CTN)**

10in W x 24in H Solatube Flashing Turret Extension. Use to raise the height of the Solatube dome on a roof to avoid snow, water, or shading from roof obstructions.

WT: 1.00 lbs

SOLATUBE

SOLA230540**SOLA230540 12" TURRET EXTENSION HIGH (BARE) (230540)**

12in High Turret Extension (Bare). Use to raise the height of the Solatube dome on a roof to avoid snow, water, or shading from roof obstructions. Order additional Spectralight Infinity tubing to accommodate turret height.

UPC: 769276230541

SOLATUBE

SOLA230550**SOLA230550 TURRET EXTEN. 24" HIGH FOR 14" SOLATUBE (230550)**

14in W x 24in H Solatube Flashing Turret Extension. Use to raise the height of the Solatube dome on a roof to avoid snow, water, or shading from roof obstructions.

WT: 1.00 lbs

SOLATUBE

SOLA230770**SOLA230770 TURRET EXT.4" FOR 10" (230770)**

10in W x 4in H Solatube Flashing Turret Extension. Use to raise the height of the Solatube dome on a roof to avoid snow, water, or shading from roof obstructions.

Unit: EA WT: 1.11 lbs

SOLATUBE

SOLA230780**SOLA230780 TURRET EXT.4" FOR 14" (230780)**

14in W x 4in H Solatube Flashing Turret Extension. Use to raise the height of the Solatube dome on a roof to avoid snow, water, or shading from roof obstructions.

Unit: EA WT: 1.11 lbs

SOLATUBE

SOLA301960**SOLA301960 90 DEGREE ELBOW FOR 10" SOLATUBE (301960)**

10in Solatube 90 Degree Elbow. The 0-90 degree extension tube provides the ability to install around severe obstacles. With three built-in 30 degree angle adapters, this 0-90 degree extension tube gives you the flexibility to install just about anywhere. Using an innovative angle adaptor design, the 0-90 Degree Extension tube provides the superior performance that flexible tubes can't match. (Available in 23in length)

UPC: 769276301968 Unit: EA WT: 3.00 lbs

SOLATUBE

SOLA320040**SOLA320040 10" EXTEN TUBE 16" HIGH (320040)**

10in W x 16in H Spectralight Infinity Extension Tube. Includes tape and screws. (Single)

UPC: 769276320044 Unit: EA WT: 1.60 lbs

SOLATUBE

SOLA320060**SOLA320060 10" EXT TUBE 24" HIGH (320060)**

10in W x 24in H Spectralight Infinity Extension Tube. Includes tape and screws. (Single)

UPC: 769276320068 Unit: EA WT: 2.30 lbs

SOLATUBE

SOLA320470**SOLA320470 14" EXTEN TUBE 16" HIGH (320470)**

14in W x 16in H Spectralight Infinity Extension Tube. Includes tape and screws. (Single)

UPC: 769276320471 Unit: EA WT: 2.20 lbs

SOLATUBE

SOLA320480**SOLA320480 14" EXT TUBE 24" HIGH (320480)**

14in W x 24in H Spectralight Infinity Extension Tube (Single). Includes tape and screws.

UPC: 769276320488 Unit: EA WT: 3.25 lbs

SOLATUBE

SOLA420230

SOLA420230 THERMAL INSULATION PANEL FOR 160DS UNIT



Thermal Insulation Panel for 160DS unit.

Unit: EA

SOLATUBE

SOLA420455

SOLA420455 SOFTENING EFFECTS LENS FOR 160DS (OLD# 420450) (420455)



Softening Effects Lens for 160DS. Creates a subtle, softer natural lighting effect.

WT: 1.10 lbs

SOLATUBE

SOLA420465

SOLA420465 SOFTENING EFFECTS LENS FOR 290DS (OLD# 420460) (420465)



Softening Effects Lens for 290DS. Creates a subtle, softer natural lighting effect.

Unit: EA WT: 1.10 lbs

SOLATUBE

SOLA421305

SOLA421305 290 VUSION DIFFUSER (14") (421210) OLD# 421300 OLD# 421210



14in Solatube Vusion Diffuser. For outstanding light diffusion that artfully blends to the ceiling plane, select the Vusion diffuser. The fresh design harmonizes with most decors, yet provides the radiance of natural light.

Unit: EA

SOLATUBE

SOLA421370

SOLA421370 SEVERE CLIMATE GLAZING FOR 10" (421370)



10" Solatube Severe Climate Glazing.

WT: 2.00 lbs

SOLATUBE

SOLA421380

SOLA421380 SEVERE CLIMATE GLAZING FOR 14" (421380)



14" Solatube Severe Climate Glazing.

WT: 2.00 lbs

SOLATUBE

SOLA422120

SOLA422120 TIER DROP 160DS (422120)



SOLA422120 TIER DROP 160DS (422120)

WT: 1.10 lbs

SOLATUBE

SOLA422210

SOLA422210 OPTIVIEW FOR 290DS DECORATIVE FIXTURE



OPTIVIEW FOR 290DS DECORATIVE FIXTURE

Unit: EA WT: 1.00 lbs

SOLATUBE

SOLA422240

SOLA422240 QUADRAFROST FOR 290DS DECORATIVE FIXTURE



OPTIVIEW FOR 290DS DECORATIVE FIXTURE

Unit: EA WT: 1.00 lbs

SOLATUBE

SOLA422250

SOLA422250 VIVIDSHADE 290DS (422250)



SOLA422250 VIVIDSHADE 290DS (422250)

WT: 1.10 lbs

SOLATUBE

SOLA422270

SOLA422270 AURORAGLO (LOW PROFILE/WHITE TRIM) 290DS (422270)



SOLA422270 AURORAGLO (LOW PROFILE/WHITE TRIM) 290DS (422270)

WT: 1.10 lbs

SOLATUBE

SOLA500030

SOLA500030 10" LIGHT ADD-ON KIT 110V (5/PK) (500030)



Universal Light Add-On Kit with medium screw base. 110V 10in Solatube Light (5/Pkg)

UPC: 769276500033 Unit: EA WT: 1.60 lbs

SOLATUBE

SOLA500310**SOLA500310 FLASHING INSULATOR FOR 14" (10/PKG) (500310)**

14in Solatube Flashing Insulator. This insulating material helps to reduce flashing condensation in cold climates when the flashing is exposed to a humid interior space. The insulator is affixed to the flashing base and the top tube slips through the opening, which provides a seal between the interior and metal flashing.

UPC: 769276500316 Unit: EA WT: 1.60 lbs

SOLATUBE

SOLA501100**SOLA501100 14" LIGHT ADD-ON KIT COMPACT FLUORESCENT (501100)**

14in Solatube Light Add-On Kit. When equipped with light add on kit, the Solatube Daylighting System provides the convenience of a switched light for night time use.

UPC: 769276501108 Unit: EA WT: 1.60 lbs

SOLATUBE

SOLA510000**SOLA510000 14" LIGHT ADD-ON KIT 110V (5/PKG) (510000)**

Universal Add-On Kit 14in Solatube Light 110V with medium screw base.

UPC: 769276510001 Unit: EA WT: 1.60 lbs

SOLATUBE

SOLA540130**SOLA540130 VENTILATION ROOF VENT CAP 160DS (540130)**

SOLA540130 VENTILATION ROOF VENT CAP 160DS (540130)

WT: 1.10 lbs

SOLATUBE

SOLA540660**SOLA540660 10" VENT ADD ON KIT 4"DIA. ROOF VENT CAP NO INCL (540660)**

10in Solatube 4in Ventilation Add-On Kit 115V Roof vent cap not included.

UPC: 769276540008 Unit: EA WT: 9.00 lbs

SOLATUBE

SOLA570001**SOLA570001 10" DAYLIGHT DIMMER (570001)**

10in Solatube Daylight Dimmer. Because you don't need 100% of the light 100% of the time, the innovative Solatube Daylight Dimmer easily controls the amount of daylight entering a room with the convenience of a switch.

Unit: EA WT: 1.00 lbs

SOLATUBE

SOLA570002

SOLA570002 14" DAYLIGHT DIMMER (570002)



14in Solatube Daylight Dimmer. Because you don't need 100% of the light 100% of the time, the innovative Solatube Daylight Dimmer easily controls the amount of daylight entering a room with the convenience of a switch.

Unit: EA WT: 1.00 lbs

SOLATUBE

SOLA570004

SOLA570004 DIMMER SWITCH (570004)



Solatube Daylight Dimmer Switch. Daylight Dimmer Switch Kit includes DPDT switch, wall plate and 15 ft/4.5 m of cable. Multiple Daylight Dimmers can be controlled by one switch.

Unit: EA WT: 1.00 lbs

SOLATUBE

Product

Description

DECK PRODUCTS - TY-LAN ENT (SHADOE TRACK)

ST10X7/8-300ACQ

ST10X7/8-300ACQ SCREW #10X7/8" PANHEAD,300/PK ACQ COMPATIBLE (200310)



#10 x 7/8in Panhead Screw ACQ Compatible. Used to attach decking material to Shadoe Track. (300/pk)

UPC: 661252300784 Unit: PK WT: 2.10 lbs

TY-LAN ENT (SHADOE TRACK)

ST2G

ST2G NAIL 2" RINGED HOT GLAV 5LB (515PCS) (102STN5)



2in Ringed Nail Hot Galvanized. Used to attach Shadoe Track to joists. (5 lb/515 pcs)

UPC: 792994002992 Unit: BX

TY-LAN ENT (SHADOE TRACK)

ST8GACQ

ST8GACQ SHADOE TRACK 8' GALV. ACQ COMPATIBLE (20/CTN) (25CTN/PLT) (8FTSTG185)




8' Shadoe Track Galvanized ACQ Compatible. Tracks are fastened to joists with SHADOE TRACK nails. Screws secure each board from below, preventing water penetration through fastener holes. No water penetration, no rot. The reversible track allows for splices and butt joints, and any width decking may be used. (20/ct)


UPC: 661252185886 Unit: CT WT: 30.00 lbs

TY-LAN ENT (SHADOE TRACK)


Product	Description	DOOR STOPS - ONWARD
---------	-------------	---------------------

2185XV	2185XV DOME FLOOR STOP HIGH PROFILE ZINC (10/BOX)	
	Zinc High Profile Domed Floor Stop. All high-profile domed door stops come with 1 - 10 x 1-1/4in Flat head square socket wood screw, one lead anchor and one plastic anchor. 44.98mm (1.771in) Total Width. 35mm (1.378in) Total Height (without pin) Pin diameter: 0.415in long x 0.300in diameter. (10/Box)	
UPC: 062703218519 Unit: EA WT: 1.00 lbs		ONWARD


Product	Description	DRIVEWAY SEALERS - BAKOR
---------	-------------	--------------------------

910-01-20	910-01-20 18.93L ASPHALT PRIMER (BK91001370)	
	Asphalt Primer 18.93L	
Unit: EA WT: 44.00 lbs		BAKOR

Product	Description	DRIVEWAY SEALERS - G. H. INTERNATIONAL
---------	-------------	--

6430-9-50	6430-9-50 DRIVEWAY READY ROAD (POT HOLE) REPAIR 50LB BAG (56/PALLET) (6430-9-50)	
	6430-9-50 DRIVEWAY READY ROAD (POT HOLE) REPAIR 50LB BAG (56/PALLET)	
UPC: 027134643002 Unit: EA WT: 50.00 lbs		G. H. INTERNATIONAL


6430-9-83	6430-9-83 DRIVEWAY READY ROAD (POT HOLE) REPAIR 22LB BAG (100/PALLET) (6430-9-83)	
	6430-9-83 DRIVEWAY READY ROAD (POT HOLE) REPAIR 22LB BAG (100/PALLET)	
UPC: 027134643026 Unit: EA WT: 22.00 lbs		G. H. INTERNATIONAL

6437-9-14-F	6437-9-14-F BLACKJACK 946ML CRACK STOP POURABLE FILLER (50/PALLET) (6437-9-14-F)	
	6437-9-14-F BLACKJACK 946ML CRACK STOP POURABLE FILLER (50/PALLET)	
UPC: 027134012341 Unit: EA WT: 29.00 lbs		G. H. INTERNATIONAL

UPC: 027134012341 Unit: EA WT: 29.00 lbs		G. H. INTERNATIONAL
--	--	----------------------------

6438-9-34-F

6438-9-34-F BLACKJACK 3.4L 6438 ELASTIC POURABLE CRACK FILLER (32/PALLET) (6438-9-34-F)



6439-9-34-F BLACKJACK 3.4L 6438 ELASTIC POURABLE CRACK FILLER (32/PALLET)

UPC: 027134011412 Unit: EA WT: 58.00 lbs

G. H. INTERNATIONAL

Product

Description

FILLERS & SPACKLING - DAP

20050

20050 VINYL SPACKLE INT 946ML (6/CASE)



DAP Vinyl Spackling (RTU) White 946ml. All purpose heavy duty formula that is perfect for household repairs and professional jobs. Resists cracking sand easily and spreads smoothly. Interior exterior use. (6/Case)

UPC: 070798200500 Unit: EA WT: 4.07 lbs

DAP

23030

23030 SPACKLING FAST 'N' FINAL 236ML WHITE (6/CASE)



DAP FAST 'N FINAL Lightweight Spackling (RTU) White 236ml. One step lightweight spackling for repairing walls ceilings and woodwork in one fill. Lightweight formula delivers superior durability and performance. No sanding required. Dries quickly. Interior exterior use. (6/Case)

UPC: 070798230309 Unit: EA WT: 0.58 lbs

DAP

30070

30070 JOINT COMPOUND READY MIXED 5KG (2/CASE)--DO NOT FREEZE--



DAP Wallboard Joint Compound (RTU) White 5kg. For smooth high quality finishing of gypsum panel joints. Easy to use ready mixed formula is easily applied has minimal shrinkage and sands easily. Interior use. (2/Case)

UPC: 070798300705 Unit: EA WT: 11.00 lbs

DAP

30120

30120 JOINT COMPOUND READY MIXED 1.5KG (6/CASE)- DO NOT FREEZE -



DAP Wallboard Joint Compound (RTU) White 1.5kg. For smooth high quality finishing of gypsum panel joints. Easy to use ready mixed formula is easily applied has minimal shrinkage and sands easily. Interior use. (6/Case)

UPC: 070798301207 Unit: EA WT: 3.30 lbs

DAP

71160

71160 DRYDEX SPACKLING 237ML PINK (6/CASE)(71162) -- DO NOT FREEZE --



DAP Drydex Dry Time Indicator Spackling RTU Pink 237ml. Contains a patented Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior exterior use. (6/Case)

UPC: 070798711600 Unit: EA WT: 0.30 lbs

DAP

71164**71164 DRYDEX SPACKLING 946ML PINK (6/CASE) -- DO NOT FREEZE --**

DAP Drydex Dry Time Indicator Spackling RTU Pink 946ml. Contains a patented Dry Time Indicator causing the product to change color when optimum dry time is achieved. It goes on pink and dries white. This unique feature is the signal that it is ready to sand and paint. Interior exterior use. (6/Case)

UPC: 070798711648 Unit: EA WT: 1.00 lbs

DAP**71354****71354 FAST N FINAL LT WGT FILLER 946ML WHT (6/CASE)**

DAP Fast 'N Final Lightweight Spackling RTU White 946ml. One step lightweight spackling for repairing walls ceilings and woodwork in one fill. Lightweight formula delivers superior durability and performance. No sanding required. Dries quickly. Interior exterior use. (6/Case)

UPC: 070798713543 Unit: EA WT: 1.70 lbs

DAP**Product****Description****FILLERS & SPACKLING - G. H. INTERNATIONAL****7677-240****7677-240 24X240ML WALL PATCH SHUR STIK (24/CASE) (96CS/PLT) (4360123) -- DO NOT FREEZE -- (7677-100-73)**

Shur-Stik Lightweight Spackling Wall Patch Compound 240ml. A lightweight all-purpose wall-repair compound ideally suited for both interior and exterior applications. This product will not shrink crack sag or bowl-out regardless of the size of the area to be repaired. It may be used to patch cracks crevices and nail holes in drywall plaster or wood. It is also recommended for smoothing wall surfaces prior to hanging wall-covering and levelling wood surfaces prior to painting. (24/case)

UPC: 063269767701 Unit: EA WT: 0.25 lbs

G. H. INTERNATIONAL**7677-950****7678-950 12X950ML WALL PATCH SHUR PATCH (12/CASE) (50CS/PLT) - DO NOT FREEZE- (7678-100-77) ** Old No 76-77-950 ****

Shur-Stik Lightweight Spackling Wall Patch Compound 950ml. A lightweight all-purpose wall-repair compound ideally suited for both interior and exterior applications. This product will not shrink crack sag or bowl-out regardless of the size of the area to be repaired. It may be used to patch cracks crevices and nail holes in drywall plaster or wood. It is also recommended for smoothing wall surfaces prior to hanging wall-covering and levelling wood surfaces prior to painting. (12/case)

UPC: 063269767718 Unit: EA WT: 1.17 lbs

G. H. INTERNATIONAL**Product****Description****FILLERS & SPACKLING - HENKEL (LEPAGES)****493-0****493-0 WOOD FILLER 90ML WHITE (12/CT) (442193) -- DO NOT FREEZE --4.28**

Tinted Wood Filler 90ml White. LePage Tinted Wood Filler is a quality interior synthetic latex wood filler for cracks, holes and surface imperfections. It is a smooth, buttery paste that spreads and feathers easily. Available in 7 different colours. RECOMMENDED FOR: Use for filling cracks, scratches and nail holes in wood. It can be used to level wood grain and chipped or gouged surfaces before painting. It can also be used as a filler for drywall and plaster. (12/CT) **NON-FREEZABLE**

UPC: 061083004934 Unit: EA WT: 0.40 lbs

HENKEL (LEPAGES)**494-0****494-0 OAK WOOD FILLER 90ML RED (12/CT) (442194) -- DO NOT FREEZE --**


Tinted Wood Filler 90ml Red Oak. LePage Tinted Wood Filler is a quality interior synthetic latex w...


UPC: 061083004941 Unit: EA WT: 0.40 lbs

HENKEL (LEPAGES)


495-0	495-0 TINTED WOOD FILLER 90ML NATURAL (12/CT) (393934) -- DO NOT FREEZE --	
Tinted Woodfiller 90ml Natural. LePage Tinted Wood Filler is a quality interior synthetic latex wo...		HENKEL (LEPAGES)
UPC: 061083049508 Unit: EA WT: 0.40 lbs		
496-0	496-0 TINTED WOOD FILLER 90ML LIGHT OAK (12/CT) (393935) -- DO NOT FREEZE --	
Tinted Woodfiller 90ml Light Oak. LePage Tinted Wood Filler is a quality interior synthetic latex ...		HENKEL (LEPAGES)
UPC: 061083049607 Unit: EA WT: 0.40 lbs		

Product	Description	HANDRAIL BRACKETS - ONWARD
---------	-------------	----------------------------

228B-V	228B-V HANDRAIL BRACKET HD BRASS (20/BOX) (228B-V)	
	Heavy Duty Handrail Bracket Brass Mounting Screws included. (20/Box)	
UPC: 062703002286 Unit: EA WT: 0.25 lbs		ONWARD

228CV	228CV HANDRAIL BRACKET HD CHROME (20/BOX) (228C-V)	
	Heavy Duty Handrail Bracket Chrome Mounting Screws included. (20/Box)	
UPC: 062703012292 Unit: EA WT: 0.25 lbs		ONWARD

Product	Description	HINGES - ONWARD
---------	-------------	-----------------

921CX-B	921CX-B 4" ZINC HD STRAP HINGE (10/BOX) (921CX-B)	
	4in Zinc Heavy Duty Strap Hinge with Fixed Pin 20LB Load. (10/Box)	
UPC: 062703092102 Unit: EA WT: 0.40 lbs		ONWARD

922CX-B	922CX-B 6" ZINC HEAVY STRAP HINGE (10/BOX) (922CX-B)	
6in Zinc Heavy Strap Hinge with Fixed Pin 40LB load. (10/Box)		
UPC: 062703092201 Unit: EA WT: 0.70 lbs		ONWARD


924CX-B	924CX-B 10" ZINC HEAVY STRAP HINGE (10/BOX) (924CX-B)	
10in Zinc Heavy Strap Hinge with Fixed Pin 70LB load. (10/Box)		
UPC: 062703092409 Unit: EA WT: 1.50 lbs		ONWARD

925CX-B	925CX-B 4" ZINC HEAVY TEE HINGE (10/BOX) (925CX-B)	
4in Zinc Heavy Tee Hinge Fixed Pin 22LB load (10/Box)		
UPC: 062703092508 Unit: EA WT: 0.40 lbs		ONWARD

926CX-B	926CX-B 6" ZINC HEAVY TEE HINGE (10/BOX) (926CX-B)	
6in Zinc Heavy Tee Hinge Fixed Pin 47LB Load. (10/Box)		
UPC: 062703092607 Unit: EA WT: 0.70 lbs		ONWARD

Product Description HOOKS - ONWARD


235CV 235CV COAT HOOK 3-1/2" HD CHROME (20/BOX)



Heavy Duty 3-1/2in Coat Hook Chrome Screws Included. (20/Box)

UPC: 062703023519 Unit: EA WT: 0.15 lbs **ONWARD**


237BV 237BV COAT HOOK 5-1/2" HD BRASS (20/BOX)



Heavy Duty 5-1/2in Coat Hook Brass Screws Included. (20/Box)

UPC: 062703002378 Unit: EA WT: 0.25 lbs **ONWARD**

237CV 237CV COAT HOOK 5-1/2" HD CHROME (20/BOX)




Heavy Duty 5-1/2in Coat Hook Chrome Screws Included. (20/Box)

UPC: 062703023717 Unit: EA WT: 0.10 lbs **ONWARD**

Product Description HOUSEWRAP - TYPAR


TYPAR315 TYPAR315 10'X150' TYPAR III HOUSEWRAP (36/PLT) (3234A-330)



10' x 150' Typar III Housewrap. For Residential applications. TYPAR HouseWrap delivers four key advantages you wont find with other housewraps: Superior water holdout, blocks water from entering the wall cavity. Exceptional moisture vapor transmission (MVT), it breathes so moisture can escape the wall cavity. Superior tear strength, proven to withstand heavy winds and is almost five times stronger than the leading competitive wrap. Optimal surfactant and UV resistance, reduces the damaging effects that oils and tannins from cedar siding, cement siding, stucco, brick and soaps from powerwashing can have on the systems ability to block bulk moisture penetration; stands up to the beating sun on the jobsite for up to 6 months without degradation. (36 roll/pallet)

UPC: 039526370618 WT: 37.50 lbs **TYPAR**


TYPAR33 TYPAR33 3'X100' TYPAR III HOUSEWRAP (12/BLD)(144/PLT) (3234A-004) (3234A-004)



3' x 100' Typar III Housewrap. For Residential applications. TYPAR HouseWrap delivers four key advantages you wont find with other housewraps: Superior water holdout, blocks water from entering the wall cavity. Exceptional moisture vapor transmission (MVT), it breathes so moisture can escape the wall cavity. Superior tear strength, proven to withstand heavy winds and is almost five times stronger than the leading competitive wrap. Optimal surfactant and UV resistance, reduces the damaging effects that oils and tannins from cedar siding, cement siding, stucco, brick and soaps from powerwashing can have on the systems ability to block bulk moisture penetration; stands up to the beating sun on the jobsite for up to 6 months without degradation. (12 roll/bundle) (144/pallet)


UPC: 039526384042 Unit: RL WT: 6.66 lbs **TYPAR**

TYPAR39 TYPAR39 9'X100' TYPAR III HOUSEWRAP (40/PLT) (3234A-909)



9' x 100' Typar III Housewrap. For Residential applications. TYPAR HouseWrap delivers four key advantages you wont find with other housewraps: Superior water holdout, blocks water from entering the wall cavity. Exceptional moisture vapor transmission (MVT), it breathes so moisture can escape the wall cavity. Superior tear strength, proven to withstand heavy winds and is almost five times stronger than the leading competitive wrap. Optimal surfactant and UV resistance, reduces the damaging effects that oils and tannins from cedar siding, cement siding, stucco, brick and soaps from powerwashing can have on the systems ability to block bulk moisture penetration; stands up to the beating sun on the jobsite for up to 6 months without degradation. (40 roll/pallet)

UPC: 039526384066 Unit: RL WT: 21.66 lbs **TYPAR**

TYPAR396**TYPAR396 9'6"X95' TYPAR III HOUSEWRAP (40/PLT) (3234A-N90)**

9'6in x 95' Typar III Housewrap. For Residential applications. TYPAR HouseWrap delivers four key advantages you wont find with other housewraps: Superior water holdout, blocks water from entering the wall cavity. Exceptional moisture vapor transmission (MVT), it breathes so moisture can escape the wall cavity. Superior tear strength, proven to withstand heavy winds and is almost five times stronger than the leading competitive wrap. Optimal surfactant and UV resistance, reduces the damaging effects that oils and tannins from cedar siding, cement siding, stucco, brick and soaps from powerwashing can have on the systems ability to block bulk moisture penetration; stands up to the beating sun on the jobsite for up to 6 months without degradation. (40 roll/pallet)

UPC: 039526261008 Unit: RL WT: 22.00 lbs

TYPAR**TYPARCA****TYPARCA 60mm x 55m TYPAR CONSTRUCTION TAPE (20/case) (TAPE-CA1)**

TYPARCA 60mm x 55m TYPAR CONSTRUCTION TAPE (20/case) (TAPE-CA1)

UPC: 039526910692 Unit: RL WT: 1.50 lbs

TYPAR**TYPARMW10****TYPARMW10 10'X100' TYPAR METROWRAP (20/PLT) (COMW1-003)**

10' x 100' Typar MetroWrap. For commercial applications, it just makes sense to choose a commercial-grade wrap tough enough for your job. TYPAR MetroWrap stands up to the rigors of commercial construction with superior performance and toughness. TYPAR MetroWrap offers all the great benefits realized with TYPAR HouseWrap, plus provides special advantages ideal for multi-family dwellings, light commercial applications and large commercial structures, including: Enhanced UV resistance, up to 12 months of protection from UV degradation from the sun. This makes TYPAR MetroWrap an excellent choice for evolving construction schedules and an interim environmental barrier for interior construction. Best water holdout, protects interior environments during and after construction from air infiltration and damaging water. Best surfactant resistance, handles side exposure to harsh chemicals and cleaning techniques found on commercial jobsites. Exceptional mold resistance, will not support the growth of mold (ASTM D 3273) or degradation of interior air quality. Excellent air barrier, reduces energy costs over time; protects interior during construction. (20 rolls/pallet)

UPC: 039526900037 Unit: RL WT: 26.00 lbs

TYPAR**TYPARSR****TYPARSR SURROUND SR 45" x 267' ROOFING UNDERLAYMENT (36roll/plt) (3224N-003)**

45in x 267' Typar Surround SR Roof Underlayment. Made from a waterproof, synthetic polymer material, Surround SR Underlayment will protect the roof, decking and attic from moisture intrusion, while eliminating the mess that can occur from wet asphalt felt. 10 times stonger and lighter than 30# felt. Waterproof, slip resistant sureface doesn't absorb moisture or buckle. (36 roll/pallet)

UPC: 039526452673 WT: 26.80 lbs

TYPAR**TYPARSR9100****TYPARSR9100 SURROUND HOUSEWRAP 9' X 100' (40RL/PLT)(RE-2047) (SURR3-046)**

9' x 100' Typar Surround Housewrap (40 roll/pallet)

UPC: 039526400469 WT: 20.00 lbs

TYPAR**Product****Description****INSULATION - CONVENIENCE****TNF10**

TNF10 TOUCH 'N FOAM PRO 4.54kg CYL INCL.WAND AND HOSE YIELD 5.2CU.FT. (90 Cases/SKID)--DANGEROUS GOODS-- (4001110001)



Touch 'n Foam Quick Cure Professional High Yield Foam 4.54kg Cylinder Incl. Wand and Hose Yields 5.2 cu.ft. 70% closed cell content. Density 1.3 - 1.8lbs/cu.ft. Class 1 foam. Fast expansion and quick cure. Easily portable and fully disposable. Improves energy efficiency. No CFCs and no urea formaldehyde.

UPC: 075650000366 Unit: EA WT: 15.50 lbs

CONVENIENCE

TNF12**TNF12 TOUCH'N FOAM MAXFILL 340G (12/case)(108CS/SKID)- CONSUMER COMMODITY - (400112012)**

Touch 'n Foam Triple Expanding Sealant 340g. Our maximum expanding formula, in the familiar green can, is the original Touch 'n Foam sealant formulated to fill gaps and voids all around the home. This super-expanding foam creates an airtight, weather-resistant bond that seals out drafts while blocking insects and other pests. MaxFill Foam Sealant is ideal for filling larger gaps and cracks. It can be used indoors or outdoors, Made with RENEWABLE energy resources. Fills larger holes and gaps. Forms and airtight seal. Interior/exterior use. Paintable/sandable. Saves energy. (12/case)

UPC: 075650001271 Unit: EA WT: 1.17 lbs

CONVENIENCE**TNF20****TNF20 TOUCH'N FOAM MAXFILL 566G (12/case)(72Cases/SKID)- CONSUMER COMMODITY - (4001130107)**

Touch 'n Foam MAXFILL Maximum Expanding Sealant 566g. Our maximum expanding formula, in the familiar green can, is the original Touch 'n Foam sealant formulated to fill gaps and voids all around the home. This super-expanding foam creates an airtight, weather-resistant bond that seals out drafts while blocking insects and other pests. MaxFill Foam Sealant is ideal for filling larger gaps and cracks. It can be used indoors or outdoors, Made with RENEWABLE energy resources. Fills larger holes and gaps. Forms and airtight seal. Interior/exterior use. Paintable/sandable. Saves energy. (12/case)

UPC: 075650001288 Unit: EA WT: 1.83 lbs

CONVENIENCE**TNF-EXTERIOR****TNF-EXTERIOR TOUCH'N FOAM LANDSCAPE 454G. (12/case)(90/SKID) - CONSUMER COMMODITY - (4001140460)**

Touch 'n Foam Landscape Exterior Filler Adhesive Black 454g. Touch 'n Foam Landscape Filler-Adhesive is a black colored foam formulated to retain its dispensed color and blend naturally into the surrounding landscape, even when exposed to direct sunlight. It bonds quickly to porous or non-porous rock, stone, cement, wood and cloth and is ideal for replacing loose mortar in rock walls. Touch 'n Foam Landscape can also be used to direct water flow in pond or waterfall applications and it's safe for use around fish or plants. Black foam blends into shadows. Won't discolor like conventional foam, no painting needed, Expands to fill gaps and voids. Easier and less expensive than mortar Superior adhesion, Bonds with rock, stone, wood and most pond materials, Fills holes in trees to seal out pests, Replaces loose or damaged mortar in rock walls, Use as a craft foam for artificial plants. (12/case)

UPC: 075650404607 Unit: EA WT: 1.17 lbs

CONVENIENCE**TNF-FIREBREAK****TNF-FIREBREAK FLAME RES. SEALANT 454g.(12/case) (90 Cases/Skid) - CONSUMER COMMODITY - (4001140016)**

Touch 'n Foam Firebreak Flame Resistant Sealant 454g. Other fireblock foams are available, but they merely meet minimum testing standards. Touch n Foam Firebreak is a flame-resistant all-purpose, Class 1 fire-retardant foam sealant that exceeds testing standards. Firebreak is self-extinguishing and works by eliminating oxygen flow in service penetrations, where fire spreads most quickly. Using Firebreak in these penetrations blocks air infiltration, which means fire will take longer to burn through to adjoining rooms, giving you valuable time to get to safety. Meets UL 1715, UL94 V-O, ASTM 814 E-84. Approved Fireblock Penetration Sealant. Fills & Seals Service Penetrations. UL Tested/Class 1 Foam (12/case)

UPC: 075650400166 Unit: PL WT: 1.00 lbs

CONVENIENCE**TNFFOAMCLEAN****TNFFOAMCLEAN TOUCH 'N FOAM PRO NON VOC FOAM CLEANER (12/case) (108 Cases/SKID) - CONSUMER COMMODITY - (4004528700)**

Touch 'n Foam Professional Non VOC Foam Gun Cleaner 340g. A new and improved foam cleaner with zero VOC's. A greener, eco-friendly solution for all your foam cleaning needs. (12/case)

UPC: 075650287002 Unit: EA WT: 1.03 lbs

CONVENIENCE**TNF-MIN****TNF-MIN TOUCH 'N FOAM HOMESEAL MIN EXPANDING SEALANT 340g/12oz (12PK/CASE) (108/SKID)- CONSUMER COMMODITY - (4001142412)**

Touch 'n Foam HomeSeal Expanding Sealant 340g. Touch 'n Foam HomeSeal Minimum Expanding Sealant is an all-purpose foam that can be used for both indoor and outdoor applications. This foam will not expand as much as the MaxFill expanding formula, so it's better suited for smaller cracks and voids. Use Touch 'n Foam HomeSeal to fill small gaps in walls, around exhaust vents, plumbing fixtures, baseboards, sill plates, siding edges, skylights, electrical outlet boxes-wherever you need to control air leakage to prevent energy loss. Ideal for smaller gaps and cracks. Blocks drafts, pests and insects. Cures fast, even in lower temperatures. Water resistant/fire retardant. Interior/exterior use. Paintable/sandable. All purpose formula Outdoor applications must be painted to avoid foam discoloration. Use around (not inside) junction boxes. (12/case)

UPC: 075650001295 Unit: EA WT: 1.17 lbs

CONVENIENCE

TNF-MIN20**TNF-MIN20 TOUCH 'N FOAM HOMESEAL MIN EXPANDING SEALANT 566g/20oz (12/CASE) (72 CASES/SKID) - CONSUMER COMMODITY - (4001140412)**

Touch 'n Foam HomeSeal Minimal Expanding Sealant 566g. Touch 'n Foam HomeSeal Minimum Expanding Sealant is an all-purpose foam that can be used for both indoor and outdoor applications. This foam will not expand as much as the MaxFill expanding formula, so it's better suited for smaller cracks and voids. Use Touch 'n Foam HomeSeal to fill small gaps in walls, around exhaust vents, plumbing fixtures, baseboards, sill plates, siding edges, skylights, electrical outlet boxes - wherever you need to control air leakage to prevent energy loss. Ideal for smaller gaps and cracks. Blocks drafts, pests and insects. Cures fast, even in lower temperatures. Water resistant/fire retardant. Interior/exterior use. Paintable/sandable. All purpose formula Outdoor applications must be painted to avoid foam discoloration. Use around (not inside) junction boxes. (12/case)

UPC: 075650001370 Unit: EA WT: 1.83 lbs

CONVENIENCE**TNFPRECGUN****TNFPRECGUN TOUCH 'N FOAM PRO PRECISION GUN FOAM APPLICATION GUN (4004528775) (6/CASE)**

Touch 'n Foam Precision gun foam application gun.

Unit: EA WT: 2.00 lbs

CONVENIENCE**TNFPRO200****TNFPRO200 TOUCH 'N FOAM PRO SYSTEM 200 2-COMPONENT YIELDS 200 BD FEET (16.6 CU. FT.)CLOSED CELL --- DANGEROUS GOODS --- (Mfg No. 4006020200) (36/Lift)**

Touch 'n Foam Pro System 200 2-Component Yields 200 Board Feet. The high closed cell content of the cured foam makes this system suitable as a general sealant to prevent air leakage. Density 1.75 lb. Portable, disposable and self contained with color coded, pre attached hoses with multiple nozzles for fast, easy set up. These kits are designed for larger insulating, sealing, patching and filling applications. Touch n Foam Professional Foam systems provide a quick consistent flow of foam that dries in under a minute, expands 30 times. No CFCs or urea formaldehyde. (16.6 cu.ft.)

UPC: 075650202005 Unit: EA WT: 38.00 lbs

CONVENIENCE**TNFPRO24****TNFPRO24 TOUCH 'N FOAM PROF.ALL PURPOSE GUN FOAM SEALANT 680G. (12/case)(72/SKID) - CONSUMER COMMODITY - (4004528730)**

Touch 'n Foam Professional All-Purpose Gun Foam Sealant 680g. For the professional contractor or serious do it yourselfer, Touch n Foam offers gun-applied professional insulating foams. With the same high quality as our original foams, gun foams and applicators allow precision controlled bead size, and easy, comfortable dispensing for large projects. Approved Type V residential fireblock sealant. Meets ASTM E-814, E-84, and UL-1715. Class 1 foam. UL-listed. Outperforms fiberglass. Excellent dispensing and control. Gun foam applicators are available in two versions, an economic disposable gun, and a premium reusable gun with metal barrel. (12/case)

UPC: 075650287309 Unit: EA WT: 2.20 lbs

CONVENIENCE**TNFPRO600****TNFPRO600 TOUCH 'N FOAM PRO SYSTEM 600 2-COMPONENT YIELDS 600 BOARD FEET (50 CU. FT.)CLOSED CELL (16/SKID) (Part A & B) --- DANGEROUS GOODS --- (4006060600)**

Touch 'n Foam Professional System 600 2-Component Yields 600 Board Feet(50 cu.ft.) The high closed cell content of the cured foam makes this system suitable as a general sealant. Density 1.75lb. Portable, disposable and self contained with color coded, pre attached hoses with multiple nozzles for fast, easy set up. These kits are designed for larger insulating, sealing, patching and filling applications. Touch n Foam Professional Foam systems provide a quick consistent flow of foam that dries in under a minute, expands 30 times. No CFCs or urea formaldehyde.

UPC: 07565060603 Unit: EA WT: 102.00 lbs

CONVENIENCE**TNFPROCONICAL****TNFPROCONICAL TOUCH N FOAM PRO CONICAL NOZZLE 5 PACK (4004522005)**

Touch n Foam Pro Conical Nozzle 5 pack

UPC: 075650220054 Unit: EA WT: 0.11 lbs

CONVENIENCE

TNFPROFAN

TNFPROFAN TOUCH 'N FOAM PRO FAN NOZZLE 5 PACK (6PACKS/CASE) (4004522025)



Touch n Foam Pro Fan Nozzle 5 pack

UPC: 075650220252 Unit: EA WT: 0.11 lbs

CONVENIENCE**TNFPROLOW**

TNFPROLOW TOUCH 'N FOAM PRO LOW TEMPERATURE GUN FOAM 680G. (12/case)(72/SKID) (4006002440)



TNFPROLOW TOUCH 'N FOAM PRO LOW TEMPERATURE GUN FOAM 680G.(12/case)(72/SKID) (4006002440) . (12/case)

UPC: 07565024409 Unit: EA WT: 1.87 lbs

CONVENIENCE**TNFPROWD20**

TNFPROWD20 TOUCH 'N FOAM PROF WINDOW & DOOR GUN FOAM SEALANT 566G. (12/case) - CONSUMER COMMODITY - (72 CASES/SKID) (4004529700)



Touch 'n Foam Professional Window & Door Gun Sealant 566g. For the professional contractor or serious do it yourselfer, Touch n Foam offers gun-applied professional insulating foams. With the same high quality as our original foams, gun foams and applicators allow precision controlled bead size, and easy comfortable dispensing for large projects. Exerts virtually no force on frames or jambs. Provides greater dispensing and control. Out performs fiberglass. Class 1 foam. Bright White. Meets ASTM E-84. Gun foam applicators are available in two versions, and economic disposable gun, and a premium reusable gun with metal barrel. (12/case)

UPC: 075650020104 Unit: EA WT: 1.18 lbs

CONVENIENCE**TNFWD12**

TNFWD12 TOUCH 'N FOAM NOWARP WINDOW & DOOR SEALANT 340G. (12/case)(108/SKID) - CONSUMER COMMODITY - (4001044010)



Touch 'n Foam NOWARP Window & Door Sealant 340g. Touch 'n Foam NoWarp Window & Door Sealant is specially formulated for use around window and door frames. While it can be used as an all-purpose foam, This revolutionary expanding polyurethane foam is designed to seal and insulate without exerting pressure that can be detrimental to window or door frame stability. This low pressure foam is actually self-venting which means that once it fills the void, the trapped CO2 leaves the product unlike conventional polyurethane foam that may continue to expand and apply pressure. This is ideal for sensitive areas (like window and door frames where the gap can be sealed without bowing the frame even if the area is overfilled with foam).Low pressure formula guaranteed not to warp frames or jambs. Fills and insulates better than fiberglass. Stops drafts to minimize energy loss Creates a moisture barrier. Fire retardant. Meets ASTM E-84. Bright white. (12/case)

UPC: 075650440100 Unit: EA WT: 1.17 lbs

CONVENIENCE**TNFWD16**

TNFWD16 TOUCH 'N FOAM NOWARP WINDOW & DOOR 454G. (12/case)(90 Cases/Skid) - CONSUMER COMMODITY - (4001164416)



Touch 'n Foam NoWarp Window & Door Sealant 454g. Touch 'n Foam NoWarp Window & Door Sealant is specially formulated for use around window and door frames. While it can be used as an all-purpose foam, This revolutionary expanding polyurethane foam is designed to seal and insulate without exerting pressure that can be detrimental to window or door frame stability. This low pressure foam is actually self-venting which means that once it fills the void, the trapped CO2 leaves the product unlike conventional polyurethane foam that may continue to expand and apply pressure. This is ideal for sensitive areas (like window and door frames where the gap can be sealed without bowing the frame even if the area is overfilled with foam).Low pressure formula guaranteed not to warp frames or jambs. Fills and insulates better than fiberglass. Stops drafts to minimize energy loss Creates a moisture barrier. Fire retardant. Meets ASTM E-84. Bright white. (12/case)


UPC: 075650644164 WT: 1.25 lbs


CONVENIENCE**Product****Description****INSULATION - MANUFACTURED PRODUCTS (FG)****FM****FMU FIBRAMULCH HYDROSEEDING MULCH - 30LB (48/SKID)**


Fibr mulch Hydroseeding Mulch 30lb Bag. Fibr mulch™ is a fibrous mulch made from selected stocks of paper. It readily combines with water to form a slurry which may be spray applied over the ground with hydro-seeding equipment.

Unit: EA WT: 30.00 lbs


MANUFACTURED PRODUCTS (FG)


WS11-NBULK	WS11-NBULK WEATHERSHIELD LOOSE-FILL CFI - 11.5 KG	
	WS11-NBULK Weathershield Loose-Fill CFI - 11.5 KG	
	Unit: EA WT: 25.35 lbs	MANUFACTURED PRODUCTS (FG)


WS11-SKID	WS11-SKID WEATHERSHIELD LOOSE-FILL CFI - 11.5 KG (48 bg/skid)	
	Weathershield Loose Fill Celulose Fibre Insulation 11.5kg (48 bags/skid). Weathershield? is a fibrous loose-fill thermal/acoustical type of insulation made from selected recycled paper stock blended with appropriate additives to provide resistance to fire, fungi, corrosion and pests.	
	UPC: 773967101003 Unit: EA WT: 25.35 lbs	MANUFACTURED PRODUCTS (FG)


Product	Description	INSULATION STOPS - ADO PLASTICS
DV2272	DV2272 22" X 72" X 2" FOAM AIRCHUTE (50PCS/BUNDLE, 1000/PLT) (DV2272)	
	22in x 72in x 2in Sturdyvent Foam Airchute. This product provides and unobstructed air channel through the insulation. Wide flanges for easy stapling. Use in 24in or 16in rafter or truss applications. Extruded Polystyrene Foam. (50ea/Bundle)	
	UPC: 723897102274 Unit: EA WT: 0.24 lbs	ADO PLASTICS


STURDYVENT	STURDYVENT 22" X 48" X 2" FOAM AIRCHUTE (50PCS/BAG, 20BG/PLT) (DV2200)	
	22in x 48in x 2in Sturdyvent Foam Airchute. This product provides and unobstructed air channel through the insulation. Wide flanges for easy stapling. Use in 24in or 16in rafter or truss applications. Extruded Polystyrene Foam. (50ea/Bundle)	
	UPC: 773967306859 Unit: EA WT: 0.10 lbs	ADO PLASTICS


Product	Description	INSULATION STOPS - NORAMPAC
IS16X24	IS16X24 16" X 24" L COATED 1 SIDE HYDROGUARD (50/BDL, 1000/PLT)	
	16in x 24in Insulation Stop Coated 1 Side Hydroguard 29795 (50/Bdl) (1000/Plt)	
	UPC: 773967201000 Unit: EA WT: 0.30 lbs	NORAMPAC


IS24X24	IS24X24 24" X 24" L COATED 1 SIDE HYDROGUARD (50/BDL, 1000/PLT)	
	24in x 24in Insulation Stop Coated 1 Side Hydroguard 29725 (50/Bdl) (1000/Plt)	
	UPC: 773967201055 Unit: EA WT: 0.43 lbs	NORAMPAC


IS24X42	IS24X42 24"OC X 42"L COATED 1 SIDE HYDROGUARD (50/BDL, 500/PLT)
	24in x 42in Insulation Stop Coated 1 Side Hydroguard 29797 (25/Bdl)(500/Plt)
UPC: 773967201253 Unit: EA WT: 0.76 lbs	
NORAMPAC	

ISN24X24	ISN24X24 24" X 24" WEATHERSHIELD WATER PROOF INSULATION STOP (50/BDL,1000/PLT) (20000) (106 35269)
	24in x 24in Water Proof Insulation Stop Die Cut Sheet no Joint (50/Bdl) (1000/Plt)
Unit: EA WT: 0.49 lbs	
NORAMPAC	

ISN24X28	ISN24X28 24" X 28" WEATHERSHIELD WATER PROOF INSULATION STOP (50/BDL,1000/PLT) (5000) (106 35266)
	24in x 28in Water Proof Insualtion Stop die cut sheet no joint (50/Bdl) (1000/Plt)
UPC: 773969310687 Unit: EA WT: 0.54 lbs	
NORAMPAC	


ISN24X42	ISN24X42 24" X 42" WEATHERSHIELD WATER PROOF INSULATION STOP (50/BDL,500/PLT) (106 35268)
	24in x 42in Water Proof Insulation Stop die cut sheet no joint (25/Bdl)(500/Plt)
UPC: 773967310696 Unit: EA WT: 0.86 lbs	
NORAMPAC	

Product	Description	LIGHTING PANELS - PLASKOLITE
1199233A	1199233A 2'X4' EGG CRATE WHITE STYRENE LIGHT PANEL (15/CASE) (1199233A)	
	2' x 4' Light Panel Styrene Egg Crate White (15/Case)	
UPC: 074507710489 Unit: EA WT: 1.68 lbs		PLASKOLITE

1199234A	1199234A 2'X4' EGG CRATE SILVER STYRENE LIGHT PANEL (15/CASE) OLD# ECS-24-3CH (1199234A)	
	2' x 4' Light Panel Styrene Egg Crate Silver (15/Case)	
UPC: 074507710069 Unit: EA WT: 1.68 lbs		PLASKOLITE

1420083A

1420083A 2'X4' CRACKED ICE CLEAR ACRYLIC LIGHT PANEL (20/CASE) (1420083A)




2' x 4' Light Panel Acrylic Cracked Ice Clear (20/Case)

UPC: 074507992663 Unit: EA WT: 1.68 lbs

PLASKOLITE

1420084A

1420084A 2'X4' CRACKED ICE WHT ACRYLIC LIGHT PANEL (20/CASE) (1420084A)




2' x 4' Light Panel Acrylic Cracked Ice White (20/Case)

UPC: 074507992670 Unit: EA WT: 1.68 lbs

PLASKOLITE

1425005A

1425005A 2'X4' CRACKED ICE CLEAR STYRENE LIGHT PANEL (25/CASE) (1425005A)




2' x 4' Light Panel Styrene Cracked Ice Clear (25/Case)

UPC: 074507992595 Unit: EA WT: 1.68 lbs

PLASKOLITE

1425009A

1425009A 2'X4' CRACKED ICE WHITE STYRENE LIGHT PANEL (25/CASE) OLD# CIW-25 (1425009A)



2' x 4' Light Panel Styrene Cracked Ice White (25/Case)

UPC: 074507421002 Unit: EA WT: 1.68 lbs

PLASKOLITE

1A00016A

1A00016A 2'X4' FLAT MIST WHITE STYRENE LIGHT PANEL (25/CASE) (1A00016A)




2' X 4' Light Panel Styrene Flat Mist White. (25/Case)

UPC: 745074441000 Unit: EA WT: 1.68 lbs

PLASKOLITE

1A00702A

1A00702A 2'X4' PRISMA SQUARE LIGHT CLEAR ACRYLIC (20/CASE)(1A00702A)




2' x 4' Light Panel Acrylic Prisma Square Clear (20/Case)

UPC: 074507992687 Unit: EA WT: 2.00 lbs

PLASKOLITE

1A20083A

1A20083A 2'X4' PRISMATIC CLEAR LIGHT PANEL ACRYLIC (20/CASE) (1A20083A)




2' x 4' Light Panel Acrylic Prismatic Clear (20/Case)

UPC: 074507992649 Unit: EA WT: 2.00 lbs

PLASKOLITE**1A20084A**

1A20084A PATT. 12 PRISMATIC WHT 2'X4' ACRYLIC LIGHT PANELS (20/CASE) (1A20084A)




2' x 4' Light Panel Acrylic Pattern 12 Prismatic White (20/Case)

UPC: 074507992137 Unit: EA WT: 1.76 lbs

PLASKOLITE**1A25001A**

1A25001A 2'X4' LIGHT PANEL PRISMATIC CLEAR STYRENE (25/CASE) (1A25001A)




2' x 4' Light Panel Styrene Prismatic Clear (25/Case)

UPC: 074507992571 Unit: EA WT: 2.00 lbs

PLASKOLITE**1A25003A**

1A25003A 2'X4' LIGHT PANEL PRISMATIC WHITE STYRENE (25/CASE)(1A25003A) OLD# PTW-20



2' x 4' Light Panel Styrene Prismatic White (25/Case)

UPC: 074507992588 Unit: EA WT: 2.00 lbs

PLASKOLITE**Product****Description****MEDICINE CABINETS - RSI HOME PRODUCTS****CBB24-JAV**

CBB24-JAV 25WX 5 1/2"D X 24 3/4"H JAVA FINISH MIRROR (18/SKID) (CBB24-JAV) (OLD CBT36-BM)



CBB24-JAV 25WX 5 1/2"D X 24 3/4"H JAVA FINISH MIRROR (18/SKID)

UPC: 094803124421 Unit: EA WT: 20.80 lbs

RSI HOME PRODUCTS**CBTTDM-WH**

CBTTDM-WH 23" WHITE BATH STORAGE CABINET 23"W X 6 1/2"D X 28"H RAISED PANEL AND ADJUSTABLE SHELF OVERJOHN (20/SKID) (CBTTDM-WH))



Medicine Cabinet 24 x 24 White Finish 3 Door with 2 Adjustable Shelves. 24-1/2in x 24in x 4-1/2in. (20/SKID)

UPC: 094803100746 WT: 24.30 lbs

RSI HOME PRODUCTS

CBTTS-OA

CBTTS-OA 23" OAK BATH STORAGE CABINET 23"W X 6 1/2"D X 28"H RAISED PANEL AND ADJUSTABLE SHELF OVER THE JOHN (20/SKID) (CBTTS-OA)



CBTTS-OA 23" OAK BATH STORAGE CABINET 23"W X 6 1/2"D X 28"H RAISED PANEL AND ADJUSTABLE SHELF OVER THE JOHN (20/SKID)

UPC: 094803100753 Unit: EA WT: 22.00 lbs

RSI HOME PRODUCTS**MC1620OAK**

MC1620OAK MED CAB 1DR 1SH OAK SURFACE MOUNT (OLD S1620-11-R-B) (CBS1620-11-R-B) (120/SKID)



Medicine Cabinet 16 x 20 Oak Finish Surface Mount with 1 door and 1 shelf. 15-1/4in x 19-1/4in x 4-3/4in.

UPC: 047585033214 Unit: EA WT: 12.00 lbs

RSI HOME PRODUCTS**MC1620WHT**

MC1620WHT MED CAB 1DR 1SH WHITE SURFACE MOUNT (CBS1620-12-R-B) (OLD S1620-12-R-B) (120/SKID)



Medicine Cabinet 16 x 20 White Finish Surface Mount with 1 Door 1 Shelf. 15-1/4in x 19-1/4in x 4-3/4in.

UPC: 047585033221 Unit: EA WT: 12.00 lbs

RSI HOME PRODUCTS**MC1626BM**

MC1626BM MED CAB 1DR 1SH FRAMELESS BEVEL MIRROR (72/SKID) (CBS1626-BM-R) (OLD S1626-BM-R)



Medicine Cabinet 16 x 26 Frameless Beveled Mirror with 1 Door 1 Shelf. 16in x 26in x 4-1/2in.

UPC: 094803046716 Unit: EA WT: 15.00 lbs

RSI HOME PRODUCTS**MC2424OAK**

MC2424OAK MED CAB 3DR 2SH OAK ADJ SHELVES (54/SKID) (CBT24-11-B) (OLD T24-11-B)



Medicine Cabinet 24 X 24 Oak Finish 3 Door 2 Adjustable Shelves. 24-1/4in x 24in x 4-1/2in.

UPC: 097109111256 Unit: EA WT: 19.50 lbs

RSI HOME PRODUCTS**MC2424WHT**

MC2424WHT MED CAB WHT 3DR 2SH (54/SKID) (CBT24-WH-B) (OLDT24-WH-B)



Medicine Cabinet 24 x 24 White Finish 3 Door with 2 Adjustable Shelves. 24-1/2in x 24in x 4-1/2in.

UPC: 097109112635 Unit: EA WT: 19.50 lbs

RSI HOME PRODUCTS

MC2426BM

MC2426BM MED CAB 3DR 2SH FRAMELESS BEVEL MIRROR (30/SKID) (CBT24-BM) (OLD T24-BM)



Medicine Cabinet 24 X 26 Frameless Beveled Mirror with 3 Doors 2 Adjustable Shelves. 24-1/4in x 25in x 4-1/2in.

UPC: 094803019604 Unit: EA WT: 28.50 lbs

RSI HOME PRODUCTS**MC3029OAK**

MC3029OAK MED CAB OAK 3DR 3SH (36/SKID) (CBT30-11-B) (OLD T30-11-B)



Medicine Cabinet 30 X 29 Oak Finish 3 Door 3 Adjustable Shelves. 30-1/4in x 28in x 4-1/2in.

UPC: 097109111355 Unit: EA WT: 26.50 lbs

RSI HOME PRODUCTS**MC3029WHT**

MC3029WHT MED CAB WHT 3DR 2SH (36/SKID) (CBT30-WH-B) (OLD T30-WH-B)



Medicine Cabinet 30 x 29 White Finish 3 Door 2 Adjustable Shelves. 30-1/4in x 28-3/4in x 4-1/2in.

UPC: 097109112642 Unit: EA WT: 26.50 lbs

RSI HOME PRODUCTS**MC3030BM**

MC3030BM MED CAB 3DR 3SH FRAMELESS BEVEL MIRROR (27/SKID) (CBT30-BM) (OLD T30-BM)



Medicine Cabinet Frameless Beveled Mirror 3 Door 3 Adjustable Shelves. 30-1/4in x 29-3/4in x 4-1/2in.

UPC: 094803019611 Unit: EA WT: 39.50 lbs

RSI HOME PRODUCTS**MC3629OAK-C**

MC3629OAK-C MED CAB 3DR 3SH OAK (12/SKID) (CBT36-11-B) (OLD TG-36-OA)



Medicine Cabinet 36 x 29 Oak Finish, 3 door and 3 Adjustable Shelves. 37in x 29-1/2in x 5-1/2in.

UPC: 094803048635 Unit: EA WT: 36.55 lbs

RSI HOME PRODUCTS**MC3629WHT**

MC3629WHT MED CAB WHT 3DR 2SH (33/SKID) (CBT36-WH-B) (OLD T36-WH-B)



Medicine Cabinet 36 x 29 White Finish, 3 door and 3 Adjustable Shelves. 36-1/4in x 28-3/4in x 4-1/2in.

UPC: 097109112680 WT: 31.50 lbs

RSI HOME PRODUCTS

MC3630BM

MC3630BM MED CAN 3DR 3SH FRAMELESS BEVEL MIRROR (24/SKID) (CBT36-BM) (OLD T36-BM)



Medicine Cabinet 36 X 30 Frameless Beveled Mirror with 3 Doors 3 Adjustable Shelves. 36-1/2in x 29-3/4in x 4-1/2in.

UPC: 094803019628 Unit: EA WT: 47.00 lbs

RSI HOME PRODUCTS**MCCB33816**

MC33816 16" MED CAB 1DR ADJUSTABLE SHELF, WITH MIRROR (42/SKID) (CB33816)



CB33816 Medicine Cabinet 15 3/4 W x 4 3/4 D x 25 3/4 H with 1 Swing Door 1 Adjustable Shelf.

UPC: 094803106267 Unit: EA WT: 14.30 lbs

RSI HOME PRODUCTS**Product****Description****MIRRORS - STANLEY HOME DÉCOR****20-1240****20-1240 30"X36"3MM BEVEL EDGE FRAMELESS 5/CA**

20-1240 30"X36"3MM BEVEL EDGE FRAMELESS 5/CA

UPC: 043044210110 Unit: EA WT: 13.60 lbs

STANLEY HOME DÉCOR**Product****Description****NAILS - BOX - DEE IMPORT NAILS****DHGB1-1/2****DHGB1-1/2 DEE 1-1/2" HOT-DIPPED GALV. BOX**

1-1/2in Box Nail Hot Dip Galvanized

UPC: 773967305180 Unit: CT WT: 50.00 lbs

DEE IMPORT NAILS**DHGB2****DHGB2 DEE 2" HOT-DIPPED GALV. BOX**

2in Box Nail Hot Dip Galvanized

UPC: 773967305197 Unit: CT WT: 50.00 lbs

DEE IMPORT NAILS**DHGB2-1/2****DHGB2-1/2 DEE 2-1/2" HOT-DIPPED GALV BOX**

2-1/2in Box Nail Hot Dip Galvanized

UPC: 773967305210 Unit: CT WT: 50.00 lbs

DEE IMPORT NAILS**DHGB3****DHGB3 DEE 3" HOT-DIPPED GALV. BOX**

3in Box Nail Hot Dip Galvanized

UPC: 773967305227 Unit: CT WT: 50.00 lbs

DEE IMPORT NAILS**DHGB3-1/2****DHGB3-1/2 DEE 3-1/2" HOT-DIPPED GALV. BOX**


3-1/2in Box Nail Hot Dip Galvanized


UPC: 773967305241 Unit: CT WT: 50.00 lbs

DEE IMPORT NAILS

DHGB4	DHGB4 DEE 4" HOT-DIPPED GALV. BOX 50LB BOX	
4in Box Nail Hot Dip Galvanized 50LB Box		
UPC: 773967305258	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB1-1/2	DPCB1-1/2 DEE 1-1/2" PHOSPHATE COATED BOX NAIL	
1-1/2in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967305265	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB2	DPCB2 DEE 2" PHOSPHATE COATED BOX NAIL	
2in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304190	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB2-1/2	DPCB2-1/2 DEE 2-1/2" PHOSPHATE COATED BOX NAIL	
2-1/2in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304206	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB2-1/4	DPCB2-1/4 DEE 2-1/4" PHOSPHATE COATED BOX NAIL	
2-1/4in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967305289	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB3	DPCB3 DEE 3" PHOSPHATE COATED BOX NAIL	
3in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304213	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB3-1/2	DPCB3-1/2 DEE 3-1/2" PHOSPHATE COATED BOX NAIL	
3-1/2in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304237	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB3-1/4	DPCB3-1/4 DEE 3-1/4" PHOSPHATE COATED BOX NAIL	
3-1/4in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304220	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB4	DPCB4 DEE 4" PHOSPHATE COATED BOX NAIL	
4in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304244	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCB5	DPCB5 DEE 5" PHOSPHATE COATED BOX NAIL	
5in Box Nail Phosphate Coated (50lb/ct)		
UPC: 773967304251	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

Product	Description	NAILS - COIL & STRIP - CRISPO
---------	-------------	-------------------------------

RR-CR11 HAMMER TACKER PETRUS BRAND BY RAPID .44469		
		
	WT: 2.20 lbs	CRISPO

010025 010025 MEDIUM 7/16" CROWN STAPLES 16 GAUGE GALVANIZED 1" 10,000/BOX (126 BOX/SKID)		
		
	UPC: 056752102516 Unit: BX WT: 17.10 lbs	CRISPO

010032

010032 MEDIUM 7/16" CROWN STAPLES 16 GAUGE GALVANIZED 1 1/4" 10,000/BOX (84 BOX/SKID)



UPC: 056752103216 WT: 21.40 lbs

CRISPO

010045

010045 MEDIUM 7/16" CROWN STAPLES 16 GAUGE GALVANIZED 1 3/4" 10,000/BOX (72 BOX/SKID)



UPC: 056752104510 WT: 29.20 lbs

CRISPO

039020

039020 NARROW 1/4" CROWN STAPLES 18 GAUGE GALVANIZED 3/4" 5000/PACK (12 PACKS /CASE) L11



UPC: 056752902116 WT: 3.80 lbs

CRISPO

039022

039022 NARROW 1/4" CROWN STAPLES 18 GAUGE GALVANIZED 7/8" 5000/PACK (12 PACKS /CASE) L12



UPC: 056752902314 WT: 4.20 lbs

CRISPO

039025

039025 NARROW 1/4" CROWN STAPLES 18 GAUGE GALVANIZED 1" 5000/PACK (10 PACKS /CASE) L13



UPC: 056752902512 WT: 4.20 lbs

CRISPO

039028

039028 NARROW 1/4" CROWN STAPLES 18 GAUGE GALVANIZED 1 1/8" 5000/PACK (8 PACKS /CASE) L14



UPC: 056752902918 WT: 5.20 lbs

CRISPO

039032

039032 NARROW 1/4" CROWN STAPLES 18 GAUGE GALVANIZED 1 1/4" 5000/PACK (8 PACKS /CASE) L15



UPC: 056752903410 WT: 6.00 lbs

CRISPO

039038

039038 NARROW 1/4" CROWN STAPLES 18 GAUGE GALVANIZED 1 1/2" 5000/PACK (6 PACKS /CASE) L17



UPC: 056752903816 WT: 7.00 lbs

CRISPO

04AR158

04AR158 CARTON CLOSING .092 STAPLE ROLL 5/8" - BOX OF 24 ROLLS OF 1000/ROLL (40 COX/SKID)



UPC: 056752361500 WT: 46.31 lbs

CRISPO

0521758

0521758 COIL NAIL 15 DEGREE 3"X.120 GAUGE BRITE SPIRAL 4000/BOX (48 BOX /SKID)




UPC: 056752174582 Unit: BX WT: 42.20 lbs

CRISPO

0599508

0599508 COIL NAIL 15 DEGREE 2"X.099 GAUGE BRITE SPIRAL 7200/BOX (48 BOX/SKID)




UPC: 056752954085 Unit: BX WT: 32.60 lbs

CRISPO

0599638

0599638 COIL NAIL 15 DEGREE 2 1/2"X.009 GAUGE BRITE SPIRAL 7200/BOX (48 BOX/SKID)



UPC: 056752964381 Unit: BX WT: 42.20 lbs

CRISPO

081625 081625 BRAD NAIL 16 GAUGE GALVANIZED 1" 5000/PACK (12 PACKS/CASE)



UPC: 056752116254 WT: 4.00 lbs

CRISPO

081632 081632 BRAD NAIL 16 GAUGE GALVANIZED 1 1/4" 5000/PACK (9 PACKS/CASE)



UPC: 056752116322 WT: 5.20 lbs

CRISPO

081638 081638 BRAD NAIL 16 GAUGE GALVANIZED 1 1/2" 5000/PACK (9 PACKS/CASE)



UPC: 056752116384 WT: 6.20 lbs

CRISPO

08164SP 08164SP BRAD NAIL 16 GAUGE GALVANIZED VARIETY PACK 4 SIZES OF 500 EACH 5000/PACK (8 PACKS/BOX)



UPC: 056752116445 WT: 3.00 lbs

CRISPO

081650 081650 BRAD NAIL 16 GAUGE GALVANIZED 2" 5000/PACK (6 PACKS/CASE)



UPC: 056752116506 WT: 7.80 lbs

CRISPO

081663 081663 BRAD NAIL 16 GAUGE GALVANIZED 2 1/2" 5000/PACK (6 PACKS/CASE)



UPC: 056752116636 WT: 10.40 lbs

CRISPO

081825 081825 BRAD NAIL 18 GAUGE GALVANIZED 1" 5000/PACK (20 PACKS/CASE)



WT: 2.40 lbs

CRISPO

081830 081830 BRAD NAIL 18 GAUGE GALVANIZED 1 3/16" 5000/PACK (15 PACKS/CASE)



UPC: 056752118302 WT: 2.80 lbs

CRISPO

081838 081838 BRAD NAIL 18 GAUGE GALVANIZED 1 1/2" 5000/PACK (10 PACKS/CASE)



UPC: 056752118388 WT: 3.60 lbs

CRISPO

08FN563 08FN563 ANGLE BRAD NAIL 15 GAUGE GALVANIZED 2 1/2" 3500/PACK (4 PACKS/CASE)



UPC: 056752115639 Unit: PK WT: 10.65 lbs

CRISPO

0A116C 0A116C A-11 SERIES 1/4 LEG LENGTH- GALVANIZED .44477



WT: 1.10 lbs

CRISPO

0A119C 0A119C A11-SERIES 3/8 LEG LENGTH GALVANIZED .44478



WT: 1.41 lbs

CRISPO

OCFL501

OCFL501 HARDWOOD FLOORING CLEATS L HEAD GALVANIZED 2" 1000/PACK (10 PACKS/CASE)



UPC: 056752158902 WT: 3.60 lbs

CRISPO**25SX22**

25SX22 NARROW 7/32" CROWN STAPLE 7/8" GALVANIZED 5000/PACK (10 PACKS/CASE)



UPC: 056752192210 WT: 4.20 lbs

CRISPO**25SX28D**

25SX28D NARROW 7/32" CROWN STAPLE 1 1/8" GALVANIZED DIV. PT 5000/PACK (8 PACKS/CASE)



UPC: 056752192654 WT: 5.20 lbs

CRISPO**25SX30**

25SX30 NARROW 7/32" CROWN STAPLE 1 3/16" GALVANIZED DIV. PT 5000/PACK (8 PACKS/CASE)



UPC: 056752193019 WT: 5.80 lbs

CRISPO**265010C**

265010C CARPET STAPLES 50 SERIES 20 GAUGE 1/2" CROWN GALVANIZED 5/16" - 5000/PACK (20 PACKS/CASE)



UPC: 056752501012 WT: 1.40 lbs

CRISPO**265418D**

265418D CARPET STAPLES 54 SERIES FINE WIRE GALVANIZED 9/16" DIV. PT - 5000/PACK (20 PACKS/CASE)




UPC: 056752541919 WT: 1.60 lbs

CRISPO

2808034

2808034 STRIP NAILS 28 DEGREE CLIPPED HEAD WIRE COLLATED 3 1/4"X.120 GAUGE HOT DIP GALV RING 2000/BOX (90 BOX/SKID)




UPC: 056752281341 WT: 22.60 lbs

CRISPO

2820753

2820753 STRIP NAILS 28 DEGREE CLIPPED HEAD WIRE COLLATED 3"X.120 GAUGE BRITE RING 2000/BOX (90 BOX/SKID)




UPC: 056752207631 WT: 20.00 lbs

CRISPO

2836034

2836034 STRIP NAILS 28 DEGREE CLIPPED HEAD WIRE COLLATED 2 3/8"X.113 GAUGE HOT DIP GALV RING 2000/BOX (90 BOX/SKID)



UPC: 056752261343 WT: 14.32 lbs

CRISPO

3413605

3413605 STRIP NAILS 34 DEGREE D HEAD PAPER TAPE COLLATION 2 3/8"X.113 GAUGE BRITE RING 2500/BOX (80 BOX/SKID)



UPC: 056752236051 WT: 18.00 lbs

CRISPO

3413606

3413606 STRIP NAILS 34 DEGREE D HEAD PAPER TAPE COLLATION 2 3/8"X.113 GAUGE ELECTRO-GALV RING 2500/BOX (80 BOX/SKID)



UPC: 056752236068 WT: 17.90 lbs

CRISPO

3420804

3420804 STRIP NAILS 34 DEGREE D HEAD PAPER TAPE COLLATION 3 1/4"X.120 GAUGE ELECTRO-GALV SMOOTH 2500/BOX (80 BOX/SKID)



UPC: 056752238048 WT: 27.40 lbs

CRISPO

3501910

3501910 CARPET STAPLES STCR SERIES GALVANIZED 3/8" - 5000/PACK (20 PACKS/CASE)



UPC: 056752519109 WT: 1.40 lbs

CRISPO

8818SSP

8818SSP BRAD NAIL 18 GAUGE GALVANIZED VARIETY PACK 5 SIZES OF 500 EACH 2500/PACK (10 PACKS.CASE)



WT: 1.80 lbs

CRISPO

B9040LK

B9040LK BEX NARROW CROWN STAPLER 1/4" CROWN X 1 1/2" LENGTH - LIGHT WEIGHT VERSION



UPC: 056752490408 WT: 4.20 lbs

CRISPO

BS18322K

BS18322K BEX BRAD NAILER 18 GAUGE - FIRES UP TO 1 1/4"



UPC: 056752418327 WT: 5.80 lbs

CRISPO

CA20703

CA20703 AIR FITTING 20 SERIES 3-1 MANIFOLD - RUNS 3 AIR TOOLS FROM 1 SUPPLY



UPC: 056752207037 WT: 0.30 lbs

CRISPO

CA55415

CA55415 PRESSURE GAUGE 2" DIAMETER-STD PRESSURE WITH 1/4" NPT .44448



UPC: 056752554155 WT: 0.15 lbs

CRISPO

CA62360

CA62360 AIR FITTING SWIVEL PLUG 360 DEGREE 1/4" MALE NPT



WT: 0.15 lbs

CRISPO

CR1850

CR1850 MAGNESIUM 18 GAUGE BRAD NAILER 5/8" - 2" NAIL 60-100 PSI



UPC: 056752850004 Unit: EA WT: 5.20 lbs

CRISPO

CR3258H

CR3258H CARTON CLOSING MANUAL STICK STAPLER - FIRES C SERIES 5/8 & 3/4 STAPLES



UPC: 056752432590 Unit: EA WT: 4.80 lbs

CRISPO

Product

Description

NAILS - COIL & STRIP - DEE IMPORT NAILS

DCR1-1/4-HW

DCR1-1/4-HW 1-1/4" DEE COIL ROOFING HIGH WIRE (15 DEGREE) (60 COILS/CT)(7.2M)



1-1/4" Coil Roofing Nail High Wire 7.2m (15 Degree)

UPC: 773967303964 Unit: CT WT: 30.00 lbs

DEE IMPORT NAILS

DFSNW3-1/4

DFSNW3-1/4 DEE 3-1/4" 28-DEGREE FRAMING STRIP NAILS - WIRE (2M) (25 NAILS/STRIP 80 STRIPS/CT) (126/PLT)




3-1/4in Framing Wire Strip Nails 28 Deg. Fits Bostitch nailer (25 nails/strip 80 strips/ct)

UPC: 773967311747 Unit: EA WT: 23.00 lbs

DEE IMPORT NAILS

DPSN3-1/4

DPSN3-1/4 DEE 3-1/4"X25 33-DEGREE PAPER STRIP NAILS (3M)(40 NAILS/STRIP 75 STRIPS/CT) (60/PLT)




3-1/4in Framing Paper Strip Nails 33 Deg. (40 nails/strip 75 strips/ct 60ct/plt)

UPC: 773967306439 Unit: CT WT: 33.00 lbs

DEE IMPORT NAILS

Product Description NAILS - COMMON - DEE IMPORT NAILS

DBC10	DBC10 DEE 10" BRT COMMON NAIL	
	10in Common Spike Bright Finish	
	UPC: 773967305456 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC12	DBC12 DEE 12" BRT COMMON NAIL	
	12in Common Spike Bright Finish	
	UPC: 773967305463 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC2	DBC2 DEE 2" BRT COMMON NAIL	
	2in Common Nail Bright Finish	
	UPC: 773967305357 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC2-1/2	DBC2-1/2 DEE 2-1/2" BRT COMMON NAIL	
	2-1/2in Common Nail Bright Finish	
	UPC: 773967305371 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC2-1/4	DBC2-1/4 DEE 2-1/4" BRT COMMON NAIL	
	2-1/4in Common Nail Bright Finish	
	UPC: 773967305364 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC3	DBC3 DEE 3" BRT COMMON NAIL	
	3in Common Nail Bright Finish	
	UPC: 773967305388 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC3-1/2	DBC3-1/2 DEE 3-1/2" BRT COMMON NAIL	
	3-1/2in Common Nail Bright Finish	
	UPC: 773967305401 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS


DBC4	DBC4 DEE 4" BRT COMMON NAIL	
	4in Common Nail Bright Finish	
	UPC: 773967305418 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DBC5	DBC5 DEE 5" BRT COMMON NAIL	
	5in Common Nail Bright Finish	
	UPC: 773967305425 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS



DBC6	DBC6 DEE 6" BRT COMMON NAIL	
	6in Common Nail Bright Finish	
	UPC: 773967305432 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS




DBC8	DBC8 DEE 8" BRT COMMON NAIL	
	8in Common Spike Bright Finish	
	UPC: 773967305449 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

Product Description NAILS - CONCRETE - DEE IMPORT NAILS


DHTAC2-1/2-5LB	DHTAC2-1/2-5LB DEE 2-1/2" ARDOX CONCRETE HEAT-TREATED (6BX/CT)	
	2-1/2in Ardox Concrete Nail Heat Treated (5lb/box 6box/ct)	
	UPC: 773967305128 Unit: EA WT: 5.00 lbs	DEE IMPORT NAILS

DHTAC2-1/4-5LB	DHTAC2-1/4-5LB DEE 2-1/4" ARDOX CONCRETE HEAT-TREATED (5LB)(6BX/CT)	
	2-1/4in Ardox Concrete Nail Heat Treated (5lb/box 6box/ct)	
	UPC: 773967305111 Unit: BX WT: 5.00 lbs	DEE IMPORT NAILS

DHTAC2-5LB	DHTAC2-5LB DEE 2" ARDOX CONCRETE HEAT-TREATED (5LB)(6BX/CT)	
2in Ardox Concrete Nail Heat Treated (5lb/box 6box/ct)		
UPC: 773967305104 Unit: EA WT: 5.00 lbs		DEE IMPORT NAILS
DHTAC3-5LB	DHTAC3-5LB DEE 3" ARDOX CONCRETE HEAT-TREATED (5lb) (6BX/CT)	
3in Ardox Concrete Nail Heat Treated (5lb/box 6box/ct)		
UPC: 773967305135 Unit: EA WT: 5.00 lbs		DEE IMPORT NAILS
Product	Description	NAILS - DUPLEX - DEE IMPORT NAILS
DBDH2-1/2	DBDH2-1/2 DEE 2-1/2" BRT DUPLEX NAIL	
	2-1/2in Duplex Nail Bright Finish	
UPC: 773967305562 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBDH2-1/4	DBDH2-1/4 DEE 2-1/4" BRT DUPLEX NAIL	
2-1/4in Duplex Nail Bright Finish		
UPC: 773967305555 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBDH2-3/4	DBDH2-3/4 DEE 2-3/4" BRT DUPLEX NAIL	
2-3/4in Duplex Nail Bright Finish		
UPC: 773967305579 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBDH3	DBDH3 DEE 3" BRT DUPLEX NAIL	
3in Duplex Nail Bright Finish		
UPC: 773967305586 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBDH3-1/2	DBDH3-1/2 DEE 3-1/2" BRT DUPLEX NAIL	
3-1/2in Duplex Nail Bright Finish		
UPC: 773967305609 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBDH3-1/4	DBDH3-1/4 DEE 3-1/4" BRT DUPLEX NAIL	
3-1/4in Duplex Nail Bright Finish		
UPC: 773967305593 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
Product	Description	NAILS - FINISH - DEE IMPORT NAILS
DBF1-1/2	DBF1-1/2 DEE 1-1/2" FINISH NAIL BRT	
	1-1/2in Finish Nail Bright Finish	
UPC: 773967305296 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBF2	DBF2 DEE 2" FINISH NAIL BRT	
2in Finish Nail Bright Finish		
UPC: 773967305302 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBF2-1/2	DBF2-1/2 DEE 2-1/2" FINISH NAIL BRT	
2-1/2in Finish Nail Bright Finish		
UPC: 773967305319 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBF3	DBF3 DEE 3" FINISH NAIL BRT	
3in Finish Nail Bright Finish		
UPC: 773967305326 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS

Product	Description	NAILS - FLOORING - DEE IMPORT NAILS
DBRUF1-1/2	DBRUF1-1/2 DEE 1-1/2" RINGED UNDERLAY BRT FLOORING NAIL	
	1-1/2in Ring Shank Underlay Flooring Nail Bright Finish	
	UPC: 773967305746 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DBRUF1-1/4	DBRUF1-1/4 DEE 1-1/4" RINGED UNDERLAY FLOORING NAIL BRT	
	1-1/4in Ring Shank Underlay Flooring Nail Bright Finish	
	UPC: 773967305739 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
Product	Description	NAILS - JOIST HANGER - DEE IMPORT NAILS
DBJH1-1/2	DBJH1-1/2 DEE 1-1/2" BARBED JOIST HANGER NAIL	
	1-1/2in Barbed Joist Hanger Nail Bright Finish	
	UPC: 773967305159 Unit: BX WT: 50.00 lbs	DEE IMPORT NAILS
DBJH1-1/2HDG	DBJH1-1/2HDG DEE 1-1/2" HOT-DIPPED GALV BARBED JOIST HANGER NAIL	
	1-1/2in Barbed Joist Hanger Nail Hot Dipped Galvanized	
	UPC: 773967305272 Unit: BX WT: 50.00 lbs	DEE IMPORT NAILS
DBJH2-1/2	DBJH2-1/2 DEE 2-1/2" BARBED JOIST HANGER NAIL	
	2-1/2in Barbed Joist Hanger Nail Bright Finish	
	UPC: 773967305166 Unit: BX WT: 50.00 lbs	DEE IMPORT NAILS
Product	Description	NAILS - RINGED - DEE IMPORT NAILS
DCNP2	DCNP2 PLASTIC CAP NAIL 2" ELECTRO GALVANIZED RING SHANK 1" POLY CAP 100PC/BOX (25 BOXES/CARTON) (64 CARTONS/PALLET)	
	2 inch Plastic Cap Nail. Electro Galvanized ring shank with 1 inch poly cap. 100 pieces per box, 25 boxes per carton, 64 cartons per pallet.	
	UPC: 773967311501 Unit: EA WT: 0.56 lbs	DEE IMPORT NAILS
DCNP21/2	DCNP21/2 PLASTIC CAP NAIL 2 1/2" ELECTRO GALVANIZED RING SHANK 1" POLY CAP 100PC/BOX (25BOXES/CARTON) (64 CARTONS/PALLET)	
	2 1/2 inch Plastic Cap Nail. Electro Galvanized ring shank with 1 inch poly cap. 100 pieces per bo...	
	UPC: 773967311518 Unit: EA WT: 0.69 lbs	DEE IMPORT NAILS
DCNP3	DCNP3 PLASTIC CAP NAIL 3" ELECTRO GALVANIZED RING SHANK 1" POLY CAP 100PC/BOX (25 BOXES/CARTON) (64 CARTONS/PALLET)	
	3 inch Plastic Cap Nail. Electro Galvanized ring shank with 1 inch poly cap. 100 pieces per box, 2...	
	UPC: 773967311525 Unit: EA WT: 0.83 lbs	DEE IMPORT NAILS
DEGGW1-1/2	DEGGW1-1/2 DEE 1-1/2" WALLBOARD EG RING NAIL (50LB)	
	1-1/2in Wallboard / Drywall Ringed Nail Electrogalvanized (50lb)	
	UPC: 773967304183 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DEGGW1-1/4	DEGGW1-1/4 DEE 1-1/4" WALLBOARD EG RING NAIL (50LB)	
	1-1/4in Wallboard / Drywall Ringed Nail Electrogalvanized (50lb)	
	UPC: 773967304176 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DRPB5	DRPB5 DEE 5" RINGED POLE BARN HEAT-TREATED NAIL	
	5in Ringed Shank Pole Barn Nail Heat Treated (50lb/ctn)	
	UPC: 773967305715 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

Product Description NAILS - ROOFING - DEE IMPORT NAILS

DEGR1	DEGR1 DEE 1" E.G. ROOFING NAIL (48/SK)	
	1in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967303971 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DEGR1-1/2	DEGR1-1/2 DEE 1-1/2" E.G. ROOFING NAIL (48/SK)	
	1-1/2in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967303995 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DEGR11/2-5LB	DEGR11/2-5LB DEE 1-1/2" E.G. ROOFING NAIL 5LB (6BX/CT)	
	1-1/2" Standard Roofing Nail Electro-Galvanized (5lb box, 6box/ct)	
	UPC: 773967307641 Unit: CT WT: 5.00 lbs	DEE IMPORT NAILS

DEGR1-1/4	DEGR1-1/4 DEE 1-1/4" E.G. ROOFING NAIL (50LB) (48/SK)	
	1-1/4in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967303988 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DEGR1-3/4	DEGR1-3/4 DEE 1-3/4" E.G. ROOFING NAIL (48/SK)	
	1-3/4in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967304008 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS


DEGR2	DEGR2 DEE 2" E.G. ROOFING NAIL (48/SK)	
	2in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967304015 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DEGR2-1/2	DEGR2-1/2 DEE 2-1/2" E.G. ROOFING NAIL (48/SK)	
	2-1/2in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967304022 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DEGR3	DEGR3 DEE 3" E.G. ROOFING NAIL (48/SK)	
	3in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967304039 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DEGR3-1/2	DEGR3-1/2 DEE 3-1/2" E.G. ROOFING NAIL (48/SK)	
	3-1/2in Standard Roofing Nail Electro-Galvanized (50lb/ct 48ct/skid)	
	UPC: 773967304817 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS


Product Description NAILS - SIDING - DEE IMPORT NAILS


DHGOHS2	DHGOHS2 DEE 2" HOT-GALVANIZED SIDING OVAL HEAD	
	2in Siding Nail Oval Head Hot Galvanized	
	UPC: 773967305760 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DHGOHS2-1/2	DHGOHS2-1/2 DEE 2-1/2" HOT-GALVANIZED SIDING OVAL HEAD	
	2-1/2in Siding Nail Oval Head Hot Galvanized	
	UPC: 773967305784 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS


DHGOHS2-1/4	DHGOHS2-1/4 DEE 2-1/4" HOT-GALVANIZED SIDING OVAL HEAD	
	2-1/4in Siding Nail Oval Head Hot Galvanized	
	UPC: 773967305777 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS


DHGOHS3	DHGOHS3 DEE 3" HOT-GALVANIZED SIDING OVAL HEAD	
	3in Siding Nail Oval Head Hot Galvanized	
	UPC: 773967305791 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS

DHGOHS3-1/2 DHGOHS3-1/2 DEE 3-1/2" HOT-GALVANIZED SIDING OVAL HEAD		
3-1/2in Siding Nail Oval Head Hot Galvanized		
UPC: 773967305807 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
Product	Description	NAILS - SPIRAL-ARDOX - DEE IMPORT NAILS
DBAS10	DBAS10 DEE 10" ARDOX STD BRT	
	10in Ardox Spike Bright Finish	
	UPC: 773967304930 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DBAS1-1/2	DBAS1-1/2 DEE 1-1/2" ARDOX STD BRT	
1-1/2in Ardox Nail Bright Finish		
UPC: 773967304824 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS12	DBAS12 DEE 12" ARDOX STD BRT	
12in Ardox Spike Bright Finish		
UPC: 773967304947 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS2	DBAS2 DEE 2" ARDOX STD BRT	
2in Ardox Nail Bright Finish		
UPC: 773967304831 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS2-1/2	DBAS2-1/2 DEE 2-1/2" ARDOX STD BRT	
2-1/2in Ardox Nail Bright Finish		
UPC: 773967304855 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS3	DBAS3 DEE 3" ARDOX STD BRT	
3in Ardox Nail Bright Finish		
UPC: 773967304862 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS3-1/2	DBAS3-1/2 DEE 3-1/2" ARDOX STD BRT	
3-1/2in Ardox Nail Bright Finish		
UPC: 773967304886 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS4	DBAS4 DEE 4" ARDOX STD BRT	
4in Ardox Nail Bright Finish		
UPC: 773967304893 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS5	DBAS5 DEE 5" ARDOX STD BRT	
5in Ardox Nail Bright Finish		
UPC: 773967304909 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS6	DBAS6 DEE 6" ARDOX STD BRT	
6in Ardox Nail Bright Finish		
UPC: 773967304916 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DBAS8	DBAS8 DEE 8" ARDOX STD BRT	
8in Ardox Spike Bright Finish		
UPC: 773967304923 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DHGAS10	DHGAS10 DEE 10" ARDOX STD HOT GALV	
10" Ardox Spike Hot Galvanized		
UPC: 773967305043 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DHGAS5	DHGAS5 DEE 5" ARDOX STD HOT GALV	
5in Ardox Nail Hot Galvanized		
UPC: 773967305012 Unit: EA WT: 50.00 lbs		DEE IMPORT NAILS
DHGAS6	DHGAS6 DEE 6" ARDOX STD HOT GALV	
6in Ardox Nail Hot Galvanized		
UPC: 773967305029 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS
DHGAS8	DHGAS8 DEE 8" ARDOX STD HOT GALV	
8in Ardox Spike Hot Galvanized		
UPC: 773967305036 Unit: CT WT: 50.00 lbs		DEE IMPORT NAILS

DPCAF2-1/4	DPCAF2-1/4 DEE 2-1/4" PHOS ARDOX FRAMING	
2-1/4in Ardox Framing Nail Phosphate Coated		
UPC: 773967305067	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DPCAF3-1/4	DPCAF3-1/4 DEE 3-1/4" PHOS ARDOX FRAMING	
3-1/4in Ardox Framing Nail Phosphate Coated		
UPC: 773967305074	Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
Product	Description	POLY - RALSTON (POLY)
0305-00	0305-00 DROP SHEET DISP. 9' X 400' (160/PLT) (0305-00)	
	9' x 400' Painter-Contractor Grade Plastic Drop Sheet Box 3600 sqft (160bx/plt)	
	UPC: 055734305006 Unit: EA WT: 6.00 lbs	RALSTON (POLY)
4002	4002 RED FLAGGING 16" X 750' (1000/SQFT) (4/BOX) (4201-02)	
16in x 750' Red Flagging 1000 Sqft. (4/box)		
UPC: 055734002004	Unit: RL WT: 2.00 lbs	RALSTON (POLY)
4114	4114 UTIL POLY 102" X 177' CLR (1500/SQFT) (200/PLT) (05000002)	
102in x 177' Utility Poly Clear 1500 sqft (2005 rl/plt)		
UPC: 055734114004	Unit: RL WT: 4.16 lbs	RALSTON (POLY)
4213	4213 LIGHT POLY 102" X 59' CLR (500/SQFT) (175/PLT) (05C20505)	
102in x 59' Light Poly Clear 500 sqft (175 rl/plt)		
UPC: 055734213004	Unit: RL WT: 2.96 lbs	RALSTON (POLY)
4214	4214 LIGHT POLY 102" X 177' CLR (1500/SQFT) (150/PLT) (05C21505)	
102in x 177' Light Poly Clear 1500 sqft (150 rl/plt)		
UPC: 055734214001	Unit: RL WT: 7.79 lbs	RALSTON (POLY)
4224	4224 LIGHT POLY 240" X 100' CLR (2000/SQFT) (150/PLT) (4224 00)	
240in x 100' Light Poly Clear 2000 sqft (150 rl/plt)		
UPC: 055734224000	Unit: RL WT: 11.11 lbs	RALSTON (POLY)
4313	4313 MED POLY 102" X 59' CLR (500/SQFT) (150/PLT) (4313 00)	
102in x 59' Medium Poly Clear 500 sqft (150 rl/plt)		
UPC: 055734431309	Unit: RL WT: 5.37 lbs	RALSTON (POLY)
4314	4314 MED POLY 102" X 177' CLR (1500/SQFT) (100/PLT) (4314 00)	
102in x 177' Medium Poly Clear 1500 sqft (100 rl/plt)		
UPC: 055734314008	Unit: RL WT: 15.02 lbs	RALSTON (POLY)
4324	4324 MED POLY 240" X 100' CLR (2000/SQFT) (120/PLT) (05C42011)	
240in x 100' Medium Poly Clear 2000 sqft (120 rl/plt)		
UPC: 055734324007	Unit: RL WT: 20.74 lbs	RALSTON (POLY)
432401	432401 MED POLY 240" X 100' BLK (2000/SQFT) (120/PLT)	
432401 MED POLY 240" X 100' BLK (2000/SQFT) (120/PLT)		
WT: 20.74 lbs		RALSTON (POLY)
4328	4328 MED POLY 120" X 100' CLR (1000/SQFT) (100/PLT) (05C41007)	
120in x 100' Medium Poly Clear 1000 sqft (100 rl/plt)		
UPC: 055734328005	Unit: RL WT: 10.01 lbs	RALSTON (POLY)
432801	432801 MED POLY 120" X 100' BLK (1000/SQFT) (100/PLT)	
432801 MED POLY 120" X 100' BLK (1000/SQFT) (100/PLT)		
WT: 10.01 lbs		RALSTON (POLY)
4413	4413 HVY POLY 102" X 59' CLR (500/SQFT) (108/PLT) 05C60505	
102in x 59' Heavy Poly Clear 500 sqf (108/plt)		
UPC: 055734413008	Unit: RL WT: 7.70 lbs	RALSTON (POLY)
4424	4424 HVY POLY 240" X 100' CLR (2000/SQFT) (70/PLT) (05C62013)	
240in x 100' Heavy Poly Clear 2000 sqft (70 rl/plt)		
UPC: 060277320126	Unit: RL WT: 30.34 lbs	RALSTON (POLY)

4424A	4424A HVY POLY 240" X 100' CLR (2000/SQFT) (64/PLT) (05C62013)	
240in x 100' Heavy Poly Clear 2000 sqft (70 rl/plt) UPC: 055734420049 Unit: RL WT: 30.34 lbs		RALSTON (POLY)
4424BLK	4424BLK HVY POLY 240" X 100' BLK (2000/SQFT) (70/PLT) (4424 01)	
240in x 100' Heavy Poly Black 2000 sqft (70 rl/plt) UPC: 055734424011 Unit: RL WT: 30.34 lbs		RALSTON (POLY)
4428	4428 HVY POLY 120" X 100' CLR (1000/SQFT) (80/PLT) 05C61007	
120in x 100' Heavy Poly Clear 1000 sqft. (80rl/plt) UPC: 055734428002 Unit: RL WT: 14.81 lbs		RALSTON (POLY)
4428BLK	4428BLK HVY POLY 120" X 100' BLK (1000/SQFT) (80/PLT) (4428 01)	
120in x 100' Heavy Poly Black 1000 sqft (80 rl/plt) UPC: 055734428019 Unit: RL WT: 14.81 lbs		RALSTON (POLY)
5003	5003 CGSB POLY 16" X 375' CLR (500/SQFT) (100/PLT) (05V90515)	
16in x 375' CGSB Poly Clear 500 sqft. This is a special purpose construction film to be used as a ... UPC: 055734003001 Unit: RL WT: 14.72 lbs		RALSTON (POLY)
5020	5020 CGSB POLY 102" X 59' CLR (500/SQFT) (108/PLT) (05V00003)	
102in x 59' CGSB Poly Clear 500 sqft. This is a special purpose construction film to be used as a ... UPC: 055734020008 Unit: EA WT: 15.10 lbs		RALSTON (POLY)
5021	5021 CGSB POLY 102" X 177' CLR (1500/SQFT) (48/PLT) (05V00007)	
102in x 177' CGSB Poly Clear 1500 sqft. This is a special purpose construction film to be used as a ... UPC: 055734021005 Unit: RL WT: 44.10 lbs		RALSTON (POLY)
5024	5024 CGSB POLY 102" X 118' CLR (1000/SQFT) (50/PLT) (05V00008)	
102in x 118' CGSB Poly Clear 1000 sqft. This is a special purpose construction film to be used as a ... UPC: 055734024006 Unit: RL WT: 29.60 lbs		RALSTON (POLY)
5025	5025 CGSB POLY 114" X 105' CLR (1000/SQFT) (50/PLT) (05V00004)	
114in x 105' CGSB Poly Clear 1000 sqft. This is a special purpose construction film to be used as a ... UPC: 055734025003 Unit: RL WT: 29.60 lbs		RALSTON (POLY)
5032	5032 CGSB POLY 120" X 100' CLR (1000/SQFT) (50/PLT) (05V00005)	
120in x 100' CGSB Poly Clear 1000 sqft. This is a special purpose construction film to be used as a ... UPC: 055734032001 Unit: RL WT: 29.65 lbs		RALSTON (POLY)
5035	5035 CGSB POLY 124" X 145' 1500SQFT CLR (60/PLT)	
124" x 146' x 1500 CGSB Poly Clear 6 mil (60 rl/plt) Unit: EA		RALSTON (POLY)
5039	5039 CGSB POLY 148" X 122' CLR (1500/SQFT) (48/PLT) (05V00009)	
148in x 122' CGSB Poly Clear 1500 sqft. This is a special purpose construction film to be used as a ... UPC: 055734039000 Unit: RL WT: 44.00 lbs		RALSTON (POLY)
5040	5040 CGSB POLY 240" X 100' CLR (2000/SQFT) (30/PLT) (05V62011)	
240in x 100' CGSB Poly Clear 2000 sqft. This is a special purpose construction film to be used as a ... UPC: 055734040006 Unit: RL WT: 59.36 lbs		RALSTON (POLY)


Product	Description	RECYCLED PAVERS - MFG OF PAVERS, LANDSCAPE PROD
34B-4007	34B-4007 BROWN 3'X4'X1" INTERLOCKING MAT (30/PLT) (34B-4007)	
	34B-4007 BROWN 3'X4'X1" INTERLOCKING MAT (30/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Great for large areas and industrial applicatins-often used for horse stall mats, industrial walkways or multi-purpose areas	
	UPC: 736846520203 Unit: EA WT: 58.00 lbs	MFG OF PAVERS, LANDSCAPE PROD

34G-4012**34G-4012 GREY 3'X4'X1" INTERLOCKING MAT (30/PLT) (34G-4012)**

34G-4012 GREY 3'X4'X1" INTERLOCKING MAT (30/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Great for large areas and industrial applicatins-often used for horse stall mats, industrial walkways or multi-purpose areas

UPC: 736846520180 Unit: EA WT: 58.00 lbs


MFG OF PAVERS, LANDSCAPE PROD

34K-4006**34K-4006 BLACK 3'X4'X1" INTERLOCKING MAT (30/PLT) (34K-4006)**

34K-4006 BLACK 3'X4'X1" INTERLOCKING MAT (30/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Great for large areas and industrial applicatins-often used for horse stall mats, industrial walkways or multi-purpose areas

Unit: EA WT: 58.00 lbs


MFG OF PAVERS, LANDSCAPE PROD

34R-4016**34R-4016 RED 3'X4'X1" INTERLOCKING MAT (30/PLT) (34R-4016)**

34R-4016 RED 3'X4'X1" INTERLOCKING MAT (30/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Great for large areas and industrial applicatins-often used for horse stall mats, industrial walkways or multi-purpose areas

Unit: EA WT: 58.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

46M-4029**46M-4029 6'X4'X1/2" INDUSTRIAL MAT (30/PLT) (46M-4029)**

46M-4029 4'X6'X1/2" INDUSTRIAL MAT (30/PLT) (46M-4029) - Made of recycled rubber. they are slip resistant, shock absorbing, make a great acoustic barrier, have a high flash point(fire resistant) and ate easy to clean(mop or pressure wash) Typica uses include: -curling/ hockey arenas - fitness centers -truck/trailer bed liner - shop floor -workout areas - pet stores -kennels and dog runs - sports complexes -home exercise rooms - weight room

UPC: 736846520333 Unit: EA WT: 60.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BKB-1094**BKB-1094 BLACK BARK MULCH RETAIL BAG (ECO) (40/PLT)(BKB-1094)**

BKB-1094 BLACK BARK MULCH RETAIL BAG (ECO) (40/PLT) -Resists mold, mildew & rot -Lasts 5X longer than wood -Non-toxic, colou-fast & fire resistant -Does not float or blow away -cooler than sand on high heat days

UPC: 736846520289 Unit: EA WT: 30.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BKE-4051**BKE-4051 BLACK ECOBORDER LAWN EDGING (L-SHAPE) 4' LONG (96/PLT) (BKE-4051)**

BKE-4051 BLACK ECOBORDER LAWN EDGING (L-SHAPE) 4' LONG (96/PLT) -Flexible and easy to trim for multiple shapes -L-shape allows for easy access for moving -No digging is required & ships with all hardware -extremely lightweight ans highly durable -Easy to install -Ships in 4 ft lengths with all hardware(plastic spikes and connection dowels) included -Makes a great edging for rubber pavers &/or mulch

UPC: 736846520241 Unit: EA WT: 7.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BKN-1093**BKN-1093 BLACK NUGGET MULCH RETAIL BAG (ECO) (40/PLT)(BKN-1093)**

BKN-1093 BLACK NUGGET MULCH RETAIL BAG (ECO) (40/PLT) -Resists mold, mildew & rot -Lasts 5X longer than wood -Non-toxic, colour-fast & fire resistant -Does not float or blow away -cooler than sand on high heat days -Graet for playgrounds & family recreation areas (Ask us for playground fall-zone data)

UPC: 736846520258 Unit: EA WT: 35.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BKS-4127**BKS-4127 BLACK 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT)(BKS-4127)**

RDS-4126 BLACK 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT) -Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Reversible (lay brick-face down for smooth finish) -Easier to cut -Can be compressed during install for tighter fit

UPC: 736846520142 Unit: EA WT: 14.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BRB-1090**BRB-1090 BROWN BARK MULCH RETAIL BAG (ECO) (40/PLT)(BRB-1090)**

BRB-1090 BROWN BARK MULCH RETAIL BAG (ECO) (40/PLT) -Resists mold, mildew & rot -Lasts 5X longer than wood -Non-toxic, colour-fast & fire resistant -Does not float or blow away -cooler than sand on high heat days

UPC: 736846520302 Unit: EA WT: 30.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BRE-4052**BRE-4052 BROWN ECOBORDER LAWN EDGING (L-SHAPE) 4' LONG (96/PLT) (BRE-4052)**

BRE-4052 BROWN ECOBORDER LAWN EDGING (L-SHAPE) 4' LONG (96/PLT) -Flexible and easy to trim for multiple shapes -L-shape allows for easy access for moving -No digging is required & ships with all hardware -extremely lightweight and highly durable -Easy to install -Ships in 4 ft lengths with all hardware(plastic spikes and connection dowels) included -Makes a great edging for rubber pavers &/or mulch

UPC: 736846520234 Unit: EA WT: 7.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BRN-1092**BRN-1092 BROWN NUGGET MULCH RETAIL BAG (ECO) (40/PLT)(BRN-1092)**

BRN-1092 BROWN NUGGET MULCH RETAIL BAG (ECO) (40/PLT) -Resists mold, mildew & rot -Lasts 5X longer than wood -Non-toxic, colour-fast & fire resistant -Does not float or blow away -cooler than sand on high heat days -Graet for playgrounds & family recreation areas (Ask us for playground fall-zone data)

UPC: 736846520272 Unit: EA WT: 35.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

BRS-4126**BRS-4126 BROWN 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT)(BRS-4126)**

RDS-4126 BROWN 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Reversible (lay brick-face down for smooth finish) -Easier to cut -Can be compressed during install for tighter fit

UPC: 736846520173 Unit: EA WT: 14.00 lbs


MFG OF PAVERS, LANDSCAPE PROD

CR4-2032**CR4-2032 CURB RAMPS (50/PLT) (CR4-2032)**

CR4-2032 CURB RAMPS (50/PLT) -prevent damage to vehicale's front end -they creat a smooth transition from the road to your driveway -curb ramps can be attached in place or simply linked with large zip ties to remain easily removable -allows for water ru-off to pass underneath

UPC: 736846520371 Unit: EA WT: 40.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

GRS-4126**GRS-4126 GREY 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT)(GRS-4126)**

RDS-4126 GREY 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenace required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Reversible (lay brick-face down for smooth finish) -Easier to cut -Can be compressed during install for tighter fit

UPC: 736846520166 Unit: EA WT: 14.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

PCY-2001**PCY-2001 PARKING CURB YELLOW STRIPE 6'X6"X5" HIGH (49/PLT) (PCY-2001)**

PCY-2001 PARKING CURB YELLOW STRIPE 6'X6"X5" HIGH (49/PLT) (PCY-2001) -lightweight parking solution -economical and long lasting -easily to installed by 1 person -visible reflective tape -low profile to prevent damage to vehicles -durable and flexible -allows shopping carts, wheel chairs and pedestrians to travel between them -functional in all seasons

Unit: EA WT: 38.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

RDB-1090**RDB-1090 RED BARK MULCH RETAIL BAG (ECO) (40/PLT)(RDB-1090)**

RDB-1090 RED BARK MULCH RETAIL BAG (ECO) (40/PLT) -Resists mold, mildew & rot -Lasts 5X longer than wood -Non-toxic, colou-fast & fire resistant -Does not float or blow away -cooler than sand on high heat days

UPC: 736846520296 Unit: EA WT: 30.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

RDE-4053**RDE-4053 RED ECOBORDER LAWN EDGING (L-SHAPE) 4' LONG (96/PLT) (RDE-4053)**

RDE-4053 RED ECOBORDER LAWN EDGING (L-SHAPE) 4' LONG (96/PLT) -Flexible and easy to trim for multiple shapes -L-shape allows for easy access for moving -No digging is required & ships with all hardware -extremely lightweight ans highly durable -Easy to install -Ships in 4 ft lengths with all hardware(plastic spikes and connection dowels) included -Makes a great edging for rubber pavers &/or mulch

UPC: 736846520227 Unit: EA WT: 7.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

RDN-1092**RDN-1092 RED NUGGET MULCH RETAIL BAG (ECO) (40/PLT)(RDN-1092)**

RDN-1092 RED NUGGET MULCH RETAIL BAG (ECO) (40/PLT) -Resists mold, mildew & rot -Lasts 5X longer than wood -Non-toxic, colou-fast & fire resistant -Does not float or blow away -cooler than sand on high heat days -Graet for playgrounds & family recreation areas (Ask us for playground fall-zone data)

UPC: 736846520265 Unit: EA WT: 35.00 lbs

MFG OF PAVERS, LANDSCAPE PROD

RDS-4126**RDS-4126 RED 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT)(RDS-4126)**

RDS-4126 RED 24"X24"X3/4" SIGNATURE PAVING TILE (ECO) (140/PLT) Great for patios, decks, sidewalks, play areas, work-spaces, barns, driveway and more... -Colour fast -Zero maintenance required -Interlocking design -Easy to install (Lighter than stone) -Noise & Impact absorbing -Quick to clean -Withstands freeze/Thaw cycles -Slip resistant -No underlay or compacted surface required -Reversible (lay brick-face down for smooth finish) -Easier to cut -Can be compressed during install for tighter fit

UPC: 736846520159 Unit: EA WT: 14.00 lbs

MFG OF PAVERS, LANDSCAPE PROD**SBS-2078****SBS-2078 SPEED BUMP 6'X12"X2.5" (40/PLT) (SBS-2078)**

SBS-2078 SPEED BUMP 6'X12"X2.5" (40/PLT) -easily installed by 1 person on gravel, asphalt or concrete surfaces with optional mounting pins or adhesive -reflective tape creates clear visibility -reflective cat eyes create high visibility at night -dual channel bottom for 1' cable/utility lines -durable and long lasting -cost effective

UPC: 736846520340 Unit: EA WT: 50.00 lbs

MFG OF PAVERS, LANDSCAPE PROD**SP3-1102****SP3-1102 SPLASH PAD (FOR RAIN GUTTERS) 3' LONG (100/PLT) (SP3-1102)**

SP3-1102 SPLASH PAD (FOR RAIN GUTTERS) 3' LONG (100/PLT) -Placed beneath drain-spouts as alternative to concrete or plastic -Meets new building code requirements -Lighter easier to place work with than concrete -Less prone to movement and durable than plastic options

UPC: 736846520319 Unit: EA WT: 15.00 lbs

MFG OF PAVERS, LANDSCAPE PROD**SWC-2060****SWC-2060 WHEEL CHOCKS SMALL (8"W X 5.5"H X 9.75"L) (100/PLT) (SWC-2060)**

SWC-2060 WHEEL CHOCKS SMALL (8"W X 5.5"H X 9.75"L) (100/PLT) (SWC-2060) Small chocks are for blocking various trucks and smaller vehicles. Prevent vehicles and equipment from rolling while parked or being serviced. Small and medium chocks are equipped with an eye bolt.

Unit: EA WT: 8.00 lbs

MFG OF PAVERS, LANDSCAPE PROD**Product****Description****REFLECTIVE FOIL INSL - TVM****AFT250****AFT250 ALUMINUM FOIL TAPE 2" X 150' (24/CASE) (15212)**

2in x 150' (48mm x 45m) Aluminum Foil Tape. Provides an excellent vapor barrier seal and are specially designed for use with all rFOIL Insulation Products. Acrylic pressure sensitive adhesive combines superior quick stick at normal temperatures with excellent low temperature performance below freezing. (24/Case)

UPC: 771342231802 Unit: EA WT: 1.38 lbs


TVM**FDBC48125****FDBC48125 48" X 125' DBLE BBLE UNDER CONCRETE (500SQFT) (4320-48-125)**

48in x 125' Double Bubble White Under Concrete. Prevents condensation and radiant heat loss. Reflects heat back toward source. Corrosion proof. (500sqft/roll)

UPC: 629136009543 Unit: RL WT: 35.30 lbs

TVM


FDBF1650STR FDBF1650STR 16" X 50' DBLE FOIL STAPLE TAB (3/BAG) (2222-16-050)



16in x 50' Double Foil with Staple Tab. 99.9% aluminum Foil on both sides of a double layer of polyethylene bubbles. It is excellent for residential commercial and HVAC applications where optimal protection from radiant heat is needed. (66.7sqft/Roll) (3/BAG)

UPC: 629136009178 Unit: RL WT: 4.30 lbs TVM


FDBF48125R FDBF48125R 48" X 125' DBLE BBLE FOIL SQ EDGE (2220-48-125)



48in x 125' Double Bubble Foil Square Edge. 99.9% aluminum Foil on both sides of a double layer of polyethylene bubbles. It is excellent for residential, commercial and HVAC applications where optimal protection from radiant heat is needed. (500sqft/Roll)

UPC: 673181007276 Unit: RL WT: 33.30 lbs TVM

FDBP48125R FDBP48125R 48" X 125' DBLE BBLE WHT SQ EDGE FOIL/POLY(500SQFT) (2520-48-125)




48in x 125' Double Bubble White. Square Edge. Its unique construction is specially designed to reduce radiant heat gain or loss in Metal and Post Frame buildings. Primary Uses Under siding insulation Metal Building roof and wall insulation. (500Sqft/Roll)

UPC: 673181007283 Unit: RL WT: 35.30 lbs TVM

Product Description RIGID INSULATION - BEAVER PLASTICS HALO THERMAL INSULATION


78116 78116 HALO INTERRA 1" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (12/BNDL) (78116)



78116 HALO INTERRA 1" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (12/BNDL)

Unit: EA BEAVER PLASTICS HALO THERMAL INSULATION


78124 78124 HALO INTERRA 1 1/2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (12/BNDL) (78124)



78124 HALO INTERRA 1 1/2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (12/BNDL)

Unit: EA BEAVER PLASTICS HALO THERMAL INSULATION

78132 78132 HALO INTERRA 2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (6/BNDL) (78132)



78132 HALO INTERRA 2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (6/BNDL)

Unit: EA BEAVER PLASTICS HALO THERMAL INSULATION

78210

78210 HALO EXTERRA 5/8" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (20/BNDL) (78210}



78210 HALO EXTERRA 5/8" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (20/BNDL)

Unit: EA

BEAVER PLASTICS HALO THERMAL INSULATION

78216

78216 HALO EXTERRA 1" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (12/BNDL) (78216}



78216 HALO EXTERRA 1" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (12/BNDL)

Unit: EA

BEAVER PLASTICS HALO THERMAL INSULATION

78224

78224 HALO EXTERRA 1 1/2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (8/BNDL) (78224}



78224 HALO EXTERRA 1 1/2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (8/BNDL)

Unit: EA

BEAVER PLASTICS HALO THERMAL INSULATION

78324

78324 HALO SUBTRERRA 1 1/2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (8/BNDL) (78324}



78324 HALO SUBTRERRA 1 1/2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (8/BNDL)

Unit: EA

BEAVER PLASTICS HALO THERMAL INSULATION

78332

78332 HALO SUBTRERRA 2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (6/BNDL) (78332}



78332 HALO SUBTRERRA 2" THICK, 4'X8' RIGID INSULATION R4.5/INCH, SILVER LAMINATED (6/BNDL)

Unit: EA

BEAVER PLASTICS HALO THERMAL INSULATION

Product

Description

ROOFING PRODUCTS - BAKOR

7910020

IKOICEW STORMTAMER ICE & WATER 195 SQ FT (36"X65') (1.4MIL) (32/PLT) (960/TL) (7910020)



IKOICEW STORMTAMER ICE & WATER 195 SQ FT (36"X65') (1.4MIL) (32/PLT) (960/TL) This product consists of a resilient, non-woven glass fiber mat, which is premeated and coated with SBS modified bitumen to a thickness of approx. 1.4 mm (55 Mil). This sheet is sanded on it's top to provide a non-slip surface while a silicone treated release film, which is easily removed during application, protects it's self-adhesive backing. Used primarily for waterproofing purposes under shingled roofs and specifically beneath ice dam areas, it can also be installed around vent stacks, dormers, chimneys and other rooftop structures. CRC's roofing products are produced and designed with consideration for environmental responsibility and sustainability, incorporating quality recycled components whenever possible, manufactured in facilities that comply with the most stringent government environmental regulations, and can therefore be a part of any "green" construction project. {7910020}

UPC: 063957000936 Unit: RL WT: 53.50 lbs

BAKOR

810-09-20**810-09-20 FIBERED ASPHALT ROOF COATING 18.9L (36/PLT) (BK81009625)**

Bakor Hi Grade Roof Coating Fibered 18.9L. Bakor 810-09 is a high quality, medium consistency, solvent type asphalt roof coating composed of specially selected asphalts and graded fibres and fillers. Suitable for brush or spray applications. Excellent adhesion, Good weathering characteristics, Brush or spray consistency, Ease of application. To restore surface of worn or weathered asphalt, metal, or roll roofing. A protective coating on new, smooth surface roofing. Also used as a general-purpose coating for gutters, flashings, monitors and metal work. Coverage per coat 0.5 to 0.66 l/m²(1 to 1.33 gal./100 ft²) Varies with surface temperature.(36/Skid)

UPC: 694266022021 Unit: EA WT: 44.21 lbs

BAKOR**810-09-4****810-09-4 FIBERED ASPHALT ROOF COATING 3.78L (4/CASE, 180/PLT) (BK81009660)**

Bakor Hi Grade Roof Coating Fibered 3.78L. Bakor 810-09 is a high quality, medium consistency, solvent type asphalt roof coating composed of specially selected asphalts and graded fibres and fillers. Suitable for brush or spray applications. Excellent adhesion, Good weathering characteristics, Brush or spray consistency, Ease of application. To restore surface of worn or weathered asphalt, metal, or roll roofing. A protective coating on new, smooth surface roofing. Also used as a general-purpose coating for gutters, flashings, monitors and metal work. Coverage per coat 0.5 to 0.66 l/m²(1 to 1.33 gal./100 ft²) Varies with surface temperature.

UPC: 694266021185 Unit: EA WT: 8.83 lbs

BAKOR**810-10-20****810-10-20 18.9L SHINGLE & COLD PROCESS ADHESIVE (36/PLT) (BK81010070)**

Bakor Roof Glue - Shingle & Cold Process Adhesive 18.9L. Bakor 810-10 Cold Process Roof Adhesive is a medium consistency, solvent-type asphalt roofing adhesive designed to provide a permanent bond between plies of coated organic or fibreglass felts and to bond asphalt shingles. Can be used for realing curled or damaged shingles.

UPC: 694266022038 Unit: EA WT: 43.38 lbs

BAKOR**810-10-4****810-10-4 3.78L SHINGLE & COLD PROCESS ADHESIVE (4/CASE 180/PLT) (BK81010660)**


Bakor Roof Glue - Shingle & Cold Process Adhesive 3.78L. Bakor 810-10 Cold Process Roof Adhesive is a medium consistency, solvent-type asphalt roofing adhesive designed to provide a permanent bond between plies of coated organic or fibreglass felts and to bond asphalt shingles. Can be used for realing curled or damaged shingles.

UPC: 694266021192 Unit: EA WT: 8.66 lbs

BAKOR**810-18-20****810-18-20 18.9L PREMIUM ALUMINUM ROOF COATING (36/PLT) (BK81018370)**

Bakor Premium Aluminum Roof Coating 18.9L. Bakor 810-18 is a decorative and reflective roof coating in metallic aluminium colour. The combination of selected coating asphalt, fibres and aluminium flake imparts flexibility, excellent weathering characteristics and high solar reflectivity. Brush or spray consistency. Use Bakor 810-18 as a protective coating on stable, smooth surface asphalt composition roofing, and smooth or granule surface SBS modified bitumen membrane roofing, where reflective or decorative qualities are desired. May also be used for coating many types of metal roofing, metal siding and may be also used as a weather coating over sprayed in place polyurethane insulation on tanks. Coverage per coat 1 to 2.25 l/m²(2 to 4.5 gal./100 ft²).

UPC: 694266022045 Unit: EA WT: 46.30 lbs

BAKOR**810-18-4****810-18-4 3.78L PREM ALUM ROOF COAT(4/CASE 180/PLT) (BK81018660)**

Bakor Premium Aluminum Roof Coating 3.78L. Bakor 810-18 is a decorative and reflective roof coating in metallic aluminium colour. The combination of selected coating asphalt, fibres and aluminium flake imparts flexibility, excellent weathering characteristics and high solar reflectivity. Brush or spray consistency. Use Bakor 810-18 as a protective coating on stable, smooth surface asphalt composition roofing, and smooth or granule surface SBS modified bitumen membrane roofing, where reflective or decorative qualities are desired. May also be used for coating many types of metal roofing, metal siding and may be also used as a weather coating over sprayed in place polyurethane insulation on tanks. Coverage per coat 1 to 2.25 l/m²(2 to 4.5 gal./100 ft²).

UPC: 694266021208 Unit: EA WT: 9.00 lbs

BAKOR

810-20-10**810-20-10 10KG PLASTIC ROOF CEMENT (48/PLT)(BK81020606)**

Bakor Plastic Roof Cement 10kg. Bakor 810-20 is a plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Coverage approx.) 0.3 m2/l(15 ft2/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011018 Unit: EA WT: 25.00 lbs

BAKOR

810-20-20**810-20-20 20KG PLASTIC ROOF CEMENT (36/PLT)(BK81020070)**

Bakor Plastic Roof Cement 20kg. Bakor 810-20 is a plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Coverage approx.) 0.3 m2/l(15 ft2/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011001 Unit: EA WT: 47.41 lbs

BAKOR

810-20-300**810-20-300 300ML PLASTIC ROOF CEMENT (30/CASE 1080/PLT) *** MIN 30 *** (BK81020664)**

Bakor Plastic Roof Cement 300ml. Bakor 810-20 is a plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Coverage approx.) 0.3 m2/l(15 ft2/gal.) for 3 mm (1/8in) thickness.

UPC: 694266005000 Unit: EA WT: 1.03 lbs


BAKOR

810-20-4**810-20-4 4 KG PLASTIC ROOF CEMENT (4/CASE 180/PLT)(BK81020666)**

Bakor Plastic Roof Cement 4kg. Bakor 810-20 is a plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Coverage approx.) 0.3 m2/l(15 ft2/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011063 Unit: EA WT: 9.48 lbs

BAKOR

810-21-1**810-21-1 ROOF CEMENT WET/DRY 1KG (12/CASE, 576/PLT) (BK81021725)**

Bakor Wet/Dry Roof Flashing Cement 1kg. Bakor 810-21 is a solvent type rubberised, plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Can be applied to wet surfaces. Coverage (approx.) 0.3 m2/l (15 ft2/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011056 Unit: EA WT: 2.43 lbs


BAKOR

810-21-10**810-21-10 10KG ROOF CEMENT WET/DRY (48/PLT)(BK81021612)**

Bakor Wet/Dry Roof Flashing Cement 10kg. Bakor 810-21 is a solvent type rubberised, plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Can be applied to wet surfaces. Coverage (approx.) 0.3 m2/l (15 ft2/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011032 Unit: EA WT: 24.70 lbs

BAKOR

810-21-20**810-21-20 20KG ROOF CEMENT WET/DRY (36/PLT)(BK81021636)**

Bakor Wet/Dry Roof Flashing Cement 20kg. Bakor 810-21 is a solvent type rubberised, plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Can be applied to wet surfaces. Coverage (approx.) 0.3 m²/l (15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011025 Unit: EA WT: 47.41 lbs


BAKOR

810-21-300**810-21-300 300ML ROOF CEMENT WET/DRY (30/CASE 1080/PLT) (BK81021664)**

Bakor Wet/Dry Roof Flashing Cement 300ml. Bakor 810-21 is a solvent type rubberised, plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Can be applied to wet surfaces. Coverage (approx.) 0.3 m²/l (15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266005017 Unit: EA WT: 1.02 lbs

BAKOR

810-21-4**810-21-4 ROOF CEMENT WET/DRY 4KG (4/CASE, 180/PLT) (BK81021666)**

Bakor Wet/Dry Roof Flashing Cement 4kg. Bakor 810-21 is a solvent type rubberised, plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Can be applied to wet surfaces. Coverage (approx.) 0.3 m²/l (15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266011049 Unit: EA WT: 9.48 lbs

BAKOR

810-21-850**810-21-850 850ML ROOF CEMENT WET/DRY (12/CASE 528/PLT) (BK81021686)**

Bakor Wet/Dry Roof Flashing Cement 850ml. Bakor 810-21 is a solvent type rubberised, plastic cement composed of asphalt, fibre, solvent and fillers. Asbestos free formulation provides weather resistance, flexibility and ease of application. Dries to a tough, water resistant sealer. Use as a weatherproofing compound for seams, joints and cracks and for repairing roofs, flashings, vents, copings, drain pipes eaves, skylights and parapet walls. Also used for cementing down loose shingle tabs. Can be applied to wet surfaces. Coverage (approx.) 0.3 m²/l (15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266005031 Unit: EA WT: 2.48 lbs

BAKOR

810-47-10**810-47-10 10L ALL-WEATHER FLASH/SEALING COMPOUND(48/PLT) (BK81047616)**

Bakor All Weather Ultimate Roof Patch 10L. Bakor 810-47 is a solvent-based rubberized asphalt mastic and sealing compound ideal for general use and specially designed for application to wet surfaces and under inclement weather conditions. Its gel consistency permits easy trowelling even in cold weather. It will not slump or flow when applied on vertical surface. Asbestos-free formulation. Used in conjunction with 990-06 Yellow Jacket reinforcing fabric for installing flashings, copings, skylights, monitors, sign anchors or in the repair of existing flashings. Coverage (approx.) 0.3 m²/l(15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266021222 Unit: EA WT: 24.70 lbs

BAKOR

810-47-20**810-47-20 18.93L ALL-WEATHER FLASH/SEALING COMPOUND (36/PLT) (BK81047625)**

Bakor All Weather Ultimate Roof Patch 18.93L. Bakor 810-47 is a solvent-based rubberized asphalt mastic and sealing compound ideal for general use and specially designed for application to wet surfaces and under inclement weather conditions. Its gel consistency permits easy trowelling even in cold weather. It will not slump or flow when applied on vertical surface. Asbestos-free formulation. Used in conjunction with 990-06 Yellow Jacket reinforcing fabric for installing flashings, copings, skylights, monitors, sign anchors or in the repair of existing flashings. Coverage (approx.) 0.3 m²/l(15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266021215 Unit: EA WT: 45.05 lbs

BAKOR

810-47-300**810-47-300 300ML ALL-WEATHER FLASH/SEALING COMPOUND (30/CASE 1080/PLT) (BK81047664)**

Bakor All Weather Ultimate Roof Patch 300ml. Bakor 810-47 is a solvent-based rubberized asphalt mastic and sealing compound ideal for general use and specially designed for application to wet surfaces and under inclement weather conditions. Its gel consistency permits easy trowelling even in cold weather. It will not slump or flow when applied on vertical surface. Asbestos-free formulation. Used in conjunction with 990-06 Yellow Jacket reinforcing fabric for installing flashings, copings, skylights, monitors, sign anchors or in the repair of existing flashings. Coverage (approx.) 0.3 m²/l(15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266005024 Unit: EA WT: 0.86 lbs

BAKOR**810-47-4****810-47-4 3.78L ALL-WEATHER FLASH/SEALING COMPOUND (4/CASE 180/PLT) (BK81047660)**

Bakor All Weather Ultimate Roof Patch 3.78L. Bakor 810-47 is a solvent-based rubberized asphalt mastic and sealing compound ideal for general use and specially designed for application to wet surfaces and under inclement weather conditions. Its gel consistency permits easy trowelling even in cold weather. It will not slump or flow when applied on vertical surface. Asbestos-free formulation. Used in conjunction with 990-06 Yellow Jacket reinforcing fabric for installing flashings, copings, skylights, monitors, sign anchors or in the repair of existing flashings. Coverage (approx.) 0.3 m²/l(15 ft²/gal.) for 3 mm (1/8in) thickness.

UPC: 694266021239 Unit: EA WT: 9.00 lbs

BAKOR**990-06****990-06 6"X50' YELLOW JACKET MESH (24/CASE 1152/PLT) (BK99006876)**

Yellow Jacket Reinforcing Fabric 6in x 50'. 990-06 Yellow Jacket is a bright yellow open weave glass fabric consisting of glass fibre yarn saturated with synthetic resins. The bright yellow colour helps the applicator determine when the fabric is completely embedded in the coating compound, particularly under poor lighting conditions. The glass fibre in this product will not rot, mildew nor wick water into the body of the coating material. Used as a reinforcing membrane incorporated into many types coatings where superior strength and toughness are required.

UPC: 694266466016 Unit: RL WT: 0.70 lbs

BAKOR**AQ20****AQ20 18.93L AQUATAC PRIMER (36/PLT) (BK545623) -- DO NOT FREEZE --**

Bakor Aquatac Primer 18.93L. Aquatac is a polymer emulsion based primer for self-adhesive membranes. Used a primer for self-adhesive membranes such as Blueskin Breather, modified PLUS SA flashing applications, Blueskin SA and Blueskin WP 200 when applied to wood, preserved wood, gypsum board including DensGlass Gold, polystyrene, masonry, concrete and metal. Aquatac is the primer of choice when it is necessary to achieve a fast drying, solvent free, tacky surface where walking over the surface is not required during application. This is important for the application of membranes on vertical surfaces. Designed for applications above -4C.

UPC: 694266423002 Unit: EA WT: 46.69 lbs

BAKOR**AQ4****AQ4 3.78L (ECO.BC.60/AB.75/SK.40) AQUATAC PRIMER (4/CASE, 180/PLT) (BK545654) -- DO NOT FREEZE --**

Bakor Aquatac Primer 3.78L. Aquatac is a polymer emulsion based primer for self-adhesive membranes. Used a primer for self-adhesive membranes such as Blueskin Breather, modified PLUS SA flashing applications, Blueskin SA and Blueskin WP 200 when applied to wood, preserved wood, gypsum board including DensGlass Gold, polystyrene, masonry, concrete and metal. Aquatac is the primer of choice when it is necessary to achieve a fast drying, solvent free, tacky surface where walking over the surface is not required during application. This is important for the application of membranes on vertical surfaces. Designed for applications above -4C.

UPC: 694266421053 Unit: EA WT: 9.41 lbs

BAKOR**BBF1275****BBF1275 BLUESKIN BUTLY FLASH 12"X75' HE205 (4/CASE) (320/PLT) (HE205976)**

BBF1275 BLUESKIN BUTLY FLASH 12"X75' HE205 (4/CASE) (320/PLT)

UPC: 0081725847323 Unit: RL WT: 9.00 lbs

BAKOR

BBF475**BBF475 BLUESKIN BUTLY FLASH 4"X75' HE205 (12/CASE) (960/PLT) (HE205929)**

BBF475 BLUESKIN BUTLY FLASH 4"X75' HE205 (12/CASE) (960/PLT)

UPC: 0081725710399 Unit: RL WT: 3.00 lbs

BAKOR**BBF675****BBF675 BLUESKIN BUTLY FLASH 6"X75' HE205 (8/CASE) (640/PLT) (HE205968)**

BBF675 BLUESKIN BUTLY FLASH 6"X75' HE205 (8/CASE) (640/PLT)

UPC: 0081725323391 Unit: RL WT: 4.50 lbs

BAKOR**BBF975****BBF975 BLUESKIN BUTLY FLASH 9"X75' HE205 (4/CASE) (448/PLT) (HE205954)**

BBF975 BLUESKIN BUTLY FLASH 9"X75' HE205 (4/CASE) (448/PLT)

UPC: 0081725046320 Unit: RL WT: 6.75 lbs

BAKOR**BES925BC204****BES925BC204 300ML SEALANT BLACK (24/CASE) 1440/PLT) (HE925BC204)**

BES925BC204 300ML SEALANT BLACK (24/CASE) 1440/PLT)

Unit: EA WT: 1.00 lbs

BAKOR**BES925GC204****BES925GC204 300ML SEALANT GRAY (24/CASE) 1440/PLT) (HE925GC204)**

BES925GC204 300ML SEALANT GRAY (24/CASE) 1440/PLT)

UPC: 081725005631 Unit: EA WT: 1.00 lbs

BAKOR**BS1275****BS1275 BLUESKIN SA 12"X75' 40MIL (3/CASE 72/PLT) (BH200SA977)**

12in x 75' Blueskin SA. Blueskin SA is a self-adhering membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. Blueskin SA is specifically designed to be self-adhered to a prepared substrate, providing an air/vapour/water barrier. SBS modified membrane, flexible at low temperatures, Impermeable to air, moisture vapour and water, Assemblies of Blueskin SA, primer and sealant meet ASTM E-2357 air barrier performance standard Thickness controlled at point of manufacture, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Excellent compatibility with most Bakor adhesives and liquid air barrier membranes, Self-gasketing when penetrated and under compression with self-tapping screws(3/box)

UPC: 694266336081 Unit: RL WT: 18.60 lbs

BAKOR

BS17ADHESIVE**BS17ADHESIVE 17L (ECO.BC1.25/AB2.00/SK1.00) BLUESKIN PRIMER SOLVENT BASE (36/PLT) - DANGEROUS GOODS - (BK101679)**

Blueskin Primer Solvent Base 17L. BK101677 - BLUESKIN PRIMER is a quick drying, rubber based adhesive for peel and stick membranes. Used as an adhesive for peel and stick membranes such as BlueskinSA when applied to masonry, concrete, wood, gypsum board, Dens Glass Gold and metal surfaces. BK300 - BLUESKIN PRIMER is the adhesive of choice on above grade applications where a quick setting, aggressive tack is required. Coverage 80-250 sq. ft. per gallon

UPC: 081725655638 WT: 30.00 lbs

BAKOR**BS475****BS475 BLUESKIN SA 4''X75' 40MIL (9/CASE 216/PLT)(BH200SAL930)**

4in x 75' Blueskin SA is a self-adhering membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. Blueskin SA is specifically designed to be self-adhered to a prepared substrate, providing an air/vapour/water barrier. SBS modified membrane, flexible at low temperatures, Impermeable to air, moisture vapour and water, Assemblies of Blueskin SA, primer and sealant meet ASTM E-2357 air barrier performance standard Thickness controlled at point of manufacture, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Excellent compatibility with most Bakor adhesives and liquid air barrier membranes, Self-gasketing when penetrated and under compression with self-tapping screws(3/box)

UPC: 694266336050 Unit: RL WT: 7.50 lbs

BAKOR**BS482****BS482 PRIMER 425G (ECOBC.25/AB.10/SK.10) AEROSOL SOLV BASE(24/CASE 840/PLT) - CONSUMER COMMODITY - (BKUA482672)**

Blueskin Primer Aerosol Solvent Base 425g. Blueskin Primer is a rubber based adhesive primer for self-adhesive membranes.Used as a primer for self-adhesive membranes such as Blueskin SA, Blueskin WP 200, Blueskin ROOF RF 200, Blueskin PE200HT, Vapor Bloc SA or modifiedPLUS SA when applied to masonry, concrete, wood, gypsum board, DensGlass Gold and metal surfaces.Blueskin Primer is the primer of choice on above grade applications of self-adhered membranes where a quick setting, aggressive tack, solvent based primer is required. Blueskin Spray-Prep primer is ideal where a very fast drying primer is required. Convenient spray can application eliminates the need for brushes or rollers. Three minute tack time. Designed for applications above -12C.

UPC: 694266277001 Unit: EA WT: 1.00 lbs

BAKOR**BS675****BS675 BLUESKIN SA 6''X75' 40MIL (6/CASE 144/PLT)(BH200SA931)**

6in x 75' Blueskin Self Adhering Membrane 40mil. Blueskin SA is a self-adhering membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. Blueskin SA is specifically designed to be self-adhered to a prepared substrate, providing an air/vapour/water barrier. SBS modified membrane, flexible at low temperatures, Impermeable to air, moisture vapour and water, Assemblies of Blueskin SA, primer and sealant meet ASTM E-2357 air barrier performance standard Thickness controlled at point of manufacture, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Excellent compatibility with most Bakor adhesives and liquid air barrier membranes, Self-gasketing when penetrated and under compression with self-tapping screws(6/box)

UPC: 694266336067 Unit: RL WT: 10.30 lbs

BAKOR**BS975****BS975 BLUESKIN SA 9''X75' 40MIL (3/CASE 96/PLT)(BH200SA932)**

9in x 75' Blueskin Self Adhering Tape 40mil. Blueskin SA is a self-adhering membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. Blueskin SA is specifically designed to be self-adhered to a prepared substrate, providing an air/vapour/water barrier. SBS modified membrane, flexible at low temperatures, Impermeable to air, moisture vapour and water, Assemblies of Blueskin SA, primer and sealant meet ASTM E-2357 air barrier performance standard Thickness controlled at point of manufacture, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Excellent compatibility with most Bakor adhesives and liquid air barrier membranes, Self-gasketing when penetrated and under compression with self-tapping screws(3/box)

UPC: 694266336074 Unit: RL WT: 14.50 lbs

BAKOR**BSADHESIVE****BSADHESIVE BLUESKIN PRIMER / ADHESIVE SOLVENT BASE 3.5L (ECO.BC.60/AB.75/SK.40) (4/CASE 180/SKID)(BK101658) - DANGEROUS GOODS -**

Blueskin Adhesive Solvent Base 3.5L. BK101 - BLUESKIN ADHESIVE is a quick drying, rubber based adhesive for peel and stick membranes. Used as an adhesive for peel and stick membranes such as BlueskinSA when applied to masonry, concrete, wood, gypsum board, Dens Glass Gold and metal surfaces. BK101 - BLUESKIN ADHESIVE is the adhesive of choice on above grade applications where a quick setting, aggressive tack is required. Coverage 80-250 sq. ft. per gallon.

UPC: 081725215634 WT: 7.16 lbs

BAKOR

EGD195**EGD195 EAVEGUARD 195 SQ FT (36"X65') (30/PLT) (HE740916)**

3' x 65' (195sqft) Eaveguard Self Adhering Shingle Underlayment Black. Eaveguard is rolled, self-adhering asphalt waterproofing shingle underlayment specifically designed to provide secondary waterproofing protection to shingles as well as prevent ice damage. Composed of high-tack rubberized asphalt and glass fiber mat. Sand on the upper surface provides a slip-resistant working surface. The lower surface has a split-release silicone release backing for ease of application. Eaveguard is used as a self-adhered membrane designed to be adhered directly to roof decks prior to the application of shingles. Its main function is to serve as a secondary waterproofing layer, in both residential and commercial building, protecting the buildings interior from damages caused by water infiltration as a result of ice dam formation and wind-driven rain.(30box/pallet)

UPC: 694266156016 Unit: RL WT: 66.00 lbs

BAKOR**EGD225****EGD225 EAVEGUARD 225 SQ FT (44"X61.34') (30/PLT) (HE740804)**

3.67' x 61.34' (225sqft) Eaveguard Self Adhering Shingle Underlayment Black. Eaveguard is rolled, self-adhering asphalt waterproofing shingle underlayment specifically designed to provide secondary waterproofing protection to shingles as well as prevent ice damage. Composed of high-tack rubberized asphalt and glass fiber mat. Sand on the upper surface provides a slip-resistant working surface. The lower surface has a split-release silicone release backing for ease of application. Eaveguard is used as a self-adhered membrane designed to be adhered directly to roof decks prior to the application of shingles. Its main function is to serve as a secondary waterproofing layer, in both residential and commercial building, protecting the buildings interior from damages caused by water infiltration as a result of ice dam formation and wind-driven rain.(30box/pallet)

UPC: 081725648111 WT: 77.00 lbs

BAKOR**LOSL1PLYBL****LOSL1PLYBL 3'X36' LO-SLOPE 1 PLY BLACK(15YR WARRANTY)(20/PLT) (BK5391P537)**

Bakor Low Slope 1 Ply 3' x 36' Black 15yr Warr. Bakor LOWSLOPE One Ply Self-Adhered Roofing System is a modified bitumen roofing membrane with a fibrous glass reinforcement. This self-adhering roofing membrane has a granulated top surface. LOWSLOPE One Ply Self-Adhered Roofing System is designed for exposure to weather elements. Easily applied, immediately waterproof, No hot asphalt required, Self-sticking lower surface; end laps bonded with rubberized mastic, Non-woven fiberglass reinforcement, Permanently flexible even at low temperatures, Designed for application over oriented strand board (OSB) and plywood surfaces, Split back release film for ease of application, Classified by Underwriters Laboratories Canada for Fire Resistance, Class C Roof Cover. Gross coverage 10.21 m2(109.9 ft2)

UPC: 694266156054 Unit: RL WT: 95.00 lbs

BAKOR**LOSL1PLYCG****LOSL1PLYCG 3'X36' LO-SLOPE 1 PLY COOL GREY(15YR WARRANTY)(20PLT) (HE5361P537)**

Bakor Low Slope 1 Ply 3' x 36' Cool Grey 15yr Warr. Bakor LOWSLOPE One Ply Self-Adhered Roofing System is a modified bitumen roofing membrane with a fibrous glass reinforcement. This self-adhering roofing membrane has a granulated top surface. LOWSLOPE One Ply Self-Adhered Roofing System is designed for exposure to weather elements. Easily applied, immediately waterproof, No hot asphalt required, Self-sticking lower surface; end laps bonded with rubberized mastic, Non-woven fiberglass reinforcement, Permanently flexible even at low temperatures, Designed for application over oriented strand board (OSB) and plywood surfaces, Split back release film for ease of application, Classified by Underwriters Laboratories Canada for Fire Resistance, Class C Roof Cover. Gross coverage 10.21 m2(109.9 ft2)

UPC: 0081725536951 WT: 95.00 lbs

BAKOR**LOSL2PLYBL****LOSL2PLYBL 3'X35'9" LO-SLOPE 2PLY BLACK(20YR WARRANTY)(20/PLT) (BK5392P536)**

Bakor Low Slope 2 Ply 3' x 35'-9in Black 20yr Warr. Bakor LOWSLOPE Two Ply Self-Adhered Roofing System is a modified bitumen roofing membrane with a fibrous glass reinforcement. This self-adhering membrane has a granulated top surface. LOWSLOPE Two Ply Self-Adhered Roofing System is used as a two ply roofing sheet designed for exposure to weather elements. Can be applied on any slope above 1/2in in 12", Easily applied, immediately waterproof, Nailed for extra security, No hot asphalt or other adhesives required, Self-sticking lower surface; end laps bonded with rubberized mastic, Non-woven fiberglass reinforcement, Permanently flexible even at low temperatures, No primers required, Cold application; no possibility of fires, Designed for application on nailable decks of oriented strand board (OSB), plywood, mill lumber and over granule or smooth surfaced built-up roof surfaces, Classified by Underwriters Laboratories Canada for Fire Resistance, Class C Roof Cover Gross coverage 9.9 m2 (106.6 ft2)

UPC: 694266156085 Unit: RL WT: 83.00 lbs

BAKOR**LOSL2PLYCG****LOSL2PLYCG 3'X35'9" LO-SLOPE 2 PLY COOL GRY(20YR WARRANTY) (20/PLT) (BK5362P536)**

Bakor Low Slope 2 Ply 3' x 35'-7in Cool Grey 20yr Warr. Bakor LOWSLOPE Two Ply Self-Adhered Roofing System is a modified bitumen roofing membrane with a fibrous glass reinforcement. This self-adhering membrane has a granulated top surface. LOWSLOPE Two Ply Self-Adhered Roofing System is used as a two ply roofing sheet designed for exposure to weather elements. Can be applied on any slope above 1/2in in 12", Easily applied, immediately waterproof, Nailed for extra security, No hot asphalt or other adhesives required, Self-sticking lower surface; end laps bonded with rubberized mastic, Non-woven fiberglass reinforcement, Permanently flexible even at low temperatures, No primers required, Cold application; no possibility of fires, Designed for application on nailable decks of oriented strand board (OSB), plywood, mill lumber and over granule or smooth surfaced built-up roof surfaces, Classified by Underwriters Laboratories Canada for Fire Resistance, Class C Roof Cover Gross coverage 9.9 m2 (106.6 ft2)

UPC: 694266156092 Unit: RL WT: 77.00 lbs

BAKOR

QD482**QD482 QUICK DRY ASPHALT PRIMER AEROSOL 482G (ECO.BC.25/AB.10/SK.10) (24/CASE 840/PLT) - CONSUMER COMMODITY - (BK104Q627)**

Bakor Quick Dry Asphalt Aerosol Primer 482g. QuikDry Asphalt Primer is a high quality primer supplied in aerosol spray cans. Used in a single coat for priming and sealing absorbent surfaces to improve bonding of asphalt coatings and finishes. Used for priming thermal insulation, concrete, wood, metal, masonry, gypsum, asbestos, asphalt and similar surfaces. Used to prime all types of metal to enhance adhesion of asphalt mopped and thermofused membranes. Used in a double coat as a dampproofing coating for masonry and wood and as a corrosion resistant coating for metal. Coverage 3m2/can (approx.)

UPC: 694266077007 Unit: EA WT: 3.30 lbs

BAKOR**RF200-195****RF200-195 40MIL 3' X 65' ROOF UNDERLAY 1.0 MM (30/PLT) ** NEW ROLL SIZE ** (BHRF200916)**

Bakor Roof Underlayment 3' x 65' 40mil 1.0mm. Blueskin ROOF RF 200 is an SBS modified bitumen membrane reinforced with a blue polyethylene film. The membrane is specifically designed to be self-adhered on sloped roof surfaces. Blueskin ROOF RF 200 is used as a self-adhered membrane designed to be adhered directly to roof decks or certain insulation panels prior to the application of finished roof coverings including architectural metal, shingles, cedar shakes or tile. Its main function is to serve as a secondary waterproofing layer, in both residential and commercial building, protecting the buildings interior from damages caused by water infiltration as a result of ice dam formation and wind driven rain. Gross coverage 18.12 m2 (195 ft2)

UPC: 081725044234 Unit: RL WT: 50.00 lbs

BAKOR**SF20****SF20 18.93L WHT SOLAR FLEX (ECO.BC1.25/AB2.00/SK1.00) (36/PLT)(BK287675)**

Bakor Solarflex White Elastomeric Roof Coating 18.93L. Premium water based acrylic latex coating. Properly applied, it is highly resistant to unbonding, chalking, mildew, and discolouration. Specially designed for use as a premium system approach to the maintenance of weathered roof surfaces, it provides a highly reflective, heavy duty protective surface. This coating is recommended for mineral surfaced roll roofing, existing metal roofing, concrete, clay tile, weathered smooth surface roll roofing, weathered asphalt built-up roofing and modified bitumen.

UPC: 694266021321 Unit: EA WT: 55.00 lbs

BAKOR**VP100-12****VP100-12 12"X100' BLUESKIN VP100-SA WATER RESISTIVE AIR BARRIER MEMBRANE (1/CASE 144/PLT)(HE100GUSA987)**

12in x 100' Blueskin VP100-12 is a water resistive, vapour permeable, air barrier membrane consisting of a trilaminate of modified polyolefin with two layers of non-woven polyethylene designed for full wall assemblies. Bonded with a patented, permeable adhesive layer and split-back poly-release film, Blueskin VP100 is fully adhered to wall sheathing, transits and windows flashings in a weatherboard method without mechanical attachment. Packaged in rolls of various width for full wall or flashing applications.(1/box)

UPC: 0081725221659 Unit: RL WT: 7.00 lbs

BAKOR**VP100-48****VP100-48 48"X100' BLUESKIN VP100-SA WATER RESISTIVE AIR BARRIER MEMBRANE (1/CASE 28/PLT)(HE100GUSA940)**

48in x 100' Blueskin VP100-48 is a water resistive, vapour permeable, air barrier membrane consisting of a trilaminate of modified polyolefin with two layers of non-woven polyethylene designed for full wall assemblies. Bonded with a patented, permeable adhesive layer and split-back poly-release film, Blueskin VP100 is fully adhered to wall sheathing, transits and windows flashings in a weatherboard method without mechanical attachment. Packaged in rolls of various width for full wall or flashing applications.(1/box)

UPC: 0081725544215 Unit: RL WT: 28.00 lbs

BAKOR**VP100-9****VP100-9 9"X100' BLUESKIN VP100-SA WATER RESISTIVE AIR BARRIER MEMBRANE (4/CASE 144/PLT)(HE100GUSA984)**

9in x 100' Blueskin VP100-9 is a water resistive, vapour permeable, air barrier membrane consisting of a trilaminate of modified polyolefin with two layers of non-woven polyethylene designed for full wall assemblies. Bonded with a patented, permeable adhesive layer and split-back poly-release film, Blueskin VP100 is fully adhered to wall sheathing, transits and windows flashings in a weatherboard method without mechanical attachment. Packaged in rolls of various width for full wall or flashing applications.(4/box)

UPC: 0081725410657 Unit: RL WT: 5.00 lbs

BAKOR

VP160-4

VP160-4 4"X100' BLUESKIN VP160-SA WATER RESISTIVE AIR BARRIER MEMBRANE (12/CASE 432/PLT)(HE160GUSA974)



VP160-4 4"X100' BLUESKIN VP160-SA WATER RESISTIVE AIR BARRIER MEMBRANE (12/CASE) (432/PLT)

UPC: 0081725828520 Unit: RL WT: 3.00 lbs

BAKOR**VP160-6**

VP160-6 6"X100' BLUESKIN VP160-SA WATER RESISTIVE AIR BARRIER MEMBRANE (8/CASE 288/PLT)(HE160GUSA971)



VP160-6 6"X100' BLUESKIN VP160-SA WATER RESISTIVE AIR BARRIER MEMBRANE (8/CASE) (288/PLT) (HE160GUSA971)

UPC: 081725946200 Unit: RL WT: 4.00 lbs

BAKOR**WB1250****WB1250 BLUESKIN WB 12"X50' (4/CASE) (108/PLT)(BK200WB4335)**

12in x 50' Blueskin Weather Barrier. BLUESKIN WB is a self-adhered membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. The membrane is specifically designed to be self-adhered to a prepared substrate. BLUESKIN WB is designed for use as a concealed self-adhered barrier against moisture infiltration. It is commonly used to provide a weather tight seal around windows and doors, joints in sheathing, sealing around skylights and as a flashing in residential construction. SBS modified membrane can be applied in temperatures as low as 10F, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Impermeable to air, moisture vapor and water, Excellent compatibility with Henry adhesives and liquid air barrier membranes, Self-adhesive, no flame required. Factory controlled thickness, Membrane is self-sealing when penetrated with self-tapping screws or nails. (4/Case) (108/Plt)

UPC: 081725096042 Unit: RL WT: 11.00 lbs

BAKOR**WB1850****WB1850 BLUESKIN WB 18"X50' (84/PLT)(BK200WB4336)**

18in x 50' Blueskin Weather Barrier. BLUESKIN WB is a self-adhered membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. The membrane is specifically designed to be self-adhered to a prepared substrate. BLUESKIN WB is designed for use as a concealed self-adhered barrier against moisture infiltration. It is commonly used to provide a weather tight seal around windows and doors, joints in sheathing, sealing around skylights and as a flashing in residential construction. SBS modified membrane can be applied in temperatures as low as 10F, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Impermeable to air, moisture vapor and water, Excellent compatibility with Henry adhesives and liquid air barrier membranes, Self-adhesive, no flame required. Factory controlled thickness, Membrane is self-sealing when penetrated with self-tapping screws or nails. (84/Plt)

UPC: 081725064140 Unit: RL WT: 16.50 lbs

BAKOR**WB3650****WB3650 BLUESKIN WB 36"X50' (42/PLT)(HE200WB4337)**

36in x 50' Blueskin Weather Barrier. BLUESKIN WB is a self-adhered membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. The membrane is specifically designed to be self-adhered to a prepared substrate. BLUESKIN WB is designed for use as a concealed self-adhered barrier against moisture infiltration. It is commonly used to provide a weather tight seal around windows and doors, joints in sheathing, sealing around skylights and as a flashing in residential construction. SBS modified membrane can be applied in temperatures as low as 10F, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Impermeable to air, moisture vapor and water, Excellent compatibility with Henry adhesives and liquid air barrier membranes, Self-adhesive, no flame required. Factory controlled thickness, Membrane is self-sealing when penetrated with self-tapping screws or nails. (42/Plt)

UPC: 081725046146 Unit: RL WT: 33.00 lbs

BAKOR**WB450****WB450 BLUESKIN WB 4"X50' WINDOW AND DOOR FLASHING (12RL/CASE) (348RL/PLT)(BH200WB4559)**

4in x 50' Blueskin Weather Barrier Window and door Flashing. BLUESKIN WB is a self-adhered membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. The membrane is specifically designed to be self-adhered to a prepared substrate. BLUESKIN WB is designed for use as a concealed self-adhered barrier against moisture infiltration. It is commonly used to provide a weather tight seal around windows and doors, joints in sheathing, sealing around skylights and as a flashing in residential construction. SBS modified membrane can be applied in temperatures as low as 10F, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum, galvanized metal, gypsum board and plywood, Impermeable to air, moisture vapor and water, Excellent compatibility with Henry adhesives and liquid air barrier membranes, Self-adhesive, no flame required. Factory controlled thickness, Membrane is self-sealing when penetrated with self-tapping screws or nails. (12rl/case)

UPC: 694266999477 WT: 4.20 lbs

BAKOR

WB650**WB650 BLUESKIN WB 6"X50' WINDOW AND DOOR FLASHING(CASE/8)(216/PLT) (BH200WB4578)**

6in x 50' Blueskin Weather Barrier Window and Door Flashing Tape. BLUESKIN WB is a self-adhered membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. The membrane is specifically designed to be self-adhered to a prepared substrate. BLUESKIN WB is designed for use as a concealed self-adhered barrier against moisture infiltration. It is commonly used to provide a weather tight seal around windows and doors, joints in sheathing, sealing around skylights and as a flashing in residential construction.SBS modified membrane can be applied in temperatures as low as 10F, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum,,galvanized metal, gypsum board and plywood, Impermeable to air, moisture vapor and water, Excellent compatibility with Henry adhesives and liquid air barrier membranes, Self-adhesive, no flame required. Factory controlled thickness, Membrane is self-sealing when penetrated with self-tapping screws or nails. (8/box)

UPC: 694266999422 Unit: RL WT: 7.25 lbs

BAKOR

WB950**WB950 BLUESKIN WB 9"X50' WINDOW AND DOOR FLASHING (CASE/4)(144/PLT) (BH200WB4590)**

9in x 50' Blueskin Weather Barrier Window and Door Flashing. BLUESKIN WB is a self-adhered membrane consisting of an SBS rubberized asphalt compound which is integrally laminated to a blue cross-laminated polyethylene film. The membrane is specifically designed to be self-adhered to a prepared substrate. BLUESKIN WB is designed for use as a concealed self-adhered barrier against moisture infiltration. It is commonly used to provide a weather tight seal around windows and doors, joints in sheathing, sealing around skylights and as a flashing in residential construction.SBS modified membrane can be applied in temperatures as low as 10F, Excellent adhesion to prepared substrates of concrete, concrete block, primed steel, aluminum mill finish, anodized aluminum,,galvanized metal, gypsum board and plywood, Impermeable to air, moisture vapor and water, Excellent compatibility with Henry adhesives and liquid air barrier membranes, Self-adhesive, no flame required. Factory controlled thickness, Membrane is self-sealing when penetrated with self-tapping screws or nails.

UPC: 694266999439 WT: 9.87 lbs

BAKOR

Product**Description****ROOFING PRODUCTS - DEE 15LB ROOF FELT****DBP15LB-CG****DBP15LB-CG 36" X 144' 15 LB ASPHALT FELT PAPER ASTM-4869 432 SQ FT (39/PLT)**

Weathershield 15 lb Asphalt Felt Paper 36in x 144' 432 sq ft (39/pallet)

UPC: 773967309027 Unit: EA WT: 38.00 lbs

DEE 15LB ROOF FELT

Product**Description****ROOFING PRODUCTS - DEE SYNTHETIC****DBPSBF48****DBPSBF48 48" X 250' BLACK BIG FOOT SYNTHETIC ROOF UNDERLAYMENT ASTMD226 ICC-ES AC207 CSA A220/A123.3 (1000 SQ FT) (56/PLT)**

DBPSBF48 48" X 250' BLACK BIG FOOT SYNTHETIC ROOF UNDERLAYMENT ASTMD226 ICC-ES AC207 CSA A220/A123.3 (1000 SQ FT) (56/PLT)

Unit: EA WT: 27.45 lbs

DEE SYNTHETIC

Product**Description****ROOFING PRODUCTS - G. H. INTERNATIONAL****0311-GA-F****0311-GA-F 3.4L LEAK STOP RUBBERIZED ROOF PATCH BLACK (6/CASE) (0311-GA-F)**

0311-GA-F 3.4L LEAK STOP RUBBERIZED ROOF PATCH BLACK (6/CASE)

UPC: 025056007803 Unit: EA WT: 9.19 lbs

G. H. INTERNATIONAL

0316-GA-F**0316-GA-F 511G RUBBER FLEXX SEALANT BLACK (12/CASE) (0316-GA-F)**

0316-GA-F 511G RUBBER FLEXX SEALANT BLACK (12/CASE) (0316-GA-F) - Rubberized Spray Sealant & Instant Repair -Stops Roof Leaks Instantly - Seals & Protects - Easy Spray Application Rubber-Flexx Sealant is a revolutionary advancement in roof patching and repair. This long lasting rubberized repair is specially formulated deep into damaged areas and stop roof leaks instantly. With the addition of liquid rubber, this flexible, high performance sealant provides a superior wartertight bond that will stop problem leaks for good. Rubber Flexx is ideal for a variety of roof surface including: - Shingles - Metal Roofs - Chimneys - Skylights - Gutters - Pipes - and many other surfaces

UPC: 025056007605 Unit: EA WT: 1.40 lbs

G. H. INTERNATIONAL

0319-GA-F**0319-GA-F 30ML LEAK STOP RUBBERIZED ROOF PATCH BLACK (12/CASE) (0319-GA-F)**

0319-GA-F 30ML LEAK STOP RUBBERIZED ROOF PATCH BLACK (12/CASE)

UPC: 025056007704 Unit: EA WT: 1.29 lbs

G. H. INTERNATIONAL

0339-GA-F**0339-GA-F 300ML LEAK STOP RUBBERIZED ROOF PATCH CRYSTAL CLEAR (12/CASE) (0339-GA-F)**

0339-GA-F 300ML LEAK STOP RUBBERIZED ROOF PATCH CRYSTAL CLEAR (12/CASE)

UPC: 05056007902 Unit: EA WT: 1.10 lbs

G. H. INTERNATIONAL

2172**2172 BLACK JACK ROOF CEMENT 300ML (24/CASE) (48CS/PLT) (2172-900-64)**

Black Jack Wet Patch Roof Cement 300ml. COVERAGE 1/4in by 1/4in bead will cover 25 lineal feet per 300ml cartridge. This product is a sealer and filler for use in patching cracks and breaks in roofing surfaces firewalls chimneys gutters flashing etc. particularly in emergency situations where the stopping of a leak from a wet surface must be done. It is ideal for patching and roof maintenance sealing and repairing shingle tabs flashing roof seams and gable joints. It can be used to stop leaks around vent pipes spouts and gutters and is suitable for sealing metal building seams foundations masonry steps or in re-pointing chimneys.(24/case)

UPC: 065224217238 Unit: EA WT: 0.92 lbs


G. H. INTERNATIONAL

2172-QT**2172-QT BLACK JACK ROOF CEMENT 825ML QUART (12/CASE) (50CS/PLT) (2172-900-84)**

Black Jack Wet Patch Roof Cement 825ml. This product is a sealer and filler for use in patching cracks and breaks in roofing surfaces firewalls chimneys gutters flashing etc. particularly in emergency situations where the stopping of a leak from a wet surface must be done. It is ideal for patching and roof maintenance sealing and repairing shingle tabs flashing roof seams and gable joints. It can be used to stop leaks around vent pipes spouts and gutters and is suitable for sealing metal building seams foundations masonry steps or in re-pointing chimneys. (12/case)

UPC: 065224217214 Unit: EA WT: 1.15 lbs

G. H. INTERNATIONAL

6003-9-80F**6003-9-80F BJ MS-200 3.78L BONDING AGENT SOLVENT BASE MOISTURE-STOP WATERPROOFING SYSTEM (2/CASE) (75 CASES/PLT) (6003-9-80-F)**

6003-9-80F BJ MS-200 3.78L BONDING AGENT SOLVENT BASE MOISTURE-STOP WATERPROOFING SYSTEM (2/CASE) (75CASES/PLT) (6003-9-80-F)

UPC: 027134030314 Unit: EA WT: 8.27 lbs

G. H. INTERNATIONAL

6005-6-80-F

6005-6-80F BJ MS-202 3.78L BONDING AGENT WATER BASE MOISTURE-STOP WATERPROOFING SYSTEM (2/CASE) (75 CASES/PLT) (6005-6-80-F)



6005-6-80F BJ MS-202 3.78L BONDING AGENT WATER BASE MOISTURE-STOP WATERPROOFING SYSTEM (2/CASE) (75CASES/PLT)

UPC: 027134600517 Unit: EA WT: 9.92 lbs

G. H. INTERNATIONAL

6007-0-84-F

6007-0-84F BJ MS-201 425G BONDING AGENT AEROSOL MOISTURE-STOP WATERPROOFING SYSTEM (12/CASE) (75 CASES/PLT) (6007-0-84-F)



6007-0-84F BJ MS-201 425G BONDING AGENT AEROSOL MOISTURE-STOP WATERPROOFING SYSTEM (12/CASE) (75 CASES/PLT)

UPC: 027134030178 Unit: EA WT: 2.41 lbs

G. H. INTERNATIONAL

6030-6-30F

6030-6-30F BJ AQUA TITE FOUNDATION LIQUID MEMBRANE 18.93L MOISTURE-STOP WATERPROOFING SYSTEM (2/CASE) (75CASES/PLT) (6005-6-80-F)



6005-6-80F BJ MS-202 3.78L BONDING AGENT WATER BASE MOISTURE-STOP WATERPROOFING SYSTEM (2/CASE) (75CASES/PLT)

Unit: EA WT: 47.00 lbs

G. H. INTERNATIONAL

6229-9-64F

6229-9-64F BJ MS-100 300ML FLEXIBLE SEALANT MOISTURE-STOP WATERPROOFING SYSTEM(24/CASE) (48 CASES/PLT) (6229-9-64F)



6229-9-64 BJ MS-100 300ML FLEXIBLE SEALANT MOISTURE-STOP WATERPROOFING SYSTEM(24/CASE) (48 CASES/PLT)

UPC: 027134030468 Unit: EA WT: 0.43 lbs

G. H. INTERNATIONAL

7678-3-106

7678-3-106 162ML SHUR-STIK WALL PATCH SHUR ADHESIVES (12/CASE) (196/SKD) (7679-3-106)



7678-3-106 162ML SHUR-STIK WALL PATCH SHUR ADHESIVES (12/CASE) (196/SKID)

UPC: 065224767832 Unit: EA WT: 1.10 lbs

G. H. INTERNATIONAL

9405-7-50

9405-750 BJ MS-500 3'X66.7" 60 MILL HD WATERPROOFING MEMBRANE MOISTURE-STOP WATERPROOFING SYSTEM (1/CASE) (20CASES/PLT) (9405-7-50)



9405-750 BJ MS-500 3'X66.7" 60 MILL HD WATERPROOFING MEMBRANE MOISTURE-STOP WATERPROOFING SYSTEM (1/CASE) (20CASES/PLT)

UPC: 027134030086 Unit: EA WT: 84.00 lbs

G. H. INTERNATIONAL

9802-7-50

9802-7-50 BJ MS-400 6'X50" BUILDING TAPE MOISTURE-STOP WATERPROOFING SYSTEM (6/CASE) (24CASES/PLT) (9802-7-50)



9802-7-50 BJ MS-400 6'X50" BUILDING TAPE MOISTURE-STOP WATERPROOFING SYSTEM (6/CASE) (24CASES/PLT)

UPC: 027134030680 Unit: EA WT: 6.00 lbs

G. H. INTERNATIONAL

Product

Description

SAFETY PRODUCTS - 3M CANADA INC.

1100

1100 DISPOSABLE FOAM EAR PLUGS 200PR/BOX (5BOX/CASE)



3M Disposable Foam Ear Plugs. Longer length and expandable foam material conforms to ear canal. (200pr/box)(5box/case)

UPC: 051138290085 Unit: BX WT: 2.00 lbs

3M CANADA INC.

8210

8210 DISPOSABLE DUST MASK (20/BOX, 4 BOX/CASE) (8210)



3M Disposable Dust Mask. A welded strap attachment soft nose foam and adjustable noseclip to help provide a custom fit and secure seal. (20/box 8box/case)

UPC: 051133846454 Unit: BX WT: 0.69 lbs

3M CANADA INC.

Product

Description

SCREENING & ACCESS - DIY / PHIFER SCREENING

FBGS108

FBGS108 108" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN (18X14 MESH) (PHFGP108100)



FBGS108 108" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN (18X14 MESH)

UPC: 047888082872 Unit: EA WT: 36.00 lbs

DIY / PHIFER SCREENING

FBGS48

FBGS48 48" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN (PHFG48)



FBGS48 48" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN

UPC: 047888073344 Unit: EA WT: 11.00 lbs

DIY / PHIFER SCREENING

FBGS60**FBGS60 60" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN (PHFG60100)**

FBGS60 60" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN

UPC: 047888073412 Unit: EA WT: 13.75 lbs

[DIY / PHIFER SCREENING](#)

FBGS96**FBGS96 96" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN (18X14 MESH) (PHFGP96100)**


FBGS96 96" X 100' BLACK / CHARCOAL FIBERGLASS SCREEN (18X14 MESH)

UPC: 047888082940 Unit: EA WT: 33.00 lbs

[DIY / PHIFER SCREENING](#)

Product**Description****SCREENING & ACCESS - SCREENEZE****SCR125BRONZE**

SCR125BRONZE SCREENEZE 5PC 12' TUBE BRONZE ALUMINUM, VINYL BASE & CAP WITH SCREWS



SCR125BRONZE Screezeze 5pc 12' tube bronze aluminum, vinyl base & cap with screws.

UPC: 855352005384 Unit: EA WT: 15.00 lbs

[SCREENEZE](#)

SCR125WHITE

SCR125WHITE SCREENEZE 5PC 12' TUBE WHITE ALUMINUM, VINYL BASE & CAP WITH SCREWS




SCR125WHITE Screezeze 5pc 12' tube white aluminum, vinyl base & cap with screws.

UPC: 855352005377 Unit: EA WT: 15.00 lbs

[SCREENEZE](#)

SCR85BRONZE

SCR85BRONZE SCREENEZE 5PC 8' TUBE BRONZE ALUMINUM, VINYL BASE & CAP WITH SCREWS




SCR85BRONZE Screezeze 5pc 8' tube bronze aluminum, vinyl base & cap with screws.

UPC: 855352005278 Unit: EA WT: 10.00 lbs

[SCREENEZE](#)

SCR85WHITE


SCR85WHITE SCREENEZE 5PC 8' TUBE WHITE ALUMINUM, VINYL BASE & CAP WITH SCREWS




SCR85WHITE Screezeze 5pc 8' tube white aluminum, vinyl base & cap with screws.

UPC: 855352005285 Unit: EA WT: 10.00 lbs

[SCREENEZE](#)


Product	Description	SCREWS - DRYWALL - DEE IMPORT SCREWS
DS11/4	DS11/4 #6 X 1-1/4" COARSE DRYWALL SCREW 8M #6 X 1-1/4in Drywall Screw Course (8000 pcs)	
		
	UPC: 773967302226 Unit: CT WT: 29.00 lbs	DEE IMPORT SCREWS
DS11/4F	DS11/4F #6 X 1-1/4" FINE DRYWALL SCREW 8M #6 X 1-1/4in Drywall Screw Fine (8000 pcs)	
	UPC: 773967302233 Unit: CT WT: 29.00 lbs	DEE IMPORT SCREWS
DS11/4FJAR	DS11/4FJAR #6 X 1-1/4" FINE DRYWALL SCREW 750ML APPROX 500 PCS (8 JARS/CRT) #6 X 1-1/4in Drywall Screw Fine (500 pcs) (8 Jars/Carton)	
	UPC: 773967311242 Unit: EA WT: 1.80 lbs	DEE IMPORT SCREWS
DS11/4FLBK	DS11/4FLBK #6 X 1-1/4" FINE DRYWALL SCREW (APPROX 5000/BKT, 60BKT/PLT) #6 1 1/4in Fine Drywall Screw (Approx 5000 Per Bucket) (60 Buckets Per Pallet)	
	UPC: 773967309799 Unit: EA WT: 17.00 lbs	DEE IMPORT SCREWS
DS11/4JAR	DS11/4JAR #6 X 1-1/4" COARSE DRYWALL SCREW 750ML APPROX 500 PCS (8 JARS/CRT) #6 X 1-1/4in Drywall Screw Course (500 pcs) (8 Jars/Carton)	
	UPC: 773967311235 Unit: EA WT: 1.80 lbs	DEE IMPORT SCREWS
DS11/4LBK	DS11/4LBK #6 X 1-1/4" COARSE DRYWALL SCREW (APPROX 5000/BKT, 60BKT/PLT) #6 1 1/4in Coarse Drywall Screw (Approx 5000 Per Bucket) (60 Buckets Per Pallet)	
	UPC: 773967309775 Unit: EA WT: 18.00 lbs	DEE IMPORT SCREWS
DS11/4SBK	DS11/4SBK #6 X 1-1/4" COARSE DRYWALL SCREW (APPROX 1000/BKT, 8BKT/CTN, 32CTN/PLT) #6 1 1/4in Coarse Drywall Screw (Approx 1000 Per Bucket) (8 Buckets Per Carton, 32 Carton's Per Pa...)	
	UPC: 773967309911 Unit: EA WT: 3.60 lbs	DEE IMPORT SCREWS
DS15/8	DS15/8 #6 X 1-5/8" COARSE DRYWALL SCREW 5M #6 X 1-5/8in Drywall Screw Coarse (5000 pcs)	
	UPC: 773967302240 Unit: BX WT: 21.00 lbs	DEE IMPORT SCREWS
DS15/8F	DS15/8F #6 X 1-5/8" FINE DRYWALL SCREW 5M #6 X 1-5/8in Drywall Screw Fine (5000 pcs)	
	UPC: 773967302257 Unit: BX WT: 22.00 lbs	DEE IMPORT SCREWS
DS15/8FJAR	DS15/8FJAR #6 X 1-5/8" FINE DRYWALL SCREW 750ML APPROX 450 PCS (8 JARS/CRT) #6 X 1-5/8in Drywall Screw Fine (450 pcs) (8 Jars/Carton)	
	UPC: 773967311266 Unit: EA WT: 2.00 lbs	DEE IMPORT SCREWS
DS15/8FLBK	DS15/8FLBK #6 X 1-5/8" FINE DRYWALL SCREW (APPROX 4000/BKT, 60BKT/PLT) #6 1 5/8in Fine Drywall Screw (Approx 4000 Per Bucket, 60 Buckets Per Pallet)	
	UPC: 773967309805 Unit: EA WT: 19.00 lbs	DEE IMPORT SCREWS
DS15/8JAR	DS15/8JAR #6 X 1-5/8" COARSE DRYWALL SCREW 750ML APPROX 450 PCS (8 JARS/CRT) #6 X 1-5/8in Drywall Screw Coarse (450 pcs) (8 Jars/Carton)	
	UPC: 773967311259 Unit: EA WT: 2.00 lbs	DEE IMPORT SCREWS
DS15/8LBK	DS15/8LBK #6 X 1-5/8" COARSE DRYWALL SCREW (APPROX 4000/BKT, 36BKT/PLT) #6 1 5/8in Coarse Drywall Screw (Approx 4000 Per Bucket) (60 Buckets Per Pallet)	
	UPC: 773967309782 Unit: EA WT: 18.00 lbs	DEE IMPORT SCREWS
DS15/8SBK	DS15/8SBK #6 X 1-5/8" COARSE DRYWALL SCREW (APPROX 1000/BKT, 8BKT/CTN, 32CTN/PLT) #6 1 5/8in Coarse Drywall Screw (Approx 1000 Per Bucket) (8 Buckets Per Carton, 32 Carton's Per Pa...)	
	UPC: 773967303056 Unit: EA WT: 4.50 lbs	DEE IMPORT SCREWS
DS2	DS2 #6 X 2" COARSE DRYWALL SCREW 3.5M #6 X 2in Drywall Screw Coarse (3500 pcs)	
	UPC: 773967302264 Unit: BX WT: 19.00 lbs	DEE IMPORT SCREWS
DS21/2	DS21/2 #7 X 2-1/2" COARSE DRYWALL SCREW 2.5M #7 X 2-1/2in Drywall Screw Coarse (2500 pcs)	
	UPC: 773967302288 Unit: BX WT: 18.00 lbs	DEE IMPORT SCREWS

DS21/2F	DS21/2F #7 X 2-1/2" FINE DRYWALL SCREW 2.5M	
#7 X 2-1/2in Drywall Screw Fine (2500 pcs)		
UPC: 773967302295	Unit: BX WT: 19.00 lbs	DEE IMPORT SCREWS
DS21/2FJAR	DS21/2FJAR #7 X 2-1/2" FINE DRYWALL SCREW 1L JAR APPROX 200PCS (8 JARS/CTN)	
#7 X 2-1/2in Drywall Screw Fine (200 pcs) (8Jars/Carton)		
UPC: 773967311303	Unit: EA WT: 1.60 lbs	DEE IMPORT SCREWS
DS21/2FP20	DS21/2FP20 #7 X 2-1/2" FINE DRYWALL SCREW 20LB BOXS (48 BOXES/SKID) (DS21/2FP20) ** FOR MB ONLY **	
#7 X 2-1/2in Drywall Screw Fine 20Lb Box		
UPC: 773967311969	Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DS21/2JAR	DS21/2JAR #7 X 2-1/2" COARSE DRYWALL SCREW 1L JAR APPROX 200 PCS (8 JARS/CTN)	
#7 X 2-1/2in Drywall Screw Coarse (200 pcs) (8 Jars/Carton)		
UPC: 773967311297	Unit: EA WT: 1.60 lbs	DEE IMPORT SCREWS
DS21/2P20	DS21/2P20 #7 X 2-1/2" COARSE DRYWALL SCREW 20LB BOX (48 BOXES/SKID) (DS21/2P20)	
#7 X 2-1/2in Drywall Screw Coarse 20Lb Box		
Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DS2F	DS2F #6 X 2" FINE DRYWALL SCREW 3.5M	
#6 X 2in Drywall Screw Fine (3500 pcs)		
UPC: 773967302271	Unit: BX WT: 19.00 lbs	DEE IMPORT SCREWS
DS2FJAR	DS2FJAR #6 X 2" FINE DRYWALL SCREW 1L JAR (8 JARS/CTN)	
#6 X 2in Drywall Screw Fine (350 pcs) (8 Jars/Carton)		
UPC: 773967311280	Unit: EA WT: 1.90 lbs	DEE IMPORT SCREWS
DS2FP20	DS2FP20 #6 X 2" FINE DRYWALL SCREW 20LB BOX (48 BOXES/SKID) (DS2FP20) ** FOR MB ONLY **	
#6 X 2in Drywall Screw Fine 20 Lb Box		
UPC: 773967311921	Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DS2JAR	DS2JAR #6 X 2" COARSE DRYWALL SCREW 1L JAR APPROX 350 PCS (8 JARS/CRT)	
#6 X 2in Drywall Screw Coarse (350 pcs) (8 Jars/Carton)		
UPC: 773967311273	Unit: EA WT: 1.90 lbs	DEE IMPORT SCREWS
DS2P20	DS2P20 #6 X 2" COARSE DRYWALL SCREW 20LB BOX (48 BOXES/SKID) (DS2P20) ** FOR MB ONLY **	
#6 X 2in Drywall Screw Coarse 20LB BOX		
UPC: 773967311938	Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DS3	DS3 #8 X 3" COARSE DRYWALL SCREW 2M	
#8 X 3in Drywall Screw Coarse (2000 pcs)		
UPC: 773967302301	Unit: BX WT: 21.00 lbs	DEE IMPORT SCREWS
DS3F	DS3F #8 X 3" FINE DRYWALL SCREW 2M	
#8 X 3in Drywall Screw Fine (2000 pcs)		
UPC: 773967302318	Unit: BX WT: 20.00 lbs	DEE IMPORT SCREWS
DS3FJAR	DS3FJAR #8 X 3" FINE DRYWALL SCREW 2L JAR APPROX 150PCS (6 JARS/CTN)	
#8 X 3in Drywall Screw Fine (150 pcs) (6 Jars/Carton)		
UPC: 773967311310	Unit: EA WT: 1.60 lbs	DEE IMPORT SCREWS
DS3FP20	DS3FP20 #8 X 3" FINE DRYWALL SCREW 20LB BOX (48 BOXES/SKID) (DS3FP20) ** FOR MB ONLY **	
#8 X 3in Drywall Screw Fine 20Lb Box		
UPC: 773967311976	Unit: BX WT: 20.00 lbs	DEE IMPORT SCREWS
DS3JAR	DS3JAR #8 X 3" COARSE DRYWALL SCREW 2L JAR APPROX 150 PCS (6 JARS/CTN)	
#8 X 3in Drywall Screw Coarse (150 pcs) (6 Jars/Carton)		
UPC: 773967311327	Unit: EA WT: 1.60 lbs	DEE IMPORT SCREWS
DS3P20	DS3P20 #8 X 3" COARSE DRYWALL SCREW 20LB BOX (48 BOXES/SKID) (DS3P20) ** FOR MB ONLY **	
#8 X 3in Drywall Screw Coarse 20Lb Box		
UPC: 773967311952	Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS

Product	Description	SCREWS - EXTERIOR - DEE IMPORT SCREWS
DDSB48JAR	DDSB48JAR #8 X 1-1/4" BROWN WEATHER GUARD SCREW 1L JAR APPROX 700 PCS (8 JARS/CTN)	
	#8 X 1-1/4in Weatherguard Screw Brown (700 PCS) (8 Jars/Carton)	
	UPC: 773967311402 Unit: EA WT: 3.20 lbs	DEE IMPORT SCREWS
DDSB48P20	DDSB48P20 #8 X 1-1/4" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB48P20)	
	#8 X 1-1/4in Weatherguard Screw Brown 20Lb Box	
	UPC: 773967312034 Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DDSB49JAR	DDSB49JAR #8 X 1-1/2" BROWN WEATHER GUARD 1L JAR APPROX 600 PCS (8 JARS/CTN)	
	#8 X 1-1/2in Weatherguard Screw Brown (600 pcs) (8 Jars/Carton)	
	UPC: 773967311419 Unit: EA WT: 3.40 lbs	DEE IMPORT SCREWS
DDSB49P20	DDSB49P20 #8 X 1-1/2" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB49P20)	
	#8 X 1-1/2in Weatherguard Screw Brown 20Lb Box	
	UPC: 773967312041 Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DDSB50JAR	DDSB50JAR #8 X 1-3/4" BROWN WEATHER GUARD SCREW 1L JAR APPROX 400 PCS (8 JARS/CTN)	
	#8 X 1-3/4in Weatherguard Screw Brown (400 pcs) (8 Jars/Carton)	
	UPC: 773967311426 Unit: EA WT: 2.50 lbs	DEE IMPORT SCREWS
DDSB50P20	DDSB50P20 #8 X 1-3/4" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB50P20)	
	#8 X 1-3/4in Weatherguard Screw Brown 20Lb Box	
	UPC: 773967312058 Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DDSB51	DDSB51 #8 X 2" BROWN WEATHER GUARD SCREW 3.5M	
	#8 X 2in Weatherguard Screw Brown (3500 pcs)	
	UPC: 773967311792 Unit: CT WT: 24.00 lbs	DEE IMPORT SCREWS
DDSB51JAR	DDSB51JAR #8 X 2" BROWN WEATHER GUARD SCREW 1L JAR APPROX 400 PCS (8 JARS/CTN)	
	#8 X 2in Weatherguard Screw Brown (400 pcs) (8 Jars/Carton)	
	UPC: 773967311433 Unit: EA WT: 3.20 lbs	DEE IMPORT SCREWS
DDSB51P20	DDSB51P20 #8 X 2" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB51P20)	
	#8 X 2in Weatherguard Screw Brown 20Lb Box	
	UPC: 773967311990 Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DDSB52	DDSB52 #8 X 2-1/2" BROWN WEATHER GUARD SCREW 2.5M	
	#8 X 2-1/2in Weatherguard Brown Screw 2.5M	
	UPC: 773967311808 Unit: CT WT: 21.00 lbs	DEE IMPORT SCREWS
DDSB52JAR	DDSB52JAR #8 X 2-1/2" BROWN WEATHER GUARD SCREW 2L JAR APPROX 350 PCS (6 JARS/CTN)	
	#8 X 2-1/2in Weatherguard Brown Screw 2L Jar Approx 350 Pcs (6 Jars/Carton)	
	UPC: 773967311440 Unit: EA WT: 3.20 lbs	DEE IMPORT SCREWS
DDSB52P20	DDSB52P20 #8 X 2-1/2" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB52P20)	
	#8 X 2-1/2in Weatherguard Brown Screw 20Lb Box	
	UPC: 773967311983 Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DDSB53	DDSB53 #8 X 3" BROWN WEATHER GUARD SCREW 2M	
	#8 X 3in Weatherguard Screw Brown (2000 pcs)	
	UPC: 773967311815 Unit: CT WT: 19.75 lbs	DEE IMPORT SCREWS
DDSB53JAR	DDSB53JAR #8 X 3" BROWN WEATHER GUARD SCREW 2L JAR APPROX 300 PCS (6 JARS/CTN)	
	#8 X 3in Weatherguard Screw Brown 2L Jar (300 pcs) (6 Jars/Carton)	
	UPC: 773967311457 Unit: EA WT: 3.20 lbs	DEE IMPORT SCREWS
DDSB53P20	DDSB53P20 #8 X 3" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB53P20)	
	#8 X 3in Weatherguard Screw Brown 20Lb Box	
	Unit: CT WT: 20.00 lbs	DEE IMPORT SCREWS
DDSB81	DDSB81 #10 X 3-1/2" BROWN WEATHER GUARD SCREW 1.5M	
	#10 X 3-1/2in Weatherguard Screw Brown (1500 pcs)	
	UPC: 773967311822 Unit: CT WT: 20.75 lbs	DEE IMPORT SCREWS
DDSB81JAR	DDSB81JAR #10 X 3-1/2" BROWN WEATHER GUARD SCREW 2L JAR APPROX 175 PCS (6 JARS/CTN)	
	#10 X 3-1/2in Weatherguard Screw Brown 2L Jar (175 pcs) (6 Jars/Carton)	
	UPC: 773967311464 Unit: EA WT: 3.00 lbs	DEE IMPORT SCREWS

DDSB81P20	DDSB81P20 #10 X 3-1/2" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB81P20)	
#10 X 3-1/2in Weatherguard Screw Brown 20Lb Box		
Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DDSB82	DDSB82 #10 X 4" BROWN WEATHER GUARD SCREW 1M	
#10 X 4in Weatherguard Screw Brown (1000 pcs)		
UPC: 773967311839 Unit: CT WT: 15.53 lbs		DEE IMPORT SCREWS
DDSB82P20	DDSB82P20 #10 X 4" BROWN WEATHER GUARD SCREW 20LB BOX (48 BOXES/SKID) (DDSB82P20)	
#10 X 4in Weatherguard Screw Brown 20Lb Box		
UPC: 773967312027 Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DDSG48	DDSG48 #8 X 1-1/4" GREEN WEATHER GUARD SCREW 7M	
#8 X 1-1/4in Weathergaurd Screw Green 7M		
UPC: 773967303872 Unit: CT WT: 30.00 lbs		DEE IMPORT SCREWS
DDSG48JAR	DDSG48JAR #8 X 1-1/4" GREEN WEATHER GUARD SCREW 1L JAR APPROX 700 PCS (8 JARS/CTN)	
#8 X 1-1/4in Weathergaurd Screw Green (700 PCS) (8 Jars/Carton)		
UPC: 773967311334 Unit: EA WT: 3.50 lbs		DEE IMPORT SCREWS
DDSG48LBK	DDSG48LBK #8 X 1-1/4" GREEN WEATHER GUARD SCREW (APPROX 3000/BKT, 60BKT/PLT)	
#8 1 1/4in Weather Guard Screw Green (Approx 3000 Per Bucket) (60 Buckets Per Pallet)		
UPC: 773967310870 Unit: BX WT: 15.00 lbs		DEE IMPORT SCREWS
DDSG48SBK	DDSG48SBK #8 X 1-1/4" GREEN WEATHER GUARD SCREW (APPROX 750/BKT, 8BKT/CTN, 36CTN/PLT)	
#8 1 1/4in Green Weather Guard Screw (Approx 750 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per ...)		
UPC: 773967310825 Unit: BX WT: 3.50 lbs		DEE IMPORT SCREWS
DDSG49	DDSG49 #8 X 1-1/2" GREEN WEATHER GUARD (6M)	
#8 X 1-1/2in Weatherguard Screw Green (6000 pcs)		
UPC: 773967304046 Unit: CT WT: 30.00 lbs		DEE IMPORT SCREWS
DDSG49JAR	DDSG49JAR #8 X 1-1/2" GREEN WEATHER GUARD 1L JAR APPROX 600 PCS (8 JARS/CTN)	
#8 X 1-1/2in Weatherguard Screw Green (600 pcs) (8 Jars/Carton)		
UPC: 773967311341 Unit: EA WT: 3.20 lbs		DEE IMPORT SCREWS
DDSG49LBK	DDSG49LBK #8 X 1-1/2" GREEN WEATHER GUARD SCREW (APPROX 3000/BKT, 60BKT/PLT)	
#8 1 1/2in Weather Guard Screw Green (Approx 3000 Per Bucket) (60 Buckets Per Pallet)		
UPC: 773967310887 Unit: BX WT: 15.00 lbs		DEE IMPORT SCREWS
DDSG49SBK	DDSG49SBK #8 X 1-1/2" GREEN WEATHER GUARD SCREW (APPROX 750/BKT, 8BKT/CTN, 36CTN/PLT)	
#8 1 1/2in Green Weather Guard Screw (Approx 750 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per ...)		
UPC: 773967310832 Unit: BX WT: 4.20 lbs		DEE IMPORT SCREWS
DDSG50	DDSG50 #8 X 1-3/4" GREEN WEATHER GUARD SCREW 5M	
#8 X 1-3/4in Weatherguard Screw Green (5000 pcs)		
Unit: CT WT: 30.00 lbs		DEE IMPORT SCREWS
DDSG50JAR	DDSG50JAR #8 X 1-3/4" GREEN WEATHER GUARD SCREW 1L JAR APPROX 400 PCS (8 JARS/CTN)	
#8 X 1-3/4in Weatherguard Screw Green (400 pcs) (8 Jars/Carton)		
UPC: 773967311358 Unit: EA WT: 2.50 lbs		DEE IMPORT SCREWS
DDSG50LBK	DDSG50LBK #8 X 1-3/4" GREEN WEATHER GUARD SCREW (APPROX 3000/BKT, 72BKT/PLT)	
#8 1 3/4in Weather Guard Screw Green (Approx 3000 Per Bucket) (60 Buckets Per Pallet)		
UPC: 773967309720 Unit: EA WT: 18.00 lbs		DEE IMPORT SCREWS
DDSG50SBK	DDSG50SBK #8 X 1-3/4" GREEN WEATHER GUARD SCREW (APPROX 750/BKT, 8BKT/CTN, 36CTN/PLT)	
#8 1 3/4in Green Weather Guard Screw (Approx 750 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per ...)		
UPC: 773967309867 Unit: EA WT: 4.50 lbs		DEE IMPORT SCREWS
DDSG51	DDSG51 #8 X 2" GREEN WEATHER GUARD SCREW 3.5M	
#8 X 2in Weatherguard Screw Green (3500 pcs)		
UPC: 773967303896 Unit: CT WT: 23.00 lbs		DEE IMPORT SCREWS
DDSG51JAR	DDSG51JAR #8 X 2" GREEN WEATHER GUARD SCREW 1L JAR APPROX 400 PCS (8 JARS/CTN)	
#8 X 2in Weatherguard Screw Green (400 pcs) (8 Jars/Carton)		
UPC: 773967311365 Unit: EA WT: 3.00 lbs		DEE IMPORT SCREWS
DDSG51LBK	DDSG51LBK #8 X 2" GREEN WEATHER GUARD SCREW (APPROX 2500/BKT, 60BKT/PLT)	
#8 2in Green Weather Guard Screw (Approx 2500 Per Bucket) (60 Buckets Per Pallet)		
UPC: 773967309737 Unit: EA WT: 17.00 lbs		DEE IMPORT SCREWS
DDSG51SBK	DDSG51SBK #8 X 2" GREEN WEATHER GUARD SCREW (APPROX 650/BKT, 8BKT/CTN, 32CTN/PLT)	
#8 2in Green Weather Guard Screw (Approx 650 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per Pal...)		
UPC: 773967309874 Unit: EA WT: 5.00 lbs		DEE IMPORT SCREWS

DDSG52	DDSG52 #8 X 2-1/2" GREEN WEATHER GUARD SCREW 2.5M	
#8 X 2-1/2in Weatherguard Green Screw 2.5M UPC: 773967303902 Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DDSG52JAR	DDSG52JAR #8 X 2-1/2" GREEN WEATHER GUARD SCREW 2L JAR APPROX 350 PCS (6 JARS/CTN)	
#8 X 2-1/2in Weatherguard Green Screw 2L Jar Approx 350 Pcs (6 Jars/ Carton) UPC: 773967311372 Unit: EA WT: 3.20 lbs		DEE IMPORT SCREWS
DDSG52LBK	DDSG52LBK #8 X 2-1/2" GREEN WEATHER GUARD SCREW (APPROX 2000/BKT, 60BKT/PLT)	
#8 2 1/2in Green Weather Guard Screw (Approx 2000 Per Bucket) (60 Buckets Per Pallet) UPC: 773967309744 Unit: EA WT: 18.00 lbs		DEE IMPORT SCREWS
DDSG52SBK	DDSG52SBK #8 X 2-1/2" GREEN WEATHER GUARD SCREW (APPROX 500/BKT, 8BKT/CTN, 32CTN/PLT)	
#8 2 1/2in Green Weather Guard Screw (Approx 500 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per ... UPC: 773967309881 Unit: EA WT: 4.00 lbs		DEE IMPORT SCREWS
DDSG53	DDSG53 #8 X 3" GREEN WEATHER GUARD SCREW 2M	
#8 X 3in Weatherguard Screw Green (2000 pcs) UPC: 773967311716 Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DDSG53JAR	DDSG53JAR #8 X 3" GREEN WEATHER GUARD SCREW 2L JAR APPROX 300 PCS (6 JARS/CTN)	
#8 X 3in Weatherguard Screw Green 2L Jar (300 pcs) (6 Jars/ Carton) UPC: 773967311389 Unit: EA WT: 3.20 lbs		DEE IMPORT SCREWS
DDSG53LBK	DDSG53LBK #8 X 3" GREEN WEATHER GUARD SCREW (APPROX 1500/BKT, 60 BKT/PLT)	
#8 3in Green Weather Guard Screw (Approx 1500 Per Bucket) (60 Buckets Per Pallet) UPC: 773967309751 Unit: EA WT: 16.00 lbs		DEE IMPORT SCREWS
DDSG53SBK	DDSG53SBK #8 X 3" GREEN WEATHER GUARD SCREW (APPROX 450/BKT, 8BKT/CTN, 32CTN/PLT)	
#8 3" Green Weather Guard Screw (Approx 450 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per Pall... UPC: 773967309898 Unit: EA WT: 4.75 lbs		DEE IMPORT SCREWS
DDSG81	DDSG81 #10 X 3-1/2" GREEN WEATHER GUARD SCREW 1.5M	
#10 X 3-1/2in Weatherguard Screw Green (1500 pcs) UPC: 773967303926 Unit: CT WT: 22.00 lbs		DEE IMPORT SCREWS
DDSG81JAR	DDSG81JAR #10 X 3-1/2" GREEN WEATHER GUARD SCREW 2L JAR APPROX 175 PCS (6 JARS/CTN)	
#10 X 3-1/2in Weatherguard Screw Green 2L Jar (175 pcs) (6 Jars/ Carton) UPC: 773967311396 Unit: EA WT: 3.00 lbs		DEE IMPORT SCREWS
DDSG81LBK	DDSG81LBK #10 X 3-1/2" GREEN WEATHER GUARD SCREW (APPROX 1100/BKT, 60BKT/PLT)	
#10 3 1/2in Green Weather Guard Screw (Approx 1100 Per Bucket) (60 Buckets Per Pallet) UPC: 773967309768 Unit: EA WT: 17.00 lbs		DEE IMPORT SCREWS
DDSG81SBK	DDSG81SBK #10 X 3-1/2" GREEN WEATHER GUARD SCREW (APPROX 250/BKT, 8BKT/CTN, 32CTN/PLT)	
#10 3 1/2in Green Weather Guard Screw (Approx 250 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per... UPC: 773967309904 Unit: EA WT: 4.00 lbs		DEE IMPORT SCREWS
DDSG82	DDSG82 #10 X 4" GREEN WEATHER GUARD SCREW 1M	
#10 X 4in Weatherguard Screw Green (1000 pcs) UPC: 773967310931 Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DDSG82LBK	DDSG82LBK #10 X 4" GREEN WEATHER GUARD SCREW (APPROX 1100/BKT, 60BKT/PLT)	
#10 4in Green Weather Guard Screw (Approx 1100 Per Bucket) (60 Buckets Per Pallet) UPC: 773967310894 Unit: BX WT: 18.00 lbs		DEE IMPORT SCREWS
DDSG82SBK	DDSG82SBK #10 X 4" GREEN WEATHER GUARD SCREW (APPROX 200/BKT, 8BKT/CTN, 32CTN/PLT)	
#10 4in Green Weather Guard Screw (Approx 200 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per Pa... UPC: 773967310849 Unit: BX WT: 3.30 lbs		DEE IMPORT SCREWS
DDSG83LBK	DDSG83LBK #10 X 5" GREEN WEATHER GUARD SCREW (APPROX 750/BKT, 60BKT/PLT)	
#10 5in Green Weather Guard Screw (Approx 750 Per Bucket) (60 Buckets Per Pallet) UPC: 773967310900 Unit: BX WT: 17.00 lbs		DEE IMPORT SCREWS
DDSG83SBK	DDSG83SBK #10 X 5" GREEN WEATHER GUARD SCREW (APPROX 150/BKT, 8BKT/CTN, 32CTN/PLT)	
#10 5in Green Weather Guard Screw (Approx 150 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per Pa... UPC: 773967310856 Unit: BX WT: 3.20 lbs		DEE IMPORT SCREWS
DDSG84LBK	DDSG84LBK #10 X 6" GREEN WEATHER GUARD SCREW (APPROX 600/BKT, 60BKT/PLT)	
#10 6in Green Weather Guard Screw (Approx 600 Per Bucket) (60 Buckets Per Pallet) UPC: 773967310917 Unit: BX WT: 17.00 lbs		DEE IMPORT SCREWS
DDSG84SBK	DDSG84SBK #10 X 6" GREEN WEATHER GUARD SCREW (APPROX 75 /BKT, 8BKT/CTN, 32CTN/PLT)	
#10 6in Green Weather Guard Screw (Approx 75 Per Bucket) (8 Buckets Per Carton, 32 Cartons Per Pal... UPC: 773967310863 Unit: BX WT: 1.75 lbs		DEE IMPORT SCREWS

Product	Description	SCREWS - YELLOW ZINC - DEE IMPORT SCREWS
DDS46	DDS46 #8 X 1" YELLOW ZINC SCREW 10M	
	#8 X 1in General Purpose Screw Yellow Zinc (10000 pcs)	
	UPC: 773967302950 Unit: BX WT: 38.00 lbs	DEE IMPORT SCREWS
DDS46LBK	DDS46LBK #8 X 1" YELLOW ZINC SCREW (APPROX 3500/BKT, 60BKT/PLT)	
	#8 1in Yellow Zinc Construction Screw (Approx 3500 Per Bucket)(60 Per Pallet)	
	UPC: 773967310764 Unit: BX WT: 13.00 lbs	DEE IMPORT SCREWS
DDS46P20	DDS46P20 #8 X 1" YELLOW ZINC SCREW 20LB BOXE (48 BOXES/SKID) (DDS46P20) ** FOR MB ONLY **	
	#8 X 1in General Purpose Screw Yellow Zinc 20Lb Box	
	UPC: 773967311860 Unit: BX WT: 20.00 lbs	DEE IMPORT SCREWS
DDS46SBK	DDS46SBK #8 X 1" YELLOW ZINC DECK SCREW (APPROX 750/BKT, 8BKTS/CTN, 32CTN/PLT)	
	Yellow Zinc Construction Screw. #8 1 inch (Approx 750 Per Bucket)(8 Buckets Per Carton, 32 Carton...	
	UPC: 773967310702 Unit: BX WT: 3.30 lbs	DEE IMPORT SCREWS
DDS48	DDS48 #8 X 1-1/4" YELLOW ZINC SCREW 7M (48/SKID)	
	#8 X 1-1/4in General Purpose Screw Yellow Zinc (7000/box)	
	UPC: 773967302134 Unit: BX WT: 31.00 lbs	DEE IMPORT SCREWS
DDS48JAR	DDS48JAR #8 X 1-1/4" YELLOW ZINC SCREW 1L APPROX 700 PCS (8PER CRT)	
	#8 X 1-1/4in General Purpose Screw Yellow Zinc (700/jar) (8 jars/carton)	
	UPC: 773967311167 Unit: EA WT: 3.20 lbs	DEE IMPORT SCREWS
DDS48LBK	DDS48LBK #8 X 1-1/4" YELLOW ZINC SCREW (APPROX 3000/BKT, 60BKT/PLT)	
	#8 1-1/4in Yellow Zinc Construction Screw (Approx 3000 Per Bucket)(60 Per Pallet)	
	UPC: 773967310771 Unit: BX WT: 13.00 lbs	DEE IMPORT SCREWS
DDS48p20	DDS48P20 #8 X 1-1/4" YELLOW ZINC SCREW 20LB (48/SKID) ** FOR MB ONLY **	
	#8 X 1-1/4in General Purpose Screw Yellow Zinc (20LB BOX)	
	UPC: 773967311877 Unit: BX WT: 20.00 lbs	DEE IMPORT SCREWS
DDS48SBK	DDS48SBK #8 X 1-1/4" YELLOW ZINC DECK SCREW (APPROX 750/BKT, 8BKTS/CTN, 32CTN/PLT)	
	Yellow Zinc Construction Screw. #8 1-1/4 inch (Approx 750 Per Bucket)(8 Buckets Per Carton, 32 Ca...	
	UPC: 773967310719 Unit: BX WT: 3.50 lbs	DEE IMPORT SCREWS
DDS49	DDS49 #8 X 1-1/2" YELLOW ZINC SCREW 6M (DDS49)	
	#8 X 1-1/2in General Purpose Screw Yellow Zinc (6000 pcs)	
	UPC: 773967302141 Unit: BX WT: 31.00 lbs	DEE IMPORT SCREWS
DDS49JAR	DDS49JAR #8 X 1-1/2" YELLOW ZINC SCREW 1L JAR APPROX 600 PCS	
	#8 X 1-1/2in General Purpose Screw Yellow Zinc (600 pcs) (8 Jars/Carton)	
	UPC: 773967311174 Unit: EA WT: 3.40 lbs	DEE IMPORT SCREWS
DDS49LBK	DDS49LBK #8 X 1-1/2" YELLOW ZINC SCREW (APPROX 3000/BKT, 60BKT/PLT)	
	#8 1-1/2in Yellow Zinc Construction Screw (Approx 3000 Per Bucket)(60 Per Pallet)	
	UPC: 773967310788 Unit: BX WT: 15.50 lbs	DEE IMPORT SCREWS
DDS49P20	DDS49P20 #8 X 1-1/2" YELLOW ZINC SCREW 20LB (DDS49P20) ** FOR MB ONLY **	
	#8 X 1-1/2in General Purpose Screw Yellow Zinc (20LB BOX)	
	UPC: 773967311884 Unit: BX WT: 20.00 lbs	DEE IMPORT SCREWS
DDS49SBK	DDS49SBK #8 X 1-1/2" YELLOW ZINC DECK SCREW (APPROX 750/BKT, 8BKTS/CTN, 32CTN/PLT)	
	Yellow Zinc Construction Screw. #8 1-1/2 inch (Approx 750 Per Bucket)(8 Buckets Per Carton, 32 Ca...	
	UPC: 773967310726 Unit: BX WT: 4.00 lbs	DEE IMPORT SCREWS
DDS50	DDS50 #8 X 1-3/4" YELLOW ZINC SCREW 5M	
	#8 X 1-3/4in General Purpose Screw Yellow Zinc (5000 pcs)	
	UPC: 773967302158 Unit: CT WT: 30.00 lbs	DEE IMPORT SCREWS
DDS50JAR	DDS50JAR #8 X 1-3/4" YELLOW ZINC SCREW 1L JAR APPROX 500 PCS	
	#8 X 1-3/4in General Purpose Screw Yellow Zinc (500 pcs) (8 Jars/Carton)	
	UPC: 773967311181 Unit: EA WT: 3.00 lbs	DEE IMPORT SCREWS

DDS50LBK	DDS50LBK #8 X 1-3/4" YELLOW ZINC SCREW (APPROX 3000/BKT, 60BKT/PLT)	
#8 1-3/4in Yellow Zinc Construction Screw (Approx 3000 Per Bucket)(60 Per Pallet)		
UPC: 773967309676 Unit: EA WT: 18.00 lbs		DEE IMPORT SCREWS
DDS50SBK	DDS50SBK #8 X 1-3/4" YELLOW ZINC SCREW (APPROX 750/BKT, 8BKTS/CTN, 32CTN/PLT)	
Yellow Zinc Construction Screw. #8 1-3/4in (Approx 750 Per Bucket)(8 Buckets Per Carton, 32 Carto...		
UPC: 773967309812 Unit: EA WT: 4.60 lbs		DEE IMPORT SCREWS
DDS51	DDS51 #8 X 2" YELLOW ZINC SCREW 3.5M	
#8 X 2in General Purpose Screw Yellow (3500/Box)		
UPC: 773967302165 Unit: CT WT: 23.00 lbs		DEE IMPORT SCREWS
DDS51JAR	DDS51JAR #8 X 2" YELLOW ZINC SCREW 1L JAR APPROX 400 PCS	
#8 X 2in General Purpose Screw Yellow (400/Jar) (8 Jars/Carton)		
UPC: 773967311198 Unit: EA WT: 2.75 lbs		DEE IMPORT SCREWS
DDS51LBK	DDS51LBK #8 X 2" YELLOW ZINC SCREW (APPROX 2500/BKT, 60BKT/PLT)	
#8 2in Yellow Zinc Construction Screw (Approx 2500 Per Bucket)(60 Per Pallet)		
UPC: 773967309683 Unit: EA WT: 17.00 lbs		DEE IMPORT SCREWS
DDS51SBK	DDS51SBK #8 X 2" YELLOW ZINC SCREW (APPROX 650/BKT, 8BKTS/CNT, 32CNT/PLT)	
#8 2in Yellow Zinc Construction Screw (Approx 650 Per Bucket)(8 Buckets Per Carton, 32 Carton's Pe...		
UPC: 773967309829 Unit: EA WT: 4.50 lbs		DEE IMPORT SCREWS
DDS52	DDS52 #8 X 2-1/2" YELLOW ZINC SCREW 2.5M	
#8 X 2-1/2in General Purpose Screw Yellow Zinc (2500 pcs)		
UPC: 773967302172 Unit: CT WT: 21.00 lbs		DEE IMPORT SCREWS
DDS52JAR	DDS52JAR #8 X 2-1/2" YELLOW ZINC SCREW 2L JAR APPROX 350 PCS (6 JARS/CRT)	
#8 X 2-1/2in General Purpose Screw Yellow Zinc (350 pcs) (6 Jars/Carton)		
UPC: 773967311204 Unit: EA WT: 3.20 lbs		DEE IMPORT SCREWS
DDS52LBK	DDS52LBK #8 X 2-1/2" YELLOW ZINC SCREW (APPROX 2000/BKT, 60BKT/PLT)	
#8 2 1/2in Yellow Zinc Construction Screw (Approx 2000 Per Bucket)(60 Per Pallet)		
UPC: 773967309690 Unit: EA WT: 17.00 lbs		DEE IMPORT SCREWS
DDS52SBK	DDS52SBK #8 X 2-1/2" YELLOW ZINC SCREW (APPROX 500/BKT, 8BKT/CTN, 32CTN/PLT)	
#8 2 1/2in Yellow Zinc Construction Screw (Approx 500 Per Bucket)(8 Buckets Per Carton, 32 Carton's...		
UPC: 773967309836 Unit: EA WT: 4.00 lbs		DEE IMPORT SCREWS
DDS53	DDS53 #8 X 3" YELLOW ZINC SCREW 2M (48/SKID)	
#8 X 3in General Purpose Screw Yellow Zinc (2000 pcs)		
UPC: 773967302189 Unit: CT WT: 20.00 lbs		DEE IMPORT SCREWS
DDS53JAR	DDS53JAR #8 X 3" YELLOW ZINC SCREW 2L JAR APPROX 300 PCS (6JAR/CRT)	
#8 X 3in General Purpose Screw Yellow Zinc (300 pcs) (6 Jars/Carton)		
UPC: 773967311211 Unit: EA WT: 3.20 lbs		DEE IMPORT SCREWS
DDS53LBK	DDS53LBK #8 X 3" YELLOW ZINC SCREW (APPROX 1500/BKT, 60BKT/PLT)	
#8 3in Yellow Zinc Construction Screw (Approx 1500 Per Bucket)(60 Buckets Per Pallet)		
UPC: 773967309706 Unit: EA WT: 16.00 lbs		DEE IMPORT SCREWS
DDS53SBK	DDS53SBK #8 X 3" YELLOW ZINC SCREW (APPROX 450/BKT, 8BKT/CTN, 32CTN/PLT)	
#8 3in Yellow Zinc Construction Screw (Approx 450 Per Bucket)(8 Buckets Per Carton, 32 Carton's Pe...		
UPC: 773967309843 Unit: EA WT: 4.75 lbs		DEE IMPORT SCREWS
DDS80	DDS80 #10 X 3" YELLOW ZINC SCREW 1.5M	
#10 X 3in General Purpose Screw Yellow Zinc (1500 pcs)		
UPC: 773967302196 Unit: CT WT: 18.00 lbs		DEE IMPORT SCREWS
DDS80P20	DDS80P20 #10 X 3" YELLOW ZINC SCREW 20LB (20LB BOX) (DDS80P20) ** FOR MB ONLY **	
#10 X 3in General Purpose Screw Yellow Zinc 20LB (20LB BOX)		
UPC: 773967312065 Unit: BX WT: 18.20 lbs		DEE IMPORT SCREWS
DDS81	DDS81 #10 X 3-1/2" YELLOW ZINC SCREW 1.5M	
#10 X 3-1/2in General Purpose Screw Yellow Zinc (1500 pcs)		
UPC: 773967302202 Unit: BX WT: 21.00 lbs		DEE IMPORT SCREWS
DDS81JAR	DDS81JAR #10 X 3-1/2" YELLOW ZINC SCREW 2L JAR APPROX 175 PCS (6JAR/CRT)	
#10 X 3-1/2in General Purpose Screw Yellow Zinc (175 pcs) (6 Jars/Carton)		
UPC: 773967311228 Unit: EA WT: 3.00 lbs		DEE IMPORT SCREWS
DDS81LBK	DDS81LBK #10 X 3-1/2" YELLOW ZINC SCREW (APPROX 1100/BKT, 60BKT/PLT)	
#8 3 1/2in Yellow Zinc Construction Screw (Approx 1100 Per Bucket)(60 Buckets Per Pallet)		
UPC: 773967309713 Unit: EA WT: 16.00 lbs		DEE IMPORT SCREWS

DDS81SBK	DDS81SBK #10 X 3-1/2" YELLOW ZINC SCREW (APPROX 250/BKT, 8BKT/CTN, 32CTN/PLT)	
#10 3 1/2in Yellow Zinc Construction Screw (Approx 250 Per Bucket)(8 Buckets Per Carton, 32 Carton... UPC: 773967309850 Unit: EA WT: 3.60 lbs		DEE IMPORT SCREWS
DDS82	DDS82 #10 X 4" YELLOW ZINC SCREW 1M	
#10 x 4in General Purpose Screw Yellow Zinc (1000 pcs) UPC: 773967302219 Unit: BX WT: 16.00 lbs		DEE IMPORT SCREWS
DDS82LBK	DDS82LBK #10 X 4" YELLOW ZINC DECK SCREW (APPROX 1100/BKT, 60/PLT)	
Yellow Zinc Construction Screw. #10, 4 inch (Approx 1100 Per Bucket)(60 Carton's Per Pallet) UPC: 773967310795 Unit: BX WT: 17.00 lbs		DEE IMPORT SCREWS
DDS82P20	DDS82P20 #10 X 4" YELLOW ZINC SCREW 20LB (20LB BOX) (DDS82P20) ** FOR MB ONLY **	
#10 x 4in General Purpose Screw Yellow Zinc 20LB (20LB BOX) UPC: 773967311891 Unit: BX WT: 20.00 lbs		DEE IMPORT SCREWS
DDS82SBK	DDS82SBK #10 X 4" YELLOW ZINC DECK SCREW (APPROX 200/BKT, 8BKTS/CTN, 32CTN/PLT)	
Yellow Zinc Construction Screw. #10, 4 inch (Approx 200 Per Bucket)(8 Buckets Per Carton, 32 Cart... UPC: 773967310733 Unit: BX WT: 3.50 lbs		DEE IMPORT SCREWS
DDS83	DDS83 #10 X 5" YELLOW ZINC SCREW 1M	
#10 x 5in Yellow Zinc General Purpose Screw 1m UPC: 773967302424 Unit: BX WT: 18.00 lbs		DEE IMPORT SCREWS
DDS83LBK	DDS83LBK #10 X 5" YELLOW ZINC DECK SCREW (APPROX 750/BKT, 60 CTN/PLT)	
Yellow Zinc Construction Screw. #10, 5 inch (Approx 750 Per Bucket)(60 Carton's Per Pallet) UPC: 773967310801 Unit: BX WT: 15.00 lbs		DEE IMPORT SCREWS
DDS83P20	DDS83P20 #10 X 5" YELLOW ZINC SCREW 20LB (20LB BOX) (DDS83P20)	
#10 x 5in Yellow Zinc General Purpose Screw 20LB (20LB BOX) UPC: 773967311907 Unit: BX WT: 20.00 lbs		DEE IMPORT SCREWS
DDS83SBK	DDS83SBK #10 X 5" YELLOW ZINC DECK SCREW (APPROX 150/BKT, 8BKTS/CTN, 32CTN/PLT)	
Yellow Zinc Construction Screw. #10, 5 inch (Approx 150 Per Bucket)(8 Buckets Per Carton, 32 Cart... UPC: 773967310740 Unit: BX WT: 3.20 lbs		DEE IMPORT SCREWS
DDS84	DDS84 #10 X 6" YELLOW ZINC SCREW 1M	
#10 X 6in General Purpose Screw Yellow Zinc (1000 pcs) UPC: 773967302431 Unit: BX WT: 24.00 lbs		DEE IMPORT SCREWS
DDS84LBK	DDS84LBK #10 X 6" YELLOW ZINC DECK SCREW (APPROX 600/BKT, 60 CTN/PLT)	
Yellow Zinc Construction Screw. #10, 6 inch (Approx 600 Per Bucket)(60 Carton's Per Pallet) UPC: 773967310818 Unit: BX WT: 14.00 lbs		DEE IMPORT SCREWS
DDS84P20	DDS84P20 #10 X 6" YELLOW ZINC SCREW 20LB (20LB BOX) (DDS84P20) ** FOR MB ONLY **	
#10 X 6in General Purpose Screw Yellow Zinc 20LB (20LB BOX) UPC: 773967311914 Unit: BX WT: 20.00 lbs		DEE IMPORT SCREWS
DDS84SBK	DDS84SBK #10 X 6" YELLOW ZINC DECK SCREW (APPROX 75/BKT, 8BKTS/CTN, 32CTN/PLT)	
Yellow Zinc Construction Screw. #10, 6 inch (Approx 75 Per Bucket)(8 Buckets Per Carton, 32 Carto... UPC: 773967310757 Unit: BX WT: 1.80 lbs		DEE IMPORT SCREWS


Product	Description	SEASONAL PRODUCTS - CRISPO
CRHAMMER	CRHAMMER WHITE HEAD FLOORING HAMMER	




WT: 2.40 lbs

CRISPO


Product Description SHELF BRACKETS - ONWARD

496GRI-10-BC	496GRI-10-BC 10" X 12" SHELF BRACKET GREY ENAMEL (20/BOX)	
	10in x 12in Grey Enamel Shelf Bracket (20/Box)	
	UPC: 062703121017 Unit: EA WT: 0.50 lbs	ONWARD
496GRI-12-BC	496GRI-12-BC 12"X14" GREY ENAMEL SHELF BRACKET (20/BOX)	
	12in x 14in Grey Enamel Shelf Bracket (20/Box)	
	UPC: 062703141213 Unit: EA WT: 0.65 lbs	ONWARD
496GRI-8-BC	496GRI-8-BC 8" X 10" GREY ENAMEL SHELF BRACKET (20/BOX)	
	8" x 10" Grey Enamel Shelf Bracket (20/Box)	
	UPC: 062703010816 Unit: EA WT: 0.30 lbs	ONWARD
496WI-10-BC	496WI-10-BC 10"X12"WHITE ENAMEL SHELF BRACKET (20/BOX)	
	10in x 12in White Enamel Shelf Bracket (20/Box)	
	UPC: 062703121024 Unit: EA WT: 0.50 lbs	ONWARD
496WI-12-BC	496WI-12-BC 12"X14"WHITE ENAMEL SHELF BRACKET (20/BOX)	
	12in x 14in White Enamel Shelf Bracket (20/Box)	
	UPC: 062703141220 Unit: EA WT: 0.65 lbs	ONWARD
496WI-6-BC	496WI-6-BC 6" X 8" WHITE ENAMEL SHELF BRACKET (20/BOX)	
	6" x 8" White Enamel Shelf Bracket (20/Box)	
	UPC: 062703008622 Unit: EA WT: 0.25 lbs	ONWARD
496WI-7-BC	496WI-7-BC 7" X 9" WHITE ENAMEL SHELF BRACKET (20/BOX)	
	7" x 9" White Enamel Shelf Bracket (20/Box)	
	UPC: 062703009728 Unit: EA WT: 0.25 lbs	ONWARD
496WI-8-BC	496WI-8-BC 8" X 10" WHITE ENAMEL SHELF BRACKET (20/BOX)	
	8" x 10" White Enamel Shelf Bracket (20/Box)	
	UPC: 062703010823 Unit: EA WT: 0.30 lbs	ONWARD

Product Description SHELF SUPPORTS - ONWARD

498WIBC	498WIBC 11-1/2" WHITE SHELF & ROD SUPPORT (20/BOX)	
	11-1/2" White Shelf & 1-5/8in Rod Support Mounting Screws Included. (20/Box)	
	UPC: 062703049823 Unit: EA WT: 0.75 lbs	ONWARD

Product Description SHELVING & STORAGE - FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1435-6700-11	1435-6700-11 DOUBLE FR VENT END CAP WHITE (1)(1 BAG of 100)	
	DOUBLE FR VENTILATED END CAP WHITE (1 PACK)	
	UPC: 046964732007 Unit: EA WT: 0.30 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1435-6700-45 1435-6700-45 DOUBLE FR VENT END CAP NICKEL (1)



DOUBLE FR VENTILATED END CAP NICKEL (1 PACK)

UPC: 046964241165 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1435-6700-50 1435-6700-50 DOUBLE FR VENT END CAP GRANITE GRAY (1 bag of 100)



DOUBLE FR VENTILATED END CAP GRANITE GRAY (1 PACK)

UPC: 046964240717 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-0996-11 1813-0996-11 96" x 9" FR VENTILATED SHELF WHITE (6)



96in x 9in fr Ventilated Shelf White 6 per pack

UPC: 046964233702 Unit: EA WT: 13.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1224-11 1813-1224-11 24" x 12" FR VENTILATED SHELF WHITE (6)



24in x 12in Ventilated Shelf White 6 per pack

UPC: 046964221808 Unit: EA WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1224-45 1813-1224-45 24" x 12" FR VENTILATED SHELF NICKEL (6)




24in x 12in Ventilated Shelf Nickel 6 per pack

UPC: 046964240519 Unit: EA WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1230-11 1813-1230-11 30" x 12" FR VENTILATED SHELF WHITE (6)



30in x 12in Ventilated Shelf White 6 per pack

UPC: 046964244043 Unit: EA WT: 3.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1230-45 1813-1230-45 30" x 12" FR VENTILATED SHELF NICKEL (6)



30in x 12in Ventilated Shelf Nickel 6 per pack

UPC: 046964244050 Unit: EA WT: 3.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1230-50 1813-1230-50 30" X 12" FR VENTILATED SHELF GRANITE GRAY (6)



30IN X 12IN FR VENTILATED SHELF GRANITE GRAY (6 PACK)

UPC: 046964243008 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1236-11 1813-1236-11 36" x 12" FR VENTILATED SHELF WHITE (6)




36in x 12in Ventilated Shelf White 6 per pack

UPC: 046964155301 Unit: EA WT: 4.40 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1236-45 1813-1236-45 36" x 12" FR VENTILATED SHELF NICKEL (6)



36in x 12in Ventilated Shelf Nickel 6 per pack

UPC: 046964241097 Unit: EA WT: 4.40 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1248-11 1813-1248-11 48" x 12" FR VENTILATED SHELF WHITE (6)




48in x 12in Ventilated Shelf White 6 per pack

UPC: 046964222003 Unit: EA WT: 6.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY







1813-1248-45 1813-1248-45 48" x 12" FR VENTILATED SHELF NICKEL (6)



48in x 12in Ventilated Shelf Nickel 6 per pack

UPC: 046964240526 Unit: EA WT: 6.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1260-50 	1813-1260-50 60" X 12" FR VENTILATED SHELF GRANITE GRAY (6) 60IN X 12IN FR VENTILATED SHELF GRANITE GRAY (6 PACK)	UPC: 046964243015 Unit: EA	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1290-50 	1813-1290-50 90" X 12" FR VENTILATED SHELF GRANITE GRAY (6) 90IN X 12IN FR VENTILATED SHELF GRANITE GRAY (6 PACK)	UPC: 046964243022 Unit: EA	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1296-11 	1813-1296-11 96" x 12" FR VENTILATED SHELF WHITE (6) 96in x 12in fr Ventilated Shelf White 6 per pack	UPC: 046964314388 Unit: EA WT: 13.50 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1296-45 	1813-1296-45 96" x 12" FR VENTILATED SHELF NICKEL (6) 96in x 12in fr Ventilated Shelf Nickel 6 per pack	UPC: 046964240540 Unit: EA WT: 13.50 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1624-11 	1813-1624-11 24" x 16" FR VENTILATED SHELF WHITE (6) 24in x 16in Ventilated Shelf White 6 per pack	UPC: 046964221907 Unit: EA WT: 3.42 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1630-50 	1813-1630-50 GARAGE 30" x 16" VENTILATED SHELF GRANITE (6) 30in x 16in Garage Ventilated Shelf Granite 6 per pack	UPC: 046964243039 Unit: EA WT: 4.25 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1813-1660-50	1813-1660-50 GARAGE 60" x 16" VENTILATED SHELF GRANITE (6)	60in x 16in Garage Ventilated Shelf Granite 6 per pack	UPC: 046964243046 Unit: EA WT: 8.33 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1690-50	1813-1690-50 90" X 16" FR VENTILATED SHELF GRANITE GRAY (6)	90IN X 16IN FR VENTILATED SHELF GRANITE GRAY (6 PACK)	UPC: 046964243053 Unit: EA	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1696-11	1813-1696-11 96" x 16" FR VENTILATED SHELF WHITE (6)	96in x 16in fr Ventilated Shelf White 6 per pack	UPC: 046964169605 Unit: EA WT: 13.50 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-1696-45	1813-1696-45 96" x 16" FR VENTILATED SHELF NICKEL (6)	96in x 16in fr Ventilated Shelf Nickel 6 per pack	UPC: 046964240588 Unit: EA WT: 13.50 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
1813-2096-11	1813-2096-11 96" x 20" FR VENTILATED SHELF WHITE (6)	96in x 20in fr Ventilated Shelf White 6 per pack	UPC: 046964234600 Unit: EA	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
2313-0306-11	2313-0306-11 PACKET BASKET WHITE KITCHEN SOLUTIONS (12)	2313-0306-11 PACKET BASKET WHITE KITCHEN SOLUTIONS (12)	UPC: 046964255810 WT: 0.97 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY

<p>2313-0412-11</p> 	<p>2313-0412-11 SML SIMPLE BASKET KITCHEN SOLUTIONS (12) 2313-0412-11 SML SIMPLE BASKET KITCHEN SOLUTIONS (12)</p>
<p>UPC: 046964255834 FREEDOM RAIL – GARAGE, CLOSET & PANTRY</p>	
<p>2313-0606-11</p> 	<p>2313-0606-11 BEVERAGE CAN DISPENSER WH KITCHEN SOLUTIONS (12) 2313-0606-11 BEVERAGE CAN DISPENSER WH KITCHEN SOLUTIONS (12)</p>
<p>UPC: 046964255858 FREEDOM RAIL – GARAGE, CLOSET & PANTRY</p>	
<p>2313-0615-11</p> 	<p>2313-0615-11 LARGE SIMPLE BASKET WH KITCHEN SOLUTIONS (12) 2313-0615-11 LARGE SIMPLE BASKET WH KITCHEN SOLUTIONS (12)</p>
<p>UPC: 046964255896 WT: 0.43 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY</p>	
<p>2313-0911-11</p> 	<p>2313-0911-11 KITCHEN WRAP ORG WH KITCHEN SOLUTIONS (12) 2313-0911-11 KITCHEN WRAP ORG WH KITCHEN SOLUTIONS (12)</p>
<p>UPC: 046964255957 WT: 0.57 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY</p>	
<p>2313-1011-11</p> 	<p>2313-1011-11 DBL BEVERAGE DISP WH KITCHEN SOLUTIONS (4) 2313-1011-11 DBL BEVERAGE DISP WH KITCHEN SOLUTIONS (4)</p>
<p>UPC: 046964252253 WT: 2.70 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY</p>	
<p>2313-1012-11</p> 	<p>2313-1012-11 SML UNDER CABINET BSK KITCHEN SOLUTIONS (12) 2313-1012-11 SML UNDER CABINET BSK KITCHEN SOLUTIONS (12)</p>
<p>UPC: 046964256053 WT: 0.44 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY</p>	

2313-1020-11 2313-1020-11 LRG UNDER CABINET BSK KITCHEN SOLUTIONS (12)



2313-1020-11 LRG UNDER CABINET BSK KITCHEN SOLUTIONS (12)

UPC: 046964256077 WT: 0.61 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

2313-2326-11 2313-2326-11 LRG 4-SORT DIVIDER WH KITCHEN SOLUTIONS (12)



2313-2326-11 LRG 4-SORT DIVIDER WH KITCHEN SOLUTIONS (12)

UPC: 046964256114 WT: 0.64 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

5010-6700-50 5010-6700-50 TOUCH UP PAINT GRANITE GRAY (1)



TOUCH UP PAINT GRANITE GRAY (1)

UPC: 046964109700 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

6881-0324-34 6881-0324-34 24" SHOE FENCE CHROME (12)



24 in Shoe Fence Chrome (12)

UPC: 046964255704 Unit: EA WT: 0.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-1312-50 7110-1312-50 12" VENT SHELVING BRACKET GRANITE GRAY (4)



12" VENT SHELVING BRACKET GRANITE GRAY (4 PACK)

UPC: 046964520437 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-5010-50 7110-5010-50 THE GOLF RACK & BASKET GRANITE GRAY (4)



THE GOLF RACK & BASKET GRANITE GRAY (4 PACK)

UPC: 046964520017 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-5040-50 7110-5040-50 THE BIKE RACK & BASKET GRANITE GRAY (4)



THE BIKE RACK & BASKET GRANITE GRAY (4 PACK)

UPC: 046964520079 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-5041-50 7110-5041-50 THE BIKE HOOK GRANITE GRAY (4)



THE BIKE HOOK GRANITE GRAY (4 PACK)

UPC: 046964520093 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-5200-50 7110-5200-50 THE GARDEN RACK & BASKET GRANITE GRAY (4)



THE GARDEN RACK & BASKET GRANITE GRAY (4 PACK)

UPC: 046964520178 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-5601-50 7110-5601-50 THE LOOP HOOK GRANITE GRAY (4)




THE LOOP HOOK GRANITE GRAY (4 PACK)

UPC: 046964520239 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7110-5700-50 7110-5700-50 48" X 24" ACTIVITY ORGANIZER GRANITE GRAY (3)



48IN X 24IN ACTIVITY ORGANIZER GRANITE GRAY (3 PACK)

UPC: 046964520413 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-1312-50 7115-1312-50 12" VENT SHELVING BRACKET GRANITE GRAY (1)



12IN VENT SHELVING BRACKET GRANITE GRAY (1 PACK)

UPC: 046964520420 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-3013-14 7115-3013-14 GARAGE MESH SPORTS BASKET BLACK 14" X 30" (6)



Garage Mesh Sports Basket Black 14in x 30in 6 per pack

UPC: 046964255599 Unit: EA WT: 7.92 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-3026-14 7115-3026-14 BIG SPORTS MESH BASKET BLACK (6)



BIG SPORTS MESH BASKET BLACK (6 PACK)

UPC: 046964255605 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5010-50 7115-5010-50 GARAGE THE GOLF RACK AND BASKET GRANITE 22.25" X 16" X 12.25"



Garage The Golf Rack and Basket Granite 22 1/4in x 16in x 12 1/4in

UPC: 046964520000 Unit: EA WT: 9.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5020-50 7115-5020-50 THE RACQUET RACK GRANITE GRAY (1)



THE RACQUET RACK GRANITE GRAY (1 PACK)

UPC: 046964520024 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5030-50 7115-5030-50 THE SKATE RACK & BASKET GRANITE GRAY (1)



THE SKATE RACK & BASKET GRANITE GRAY (1 PACK)

UPC: 046964520048 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5040-50 7115-5040-50 THE BIKE RACK & BASKET GRANITE GRAY (1)



THE BIKE RACK & BASKET GRANITE GRAY (1 PACK)

UPC: 046964520062 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5041-50 7115-5041-50 THE BIKE HOOK GRANITE GRAY (1)



THE BIKE HOOK GRANITE GRAY (1 PACK)

UPC: 046964520086 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5050-50 7115-5050-50 THE FISH HOOK GRANITE GRAY (1)



THE FISH HOOK GRANITE GRAY (1 PACK)

UPC: 046964520109 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5060-50 7115-5060-50 THE SKI RACK GRANITE GRAY (12)



THE SKI RACK GRANITE GRAY (12 PACK)

UPC: 046964520123 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5070-50 7115-5070-50 THE SPORTS RACK & BASKET GRANITE GRAY (1)



THE SPORTS RACK & BASKET GRANITE GRAY (1 PACK)

UPC: 046964520147 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5200-50 7115-5200-50 GARAGE THE GARDEN RACK AND BASKET GRANITE 25" X 10.75" X 9.75"



Garage The Garden Rack and Basket Granite 25in x 10 3/4in x 9 3/4in

UPC: 046964520161 Unit: EA WT: 10.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5210-50 7115-5210-50 GARAGE THE HAND TOOL RACK GRANITE 19.75" X 9.25" X 4.25"



Garage The Hand Tool Rack Granite 19 3/4in x 9 1/4in x 4 1/4in

UPC: 046964520185 Unit: EA WT: 4.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5600-50 7115-5600-50 GARAGE THE GRIP EVERYTHING HOOK GRANITE (12)



Garage The Grip Everything Hook Granite. Friction grip lock for long handled tools (12 per box)

UPC: 046964520208 Unit: EA WT: 0.69 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5601-50 7115-5601-50 GARAGE THE LOOP HOOK GRANITE 11.75" X 8.25" X 5.25"



Garage The Loop Hook Granite 11 3/4in x 8 1/4in x 5 1/4in

UPC: 046964520222 Unit: EA WT: 2.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5602-50 7115-5602-50 GARAGE THE SHELF WITH HOOKS GRANITE 23.5" X 9.75" X 8.5"



Garage The Shelf with Hooks Granite 23 1/2in x 9 3/4in x 8 1/2in

UPC: 046964520246 Unit: EA WT: 6.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5603-50 7115-5603-50 GARAGE THE BIG TOOL RACK GRANITE 22" X 10.5" X 4.75"



Garage The Big Tool Rack Granite 22in x 10 1/2in x 4 3/4in

UPC: 046964520260 Unit: EA WT: 4.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5610-50 7115-5610-50 GARAGE THE EVERYTHING HOOK GRANITE 3.5" X 3" X 5.25" (12)



Garage The Everything Hook Granite 3 1/2in x 3in x 5 1/4in (12/box)

UPC: 046964520284 Unit: EA WT: 0.67 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5611-50 7115-5611-50 GARAGE THE BIG EVERYTHING HOOK GRANITE 11" X 4.25" X 3" (12)



Garage The Big Everything Hook Granite 11in x 4 1/4in x 3in (12/box)

UPC: 046964520307 Unit: EA WT: 1.08 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5612-50 7115-5612-50 GARAGE THE WORK HOOK GRANITE 8" X 4" X 3.25" (12)



Garage The Work Hook Granite 8in x 4in x 3 1/4in (12/box)

UPC: 046964520321 Unit: EA WT: 1.17 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5613-50 7115-5613-50 GARAGE THE BIG WORK HOOK GRANITE 10" X 6.25" X 3.25" (12)



Garage The Big Work Hook Granite 10in x 6 1/4in x 3 1/4in (12/box)

UPC: 046964520345 Unit: EA WT: 1.71 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5620-50 7115-5620-50 THE BASKET GRANITE GRAY (1)



THE BASKET GRANITE GRAY (1 PACK)

UPC: 046964520369 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5630-50 7115-5630-50 THE BIG BASKET GRANITE GRAY (1)



THE BIG BASKET GRANITE GRAY (1 PACK)

UPC: 046964520383 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7115-5700-50 7115-5700-50 GARAGE WIRE GRID GRANITE 48" X 23" X 2.75"



Garage Wire Grid Granite 48in x 23in x 2 3/4in

UPC: 046964235201 Unit: EA WT: 15.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY







7135-5681-14 7135-5681-14 #10 X 2 1/2" SCREW BLACK (1)



#10 X 2 1/2IN SCREW BLACK (1 PACK)

UPC: 046964207406 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-1810-50	7215-1810-50 18" X 6" FR OTD BASKET GRANITE GRAY (10)
	18IN X 6IN FR OVER THE DOOR BASKET GRANITE GRAY (10)
	UPC: 046964249796 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7215-1815-45	7215-1815-45 18" X 4" FR OTD BASKET NICKEL (10)
	18IN X 4IN FR OVER THE DOOR BASKET NICKEL (10)
	UPC: 046964254134 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7215-1815-50	7215-1815-50 18" X 4" FR OTD BASKET GRANITE GRAY (10)
	18IN X 4IN FR OVER THE DOOR BASKET GRANITE GRAY (10)
	UPC: 046964249772 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7215-1820-50	7215-1820-50 2 PAIR FR OTD SHOE RACK GRANITE GRAY (10)
	2 PAIR FR OVER THE DOOR SHOE RACK GRANITE GRAY (10)
	UPC: 046964249819 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7215-1830-50	7215-1830-50 FR OTD CAN HOLDER GRANITE GRAY (10)
	FR OVER THE DOOR CAN HOLDER GRANITE GRAY (10)
	UPC: 046964249840 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7215-1855-50	7215-1855-50 FR SINGLE HOOK WITH LOCK GRANITE GRAY (1BAG (5/BAG))
	FR SINGLE HOOK WITH LOCK GRANITE GRAY (1 Bag (5/Bag))
	UPC: 046964252345 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-1880-50 7215-1880-50 FR VENTILATED SHELF HOOK GRANITE GRAY (4/BAG)(1BAG)



FR VENTILATED SHELF HOOK GRANITE GRAY (4/BAG) (1BAG)

UPC: 046964249932 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-5600-50 7215-5600-50 FR GRIP EVERYTHING HOOK GRANITE GRAY (10)



FR GRIP EVERYTHING HOOK GRANITE GRAY (10)

UPC: 046964249963 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-5601-50 7215-5601-50 FR LOOP HOOK GRANITE GRAY (10)



FR LOOP HOOK GRANITE GRAY (10)

UPC: 046964249970 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8110-50 7215-8110-50 FR WORK BASKET GRANITE GRAY (6)




WORK BASKET GRANITE GRAY (6)

UPC: 046964249642 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8130-50 7215-8130-50 FR BIG WORK BASKET GRANITE GRAY (6)



FR BIG WORK BASKET GRANITE GRAY (6)

UPC: 046964249659 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY







7215-8140-50 7215-8140-50 FR DEEP WORK BASKET GRANITE GRAY (5)



DEEP WORK BASKET GRANITE GRAY (5)

UPC: 046964249666 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8210-50	7215-8210-50 FR BIG EVERYTHING HOOK GRANITE GRAY (12)
	BIG EVERYTHING HOOK GRANITE GRAY (12)
UPC: 046964249710 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7215-8220-50	7215-8220-50 FR BIG WORK HOOK GRANITE GRAY (1)
	BIG WORK HOOK GRANITE GRAY (1)
UPC: 046964249697 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7215-8225-11	7215-8225-11 FR UTILITY HOOK WHITE (4/bag) (1 BAG)
	FR UTILITY HOOK WHITE (4/BAG) (1 Bag)
UPC: 046964251379 Unit: EA WT: 5.50 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7215-8225-50	7215-8225-50 FR UTILITY HOOK GRANITE GRAY (1)
	FR UTILITY HOOK WHITE (1)
UPC: 046964251355 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7215-8230-50	7215-8230-50 FR EVERYTHING HOOK GRANITE GRAY (12)
	EVERYTHING HOOK GRANITE GRAY (12)
UPC: 046964249703 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7215-8240-50	7215-8240-50 FR WORK HOOK GRANITE GRAY (1)
	WORK HOOK GRANITE GRAY (12)
UPC: 046964249680 Unit: EA FREEDOM RAIL – GARAGE, CLOSET & PANTRY	

7215-8250-17 7215-8250-17 FR BRACKET INSERT FOR 16" VSB (10)



FR BRACKET INSERT FOR 16" VSB (10)

UPC: 046964249673 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8260-50 7215-8260-50 FR TOOL LOOP HOOK W/LOCK GRANITE GRAY (BAG OF 3)(1 BAG)



FR TOOL LOOP HOOK W/ LOCK GRANITE GRAY (10)

UPC: 046964251362 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8510-11 7215-8510-11 30" FR SPANNER WHITE (10)



30IN FR SPANNER WHITE (10)

UPC: 046964251386 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8510-50 7215-8510-50 30" FR SPANNER GRANITE GRAY (10)



30IN FR SPANNER GRANITE GRAY (10)

UPC: 046964249987 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7215-8515-11 7215-8515-11 24" FR SPANNER WHITE (10)



24IN FR SPANNER WHITE (10)

UPC: 046964250167 Unit: ES

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7309-1424-11 7309-1424-11 24" X 14" SHOE SHELF WHITE (4)



24 in x 14 in Shoe Shelf WHITE (4)

UPC: 046964252260 Unit: EA WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7309-1424-21 7309-1424-21 24" X 14" SHOE SHELF MIDNIGHT LIVE (4)



7309-1424-21 24" X 14" SHOE SHELF MIDNIGHT LIVE (4)

UPC: 046964014066 WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7309-1424-23 7309-1424-23 24" X 14" SHOE SHELF DRIFTWOOD (4)



24 in x 14 in Shoe Shelf Driftwood (4)

UPC: 046964011959 Unit: EA WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7309-1424-28 7309-1424-28 24" X 14" SHOE SHELF CHOC PEAR (4)



24 in x 14 in Shoe Shelf CHOC PEAR(4)

UPC: 046964258590 Unit: EA WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1424-11 7313-1424-11 24" x 14" FR WOOD SHELF WHITE (4)



24in x 14in Wood Shelf White 4 per pack

UPC: 046964242162 Unit: EA WT: 6.60 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1424-23 7313-1424-23 24" x 14" FR WOOD SHELF DRIFTWOOD (4)



24in x 14in Wood Shelf Driftwood 4 per pack

UPC: 046964012017 Unit: EA WT: 6.60 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1424-28 7313-1424-28 24" x 14" FR WOOD SHELF CHOCOLATE PEAR (4)



24in x 14in Wood Shelf Chocolate Pear 4 per pack

UPC: 046964258545 Unit: EA WT: 6.60 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1430-11 7313-1430-11 30" x 14" FR WOOD SHELF WHITE (4)



30in x 14in Wood Shelf White 4 per pack

UPC: 046964247402 Unit: EA WT: 8.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1430-23 7313-1430-23 30" x 14" FR WOOD SHELF DRIFTWOOD (4)



30in x 14in Wood Shelf Driftwood 4 per pack

UPC: 046964012031 Unit: EA WT: 8.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1430-28 7313-1430-28 30" x 14" FR WOOD SHELF CHOCOLATE PEAR (4)



30in x 14in Wood Shelf Chocolate Pear 4 per pack

UPC: 046964258972 Unit: EA WT: 8.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1436-11 7313-1436-11 36" x 14" FR WOOD SHELF WHITE (4)



36in x 14in Wood Shelf White 4 per pack

UPC: 046964242179 Unit: EA WT: 10.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1436-23 7313-1436-23 36" x 14" FR WOOD SHELF DRIFTWOOD (4)



36in x 14in Wood Shelf Driftwood 4 per pack

UPC: 046964012048 Unit: EA WT: 10.13 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY







7313-1436-28 7313-1436-28 36" x 14" FR WOOD SHELF CHOCOLATE PEAR (4)



36in x 14in Wood Shelf Chocolate Pear 4 per pack

UPC: 046964258552 Unit: EA WT: 10.13 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1448-11 	7313-1448-11 48" x 14" FR WOOD SHELF WHITE (4)	48in x 14in Wood Shelf White 4 per pack	UPC: 046964242186 Unit: EA WT: 5.90 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7313-1448-23 	7313-1448-23 48" x 14" FR WOOD SHELF DRIFTWOOD (4)	48in x 14in Wood Shelf Driftwood 4 per pack	UPC: 046964012055 Unit: EA WT: 5.88 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7313-1448-28 	7313-1448-28 48" x 14" FR WOOD SHELF CHOCOLATE PEAR (4)	48in x 14in Wood Shelf Chocolate Pear 4 per pack	UPC: 046964258569 Unit: EA WT: 13.23 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7313-1472-11 	7313-1472-11 72" x 14" FR WOOD SHELF WHITE (2)	72in x 14in Wood Shelf White 2 per pack	UPC: 046964242193 Unit: EA WT: 20.20 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7313-1472-23 	7313-1472-23 72" x 14" FR WOOD SHELF DRIFTWOOD (2)	72in x 14in Wood Shelf DRIFTWOOD 2 per pack	UPC: 046964012062 Unit: EA WT: 20.20 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7313-1472-28 	7313-1472-28 72" x 14" FR WOOD SHELF CHOC PEAR (2)	72in x 14in Wood Shelf CHOC PEAR 2 per pack	UPC: 046964258576 Unit: EA WT: 20.20 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1496-11 7313-1496-11 96" x 14" FR WOOD SHELF WHITE (2)



96in x 14in Wood Shelf White 2 per pack

UPC: 046964242209 Unit: EA WT: 26.75 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1496-23 7313-1496-23 96" x 14" FR WOOD SHELF DRIFTWOOD (2)



96in x 14in Wood Shelf DRIFTWOOD 2 per pack

UPC: 046964012079 Unit: EA WT: 26.75 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7313-1496-28 7313-1496-28 96" x 14" FR WOOD SHELF CHOC PEAR (2)



96in x 14in Wood Shelf CHOC PEAR 2 per pack

UPC: 046964258583 Unit: EA WT: 26.75 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0124-11 7315-0124-11 O-BOX 1 SHELF WHITE (1)



O-Box 1 Shelf White

UPC: 046964241684 Unit: EA WT: 27.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0124-23 7315-0124-23 O-BOX 1 SHELF DRIFTWOOD (1)



O-Box 1 Shelf Driftwood

UPC: 046964012093 Unit: EA WT: 27.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0124-28 7315-0124-28 O-BOX 1 SHELF CHOCOLATE PEAR (1)



O-Box 1 Shelf Chocolate Pear

UPC: 046964258606 Unit: EA WT: 27.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0224-11 7315-0224-11 O-BOX 2 DRAWER WHITE (1)



O-Box 2 Drawer White

UPC: 046964241691 Unit: EA WT: 48.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0224-23 7315-0224-23 O-BOX 2 DRAWER DRIFTWOOD (1)



O-Box 2 Drawer Driftwood

UPC: 046964012109 Unit: EA WT: 48.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0224-25 7315-0224-25 O-BOX 2 DRAWER Modern Cherry (1)



7315-0224-25 O-BOX 2 DRAWER Modern Cherry (1)

UPC: 046964016480 WT: 48.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0224-28 7315-0224-28 O-BOX 2 DRAWER CHOCOLATE PEAR (1)



O-Box 2 Drawer Chocolate Pear

UPC: 046964258613 Unit: EA WT: 48.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0324-11 7315-0324-11 O-BOX 3 DRAWER WHITE (1)



O-Box 3 Drawer White

UPC: 046964241707 Unit: EA WT: 52.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0324-23 7315-0324-23 O-BOX 3 DRAWER DRIFTWOOD (1)



O-Box 3 Drawer Driftwood

UPC: 046964012116 Unit: EA WT: 52.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0324-28 7315-0324-28 O-BOX 3 DRAWER CHOCOLATE PEAR (1)



O-Box 3 Drawer Chocolate Pear

UPC: 046964258620 Unit: EA WT: 52.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0424-11 7315-0424-11 O-BOX SHOE CUBBY WHITE (1)



O-Box Shoe Cubby White

UPC: 046964241714 Unit: EA WT: 32.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0424-23 7315-0424-23 O-BOX SHOE CUBBY DRIFTWOOD (1)



O-Box Shoe Cubby Driftwood

UPC: 046964012123 Unit: EA WT: 32.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-0424-28 7315-0424-28 O-BOX SHOE CUBBY CHOCOLATE PEAR (1)



O-Box Shoe Cubby Chocolate Pear

UPC: 046964258637 Unit: EA WT: 32.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1124-11 7315-1124-11 DOUBLE HANG O-BOX 1 DRAWER WHITE (1)



Double Hang O-Box 1 Drawer White

UPC: 046964250891 Unit: EA WT: 32.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1124-23 7315-1124-23 DOUBLE HANG O-BOX 1 DRAWER DRIFTWOOD (1)



Double Hang O-Box 1 Drawer Driftwood

UPC: 046964012147 Unit: EA WT: 32.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1124-28 7315-1124-28 DOUBLE HANG O-BOX 1 DRAWER CHOCOLATE PEAR (1)



Double Hang O-Box 1 Drawer Chocolate Pear

UPC: 046964010211 Unit: EA WT: 32.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1224-11 7315-1224-11 DOUBLE HANG O-BOX 2 DRAWER WHITE (1)



Double Hang O-Box 2 Drawer White

UPC: 046964250921 Unit: EA WT: 35.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1224-23 7315-1224-23 DOUBLE HANG O-BOX 2 DRAWER DRIFTWOOD (1)



Double Hang O-Box 2 Drawer Driftwood

UPC: 046964012154 Unit: EA WT: 35.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1224-28 7315-1224-28 DOUBLE HANG O-BOX 2 DRAWER CHOCOLATE PEAR (1)



Double Hang O-Box 2 Drawer Chocolate Pear

UPC: 046964010235 Unit: EA WT: 35.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1424-11 7315-1424-11 DOUBLE HANG O-BOX CUBBY WHITE (1)



Double Hang O-Box Cubby White

UPC: 046964250952 Unit: EA WT: 23.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1424-23 7315-1424-23 DOUBLE HANG O-BOX CUBBY DRIFTWOOD (1)



Double Hang O-Box Cubby Driftwood

UPC: 046964012161 Unit: EA WT: 23.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-1424-28 7315-1424-28 DOUBLE HANG O-BOX CUBBY CHOCOLATE PEAR (1)



Double Hang O-Box Cubby Chocolate Pear

UPC: 046964010242 Unit: EA WT: 23.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-2001-17 7315-2001-17 GARAGE GO-BOX 1 SHELF GRANITE GRAY 30" x 16" x 20"



Garage Go-Box 1 Shelf Granite Gray 30in x 16in x 20in

UPC: 046964243299 Unit: EA WT: 43.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-2002-50 7315-2002-50 GARAGE GO-BOX ACCESSORY DOORS GRANITE 30" x 16" x 20"



Garage Go-Box Accessory Doors Granite 30in x 16in x 20in

UPC: 046964243305 Unit: EA WT: 13.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-2006-17 7315-2006-17 GO-BOX 3 DRAWERS GRANITE GRAY



GO-BOX 3 DRAWERS GRANITE GRAY

UPC: 046964243329 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-3001-17 7315-3001-17 GARAGE GO-CABINET GRANITE GRAY 30" x 16" x 30"



Garage Go-Cabinet Granite Gray 30in x 16in x 30in

UPC: 046964243336 Unit: EA WT: 60.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-3002-50 7315-3002-50 GARAGE GO-CABINET ACCESSORY DOORS GRANITE 30" x 16" x 30"



Garage Go-Cabinet Accessory Doors Granite 30in x 16in x 30in

UPC: 046964243343 Unit: EA WT: 19.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-3130-11 7315-3130-11 BIG O-BOX 1 SHELF WHITE (1)



BIG O-Box 1 Shelf WHITE

UPC: 046964247471 Unit: EA WT: 27.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-3130-21 7315-3130-21 BIG O-BOX 1 SHELF MIDMIGHT LIVE (1)



7315-3130-21 BIG O-BOX 1 SHELF MIDMIGHT LIVE (1)

UPC: 046964014271 WT: 43.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-3230-23 7315-3230-23 BIG O-BOX 2 DRAWER DRIFTWOOD (1)



BIG O-Box 2 DRAWER DRIFTWOOD

UPC: 046964012192 Unit: EA WT: 27.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-3524-11 7315-3524-11 O-BOX ACCESSORY DOORS (SET OF 2) WHITE



O-Box Accessory Doors WHITE (set of 2 doors)

UPC: 049694011874 Unit: EA WT: 8.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-4230-23 7315-4230-23 DH BIG O-BOX 2 DRAWER DRIFTWOOD (1)



DH BIG O-Box 2 DRAWER DRIFTWOOD (7315-4230-23)

UPC: 046964012260 Unit: EA WT: 27.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-5001-17 7315-5001-17 GO-LOCKER GRANITE GRAY



GO-LOCKER GRANITE GRAY

UPC: 046964243350 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-5002-50 7315-5002-50 GO-LOCKER ACC DOORS GRANITE GRAY



GO-LOCKER ACC DOORS GRANITE GRAY

UPC: 046964243367 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-5003-17 7315-5003-17 GO-LOCKER ACC SHELVES GRANITE GRAY



GO-LOCKER ACC SHELVES GRANITE GRAY

UPC: 046964243374 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7315-6001-50 7315-6001-50 FR WORK TOP GRANITE GRAY (3)



FR WORK TOP GRANITE GRAY (3)

UPC: 046964246795 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7418-3026-14 7418-3026-14 FR BIG MESH SPORTS BASKET (12)



FR BIG MESH SPORTS BASKET (12)

UPC: 046964251171 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7510-1406-34 7510-1406-34 6" O-BOX ACC BASKET W/GLIDE CHROME (10)



6in O-Box Acc Basket wiht Glide Chrome 10 per pack

UPC: 046964235409 Unit: EA WT: 4.90 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7510-1413-34 7510-1413-34 13" O-BOX ACC BASKET W/GLIDE CHROME (5)



13in O-Box Acc Basket wiht Glide Chrome 10 per pack

UPC: 046964235300 Unit: EA WT: 6.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7513-0714-11 7513-0714-11 OBOX ACC PAPER SORTER WHITE (1)




OBOX ACC PAPER SORTER WHITE (1)

UPC: 046964250778 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7513-0714-21 7513-0714-21 OBOX ACC PAPER SORTER MIDNIGHT LIVE (1)



7513-0714-21 OBOX ACC PAPER SORTER MIDNIGHT LIVE (1)

UPC: 046964014219

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7513-1424-14 7513-1424-14 O BOX ACC JEWELRY INSERT BK (5)



O BOX ACC JEWELRY INSERT BK (5)

UPC: 046964240786 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7813-1230-50 7813-1230-50 30" TIERED FR VENT SHELF GRANITE GRAY (6)



30" TIERED FR VENT SHELF GRANITE GRAY (6)

UPC: 046964255513 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7910-1412-11 7910-1412-11 12" FR VENTILATED BULK BRACKET (ACCEPTS ROD CLIP) (50)



12in Bulk Ventilated Bracket - 50 per pack

UPC: 046964251188 Unit: EA WT: 30.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7910-1413-11 7910-1413-11 12.5" FR WOOD BRACKET BULK (ACCEPTS ROD CLIP) WHITE



12.5in Bulk Wood Bracket - accepts rod clip White

UPC: 046964251195 Unit: EA WT: 0.60 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7910-1416-11 7910-1416-11 16" FR VENTILATED BRACKET BULK (ACCEPTS ROD CLIP) (50)



16in Bulk Ventilated Bracket - 50 per pack

UPC: 046964251218 Unit: EA WT: 1.19 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7910-1510-34 7910-1510-34 FR ROD STOP BULK CHROME (50)



Rod Stop Chrome Bulk 50 per pack

UPC: 046964241981 Unit: EA WT: 0.11 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1010-45 7913-1010-45 10 1/2" FR WOOD BRACKET NICKEL (10/CTN)



10 1/2 in Wood Bracket - Nickel

UPC: 046964231708 Unit: EA WT: 2.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1118-50 7913-1118-50 18 1/2" FR HD WOOD BRACKET GRANITE GRAY (10)



18 1/2in FR HD WOOD BRACKET GRANITE GRAY (10)

UPC: 046964240656 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1313-11 7913-1313-11 FR SLANT SHOE SHELF BRACKET WHITE (10)



Slant Shoe Shelf Bracket White 10 per pack

UPC: 046964239513 Unit: EA WT: 2.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1313-45 7913-1313-45 FR SLANT SHOE SHELF BRACKET NICKEL (10)



Slant Shoe Shelf Bracket Nickel 10 per pack

UPC: 046964239520 Unit: EA WT: 2.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1313-50 7913-1313-50 FR SLANT SHOE SHELF BRACKET GRANITE GRAY (10)



Slant Shoe Shelf Bracket granite gray 10 per pack

UPC: 046964255698 Unit: EA WT: 2.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1314-11 7913-1314-11 14" FR ANGLED WOOD SHELF BRACKET WHITE (10)



14in Angled Wood Shelf Bracket - White 10 per pack

UPC: 046964249628 Unit: EA WT: 38.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1314-45 7913-1314-45 14" FR ANGLED WOOD BRACKET NICKEL (10)



14 in Angled Wood Bracket - Nickel 10 per pack

UPC: 046964249635 Unit: EA WT: 3.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1320-11 7913-1320-11 20" FR VENTILATED BRACKET WHITE (10)



20in Ventilated Bracket - White 10 per pack

UPC: 046964214206 Unit: EA WT: 1.53 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1320-45 7913-1320-45 20" FR VENTILATED BRACKET NICKEL (10)



20in Ventilated Bracket - NICKEL 10 per pack

UPC: 046964240489 Unit: EA WT: 15.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY







7913-1412-11 7913-1412-11 12" FR VENTILATED SHELF BRACKET WHITE (10)



12in Ventilated Shelf Bracket White 10 per pack

UPC: 046964218105 Unit: EA WT: 0.31 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1412-45	7913-1412-45 12" FR VENTILATED SHELF BRACKET NICKEL (10)
	12in Ventilated Shelf Bracket Nickel 10 per pack
UPC: 046964240465 Unit: EA WT: 3.10 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7913-1412-50	7913-1412-50 12" FR VENT SHELF BRACKET GRANITE GRAY (10)
	12in Ventilated Shelf Bracket Granite Gray 10 per pack
UPC: 046964218303 Unit: EA WT: 3.10 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7913-1413-11	7913-1413-11 12.5" FR WOOD SHELF BRACKET WHITE (10)
	12.5 in Wood Shelf Bracket White 10 per pack
UPC: 046964223802 Unit: EA WT: 3.20 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7913-1413-45	7913-1413-45 12.5" FR WOOD SHELF BRACKET NICKEL (10)
	12.5 in Wood Shelf Bracket Nickel 10 per pack
UPC: 046964240496 Unit: EA WT: 3.20 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7913-1416-11	7913-1416-11 16" FR VENTILATED SHELF BRACKET WHITE (10)
	16in Ventilated Shelf Bracket White 10 per pack
UPC: 046964218204 Unit: EA WT: 6.00 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	
7913-1416-45	7913-1416-45 16" FR VENTILATED SHELF BRACKET NICKEL (10)
	16in Ventilated Shelf Bracket NICKEL 10 per pack
UPC: 046964240472 Unit: EA WT: 6.00 lbs FREEDOM RAIL – GARAGE, CLOSET & PANTRY	

7913-1416-50 7913-1416-50 16" FR GARAGE VENTILATED SHELF BRACKET GRANITE (10)



16in Garage Ventilated Shelf Bracket Granite 10 per pack

UPC: 046964218402 Unit: EA WT: 6.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1500-34 7913-1500-34 FR ROD CLIP CHROME (12)



Rod Clip Chrome 12 per pack

UPC: 046964246801 Unit: EA WT: 1.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1500-34 7910-1500-34 FR ROD CLIP BULK CHROME (50)



Rod Clip Chrome Bulk 50 per pack

UPC: 046964255643 Unit: EA WT: 0.26 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1510-34 7913-1510-34 FR ROD STOP CHROME (12)



Rod Stop Chrome 12 per pack

UPC: 046964220702 Unit: EA WT: 0.20 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1524-34 7913-1524-34 24" FR CLOTHES ROD CHROME (8)



24 in Clothes Rod - Chrome 8 per pack

UPC: 046964220801 Unit: EA WT: 1.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1530-34 7913-1530-34 30" FR CLOTHES ROD CHROME (8)



30 in Clothes Rod - Chrome 8 per pack

UPC: 046964247457 Unit: EA WT: 1.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1536-34 7913-1536-34 36" FR CLOTHES ROD CHROME (8)



36 in Clothes Rod - Chrome 8 per pack

UPC: 046964220900 Unit: EA WT: 1.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1548-34 7913-1548-34 48" FR CLOTHES ROD CHROME (8)



48 in Clothes Rod 8 per pack

UPC: 046964221006 Unit: EA WT: 2.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1572-34 7913-1572-34 72" FR CLOTHES ROD CHROME (8)



72 in Clothes Rod - Chrome 8 per pack

UPC: 046964235904 Unit: EA WT: 3.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-1596-34 7913-1596-34 96" FR CLOTHES ROD CHROME (8)



96in Clothes Rod 8 per pack

UPC: 046964221105 Unit: EA WT: 4.06 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3016-11 7913-3016-11 16 3/4" FR WALL MOUNTED UPRIGHT WHITE (10)



16 3/4in Wall Mounted Upright - White 10 per pack

UPC: 046964186503 Unit: EA WT: 4.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3063-11 7913-3063-11 63" FR WALL MOUNTED UPRIGHT WHITE (10)



63in Wall Mounted Upright - White 10 per pack

UPC: 046964188903 Unit: EA WT: 26.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3530-11	7913-3530-11 30" FR UPRIGHT WHITE (6)	30in Upright - White 6 per pack	UPC: 046964219706 Unit: EA WT: 11.50 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7913-3548-11	7913-3548-11 48" FR UPRIGHT WHITE (6/CTN)	48 in Upright - White 6 per pack	UPC: 046964191705 Unit: EA WT: 3.10 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7913-3548-45	7913-3548-45 48" FR UPRIGHT NICKEL (6)	48 in Upright - Nickel 6 per pack	UPC: 046964240434 Unit: EA WT: 3.10 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7913-3548-50	7913-3548-50 48" FR GARAGE UPRIGHT GRANITE (6)	48in Garage Upright - Granite 6 per pack	UPC: 046964191804 Unit: EA WT: 3.10 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7913-3578-11	7913-3578-11 78" FR UPRIGHT WHITE (6)	78 in Upright - White 6 per pack	UPC: 046964191903 Unit: EA WT: 4.80 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY
7913-3578-45	7913-3578-45 78" FR UPRIGHT NICKEL (6)	78 in Upright - Nickel 6 per pack	UPC: 046964240441 Unit: EA WT: 4.80 lbs	FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3578-50 7913-3578-50 78" FR GARAGE UPRIGHT GRANITE (6)



78in Garage Upright - Granite 6 per pack

UPC: 046964192009 Unit: EA WT: 4.83 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3590-11 7913-3590-11 90" FR UPRIGHT WHITE (6)



90 in Upright - WHITE 6 per pack

UPC: 046964219805 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3590-45 7913-3590-45 90" FR UPRIGHT NICKEL (6)



90 in Upright - NICKEL 6 per pack

UPC: 046964240458 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-3590-50 7913-3590-50 90" FR UPRIGHT GRANITE GRAY (6)



90 in Upright - Granite Gray 6 per pack

UPC: 046964220603 Unit: EA

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4424-11 7913-4424-11 24" FR RAIL WHITE (8)



24 in Rail - White 8 per pack

UPC: 046964218907 Unit: EA WT: 1.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4424-45 7913-4424-45 24" FR RAIL NICKEL (8)



24 in Rail - Nickel 8 per pack

UPC: 046964240380 Unit: EA WT: 1.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4430-11 7913-4430-11 30" FR RAIL WHITE (8)



30 in Rail - White 8 per pack

UPC: 046964010105 Unit: EA WT: 1.90 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4430-45 7913-4430-45 30" FR RAIL NICKEL (8)



30 in Rail - Nickel 8 per pack

UPC: 046964010099 Unit: EA WT: 1.90 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4432-50 7913-4432-50 32" FR GARAGE RAIL GRANITE (8)



32in Garage Rail - Granite 8 per pack

UPC: 046964233108 Unit: EA WT: 2.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4436-11 7913-4436-11 36" FR RAIL WHITE (8)



36 in Rail - White 8 per pack

UPC: 046964010112 Unit: EA WT: 2.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4436-45 7913-4436-45 36" FR RAIL NICKEL (8)



36 in Upright - Nickel 8 per pack

UPC: 046964010129 Unit: EA WT: 2.30 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4440-11 7913-4440-11 40" FR RAIL WHITE (8)



40 in Rail - White 8 per pack

UPC: 046964218006 Unit: EA WT: 2.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4440-45 7913-4440-45 40" FR RAIL NICKEL (8)



40 in Upright - Nickel 8 per pack

UPC: 046964240397 Unit: EA WT: 2.50 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4464-11 7913-4464-11 64" FR RAIL WHITE (8)



64 in Rail - White 8 per pack

UPC: 046964219300 Unit: EA WT: 3.90 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4464-45 7913-4464-45 64" FR RAIL NICKEL (8)



64 in Rail - Nickel 8 per pack

UPC: 046964240403 Unit: EA WT: 3.90 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4464-50 7913-4464-50 64" FR GARAGE RAIL GRANITE (8)



64in Garage Rail - Granite 8 per pack

UPC: 046964219508 Unit: EA WT: 3.94 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4480-11 7913-4480-11 80" FR RAIL WHITE (8)



80 in Rail - White 8 per pack

UPC: 046964217702 Unit: EA WT: 5.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4480-45 7913-4480-45 80" FR RAIL NICKEL (8)



80 in Upright - Nickel 8 per pack

UPC: 046964240410 Unit: EA WT: 5.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-4480-50 7913-4480-50 80" FR GARAGE RAIL GRANITE (8)



80in Garage Rail - Granite 8 per pack

UPC: 046964217801 Unit: EA WT: 5.00 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-6600-11 7913-6600-11 FR VENTILATED END CAPS WHITE (12pk)



Ventilated End Caps White 12 per pack

UPC: 046964223307 Unit: PK WT: 0.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-6600-45 7913-6600-45 FR VENTILATED END CAPS NICKEL (12pk)



Ventilated End Caps Nickel 12 per pack

UPC: 046964241172 Unit: PK WT: 0.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-6600-50 7913-6600-50 FR VENTILATED END CAPS GRANITE GRAY (12pk)



Ventilated End Caps Granite Gray 12 per pack

UPC: 046964243527 Unit: PK WT: 0.10 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-9137-11 7913-9137-11 FR ANCHORS WHITE (12pk)



Anchors White 12 per pack

UPC: 046964214701 Unit: EA WT: 1.60 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

7913-9158-40 7913-9158-40 FR SHELF LOCATORS CLEAR (12/pk)



Shelf Locators Clear 12 per pack

UPC: 046964232002 Unit: PK WT: 0.80 lbs

FREEDOM RAIL – GARAGE, CLOSET & PANTRY

1435-6675-45 METAL CORNER BRACKET NICKEL (30)

Metal Corner Bracket Nickel (30 per carton)



UPC: 046964013816 Unit: EA WT: 0.10 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6687-33 #8 x 32 PAN HEAD FOR JOINER CLAMP (1000)

#8 X 32 Pan Head for joiner clamp (1000 per carton)



UPC: 046964100905 Unit: EA WT: 0.01 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6670-33 SNAP IN POLE CLIP FOR STEEL POLE (BAG OF 100)

Snap in pole clip for steel pole (bag of 100)



UPC: 046964255681 Unit: EA WT: 1.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6768-11 POLE CLIP FOR ALUM. POLE INCL SELF TAP SCREW (100)

Pole clip for alum. pole incl self tap screw (100 per carton)




UPC: 046964243091 Unit: EA WT: 0.20 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6623-45 TRI-LOC II ANCHOR NICKEL (1000)

Tri-Loc II Anchor Nickel (1000 per carton)



UPC: 046964010426 Unit: EA WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1110-1212-11

1110-1212-11 12" D X 12' W SHELF WITH HANGING ROD (6) ** New no. 1118-1212-11 **

12in Deep x 12' Shelf with Hanging Rod (6)



UPC: 046964102800 Unit: EA WT: 12.17 lbs

ORGANIZED LIVING – VENTILATED WIRE

1110-1612-11

1110-1612-11 16" D X 12' W SHELVING WITH HANGING ROD (6) ** New No. 1118-1612-11 **



16in Deep x 12' Shelving with Hanging Rod (6)

UPC: 046964103203 Unit: EA WT: 18.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1120-1212-11

1120-1212-11 12" D X 12' W SHELF & ROD SHELFTECH (6) ** New No. 1128-1212-11 **



12in Deep x 12' Shelf and Rod (6)

UPC: 046964241394 Unit: EA WT: 12.17 lbs

ORGANIZED LIVING – VENTILATED WIRE

1210-1212-11

1210-1212-11 12" D X 12' W STORAGE SHELVING WHITE (6/CTN) (60CTN/PLT) ** New No. 1218-1212-11 **



12in Deep x 12' Storage Shelving White (6)

UPC: 046964660300 Unit: EA WT: 14.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1210-1612-11

1210-1612-11 16" D X 12' L STORAGE SHELVING WHITE (6) (40CTN/PLT) ** New No. 1218-1612-11 **



16in Deep x 12' Storage Shelving White (6)

UPC: 046964660508 Unit: EA WT: 15.66 lbs

ORGANIZED LIVING – VENTILATED WIRE

1210-2012-11

1210-2012-11 20" D X 12' W STORAGE SHELVING (6) ** New No. 1218-2012-11 **



20in Deep x 12' Storage Shelving (6)

UPC: 046964660706 Unit: EA WT: 21.33 lbs

ORGANIZED LIVING – VENTILATED WIRE

1220-1212-11

1220-1212-11 12" X 12' LINEN SHELFTECH SHELVING (6) ** New No. 1228-1212-11 **



12in x 12' Linen Shelving (6)

UPC: 046964241417 Unit: EA WT: 10.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1220-1612-11

1220-1612-11 16" X 12' LINEN SHELFTECH SHELVING (6) ** new No. 1228-1612-11 **



16in x 12' Linen Shelving (6)

UPC: 046964241424 Unit: EA WT: 13.17 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6620-11

1430-6620-11 VERSA CLIP WITH TRI-LOC II ANCHOR WHITE (2000)



Versa Clip with Tri-Loc II Anchor white (2000 per carton)

UPC: 046964010600 Unit: EA WT: 0.02 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6621-11

1430-6621-11 SIDEWALL BRACKET WITH TRI-LOC II ANCHOR WHITE (300)




Sidewall Bracket with Tri-Loc II Anchor white (300 per carton)

UPC: 046964010617 Unit: EA WT: 0.06 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6621-45

1430-6621-45 SIDEWALL BRACKET WITH TRI-LOC II ANCHOR NICKEL (300)



Sidewall Bracket with Tri-Loc II Anchor Nickel (300 per carton)

UPC: 046964011104 Unit: EA WT: 0.06 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6623-11

1430-6623-11 TRI-LOC II ANCHOR WHITE (1000)



Tri-Loc II Anchor white (1000 per carton)

UPC: 046964266908 Unit: EA WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6624-11

1430-6624-11 SIDEWALL BRACKET (SCREW/ANCHORS SOLD SEPARTELY) WHITE (300)



Sidewall Bracket (screw/anchors sold separately) white (300 per carton)

UPC: 046964267004 Unit: EA WT: 0.04 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6625-11 1430-6625-11 SIDEWALL BRACKET WITH TRI-LOC ANCHOR WHITE (300/CTN)




Sidewall Bracket with Tri-Loc Anchor white (300 per carton)

UPC: 046964267103 Unit: EA WT: 0.06 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6641-11 1430-6641-11 BACK CLIP (SCREWS/ANCHORS SOLD SEPARTELY) (2000/CARTON)



Back Clip (screw/anchors sold separately) (2000 per carton)

UPC: 046964117705 Unit: EA WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6643-11 1430-6643-11 BACK CLIP WITH TRI-LOC ANCHOR WHITE (2000)



Back Clip with Tri-Loc Anchor white (2000 per carton)

UPC: 046964117903 Unit: EA WT: 0.01 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6645-11 1430-6645-11 1/4" STRAP BACK CLIP (1000/CARTON)



1/4in Strap Back Clip (screw/anchors sold separately) (1000 per carton)

UPC: 046964010648 Unit: CT WT: 4.80 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6652-11 1430-6652-11 DOUBLE END CAP WHITE (1000/BAG)



Double End Cap white (1000 per bag)

UPC: 046964015087 Unit: BG WT: 0.06 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6653-11 1430-6653-11 TRI-LOC ANCHOR WHITE (1000)



Tri-Loc Anchor white (1000 per carton)

UPC: 046964119006 Unit: EA WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6654-11

1430-6654-11 DOUBLE END CAP FOR SHELFTECH OPEN SLIDE (1000/BAG)



1430-6654-11 DOUBLE END CAP FOR SHELFTECH OPEN SLIDE (1000/BAG)

UPC: 046964015223 Unit: EA

ORGANIZED LIVING – VENTILATED WIRE

1430-6658-11

1435-6658-11 9" SUPPORT BRACE FOR VENTILATED SHELVING WHITE (30)



9 in Support Brace for Ventilated shelving - White (30 per carton)

UPC: 046964127506 Unit: EA WT: 0.28 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6659-11

1430-6659-11 12" SUPPORT BRACE WHITE STANDARD & TIGHT MESH STORAGE SHELVES (100)



12in Support Brace White Standard and Tight Mesh Storage Shelves (100 per carton)

UPC: 046964119600 Unit: EA WT: 0.27 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6659-45

1430-6659-45 12" SUPPORT BRACE NICKEL (100)



12in Support Brace Nickel (100 per carton)

UPC: 046964010495 Unit: EA WT: 0.27 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6661-11

1430-6661-11 16" SUPPORT BRACE WHITE STANDARD & TIGHT MESH STORAGE SHELVES (100)



16in Support Brace White Standard and Tight Mesh Storage Shelves (100 per carton)

UPC: 046964119907 Unit: EA WT: 0.34 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6661-45

1430-6661-45 16" SUPPORT BRACE NICKEL (100)



16in Support Brace Nickel (100 per carton)

UPC: 046964010143 Unit: EA WT: 0.34 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6663-11

1430-6663-11 20" SUPPORT BRACE WHITE STANDARD & TIGHT MESH STORAGE SHELVES (100)



20in Support Brace White Standard and Tight Mesh Storage Shelves (100 per carton)

UPC: 046964120705 Unit: EA WT: 0.39 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6665-11

1430-6665-11 AJUSTABLE POLE CLIP, PLASTIC WITH SCREW (100)



Adjustable Pole Clip, Plastic with Screw (100)

UPC: 046964100103 Unit: CT WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6668-11

1430-6668-11 SHOE RACK SUPPORT White (100) ** OLD NO WAS 1430-6667-11 **



Shoe Rack Support (100)

UPC: 046964121108 Unit: CT WT: 5.30 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6668-45

1430-6668-45 SHOE RACK SUPPORT Nickel (100)



1430-6668-45 SHOE RACK SUPPORT Nickel (100)

UPC: 046964015278 WT: 5.30 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6671-11

1430-6671-11 BASE CAP (100)



Base Cap (100/carton)

UPC: 046964255766 Unit: CT WT: 0.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6672-11

1430-6672-11 70" VERTICAL SUPPORT POLE WHITE (24)



70in Vertical Support Pole White (24 per carton)

UPC: 046964149003 Unit: EA WT: 1.71 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6673-11 1430-6673-11 84" VERTICAL SUPPORT POLE WHITE (24)



84in Vertical Support Pole White (24 per carton)

UPC: 046964667309 Unit: EA WT: 2.02 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6675-11 1430-6675-11 METAL CORNER BRACKET WHITE (100)



Metal Corner Bracket White (100 per carton)

UPC: 046964121801 Unit: EA WT: 0.10 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6677-11 1430-6677-11 JOINER CLAMP (USE 2 PER BRACE) (1000/ctn)



Joiner Clamp (use 2 per brace) (1000 per carton)

UPC: 046964122105 Unit: EA WT: 2.80 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6679-11 1430-6679-11 WASTE SAVER JOINER SMALL



Waste Saver Joiner Small

UPC: 046964100400 Unit: EA WT: 0.04 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6684-45 1430-6684-45 MEDIUM TIGHT MESH END CAP FOR TIGHT-MESH STORAGE SHELF (1000/BAG) New PN: 1435-6693-45



Medium Tight Mesh End Cap for Tight Mesh Storage Shelf (1000 per bag)

UPC: 046964010327 Unit: EA WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6692-11 1430-6692-11 SMALL END CAP FOR CENTER ROD ON SHELF TECH ONLY (1000/BAG)



Small End Cap For center rod on Shelf Tech Only

UPC: 046964015131 Unit: EA WT: 0.60 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6693-11

1430-6693-11 MEDIUM END CAP FOR ALL SHELF STYLES (SOLD 100/BAG) (1000/BAG) ** OLD NO 1430-6683-11 **



Small End Cap For all shelf styles except tight mesh (1000 per bag)

UPC: 046964015124 Unit: BG WT: 0.04 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6694-11

1430-6694-11 LARGE END CAP FOR ALL SHELF STYLES (SOLD 100/BAG) (1000/BAG) **Old no. 1430-6685-11 **



Large End Cap For all shelf styles except tight mesh (1000 per bag)

UPC: 046964015117 Unit: BG WT: 0.15 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6699-11

1430-6699-11 EXTRA SMALL END CAP FOR SHELF CROSSWIRES (1000/BAG)



Very Small End Cap for shelf crosswires(1000 per bag)

UPC: 046964101100 Unit: EA WT: 0.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6725-11

1430-6725-11 ST SIDE WALL BRACKET PIN DRIVEN (500/CTN)



ST Side Wall Bracket Pin Driven (500/carton)

UPC: 046964241448 Unit: CT WT: 0.05 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6726-11

1430-6726-11 SHELFTECH OPEN SLIDE END BRACKET (300/CARTON)



1430-6726-11 SHELFTECH OPEN SLIDE END BRACKET (300/CARTON)

UPC: 046964016701

ORGANIZED LIVING – VENTILATED WIRE

1430-6743-11

1430-6743-11 ST BACK CLIP/DOWN BACK CLIP - PIN DRIVEN (3000/CTN)



ST Back Clip/Down Back Clip - Pin Driven (3000/carton)

UPC: 046964241431 Unit: CT` WT: 0.02 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6753-11 1430-6753-11 ST SUPPORT BRACE ANCHOR PIN DRIVEN (3000/CTN)



ST Support Brace Anchor Pin Driven (3000/carton)

UPC: 046964241455 Unit: CT WT: 0.01 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6764-11 1430-6764-11 POLE CLIP FOR ALUM. POLE INCL SELF TAP SCREW - TIGHT MESH (100)



Pole clip for alum. pole incl self tap screw - Tight Mesh (100 per carton)

UPC: 046964243107 Unit: EA WT: 0.20 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6770-11 1430-6770-11 ST 70" SUPPORT POLE (24)



ST 70in Support Pole (24)

UPC: 046964243077 Unit: EA WT: 29.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6774-11 1430-6774-11 84" ST SUPPORT POLE WHITE (24)



84in Support Pole White (24 per carton)

UPC: 046964243060 Unit: EA WT: 29.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1430-6776-11 1430-6776-11 POLE CAP FOR 6770/6774 (100)



Pole cap for 6770 and 6774

UPC: 046964243084 Unit: EA WT: 0.03 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6621-11 1435-6621-11 SIDEWALL BRACKET WITH TRI-LOC II ANCHOR WHITE (30/CTN)



Sidewall Bracket with Tri-Loc II Anchor white (30 per carton)

UPC: 046964267301 Unit: EA WT: 0.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6646-11 1435-6646-11 ANGLED SIDEWALL BRACKET (ROTATES TO 45) WHITE (10/CTN)




Angled Sidewall Bracket - rotates to 45 White (10/carton)

UPC: 046964149508 Unit: EA WT: 0.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6652-45 1435-6652-45 DOUBLE END CAP NICKEL (100/BAG)




Double End Cap Nickel (200 per bag)

UPC: 046964015100 Unit: BG WT: 0.60 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6676-11 1435-6676-11 JOINER CLIP FOR OPEN SLIDE (INCLUDES NUT/BOLTS) WHITE (10)



Joiner clip for Open Slide (includes nuts/bolts) White (10/bag)

UPC: 046964137802 Unit: EA WT: 0.80 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6693-45 1435-6693-45 MEDIUM END CAP NICKEL FOR ALL SHELF STYLES EXCEPT TIGHT MESH (200/BAG)



Medium Nickel End Cap For all shelf styles except tight mesh (200 per bag)

UPC: 046964015148 Unit: EA WT: 0.08 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6693-50 1435-6693-50 MEDIUM VENTILATED END CAP GRANITE GRAY (1 BAG OF 200)



Medium Granite Gray End Cap (200 per bag)

UPC: 046964015155 Unit: BG WT: 0.30 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6694-45 1435-6694-45 LARGE TIGHT MESH END CAP FOR TIGHT MESH STORAGE SHELF (200/BAG) ** Old part no. 1430-6686-45 **




Large Tight Mesh End Cap For Tight Mesh Storage Shelf (1000 per bag)

Unit: EA WT: 0.20 lbs

ORGANIZED LIVING – VENTILATED WIRE

1435-6694-50 1435-6694-50 LARGE VENTILATED END CAP GRANITE GRAY (1 BAG OF 200)



Large Ventilated Granite Gray End Cap (200 per bag)

UPC: 046964015162 Unit: BG WT: 0.30 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6620-11 1464-6620-11 VERSA CLIP (10/Bag) WITH TRI-LOC II ANCHOR WHITE (50/BOX)




Versa Clip (10/bag) with Tri-Loc II Anchor white (50per Box)

UPC: 046964173107 Unit: EA WT: 0.18 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6621-11 1464-6621-11 SIDEWALL BRACKET (2/Bag) WITH TRI-LOC II ANCHOR WHITE (30/Box)



Sidewall Bracket (2/Bag) with Tri-Loc II Anchor white (30 per Box)

UPC: 046964173206 Unit: EA WT: 0.13 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6623-11 1464-6623-11 TRI-LOC ANCHOR WHITE (50)



Tri-Loc Anchor white (25 per carton)

UPC: 046964173404 Unit: EA WT: 0.13 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6659-11 1464-6659-11 12" SUPPORT BRACE WHITE (100)



12in Support Brace White (100 per carton)

UPC: 046964655917 Unit: EA WT: 0.28 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6661-11 1464-6661-11 16" SUPPORT BRACE WHITE (40)



16in Support Brace White (40 per carton)

UPC: 046964656112 Unit: EA WT: 0.35 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6665-11 1464-6665-11 AJUSTABLE POLE CLIPS AND CAPS WHITE (50)




Adjustable Pole Clips and Caps White (25)

UPC: 046964656518 Unit: CT WT: 2.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6668-11 1464-6668-11 SHOE RACK SUPPORT (25)



Shoe Rack Support White (25)

UPC: 046964656716 Unit: EA WT: 0.08 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6675-11 1464-6675-11 METAL CORNER BRACKET (50)



Metal Corner Bracket White (25 per carton)

UPC: 046964129203 Unit: EA WT: 0.18 lbs

ORGANIZED LIVING – VENTILATED WIRE

1464-6691-11 1464-6691-11 END CAPS SMALL/LARGE/DOUBLE WHITE (50) **(OLD NO WAS 1464-6622-11)**




End Caps Small/Large/Double White (50 per carton)

UPC: 046964015179 Unit: EA WT: 0.07 lbs

ORGANIZED LIVING – VENTILATED WIRE

1465-6673-11 1465-6673-11 84" VERTICAL SUPPORT POLE WHITE (12)



84in Vertical Support Pole White (12 per carton)

UPC: 046964138700 Unit: EA WT: 2.12 lbs

ORGANIZED LIVING – VENTILATED WIRE

1466-6620-11 1466-6620-11 VERSA CLIP W/TRI LOC II ANCHOR (100) (A-BULK) (1CTN=5BG)



Versa Clip with Tri Loc II Anchor (100) (A-Bulk) 5 per carton

UPC: 046964266403 Unit: EA WT: 1.64 lbs

ORGANIZED LIVING – VENTILATED WIRE

1466-6621-11 1466-6621-11 SIDE WALL BRACKET W/TRI LOC II ANCHOR (30) (B-BULK) (2)



Side Wall Bracket with Tri Loc II Anchor (30) (B-Bulk) 2 per carton

UPC: 046964266502 Unit: EA WT: 2.17 lbs

ORGANIZED LIVING – VENTILATED WIRE

1466-6691-11 1466-6691-11 END CAPS FOR SMALL/MEDIUM/LARGE/DOUBLE (80/120/20/20)



End Caps for Small, Medium, Large Double (80/120/20/20)

UPC: 046964015186 Unit: EA WT: 0.94 lbs

ORGANIZED LIVING – VENTILATED WIRE

1510-1212-11 1510-1212-11 12" D X 12' W TIGHT MESH STORAGE SHELVING (6) ** New No. 1518-1212-11 **



12in Deep x 12' Tight Mesh Storage Shelving (6)

UPC: 046964140000 Unit: EA WT: 16.67 lbs

ORGANIZED LIVING – VENTILATED WIRE

1510-1612-11 1510-1612-11 16" D X 12' W BULK VENTILATED TIGHT MESH STORAGE SHELVING (6) ** New No. 1518-1612-11 **



16in Deep x 12' Bulk Ventilated Tight Mesh Storage Shelving (6)

UPC: 046964140109 Unit: EA WT: 18.67 lbs

ORGANIZED LIVING – VENTILATED WIRE

1510-1612-45 1510-1612-45 16" D X 12' W TIGHT MESH SHELVING NICKEL (6) (40 CTN/PLT) ** New No. 1518-1612-45 **



16in Deep x 12' Tight Mesh Shelving (6)

UPC: 046964010358 Unit: EA WT: 18.67 lbs

ORGANIZED LIVING – VENTILATED WIRE

1510-2012-11 1510-2012-11 20" D X 12' W TIGHT MESH STORAGE SHELVING (6) ** New No. 1518-2012-11 **



20in Deep x 12' Tight Mesh Storage Shelving (6)

UPC: 046964140208 Unit: EA WT: 23.00 lbs

ORGANIZED LIVING – VENTILATED WIRE

1520-0912-11

1520-0912-11 9" D X 12' W LINEN TIGHT-MESH STORAGE SHELF (6) ** New No. 1528-0912-11 **



9in Deep x 12' Linen Tight-Mesh Storage Shelf (6)

UPC: 046964018361 Unit: EA WT: 10.17 lbs

ORGANIZED LIVING – VENTILATED WIRE

1520-1212-11

1520-1212-11 12" X 12' TIGHT MESH SHELFTECH SHELVING WHITE (6) ** New No. 1528-1212-11 **



12in x 12' Tight Mesh Shelving (6)

UPC: 046964014370 Unit: EA WT: 11.48 lbs

ORGANIZED LIVING – VENTILATED WIRE

1520-1612-11

1520-1612-11 16" X 12' TIGHT MESH SHELFTECH SHELVING WHITE (6) ** New No. 1528-1612-11 **




16in x 12' Tight Mesh Shelving (6)

UPC: 046964014387 Unit: EA WT: 15.69 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1212-11

1710-1212-11 12" D X 12' W OPEN SLIDE HANGING SHELVING (6) ** New No. 1718-1212-11 **



12in Deep x 12' Wide Open Slide Hanging Shelving

UPC: 046964152805 Unit: EA WT: 18.83 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1212-45

1710-1212-45 12" D X 12' W OPEN SLIDE II NICKEL (6) ** New No. 1718-1212-45 **



12in Deep x 12' Wide Open Slide II Nickel

UPC: 046964010365 Unit: EA WT: 18.83 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1219-11

1710-1219-11 12" OPEN SLIDE CORNER HANGING SHELF WHITE (10)




12in Open Slide Hanging Shelf White

UPC: 046964155806 Unit: EA WT: 2.38 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1612-11

1710-1612-11 16" D X 12' W OPEN SLIDE HANGING SHELIVING (4) ** New No. 1718-1612-11 **



16in Deep x 12' Wide Open Slide Hanging Shelving

UPC: 046964153000 Unit: EA WT: 47.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1612-45

1710-1612-45 16" D X 12' W OPEN SLIDE HANGING SHELIVING NICKEL (4) ** New No. 1718-1612-45 **



16in Deep x 12' Wide Open Slide Hanging Shelving Nickel (4)

UPC: 046964010372 Unit: EA WT: 47.50 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1619-11

1710-1619-11 16" OPEN SLIDE HANGING SHELF CORNER ROUND (10)



16in Open Slide Hanging Shelf Corner Round (10)

UPC: 046964155707 Unit: EA WT: 25.80 lbs

ORGANIZED LIVING – VENTILATED WIRE

1710-1619-45

1710-1619-45 16" OPEN SLIDE HANGING SHELF CORNER ROUND NICKEL (10)




16in Open Slide Hanging Shelf Corner Round Nickel (10)

UPC: 046964010396 Unit: EA WT: 25.80 lbs

ORGANIZED LIVING – VENTILATED WIRE

1720-1212-11

1720-1212-11 12" X 12" SHELFTECH OPEN SLIDE HANGING SHELF (6/CARTON) (108/PALLET)



1720-1212-11 12" X 12" SHELFTECH OPEN SLIDE HANGING SHELF (6/CARTON) (108/PALLET)

UPC: 046964014394 Unit: EA WT: 18.83 lbs

ORGANIZED LIVING – VENTILATED WIRE

5010-1228-12

5010-1228-12 MERCHANDISER




MERCHANDISER

UPC: 046964239780 Unit: EA WT: 114.00 lbs

ORGANIZED LIVING – VENTILATED WIRE


5010-6700-11 5010-6700-11 TOUCH UP PAINT WHITE



Touch up Paint White

UPC: 046964501900 Unit: EA WT: 0.30 lbs **ORGANIZED LIVING – VENTILATED WIRE**


5010-6700-45 5010-6700-45 TOUCH UP PAINT NICKEL



Touch up Paint Nickel

UPC: 046964239551 Unit: EA WT: 0.30 lbs **ORGANIZED LIVING – VENTILATED WIRE**


5010-6732-40 5010-6732-40 12" & 16" SIDE WALL BRACKET TEMPLATE TOOL FOR VENTILATED SHELVING DRILL TYPE




12in and 16in Side Wall Bracket Template Tool for Ventilated Shelving Drill Type

Unit: EA WT: 0.80 lbs **ORGANIZED LIVING – VENTILATED WIRE**

CONTRACTORPACK CONTRACTORPACK VENTILATED SHELVING STOCK AND ACCESSORIES WITH MERCHANDISER *** 1 Contractor Pack *
* SHELVING * * 12 of 1710-1212-11 * * 6 of 1120-1212-11 * * 6 of 1220-1212-11 * * 6 of 1220-1612-11 * * 6 of 1520-1212-11 * * 6 of 1520-1612-11 *



Unit: EA WT: 994.99 lbs **ORGANIZED LIVING – VENTILATED WIRE**

Product	Description	SIDE SPLASH - EAGLE BUILDING PRODUCTS
DMTSSL19-SW	DMTSSL19-SW 19" SIDE SPLASH WHITE LH	
	19" Solid White Side Splash Left Hand	
	UPC: 773967310276 Unit: EA WT: 25.60 lbs	EAGLE BUILDING PRODUCTS

DMTSSL22-CB DMTSSL22-CB 22" SIDE SPLASH DARK BROWN LH


22" Dark Brown Side Splash Left Hand
UPC: 773967310337 Unit: EA WT: 2.00 lbs **EAGLE BUILDING PRODUCTS**


DMTSSR19-SW DMTSSR19-SW 19" SIDE SPLASH WHITE RH


19" Solid White Side Splash Right Hand
UPC: 773967310283 Unit: EA WT: 2.00 lbs **EAGLE BUILDING PRODUCTS**

DMTSSR22-BK	DMTSSR22-BK 22" SIDE SPLASH BLACK RH	
22inch Black. Right Hand Side Splash		
UPC: 773967310382	Unit: EA WT: 2.00 lbs	EAGLE BUILDING PRODUCTS
DMTSSR22-CB	DMTSSR22-CB 22" SIDE SPLASH DARK BROWN RH	
22" Dark Brown Side Splash Right Hand		
UPC: 773967310344	Unit: EA WT: 2.00 lbs	EAGLE BUILDING PRODUCTS
DMTSSR22-CG	DMTSSR22-CG 22" SIDE SPLASH GRAY RH	
22" Gray Side Splash Right Hand		
UPC: 773967310306	Unit: EA WT: 2.00 lbs	EAGLE BUILDING PRODUCTS


Product	Description	SILLPLATE GASKETS - SILL PLATE GASKET
---------	-------------	---------------------------------------

SPG31/2	SPG31/2 1/8" X 3.5" X 75' WHITE SILL SEALER (17/SLV) (3130)	
	1/8in x 3.5in x 75' White Sill Sealer. Designed to fill the air gaps between the sill plate and the foundation wall. Your home will be made more comfortable and energy efficient by eliminating this air infiltration. Made of quality polyethylene. Prevents rotting of sill plate. Water and insect repellent. Will not deteriorate. (17 Rolls/Sleeve)	
	UPC: 883917031301 Unit: RL WT: 0.35 lbs	SILL PLATE GASKET

SPG51/2	SPG51/2 1/8" X 5.5" X 75' WHITE SILL SEALER (10/SLV) (3135)	
	1/8in x 5.5in x 75' White Sill Sealer. Designed to fill the air gaps between the sill plate and the foundation wall. Your home will be made more comfortable and energy efficient by eliminating this air infiltration. Made of quality polyethylene. Prevents rotting of sill plate. Water and insect repellent. Will not deteriorate. (10Rolls/Sleeve)	
	UPC: 883917031356 Unit: RL WT: 0.55 lbs	SILL PLATE GASKET

SPG8	SPG8 1/8" X 8" X 75' WHITE SILL SEALER (7/SLV) (3140)	
	1/8in x 8in x 75' White Sill Sealer. Designed to fill the air gaps between the sill plate and the foundation wall. Your home will be made more comfortable and energy efficient by eliminating this air infiltration. Made of quality polyethylene. Prevents rotting of sill plate. Water and insect repellent. Will not deteriorate. (7Rolls/Sleeve)	
	UPC: 883917031400 Unit: RL WT: 0.75 lbs	SILL PLATE GASKET

Product	Description	SILLPLATE GASKETS - TVM
---------	-------------	-------------------------

SPGR31/2	SPGR31/2 3/16" X 3.5" X 75' RIBBED WHITE SILL SEALER (10/SLV) (77335)(SPGR31/2-R)	
	3/16in x 3.5in x 75' Ribbed white Sill Sealer. Designed to fill the air gaps between the sill plate and the foundation wall. Your home will be made more comfortable and energy efficient by eliminating this air infiltration. Made of quality polyethylene. Prevents rotting of sill plate. Water and insect repellent. Will not deteriorate. (10 Rolls/Sleeve)	
	UPC: 673181773355 Unit: RL WT: 0.35 lbs	TVM

SPGR51/2**SPGR51/2 3/16" X 5.5" X 75' RIBBED WHITE SILL SEALER (8/SLV) (77355)(SPGR51/2)**

3/16in x 5.5in x 75' Ribbed White Sill Sealer. Designed to fill the air gaps between the sill plate and the foundation wall. Your home will be made more comfortable and energy efficient by eliminating this air infiltration. Made of quality polyethylene. Prevents rotting of sill plate. Water and insect repellent. Will not deteriorate. (8Rolls/Sleeve)

UPC: 673181773553 Unit: RL WT: 0.55 lbs

TVM**SPGR71/2****SPGR71/2 3/16" X 7.5" X 75' RIBBED WHITE SILL SEALER (5/SLV) (77375)(SPGR71/2)**

3/16in x 7.5in x 75' Ribbed White Sill Sealer. Designed to fill the air gaps between the sill plate and the foundation wall. Your home will be made more comfortable and energy efficient by eliminating this air infiltration. Made of quality polyethylene. Prevents rotting of sill plate. Water and insect repellent. Will not deteriorate. (5Rolls/Sleeve)

UPC: 673181773751 Unit: RL WT: 0.75 lbs

TVM**Product****Description****SINKS - BATHROOM SINKS****CVCS****CVCS CALAIS 19" X 19" ROUND VITREOUS CHINA COUNTER SINK (UPC(CUPC))(36/SKID)**

Calais Round Vitreous China Counter Sink 19in x 19in (UPC(CUPC))

UPC: 773967308556 Unit: EA WT: 19.40 lbs

BATHROOM SINKS**OVCS****OVCS ODESSA 20" X 17" OVAL VITREOUS CHINA COUNTER SINK (UPC(CUPC)) (36/SKID)**

Odessa Oval Vitreous China Counter Sink 20in x 17in (UPC(CUPC))

UPC: 773967308549 Unit: EA WT: 18.74 lbs

BATHROOM SINKS**Product****Description****SINKS - DEE STAINLESS STEEL SINKS****BASKET****BASKET STRAINER AND TAILPIECE**

31in X 20-1/2in X 7in Double Stainless Steel Sink 304 Stainless Steel. 20 Gauge .8mm thick. 18% Chromium, 8% Nickel. CSA Approved. Polished Deck and Satin Bowl. Sound Deadening Pad. Comes with Basket Strainer, Tailpieces, Clips & Template. (SUGGESTED RETAIL \$139.95)

WT: 14.00 lbs

DEE STAINLESS STEEL SINKS

VDKS3121

VDKS3121 31 1/2in X 20-3/4in X 7in 20GA DOUBLE STAINLESS STEEL SINK (UPC(CUPC))



31 1/2in X 20-3/4in X 7in Double Stainless Steel Sink 304 Stainless Steel. 20 Gauge .8mm thick. 18% Chromium, 8% Nickel. CSA Approved. Polished Deck and Satin Bowl. Sound Deadening Pad. Comes with Basket Strainer, Tailpieces, Clips & Template. (UPC(CUPC))

UPC: 773967308822 WT: 14.00 lbs

DEE STAINLESS STEEL SINKS**VSKS2021**

VSKS2021 20" X 20.5" X 7" SINGLE STAINLESS STEEL SINK (UPC(CUPC)) (SUGGESTED RETAIL \$99.95)(16/SKID)



20in X 20-1/2in X 7in Single Stainless Steel Sink. CSA Approved. 304 Stainless Steel, 20 Gauge, 8mm Thick. All Satin Finish. 18% Chromium, 8% Nickel. Sound Deadening Pad. Comes with Basket Strainer, Tailpieces, Clips & Template. (UPC(CUPC)) (SUGGESTED RETAIL \$99.95)

UPC: 773967308839 Unit: EA WT: 7.00 lbs

DEE STAINLESS STEEL SINKS**Product****Description****STAPLERS - CRISPO****R19****R19 RAPID HAMMER TACKER R19 (RR19)**

Rapid Hammer Tacker. Medium duty 1/4in leg only.

UPC: 808198260103 Unit: EA WT: 0.80 lbs

CRISPO**R211****R11 RAPID HAMMER TACKER R211 (RR11)**

Rapid Heavy Duty Hammer Tacker 1/4in to 1/2in leg

UPC: 808198259152 Unit: EA WT: 2.20 lbs


CRISPO**R34****R34 RAPID HAMMER TACKER R34 (RR34)**

Rapid Hammer Tacker. Medium duty 1/4in leg only.

UPC: 713465115503 Unit: EA WT: 1.80 lbs


CRISPO

STAPLERS - GENERAL FASTNERS

Product	Description	
JK20ALM-680	JK20ALM-680 JK LONG MAG STAPLER AUTO	
	JK Long Mag Stapler Auto	
	UPC: 73171412603724 Unit: EA WT: 1.00 lbs	GENERAL FASTNERS



GENERAL FASTNERS

STAPLES - CRISPO

Product	Description	
231906C	231906C RAPID 23 SERIES FOR R19 1/4" 5000/BOX (10 BOX/CASE) (A19)	
		
	UPC: 056752190711 WT: 0.60 lbs	CRISPO

CRISPO

STAPLES - DEE IMPORT NAILS

Product	Description	
98006	98006 3/8" 1/2" CROWN STAPLE 10M SPOTNAIL (18BOX/CASE) (98006)	
	98006 3/8in 1/2in Crown Nail 10M Spot Nail (18BOX/CASE)	
	Unit: EA	CRISPO
DHGS1-1/2	DHGS1-1/2 DEE 1-1/2" HOT GALV. STAPLES	
	1-1/2in Fence Staples Hot Galvanized	
	UPC: 773967305623 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DHGS1-1/4	DHGS1-1/4 DEE 1-1/4" HOT GALV. STAPLES	
	1-1/4in Fence Staples Hot Galvanized	
	UPC: 773967305616 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS
DHGS1-3/4	DHGS1-3/4 DEE 1-3/4" HOT GALV. STAPLES	
	1-3/4in Fence Staples Hot Galvanized	
	UPC: 773967305630 Unit: CT WT: 50.00 lbs	DEE IMPORT NAILS


DEE IMPORT NAILS

DEE IMPORT NAILS


DEE IMPORT NAILS

STAPLES - GENERAL FASTNERS


Product Description

A111/4	A111/4 1/4" R11 COATED STAPLES (5000/BX) (20BX/CASE)(0A116C) T50
	1/4in R11 Coated Staples (5000/BX) UPC: 095832015858 Unit: BX WT: 1.10 lbs

GENERAL FASTNERS

A113/8	A113/8 3/8" R11 COATED STAPLES (5000/BX)(0A119C) T50
	3/8in R11 Coated Staples (5000/BX) UPC: 095832015872 Unit: BX WT: 1.40 lbs


GENERAL FASTNERS

A115/16	A115/16 5/16" R11 COATED STAPLES (5000/BX) (20BX/CASE)(0A118G) T50
	1/4in R11 Coated Staples (5000/BX) WT: 1.20 lbs


GENERAL FASTNERS

STRETCH WRAP - GENERAL FASTNERS

Product Description

14STRETCH	14STRETCH 14" X 1500' 80GA PALLET WRAP (SOLD BY CARTON 4 ROLL/CASE, 240 ROLL/PLT) (27050045)
	14in x 1500' Pallet Wrap 80GA. Has greater tear and puncture resistance, tension retention and scuff resistance than cast film. Ideal for irregular shaped loads and loads with sharp corners. Also better suited for cold environment applications. UPC coded.(4 roll/case, 144rolls/plt) UPC: 773967309157 Unit: EA WT: 5.00 lbs

GENERAL FASTNERS

3STRETCH	3STRETCH 3" X 1500' 80GA HAND WRAP (18 ROLLS/CASE, 864 ROLLS/PLT) (27300590)
	3in x 1500' Hand Wrap 80GA. Used to contain small items for shipping and storage. Will not mar product surfaces. UPC coded. (18 Rolls/Case, 864 Rolls/Pallet) UPC: 773967309164 Unit: RL WT: 1.00 lbs

GENERAL FASTNERS

Product Description TAPE - CANADIAN TECHNICAL TAPE

0179-18 0179-18 18MMX55M FILAMENT TAPE CLR (48/CASE) (379-18)



18mm x 55m Filament Tape Clear. Strength. Waterproof. High tack. Excellent shear value. Little stretch. (48/case)

UPC: 067735179180 Unit: RL WT: 0.29 lbs

CANADIAN TECHNICAL TAPE

0205 0205 60MMX66M RED SHEATHING TAPE (20/CASE - 1,600/SKID) (20502)



60mm x 66m Red Sheathing Tape. Excellent adhesion to insulation materials. Good low temperature performance. Good U.V. stability. Good High temperature performance. (20/case)

UPC: 067735205025 Unit: RL WT: 0.50 lbs

CANADIAN TECHNICAL TAPE

0243 0243 48MM X 50M CLEAR CARTON TAPE (48RLS/CASE) (343-00)



48mm x 50m Carton Tape Clear. Box Sealing Jand Roll. All manual box sealing. Holding and bundling applications where a high degree of moisture resistance is required. Label protection. (48/box)

UPC: 067735630414 Unit: RL WT: 0.38 lbs

CANADIAN TECHNICAL TAPE

302-24 302-24 24MMX55M MASK TAPE (36/CASE) (30224)



24mm x 55m Masking Tape. Very aggressive adhesive Adheres well to flat surfaces. High quick stick and high adhesion. Can tear fragile surfaces when removed. Low resistance to sun and heat exposure (55C). Short term (24 hrs) indoor paint applications. Recommended on non-coated flat surfaces. Can be used on ceramic aluminum PVC metal. Ideal for splicing polyethylene sheeting. Good for light bundling, packaging and repairing open bags. (36/case)

UPC: 067735302243 Unit: RL WT: 0.40 lbs

CANADIAN TECHNICAL TAPE

302-36 302-36 36MMX55M MASK TAPE (24/CASE) (30236)



36mm x 55m Masking Tape. Very aggressive adhesive Adheres well to flat surfaces. High quick stick and high adhesion. Can tear fragile surfaces when removed. Low resistance to sun and heat exposure (55C). Short term (24 hrs) indoor paint applications. Recommended on non-coated flat surfaces. Can be used on ceramic aluminum PVC metal. Ideal for splicing polyethylene sheeting. Good for light bundling, packaging and repairing open bags. (24/case)

UPC: 067735302366 Unit: RL WT: 0.50 lbs

CANADIAN TECHNICAL TAPE

302-48 302-48 48MMX55M MASK TAPE (24/CASE) (30248)



48mm x 55m Masking Tape. Very aggressive adhesive Adheres well to flat surfaces. High quick stick and high adhesion. Can tear fragile surfaces when removed. Low resistance to sun and heat exposure (55C). Short term (24 hrs) indoor paint applications. Recommended on non-coated flat surfaces. Can be used on ceramic aluminum PVC metal. Ideal for splicing polyethylene sheeting. Good for light bundling, packaging and repairing open bags. (24/case)

UPC: 067735302489 Unit: RL WT: 0.80 lbs

CANADIAN TECHNICAL TAPE

307-48**307-48 48MMX55M PAINTERS MASK TAPE (24/CASE) (30748)**

48mm x 55m Painters Masking Tape. Moderately aggressive adhesive. Adheres well to all type of surfaces. High quick stick and moderate adhesion. Use with care on delicate surfaces. Moderate resistance to sun and heat exposure (80C). Medium term (48 hrs) paint applications. Recommended on porous surfaces like brick concrete. Adheres well on surfaces under dusty environment. Not recommended on uncoated drywall wooden floor and delicate surfaces. (24/case)

UPC: 067735307484 Unit: RL WT: 0.80 lbs

CANADIAN TECHNICAL TAPE**309-24****309-24 24MMX55M GRN PAINT PRO TAPE (36/CASE) (30924)**

24mm x 55m Green Paint Pro Masking Tape. Non-aggressive adhesive. Adheres well to any type of surface. Medium quick stick and low adhesion. Can be used on delicate surfaces. Very good resistance to UV rays. Can be left on surfaces for up to 7 days if not exposed to direct sunlight. Recommended on a wide variety of surfaces. The most versatile masking tape in terms of applications. The treated paper and special adhesive will resist to all type of paints including lacquers. (36/case)

UPC: 067735309242 Unit: EA WT: 0.39 lbs

CANADIAN TECHNICAL TAPE**309-36****309-36 36MMX55M GRN PAINT PRO TAPE (24/CASE) (30936)**

36mm x 55m Green Paint Pro Masking Tape. Non-aggressive adhesive. Adheres well to any type of surface. Medium quick stick and low adhesion. Can be used on delicate surfaces. Very good resistance to UV rays. Can be left on surfaces for up to 7 days if not exposed to direct sunlight. Recommended on a wide variety of surfaces. The most versatile masking tape in terms of applications. The treated paper and special adhesive will resist to all type of paints including lacquers. (24/case)

UPC: 067735309365 Unit: EA WT: 0.58 lbs

CANADIAN TECHNICAL TAPE**309-48****309-48 48MMX55M GRN PAINT PRO TAPE (24/CASE) (30948)**

48mm x 55m Green Paint Pro Masking Tape. Non-aggressive adhesive. Adheres well to any type of surface. Medium quick stick and low adhesion. Can be used on delicate surfaces. Very good resistance to UV rays. Can be left on surfaces for up to 7 days if not exposed to direct sunlight. Recommended on a wide variety of surfaces. The most versatile masking tape in terms of applications. The treated paper and special adhesive will resist to all type of paints including lacquers. (24/case)

UPC: 067735309488 Unit: EA WT: 0.77 lbs

CANADIAN TECHNICAL TAPE**320-15****320-15 48MMX153M DRYWALL JOINT TAPE (12/CASE) (32015)**

48mm x 153m Fiberglass Drywall Joint Tape. For finishing flat drywall joints and corners. Faster and easier to use stays in place without pre-plastering. Strong fibreglass mesh imbeds in plaster or drywall joint compounds to resist cracks. Easy to apply and reposition if needed. Low adhesion, yet stays firmly in place while being plastered. (12/case)

UPC: 067735320155 Unit: EA WT: 1.36 lbs

CANADIAN TECHNICAL TAPE**320-45****320-45 48MMX45M DRYWALL JOINT TAPE (24/CASE) (32045)**

48mm x 45m Fiberglass Drywall Joint Tape. For finishing flat drywall joints and corners. Faster and easier to use stays in place without pre-plastering. Strong fibreglass mesh imbeds in plaster or drywall joint compounds to resist cracks. Easy to apply and reposition if needed. Low adhesion yet stays firmly in place while being plastered. (24/case)

UPC: 067735320452 Unit: EA WT: 0.46 lbs

CANADIAN TECHNICAL TAPE

320-91**320-91 48MMX91.5M DRYWALL JOINT TAPE (24/CASE) (32091)**

48mm x 91.5m Fiberglass Drywall Joint Tape. For finishing flat drywall joints and corners. Faster and easier to use stays in place without pre-plastering. Strong fibreglass mesh imbeds in plaster or drywall joint compounds to resist cracks. Easy to apply and reposition if needed. Low adhesion yet stays firmly in place while being plastered. (24/case)

UPC: 067735320919 Unit: EA WT: 0.73 lbs

CANADIAN TECHNICAL TAPE**350-02****350-02 48MMX55M STUCCO MASK TAPE (24/CASE) (350-02)**

48mm x 55m Stucco Masking Tape. Masking window and door frames for stucco application. Protective masking for non-painted surfaces, such as wood, glass, steel, vinyl, aluminums. Indoor and outdoor application. Splicing and holding polyethylene sheeting. Patching and repairing a variety of surfaces. Moisture resistant. Good UV resistance. Adhesive holds on rough surfaces. Conforms well to a wide range of surfaces. Will remove cleanly after 7 days on outdoor application (24/case)

UPC: 067735250483 Unit: RL WT: 1.08 lbs

CANADIAN TECHNICAL TAPE**38025****38025 48MMX25M CLR DUCT PRO SHRINK WRAPPED (24/CASE) (38025)**

48mm x 25m Duct Pro Tape Clear. This tape is made of a clear polyethylene film laminated to a polyester scrim and coated with a special butyl/terpolymer rubber blend. This product is designed for long term applications and is suitable for outdoor use. It provides excellent resistance to UV and weathering. (24/case)

UPC: 067735380258 Unit: EA WT: 0.20 lbs

CANADIAN TECHNICAL TAPE**38515****38515 48MMX15M CARPET TAPE (24/CASE) (38515)**

48mm x 15m Carpet Tape. Double face cloth carpet tape with a very aggressive adhesive on both sides this tape provide excellent contact adhesion between two surfaces. (24/case)

UPC: 067735385154 Unit: EA WT: 0.50 lbs

CANADIAN TECHNICAL TAPE**39421****39421 48MMX25M SHNK WRAP DUCT TAPE (24/CASE) (39421)**

48mm x 25m Duct Tape. Water resistant tape made of polyester scrim laminated to polyethylene film and is coated with an aggressive natural rubber adhesive. An excellent general repair tape for indoor and outdoor uses. (24/case)


UPC: 067735394217 Unit: RL WT: 0.71 lbs

CANADIAN TECHNICAL TAPE**39521****39521 48MMX55M SHNK WRAP DUCT TAPE (24/CASE) (39521)**

48mm x 55m Duct Tape. Water resistant tape made of polyester scrim laminated to polyethylene film and is coated with an aggressive natural rubber adhesive. An excellent general repair tape for indoor and outdoor uses. (24/case)

UPC: 067735395214 Unit: RL WT: 1.00 lbs

CANADIAN TECHNICAL TAPE

Product	Description	TELEPOSTS - QUALI-T-FAB
603	603 TELEPOST 24"-36" 3.5" X 6" PLATE (50/PLT) (V24363P50) 24in - 36in 3.5in x 6in Telepost Top Plate (50/Plt)	
	UPC: 773029243665 Unit: EA WT: 14.00 lbs	QUALI-T-FAB
605	605 TELEPOST 36"-60" 3.5" X 6" PLATE (50/PLT) (V30503P50) 36in - 60in 3.5in x 6in Jack Post Top Plate (50/PLT) UPC: 773029305066 Unit: EA WT: 20.60 lbs	QUALI-T-FAB
607	607 TELEPOST 60"-96" 3.5" X 6" PLATE (50/PLT) (V50803P50) 60in - 96in 3.5in x 6in Jack Post Plate (50/Plt) UPC: 773029508061 Unit: EA WT: 30.60 lbs	QUALI-T-FAB
608	608 TELEPOST 72"-108" 3.5" X 6" PLATE (50/PLT) (V60903P50) 72in - 108in 3.5in X 6in Jack Post Plate (50/Plt) UPC: 773029609065 Unit: EA WT: 33.60 lbs	QUALI-T-FAB
609	609 TELEPOST 18-24" 3.5" X 6" PLATE (50/PLT) (V18243P50) 18 - 24in 3.5in x 6in JackPost Top Plate (50/Plt) UPC: 773029182469 Unit: EA WT: 9.60 lbs	QUALI-T-FAB
615T	615T TELEPOST SCREW & NUT ASSEMBLY (A001) Telepost Screw & Nut Assembly UPC: 773029100104 Unit: EA WT: 1.80 lbs	QUALI-T-FAB
617	617 TELEPOST PLATE 3.5" X 6" (A002) 3.5in x 6in Telepost Replacement Plate UPC: 773029100203 Unit: EA WT: 1.49 lbs	QUALI-T-FAB
618	618 TELEPOST CROSS PINS (A004) Telepost Locking Cross Pins UPC: 773029100401 Unit: EA WT: 0.41 lbs	QUALI-T-FAB
GP001	GP001 GROUND PLATE 8" x 32" x 18" 100/PLT (GP001) GP001 GROUND PLATE 8" x 32" x 18" 50/PLT WT: 18.00 lbs	QUALI-T-FAB
QT30096	QT30096 HEAVY DUTY POST 96" W/PLATES (15,375 LBS WORK STRESS) (10/BDL) (3096) 3in x 96in Jack Post w/Plates. Top plate is 6in x 8in x 1/2in. Bottom plate is 4in x 7in x 1/2in. ... UPC: 773029300962 Unit: EA WT: 44.00 lbs	QUALI-T-FAB
QT30108	QT30108 HEAVY DUTY POST 108" W/PLATES (14703 LBS WORK STRESS) (10/BDL) (30108) 3in x 108in Jack Post w/Plates. Top plate is 6in x 8in x 1/2in. Bottom plate is 4in x 7in x 1/2in. ... UPC: 773029301082 Unit: EA WT: 48.00 lbs	QUALI-T-FAB
QT30120	QT30120 HEAVY DUTY POST 120" W/PLATES (14703 LBS WORK STRESS) (10/BDL) (30120) 3in x 120in Jack Post w/Plates. Top plate is 6in x 8in x 1/2in. Bottom plate is 4in x 7in x 1/2in.... UPC: 773029301204 Unit: EA WT: 52.00 lbs	QUALI-T-FAB
QT35096	QT35096 HEAVY DUTY POST 96" W/PLATES (30529 LBS WORKING STRESS) (10/BDL) (3596HD) 3-1/2in x 96in Jack Post w/Plates. Top plate is 6in x 8in x 1/2in. Bottom plate is 4in x 7in x 1/2... UPC: 773029350967 Unit: EA WT: 69.00 lbs	QUALI-T-FAB
QT35108	QT35108 HEAVY DUTY POST 108" W/PLATES (24235 LBS WORKING STRESS) (10/BDL) (35108HD) 3-1/2in x 108in Jack Post w/Plates. Top plate is 6in x 8in x 1/2in. Bottom plate is 4in x 7in x 1/... UPC: 773029351087 Unit: EA WT: 76.00 lbs	QUALI-T-FAB
QT35120	QT35120 HEAVY DUTY POST 120" W/PLATES (24230 LBS WORKING STRESS) (Min 119.5 to Max 123.75) (10/BDL) (35120HD) 3-1/2in x 120in Jack Post w/Plates. Top plate is 6in x 8in x 1/2in. Bottom plate is 4in x 7in x 1/... UPC: 773029351209 Unit: EA WT: 83.00 lbs	QUALI-T-FAB
QT35144SHD	QT35144SHD SUPER HEAVY DUTY POST 144" W/PLATES (TOP PLATE 7"X10"X1") (10/BDL) (35144SHD) 3-1/2in x 144in Jack Post w/Plates. Top plate is 7in x 10in x 1in. Unit: EA WT: 152.00 lbs	QUALI-T-FAB

QTA317**QTA317 HEAVY DUTY POST PLATE 6" X 8" X 3/4" TOP OR BASE (A317)**

6in x 8in x 3/4in Plate Top or Base
 WT: 7.00 lbs

QUALI-T-FAB**Product****Description****TOILETS - BATHROOM TOILETS****ALDFTIB-EB**

ALDFTIB-EB ALANNO TWO PIECE TOILET IN A BOX DUAL FLUSH ELONGATED BOWL 4/6L HET SOFT CLOSE LID (UPC(CUPC))0029D (Z15E15/S18246)



ALDFTIB-EB ALANNO TWO PIECE TOILET IN A BOX DUAL FLUSH ELONGATED BOWL 4/6L HET SOFT CLOSE LID

UPC: 773967309232 WT: 79.37 lbs

BATHROOM TOILETS**ALDFTIB-RH**

ALDFTIB-RH ALANNO TWO PIECE TOILET IN A BOX DUAL FLUSH COMFORT HEIGHT BOWL 4/6L HET SOFT CLOSE LID ELONGATED BOWL (9/SKID) (UPC(CUPC)) (Z22E16/S18246)



Alanno Two Piece Toilet In A Box Dual Flush Comfort Height Bowl. White. Soft Close Lid. ADA Bowl Height 16.5 inches. 2 inch flapper. Dual flush 4/6L. Lined tank. 12 inches center installation, 2 inch completely glazed trapway. HET, Map Rating 600gm. Comes with Seat, braided supply line, T-Bolts and Wax Seal. (UPC(CUPC))

UPC: 773967309218 Unit: EA WT: 81.57 lbs

BATHROOM TOILETS**FLORENCE**

FLORENCE TWO PIECE TOILET IN A BOX 16.5" HEIGHT ROUND BOWL LINED TANK 3.8 SINGLE FLUSH 27.4' X 18.6' X 31.6' HET C/W SEAT, MAP 1,000 Z59R16S22338 .44077



FLORENCE TWO PIECE TOILET IN A BOX 16.5" HEIGHT ROUND BOWL LINED TANK 3.8 SINGLE FLUSH 27.4' X 18.6' X 31.6' HET C/W SEAT, MAP 1,000 Z59R16S22338

UPC: 773967312195 WT: 77.16 lbs

BATHROOM TOILETS**MILANO**

MILANO ONE PIECE DUAL FLUSH ELONGATED TOILET BOWL 4/6L HET SOFT CLOSE SEAT (L4816E346) (UPC(CUPC))



Milano One Piece Dual Flush Toilet. Elongated, Bowl height 16.5 inches. White. 3 inch Flapper Dual Flush 4/6L per flush. Chrome push button flush. Lined tank. Anti siphon quiet refill valve, non ballcock style. 12 inches center installation. 2 1/8 inch completely glazed trapway. HET, Map rating 1000gm. Comes with Soft Close Seat, braided supply line, T-Bolts and caps, and Wax Seal. (UPC(CUPC))

UPC: 773967310658 Unit: EA WT: 78.00 lbs

BATHROOM TOILETS**SIENA**

SIENA TWO PIECE TOILET IN A BOX 15" HEIGHT ROUND BOWL UNLINED TANK 4.8 LTR HET C/W SEAT (UPC(CUPC))



Siena Two Piece Toilet In A Box Single Flush. White. Round 15 inch Bowl height. 2 inch flapper. 4.8L per flush. Unlined tank. 2 inch completely glazed trapway. HET, Map Rating 600gm. Comes with Seat, braided supply line, T-Bolts, and Wax Seal. (UPC(CUPC))

UPC: 773967310955 Unit: EA WT: 77.16 lbs

BATHROOM TOILETS

SOTIB**SOTIB SORANNO TWO PIECE TOILET IN A BOX RIGHT HEIGHT ROUND BOWL SOFT CLOSE LID 4.8L HET ADA COMPLIANT CHROME PUSH BUTTON FLUSH SOFT CLOSE LID**

Soranno Two Piece Toilet In A Box Single Flush. White. Round 16 1/2 inch Bowl Right height. Soft Close Lid. 2 inch flapper. 4.8L per flush. Lined tank. 12 inches center installation. 2 inch completely glazed trapway. HET, Map Rating 800gm. Comes with Seat, braided supply line, T-Bolts, and Wax Seal. ADA Compliant. Chrome push button flush.

UPC: 773967308563 Unit: EA WT: 82.67 lbs

BATHROOM TOILETS**TALLBOY****TALLBOY TWO PIECE TOILET IN A BOX SOFT CLOSE LID SINGLE FLUSH ELONGATED BOWL 6LT 18" COMFORT HEIGHT SOFT CLOSE LID (UPC(CUPC)) (Z34E18S61206)**

Tallboy two piece toilet in a box. Single flush. Elongated, Bowl tank. Map rating 1000gm. Comes with Soft Close Seat, braided supply line, T-Bolts and Wax Seal. (UPC(CUPC))

UPC: 773967311853 Unit: EA WT: 75.00 lbs

BATHROOM TOILETS**VERONA****VERONA HLAO-61S ONE PIECE DUAL FLUSH, ELONGATED 16 1/2" SOFT CLOSED SEAT WITH QUICK RELEASE, HET 4/6L, MAP 1000 (HLAO-61S) .444480**

VERONA HLAO-61S ONE PIECE DUAL FLUSH, ELONGATED 16 1/2" SOFT CLOSED SEAT WITH QUICK RELEASE, HET 4/6L, MAP 1000

UPC: 773967312225 WT: 91.90 lbs

BATHROOM TOILETS**VTIB2****VTIB2 VIENNA ONE PIECE TOILET IN A BOX SOFT CLOSE LID ELONGATED BOWL SINGLE FLUSH 4.8 LT COMFORT HEIGHT (L20E16348) (UPC(CUPC))**

Vienna One Piece Toilet In A Box Single Flush. Elongated, Bowl height 15 inches. White. Lined tank. Chrome side Flush Tip Lever. 3 inch flapper Single flush 4.8L per flush. Jet Siphonic. Closed Rim swirl action. 12 inches center installation, 2 1/8 inch completely glazed trapway. Map rating 800gm. Comes with Soft Close Seat, braided supply line, T-Bolts and Wax Seal. (UPC(CUPC)) {VTIB2}

UPC: 773967311846 Unit: EA WT: 89.00 lbs

BATHROOM TOILETS**Product****Description****UNDERLAY - TVM****332200UL****332200UL UNDERLAY 3/32" X 4' X 50' SF (15/SLV) (75002)**

3/32in x 4' x 50' SF Standard Underlayment. Smooths imperfection in the subfloor. Reduces panel rocking sound transmission and impact vibration. Moisture resistant. 200 sq.ft. (15rolls/sleeve)

UPC: 673181750028 Unit: RL WT: 2.30 lbs

TVM

Product Description VANITIES - CAN-CELL RTA BATHROOM

AIX.FD15.CLW AIX.FD15.CLW 15" FILE DWR - CLW



15in File Drawer - Capri White

UPC: 672690000792 WT: 57.23 lbs

CAN-CELL RTA BATHROOM

AIX.FD15.ON AIX.FD15.ON 15" FILE DWR - ON

15in File Drawer - Oak Natural
UPC: 672690001768 WT: 57.99 lbs

CAN-CELL RTA BATHROOM

AIX.FD15.OVQ AIX.FD15.OVQ 15" FILE DWR - OVQ

15in File Drawer - Homestead Antique White
UPC: 672690001157 WT: 58.75 lbs

CAN-CELL RTA BATHROOM

AIX.FD15.PVW AIX.FD15.PVW 15" FILE DWR - PVW

15in File Drawer - Paloma White
UPC: 672690000372 WT: 59.02 lbs

CAN-CELL RTA BATHROOM

AIX.FD15.SBC AIX.FD15.SBC 15" FILE DWR - SBC

15in File Drawer - Shaker Birch Chocolate
UPC: 672690001805 WT: 57.91 lbs

CAN-CELL RTA BATHROOM

AIX.FD15.SBZ AIX.FD15.SBZ 15" FILE DWR - SBZ

15in File Drawer - Shaker Birch Brazil Nut
UPC: 672690001270 WT: 57.91 lbs

CAN-CELL RTA BATHROOM

Product Description VANITIES - BATHROOM VANITIES

BRAYLEE13 BRAYLEE13 VANITY STORAGE 12.6 X 18.1 X 32.5" WHITE TWO DRAWERS .44076



24in X 18in X 34in High. Eurostyle 2 Door Vanity White. White Vitreous China Top. 3 Hole 4in centers. Soft close concealed hinges. Color matched interior. CUPC Approved. Adjustable leg levelers. (UPC(CUPC))

UPC: 773967312201 WT: 78.00 lbs

BATHROOM VANITIES

BRAYLEE24 BRAYLEE24 VANITY 23.6" X 18.7" X 33.5" VANITY WHITE WITH SINK (FAUCET NOT INCLUDED) .44074



24in X 18in X 34in High. Eurostyle 2 Door Vanity White. White Vitreous China Top. 3 Hole 4in centers. Soft close concealed hinges. Color matched interior. CUPC Approved. Adjustable leg levelers. (UPC(CUPC))

UPC: 77396312218 WT: 78.00 lbs

BATHROOM VANITIES

VECH24 VECH24 24"W X 34"H X 18"D EUROSTYLE VANITY. CHOCOLATE COLOR (UPC(CUPC))



24" x 18" Chocolate Color Eurostyle Vanity. 2 Doors, Soft Close Hinges, Color Matched Interior. CSA Approved. (UPC(CUPC))

UPC: 773967310238 WT: 72.75 lbs

BATHROOM VANITIES

VEW24**VEW24 24"W X 34"H X 18"D EUROSTYLE VANITY WHITE (UPC(CUPC))**

24in X 18in X 34in High. Eurostyle 2 Door Vanity White. White Vitreous China Top. 3 Hole 4in centers. Soft close concealed hinges. Color matched interior. CUPC Approved. Adjustable leg levelers. (UPC(CUPC))

UPC: 773967308846 Unit: EA WT: 78.00 lbs

BATHROOM VANITIES

Product**Description****VANITIES - RSI HOME PRODUCTS****C14118A**

C14118A 18" VANITY/TOP COMBO WHITE FINISH 1 RAISED PANEL DOOR WITH WHITE OVAL TOP (12/PLT) {C14118A}



C14118A 18" VANITY/TOP COMBO WHITE FINISH 1 RAISED PANEL DOOR WITH WHITE OVAL TOP (12/PLT)

UPC: 094803039541 WT: 53.50 lbs

RSI HOME PRODUCTS

Product**Description****VANITIES 12 IN WIDE - CAN-CELL RTA BATHROOM****AIX.VDB12D3.CLW**

AIX.VDB12D3.CLW 12" VANITY 3DRAWER BASE - CLW



12in Vanity 3Drawer Base - Capri White

UPC: 672690009344 WT: 54.00 lbs 21.52(W) 35.60(L) 3.56(D)

CAN-CELL RTA BATHROOM

AIX.VDB12D3.ON

AIX.VDB12D3.ON 12" VANITY 3DRAWER BASE - ON

12in Vanity 3Drawer Base - Oak Natural

UPC: 672690009481 WT: 60.00 lbs 21.52(W) 35.60(L) 3.56(D)

CAN-CELL RTA BATHROOM

AIX.VDB12D3.OVQ

AIX.VDB12D3.OVQ 12" VANITY 3DRAWER BASE - OVQ

12in Vanity 3Drawer Base - Homestead Antique White

UPC: 672690009658 WT: 60.00 lbs 21.52(W) 35.60(L) 3.56(D)

CAN-CELL RTA BATHROOM

AIX.VDB12D3.PVW

AIX.VDB12D3.PVW 12" VANITY 3DRAWER BASE - PVW

12in Vanity 3Drawer Base - Raised Panel White Paloma

UPC: 672690009726 WT: 60.00 lbs 21.52(W) 35.60(L) 3.56(D)

CAN-CELL RTA BATHROOM

AIX.VDB12D3.SBC

AIX.VDB12D3.SBC 12" VANITY 3DRAWER BASE - SBC

12in Vanity 3Drawer Base - Shaker Birch Chocolate

UPC: 672690009795 WT: 61.00 lbs 21.52(W) 35.60(L) 3.56(D)

CAN-CELL RTA BATHROOM

AIX.VDB12D3.SBZ

AIX.VDB12D3.SBZ 12" VANITY 3DRAWER BASE - SBZ

12in Vanity 3Drawer Base - Shaker Birch Brazil Nut

UPC: 672690010005 WT: 60.00 lbs 21.52(W) 35.60(L) 3.56(D)

CAN-CELL RTA BATHROOM

Product Description VANITIES 15 IN WIDE - CAN-CELL RTA BATHROOM

AIX.VDB15D3.CLW AIX.VDB15D3.CLW 15" VANITY 3DRAWER BASE - CLW



15in Vanity 3Drawer Base - Capri White

UPC: 672690009351 WT: 60.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VDB15D3.ON AIX.VDB15D3.ON 15" VANITY 3DRAWER BASE - ON

15in Vanity 3Drawer Base - Oak Natural
UPC: 672690009498 WT: 67.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VDB15D3.OVQ AIX.VDB15D3.OVQ 15" VANITY 3DRAWER BASE - OVQ

15in Vanity 3Drawer Base - Homestead Antique White
UPC: 672690009665 WT: 68.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VDB15D3.PVW AIX.VDB15D3.PVW 15" VANITY 3DRAWER BASE - PVW

15in Vanity 3Drawer Base - Raised Panel White Paloma
UPC: 672690009733 WT: 68.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VDB15D3.SBC AIX.VDB15D3.SBC 15" VANITY 3DRAWER BASE - SBC

15in Vanity 3Drawer Base - Shaker Birch Chocolate
UPC: 672690009801 WT: 69.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VDB15D3.SBZ AIX.VDB15D3.SBZ 15" VANITY 3DRAWER BASE - SBZ

15in Vanity 3Drawer Base - Shaker Birch Brazil Nut
UPC: 672690010012 WT: 68.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

Product Description VANITIES 18 IN WIDE - RSI HOME PRODUCTS

C14018A C14018A 18" VANITY/TOP COMBO OAK FINISH WHITE TOP (8/PLT) (C14018A)



18" Vanity/Top Combo Oak Finish. 1 Raised Panel Door with White Oval Top. (12/PLT)

UPC: 094803039527 WT: 53.50 lbs **RSI HOME PRODUCTS**

Product Description VANITIES 24 IN WIDE - CAN-CELL RTA BATHROOM

AIX.VBS24.CLW AIX.VBS24.CLW 24" VANITY BASE SINK FLAT WHITE PANEL - CLW



24in Vanity Base Sink - Capri White

UPC: 672690009320 WT: 51.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VBS24.HON AIX.VBS24.HON 24" VANITY BASE SINK - HON

24in Vanity Base Sink - Heritage Raised Panel Oak Natural
UPC: 672690009467 WT: 51.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**

AIX.VBS24.OVQ AIX.VBS24.OVQ 24" VANITY BASE SINK - OVQ


24in Vanity Base Sink - Homestead Antique White
UPC: 672690009634 WT: 51.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**


AIX.VBS24.PVW AIX.VBS24.PVW 24" VANITY BASE SINK - PALOMA PVW


24in Vanity Base Sink - Raised White Panel Paloma
UPC: 672690009702 WT: 52.00 lbs 21.52(W) 35.60(L) 4.28(D) **CAN-CELL RTA BATHROOM**


AIX.VBS24.SBC	AIX.VBS24.SBC 24" VANITY BASE SINK - SHAKER BIRCH CHOCOLATTE	
24in Vanity Base Sink - Shaker Birch Chocolate		
UPC: 672690009771	WT: 54.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM
AIX.VBS24.SBZ	AIX.VBS24.SBZ 24" VANITY BASE SINK - SBZ	
24in Vanity Base Sink - Shaker Birch Brazil Nut		
UPC: 672690009986	WT: 49.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM


Product Description VANITIES 24 IN WIDE - RSI HOME PRODUCTS

C14024A	C14024A 24" VANITY/TOP COMBO OAK FINISH WHITE TOP (8/PLT) (C14024A)(6/SKID)
	24in Vanity/Top Combo Oak Finish. 2 Raised Panel Doors and White Oval Top.(8/PLT)
UPC: 094803039534	WT: 76.00 lbs
	RSI HOME PRODUCTS


C14124A	C14124A 24" VANITY/TOP COMBO WHITE FINISH WHITE TOP(6/PLT) (C14124A)
	24in Vanity/Top Combo White Finish. 2 Raised Panel Doors with White Oval Top. (8/PLT)
UPC: 094803039558	WT: 76.00 lbs
	RSI HOME PRODUCTS

CBC21124	CBC21124 24" VANITY/TOP COMBO WHITE FINISH W/CULTURED MARBLE TOP, SHAKER PANEL DOORS(6/PLT) (CBC21124)
	Edgewater 24in Vanity/Top Combo White Finish, with Cultured Marble Top and Shaker Panel Doors(6/PLT)
Unit: EA	WT: 74.00 lbs
	RSI HOME PRODUCTS

CBHWH24D	CBHWH24D 24" VANITY WHITE FINISH, RAISED PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBHWH24D)
	Hamilton 24in Vanity in White Finish, Raised Panel Doors, Drawer Fronts and header,(4/PLT)
	WT: 61.70 lbs
	RSI HOME PRODUCTS

CBPPFSJVO24	CBPPFSJVO24 SEDONA 24" VANITY/TOP COMBO JAVA OAK FINISH W/SOLID SURFACE TECHNOLOGY TOP(6/PLT) (CBPPFSJVO24)
	Sedona Combo 24in Vanity/Top Combo Java Oak Finish, Shaker Panel, (6/PLT)
Unit: EA	WT: 68.60 lbs
	RSI HOME PRODUCTS

Product Description VANITIES 30 IN WIDE - CAN-CELL RTA BATHROOM

AIX.CVSB30D.CLW	AIX.CVSB30D.CLW 30" VANITY BASE 1DR/2DWR - CLW	
	30in Vanity Base 1DR/2DWR - Capri White Flat Panel	
	UPC: 672690000341 WT: 81.25 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

AIX.CVSB30D.HON	AIX.CVSB30D.HON 30" VANITY BASE 1DR/2DRW - HON	
	30in Vanity Base 1DR/2DRW - Heritage Oak Natural	
	UPC: 672690001553 WT: 82.24 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

AIX.CVSB30D.OVQ	AIX.CVSB30D.OVQ 30" VANITY BASE 1DR/2DRW-ANTIQUÉ WHITE V GROOVE-OVQ	
	30in Vanity Base 1DR/2DRW - Homestead Antique White	
	UPC: 672690001485 WT: 84.73 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

AIX.CVSB30D.PVW	AIX.CVSB30D.PVW 30" VANITY BASE 1DR/2DWR - PVW	
	30in Vanity Base 1DR/2DWR - Paloma White	
	UPC: 672690001478 WT: 85.34 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

AIX.CVSB30D.SBC	AIX.CVSB30D.SBC 30" VANITY BASE 1DR/2DRW-SHAKER BRCH CHOCOLATTE-SBC	
	30in Vanity Base 1DR/2DRW - Shaker Birch Chocolate	
	UPC: 672690001539 WT: 79.83 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

AIX.CVSB30D.SBZ	AIX.CVSB30D.SBZ 30" VANITY BASE 1DR/2DRW - SBZ SH BIRCH BRAZIL NUT	
	30in Vanity Base 1DR/2DRW - Shaker Birch Brazil Nut	
	UPC: 672690001515 WT: 79.83 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

AIX.VBS30.CLW	AIX.VBS30.CLW 30" VANITY SINK BASE CAPRI WHITE FLAT PANEL- CLW	
	30in Vanity Base Sink - Capri White Flat Panel	
	UPC: 6726900009337 WT: 49.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM

AIX.VBS30.HON	AIX.VBS30.HON 30" VANITY BASE SINK HERITAGE RAISED OAK NAT.- HON	
	30in Vanity Base Sink - Heritage Raised Panel Oak Natural	
	UPC: 6726900009474 WT: 57.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM

AIX.VBS30.OVQ	AIX.VBS30.OVQ 30" VANITY BASE SINK - OVQ	
	30in Vanity Base Sink - Homestead Antique White	
	UPC: 6726900009641 WT: 57.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM

AIX.VBS30.PVW	AIX.VBS30.PVW 30" VANITY BASE SINK - PVW	
	30in Vanity Base Sink - Raised Panel Paloma White	
	UPC: 6726900009719 WT: 58.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM

AIX.VBS30.SBC	AIX.VBS30.SBC 30" VANITY BASE SINK - SBC	
	30in Vanity Base Sink - Shaker Birch Chocolate	
	UPC: 6726900009788 WT: 61.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM

AIX.VBS30.SBZ	AIX.VBS30.SBZ 30" VANITY BASE SINK - SBZ	
	30in Vanity Base Sink - Shaker Birch Brazil Nut	
	UPC: 6726900009993 WT: 54.00 lbs 21.52(W) 35.60(L) 4.28(D)	CAN-CELL RTA BATHROOM

Product Description VANITIES 30 IN WIDE - RSI HOME PRODUCTS

CBC21130D	CBC21130D 30" VANITY/TOP COMBO WHITE FINISH W/CULTURED MARBLE TOP, SHAKER PANEL DOORS(4/PLT) (CBC21130D)	
	Edgewater 30in Vanity/Top Combo White Finish, with Cultured Marble Top and Shaker Panel Doors(6/PLT)	
	UPC: 094803124384 WT: 79.30 lbs	RSI HOME PRODUCTS

CBCACO30

CBCACO30 30" VANITY CAFE FINISH, SHAKER PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBCACO30)



Chandler 30 in Vanity in Cafe Finish, Shaker Panel Doors, Drawer Fronts and header,(4/PLT)

WT: 51.10 lbs

RSI HOME PRODUCTS

CBHWH30D

CBHWH30D 30" VANITY WHITE FINISH, RAISED PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBHWH30D)



Hamilton 30in Vanity in White Finish, Raised Panel Doors, Drawer Fronts and header,(4/PLT)

UPC: 094803101019 Unit: EA WT: 69.00 lbs

RSI HOME PRODUCTS

CBPPFSJVO30

CBPPFSJVO30 SEDONA 30" VANITY/TOP COMBO JAVA OAK FINISH W/SOLID SURFACE TECHNOLOGY TOP(4/PLT) (CBPPFSJVO30)



Sedona Combo 30in Vanity/Top Combo Java Oak Finish, Shaker Panel, (4/PLT)

UPC: 094803103174 Unit: EA WT: 77.20 lbs

RSI HOME PRODUCTS

CBV18031C


CBV18031C 30" VANITY/TOP COMBO OAK FINISH W/CULTURED MARBLE TOP (4/PLT) (CBV18031C)



Wilmington Combo 30in Vanity/Top Combo Oak Finish, Raised Panel, Particle Board Drawer Box (4/PLT)

UPC: 094803105178 Unit: EA WT: 59.50 lbs

RSI HOME PRODUCTS

Product**Description****VANITIES 36 IN WIDE - CAN-CELL RTA BATHROOM****AIX.CVSB36D.CLW****AIX.CVSB36D.CLW 36" VANITY BASE 2DR/2DRW - CLW CAPRI WHITE FLAT PNL**

36in Vanity Base 2DR/2DRW - Capri White

UPC: 672690000358 WT: 91.09 lbs 26.02(W) 38.19(L) 5.63(D)

CAN-CELL RTA BATHROOM

AIX.CVSB36D.HON**AIX.CVSB36D.HON 36" VANITY BASE 2DR/2DRW - HON HERITAGE OAK NAT**

36in Vanity Base 2DR/2DRW - Heritage Oak Natural

UPC: 6726900001645 WT: 89.72 lbs 26.02(W) 38.19(L) 5.63(D)

CAN-CELL RTA BATHROOM

AIX.CVSB36D.OVQ**AIX.CVSB36D.OVQ 36" VANITY BASE 2DR/2DRW - OVQ ANTIQUE WHITE**


36in Vanity Base 2DR/2DRW - Homestead Antique White


UPC: 6726900001577 WT: 95.26 lbs 26.02(W) 38.19(L) 5.63(D)

CAN-CELL RTA BATHROOM


AIX.CVSB36D.PVW	AIX.CVSB36D.PVW 36" VANITY BASE 2DR/2DRW -PVW PALOMA RSD PNL WHT	
36in Vanity Base 2DR/2DRW - Paloma White		
UPC: 672690001560	WT: 95.99 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM
AIX.CVSB36D.SBC	AIX.CVSB36D.SBC 36" VANITY BASE 2DR/2DRW-SHAKER BRCH CHOCOLATTE-SBC	
36in Vanity Base 2DR/SDRW - Shaker Birch Chocolate		
UPC: 672690001621	WT: 87.36 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM
AIX.CVSB36D.SBZ	AIX.CVSB36D.SBZ 36" VANITY BASE 2DR/2DRW-SHAKER BIRCH BRAZILNUT SBZ	
36in Vanity Base 2DR/2DRW - Shaker Birch Brazil Nut		
UPC: 672690001607	WT: 87.36 lbs 26.02(W) 38.19(L) 5.63(D)	CAN-CELL RTA BATHROOM

Product Description VANITIES 36 IN WIDE - RSI HOME PRODUCTS

CBCACO36	CBCACO36 36" VANITY CAFE FINISH, SHAKER PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBCACO36)	
	Chandler 36 in Vanity in Cafe Finish, Shaker Panel Doors, Drawer Fronts and header,(4/PLT)	
	WT: 64.50 lbs	RSI HOME PRODUCTS

CBHWH36D	CBHWH36D 36" VANITY WHITE FINISH, RAISED PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBHWH36D)	
	Hamilton 36in Vanity in White Finish, Raised Panel Doors, Drawer Fronts and header,(4/PLT)	
	UPC: 094803101026 Unit: EA WT: 76.30 lbs	RSI HOME PRODUCTS


Product Description VANITIES 48 IN WIDE - CAN-CELL RTA BATHROOM

AIX.CVB48B.CLW	AIX.CVB48B.CLW 48" VANITY BASE 3DR/2DRW - CLW	
	48in Vanity Base 3DR/2DRW - Capri White	
	UPC: 672690000365 WT: 110.87 lbs 23.19(W) 50.28(L) 5.55(D)	CAN-CELL RTA BATHROOM

AIX.CVB48B.HON	AIX.CVB48B.HON 48" VANITY BASE 3DR/2DRW - HON	
48in Vanity Base 3DR/2DRW - Heritage Oak Natural		
UPC: 672690001744	WT: 109.07 lbs 23.19(W) 50.28(L) 5.55(D)	CAN-CELL RTA BATHROOM
AIX.CVB48B.OVQ	AIX.CVB48B.OVQ 48" VANITY BASE 3DR/2DRW - OVQ	
48in Vanity Base 3DR/2DRW - Homestead Antique White		
UPC: 672690001669	WT: 116.44 lbs 23.19(W) 50.28(L) 5.55(D)	CAN-CELL RTA BATHROOM
AIX.CVB48B.PVW	AIX.CVB48B.PVW 48" VANITY BASE 3DR/2DRW - PVW	
48in Vanity Base 3DR/2DRW - Paloma White		
UPC: 672690001652	WT: 117.43 lbs 23.19(W) 50.28(L) 5.55(D)	CAN-CELL RTA BATHROOM
AIX.CVB48B.SBC	AIX.CVB48B.SBC 48" VANITY BASE 3DR/2DRW - SBC	
48in Vanity Base 3DR/2DRW - Shaker Birch Chocolate		
UPC: 672690001720	WT: 102.16 lbs 23.19(W) 50.28(L) 5.55(D)	CAN-CELL RTA BATHROOM
AIX.CVB48B.SBZ	AIX.CVB48B.SBZ 48" VANITY BASE 3DR/2DRW - SBZ	
48in Vanity Base 3DR/2DRW - Shaker Birch Brazil Nut		
UPC: 672690001690	WT: 102.16 lbs 23.19(W) 50.28(L) 5.55(D)	CAN-CELL RTA BATHROOM

Product Description VANITIES 48 IN WIDE - RSI HOME PRODUCTS


CBCACO48D CBCACO48D 48" VANITY CAFE FINISH, SHAKER PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBCACO48D)



Chandler 48 in Vanity in Cafe Finish, Shaker Panel Doors, Drawer Fronts and header,(4/PLT)

UPC: 094803100845 WT: 123.10 lbs **RSI HOME PRODUCTS**

CBHWH48D CBHWH48D 48" VANITY WHITE FINISH, RAISED PANEL DOORS, DRAWER FRONTS AND HEADER, (4/PLT) (CBHWH48D)




Hamilton 48in Vanity in White Finish, Raised Panel Doors, Drawer Fronts and header,(4/PLT)

UPC: 094803101033 WT: 104.60 lbs **RSI HOME PRODUCTS**

Product Description VANITY TOPS - GRANITE TOPS


DGT-2522BEIGE DGT-2522BEIGE 25X22X3/4 BEIGE NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



25in x 22in Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

Unit: EA WT: 40.00 lbs **GRANITE TOPS**


DGT-2522GREY DGT-2522GREY 25X22X3/4 GREY NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



25in x 22in Grey Natural Granite Top with OG edge, 4in center faucet complete with CUPC undermount sink, side and back splash. (UPC(CUPC))

UPC: 773967311044 Unit: EA WT: 40.00 lbs **GRANITE TOPS**

DGT-2522SACE DGT-2522SACE 25X22X3/4 SANTA CECILA NATURAL GRANITE TOP WITH OG EDGE 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



25in x 22in Santa Cecilia Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash. (UPC(CUPC))

UPC: 773967311099 Unit: EA WT: 45.00 lbs **GRANITE TOPS**

DGT-2522TAN

DGT-2522TAN 25X22X3/4 TAN BROWN NATURAL GRANITE TOP WITH OG EDGE 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



25in x 22in Tan Brown Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash. (UPC(CUPC))

UPC: 773967311082 Unit: EA WT: 67.00 lbs

GRANITE TOPS

DGT-3122BEIGE

DGT-3122BEIGE 31X22X3/4 BEIGE NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))




31in x 22in Beige Natural Granite Top with OG edge. 4in center faucet drilling complete with CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311013 Unit: EA WT: 45.00 lbs

GRANITE TOPS

DGT-3122GREY

DGT-3122GREY 31X22X3/4 GREY NATURAL GRANITE TOP WITH OG EDGE 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



31in X 22in Grey Natural Granite Top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, back and side splash. (UPC(CUPC))

UPC: 773967311051 Unit: EA WT: 50.00 lbs

GRANITE TOPS

DGT-3122SACE

DGT-3122SACE 31X22X3/4 SANTA CECILA NATURAL GRANITE TOP WITH OG EDGE 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



31in x 22in Santa Cecilia Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash. (UPC(CUPC))

UPC: 773967311112 Unit: EA WT: 45.00 lbs

GRANITE TOPS

DGT-3122TAN

DGT-3122TAN 31X22X3/4 TAN BROWN NATURAL GRANITE TOP WITH OG EDGE 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



31in X 22in Tan Brown Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash. (UPC(CUPC))

UPC: 773967311105 Unit: EA WT: 75.00 lbs

GRANITE TOPS

DGT-3722BEIGE


DGT-3722BEIGE 37X22X3/4 BEIGE NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



37in x 22in Beige Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))


UPC: 773967311020 Unit: EA WT: 82.00 lbs

GRANITE TOPS

DGT-3722GREY**DGT-3722GREY 37X22X3/4 GREY NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))**

37in x 22in Grey Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311068 Unit: EA WT: 50.00 lbs

GRANITE TOPS**DGT-3722SACE****DGT-3722SACE 37X22X3/4 SANTA CECILA NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))**

37in x 22in Santa Cecilia Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311136 Unit: EA WT: 50.00 lbs

GRANITE TOPS**DGT-3722TAN****DGT-3722TAN 37X22X3/4 TAN BROWN NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))**


37in x 22in Tan Brown Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311129 Unit: EA WT: 50.00 lbs

GRANITE TOPS**DGT-4922BEIGE****DGT-4922BEIGE 49X22X3/4 BEIGE NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))**

49in x 22in Beige Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311037 Unit: EA WT: 96.00 lbs

GRANITE TOPS**DGT-4922GREY****DGT-4922GREY 49X22X3/4 GREY NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))**

49in x 22in Grey Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311075 Unit: EA WT: 60.00 lbs

GRANITE TOPS**DGT-4922SACE****DGT-4922SACE 49X22X3/4 SANTA CECILA NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))**

49in x 22in Santa Cecilia Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311150 Unit: EA WT: 60.00 lbs

GRANITE TOPS

DGT-4922TAN

DGT-4922TAN 49X22X3/4 TAN BROWN NATURAL GRANITE TOP WITH OG EDGE, 4" CENTER FAUCET DRILLING C/W WHITE CUPC UNDERMOUNT SINK, SIDE SPLASH & BACK SPLASH. (UPC(CUPC))



49in x 22in Tan Brown Natural Granite top with OG edge. 4in center faucet drilling complete with white CUPC undermount sink, side and back splash (UPC(CUPC))

UPC: 773967311143 Unit: EA WT: 60.00 lbs

GRANITE TOPS

Product**Description****VANITY TOPS - MARBLE TOPS & SIDE SPLASHES****DMT-2519SW**

DMT-2519SW 25X19 WHITE MARBLE TOP (UPC(CUPC))



25in x 19in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309935 Unit: EA WT: 25.60 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-2522BK

DMT-2522BK 25X22 BLACK MARBLE TOP WITH WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))



25in x 22in Black Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310160 Unit: EA WT: 30.60 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-2522CG

DMT-2522CG 25X22 GRAY MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))



25in x 22in Grey Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310016 Unit: EA WT: 30.60 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-2522DS

DMT-2522DS 25X22 LIGHT BROWN MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))



25in x 22in Light Brown Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310115 Unit: EA WT: 30.60 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-2522SW

DMT-2522SW 25X22 WHITE MARBLE TOP (UPC(CUPC))



25in x 22in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309966 Unit: EA WT: 30.60 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3119SW**DMT-3119SW 31X19 WHITE MARBLE TOP (UPC(CUPC))**

31in x 19in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309942 Unit: EA WT: 34.70 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3122BK**DMT-3122BK 31X22 BLACK MARBLE TOP WITH WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

31in x 22in Black Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310177 Unit: EA WT: 38.20 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3122CG**DMT-3122CG 31X22 GRAY MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

31in x 22in Grey Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310023 Unit: EA WT: 38.20 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3122DS**DMT-3122DS 31X22 LIGHT BROWN MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

31in x 22in Light Brown Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310122 Unit: EA WT: 38.20 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3122SW**DMT-3122SW 31X22 WHITE MARBLE TOP (UPC(CUPC))**

31in x 22in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309973 Unit: EA WT: 38.20 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3719SW**DMT-3719SW 37X19 WHITE MARBLE TOP (UPC(CUPC))**

37in x 19in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309959 Unit: EA WT: 39.10 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-3722BK**DMT-3722BK 37X22 BLACK MARBLE TOP WITH WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

37in x 22in Black Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310184 Unit: EA WT: 48.50 lbs

MARBLE TOPS & SIDE SPLASHES**DMT-3722CG****DMT-3722CG 37X22 GRAY MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

37in x 22in Grey Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310030 Unit: EA WT: 48.50 lbs

MARBLE TOPS & SIDE SPLASHES**DMT-3722DS****DMT-3722DS 37X22 LIGHT BROWN MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

37in x 22in Light Brown Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310139 Unit: EA WT: 48.50 lbs

MARBLE TOPS & SIDE SPLASHES**DMT-3722SW****DMT-3722SW 37X22 WHITE MARBLE TOP (UPC(CUPC))**

37in x 22in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309980 Unit: EA WT: 48.50 lbs

MARBLE TOPS & SIDE SPLASHES**DMT-4922BK****DMT-4922BK 49X22 BLACK MARBLE TOP WITH WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

49in x 22in Black Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310191 Unit: EA WT: 65.70 lbs

MARBLE TOPS & SIDE SPLASHES**DMT-4922CG****DMT-4922CG 49X22 GRAY MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

49in x 22in Grey Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310047 Unit: EA WT: 65.70 lbs

MARBLE TOPS & SIDE SPLASHES

DMT-4922DS**DMT-4922DS 49X22 LIGHT BROWN MARBLE TOP W/WHITE UNDERMOUNT VITREOUS CHINA BOWL (UPC(CUPC))**

49in x 22in Light Brown Cultured Marble Vanity Top With White Oval Undermount Vitreous China Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967310146 Unit: EA WT: 65.70 lbs

MARBLE TOPS & SIDE SPLASHES**DMT-4922SW****DMT-4922SW 49X22 WHITE MARBLE TOP (UPC(CUPC))**

49in x 22in Cultured Marble Vanity Top White Oval Bowl. Integral Backsplash and Overflow. Accommodates a 4in faucet. (UPC(CUPC))

UPC: 773967309997 Unit: EA WT: 65.70 lbs

MARBLE TOPS & SIDE SPLASHES**Product****Description****VENTS - CELCO PLASTICS****VSS96BLK****VSS96BLK 8' SOFFIT VENT-STRIP BLACK (25/CTN, 50CTN/PLT) (0395-Z)**

8' Soffit Vent-Strip Black. Rigid PVC. (25/Carton)

UPC: 772356307385 Unit: EA WT: 0.60 lbs

CELCO PLASTICS**VSS96BRN****VSS96BRN 8' SOFFIT VENT-STRIP BROWN (25/CTN, 50CTN/PLT) (0395-Z)**

8' Soffit Vent-Strip Brown. Rigid PVC.(25/Carton)







UPC: 772356307361 Unit: EA WT: 0.60 lbs

CELCO PLASTICS**VSS96WHT****VSS96WHT 8' SOFFIT VENT-STRIP WHITE (25/CTN, 50CTN/PLT) (0395-Z)**

8' Soffit Vent-Strip White. Rigid PVC. (25/Carton)

UPC: 772356307378 Unit: EA WT: 0.60 lbs

CELCO PLASTICS

Product	Description	VENTS - LOMANCO
105BRN	105BRN 2-3/4"X8' BRN SOFFIT STRIP (36/case) (105BR)	
	2-3/4in x 8' Continuous Soffit Vent Brown. All-aluminum rust-free construction. Available in 8-foot sections and can be cut at 2-foot intervals. 2 3/4in wide continuous strip. 1in x 1/8in louvered openings. Mounting flange is recessed 3/8in for soffit board.	
	UPC: 035358520009 Unit: EA WT: 0.63 lbs	LOMANCO
105MIL	105MIL 2-3/4"X8' MILL SOFFIT STRIP (36/case) (105ML)	
	2-3/4in x 8' Continuous Soffit Vent Mill. All-aluminum rust-free construction. Available in 8-foot sections and can be cut at 2-foot intervals. 2 3/4in wide continuous strip. 1in x 1/8in louvered openings. Mounting flange is recessed 3/8in for soffit board.	
	UPC: 035358518006 Unit: EA WT: 0.63 lbs	LOMANCO
105WHT	105WHT 2-3/4"X8' WHT SOFFIT STRIP (36/case) (105WH)	
	2-3/4in x 8' Continuous Soffit Vent White. All-aluminum rust-free construction. Available in 8-foot sections and can be cut at 2-foot intervals. 2 3/4in wide continuous strip. 1in x 1/8in louvered openings. Mounting flange is recessed 3/8in for soffit board.	
	UPC: 035358519003 Unit: EA WT: 0.63 lbs	LOMANCO
12X12BRN/100	12X12BRN/100 12"X12" BRN GABLE LOUV FLUSH (6/CASE) (1212100B)	
	12in x 12in Rectangle Gable Louver Flush Mount Brown. Overall size 15 x 15. Ventilates 117 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.	
	UPC: 035358188001 Unit: EA WT: 1.00 lbs	LOMANCO
12X12MIL/100	12X12MIL/100 12"X12" MILL GABLE LOUV FLUSH (6/case) (1212/100)	
	12in x 12in Rectangle Gable Louver Flush Mount Mill. Overall size 15 x 15. Ventilates 117 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.	
	UPC: 035358151005 Unit: EA WT: 0.83 lbs	LOMANCO
12X12WHT/100	12X12WHT/100 12"X12" WHT GABLE LOUV FLUSH (6/case) (1212100W)	
	12in x 12in Rectangle Gable Louver Flush Mount White. Overall size 15 x 15. Ventilates 117 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.	
	UPC: 035358168003 Unit: EA WT: 0.83 lbs	LOMANCO

12X16MIL/100 12X16MIL/100 12"X16" MILL GABLE LOUV FLUSH (6/case) (1216100)

12in x 16in Rectangle Gable Louver Flush Mount Mill. Overall size 15 x 19. Ventilates 164 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358152002 Unit: EA WT: 1.08 lbs

LOMANCO

12X16WHT/100 12X16WHT/100 12"X16" WHT GABLE LOUV FLUSH (6/case) (1216100W)

12in x 16in Rectangle Gable Louver Flush Mount White. Overall size 15 x 19. Ventilates 164 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358169000 Unit: EA WT: 1.00 lbs

LOMANCO

12X18MIL/100 12X18MIL/100 12"X18" MILL GABLE LOUV FLUSH (6/case) (1218100)

12in x 18in Rectangle Gable Louver Flush Mount Mill. Overall size 15 x 21. Ventilates 188 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358153009 Unit: EA WT: 1.17 lbs

LOMANCO

12X18WHT/100 12X18WHT/100 12"X18" WHT GABLE LOUV FLUSH (6/case) (1218100W)

12in x 18in Rectangle Gable Louver Flush White. Overall size 15 x 21. Ventilates 188 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358170006 Unit: EA WT: 1.17 lbs

LOMANCO

12X24MIL/100 12X24MIL/100 12"X24" MILL GABLE LOUV FLUSH (6/case) (1224100)

12in x 24in Rectangle Gable Louver Flush Mount Mill. Overall size 15 x 27. Ventilates 258 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358154006 Unit: EA WT: 1.50 lbs

LOMANCO

140BRN 140BRN 3 3/4" X 8' BRN CONTINUOUS SOFFIT (36/case) (140BR)

3-3/4in x 8' Continuous Soffit Vent Brown. All-aluminum rust-free construction. Available in 8-foot sections and can be cut at 2-foot intervals. 3 3/4in wide continuous strip. 1in x 1/8in louvered openings. Mounting flange is recessed 3/8in for soffit board.

UPC: 035358520801 Unit: EA WT: 0.86 lbs

LOMANCO

140MIL**140MIL 3 3/4" X 8' MILL CONTINUOUS SOFFIT (36/case) (140)**

3-3/4in x 8' Continuous Soffit Vent Mill. All-aluminum rust-free construction. Available in 8-foot sections and can be cut at 2-foot intervals. 3 3/4in wide continuous strip. 1in x 1/8in louvered openings. Mounting flange is recessed 3/8in for soffit board.

UPC: 035358520603 Unit: EA WT: 0.86 lbs

LOMANCO

140WHT**140WHT 3 3/4" X 8' WHT CONTINUOUS SOFFIT (36/case) (140WH)**

3-3/4in x 8' Continuous Soffit Vent White. All-aluminum rust-free construction. Available in 8-foot sections and can be cut at 2-foot intervals. 3 3/4in wide continuous strip. 1in x 1/8in louvered openings. Mounting flange is recessed 3/8in for soffit board.

UPC: 035358520702 Unit: EA WT: 0.86 lbs

LOMANCO

142FMIL**142FMIL 16" X 8" FLANGE FOUNDATION VENT MILL (12/case) (142F)**

16in x 8in Aluminum Foundation Vent Flush Mount w/Flange Mill. 2-slide die-stamped aluminum, self-framed on all sides. 142F flush mount with pre-punched holes for ease of installation. 142F used as replacement of existing block vents, mobile home skirting, and portable buildings.

UPC: 035358505006 Unit: EA WT: 1.00 lbs

LOMANCO

142FWHT**142FWHT 16" X 8" FLANGE FOUNDATION VENT WHT (12/case) (142FWH)**

16in x 8in Aluminum Foundation Vent Flush Mount w/Flange White. 2-slide die-stamped aluminum, self-framed on all sides. 142F flush mount with pre-punched holes for ease of installation. 142F used as replacement of existing block vents, mobile home skirting, and portable buildings.

UPC: 035358505105 Unit: EA WT: 1.00 lbs

LOMANCO

14X18MIL/100**14X18MIL/100 14"X18" MILL GABLE LOUV FLUSH (6/case) (1418100)**

14in x 18in Rectangle Gable Louver Flush Mount Mill. Overall size 17 x 21. Ventilates 221 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358155003 Unit: EA WT: 1.50 lbs

LOMANCO

14X24WHT/100**14X24WHT/100 14"X24" WHT GABLE LOUV FLUSH (6/case) (1424100WH)**

14in x 24in Rectangle Gable Louver Flush Mount White. Overall size 17 x 27 Ventilates 304 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358173007 Unit: EA WT: 1.83 lbs

LOMANCO

18X24MIL/100 18X24MIL/100 18"X24" MILL GABLE LOUV FLUSH (6/case) (1824100)

18in x 24in Rectangle Gable Louver Flush Mount Mill. Overall size 21 x 27. Ventilates 395sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358157007 Unit: EA WT: 1.92 lbs

LOMANCO

18X24WHT/100 18X24WHT/100 18"X24" WHT GABLE LOUV FLUSH (6/case) (1824100WH)

18in x 24in Rectangle Gable Louver Flush Mount White. Overall size 21 x 27. Ventilates 395 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358174004 Unit: EA WT: 2.00 lbs

LOMANCO

2000BLK 2000BLK 3.4 AMP 120V BLK POWER VENT (2000BL)

Power Ventilator Lomancool 2000 3.4 Amp 120V Black. All-aluminum construction. Deep drawn flange and unique rain shield keep water out. Factory-set adjustable thermostat (switches on at 100 degrees and off at 85 degrees). Thermostat features a push to test button. Balanced fan blades for quiet operation. 8x8 aluminum screen attached for insect protection. Humidistat available at an additional cost to allow the unit to discharge moisture-laden winter air automatically. Settings for humidistat are: minimum 80%, normal 42%, and maximum 20%. Humidistat is adjustable to fit individual attic humidity levels. Made in the USA motor.

UPC: 035358359456 Unit: EA WT: 15.00 lbs

LOMANCO

2000BRN 2000BRN 3.4 AMP 120V BRN POWER VENT (2000BR)

Power Ventilator Lomancool 2000 3.4 Amp 120V Brown. All-aluminum construction. Deep drawn flange and unique rain shield keep water out. Factory-set adjustable thermostat (switches on at 100 degrees and off at 85 degrees). Thermostat features a push to test button. Balanced fan blades for quiet operation. 8x8 aluminum screen attached for insect protection. Humidistat available at an additional cost to allow the unit to discharge moisture-laden winter air automatically. Settings for humidistat are: minimum 80%, normal 42%, and maximum 20%. Humidistat is adjustable to fit individual attic humidity levels. Made in the USA motor.

UPC: 035358359500 Unit: EA WT: 15.00 lbs

LOMANCO

2000WHT 2000WHT WHT 3.4 AMP 120V POWER VENT (2000WH)

Power Ventilator Lomancool 2000 3.4 Amp 120V White. All-aluminum construction. Deep drawn flange and unique rain shield keep water out. Factory-set adjustable thermostat (switches on at 100 degrees and off at 85 degrees). Thermostat features a push to test button. Balanced fan blades for quiet operation. 8x8 aluminum screen attached for insect protection. Humidistat available at an additional cost to allow the unit to discharge moisture-laden winter air automatically. Settings for humidistat are: minimum 80%, normal 42%, and maximum 20%. Humidistat is adjustable to fit individual attic humidity levels. Made in the USA motor.

UPC: 035358359401 Unit: EA WT: 1.00 lbs

LOMANCO

24X24MIL/100 24X24MIL/100 24"X24" MILL GABLE LOUV FLUSH (6/case) (2424100)

24in x 24in Rectangle Gable Louver Flush Mount Mill. Overall size 27 x 27. Ventilates 533 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358159001 Unit: EA WT: 2.42 lbs

LOMANCO

24X24WHT/100 24X24WHT/100 24"X24" WHT GABLE LOUV FLUSH (6/case) (2424100WH)

24in x 24in Rectangle Gable Louver Flush Mount White. Overall size 27 x 27. Ventilates 533 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358176008 Unit: EA WT: 1.00 lbs

LOMANCO

24X30MIL/100 24X30MIL/100 24"X30" MILL GABLE LOUV FLUSH (6/case) (2430100)

24in x 30in Rectangle Gable Louver Flush Mount Mill. Overall size 27 x 33. Ventilates 678 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358160007 Unit: EA WT: 3.00 lbs

LOMANCO

24X30WHT/100 24X30WHT/100 24"X30" WHT GABLE LOUV FLUSH (6/CASE) (2430100WH)

24in x 30in Rectangle Gable Louver Flush Mount White. Overall size 27 x 33. Ventilates 678 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358177005 Unit: EA WT: 3.00 lbs

LOMANCO

550MIL 550MIL 550 - 50" MILL ROOF LOUVER (6/case) (550ML)

50 sq.in. Aluminum Roof Louver Mill. All-aluminum construction. Includes 8x8 perma-coated aluminum screen extended to the edges of the cap. Large nailing flange. Rolled flange on vent stack to prevent weather infiltration. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358316008 Unit: EA WT: 1.00 lbs

LOMANCO

750BLK 750BLK 50" BLK ROOF LOUVER (6/case) (750BL)

50 sq.in. Aluminum Roof Louver Black. Three sides louvered for greater air flow. Large nailing flange. All-aluminum rust-free construction. Fits all pitched roofs. Weather-tight seamed collar. High profile for increased weather protection and circulation. Prevents roof discoloration. Bird-proof. Embossed aluminum mill and painted finishes. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358336006 Unit: EA WT: 1.00 lbs

LOMANCO

750BRN 750BRN 50" BRN ROOF LOUVER (6/case) (750BR)

50 sq.in. Aluminum Roof Louver Brown. Three sides louvered for greater air flow. Large nailing flange. All-aluminum rust-free construction. Fits all pitched roofs. Weather-tight seamed collar. High profile for increased weather protection and circulation. Prevents roof discoloration. Bird-proof. Embossed aluminum mill and painted finishes. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358336402 Unit: EA WT: 1.67 lbs

LOMANCO

750BRNZ**750BRNZ 50" WEATHERED BRONZE ROOF LOUVER (6/case) (750WB)**

50 sq.in. Aluminum Roof Louver Weathered Bronze. Three sides louvered for greater air flow. Large nailing flange. All-aluminum rust-free construction. Fits all pitched roofs. Weather-tight seamed collar. High profile for increased weather protection and circulation. Prevents roof discoloration. Bird-proof. Embossed aluminum mill and painted finishes. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358336600 Unit: EA WT: 1.67 lbs


LOMANCO

750MIL**750MIL 50" MILL ROOF LOUVER (6/case) (750ML)**

50 sq.in. Aluminum Roof Louver Mill. Three sides louvered for greater air flow. Large nailing flange. All-aluminum rust-free construction. Fits all pitched roofs. Weather-tight seamed collar. High profile for increased weather protection and circulation. Prevents roof discoloration. Bird-proof. Embossed aluminum mill and painted finishes. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358334002 Unit: EA WT: 1.67 lbs


LOMANCO

845BLK**845BLK 41" BLK ABS PLASTIC ROOF LOUVER (6/case) (845BL)**

41 sq.in. ABS Plastic Roof Louver Black. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. Textured finish blends better with roofing materials. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358342205 Unit: EA WT: 1.00 lbs


LOMANCO

845BRN**845BRN 41" BRN ABS PLASTIC ROOF LOUVER (6/case) (845BR)**

41 sq.in. ABS Plastic Roof Louver Brown. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. Textured finish blends better with roofing materials. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358342304 Unit: EA WT: 0.92 lbs


LOMANCO

845GRY**845GRY 41" GRY ABS PLASTIC ROOF LOUVER (6/case) (845GR)**

41 sq.in. ABS Plastic Roof Louver Grey. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. Textured finish blends better with roofing materials. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358342106 Unit: EA WT: 1.75 lbs


LOMANCO

860PBLK**860PBLK 60" BLK POLY ROOF LOUVER (6/CASE) (860PBL)**

60 sq in Black Poly. Roof Louver. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. These are exhaust vents and require proper intake to create a balanced ventilation system. (6/Case)

UPC: 035358346104 Unit: EA WT: 1.88 lbs


LOMANCO

860PBRN**860PBRN 60" BRN POLY ROOF LOUVER (6/CASE) (860PBR)**

60 sq in Brown Poly. Roof Louver. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. These are exhaust vents and require proper intake to create a balanced ventilation system. (6/CASE)

UPC: 035358346203 Unit: EA WT: 1.88 lbs


LOMANCO

860PBRONZE**860PBRONZE 60" BRONZE POLY ROOF LOUVER (6/CASE) (860WB)**

60 sq in Weathered Bronze Poly. Roof Louver. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. These are exhaust vents and require proper intake to create a balanced ventilation system. (6/CASE)

UPC: 035358346401 Unit: EA WT: 1.88 lbs


LOMANCO

860PGRY**860PGRY 60" GRY POLY ROOF LOUVER (6/CASE) (860PGR)**

60 sq in Grey Poly. Roof Louver. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. These are exhaust vents and require proper intake to create a balanced ventilation system. (6/CASE)

UPC: 035358346005 Unit: EA WT: 1.88 lbs


LOMANCO

860PWHT**860PWHT 60" WHT POLY ROOF LOUVER (6/CASE) (860PWH)**

60 sq in White Poly. Roof Louver. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. These are exhaust vents and require proper intake to create a balanced ventilation system. (6/CASE)

UPC: 035358346302 Unit: EA WT: 1.88 lbs


LOMANCO

865BLK**865BLK 61" BLK ABS PLASTIC ROOF LOUVER (6/case) (865BL)**

61 sq.in. ABS Plastic Roof Louver Black. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. Textured finish blends better with roofing materials. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358344100 Unit: EA WT: 2.17 lbs


LOMANCO

865BRN**865BRN 61" BRN ABS PLASTIC ROOF LOUVER (6/CASE) (865BR)**

61 sq.in. ABS Plastic Roof Louver Brown. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. Textured finish blends better with roofing materials. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358344209 Unit: EA WT: 2.17 lbs

LOMANCO

865GRY**865GRY 61" GRY ABS PLASTIC ROOF LOUVER (6/case) (865GR)**

61 sq.in. ABS Plastic Roof Louver Grey. Made of durable ABS plastic. U.V. protection for longer life. Large nailing flange with pre-drilled nail slots to allow for expansion and contraction and ease of installation. 8x8 perma-coated screen extends to the edges of the dome to protect from bird and insect intrusions. Textured finish blends better with roofing materials. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358344001 Unit: EA WT: 2.17 lbs

LOMANCO

8X12MIL/100**8X12MIL/100 8"X12" MILL GABLE LOUV FLUSH (6/case) (812100)**

8in x 12in Rectangle Gable Louver Flush Mount Mill. Overall size 11 x 15. Ventilates 76 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358149002 Unit: EA WT: 0.67 lbs

LOMANCO

8X12WHT/100**8X12WHT/100 8"X12" WHT GABLE LOUV FLUSH (6/case) (812100WH)**

8in x 12in Rectangle Gable Louver Flush Mount White. Overall size 11 x 15. Ventilates 76 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358166009 Unit: EA WT: 0.67 lbs

LOMANCO

8X16MIL/100**8X16MIL/100 8"X16" MILL GABLE LOUV FLUSH (6/case) (816100)**

8in x 16in Rectangle Gable Louver Flush Mount Mill. Overall size 11 x 19. Ventilates 106 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358150008 Unit: EA WT: 1.00 lbs

LOMANCO

8X16WHT/100**8X16WHT/100 8"X16" GABLE LOUV FLUSH WHT (6/case) (816100WH)**

8in x 16in Gable Louver Flush Mount White. Overall size 11 x 19. Ventilates 106 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358166504 Unit: EA WT: 0.83 lbs

LOMANCO

8X8MIL/100**8X8MIL/100 8"X8" MILL GABLE LOUV FLUSH (6/case) (88100)**

8in x 8in Rectangle Gable Louver Flush Mount Mill. Overall size 11 x 11. Ventilates 45 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358148005 Unit: EA WT: 0.58 lbs


LOMANCO

8X8WHT/100**8X8WHT/100 8"X8" WHT GABLE LOUV FLUSH (6/case) (88100WH)**

8in x 8in Rectangle Gable Louver Flush Mount White. Overall size 11 x 11. Ventilates 45 sq.ft. Heavy duty construction. Used for flush mounting. 8x8 perma-coated screen attached for insect protection. Machine tab-fold construction. Wide mounting flange. Built-in weather protection. Embossed painted finish for added strength, extended paint life, durability, and blending appearance. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358165507 Unit: EA WT: 0.50 lbs


LOMANCO

904MIL**904MIL ADJ 34" TO 41" MILL TRI GABLE LOUV (904ML)**

34in - 41in Adjustable Triangular Gable Louver Mill. All aluminum, rust-free vari-pitch louver. Adjustable from 2-1/2 12 to 9/12 roof pitches. 8x8 perma-coated screen provided. Wide mounting flange. Unique pivoting blades provide maximum weather protection. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358019008 Unit: EA WT: 2.00 lbs

LOMANCO

904WHT**904WHT ADJ 34" TO 41" WHT TRI GABLE LOUV (904WH)**

34in - 41in Adjustable Triangular Gable Louver White. All aluminum, rust-free vari-pitch louver. Adjustable from 2-1/2 12 to 9/12 roof pitches. 8x8 perma-coated screen provided. Wide mounting flange. Unique pivoting blades provide maximum weather protection. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358032007 Unit: EA WT: 2.00 lbs

LOMANCO

BIB12BLK**BIB12BLK 12" BLK WHIRLYBIRD TURBINE (BIB12BL) (20/PLT)**

12in Whirlybird Turbine Vent Black. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386100 Unit: EA WT: 6.50 lbs

LOMANCO

BIB12BRN**BIB12BRN 12" BRN WHIRLYBIRD TURBINE (BIB12BR) (20/PLT)**

12in Whirlybird Turbine Vent Brown. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386209 Unit: EA WT: 6.50 lbs

LOMANCO

BIB12BRONZE**BIB12BRONZE 12" BRONZE WHIRLYBIRD TURBINE (BIB12WB) (20/PLT)**

12in Whirlybird Turbine Vent Bronze. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386216 Unit: EA WT: 6.50 lbs

LOMANCO

BIB12MIL**BIB12MIL 12" MILL WHIRLYBIRD TURBINE VENT (BIB12ML) (20/PLT)**

12in Whirlybird Turbine Vent Mill. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386001 Unit: EA WT: 6.50 lbs

LOMANCO

BIB12WHT**BIB12WHT 12" WHT WHIRLYBIRD TURBINE (BIB12WH) (20/PLT)**

12in Whirlybird Turbine Vent White. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386056 Unit: EA WT: 6.50 lbs

LOMANCO

BIB14BLK**BIB14BLK 14" BLK WHIRLYBIRD TURBINE (BIB14BL) (16/pl)**

14in Whirlybird Turbine Vent Black. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386506 Unit: EA WT: 7.50 lbs

LOMANCO

BIB14BRN**BIB14BRN 14" BRN WHIRLYBIRD TURBINE (BIB14BR)(16/PLT)**

14in Whirlybird Turbine Vent Brown. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386605 Unit: EA WT: 7.50 lbs

LOMANCO

BIB14BRONZE**BIB14BRONZE 14" BRONZE WHIRLYBIRD TURBINE (BIB14WB)**

14in Whirlybird Turbine Vent Bronze. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386636 Unit: EA WT: 7.50 lbs

LOMANCO

BIB14MIL**BIB14MIL 14" MILL WHIRLYBIRD TURBINE (BIB14ML)(16/PLT)**

14in Whirlybird Turbine Vent Mill. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386407 Unit: EA WT: 7.50 lbs

LOMANCO

BIB14WHT**BIB14WHT 14" WHT WHIRLYBIRD TURBINE (BIB14WH)(20/PLT)**

14in Whirlybird Turbine Vent White. Easy installation, reduces energy bills, reduces winter ice build up. Internally braced all aluminum turbine ventilator. Permanently lubricated upper and lower ball bearings that ensure long life and no maintenance. Riveted at every connection. 21 air-foil curved vanes with rolled vane edges to deflect water. Exclusive vari-pitch base adjusts to 12/12 roof pitch. Large flashing for easy installation. Tested to withstand winds of 147 m.p.h. These are exhaust vents and require proper intake to create a balanced ventilation system.

UPC: 035358386452 Unit: EA WT: 7.50 lbs

LOMANCO

C416BRN**C416BRN 16"X4" BRN SOFFIT VENT (12/CASE) (C416BR)**

16in x 4in Soffit Vent Brown. Ventilates 52 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358526001 Unit: EA WT: 0.19 lbs

LOMANCO

C416MIL**C416MIL 16"X4" MILL SOFFIT VENT (12/CASE) (C416ML)**

16in x 4in Soffit Vent Mill. Ventilates 52 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358524007 Unit: EA WT: 0.19 lbs

LOMANCO

C416WHT**C416WHT 16"X4" WHT SOFFIT VENT (12/CASE) (C416WH)**

16in x 4in Soffit Vent White. Ventilates 52 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358525004 Unit: EA WT: 0.19 lbs

LOMANCO

C616MIL**C616MIL 16"X6" MILL SOFFIT VENT (12/CASE) (C616ML)**

16in x 6in Soffit Vent Mill. Ventilates 77 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358528005 Unit: EA WT: 0.25 lbs


LOMANCO

C616WHT**C616WHT 16"X6" WHT SOFFIT VENT (12/CASE) (C616WH)**

16in x 6in Soffit Vent White. Ventilates 77 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358529002 Unit: EA WT: 0.25 lbs


LOMANCO

C816BRN**C816BRN 16"X8" SOFFIT VENT BRN (12/CASE) (C816BR)**

16in x 6in Soffit Vent Brown. Ventilates 135 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358534006 Unit: EA WT: 0.32 lbs


LOMANCO

C816MIL**C816MIL 16"X8" MILL SOFFIT VENT (12/CASE) (C816ML)**

16in x 8in Soffit Vent Mill. Ventilates 135 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358532002 Unit: EA WT: 0.32 lbs

LOMANCO

C816WHT**C816WHT 16"X8" WHT SOFFIT VENT (12/CASE) (C816WH)**

16in x 8in Soffit Vent White. Ventilates 135 sq.ft. All-aluminum rust-free construction. 8x8 perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Cornice-mounted companion product for all types of exhaust ventilators.

UPC: 035358533009 Unit: EA WT: 0.32 lbs

LOMANCO

CV2BRN**CV2BRN 2" BRN CIRCLE VENT (6/BAG) (CV2BR)**

2in Round Soffit Vent Brown. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358549406 Unit: BG WT: 0.50 lbs

LOMANCO

CV2MILL**CV2MILL 2" MILL CIRCLE VENT (6/BAG) (CV2ML)**

2in Round Soffit Vent Mill. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358549000 Unit: BG WT: 0.50 lbs

LOMANCO

CV2WHT**CV2WHT 2" WHT CIRCLE VENT (6/BAG) (CV2WH)**

2in Round Soffit Vent White. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358549208 Unit: BG WT: 0.50 lbs

LOMANCO

CV3BRN**CV3BRN 3" BRN CIRCLE VENT (6/BAG) (CV3BR)**

3in Round Soffit Vent Brown. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358570509 Unit: BG WT: 0.50 lbs

LOMANCO

CV3MILL**CV3MILL 3" MILL CIRCLE VENT (6/BAG) (CV3ML)**

3in Round Soffit Vent Mill. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358570103 Unit: BG WT: 0.50 lbs

LOMANCO

CV3WHT**CV3WHT 3" WHT CIRCLE VENT (6/BAG) (CV3WH)**

3in Round Soffit Vent White. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358570301 Unit: BG WT: 0.50 lbs

LOMANCO

CV4BRN**CV4BRN 4" BRN CIRCLE VENT (36/CASE) (CV4BR)**

4in Round Soffit Vent Brown. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358550204 Unit: EA WT: 0.13 lbs

LOMANCO

CV4MILL**CV4MILL 4" MILL CIRCLE VENT (36/CASE) (CV4ML)**

4in Round Soffit Vent Mill. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358550006 Unit: EA WT: 0.13 lbs


LOMANCO

CV4WHT**CV4WHT 4" WHT CIRCLE VENT (36/CASE) (CV4WH)**

4in Round Soffit Vent White. Easy installation (drill and pop in) All-aluminum rust-free construction. Perma-coated aluminum screen attached. Pre-drilled nail holes. Unique Eyebrow designed louvers provide maximum ventilating capacity with superior weather protection. Prevents paint peeling by removing moisture from wall cavities. Provides an outlet for air movement in small confined spaces.

UPC: 035358550105 Unit: EA WT: 0.13 lbs

LOMANCO

DA-4**DA-4 DECK AIR INTAKE VENT 10 PER PACK(150/SKID) (DA-4)**

DA-4 DECK AIR INTAKE VENT (150/SKID)

UPC: 035358520955 Unit: EA WT: 2.75 lbs

LOMANCO**EVA34****EVA34 3" & 4" EXHAUST VENT ADAPTER**

Exhaust Vent Adapter. Exhaust vent adapter fits 3in or 4in flexible duct. Installs from top of deck or inside of attic to roof vent or cornice vent. Exhausts household moisture. Tested for all climates. Built in damper prevents backdraft. Works with any roof system. Ideal for new construction. Solution for existing homes. Works with any roof vent - blends with existing accessories. 10in nailing flange.

UPC: 035358990109 Unit: EA WT: 0.50 lbs

LOMANCO**GT12GALV****GT12GALV 12" TURBINE GT SERIES GALV. (GT12ML)**

12in Whirlybird Turbine Vent Galvanized. 0.015 stamped galvanized steel. Permanently lubricated ball bearings. Fits any roof pitch to 7/12. GT-12 is an internally braced 12" turbine. Residential or light commercial use only. Turbines are exhaust vents.

UPC: 035358385004 Unit: EA WT: 9.00 lbs

LOMANCO**LOR30****LOR30 SHINGLE OVER ROLL VENT 30' OMNI GUNNABLE (LOR30)(25/skid)**

30' Shingle Over Ridge Vent Gunnable. Optional Pneumatic Nail Gun or Hammer Installed. Two Coils of 1 3/4in Nails Provided. Patented Design Brings You The Truly Functional Roll Out. Compact 30 Foot Roll Is Easy To Handle. Adjusts from 2/12 to 16/12 roof pitches. Superior Weather Protection and Performance with No Filter to Clog. Exterior Convolute Baffles - Incurved Design Allows Flexibility to Roll Up and Out While Maintaining its Shape. Can be Cut At One Foot Intervals - Multiple Cut Lines Eliminates Unnecessary Scrap. Patented Molded Fanfold End Plugs - No Accessories or Alterations Needed. Molded Centerline for Fast and Easy Alignment. Field Tested Design - Proven Effective Under All Weather Conditions. The Air Flow Acceleration Design - Maximizes Ventilation Capacity. Omni Baffles Means Air Flow From Any Direction. Nail Holes Marked Every 6 inches - Supported Every Foot - Will Not Crush Down. Full 11 Sq. In. of Net Free Area per Linear Foot. Engineered Material Guarantees Longevity. 30 Year Transferable Warranty. This is an exhaust louver.

UPC: 035358496106 Unit: EA WT: 16.20 lbs

LOMANCO**LOR94****LOR94 SHINGLE OVER RIDGE VENT 9" X 4' LO-OMNI (ITEMS ARE PACKAGED SOLD 10 TO A BOX) (LOR94)**

9in x 4' Lo-OmniRidge Shingle Over Ridge Vent. Optional Pneumatic Nail Gun or Hammer Installed. Internal Aerodynamic Curved Baffles. External Perpendicular Omni Baffles. Weatherproof Underlapping Joint. Four Drain Holes per Foot per Side. 11in Net Free Area per Linear Foot. External Venturi Baffle. Adjust from 3/12 to 16/12 roof pitches. Nail Holes Marked Every 6 inches - Supported Every Foot. Molded Nail Lines. Molded Centerline for Fast and Easy Alignment. Alignment Tabs. External Water Shield. Slot Width Guide Lines. Patented Molded-in Fanfolded Endplug Fits. 30-year transferable warranty. This is an exhaust louver.

UPC: 035358496205 Unit: EA WT: 1.71 lbs

LOMANCO**LPR10BLK****LPR10BLK 10' BLK RIDGE LINE VENT (10/CASE) (LPR10BL)**

10' Low-Profile Ridge Vent Black. Ventilates 375 sq.ft. Embossed mill and painted finishes for added strength, extended paint life, and blending appearance with shingles. 3/8in x 1/2in slotted weep holes in wind baffles for water run-off. 1/8in x 1in louvered openings inverted to block weather infiltration. One-piece construction. Can be cut to desired length at 2-foot intervals. Low profile blends with roof construction. Pre-notched nail holes for easy installation. Large 2-inch-wide nailing flange. Easy installation - male/female connections - no straps necessary. Optional strap available in all colors. Adjustable from 3/12 to 12/12 roof pitches. 18in Net Free Area per Linear Foot. Tight-fitting high-density polyethylene foam end plug available. LPR has an aerodynamic design revolutionary three-baffle system. Must be used in conjunction with intake vents for proper operation.

UPC: 035358495307 Unit: EA WT: 5.80 lbs

LOMANCO

LPR10BRN**LPR10BRN 10' BRN RIDGE LINE VENT (10/CASE) (LPR10BR)**

10' Low-Profile Ridge Vent Brown. Ventilates 375 sq.ft. Embossed mill and painted finishes for added strength, extended paint life, and blending appearance with shingles. 3/8in x 1/2in slotted weep holes in wind baffles for water run-off. 1/8in x 1in louvered openings inverted to block weather infiltration. One-piece construction. Can be cut to desired length at 2-foot intervals. Low profile blends with roof construction. Pre-notched nail holes for easy installation. Large 2-inch-wide nailing flange. Easy installation - male/female connections - no straps necessary. Optional strap available in all colors. Adjustable from 3/12 to 12/12 roof pitches. 18in Net Free Area per Linear Foot. Tight-fitting high-density polyethylene foam end plug available. LPR has an aerodynamic design revolutionary three-baffle system. Must be used in conjunction with intake vents for proper operation.

UPC: 035358495406 Unit: EA WT: 5.80 lbs

LOMANCO

LPR10MIL**LPR10MIL 10' MILL RIDGE LINE VENT (10/CASE) (LPR10ML)**

10' Low-Profile Ridge Vent Mill. Ventilates 375 sq.ft. Embossed mill and painted finishes for added strength, extended paint life, and blending appearance with shingles. 3/8in x 1/2in slotted weep holes in wind baffles for water run-off. 1/8in x 1in louvered openings inverted to block weather infiltration. One-piece construction. Can be cut to desired length at 2-foot intervals. Low profile blends with roof construction. Pre-notched nail holes for easy installation. Large 2-inch-wide nailing flange. Easy installation - male/female connections - no straps necessary. Optional strap available in all colors. Adjustable from 3/12 to 12/12 roof pitches. 18in Net Free Area per Linear Foot. Tight-fitting high-density polyethylene foam end plug available. LPR has an aerodynamic design revolutionary three-baffle system. Must be used in conjunction with intake vents for proper operation.

UPC: 035358495109 Unit: EA WT: 5.80 lbs

LOMANCO

LPR10WBRNZ**LPR10WBRNZ 10' WEATHERED BRONZE RIDGE LINE VENT (10/CASE) (LPR10WB)**

10' Low-Profile Ridge Vent Weathered Bronze. Ventilates 375 sq.ft. Embossed mill and painted finishes for added strength, extended paint life, and blending appearance with shingles. 3/8in x 1/2in slotted weep holes in wind baffles for water run-off. 1/8in x 1in louvered openings inverted to block weather infiltration. One-piece construction. Can be cut to desired length at 2-foot intervals. Low profile blends with roof construction. Pre-notched nail holes for easy installation. Large 2-inch-wide nailing flange. Easy installation - male/female connections - no straps necessary. Optional strap available in all colors. Adjustable from 3/12 to 12/12 roof pitches. 18in Net Free Area per Linear Foot. Tight-fitting high-density polyethylene foam end plug available. LPR has an aerodynamic design revolutionary three-baffle system. Must be used in conjunction with intake vents for proper operation.

UPC: 035358495505 Unit: EA WT: 1.00 lbs

LOMANCO

LPRPLUG**LPRPLUG LPR FOAM END PLUG (24/case) (LPLUG)**

Low-Profile Ridge Vent Foam End Plug Black

UPC: 035358499107 Unit: EA WT: 0.06 lbs

LOMANCO

OR20**OR20 SHINGLE OVER ROLL RIDGE VENT 20' OMNI (OR20)**

20' OmniRoll Shingle Over Ridge Vent. Patented design brings you the truly functional roll-out. 18in Net Free Area per Linear Foot. Compact twenty (20) foot roll is easy to handle. Superior weather protection and performance with no filter to clog. Exterior convolute baffles - Incurved design allows flexibility to roll up and out while maintaining it's shape. Can be cut -at one-foot intervals - Multiple cut lines eliminate unnecessary scrap. Patented molded fanfold end plugs - No accessories or alterations needed. Field tested design - Proven effective under all weather conditions. The air flow acceleration design - Maximizes ventilation capacity. Omni baffles mean air flow from any direction. Supported nail holes every foot - Will not crush down. Engineered material guarantees longevity. 30-year transferable warranty. Adjust from 2/12 to 16/12 roof pitches. This is an exhaust louver.

UPC: 035358495901 Unit: EA WT: 13.66 lbs

LOMANCO

OR4-N**OR4-N OMNIRIDGE SHINGLE OVER RIDGE VENT WITH RING SHANK NAILS INCL. 4' (10/BOX) (OR4-N)**

4' OmniRidge Shingle Over Ridge Vent with 30 2 1/2in ring shank nails included. Internal aerodynamic curved baffles. 18in Net Free Area per Linear Foot. External perpendicular omni baffles. Weatherproof under-lapping joint. Four drain holes per foot per side. External venturi baffle. Pre-formed to 3/12 pitch. 10 supported nail holes. Molded nail lines. Alignment tabs. External water shield. Slot width guide lines. Adjust from 2/12 to 16/12 roof pitches. Exclusive co-polymer materials. No connectors required. Patented molded fanfold end plugs - No accessories or alterations needed. 30-year transferable warranty. This is an exhaust louver.

UPC: 035358495802 Unit: EA WT: 4.00 lbs

LOMANCO

OW-4**OW-4 SHINGLE OVER WALL VENT 4' OMNI (10/CASE, 24/PLT) (OW4)**

9in x 4' Omni Shingle Over Wall Vent. Internal Aerodynamic Curved Baffles. External Perpendicular Omni Baffles, weatherproof Underlapping Joint, Four Drain Holes per Foot 9in Net Free Area per Linear Foot. External Venturi Baffle, Pre-formed to 3/12 pitch, Supported Nail Holes, Molded Nail Lines, Alignment Tabs, External Water Shield, Slot Width Guide Lines, Molded-in Endplug Fits All Roof Pitches. High Grade, High impact UV material. Designed for Maximum Weather Protection. 30 - Year Transferable Warranty. This is an exhaust louver.

UPC: 035358496403 WT: 2.50 lbs

LOMANCO

SV10MIL**SV10MIL 10' MILL SOFFIT VENT KIT (10/CASE) (SV10ML)**

10' Starter Soffit Vent Kit Mill. Offers two products in one: incorporates both drip edge vent and continuous soffit vent. Perfect for homes built with little or no overhang. Heavy gauge rust-free aluminum construction. Can be cut to desired length at any point.

UPC: 035358521006 Unit: EA WT: 2.80 lbs

LOMANCO

Product**Description****WATERPROOFING - BAKOR****570-05-300****570-05-300 300ML BLACK POLYBITUME (USE WITH LO-SLOPE)(30/CASE 1080/PLT)(BK570S664)**

Bakor POLYBITUME 300 ml. Polymer Modified Sealing Compound is a top quality, high solids, rubber asphalt caulking and sealing compound formulated to provide extra flexibility and good bond. Used as an end lap flashing and projection sealant with self-adhered membranes, such as Bakor LOWSLOPE, Blueskin and modified PLUS SA. POLYBITUME 570-05 Polymer Modified Sealing Compound is also used as a caulking, sealing or bedding compound on most construction surfaces including concrete, masonry, wood, metal, cement asbestos and other composition materials. Coverage @3 mm (1/8in) thick, 0.3 m²/L (16ft²/gal), 3mm (1/8in) film 10kg

UPC: 694266605019 Unit: EA WT: 0.95 lbs

BAKOR

570-05-850**570-05-850 850ML BLACK POLYBITUME (12/CASE 528/PLT)(BK570S686)**

Bakor POLYBITUME 850ml. Polymer Modified Sealing Compound is a top quality, high solids, rubber asphalt caulking and sealing compound formulated to provide extra flexibility and good bond. Used as an end lap flashing and projection sealant with self-adhered membranes, such as Bakor LOWSLOPE, Blueskin and modified PLUS SA. POLYBITUME 570-05 Polymer Modified Sealing Compound is also used as a caulking, sealing or bedding compound on most construction surfaces including concrete, masonry, wood, metal, cement asbestos and other composition materials. Coverage @3 mm (1/8in) thick, 0.3 m²/L (16ft²/gal), 3mm (1/8in) film.

UPC: 694266605026 Unit: EA WT: 2.29 lbs


BAKOR

700-01-20**700-01-20 18.93L FOUNDATION COAT PWF (36/PLT)(BK70001074) -- DO NOT FREEZE --**

Bakor Waterproof Foundation Coating 18.93L. 700-01 is a waterproof emulsion composed of vacuum-reduced asphalt dispersed in a mineral colloid emulsifier. It is odourless, non-toxic, of heavy brush consistency, exhibiting excellent adhesion to both damp and dry construction surfaces. The cured coating presents a stable, ductile coating impervious to sustained contact with water. Environmentally friendly material containing no asbestos or volatile compounds. Used as a waterproofing compound in membrane systems to control hydrostatic pressure or may be applied as a simple coating for dampproofing concrete and masonry. Ideal for insulated concrete forms (ICF), preserved wood foundations (PWF), foundation walls, footings, split-slab floors, retaining walls and wing walls. Coverage per coat 0.5 to 1.5 l/m² (1.2 to 3.6 U.S. gals/100ft²) (36/skid)

UPC: 694266422005 Unit: EA WT: 46.28 lbs

BAKOR

810-07-20**810-07-20 18.9L NON-FIBERED ROOF & FOUNDATION COATING WET/DRY (36/PLT)(BK81007070)**

Bakor Damproof Foundation Coating Non-Fiber 18.93L. 810-07 is a non-fibered, solvent type asphalt roof and foundation dampproofing coating of medium paint consistency. Designed to restore and preserve new and existing metal and smooth surface asphalt roofing. Formulated for brush, roller or spray application. Used as a protective coating and preservative for new or old weathered asphalt, metal, or roll roofing. Used to line gutters and paint metal flashings. Used as a dampproofing coating on masonry or concrete structures to prevent absorption and migration of dampness and moisture. Ideal for foundation walls, footings, retaining walls, wing walls, abutments and culverts. Coverage 1.6 to 2 m²/l (65 to 85 ft²/gal U.S.) varies with surface and temperature.

UPC: 694266022014 Unit: EA WT: 42.54 lbs

BAKOR

810-07-4**810-07-4 3.78L NON-FIBERED ROOF/FOUNDATION COATING WET/DRY(4/CASE 180/PLT) (BK81007660)**

Bakor Dampproof Foundation Coating Non-Fibre 3.78L. 810-07 is a non-fibered, solvent type asphalt roof and foundation dampproofing coating of medium paint consistency. Designed to restore and preserve new and existing metal and smooth surface asphalt roofing. Formulated for brush, roller or spray application. Used as a protective coating and preservative for new or old weathered asphalt, metal, or roll roofing. Used to line gutters and paint metal flashings. Used as a dampproofing coating on masonry or concrete structures to prevent absorption and migration of dampness and moisture. Ideal for foundation walls, footings, retaining walls, wing walls, abutments and culverts. Coverage 1.6 to 2 m²/l (65 to 85 ft²/gal U.S.)varies with surface and temperature.

UPC: 694266021178 Unit: EA WT: 8.50 lbs

BAKOR**BLUESEAL20****BLUESEAL20 18.93L (ECO.BC1.25/AB2.00/SK1.00) WATERPROOFING LIQUID MEMBRANE (36/PLT) (BE185169) -- DO NOT FREEZE --**

BlueSeal Waterproof Liquid Membrane Coating 18.93L. Blue Seal is a technologically advanced, elastomeric, water based, one-step liquid applied, rubber membrane designed to stop water & air transmission providing maximum waterproofing for the I.C.F (Insulated Concrete Form), concrete & wood foundation, and flooring industries. Blue Seal forms a seamless, monolithic, waterproof barrier that can be applied quickly and easily. It cures to a seamless, impermeable, non-deteriorating flexible rubber membrane that seals out moisture, Radon gases, algae, mold, fungus and insects. Blue Seal has excellent surface adhesion, bridges cracks, waterproofs and seals surfaces completely. No waiting for concrete to cure, no priming required, easy to use and easy to apply using a brush, towel or spray. (36/skid)

UPC: 059291083261 Unit: EA WT: 45.00 lbs

BAKOR**BLUESEAL4****BLUESEAL4 3.78L (ECOBC.50/AB.75/SK-.40) WATERPROOFING LIQUID MEMBRANE (2) (100/PLT) -- DO NOT FREEZE --**

BlueSeal Waterproof Liquid Membrane 3.78L (2). Blue Seal is a technologically advanced, elastomeric, water based, one-step liquid applied, rubber membrane designed to stop water & air transmission providing maximum waterproofing for the I.C.F (Insulated Concrete Form), concrete & wood foundation, and flooring industries. Blue Seal forms a seamless, monolithic, waterproof barrier that can be applied quickly and easily. It cures to a seamless, impermeable, non-deteriorating flexible rubber membrane that seals out moisture, Radon gases, algae, mold, fungus and insects. Blue Seal has excellent surface adhesion, bridges cracks, waterproofs and seals surfaces completely. No waiting for concrete to cure, no priming required, easy to use and easy to apply using a brush, towel or spray. (100/skid)

UPC: 059291083926 Unit: EA WT: 10.00 lbs

BAKOR**HITAC17****HITAC17 HI-TAC PRIMER/ADHES. 17L COLD TEMP. ICF COMPATIBLE (1/CTN, 36/PLT) - DO NOT FREEZE - (BK103621) --- DANGEROUS GOODS ---**

Bakor Hi-Tac Primer Adhesive 17L. Hi-Tac is a rubber-based construction adhesive and primer for self-adhesive membranes. Used as a primer for self-adhesive membranes including Blueskin SA, Blueskin WP 200 or Blueskin ROOF RF 200, Blueskin ROOF PE200HT, and Blueskin Weather Barrier when applied to insulated concrete forms (ICF), masonry, concrete, wood, gypsum board, DensGlass Gold, polystyrene, and metal surfaces. Hi-Tac is the primer of choice for cold weather applications of self-adhered membranes including waterproofing membranes over insulated concrete forms (ICF). Use as a construction adhesive in exterior applications for bonding porous materials such as low to medium density insulation to masonry, concrete, wood, gypsum board, DensGlass Gold and metal surfaces. Can also be used to adhere laps of polyethylene sheets and housewraps to one another. Designed for applications above -12C. Coverage 2 to 6 m²/l (80 to 250 ft²/gal. U.S.)depending on porosity and texture of surface.

UPC: 694266229062 Unit: EA WT: 41.71 lbs

BAKOR**SN165219****SN165219 3.78L PREMIUM WATERBASE CONCRETE SEALER - DO NOT FREEZE - (ECO.BC.50/AB.75/SK.40) (2/CASE 150/PLT) (SN165219)**

Stone Mason Premium Concrete Sealer 3.78L. Premium Concrete Sealer is an extremely durable, exterior/interior, waterbased clear acrylic sealer specifically formulated with a high concentration of acrylic polymer to give superior protection and help maintain the fresh appearance of concrete floors, paving stones, quarry tiles, masonry, concrete blocks and bricks. It helps reduce dust accumulation on concrete and resists liquid spills such as gasoline, motor oil and automotive chemicals. It also contains an ultraviolet absorber to help reduce color fade in paving stones, as well as protection from de-icing salt damage and spalling due to repeated freeze / thaw cycles. Stone Mason Premium Concrete Sealer is easily applied by roller or low pressure spray. Will not chip, peel or discolor and leaves a clear matte finish. (Waterbase)--DO NOT FREEZE

UPC: 059291995984 Unit: EA WT: 10.00 lbs

BAKOR**WP200****WP200 3'X67' SELF-ADHES.WATERPROOF MEMBRANE FOR FOUNDATIONS (20/PLT) (HEWP200937) OLD# EL2000 OLD #BHWP200937**

Bakor Self Adhesive Waterproofing Membrane 3' x 67'. Bakor Blueskin WP 200 is a self-adhesive membrane which consists of an SBS rubberized asphalt compound which is integrally laminated to a blue, high density cross-laminated polyethylene film. Blueskin WP 200 is specifically designed to be self-adhered to a prepared substrate providing a high-performance waterproofing barrier. Bakor Blueskin WP 200 is designed for use on concrete foundation walls, plaza decks, tunnels, and parking decks in both vertical and horizontal orientations. Blueskin WP 200 is an ideal membrane for use in interior applications such as mechanical rooms, laboratories and wet-rooms.Gross coverage 18.6 m² (200 ft²)EL2000

UPC: 694266530007 Unit: EA WT: 67.00 lbs

BAKOR

Product Description WATERPROOFING - SUPERSEAL DIMPLED MEMBRANES

<p>DD10237</p> 	<p>DD10237 DOUBLE DIMPLED CARPET SUBFLOOR MEMBRANE DARK GREY 3'7" X 65' 6" (20 RLS/PLT) (DD10237) (PD23720)</p> <p>3'7in x 65' 6" Double Dimpled Carpet Subfloor Membrane is a moisture barrier and thermal break membrane with a unique double dimple design. Tack strips can be nailed right through the membrane in carpet installations for complete under floor ventilation. (20RLS/PLT)</p> <p>UPC: 627956103276 Unit: RL WT: 20.00 lbs</p> <p style="text-align: right;">SUPERSEAL DIMPLED MEMBRANES</p>
<p>DD10474</p> 	<p>DD10474 DOUBLE DIMPLED CARPET SUBFLOOR MEMBRANE DARK GREY 7'3" X 65' 6" (20 RLS/PLT) (DD10474) (PD47420)</p> <p>7'3 in x 65' 6" Double Dimpled Carpet Subfloor Membrane is a moisture barrier and thermal break membrane with a unique double dimple design. Tack strips can be nailed right through the membrane in carpet installations for complete under floor ventilation. (20RLS/PLT)</p> <p>UPC: 627956104745 Unit: RL WT: 40.00 lbs</p> <p style="text-align: right;">SUPERSEAL DIMPLED MEMBRANES</p>
<p>MT72136</p> 	<p>MT72136 SUBFLOOR TAPE 2.83" x 136' (16RL/BOX)</p> <p>Superseal Subfloor Tape 2.83in x 136' roll.</p> <p>UPC: 627956721362 Unit: RL</p> <p style="text-align: right;">SUPERSEAL DIMPLED MEMBRANES</p>
<p>SA84166</p> 	<p>SA84166 ALL IN ONE SUBFLOOR 3'3" X 50'10" (20RLS/PLT) (SA84166)</p> <p>3'3in x 50'10in All In One Subfloor. Instant comfort and warmth that is fast and easy to install. Blows away the competition when comparing cost and versatility. SUPERSEAL All-In-One subfloor is specially designed to control moisture and provide comfortable warm floors over concrete surfaces. SUPERSEAL All-In-One subfloor will help stop the growth of Mold and Mildew in carpets and wood. If your planning on finishing your basement and do not want to go to the expense and labor as with other types of subfloor products SUPERSEAL All-in-One is the easy answer for wherever you want to have a comfortable dry floor finish. SUPERSEAL All-In-One Subfloor is manufactured from a high density polyethylene that will continue to protect your laminate or carpet flooring long into the future and comes with a 20-Year Limited Product Warranty. SUPERSEAL All-In-One Subfloor ensures that small amounts of substrate moisture have an air chamber in which they can evaporate. This keeps that damp musty basement smell out. The success and ability of All-In-One is widely accepted by flooring contractors, do it your selfers and home builders. SUPERSEAL All-In-One Subfloor can increase the floor temperature by up to 30%. You'll be glad that you finished your basement with SUPERSEAL All-In-One Subfloor. (166 sqft/roll) (20rls/plt)</p> <p>UPC: 627956841664 Unit: RL WT: 17.00 lbs</p> <p style="text-align: right;">SUPERSEAL DIMPLED MEMBRANES</p>
<p>SA84332</p> 	<p>SA84332 ALL IN ONE SUBFLOOR 6'7" X 50'10" (20RLS/PLT) (SA84332)</p> <p>6'7in x 50'10in All In One Subfloor. Instant comfort and warmth that is fast and easy to install. Blows away the competition when comparing cost and versatility. SUPERSEAL All-In-One subfloor is specially designed to control moisture and provide comfortable warm floors over concrete surfaces. SUPERSEAL All-In-One subfloor will help stop the growth of Mold and Mildew in carpets and wood. If your planning on finishing your basement and do not want to go to the expense and labor as with other types of subfloor products SUPERSEAL All-in-One is the easy answer for wherever you want to have a comfortable dry floor finish. SUPERSEAL All-In-One Subfloor is manufactured from a high density polyethylene that will continue to protect your laminate or carpet flooring long into the future and comes with a 20-Year Limited Product Warranty. SUPERSEAL All-In-One Subfloor ensures that small amounts of substrate moisture have an air chamber in which they can evaporate. This keeps that damp musty basement smell out. The success and ability of All-In-One is widely accepted by flooring contractors, do it your selfers and home builders. SUPERSEAL All-In-One Subfloor can increase the floor temperature by up to 30%. You'll be glad that you finished your basement with SUPERSEAL All-In-One Subfloor. (332 sqft/roll) (20rls/plt)</p> <p>UPC: 627956843323 Unit: RL WT: 34.00 lbs</p> <p style="text-align: right;">SUPERSEAL DIMPLED MEMBRANES</p>
<p>SF83108</p> 	<p>SF83108 WARM N QUIET SUBFLOOR 3'3" X 32'8" (12RLS/PLT) (SF83108)</p> <p>3'3in x 32'8in Warm N Quiet Subfloor. SUPERSEAL Warm N Quiet Subfloor helps to transform your basement from a cold storage area into a comfortable warm usable family room. SUPERSEAL Warm N Quiet Subfloor is a specialty dimpled sheet used for insulation under a variety of floor finishes. It's low profile 5/16in (8mm) helps to maintain headroom and provides easy transition to other floor surfaces when installing laminates. SUPERSEAL Warm N Quiet Subfloor's comforting benefits are unlike any other competitors dimpled subfloor membrane. The integrated foam layer is ideal for sound insulation reduction between floor levels. The continuous air gap created by the dimpled texture ensures air circulation keeping moisture away from the floor finish. Extremely durable and strong with a compressive strength of approximately 3200psf. Makes floors softer and more comfortable to walk on. SUPERSEAL Warm N Quiet Subfloor is environmentally friendly and comes with a 20-Year Limited Product Warranty. Contact SUPERSEAL for Details. Installing a home theatre family room or dance floor Warm N Quiet will provide the comfort you need. Don't start your project without it. (108sqft/roll) (12rls/plt)</p> <p>UPC: 627956831085 Unit: RL WT: 14.00 lbs</p> <p style="text-align: right;">SUPERSEAL DIMPLED MEMBRANES</p>

SF83215**SF83215 WARM N QUIET SUBFLOOR 6'7" X 32'8" (12RLS/PLT) (SF83215)**

6'7in x 32'8in Warm N Quiet Subfloor. SUPERSEAL Warm N Quiet Subfloor helps to transform your basement from a cold storage area into a comfortable warm usable family room. SUPERSEAL Warm N Quiet Subfloor is a specialty dimpled sheet used for insulation under a variety of floor finishes. It's low profile 5/16in (8mm) helps to maintain headroom and provides easy transition to other floor surfaces when installing laminates. SUPERSEAL Warm N Quiet Subfloor's comforting benefits are unlike any other competitors dimpled subfloor membrane. The integrated foam layer is ideal for sound insulation reduction between floor levels. The continuous air gap created by the dimpled texture ensures air circulation keeping moisture away from the floor finish. Extremely durable and strong with a compressive strength of approximately 3200psf. Makes floors softer and more comfortable to walk on. SUPERSEAL Warm N Quiet Subfloor is environmentally friendly and comes with a 20-Year Limited Product Warranty. Contact SUPERSEAL for Details. Installing a home theatre family room or dance floor Warm N Quiet will provide the comfort you need. Don't start your project without it. (215sqft/roll) (12rls/plt)

UPC: 627956832150 Unit: RL WT: 28.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM11635**SM11635 DIMPLED FOUNDATION MEMBRANE 11'6" X 65'6" (15 RLS/PLT) (SM11635) (PLT PM53611)**

11'6in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure.(754 sq ft/roll) (21rls/plt)

UPC: 627956116359 Unit: RL WT: 93.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM36107**SM36107 DIMPLED FOUNDATION MEMBRANE 3'6" X 65'6" (12 RLS/PLT) (SM36107)(PLT PM70163)**

3'6in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (230 sqft) (12rls/plt)

UPC: 627956361070 Unit: RL WT: 29.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM50150**SM50150 DIMPLED FOUNDATION MEMBRANE 5' X 65'6" (12 RLS/PLT) (SM50150) (PLT PM05105)**

5'x65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (325 sqft) (12rls/plt)

UPC: 627956501506 Unit: RL WT: 40.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM60183**SM60183 DIMPLED FOUNDATION MEMBRANE 6' X 65'6" (12 RLS/PLT) (SM60183) (PLT PM38106)**

6' x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (393 sqft) (12rls/plt)

UPC: 627956601831 Unit: RL WT: 49.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM67200**SM67200 DIMPLED FOUNDATION MEMBRANE 6'7" X 65'6" (12 RLS/PLT) (SM67200) (PLT PM00276)**

6'7in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (431 sqft) (12rls/plt)

UPC: 627956672008 Unit: RL WT: 53.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM74224**SM74224 DIMPLED FOUNDATION MEMBRANE 7'4" X 65' (12 RLS/PLT) (SM74224) (PLT PM42274)**

3'6in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (12rls/plt)

UPC: 627956742244 Unit: RL WT: 60.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM80240**SM80240 DIMPLED FOUNDATION MEMBRANE 7'11" X 65'6" (12 RLS/PLT) (SM80240) (PLT PM04208)**

7'11in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (518 sqft)(12rls/plt)

UPC: 627956802405 Unit: RL WT: 64.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SM81127**SM81127 DIMPLED FOUNDATION MEMBRANE 8'11" X 65'6" (18 RLS/PLT) SM81127) (PLT PM72118)**

8'11in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (583 sqft)(18rls/plt)

UPC: 627956811278 Unit: RL WT: 72.00 lbs


SUPERSEAL DIMPLED MEMBRANES

SM91103**SM91103 DIMPLED FOUNDATION MEMBRANE 9'11" X 65'6" (18 RLS/PLT) (SM91103) (PLT PM30191)**

9'11in x 65'6in Dimpled Foundation Membrane. Easily installed on poured concrete insulated concrete forms wood and concrete block foundations. A permanent barrier that prevents soil from touching the foundation walls. Provides a drainage space for moisture/water to fall to the footing drain for removal. SUPERSEAL's Basement Waterproofing System bridges normal construction cracks. SUPERSEAL's Basement Waterproofing System eliminates 100% of the head-water pressure off the face of the wall. SUPERSEAL's Basement Waterproofing System is easy to install with little or no wall preparation. Can be insulated to any r-value. Can be backfilled right away. SUPERSEAL's Basement Waterproofing System is environmentally friendly. SUPERSEAL's Basement Waterproofing System can be installed on wet and uncured walls and in most weather conditions. A life expectancy that may outlast the structure. (648 sqft) (18rls/plt)

UPC: 627956911039 Unit: RL WT: 80.00 lbs


SUPERSEAL DIMPLED MEMBRANES

ST82108**ST82108 3'3"X32'8" TILE SUBFLOOR (32 RLS/PLT) (ST82108)**

3'3in x 32'8in Tile Subfloor. 100% Waterproof - average showers can be ready for tiles in 30 minutes or less. Can be installed over drywall. Quick and easy to use. 90% lighter than backer board. Easy to carry & install. Can be installed inside or outside. (108sqft/roll) (32rls/plt)

Unit: RL WT: 16.00 lbs

SUPERSEAL DIMPLED MEMBRANES

ST82323**ST82323 3'3"X98'6" TILE SUBFLOOR (12 RLS/PLT) (ST82323)**

3'3in x 98'6in Tile Subfloor. 100% Waterproof - average showers can be ready for tiles in 30 minutes or less. Can be installed over drywall. Quick and easy to use. 90% lighter than backer board. Easy to carry & install. Can be installed inside or outside. (323 sqft/roll) (8rls/plt)

UPC: 627956823233 Unit: RL WT: 40.00 lbs

SUPERSEAL DIMPLED MEMBRANES

SZ78499

SZ78499 DIMPLEGRIP MOLDING FOR FOUNDATION MEMBRANE 4' (20PCS/CTN, 40CTN/PLT) (SZ78499)



4Ft.DimpleGrip Molding For Foundation Membrane (20pcs/ctn)

UPC: 627956784992 Unit: RL WT: 24.00 lbs

SUPERSEAL DIMPLED MEMBRANES**SZ79550**

SZ79550 DIMPLED FOUNDATION MEMBRANE SUPER PLUG (50PCS/BAG) (35 BAGS/CTN) (SZ79550)



Super Plug For Dimpled Foundation Membrane. For fastening membrane. Rolls up to 6'7in generally require 2 bags. Rolls from 7'4in generally require 3 bags. Rolls 11'6in and 13'2in generally require 4 bags. (50pcs/bag)(35bags/ctn)

UPC: 627956795509 Unit: RL WT: 1.25 lbs

SUPERSEAL DIMPLED MEMBRANES**SZ80100**

SZ80100 SMALL PLUG FOR DIMPLED FOUNDATION MEMBRANE (100PCS/BAG) (6BAGS/CTN) (SZ80100)



Small Plug For Dimpled Foundation Membrane (100pcs/bag)(6bags/ctn)

UPC: 627956801002 Unit: RL WT: 0.33 lbs

SUPERSEAL DIMPLED MEMBRANES**SZ81179**

SZ81179 DIMPLED FOUNDATION MEMBRANE CAP 4' (10PCS/BUNDLE) (10 BNDL/BOX) (48BX/PLT) (SZ81179)



4Ft.Cap For Dimpled Foundation Membrane (10pcs/bundle)

UPC: 627956811797 Unit: BL WT: 3.50 lbs

SUPERSEAL DIMPLED MEMBRANES**Product****Description****WATERPROOFING - TYPAR****TYPARAT1275****TYPARAT1275 12" X 75' FLASHING AT (4/CASE)(192ROLLS/PLT) (ATFLH-004)**

TYPARAT1275 12" X 75' FLASHING AT (4/CASE)(192ROLLS/PLT) (ATFLH-004)

UPC: 03952690504 Unit: RL WT: 1.92 lbs

TYPAR**TYPARAT425****TYPARAT425 4" X 25' FLASHING AT (14/CASE)(756 ROLLS/PLT) (ATFLH-SM1)**

TYPARAT425 4" X 25' FLASHING AT (16/CASE)(768ROLLS/PLT) (ATFLH-SM1)

UPC: 03952690503 Unit: RL WT: 0.69 lbs

TYPAR

TYPARAT475**TYPARAT475 4" X 75' FLASHING AT (12/CASE)(576ROLLS/PLT) (ATFLH-001)**

TYPARAT475 4" X 75' FLASHING AT (12/CASE)(576ROLLS/PLT) (ATFLH-001)

UPC: 03952610150 Unit: RL WT: 1.92 lbs

TYPAR**TYPARAT675****TYPARAT675 6" X 75' FLASHING AT (8/CASE)(384ROLLS/PLT) (ATFLH-002) .42582**

TYPARAT675 6" X 75' FLASHING AT (8/CASE)(384ROLLS/PLT) (ATFLH-002)

UPC: 03952610151 Unit: RL WT: 2.88 lbs

TYPAR**TYPARAT975****TYPARAT975 9" X 75' FLASHING AT (4/CASE)(192ROLLS/PLT) (ATFLH-003)**

TYPARAT975 9" X 75' FLASHING AT (4/CASE)(192ROLLS/PLT) (ATFLH-003)

UPC: 039526101526 Unit: RL WT: 4.25 lbs

TYPAR**TYPARFLEX675****TYPARFLEX675 6" X 75' FLEX FLASHING (3/case) (FLEXA-001)**


6in x 75' Typar Flashing Flex. A conformable, composite peel and stick flashing product, ideal to flash around curved windows. Use it on window flanges, sill plates, corners and joints to improve air and moisture holdout. Based on a two-ply oriented high density polyethylene film, mated to a premium butyl rubber adhesive and release sheet. (3/case)

UPC: 039526075605 Unit: RL WT: 3.97 lbs

TYPAR**TYPARFLEX975****TYPARFLEX975 9" X 75' FLEX FLASHING (2/case) (FLEXS-002)**

9in x 75' Typar Flashing Flex. A conformable, composite peel and stick flashing product, ideal to flash around curved windows. Use it on window flanges, sill plates, corners and joints to improve air and moisture holdout. Based on a two-ply oriented high density polyethylene film, mated to a premium butyl rubber adhesive and release sheet.(2/case)

UPC: 038526097501 Unit: RL WT: 5.96 lbs


TYPAR**TYPARFRA1275****TYPARFRA1275 12" X 75' FLASHING RA PEEL AND STICK RUBBERIZED ASPHALT (3/case)(168/plit) (FLRA1-004)**

9in x 75' Flashing Rubberized Asphalt Flashing RA. A rubberized asphalt flashing that is an affordable choice with best-in-class performance. Designed for use in the TYPAR Weather Protection System, which is backed by a 10-year limited installed warranty. It has all of the advantages of Flashing BA while offered at a lower price. Many commonly used sealants and caulks contain solvents and plasticizers which can react with the rubberized asphalt adhesive on flashing system. Make sure caulks or sealants coming in contact with the adhesive portion of RA flashing do not contain plasticizers or solvent. This includes most polyurethane and silicone caulks. (3/case)

UPC: 039526100048 Unit: RL WT: 7.95 lbs

TYPAR


TYPARFRA475 TYPARFRA475 4" X 75' FLASHING RA PEEL AND STICK RUBBERIZED ASHALT (9/CASE, 504/PLT) (FLRA1-001)



4in x 75' Flashing Rubberized Asphalt Flashing RA. A rubberized asphalt flashing that is an affordable choice with best-in-class performance. Designed for use in the TYPAR Weather Protection System, which is backed by a 10-year limited installed warranty. It has all of the advantages of Flashing BA while offered at a lower price. Many commonly used sealants and caulks contain solvents and plasticizers which can react with the rubberized asphalt adhesive on flashing system. Make sure caulks or sealants coming in contact with the adhesive portion of RA flashing do not contain plasticizers or solvent. This includes most polyurethane and silicone caulks. (9/case)

UPC: 039526100017 Unit: RL WT: 3.97 lbs **TYPAR**


TYPARFRA675 TYPARFRA675 6" X 75' FLASHING RA PEEL AND STICK RUBBERIZED ASPHALT (6/CASE)(336ROLLS/PLT) (FLRA-002)



6in x 75' Flashing Rubberized Asphalt Flashing RA. A rubberized asphalt flashing that is an affordable choice with best-in-class performance. Designed for use in the TYPAR Weather Protection System, which is backed by a 10-year limited installed warranty. It has all of the advantages of Flashing BA while offered at a lower price. Many commonly used sealants and caulks contain solvents and plasticizers which can react with the rubberized asphalt adhesive on flashing system. Make sure caulks or sealants coming in contact with the adhesive portion of RA flashing do not contain plasticizers or solvent. This includes most polyurethane and silicone caulks. (6/case)


UPC: 039526100024 Unit: RL WT: 3.97 lbs **TYPAR**


TYPARFRA975 TYPARFRA975 9" X 75' FLASHING RA PEEL AND STICK RUBBERIZED ASPHALT (4/CASE)(224ROLLS/PLT) (FLRA1-003)



9in x 75' Flashing Rubberized Asphalt Flashing RA. A rubberized asphalt flashing that is an affordable choice with best-in-class performance. Designed for use in the TYPAR Weather Protection System, which is backed by a 10-year limited installed warranty. It has all of the advantages of Flashing BA while offered at a lower price. Many commonly used sealants and caulks contain solvents and plasticizers which can react with the rubberized asphalt adhesive on flashing system. Make sure caulks or sealants coming in contact with the adhesive portion of RA flashing do not contain plasticizers or solvent. This includes most polyurethane and silicone caulks. (4/case)

UPC: 039526800030 Unit: RL WT: 5.96 lbs **TYPAR**

Product	Description	WEEPING TILE - POLYTUBES (1977) LTD.
90-00020	90-00020 4" X 250' WEEPING TILE PERF (TUB1-PER-040-250) (040250PF)	
	4in x 250' Weeping Tile Perforated. For perimeter drainage or weeping tile applications. Corrugated polyethylene for maximum strenght yet it is light in weight for ease of handling and installation. It can be cut to size on the spot for a custom fit.	
	UPC: 625117640088 Unit: EA WT: 71.65 lbs	POLYTUBES (1977) LTD.
90-00021	90-00021 4" X 100' WEEPING TILE PERF (TUB1-PER-040-100) (040100PF)	
	4in x 100' Weeping Tile Perforated. For perimeter drainage or weeping tile applications. Corrugated... UPC: 776976000213 Unit: EA WT: 29.00 lbs	POLYTUBES (1977) LTD.
90-00034	90-00034 4" X 250' WEEPING TILE W/SOCK (TUB3-FIL-040-250) (040250SF)	
	4in x 250' Weeping Tile w/Sock. For perimeter drainage or weeping tile applications. Corrugated po... UPC: 776976000343 Unit: RL WT: 72.00 lbs	POLYTUBES (1977) LTD.
90-00035	90-00035 4" X 100' WEEPING TILE W/SOCK (TUB3-FIL-040-100) (040100SF)	
	4in x 100' Weeping Tile w/Sock. For perimeter drainage or weeping tile applications. Corrugated po... UPC: 776976000350 Unit: RL WT: 29.00 lbs	POLYTUBES (1977) LTD.
90-00043	90-00043 4" X 100' WEEPING TILE SOLID (TUB2-SOL-040-100)	
	4in x 100' Weeping Tile Solid. For perimeter drainage or weeping tile applications. Corrugated pol... UPC: 776976000435 Unit: EA WT: 29.00 lbs	POLYTUBES (1977) LTD.
90-00047	90-00047 4" X 250' WEEPING TILE SOLID (TUB2-SOL-040-250) (040250NP)	
	4in x 250' Weeping Tile Solid. For perimeter drainage or weeping tile applications. Corrugated pol... UPC: 776976000428 Unit: EA WT: 71.65 lbs	POLYTUBES (1977) LTD.
90-00053	90-00053 6" X 100' WEEPING TILE PERF. (TUB1-PER-060-100)	
	6in x 100' Weeping Tile Perforated. For perimeter drainage or weeping tile applications. Corrugated... UPC: 776976000534 Unit: RL WT: 59.50 lbs	POLYTUBES (1977) LTD.

90-01049	90-01049 4" X 164' WEeping TILE PERF (TUB1-PER-040-164)	
4in x 164' Weeping Tile Perforated. For perimeter drainage or weeping tile applications. Corrugated...		
UPC: 776976010496	Unit: EA WT: 47.00 lbs	POLYTUBES (1977) LTD.
90-01050	90-01050 4" X 164' WEeping TILE SOLID (TUB2-SOL-040-164)	
4in x 164' Weeping Tile Solid. For perimeter drainage or weeping tile applications. Corrugated pol...		
UPC: 776976010502	Unit: EA WT: 50.00 lbs	POLYTUBES (1977) LTD.
Product	Description	WEeping TILE ACCESS - POLYTUBES (1977) LTD.
90-00315	90-00315 WEeping TILE COUPLING 4" (FTUB-TIC-040)	
	4in Weeping Tile Coupling (20/Case)	
UPC: 776976003153	Unit: EA WT: 1.00 lbs	POLYTUBES (1977) LTD.
90-00330	90-00330 WEeping TILE END CAP 4" (20/CASE) (FTUB-END-040) (EC04)	
4in Weeping Tile End Cap. (20/Case)		
UPC: 776976003306	Unit: EA WT: 1.00 lbs	POLYTUBES (1977) LTD.
90-00339	90-00339 WEeping TILE TEE 4" (FTUB-TST-040) (T0444)	
4in Weeping Tile Tee (10/Case)		
UPC: 776976003399	Unit: EA WT: 1.00 lbs	POLYTUBES (1977) LTD.
90-00342	90-00342 WEeping TILE BLIND 4" TEES (10/CASE) (FTUB-TBT-040)	
4in Weeping Tile Blind Tee (10/Case)		
UPC: 776976003429	Unit: EA WT: 1.00 lbs	POLYTUBES (1977) LTD.
90-00359	90-00359 WEeping TILE REDUCER 6"X4" (10/CASE) (FTUB-RED-064)	
6in x 4in Weeping Tile Reducer (10/Case)		
UPC: 776976003597	Unit: EA WT: 0.50 lbs	POLYTUBES (1977) LTD.
90-00365	90-00365 WEeping TILE ADAPTER 4"TO4" (20/CASE) (FTUB-TAD-040)	
4in to 4in Weeping Tile Adapter (20/Case)		
UPC: 776976003658	Unit: EA WT: 0.15 lbs	POLYTUBES (1977) LTD.
90-00367	90-00367 WEeping TILE WYE 4" (FTUB-WYE-040)	
4in Weeping Tile Wye (5/Case)		
UPC: 055509102243	Unit: EA WT: 0.25 lbs	POLYTUBES (1977) LTD.
90-00368	90-00368 WEeping TILE ELBOW 4" (FTUB-90D-040) (E04)	
4in Weeping Tile Elbow (10/Case)		
UPC: 096942302104	Unit: EA WT: 0.40 lbs	POLYTUBES (1977) LTD.
DK24	DK24 (SD) DRAINAGE KIT 1 1/4"X24' POLY	
1-1/4" x 24' Drainage Kit Poly Pack		
UPC: 060672160013	Unit: EA WT: 3.00 lbs	POLYTUBES (1977) LTD.
SLR1	SLR1 RADON LID W/GASKET - SOLID 18" (SLR1)	
SLR1 RADON LID W/GASKET - SOLID 18"		
Unit: EA	WT: 3.40 lbs	POLYTUBES (1977) LTD.
TWL250	TWL250 SUMP WELL LINER 17"W X 25"H (TWL250)	
17in W x 25in H Sump Well Liner. Frost resistant corrosion proof and wasy to install. Four positio...		
UPC: 776976003030	Unit: EA WT: 7.50 lbs	POLYTUBES (1977) LTD.
TWS170	TWS170 SUMP LINER LID SLOTTED (TWS170) (SL01)	
Slotted Lid For Sump Liner. Snug fitting lid Pre notched to accept pump stand pipe.		
UPC: 776976024615	Unit: EA WT: 1.00 lbs	POLYTUBES (1977) LTD.

Product Description WOOD GLUES - FRANKLIN INTERNATIONAL

<p>FK1412</p> 	<p>FK1412 TITEBOND III WOOD GLUE 118ML (12/case) (1412) -- DO NOT FREEZE --</p> <p>Titebond III Ultimate Wood Glue 118ml/4oz Bottle. Minimum required spread is approximately 6 mils or 250 square feet per gallon. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications. Titebond III Ultimate Wood Glue is the first one-part, water cleanup wood glue ever offered that is proven waterproof. The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. (12/case)</p> <p>UPC: 037083014129 Unit: EA WT: 0.42 lbs</p> <p style="text-align: right;">FRANKLIN INTERNATIONAL</p>
<p>FK1413</p> 	<p>FK1413 TITEBOND III WOOD GLUE 237ML (12/case) (1413) -- DO NOT FREEZE --</p> <p>Titebond III Ultimate Wood Glue 237ml/8oz Bottle. Minimum required spread is approximately 6 mils or 250 square feet per gallon. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications. Titebond III Ultimate Wood Glue is the first one-part, water cleanup wood glue ever offered that is proven waterproof. The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. (12/case)</p> <p>UPC: 037083914139 Unit: EA WT: 0.67 lbs</p> <p style="text-align: right;">FRANKLIN INTERNATIONAL</p>
<p>FK1414</p> 	<p>FK1414 TITEBOND III WOOD GLUE 473ML (12/case) (1414) -- DO NOT FREEZE --</p> <p>Titebond III Ultimate Wood Glue 473ml/16oz Bottle. Minimum required spread is approximately 6 mils or 250 square feet per gallon. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications. Titebond III Ultimate Wood Glue is the first one-part, water cleanup wood glue ever offered that is proven waterproof. The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. (12/case)</p> <p>UPC: 037083914146 Unit: EA WT: 1.33 lbs</p> <p style="text-align: right;">FRANKLIN INTERNATIONAL</p>
<p>FK1415</p> 	<p>FK1415 TITEBOND III WOOD GLUE 946ML (6/case) (1415) -- DO NOT FREEZE --</p> <p>Titebond III Ultimate Wood Glue 946ml/32oz. Minimum required spread is approximately 6 mils or 250 square feet per gallon. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications. Titebond III Ultimate Wood Glue is the first one-part, water cleanup wood glue ever offered that is proven waterproof. The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. (6/case)</p> <p>UPC: 037083014150 Unit: EA WT: 5.33 lbs</p> <p style="text-align: right;">FRANKLIN INTERNATIONAL</p>
<p>FK1416</p> 	<p>FK1416 TITEBOND III WOOD GLUE 3.79L (2/case) (1416) -- DO NOT FREEZE --</p> <p>Titebond III Ultimate Wood Glue 3.79L. Minimum required spread is approximately 6 mils or 250 square feet per gallon. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications. Titebond III Ultimate Wood Glue is the first one-part, water cleanup wood glue ever offered that is proven waterproof. The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. (2/case)</p> <p>UPC: 037083914160 Unit: EA WT: 10.00 lbs</p> <p style="text-align: right;">FRANKLIN INTERNATIONAL</p>
<p>FK1417</p> 	<p>FK1417 TITEBOND III WOOD GLUE 18.925L (24/PLT) (1417) -- DO NOT FREEZE --</p> <p>Titebond III Ultimate Wood Glue 18.925L. Minimum required spread is approximately 6 mils or 250 square feet per gallon. Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications. Titebond III Ultimate Wood Glue is the first one-part, water cleanup wood glue ever offered that is proven waterproof. The waterproof formula passes the ANSI/HPVA Type I water-resistance specification and offers superior bond strength, longer open assembly time and lower application temperature. (24/pallet)</p> <p>UPC: 037083914177 WT: 52.00 lbs</p> <p style="text-align: right;">FRANKLIN INTERNATIONAL</p>

FK16320**FK16320 WOOD FLOORING TAPE (12/CASE) (16320)**

Based on proprietary adhesive technology, Titebond? Tape provides a strong, permanent bond to nearly any subfloor material, including concrete, primed lightweight concrete, OSB and plywood. It is also compatible with Titebond 531 Moisture Control Systems. Titebond Tape should be used in conjunction with wood flooring starter rows, finish rows under toe kicks, baseboards, base shoes, board replacements, transition strips and all trim pieces. The double-sided foam tape is easy-to-use and saves time with engineered wood and solid wood flooring installations. It greatly reduces time nailing and filling holes. The initial bond strength is aggressive and gains additional strength over time and with exposure to moisture and humidity (from the subfloor, the wood flooring and the air). Titebond Tape is available in two inch-side rolls of 40 feet?the perfect amount for a typical room.

UPC: 037083163209 Unit: EA WT: 0.60 lbs

FRANKLIN INTERNATIONAL

FK2104**FK2104 TITEBOND TONGUE & GROOVE FLOORING GLUE 473ml (12/case)(100 cases/Pit) (2104) -- DO NOT FREEZE --**

Titebond Tongue & Groove Flooring Glue 473ml Bottle. Titebond Tongue & Groove Flooring Glue is a premium wood glue that passes the stringent ANSI Type II water resistance test. In addition, it offers a lower chalk temperature and a two year shelf-life, both of which make it unique to the industry. Titebond Tongue & Groove Flooring Glue is specifically formulated for all types of laminate and floating floors, even over radiant heat systems. Titebond Tongue & Groove Flooring Glue provides a superior bond at the tongue and groove. Due to its white color, the glue is easy to see for quick cleanup. It is non-toxic and nonflammable, making it safe to use and environmentally friendly. Titebond Tongue & Groove Flooring Glue gives the professional installer the highest level of protection against potential moisture problems, while maintaining a strong ultimate bond. (12/case)

UPC: 037083021042 Unit: EA WT: 1.33 lbs

FRANKLIN INTERNATIONAL

FK2303**FK2303 TITEBOND POLYURETHANE WOOD GLUE 237ML (12/case) (2303) -- DO NOT FREEZE --**

Titebond Polyurethane Glue 237ml Bottle. Minimum required spread Approximately 6 mils or 250 square feet per gallon. Titebond Polyurethane Glue is a breakthrough in adhesive technology. It is the only polyurethane glue to combine a long 20 minute working time with a short 45 minute clamp time. It is a versatile, professional-strength glue specifically formulated for multi-purpose applications. In addition to its superior wood-to-wood performance, Titebond Polyurethane Glue is ideal for metals, ceramics, most plastics, HPL, Corain?, stone and other porous/non-porous materials. It is ready-to-use, offers excellent sandability and is unaffected by finishes. (12/case)

UPC: 037083023039 Unit: EA WT: 0.67 lbs

FRANKLIN INTERNATIONAL

FK2403**FK2403 TITEBOND WOOD MOLDING GLUE 237ML (12/case) (2403) -- DO NOT FREEZE --**

Titebond Molding & Trim Glue 237ml. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond Molding & Trim Glue is the thickest, fastest-drying glue available for use with porous and semi-porous materials. It is ideal for finish trim, crown molding, baseboards, window casings and other applications requiring a professional-strength, no-run wood glue. Titebond Molding & Trim provides a strong initial tack and fast speed of set, yet allows realignment of working pieces. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. (12/case)

UPC: 037083924039 Unit: EA WT: 0.67 lbs

FRANKLIN INTERNATIONAL

FK2404**FK2404 TITEBOND WOOD MOLDING GLUE 473ML (12/case) (2404) -- DO NOT FREEZE --**

Titebond Molding & Trim Glue 473ml. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond Molding & Trim Glue is the thickest, fastest-drying glue available for use with porous and semi-porous materials. It is ideal for finish trim, crown molding, baseboards, window casings and other applications requiring a professional-strength, no-run wood glue. Titebond Molding & Trim provides a strong initial tack and fast speed of set, yet allows realignment of working pieces. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. (12/case)

UPC: 037083924046 Unit: EA WT: 1.33 lbs

FRANKLIN INTERNATIONAL

FK4014**FK4014 TITEBOND MELAMINE WOOD GLUE 473ml (12/case) (4014) -- DO NOT FREEZE --**

Titebond Melamine Glue 473ml bottle. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond Melamine Glue is designed for bonding wood, particleboard, MDF and other porous substrates to synthetic materials such as melamine, vinyl and HPL as well as metals. It offers a fast initial tack, yet has a longer open time that allows for the accurate alignment of working materials. Titebond Melamine Glue is a water-based adhesive that is nonflammable, has low odor, dries clear and cleans up with water. Its thicker formulation offers fewer runs and drips, making it easier to use and more effective for precise assemblies. (12/case)

UPC: 037083940145 Unit: EA WT: 2.67 lbs

FRANKLIN INTERNATIONAL

FK4416**FK4416 EVERTITE PROF. WOOD GLUE 3.79L YELLOW (2/case, 126ea/PLT) (4416) -- DO NOT FREEZE --**

Evertite Professional Wood Glue Yellow 3.79L. Aliphatic resin. Spread: Generally 35-50 pounds per 1,000 sq.ft. of glue line (6mils or 180-260 sqft/gal) is adequate. Conveyorized spreaders are commonly used in this application. The use of a wool felt sleeve on the spreader roll can aid in obtaining a desirable spread and reducing excessive glue usage. Edge and face gluing of solid lumber stock can present a unique challenge for adhesives. The adhesive must be rigid enough to withstand the applied stresses found under variable service conditions. (2/case 126/pallet)

UPC: 037083044164 Unit: EA WT: 10.00 lbs

FRANKLIN INTERNATIONAL**FK4426****FK4426 EVERTITE ASSEMBLY WHT GLUE 3.79L (2/case, 126/PLT) (4426) -- DO NOT FREEZE --**

Evertite Assembly White Glue 3.79L. Polyvinyl acetate emulsion. Spread: Generally applied by brush, plastic squeeze bottles, or automatic pumping system. It is important to get a uniform spread over the entire gluing surface. (2/case 126/pallet)

UPC: 037083944266 Unit: EA WT: 10.00 lbs

FRANKLIN INTERNATIONAL**FK4427****FK4427 EVERTITE ASSEMBLY WHT GLUE 18.925L (24/SKID) (4427) -- DO NOT FREEZE --**

Evertite Assembly White Glue 18.925L. Polyvinyl acetate emulsion. Spread: Generally applied by brush, plastic squeeze bottles, or automatic pumping system. It is important to get a uniform spread over the entire gluing surface. (24/skid)

UPC: 037083944273 Unit: EA WT: 50.00 lbs

FRANKLIN INTERNATIONAL**FK5002****FK5002 TITEBOND II PREMIUM WOOD GLUE 118ml (12/case) - DO NOT FREEZE - LIMITED QTY - (5002)**

Titebond II Premium Wood Glue 118ml / 4oz. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond II Premium Wood Glue is the only leading brand, one-part wood glue that passes the ANSI Type II water-resistance specification. It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems. (12/case)

UPC: 037083950021 Unit: EA WT: 0.42 lbs

FRANKLIN INTERNATIONAL**FK5003****FK5003 TITEBOND II PREMIUM WOOD GLUE 237ml (12/case) (5003) -- DO NOT FREEZE --**

Titebond II Premium Wood Glue 237ml / 8oz. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond II Premium Wood Glue is the only leading brand, one-part wood glue that passes the ANSI Type II water-resistance specification. It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems. (12/case)

UPC: 037083950038 Unit: EA WT: 0.67 lbs

FRANKLIN INTERNATIONAL**FK5004****FK5004 TITEBOND II PREMIUM WOOD GLUE 473ml (12/case) (5004) -- DO NOT FREEZE --**

Titebond II Premium Wood Glue 473ml / 16oz. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond II Premium Wood Glue is the only leading brand, one-part wood glue that passes the ANSI Type II water-resistance specification. It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems. (12/case)

UPC: 037083950045 Unit: EA WT: 1.33 lbs

FRANKLIN INTERNATIONAL

FK5005**FK5005 TITEBOND II PREMIUM WOOD GLUE 946ML (6/case) (5005) -- DO NOT FREEZE --**

Titebond II Premium Wood Glue 946ml / 32oz. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond II Premium Wood Glue is the only leading brand, one-part wood glue that passes the ANSI Type II water-resistance specification. It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems. (6/case)

UPC: 037083050059 Unit: EA WT: 2.67 lbs

FRANKLIN INTERNATIONAL**FK5006****FK5006 TITEBOND II PREMIUM WOOD GLUE 3.79L (2/CASE, 126/PLT) (5006) -- DO NOT FREEZE --**

Titebond II Premium Wood Glue 3.79L. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond II Premium Wood Glue is the only leading brand, one-part wood glue that passes the ANSI Type II water-resistance specification. It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems. (2/case 126/pallet)

UPC: 037083950069 Unit: EA WT: 10.00 lbs

FRANKLIN INTERNATIONAL**FK5007****FK5007 TITEBOND II PREMIUM WOOD GLUE 18.925L (24/PLT) -- DO NOT FREEZE --**

Titebond II Premium Wood Glue 18.925L. Methods of application Plastic bottles for fine applications; glue may also be spread with a roller spreader or brush. Minimum required spread Approximately 6 mils or 250 square feet per gallon Titebond II Premium Wood Glue is the only leading brand, one-part wood glue that passes the ANSI Type II water-resistance specification. It is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems.

UPC: 037083950076 WT: 52.00 lbs

FRANKLIN INTERNATIONAL**FK5065****FK5065 TITEBOND ORIGINAL WOOD GLUE 946ml (6/case) (5065) -- DO NOT FREEZE --**

Titebond Original Wood Glue 946ml. Minimum required spread approximately 6 mils or 250 square feet per gallon. Titebond Original Wood Glue is the industry standard for woodworking. It provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Titebond Original can help any woodworker achieve professional-looking results. It is ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water. (6/case)

UPC: 037083050653 Unit: EA WT: 2.67 lbs

FRANKLIN INTERNATIONAL**FK5067****FK5067 TITEBOND ORIGINAL WOOD GLUE 18.925L PLASTIC PAIL (5067) -- DO NOT FREEZE --**

Titebond Original Wood Glue 18.925L Minimum required spread Approximately 6 mils or 250 square feet per gallon. Titebond Original Wood Glue is the industry standard for woodworking. It provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Titebond Original can help any woodworker achieve professional-looking results. It is ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water.

UPC: 037083950670 WT: 52.00 lbs

FRANKLIN INTERNATIONAL**FK6232****FK6232 TITEBOND INSTANT BOND WOOD ADHESIVE 4 OZ PLASTIC BOTTLE -- DO NOT FREEZE --**

UPC: 037083062328 Unit: EA WT: 0.67 lbs

FRANKLIN INTERNATIONAL

FK85062**FK85062 TITEBOND ORIGINAL WOOD GLUE 118ml (12/case) - DO NOT FREEZE - LIMITED QTY - (5062)**

Titebond Original Wood Glue 118ml. Minimum required spread Approximately 6 mils or 250 square feet per gallon. Titebond Original Wood Glue is the industry standard for woodworking. It provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Titebond Original can help any woodworker achieve professional-looking results. It is ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water. (12/case)

UPC: 037083050622 Unit: EA WT: 0.33 lbs

FRANKLIN INTERNATIONAL**FK85063****FK85063 TITEBOND ORIGINAL WOOD GLUE 237ml (12/case) (5063) -- DO NOT FREEZE --**

Titebond Original Wood Glue 237ml. Minimum required spread Approximately 6 mils or 250 square feet per gallon. Titebond Original Wood Glue is the industry standard for woodworking. It provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Titebond Original can help any woodworker achieve professional-looking results. It is ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water. (12/case)

UPC: 037083950632 Unit: EA WT: 0.67 lbs

FRANKLIN INTERNATIONAL**FK85066****FK85066 TITEBOND ORIGINAL WOOD GLUE 3.79L (2/case) (5066) -- DO NOT FREEZE --**

Titebond Original Wood Glue 3.79L. Minimum required spread Approximately 6 mils or 250 square feet per gallon. Titebond Original Wood Glue is the industry standard for woodworking. It provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Titebond Original can help any woodworker achieve professional-looking results. It is ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water. (2/case)

UPC: 037083950663 Unit: EA WT: 10.00 lbs

FRANKLIN INTERNATIONAL**FK95064****FK95064 TITEBOND ORIGINAL WOOD GLUE 473ml (12/case) (5064) -- DO NOT FREEZE --**

Titebond Original Wood Glue 473ml. Minimum required spread Approximately 6 mils or 250 square feet per gallon. Titebond Original Wood Glue is the industry standard for woodworking. It provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Titebond Original can help any woodworker achieve professional-looking results. It is ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water. (12/case)

UPC: 037083950649 Unit: EA WT: 1.33 lbs

FRANKLIN INTERNATIONAL**Product****Description****WOOD GLUES - HENKEL (LEPAGES)****254-0****254-0 400ML CARPENTER'S GLUE EASY FLOW (12/CT) (442184) -- DO NOT FREEZE --**


Carpenter's Glue 400 ml Easy Flow. LePage Carpenter's Glue is a ready-to-use, multi-purpose, high tack, polyvinyl acetate woodworking adhesive (aliphatic resin glue). It is specially formulated for carpentry and cabinet making. RECOMMENDED FOR: Quality cabinet making, carpentry work, furniture and general wood gluing. Bonds porous substrates such as wood, wood compositions, veneer, cardboard, leather and cork. **NON-FREEZABLE**

UPC: 061083002540 Unit: EA WT: 1.00 lbs

HENKEL (LEPAGES)

Product Description WOOD SHELF HARDWARE - VANGUARD


628B 628B 16" SHELF SUPPORT CAP (40/BOX) (700-628B-BULK)



5/8in x 16in Shelf Support Finishing. Used to cover the rough sawn edge of the shelf. (40/Box)

UPC: 067295000177 Unit: EA WT: 0.05 lbs **VANGUARD**


629 629 12" SHELF SUPPORT WHT 2PR/PK (15/BOX) (600-629)



Shelf Support 12in White. Shelf Supports to be used with standard 5/8in or 3/4in x 12in deep shelves. Manufactured from strong easy to clean ABS plastic. Simply install directly into drywall or wood. No location of studs required. Designed to support over 300lbs when installed with the included anchors and pins. Anchors and pins are concealed when shelf is installed to provide a clean custom appearance (2pr/pk 15/Box)

UPC: 067295006292 Unit: PK WT: 0.38 lbs **VANGUARD**


630 630 12" SHELF & ROD SUPPORT WHT 1PR/PK (20/BOX) (600-630)



Rod & Shelf Support 12in White. Rod and Shelf Support combination to be used with standard 5/8in or 3/4in x 12in deep shelves. Manufactured from strong, easy to clean ABS plastic. Simply install directly into drywall or wood. No location of studs required. Designed to support over 300lbs when installed with the included anchors and pins. Anchors and pins are concealed when shelf is installed to provide a clean custom appearance (1Pr/Pk 20/Box)

UPC: 067295006308 Unit: PK WT: 0.37 lbs **VANGUARD**


631 631 16" SHELF SUPPORT WHT 2PR/PK (15/BOX) (600-631)



Shelf Support White 16in. Rod and Shelf Support combination to be used with standard 5/8in or 3/4in x 12in deep shelves. Manufactured from strong, easy to clean ABS plastic. Simply install directly into drywall or wood. No location of studs required. Designed to support over 300lbs when installed with the included anchors and pins. Anchors and pins are concealed when shelf is installed to provide a clean custom appearance (2Pr/Pkg 15/Box)

UPC: 067295006315 Unit: PK WT: 0.48 lbs **VANGUARD**


632 632 16" SHELF & ROD SUPPORT WHT 1PR/PK (20/BOX) (600-632)



Rod & Shelf Support 16in White. Rod and Shelf Support combination to be used with standard 5/8in or 3/4in x 12in deep shelves. Manufactured from strong, easy to clean ABS plastic. Simply install directly into drywall or wood. No location of studs required. Designed to support over 300lbs when installed with the included anchors and pins. Anchors and pins are concealed when shelf is installed to provide a clean custom appearance (1Pr/Pkg 20/Box)

UPC: 067295006322 Unit: PK WT: 0.40 lbs **VANGUARD**


633 633 CNTR SHELF & CLOSET ROD BRACKET W/SCREWS 1PC/PK (20/BOX) (600-633)



Centre Shelf & Rod Support. Centre Shelf and Rod Supports to be used with standard 12in and 16in deep shelves. Provides extra strength to shelves when mounted as center Shelf and Rod support. Cross-hatch design provides superior strength versus standard metal L brackets. Designed to support over 150lbs when installed directly into a stud. Unique design conceals all screws to provide aesthetically pleasing finish. (1pc/pk 20pk/box)

UPC: 067295006339 Unit: PK WT: 0.43 lbs **VANGUARD**


634 634 CNTR BRACKET W/SCR NO ROD HK 1PC/PK (20/BOX) (600-634)



Centre Shelf Support. Centre Shelf and Rod Supports to be used with standard 12in and 16in deep shelves. Provides extra strength to shelves when mounted as center Shelf and Rod support. Cross-hatch design provides superior strength versus standard metal L brackets. Designed to support over 150lbs when installed directly into a stud. Unique design conceals all screws to provide aesthetically pleasing finish. (1pc/pk 20pk/box)

UPC: 067295006346 Unit: PK WT: 0.39 lbs **VANGUARD**


635 635 12"-16" SHELF JOINER WHT (2EA/PK, 20PK/BOX)



Shelf Joiner 5/8in White 12in - 16in. Unique supports that provide simple solutions for storage applications requiring shelves to be mounted at right angles to each other. I- beam design provides superior support to 5/8in shelving. 16in length is easily trimmed to desired size. Ideal, but not limited to, for corner pantry applications. (2pcs/pk 20pk/box)

UPC: 067295006353 Unit: PK WT: 0.35 lbs **VANGUARD**


640 640 4' BACK SUPPORTS W/MOUNT PIN (1PC/PK, 20PK/BOX)



Shelf Back Support 48in with mount pin. Provides additional strength for long shelf spans or extremely heavy load applications. Manufactured from strong, easy to clean ABS plastic. Simply install directly into drywall or wood. No location of studs required. Length is easily trimmed to desired size. (1pc/pk 20pk/box)

UPC: 067295006407 Unit: PK WT: 0.49 lbs **VANGUARD**


643 643 12' WHT PLASTIC POLE CLAD (25/BOX) (600-643)



12' Closet Rod Cover White. Cut to desired length. (25/box)

UPC: 067295006438 Unit: EA WT: 0.88 lbs **VANGUARD**


648 648 PLASTIC COVERED METAL ROD 12' (10/BOX) (600-648)



12' Plastic Covered Metal Closet Rod White. 1in diameter metal closet rod with seamless durable and scratch resistant plastic covering. Available in white. End Caps included. Cut to desired length. (10/Box)

UPC: 067295006483 Unit: EA WT: 4.70 lbs **VANGUARD**

649 649 6' WHT PLASTIC POLE CLAD (25/BOX) (600-649)



6' Plastic Closet Rod Cover White. Can be cut to length. (25/box)

UPC: 067295006490 Unit: EA WT: 0.50 lbs **VANGUARD**

650

650 POLE SOCKET SET 1PR/PK (100/BOX) (600-650)



Closet Rod Socket. Manufactured from strong, easy to clean ABS plastic. Attach to wood tower or partition. Supports Closet Rods up to 1 3/8in diameter. (1pr/Pkg 100/Box)

UPC: 067295006506 Unit: EA WT: 0.05 lbs

VANGUARD

Edmonton:

1-800-661-5031
Fax: 780-447-1034

14735 - 124 Ave, Edmonton, AB T5L 3B2

Calgary:

1-800-268-8902
Fax: 403-295-7774

4649-52 Ave S.E., Calgary, AB T2C 4N7

Langley:

1-800-661-7005
Fax: 604-513-8802

Unit 2, 20177 97 Ave, Langley, BC V1M 4B9

Nanaimo:

1-888-739-6015
Fax: 250-754-2953

Unit 5, 940 Old Victoria Rd, Nanaimo, BC V9R 6Z8

Kelowna:

1-888-739-6014
Fax: 250-491-9018

#14 - 730 Stremel Rd., Kelowna, BC V1X 5E7

Saskatoon:

1-800-661-0033
Fax: 306-934-3034

#4 846 56 St E, Saskatoon, SK S7K 5Y8

Regina:

1-888-321-3141
Fax: 306-924-5868

365 Maxwell Crescent, Regina, SK S4N 5X9

Winnipeg:

1-866-319-1467
Fax: 204-633-6858

1503 Redwood, Winnipeg, MB R2X 3B2



Revised OCT2015 Printed OCT1215

Items may not be exactly as illustrated. Quantities on some items may be limited.
Errors are subject to correction. ©2015 Can-Cell Industries Inc. All rights reserved.