

High Quality Products

Superior Tool pipe working and plumbing tools are engineered and manufactured from the highest quality materials to meet or exceed all industry standards. Our innovative products save time and eliminate problems, making every piping and plumbing job easier.

Lifetime Guarantee

We guarantee our tools will last a lifetime.

Outstanding Value

And, in addition, our tools represent a great value... fair pricing and high quality. Check us out for yourself.

No Barriers To Buy®

We thank you for allowing us to become your trusted source for pipe working and plumbing tools. Our promise to both distributors and end-users is "No Barriers To Buy®."

What does this mean to you?

If a product is somehow not on a distributor's shelf, we will ship it out immediately:

- No minimum order requirement
- Freight will always be pre-paid (phone orders will be charged \$3.95)

You can get as many or as few tools as you need. Everything we do is geared towards offering our customers outstanding service.

Accurate, Timely Order Fulfillment

We employ state-of-the-art electronic communication, including EDI, to ensure accurate processing and timely delivery of your order

Total Support and Experience

Questions about setting up special programs for all sorts of customers from distributors to union locals? Superior Tool has been manufacturing and selling plumbing tools in the U.S. for over 70 years since 1946.

You can call our toll free help line from anywhere in the U.S. or Canada, Monday - Friday, 8:00 am - 5:00 pm EST. We can also be contacted on the Internet at www.superiortool.com.

Contact Us:

P: 216.251.3334

P: 800-969-3334 (Toll Free in U.S. or Canada)

F: 216.251.7778

sales@superiortool.com

Magna Industries, Inc. Superior Tool Division 2233 West 110th Street Cleveland, OH 44102

Toll Free (U.S. and Canada): 800-969-3334

P: 216-251-3334 • F: 216-251-7778

Table of Contents









Pipe Threaders	Pg. 4
Die Heads	Pg. 4-5
Cast Iron Wrenches	Pg. 5
Pipe Cutters	Pg. 6
Tubing Cutters	Pg. 6-8
Flaring Tools	Pg. 8
Tube Benders	Pg. 9
Internal Pipe Wrenches	Pg. 9
Socket Wrenches	Pg. 9
Faucet Handle & Sleeve Pullers	Pg. 10
Pliers	Pg. 10
PVC Tools & Cutters	Pg. 10-11
Water Shut Off Wrenches	Pg. 12
Faucet Reseaters	Pg. 12
Basin Wrenches	Pg. 12
Sink, Drain & Tub Wrenches	Pg. 12-13
Specialty Plumbing Tools	Pg. 14-15
Tube Working Brushes	Pg. 15-16
Replacement Parts	Pg. 16-18
Assortments	Pg. 19


Pipe Threader Kits Num-Weight ber of Item # Description Dies lbs ka



02915

1/2" - 1" Pipe Threader Kit

These hand ratchet pipe threaders allow the lightest thread torque required for starting and cutting available. The enclosed-type ratchet is lightweight durable aluminum. The inner diameter of ratchet is 2.085" (flat to flat). Durable nylon case. 3 dies included: ½"-¾"-1".





02910

½" - 1¼" Pipe Threader Kit

These hand ratchet pipe threaders allow the lightest thread torque required for starting and cutting available. The enclosed-type ratchet is lightweight durable aluminum. The inner diameter of ratchet is 2.085" (flat to flat). Durable nylon case. 4 dies included: ½"-¾"-1"-1¼".





02920


1/2" - 2" Pipe Threader Kit

These hand ratchet pipe threaders allow the lightest thread torque required for starting and cutting available. The enclosed-type ratchet is lightweight durable aluminum. The inner diameter of the ratchet is 2.8" (flat to flat). Comes with a 3-piece handle. Includes an adaptor to accomodate smaller die heads. Durable nylon case. 6 dies included: 1/2"-34"-1"-114"-11/2"-2".

02920	6 Dies	28.35	12.86

NPT Pine Die Heads

For Rate



use with Superior Tools' Enclosed-Type chet Pipe Threader. aller die heads may require adapter 960	

		Weight	
Description	lb	s kg	
ratchet handle #02934. With adaptor	nd r #02960,	10 0.64	
ratchet handle #02934. With adaptor	nd r #02960,	0.64	
ratchet handle #02934. With adaptor	nd r #02960,	19 0.64	
	1/4" Die Head For use with kits #02915 & #02910 ar ratchet handle #02934. With adaptor for use with kit #02920 and ratchet h #02924 3/8" Die Head For use with kits #02915 & #02910 ar ratchet handle #02934. With adaptor for use with kit #02920 and ratchet h #02924 1/2" Die Head For use with kits #02915 & #02910 ar ratchet handle #02934. With adaptor for use with kits #02924 and ratchet handle #02934. With adaptor for use with kit #02920 and ratchet handle #02934.	1.4" Die Head For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924 3/8" Die Head For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kit #02920 and ratchet handle #02924 1/2" Die Head For use with kits #02915 & #02910 and ratchet handle #02934. With adaptor #02960, for use with kits #02934. With adaptor #02960, for use with kit #02920 and ratchet handle	Description Ibs kg

NPT Pipe Die Heads

For use with Superior Tools' Enclosed-Type Ratchet Pipe Threader.

Smaller die heads may require adapter #02960



# 02000			
		Wei	ght
Item#	Description	lbs	kg
02734	3/4" Die Head For use with kits #02915 & #02910 and ratchet handle #02934 . With adaptor #02960, for use with kit #02920 and ratchet handle #02924	1.33	0.60
02701	1" Die Head For use with kits #02915 & #02910 and ratchet handle #02934 . With adaptor #02960, for use with kit #02920 and ratchet handle #02924	2.02	0.92
02714	1¼" Die Head For use with kits #02915 & #02910 and ratchet handle #02934 . With adaptor #02960, for use with kit #02920 and ratchet handle #02924	2.16	0.99
02114	1¼" Die Head - Large For use with kit #02920. For use with ratchet handle #02924	3.16	1.43
02112	1½" Die Head For use with kit #02920. For use with ratchet handle #02924	3.79	1.72
02102	2" Die Head For use with kit #02920. For use with ratchet handle #02924	4.70	2.13

Call Customer Service for more information 800-969-3334 • 216-251-3334

Pipe Threader Ratchets (Dies are sold separately)

Item# Description

Weight

Ibs kg



1/4" - 1/4" Enclosed-type Ratchet Handle The enclosed-type ratchet head is a light-weight

durable aluminum. Includes an extended handle for additional leverage. The inner diameter of the ratchet is 2.085" (flat to flat). This model takes die head sizes: ¼", 3/8", ½", ¾", 1" and (model# 02714) 1¼".

02934 3.7 1.68



1¼" - 2" Enclosed-type Ratchet Handle

The enclosed-type ratchet head is a light-weight durable aluminum. Includes an extended handle for additional leverage. The inner diameter of the ratchet is 2.8" (flat to flat). Works with die head sizes: (model# 02114) 1¼", 1½" and 2". With the adapter (#02960), it will hold all smaller size die heads (¼", 3/8", ½", ¾", 1" and (model# 02714) 1¼").

02924 6.06 2.75



Ratchet Head Adapter

Adapter fits into the large ratchet head (inner diameter of 2.8"—flat to flat) and allows using small pilot dies in the head. For use with model #02924 ratchet handle and kit #02920.

02960 0.12 0.05

Pipe Vise

Heavy-duty cast iron pipe vise. Yoke hook grips to form tight lock. Base has built-in pipe support. Three-piece hardenend jaws with floating top jaw. Extra-large alloy steel jaws are hardened for longlasting dependable service and a firm grip on pipe. Shock-proof, malleable iron frame guaranteed not to break or warp. Durable epoxy powder-coated finish.



		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg
02816	2" Bench Yoke Vise	1/8 - 2	3 - 52	9.7	4.4
85816	Replacement Upper Jaw	n/a	n/a	1.34	0.61
85817	Replacement Lower Jaws	n/a	n/a	0.93	0.42

Heavy Duty Straight Cast-Iron Handled Pipe Wrenches



This heavy duty cast-iron pipe wrench is durable, easy to adjust and use, and very safe in the toughest situations. New, stronger ductile iron material and PowerFlange™ design add additional strength at critical stress areas of the handle making these wrenches the strongest in the industry–50% stronger. Many parts are interchangeable with other manufacturers' pipe wrenches. Durable epoxy powder-coated finish.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg
02808	8" Heavy Duty	1	30	0.95	0.43
02810	10" Heavy Duty	1-1/2	48	1.9	0.86
02814	14" Heavy Duty	2	60	3.9	1.77
02818	18" Heavy Duty	2-1/2	75	5.5	2.49
02824	24" Heavy Duty	3	90	9.26	4.2
02836	36" Heavy Duty	5	140	20.36	9.24
02848	48" Heavy Duty	6	165	36.1	16.37

Offset 45° Cast-Iron Handled Pipe Wrenches



Specially designed cast-iron pipe wrench to work in close areas and situations where the pipe is directly close to the wall. Durable epoxy powder-coated finish.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg
02014	14" End - Heavy Duty	2	60	3.4	1.54
02718	18" End - Heavy Duty	2-1/2	75	5.38	2.44

SuperWrench™ - Quick Gripping Pipe Wrenches



Designed for speed and convenience—to make the job faster and easier! Its spring-loaded jaw and enhanced lock design allows convenient one-handed operation and quick, sure gripping ratchet-like action on multiple sizes without adjustment. Durable epoxy powder-coated finish.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg
02610	10" SuperWrench™	1/4- 11/2	48	2.09	0.95
02614	14" SuperWrench™	1/2 - 2	60	3.67	1.66

Heavy-Duty Straight Aluminum Pipe Wrenches



Provides the same features as the cast-iron models, but weighs nearly 40% less. It is durable, easy to adjust and use, and very safe in the toughest situations. Durable epoxy powder-coated finish. Exceeds government specification GGG651 Type II, Class C.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg
04814	14" Aluminum	2	60	2.36	1.07
04818	18" Aluminum	2-1/2	75	3.72	1.69
04824	24" Aluminum	3	90	6.1	2.77
04836	36" Aluminum	5	140	12.5	5.67



Strap Wrench

For use when turning on materials where there is risk of damage to the surface, especially on polished piping, chrome tubing. Soft nylon strap and durable epoxy powder-coated finish on handle.

		Pipe C	Pipe Capacity		ight
Item #	Description	inch	mm	lbs	kg
03613	6" Strap Wrench	6	152.4	0.5	0.23



Angle-Stop Combo Wrench™

Superior Tool's Angle-Stop Combo Wrench™ is the multi-purpose tool that's perfect for working on angle-stops and other plumbing projects. The cushioned gripped adjustable wrench and easy-store multi-purpose wrench make installing angle-stops as well as straight stops and supply lines a snap.

		Pipe Capacity		We	ight
Item	Description	inch	mm	lbs	kg
03842	Angle-Stop Combo Wrench	1-1/2	38.1	1.1	.4989

Pipe Cutters - Steel & Iron

See the Replacement Parts Section for wheels, pins and screws.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg



2" Heavy Duty Pipe Cutter

Cast iron pipe cutter with wide rollers that allow smooth cutting of steel and iron Schedule 40 pipe. Extra long "T" handle for excellent leverage. Pipe capacity from ½' to 2" schedule 40 pipe. Durable epoxy powder-coated finish. Alloy steel, heat-treated cutter wheel for long cutting life.

Replacement cutter wheel #42215 (Iron & Steel Pipe) Cutter Wheel Retention Pin #43343

2802 ½ - 2 3 - 52 5.62 2.55



ST-2000™ Pipe Cutter

Cuts up to 1" schedule 40 pipe and 2" copper tubing. Capacity: 5/8" to 2-1/8" O.D. tubing, conduit and steel fencing; 3/8" to 1" steel or iron pipe, including galvanized. It's made of strong, lightweight aluminum construction and a comfort non-slip, polymer grip. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. A favorite for versatility: this tool ships with the cutter wheel for copper, iron and steel (#42348), but by replacing the wheel, it can also cut aluminum and copper (wheel #42329); or PVC, CPVC and ABS (wheel #42349).

See model #36879 in "Tools for Plastic Pipe" which ships with the wheel for plastic.

Replacement cutter wheel #42348 (Cu, Iron, Steel), #42329 (Cu, Al) and wheel #42349 (PVC, CPVC, ABS) Cutter Wheel Screw #43232

36878	5/8 - 2-1/8	16 - 54	1.41	0.64
	(3/8 - 1 pipe)			

Tubing Cutters

See the Replacement Parts Section for wheels and pins and screws.

		Pipe Capacity		Weight		
Item #	Description	inch	mm	lbs	kg	



½" QuickCut™

For 1/2" nominal tubing. Easy to use tubing cutter: just clip on and rotate. No adjustments required and simple enough that it can be used with one hand. Works great in confined areas. Designed to eliminate external burrs.

Replacement wheels are a snap to replace. Replacement cutter wheel #42526

35012 1/2 127 0.53 0.24



34" QuickCutTM

For ¾" nominal tubing. Easy to use tubing cutter: just clip on and rotate. No adjustments required and simple enough that it can be used with one hand. Works great in confined areas. Designed to eliminate external burrs. Replacement wheels are a snap to replace.

Replacement cutter wheel #42526

	1/0	40.0=		
35034	1/2	19.05	0.57	0.26



5/8" O.D. Mini Tubing Cutter - roller-less design

For use in confined areas on copper, aluminum and mild steel. Large, knurled knob allows easy tightening. Zinc plated body. One-piece knob & screw. Heat-treated alloy steel cutting wheel.

Replacement cutter wheel #42525

35025 1/8 - 5/8



5/8" O.D. Mini Tubing Cutter

Mini for use in confined areas on copper, aluminum and mild steel. Durable epoxy powder-coated finish for corrosion-resistance & durability. Large, knurled knob and rollers allows easy tightening. One-piece knob & screw. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42525

35030 1/8 - 5/8 3 - 16 0.21 0.09



35078

7/8" O.D. Mini Tubing Cutter

Mini for cutting copper, aluminum and mild steel tubing in confined areas. Durable epoxy powder-coated finish for corrosion-resistance & durability. Large, knurled knob and rollers allows easy tightening. One-piece knob & screw. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42525.

35078 1/8 - 7/8 0 29

Tubing Cutters

See the Replacement Parts Section for wheels and pins and screws.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg



1" O.D. Heavy-Duty Mini Tubing Cutter

Heavy-duty zinc casting with a thickerdesign than others minis of the same capacity. For cutting copper, aluminum and mild steel tubing in confined areas. Large, one-piece knurled knob and rollers means no losing pieces. Heat-treated rollers and pins allow for easy tightening on pipe. Heat-treated alloy steel cutting wheel. Durable epoxy powder-coated finish for corrosion-resistance & durability. Replacement cutter wheels #42135.

3/16 - 1 0.33 0.15 36000



35180

1-1/8" O.D. Large Diameter Mini Tubing

Mini for cutting copper, aluminum and mild steel tubing in confined areas. Durable epoxy powder-coated finish for corrosion-resistance & durability. Large, knurled knob and rollers allow easy tightening. One-piece knob & screw means no losing pieces. Heat-treated alloy steel cutting wheel.

Replacement cutter wheels: #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS)

1/8 - 1-1/8 0.18 35180



1-1/8" O.D. Economy Screw-Feed Tubing Cutter

For medium diameter tubing with fine-pitch thread for increased torque. Cuts & deburrs copper, aluminum & mild steel. Zinc-plated finish on body. Heat-treated alloy steel cutting wheel.

Replacement cutter wheels #42835 (Cu, Al, Brass) &

#42836 (PVC, CPVC, ABS) 1/8 - 1-1/8 3 - 30 0.68



1-1/8" O.D. Screw-Feed Tubing Cutter (#350)

Traditional style heavy duty mid-range cutter. Cuts & deburrs copper, aluminum & mild steel. For commercial and industrial applications. Durable epoxy powdercoated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel.

Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS)

1/8 - 1-1/8 35236 3 - 300.85 0.39

Tubing Cutters

See the Replacement Parts Section for wheels and pins and screws.

		Pipe Capacity		Weight	
Item #	Description	inch	mm	lbs	kg



1-3/16" O.D. Screw-Feed Tubing Cutter (ST-1000™)

Same cutting range as the model 35236, but lighter weight design. Cuts and deburrs copper, aluminum and mild steel on medium diameter tubing. For commercial and industrial applications. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel. Replacement cutter wheel #42835 & #42836 (PVC,

CPVC, ABS)



1/8 - 1-3/16 3 - 30 0.68 0.30



1¼" O.D. Enclosed-Feed Tubing Cutter (ST-1200™)

Superior's finest quality mid-sized tubing cutter. Enclosed feed mechanism to protect threads against dirt and damage to the screw. Quick to operate in the field — spin open, spin closed. For commercial & industrial use. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel.

Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS).

35219

1/8 - 11/4

3 - 32

0.77 0.35



1-5/8" O.D. Large Diameter Tubing Cutter (ST-1500™)

Cuts and deburrs copper, aluminum and mild steel on larger diameters. For commercial and industrial applications. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel.

Replacement cutter wheels #42835 (Cu, Al, Brass) & #42836 (PVC, CPVC, ABS).

Tubing Cutters

See the Replacement Parts Section for wheels and pins and screws.

		Pipe Capac	Weight		
Item #	Description	inch	mm	lbs	kg



36878

Tubing/Pipe Cutter (ST-2000™)

Cuts up to 1" schedule 40 pipe and 2" copper tubing. Capacity: 5/8" to 2-1/8" 0.D. tubing, conduit and steel fencing; 3/8" to 1" steel or iron pipe, including galvanized. It's made of strong, lightweight aluminum construction and a comfort non-slip, polymer grip. Durable epoxy powder-coated finish for corrosion-resistance & durability. Heat-treated alloy steel cutting wheel.

A favorite for versatility: this tool ships with the cutter wheel for copper, iron and steel (#42348), but by replacing the wheel, it can also cut PVC, CPVC and ABS (wheel #42349).

See model #36879 in "Tools for Plastic Pipe" which ships with the wheel for plastic.

Replacement cutter wheel #42348 (Cu, Iron, Steel) and wheel #42349 (PVC, CPVC, ABS)

Cutter Wheel Screw #43232

36878 5/8 - 2-1/8 16 - 54 1.41 0.64 (3/8 - 1" pipe)

Call Customer Service for more information 800-969-3334 • 216-251-3334



17515

Professional Flaring Tool

Flares all standard sizes of soft copper, brass, aluminum and soft steel tubing from 5/8" O.D. Self-centering yoke makes 45° flare joints without splitting or cracking.Long handle for added leverage. Large wing nuts permit easy, positive locking on the tubing. Flares sizes 3/16", 1/4", 5/16", 3/8", 7/16, 1/2" and 5/8".

17515 3/16 5/8 2.35 1.07





17565

Papco-Style Industrial Flaring Tool

Produces single-lap 45° flares on copper, brass, aluminum and thin wall steel tubing. Hex clamp blocks rotate independently for effortless dialing of six tube sizes: 3/16", ¼", 5/16", 3/8", ½" and 5/8" tubing.





6-in-1 Swaging Tool

An economical way to join similar size copper tubing without couplings: just insert tool into copper, brass or aluminum tubing and strike with hammer. Only one solder joint required. Cost-effective—saves material. Heat treated alloy steel. 3/16", 1/4", 5/16", 3/8", 1/2", and 5/8" diameter.

17660 3/16 5/8 0.37 0.17

Tubing Benders						
				Weight		
Item #	Description	Capacity	(inches)	lbs		
66575	3-in-1 Lever Tul The 3-in-1 Lever Being and refrigeration and 90° for precise num with durable ecorrosion-resistan	ender is ic on tubing i angle bei epoxy pow	deal for ai use. Mar nds. Die- vder-coat	r condition- ked at 0°, 45° cast alumi-		
	66575	1/4	3/8	1.07		

3					
			Weight		
Description	Capacity (inches)	lbs		
Spring Tube Bender 4-pc. Set (sizes: ¼", 3/8", ½" and 5/8") Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking.					
61600	1/4	5/8	1.23		
Spring Tube Bender 5-pc. Set (sizes: ¼", 3/8", ½", 5/8" and ¾") Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking. 61605 ¼ ¾ 1.53					
	Spring Tube Be (sizes: ¼", 3/8", ½" Spring benders are wire. Easily make the copper, brass, alun 180°. Slips over tub you go" without kin 61600 Spring Tube Be (sizes: ¼", 3/8", ½" Spring benders are wire. Easily make the copper, brass, alun 180°. Slips over tub you go" without kin	Description Spring Tube Bender 4-p (sizes: ¼", 3/8", ½" and 5/8") Spring benders are made of z wire. Easily make bends of so copper, brass, aluminum and 180°. Slips over tubing and all you go" without kinking. 61600 Spring Tube Bender 5-p (sizes: ¼", 3/8", ½", 5/8" and 3 Spring benders are made of z wire. Easily make bends of so copper, brass, aluminum and 180°. Slips over tubing and all you go" without kinking.	Description Capacity (inches) Spring Tube Bender 4-pc. Set (sizes: ¼", 3/8", ½" and 5/8") Spring benders are made of zinc-plate wire. Easily make bends of soft matericopper, brass, aluminum and stainless 180°. Slips over tubing and allows you you go" without kinking. 61600 Spring Tube Bender 5-pc. Set (sizes: ¼", 3/8", ½", 5/8" and ¾") Spring benders are made of zinc-plate wire. Easily make bends of soft matericopper, brass, aluminum and stainless 180°. Slips over tubing and allows you you go" without kinking.		

Spring Tube Bender

Spring benders are made of zinc-plated steel wire. Easily make bends of soft materials, such as copper, brass, aluminum and stainless steel, up to 180°. Slips over tubing and allows you to "bend as you go" without kinking



Item #	Description	Capacity	Weight	
		(inches)	lbs	kg
61614	1/4" Spring Tube Bender	1/4"	0.12	0.05
61638	3/8" Spring Tube Bender	3/8"	0.21	0.09
61612	1/2" Spring Tube Bender	1/2"	0.38	0.17
61658	5/8" Spring Tube Bender	5/8"	0.45	0.21
61634	3/4" Spring Tube Bender	3/4"	0.52	0.24

Internal Pipe Wrenches (Nipple Extractors)

Eliminates damage to threads, walls, & external nickel or chrome finish. Exclusive "Cam Action" provides nonslip grip on the inside of nipples, pipes & fittings and can be turned either way. Heat treated alloy steel.



		Pipe Capacity		Weight	
Item #	Description	in	mm	lbs	kg
05238	3/8" Internal Pipe Wrench	3/8	9.53	0.25	0.11
05212	½" Internal Pipe Wrench	1/2	12.70	0.35	0.16
05234	¾" Internal Pipe Wrench	3/4	19.05	0.5	0.23
05201	1" Internal Pipe Wrench	1	25.40	0.84	0.38
05239	Internal Pipe Wrench Set 3/8", ½", ¾" and 1" in pouch	3/8-1	9.53 - 25.40	1.75	0.34

Socket Wrenches

Removes and installs nuts on tub and shower faucet stems to allow washer replacement. Nickel-plated.



		Weig	jht
Item #	Description	lbs	kg
03700	Water Heater Electric Element Wrench (1-9/16" to fit 1-1/2" nut)	0.6	0.28
03751	21/32 x 27/32" Wrench	0.3	0.13
03752	29/32 x 31/32" Wrench	0.42	0.19
03753	1-1/32 x 1-3/32" Wrench	0.48	0.22
03757	27/32 X 31/32" Wrench	0.45	0.2
03755	Premium 6-pc. Set Wrenches are made of heavier material and are 25% longer for access to recessed valve stems in tile-covered walls. No more rounding off the edges. Includes sizes: 21/32 x 27/32", 29/32 x 31/32", 1-1/32 x 1-3/32", 1-5/32 x 1-9/32", 1-11/32 x 1-7/16", a turner bar and a handle wire for easy storage.	2.3	1.04

Faucet Handle and Sleeve Pullers & Accessories

		We	ight
Item #	Description	lbs	kg



Faucet Handle Puller

Removes large and small faucet handles with new and longer adjustable puller arms. New one-piece cast cross bar for increased strength and durability. Puller features notches that ensure positive and equal positioning of puller arms on cross bar. Instructions on package.

0.78 0.35 03870

Faucet Handle and Sleeve Pullers & Accessories

Weight Item # Description lbs kg

Plumber's Puller Kit

For pulling fuacets and compression sleeves. Compression sleeve puller (ferrule remover) is included in kit for quick and easy removal of 1/2" copper compression sleeves and nuts. Instructions on package.

03875 0.35



03875

03910

Moen Stem Cartridge Wrench

Removes Moen brand stems and cartridges, both plastic and brass. Works on faucets and shower valves. Precision made from high quality steel components in one-piece construction. Easy to use with complete instructions on package.

03910

0.64 0.29



Compression Sleeve Puller

Quick and easy way to remove leaking compression sleeves without damaging walls. Unique armless design screws directly into compression nut for fast removal of compression sleeve or ferrule. For ½" (5/8" actual 0.D.) compression fittings only. Patented.

03943



Compression Sleeve Puller (Ferrule Removal Adapter)

This tool easliy removes 1/2" copper compression sleeves and nuts. Designed to be used with any standard faucet handle puller, it is precision machined and plated. Instructions for use are included.


03945

0.01 0.01

0.54

0.24

Call Customer Service for more information 800-969-3334 • 216-251-3334



Pliers							
		Capacity	Weight				
Item #	Description	(inch)	lbs	kg			
06011	Soft-Jaw Pipe Wrench Pliers For basin and sink locknuts, trap nuts and toilet spuds. Heavy-duty hardened steel construction. "Soft Jaws" won't mar or scratch polished/plated surfaces. Vinyl grips for comfort and ease. For plastic and metal nuts 1-1/4", 1-1/2" and 2".						
	06011	1¼, 1½ and 2	0.12	0.06			
06012	Soft Jaw Plum "Soft Jaws" won' plated surfaces. Nease. For plastic a locknuts, trap nut and 2". 06012	't mar or scratc /inyl grips for c and metal basir	omfort ar and sink	nd C			

06012	Soft Ja plated si ease. Fo	Soft Jaw Plumbing Pliers "Soft Jaws" won't mar or scratch polished/ plated surfaces. Vinyl grips for comfort and ease. For plastic and metal basin and sink locknuts, trap nuts and toilet spuds 1¼", 1½" and 2".			
	06012	11/4	4, 1½ and 2	0.91	0.41
Tools for Pla See the Replacemen	astic Pipe It Parts Section for bla	ades, wheels, scr	ews and pins	i.	
		Tubing/Pipe	Capacity	Weight	
Item #	Description	inch	mm	lbs	kg
05270	Made of hig	" & ¾" broken gh-quality, dui grip for easy l	able cons	truction	with a
H C	One handy copper ring F1807 Spec	cet Crimper tool crimps 3/ s and fits in y for crimping d instructions	8", 1/2" ar our tool bo PEX. Inclu	ox. Meets	ASTM
07100	07100	3/8, 1/2 & 3/4	9.5, 12.7 & 19	1.4	0.63
	For rapid ar	ter Reamer nd efficient re e edges of tub			

plastic pipe. 3/16" to 11/2" O.D. capacity.


5 - 42

0.58

0.27

3/16 - 11/2

18800





Economy Ratcheting PVC Cutter

Economy cutter designed for quick, clean cuts through hose, plastic tubing & PVC schedule 40 pipe up to 1". Capacity to 1-5/16". Die cast handles. Stainless steel blade.

37110 1-5/16 33 0.81 0.37



PVC Pipe Cutter

Extra-large capacity cuts up to 2" Schedule 40 PVC and polyethylene pipe (up to 2½" 0.D.). Heavy-duty cutter's ratchet mechanism maximizes cutting. The wide hooked jaw holds pipe securely for safer, cleaner cuts and is easier & faster than a hacksaw. Replacement blade available.

37115 2½ 63.5 2.9 1.32

18800

Tools for Plastic Pipe See the Replacement Parts Section for blades, wheels, screws and pins. Tubing/Pipe Capacity Weight Item # Description lbs inch kg mm One-handed 2" PVC Ratcheting Cutter Cuts 2" nominal PVC pipe, or 2.5" O.D. (63mm). One-handed operation, frees up the other hand to hold the work. Aluminum cast handles with cushion grip for comfort. Durable powder coat finish for easy clean up. Hardened stainless steel blade design with pointed edge to pierce the pipe 37116 for smooth effortless cut Replacement blade available. 37116 63 5 One-handed 1" PVC Ratcheting Cutter Cuts 1" nominal PVC pipe, or 1-5/8" O.D. (41.27mm). One-handed operation, frees up the other hand to hold the work. Aluminum cast handles with cushion grip for comfort. Durable powder coat finish for easy clean up. Hardened stainless steel blade design with pointed edge to pierce the pipe 37118 for smooth effortless cut Replacement blade available. 37118 1-5/8 63.5 1.4 0.64 Plumber's PVC Saw Cuts PVC, CPVC, ABS, wood, dry wall and more. Lightweight aluminum die-cast handle with ergonomic grip. Blade replaces easily & changes in seconds. 37513 Replacement blade: #37613 13 በ ጸ N 37 1¼" Internal PVC Pipe Cutter Use for cutting internal PVC pipe. Heat treated saw blade. Works with electric drill. Cuts PVC, CPVC. ABS and more. Replacement blade: #47520 37516 37516 1.25 31.8 0.25 0.11 Mini Hacksaw For cutting wood, plaster, steel, brass, etc. in tight quarters. Cushioned handle. Highest quality heat-37700 treated, high carbon, 6" long steel blade, 32 teeth per inch.

Replacement blade: #37701

PVC Cable Saw

n/a

24

For fast cutting of PVC plumbing, drain and ir-

rigation pipe. Great for tight spots. Needs only

1/4" clearance. Works faster and easier than a hacksaw. Stainless steel cable will not rust.

37700

37730



Call Customer Service for more information 800-969-3334 • 216-251-3334

37730

0.3

0.07

n/a

610

0 14

0.03

Basin Wrenches							
		Size			pe acity	We	ight
Item #	Description	in	mm	in	mm	lbs	kg
03811	11" Basin The spring-l angle design nuts in tight 03811	oaded ja n accomr	 ws and inf				
03812	Basin Wro The spring-l angle design nuts in tight extend to 17	oaded ja n accomr places. T	ws and inf nodates u	initely p to 1'	' hex a	and squ	are
	03812	11-17	280-430	11⁄4	32	1.95	0.88
	Ratchet J Attachment to 1" hex an	fits stand	dard 3/8" r				ts up
03820	03820	n/a	n/a	1	25	0.31	0.14
03825	Basin Bud Universal to locknuts, mo metal and p ratchet drive	ol fits me ost lastic toil	tal lock nu et supply r	its, co nuts. U	upling	nuts, P	OVC
	03825	n/a	n/a	n/a	n/a	0.23	0.11

Sink, Drain	& Tub Wrenches		
		Wei	ght
Item #	Description	lbs	kg
03710	Plumbers Pal - Profession Drain Wrench For strainer lock nuts & drop-in hex nuts and all 4-, 6- and 8-tab strainer drains. Square end of t cally designed for tightening sta drains. 03710	shower dra locking nu he tool is s	ts on pecifi-
	Adjustable Combination V Fits spud nuts, slip and lock nuts strainer nuts for various under s Adjusts from 1" to 3". Zinc-plate grip handle.	s and baske sink and toi	let work.
03840	03840	0.70	0.32

	& Tub Wrenches		
		V	/eight
Item #	Description	lbs	kg
03845	SinkDrain™ Wrenc An innovative, universal and repair of 1-1/2" kitcl P-trap DWV nuts, kitche nuts and 1-1/4 to 1-1/2" wing tabs. Handy 3/8" so Also removes/installs la Patented design. 03845	design for insta nen and 1-1/4" b n sink basket str blastic DWV nuts quare socket driv	athroom ainer s with ve, too.
1	Basket Strainer Wr Securely holds basket s Prevents turning during one-person installation Universal design.	trainer body in p installation. Allo	ws for
03890	03890	0.52	0.24
03914	1¼" and 1½" TightS Permits trap and drain li als with pedestal sink in pedestal sink drains witl 6-, 8- and 12-sided drain drain line installation/re	ne installations of place. Install or nout removing si nuts, & permits	or remov- repair nk. Fits all trap and
03915	in place. Also works gre Patent pending.	-	ain fittings
03915		at on regular dra 0.42 0.43	
03915	Patent pending. 03914	0.42 0.43 sink pop-up plug	oin fittings 0.19 0.20 gs and tub
03915	Patent pending. 03914 03915 P.O. Plug Wrench Install or remove vanity drains. Prevents rotation	0.42 0.43 sink pop-up plug	oin fittings 0.19 0.20 gs and tub
1	Patent pending. 03914 03915 P.O. Plug Wrench Install or remove vanity drains. Prevents rotation removal.	0.42 0.43 sink pop-up plug n during installat 0.53 at Wrench ucet seats. 6" x	0.19 0.20 s and tub ion and 0.25
1	Patent pending. 03914 03915 P.O. Plug Wrench Install or remove vanity drains. Prevents rotation removal. 03930 Tapered Faucet Sea Removes replaceable fa	0.42 0.43 sink pop-up plug n during installat 0.53 at Wrench ucet seats. 6" x	0.19 0.20 s and tub ion and 0.25
03930	Patent pending. 03914 03915 P.O. Plug Wrench Install or remove vanity drains. Prevents rotation removal. 03930 Tapered Faucet Sea Removes replaceable fatreated steel. Universal	0.42 0.43 sink pop-up plug n during installat 0.53 at Wrench ucet seats. 6" x fit. 0.50 Wrench ucet seats. 6" x	o.19 0.20 Is and tub ion and 0.25 6" heat 0.23
03930	Patent pending. 03914 03915 P.O. Plug Wrench Install or remove vanity drains. Prevents rotation removal. 03930 Tapered Faucet Sea Removes replaceable fatreated steel. Universal 03850 6-Step Faucet Seat Removes replaceable fatemoves repl	0.42 0.43 sink pop-up plug n during installat 0.53 at Wrench ucet seats. 6" x fit. 0.50 Wrench ucet seats. 6" x	o.19 0.20 Is and tub ion and 0.25 6" heat 0.23
03930	Patent pending. 03914 03915 P.O. Plug Wrench Install or remove vanity drains. Prevents rotation removal. 03930 Tapered Faucet Sea Removes replaceable fa treated steel. Universal treated steel.	0.42 0.43 sink pop-up plug n during installat 0.53 at Wrench ucet seats. 6" x fit. 0.50 Wrench ucet seats. 6" x fit. 0.50 ch Set ucet seats. Each	o.19 0.20 Is and tubion and 0.25 6" heat 0.23

Sink, Drain & Tub Wrenches

Item #

Description Weight lbs kg



T-handle Seat Wrench

T-handle design for added leverage. Includes both 6-step & tapered faucet seat wrench bits with the extra bit stored in the molded handle. Magnetic stem secures the bit during use. Heat treated bits. Bright nickel finish.

3865	0.45	0.21
3865	0.45	0.



DrainKey™

Expanding design allows The Drain Key to internally grip in a 360° pattern. Expands with a crescent wrench to unlock or install: Bathtub Drains, 1-¼" or 1-½" closet spuds, duplex strainers, jr. duo strainers, jr. basket strainers and tray plug drains. Instructions on package. A professional tool that expands inside the drain with 3 knurled steel 'shoes,' then turns the drain out using the large nut.

04500 1.20 0.54



Tub Drain Extractor™

Remove stubborn 1-1/2" tub drains with ½" ratchet drive and extension or wrench. Unique helical knurl "bites" into the drain and will not slip, the more torque applied the more "bite" on the drain. Hardened steel design w/ gold plate finish. Patent pending design. Made in the USA



06020

Tub Drain Wrench (Dumbell Wrench)

Innovative, patented design to install and remove tub drains without scratching fine finishes. The only tool of its kind that can be turned with a 3/8" or ½" ratchet wrench and extension from either end. Will also remove or install ½" square plastic toilet seat nuts. New, stronger design tested to 100 ft. lbs. of torque.

06020 0.70 0.32

Specialty Plumbing Tools and Accessories

See the Replacement Parts Section for replacements.

		Capacity		Weight	
Item #	Description	in	mm	lbs	kg



'No Hub' Torque Wrench

Obtain the proper, leak-free seal on couplings with this T-handled wrench pre-set to 60 in.-lbs. torque. The ratchet-action tightening stops when the required torque is reached and then just clicks. Use the built- in reverse lever to loosen screws and remove couplings.

One-handed tightening in the right-hand direction. All mechanisms are sealed in the die-cast handle and lubricated for the life of the tool. Pre-set 60 in.-pounds torque • 5/16" hex drive

03705	60 inlbs.	69.13	0.84	0.38
	torque	kg-cm		



Manual DrainStick™

Quickly and easily removes hair and "goop" between drain and end of trap. Corrosion resistant nylon construction is tough and rinses easily. Angled head negotiates turns. Use over and over. No dangerous chemicals.

03819	24"	600	0.05	0.01



Mr. Thread Cleaner™

The Mr. Thread Cleaner™ removes debris and renews threads on hose taps. The Mr. Thread Cleaner™ works on any common household outdoor faucet. Hook up is easy with a 3/8" socket drive and extension or wrench. The Mr. Thread Cleaner™ is made from hardened steel and plated for long lasting durability.

05265 n/a n/a .36 .163



Drum Trap Wrench

Removes/installs threaded plugs in cleanouts.

03932	n/a	n/a	2.70	1.22	



4-Way Key

Fits stopcocks, sillcocks and valves. Heat-treated steel. Sizes $\frac{1}{4}$ " - $\frac{9}{32}$ " and $\frac{5}{16}$ " - $\frac{11}{32}$ " internal square.

03960 ¼ - 11/32 n/a 0.15 0.07



Faucet Mitts™

Snap over hard-to-turn valves for a better grip. Allows increased turning force to be applied. For use with indoor/outdoor faucet handles. Fits most 1/2" and 3/4" gate, stop, waste and boiler drain valves and sillcocks. Ideal for cold weather. Color-coded for ease of use (red=hot, blue=cold).

03997	n/a	n/a	0.11	0.05
-------	-----	-----	------	------

Specialty Plumbing Tools and Accessories

See the Replacement Parts Section for replacements.

		Сар	Capacity		Weight	
Item #	Description	in	mm	lbs	kg	



5 pc. Bolt Extractor Kit

Extract broken bolts quickly and easily. Five sizes: 1/8", ¼", 3/8", ½" and ¾". Required drill sizes are noted on the packaging. 0 29



21015

Repair water leaks around the toilet base. Unique screw-hole tabs attach securely to the wood or concrete sub-floors. Slotted for ¼" or 5/16" closet bolts. Durable epoxy powder-coated finish for corrosionresistance & durability.

21015	1/4 & 5/16 bolts	0.52	0.24



Plumbers Knife™

Durable stainless steel body with an anodized aluminum handle and a quick blade change feature that requires no tools. The blade is hidden in the handle during storage and is easily accessed with the thumb and locks safely in place. The far end contains a hardened steel reamer blade for copper and PVC tubing.

37517 n/a 0.43



Plumber's Knife Kit™

Compatible with standard reciprocating saw blades included for PVC, wood, sheetrock, copper, aluminum, and steel. Includes fold-out hardened steel reamer blade. Quick change blade feature - no tools required. Easy opening with thumb and locks securely in place for safety. Stainless steel body with anodized aluminum handle. Accepts both knife & standard reciprocating saw blades. Ergonomic design with comfortable grip.

37519	n/a	0.75	0.34

Specialty Plumbing Tools and Accessories

See the Replacement Parts Section for replacements.

		Сар	Capacity		eight
Item #	Description	in	mm	lbs	kg



Emergency Plumbing Repair Kit™

Included in this kit are 5 simple, easy-to-use products that will help you quickly and easily repair everyday household clogs, leaks and drips: Emergency Repair Tape, DrainStick™ (#03819), Sink Drain Wrench™ (#03845), Drip Stopper™ Faucet Reseater (#03790) and the Water Supply ShutOff™ Wrench (#03990). Free storage bag holds all the tools and it comes with informative "How-to" booklet.

85721 1 50



Meter-Loc™

Plastic sealing device that encloses water meter coupling nuts to reduce theft of services by guarding against tampering with water service. Meter-Loc cannot be removed without being broken - a sure sign that tampering has occurred. Fits both inlet and outlet pipes for maximum protection. Available to fit most 5/8", 3/4" or 1/2" meters with 1/2" or 3/4" tail pieces.

98034

n/a

0.20

Weight

kg

lbs

n/a

0.90

Tube Working Brushes and Accessories

See the Replacement Parts Section for wheels and pins and screws.

Item #	Description
	2for1 TM 1/2 The ideal to to solderin

18012

or1TM ½" Fitting/Tube Brush

e ideal tool for preparing tubing and fittings prior soldering. Cleans I.D. and O.D. of tubing or fittings fast and effectively. Long lasting stainless steel bristles will not contaminate solder joints. Handle protects brush when not in use. For ½" tubing.

0.16 0.07



2for1™ ¾" Fitting/Tube Brush

The ideal tool for preparing tubing and fittings prior to soldering. Cleans I.D. and O.D. of tubing or fittings fast and effectively. Long lasting stainless steel bristles will not contaminate solder joints. Handle protects brush when not in use. For 34" tubing.

0.17 0.08



Abrasive Cloth Mini Strips Assortment

Two strips each of 6 different grades of waterproof and water resistant abrasive cloth. Perfect for cleaning, deoxidizing, brightening and scoring metal, plastic tubing and fittings prior to soldering or joining.

18570 0.13 0.06



Tube Working Brushes and Accessories See the Replacement Parts Section for wheels and pins and screws. Weight Description Item # lbs kg 1/2" Stainless Steel Heavy Duty Fitting Brush Will not rust—substantially out-performs standard fitting brushes. Double stem (4 wire) double-spiral 18612 construction. Long lasting stainless steel bristles will not contaminate solder joints. Spark-proof: made from 300 series stainless steel that meets MIL and ASTM specifications where a spark-proof brush is specified (oxygen and similar explosive gas atmospheres). The ASTM Spec has been approved for use by agencies of the US Department of Defense (MIL SPEC). 18612 0.13 0.06

Replacement Parts

Tube Working Brushes and Accessories See the Replacement Parts Section for wheels and pins and screws. Weight Item # Description lbs kg 34" Stainless Steel Heavy Duty **Fitting Brush** Will not rust—substantially out-performs standard fitting brushes. Double stem (4 wire) double-spiral construction. Long lasting stainless steel bristles will not contaminate solder joints. Spark-proof: made from 300 series stainless steel that meets MIL and ASTM specifications where a spark-proof brush is specified (oxygen and similar explosive gas atmospheres). The ASTM Spec has been approved for use by agencies of the US Department of Defense (MIL SPEC). 18634 **Deburring Tool** Quickest way to remove burrs and sharp edges after cutting and drilling operations on copper, brass, aluminum and mild steel. Swivel action of blade removes internal or external burrs easily & quickly. Comes with 2 hardened steel blades stored in the handle. Replacement cutter blade #42424 18850 0.13 1/2" Power Tube Cleaning Brush Ideal for projects requiring a number of soldered or brazed fittings. Can be used with regular key chucks, chuck adapters and keyless chucks. Power tube cleaning brush for ½" tubing, 1/4" hex shank. 0.08 0.03 18912 34" Power Tube Cleaning Brush Ideal for projects requiring a number of soldered or brazed fittings. Can be used with regular key chucks, chuck adapters and keyless chucks. Power tube cleaning brush for 34" tubing. 1/4" hex shank. 18934 18934 4-in-1 Fitting and Tube Brush Designed to do the job of 4 brushes. For 1/2" and 3/4" tubing I.D. and O.D. makes cleaning tubing and fittings prior to soldering easy and effective. Ensures proper surface preparation and a good solder joint. 99643 Long lasting stainless steel bristles will not contaminate solder joints. Replacement brushes #99012 (1/2") &# 99034 (3/4")

0 18

0 08

99643

	rking Brushes and Acces acement Parts Section for wheels and		
		We	ight
Item #	Description	lbs	kg
99645	Brass and Steel Utility For cleaning and polishing I Ideal for removing dirt and and fittings. Long-lasting st bristles will not contaminat ing. A handy tool for hundre the home, shopfloor, as wel	nard-to-get-at su corrosion from th ainless steel and e prior to solder c eds of jobs in and	reads brass or weld- around
	99645	0.13	0.06

Call Customer Service for more information 800-969-3334 • 216-398-8600

Replacement	Parts		
		We	ight
Item #	Description (Application)	lbs	kg
	Replacement -Blade for #37 (PVC Saw) Quick and easy to replace.	7513	0.18
37613	3/013	0.40	0.10
37701	Replacement Blades for #3: Hacksaw) Pack of 10	7700 (Mi	ni
	37701	0.11	0.05
11	Replacement Blades for #18 (Deburring Tool) Pack of 2	8850	
42424	42424	0.01	0.01
6	Replacement Blade for #37' (PVC Cutter) Stainless Steel	100	
42770	42770	0.10	0.04
03	Replacement Blade for #37' (2½" PVC Cutter) Hardened Alloy Steel	115	
42771	42771	0.47	0.21
	Replacement Blade for #379 (Internal PVC Saw) Hardened Alloy Steel	516	
47520	47520	0.05	0.03

Replacement F	'arts			
		We	ight	
Item #	Description (Application)	lbs	kg	
4	Pipe Vise Upper Jaw			
	85816	0.08	0.04	
85816				
	Pipe Vise Lower Jaws			
85817	85817	0.06	0.03	
*	1/2" Replacement Brushes for (4-in-1 Fitting and Tube Brush 2 brushes included: 1 outer and 1 in	sh)	3	
99012	99012	0.03	0.01	
*	3/4" Replacement Brushes for ##99643 (4-in-1 Fitting and Tube Brush) 2 brushes included: 1 outer and 1 inner brush			
99034	99034	0.03	0.01	

Whe	els for Cutting Metal	0	0
		Weig	ht
Item #	Description (Application)	lbs	kg
42135	Replacement Cutter Wheels (Cu, Al, Steel) (For Use on Model 36000)	0.84	0.36
42215	Replacement Cutter Wheels (Iron & Steel Pipe)	0.15	0.07
	(For Use on Model 02802)		
42348	Replacement Cutter Wheels (Cu, Iron, Steel)	0.08	.04
	(For Use on Models 36877 & 36878)		
42525	Replacement Cutter Wheels (Cu, Al, Steel)	0.08	0.04
	(For Use on Models 35025, 35030 & 35078)		
42526	Replacement Cutter Wheels (Cu, Al, Steel)	0.08	0.04
	(For Use on Models 35012 & 35034)		
42835	Replacement Cutter Wheels (Cu, Al, Brass)	0.08	0.04
	(For Use on Models 35180, 35219, 35236, 35238, 3 35278)	5247, 3527	5 &
42837	Stainless Steel Cutter Wheel (Stainless Steel) *1 wheel per pack	0.08	0.04
	(For Use on Models 35180, 35219, 35236, 35238, 3	5247 & 352	275)

Whee	Is for Cutting PVC & Plastic	•	P
		We	ight
Item #	Description (Application)	lbs	kg
42349	Replacement Cutter Wheels (PVC, CPVC, A	ABS)	
	(For Use on Models 36878 & 36879)	0.07	0.03
42836	Replacement Cutter Wheels (PVC, CPVC, A	BS)	
	(For Use on Models 35180, 35219, 35235, 35236, 35247, 35238, 35275 & 35278)	0.07	0.03
47520	Replacement Cutter Wheels (PVC, CPVC, A	BS)	
	(For Use on Model 37516)	0.07	0.03

Cutte	Cutter Wheel Retention Pins & Screws				
		We	ight		
Item#	Description (Application)	lbs	kg		
43343	Cutter Wheel Retention Pin	0.07	0.03		
	(For Use on Model 02802)				
43430	Cutter Wheel Screw	0.07	0.03		
	(For Use on Model 35219)				
43187	Cutter Wheel Screw	0.07	0.03		
	(For Use on Models 35025, 35030, 35078, 351 35247, 35275)	80, 35236,	35238,		
43232	Cutter Wheel Screw	0.07	0.03		
	(For Use on Models 36878, 36879)				

<u>Assortments</u>

Pipe Wrench Parts



		Weight	
Item #	Description	lbs	kg
05308	8" Hook Jaw	0.27	0.12
05310	10" Hook Jaw	0.53	0.24
05314	14" Hook Jaw	0.98	0.44
05318	18" Hook Jaw	1.58	0.72
05324	24" Hook Jaw	2.23	1.01
05336	36" Hook Jaw	4.45	2.02
05348	48" Hook Jaw	7.56	3.43
05408	8" Heel Jaw & Pin	0.27	0.12
05410	10" Heel Jaw & Pin	0.27	0.12
05414	14" Heel Jaw & Pin	0.27	0.12
05418	18" Heel Jaw & Pin	0.27	0.12
05424	24" Heel Jaw & Pin	0.32	0.15
05436	36" Heel Jaw & Pin	0.63	0.29
05448	48" Heel Jaw & Pin	0.72	0.33
05508	8" Nut	0.27	0.12
05510	10" Nut	0.27	0.12
05514	14" Nut	0.27	0.12
05518	18" Nut	0.28	0.13
05524	24" Nut	0.32	0.15
05536	36" Nut	0.53	0.24
05548	48" Nut	0.85	0.36
05608	8" Coil & Flat Spring	0.10	0.05

Pipe Wrench Parts



		Weight	
Item #	Description	lbs	kg
05610	10" Coil & Flat Spring	0.10	0.05
05614	14" Coil & Flat Spring	0.10	0.05
05618	18" Coil & Flat Spring	0.12	0.05
05624	24" Coil & Flat Spring	0.13	0.06
05636	36" Coil & Flat Spring	0.20	0.09
05648	48" Coil & Flat Spring	0.23	0.10

Replacement NPT Dies for Hand Ratchet Threaders



For use with Superior loois. Pipe Die Heads.					
	Number	Weight			
Description	of Dies	lbs	kg		
1/4" NPT Dies	set of 4	0.20	0.09		
3/8" NPT Dies	set of 4	0.20	0.09		
½" NPT Dies	set of 4	0.20	0.09		
¾" NPT Dies	set of 4	0.20	0.09		
1" NPT Dies	set of 4	0.30	0.14		
1¼" NPT Dies	set of 4	0.30	0.14		
1½" NPT Dies	set of 4	0.50	0.23		
	Description 1/4" NPT Dies 3/8" NPT Dies 1/2" NPT Dies 1" NPT Dies 1" NPT Dies 11/4" NPT Dies	Description of Dies 1/4" NPT Dies set of 4 3/8" NPT Dies set of 4 1/2" NPT Dies set of 4 3/4" NPT Dies set of 4 1" NPT Dies set of 4 1" NPT Dies set of 4 11/4" NPT Dies set of 4	Number of Dies Number of Dies Ibs		

















High Quality Products

Superior Tool pipe working and plumbing tools are engineered and manufactured from the highest quality materials to meet or exceed all industry standards. Our innovative products save time and eliminate problems, making every piping and plumbing job easier.

Lifetime Guarantee

We guarantee our tools will last a lifetime.

Outstanding Value

And, in addition, our tools represent a great value... fair pricing and high quality. Check us out for yourself.

No Barriers To Buy®

We thank you for allowing us to become your trusted source for pipe working and plumbing tools. Our promise to both distributors and end-users is "No Barriers To Buy®."

What does this mean to you?

If a product is somehow not on a distributor's shelf, we will ship it out immediately:

- No minimum order requirement
- Freight will always be pre-paid (phone orders will be charged \$3.95)

You can get as many or as few tools as you need. Everything we do is geared towards offering our customers outstanding service.

Accurate, Timely Order Fulfillment

We employ state-of-the-art electronic communication, including EDI, to ensure accurate processing and timely delivery of your order

Total Support and Experience

Questions about setting up special programs for all sorts of customers from distributors to union locals? Superior Tool has been manufacturing and selling plumbing tools in the U.S. for over 70 years since 1946.

You can call our toll free help line from anywhere in the U.S. or Canada, Monday - Friday, 8:00 am - 5:00 pm EST. We can also be contacted on the Internet at www.superiortool.com.

Contact Us:

P: 216.251.3334

P: 800-969-3334 (Toll Free in U.S. or Canada)

F: 216.251.7778

sales@superiortool.com

Magna Industries, Inc. Superior Tool Division 2233 West 110th Street Cleveland, OH 44102

Toll Free (U.S. and Canada): 800-969-3334

P: 216-251-3334 • F: 216-251-7778