

Index

Drywall to Metal	4
● Scavenger head fine thread – drywall to light gauge metal attachment	4
● Bugle head fine thread – drywall to light gauge metal attachment	4
● Scavenger head drill point screws – drywall to heavy gauge metal attachment	4
● Bugle head drill point – drywall to heavy gauge metal attachment	4
Drywall to Wood	5
● Scavenger head coarse thread – drywall to wood attachment	5
● Bugle head coarse thread screws – drywall to wood attachment	5
● Bugle head coarse thread screws – drywall to exterior wood attachment	5
● Bugle head laminator screws – drywall to drywall attachment	5
Light Gauge Metal Framing	6
● Pan head Vector [™] point – metal to metal attachment	6
● Pan head Vector [™] thread – metal to metal attachment	6
● Wafer head sharp point – metal to metal attachment	6
● Wafer head fine thread – lath to wood or metal attachment	6
Metal Framing	7
● Wafer head drill point – lath to metal attachment	7
● Pan head drill point – metal to metal attachment	7
● Hex head drill point – metal framing to metal attachment	7-8
Sheathing to Wood	8
● Flat wafer head sharp point – cement sheathing to wood attachment	8
● Flat wafer head drill point – high density sheathing to wood attachment	8
● Flat wafer head LOX winged drill point – high density sheathing to metal attachment	8
Sheathing to Wood	8-9
● Flat wafer head drill point – high density sheathing to metal attachment	9
Sheathing to Light Gauge Metal	9
● Flat head PLYLITE [®] – plywood to light gauge metal fastener	9
Sheathing to Heavy Gauge Metal	9-10
● Wafer head winged pilot point – plywood sheathing to metal attachment	9
● Wafer head pilot drill point – plywood to metal attachment	9
● Wafer head winged drill point – plywood to metal attachment	9
● Flat head drill point – plywood to steel joist attachment	10
● Flat head winged drill point – plywood to metal attachment	10
Wood to Wood or Metal	10
● Trim head sharp point – wood to metal or wood attachment	10
● Trim head drill point – wood to metal or wood attachment	10
● Flat head woody – general interior wood construction	10
● Flat head woody – exterior deck and fence wood construction	10
Interior Wood to Wood	11
● Pan head cabinet screws – cabinets and general wood construction	11
Specialty Stainless Steel Screws	11-12
● Flat head coarse thread – deck and fence attachment	11
● Bugle head coarse thread – general wood to wood attachment	11
● Flat head coarse thread – deck and fence attachment	11
● Trim head fine thread Streaker [®] – trim to wood or metal attachment	12
Wood to Wood Framing	12
● Hex head Lag-Master [™] – general wood to wood attachment	12
● Flat head star Tie-Master [™] shank – timber attachment	12
Drywall Nails	13
SuperDrive[®]	14-17
SuperDrive tools	14-15
Collated application chart for SuperDrive	16-17
Acoustical Products	18
Eye-lag screws – hanger wire attachment	18
Eye-lag adapter – ceiling attachment	18
Eye-lag poles – ceiling attachment	18
CB Clips	18

Bits and Bit Holders	19
Abrasives	20
Grabber Rocker[®] Screw Drivers	20
Ramset[®] Fastening Systems	21-24
Nitroset[™] Fastening System	25
Precision Lasers	26
Coatings and Finishes	27

About Grabber

GRABBER is a leading distributor of quality products built for construction professionals. For contractors quality is everything. Products must be 100% reliable and durable to meet the demands of an increasingly fast-paced and productivity-minded profession.

The construction industry rewards innovations that achieve real gains in efficiency, performance, and job quality. All GRABBER products must meet this high standard of excellence. Grabber engineers its fastener products to be superior to all other products in their class.

Grabber's core line of products include fasteners for a variety of wood, metal, and drywall applications. GRABBER fasteners are regarded as the best in the industry, punctuated by the fact that its competitors have had to duplicate Grabber fastener designs. GRABBER also distributes many other product lines for the commercial and residential construction industries as well, including proprietary construction equipment, drywall tools and materials, power drives, adhesives, and accessories.



Grabber Fastener Applications

Grabber has you covered

Grabber's extensive line of professional grade fasteners cover just about every fastener need in residential and commercial construction applications.

- Interior Grade Screws
- Exterior Grade Screws
- Light Gauge Metal Screws
- Heavy Gauge Metal Screws
- Stainless Steel Screws
- Cement Board Screws





Drywall to Metal

Scavenger® Head Streaker®

LIGHT GAUGE METAL Drywall



Attaches gypsum board to 25-20 ga. steel. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Fine thread
- No. 2 Phillips
- Gray phosphate

Unique Scavenger® head

Grabber's unique Scavenger® head screws drive cleanly into drywall helping to reduce or eliminate paper burrs. As typical drywall screws are driven they tend to leave behind paper burrs. These paper burrs require more mud to cover and more sanding and finishing time, resulting in lost time and higher labor costs.

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
168S	6 x 1-in	28-lb	10M	SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
268S	6 x 1-1/8-in	32-lb	10M	SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
368S	6 x 1-1/4-in	30-lb	8M	SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
468S	6 x 1-5/8-in	22-lb	5M	SCAVENGER HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE

TYPICAL



SCAVENGER®



Bugle Head Streaker®

LIGHT GAUGE METAL Drywall



Attaches gypsum board to wood or 25-20 ga. steel. Standard bugle head.

- Bugle head
- Fine thread
- No. 2 Phillips
- Gray phosphate



PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
168	6 x 1-in	29-lb	10M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
268	6 x 1-1/8-in	32-lb	10M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
368	6 x 1-1/4-in	30-lb	8M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
468	6 x 1-5/8-in	22-lb	5M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
768	6 x 2-in	22-lb	3.5M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
868	7 x 2-1/4-in	20-lb	3M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
968	8 x 2-1/2-in	20-lb	2.5M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
1168	8 x 3-in	22-lb	2M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
1268	10 x 3-1/2-in	17-lb	1M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
1368	10 x 4-in	21-lb	1M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
1568	10 x 5-in	24-lb	1M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE
1768	10 x 6-in	28-lb	1M	BUGLE HEAD, #2PHIL, FINE THREAD, GRAY PHOSPHATE

LIGHT GAUGE METAL Drywall



Attaches gypsum board to wood or 25-20 ga. steel. Standard bugle head.

- Bugle head
- Fine thread
- No. 2 Phillips
- Clear Zinc



PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
168Z	6 x 1-in	29-lb	10M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC
268Z	6 x 1-1/8-in	32-lb	10M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC
368Z	6 x 1-1/4-in	30-lb	8M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC
468Z	6 x 1-5/8-in	22-lb	5M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC
768Z	6 x 2-in	22-lb	3.5M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC
968Z	8 x 2-1/2-in	20-lb	2.5M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC
1168Z	8 x 3-in	22-lb	2M	BUGLE HEAD, #2PHIL, FINE THREAD, CLEAR ZINC

Scavenger® Head Driller

HEAVY GAUGE METAL Drywall



Attaches gypsum, insulation board, wood, etc. to metal studs 20-14 ga. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Drill point
- No. 2 Phillips
- Gray phosphate

Unique Scavenger® head



PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
135	6 x 1-in	33-lb	10M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
135S	6 x 1-1/8-in	37-lb	10M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
145	6 x 1-1/4-in	33-lb	8M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
155	6 x 1-5/8-in	22-lb	5M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
165	6 x 1-7/8-in	26-lb	4M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
305S	8 x 2-3/8-in	28-lb	3M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
30MS	8 x 2-5/8-in	20-lb	2M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE
30LS	8 x 3-in	22-lb	2M	SCAVENGER HEAD, DRILL POINT, #2PHIL, PHOSPHATE

HEAVY GAUGE METAL Drywall



Attaches gypsum, insulation board, wood, etc. to metal studs 20-14 ga. Unique Scavenger® head helps reduce paper burrs.

- Scavenger® head
- Drill point
- No. 2 Phillips
- Clear zinc



PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
135Z	6 x 1-in	33-lb	10M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
135SZ	6 x 1-1/8-in	37-lb	10M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
145Z	6 x 1-1/4-in	33-lb	8M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
155Z	6 x 1-5/8-in	22-lb	5M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
165Z	6 x 1-7/8-in	26-lb	4M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
305SZ	8 x 2-3/8-in	28-lb	3M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
30MSZ	8 x 2-5/8-in	20-lb	2M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
30LSZ	8 x 3-in	22-lb	2M	SCAVENGER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC

Bugle Head Driller

HEAVY GAUGE METAL Sheathing



Attaches sheathing, insulation board, wood, etc. to metal studs 20-14 ga. Standard bugle head.

- Bugle head
- Drill point
- No. 2 Phillips
- GrabberGard® gray



PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
14RG	6 x 1-1/4-in	33-lb	8M	BUGAL HEAD, DRILL POINT, #2PHIL, GRABBERGARD
15RG	6 x 1-5/8-in	22-lb	5M	BUGAL HEAD, DRILL POINT, #2PHIL, GRABBERGARD
16RG	6 x 1-7/8-in	26-lb	4M	BUGAL HEAD, DRILL POINT, #2PHIL, GRABBERGARD
30SRG	8 x 2-3/8-in	28-lb	3M	BUGAL HEAD, DRILL POINT, #2PHIL, GRABBERGARD
30MRG	8 x 2-5/8-in	20-lb	2M	BUGAL HEAD, DRILL POINT, #2PHIL, GRABBERGARD
30LRG	8 x 3-in	22-lb	2M	BUGAL HEAD, DRILL POINT, #2PHIL, GRABBERGARD



Drywall to Wood

Scavenger[®] Head Grabber[®]



Unique Scavenger[®] head

► Reduces paper burrs

INTERIOR WOOD Drywall

Attaches gypsum board to wood. Unique Scavenger[®] head helps reduce paper burrs.

- Scavenger[®] head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
108	6 x 1-in	28-lb	10M	SCAVENGER HEAD, COURSE THREAD, #2PHIL, GRAY PHOSPHATE
208	6 x 1-1/8-in	32-lb	10M	SCAVENGER HEAD, COURSE THREAD, #2PHIL, GRAY PHOSPHATE
308	6 x 1-1/4-in	30-lb	8M	SCAVENGER HEAD, COURSE THREAD, #2PHIL, GRAY PHOSPHATE
408	6 x 1-5/8-in	22-lb	5M	SCAVENGER HEAD, COURSE THREAD, #2PHIL, GRAY PHOSPHATE
508	7 x 2-in	21-lb	3.5M	SCAVENGER HEAD, COURSE THREAD, #2PHIL, GRAY PHOSPHATE

Bugle Head GRABBER[®]



INTERIOR WOOD Drywall

Attaches gypsum board and wood to wood. Extra sharp point and threads make driving easier and provide better holding power.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
100	6 x 1-in	29-lb	10M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
200	6 x 1-1/8-in	32-lb	10M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
300	6 x 1-1/4-in	33-lb	8M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
400	6 x 1-5/8-in	22-lb	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
500	7 x 2-in	21-lb	3.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
600	7 x 2-1/4-in	20-lb	3M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
900	8 x 2-1/2-in	25-lb	2.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
1100	8 x 3-in	22-lb	2M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
1200	10 x 3-1/2-in	17-lb	1M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE
1300	10 x 4-in	20-lb	1M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE



INTERIOR WOOD General

Ideal for general purpose interior soft wood to wood applications. Extra sharp point and threads make driving easier and provide better holding power.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Yellow zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
100YZ	6 x 1-in	30-lb	10M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
300YZ	6 x 1-1/4-in	33-lb	8M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
400YZ	6 x 1-5/8-in	22-lb	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
500YZ	7 x 2-in	21-lb	3.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
600YZ	7 x 2-1/4-in	20-lb	3M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
900YZ	8 x 2-1/2-in	25-lb	2.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
1100YZ	8 x 3-in	22-lb	2M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
1200YZ	10 x 3-1/2-in	30-lb	1.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC
1300YZ	10 x 4-in	30-lb	1.M	BUGLE HEAD, #2PHIL, COARSE THREAD, YELLOW ZINC



EXTERIOR WOOD General

Attaches sheathing, insulation board, wood, etc. wood. Standard bugle head.

Note: Staining may occur when using freshly cut lumber.

- Bugle head
- Coarse thread
- No. 2 Phillips
- GrabberGuard[®] gray

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
100RG	6 x 1-in	30-lb	10M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
200RG	6 x 1-1/8-in	32-lb	10M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
300RG	6 x 1-1/4-in	33-lb	8M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
400RG	6 x 1-5/8-in	22-lb	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
500RG	7 x 2-in	21-lb	3.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
600RG	7 x 2-1/4-in	20-lb	3M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
900RG	8 x 2-1/2-in	25-lb	2.5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
1100RG	8 x 3-in	22-lb	2M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
1200RG	10 x 3-1/2-in	17-lb	1M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD
1300RG	10 x 4-in	20-lb	1M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRABBERGARD

Drywall to Drywall

Bugle Head Drywall Laminator



LAMINATING Drywall

Laminates gypsum board. Heavy gauge laminator screws are also ideal for wood to wood connection.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
12	10 x 1-1/2-in	37-lb	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, GRAY PHOSPHATE

Use with Grabber drywall adhesive, item number: **GDWA**



LAMINATING Drywall

Laminates gypsum board. Heavy gauge laminator screws are also ideal for wood to wood connection.

- Bugle head
- Coarse thread
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
12Z	10 x 1-1/2-in	37-lb	5M	BUGLE HEAD, #2PHIL, COARSE THREAD, CLEAR ZIN

Use with Grabber drywall adhesive, item number: **GDWA**



Light Gauge Metal Framing

Pan Head Vector[™] Point



- ▶ Faster seating
- ▶ Sharper/steeper angle point
- ▶ Faster penetration
- ▶ Better holding power

LIGHT GAUGE METAL Framing

Pan head Vector[™] point fasteners are designed for exceptionally fast driving into 25-20 ga. steel. Unique grip-tight, high torque pan-head design.

- Pan head
- Fine thread
- Vector point
- No. 2 Phillips
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
23V	7 x 7/16-in	35-lb	15M	PAN HEAD, VECTOR THREAD, #2PHIL, PHOSPHATE



Wafer Head Vector[™] Point




- ▶ Faster seating
- ▶ Sharper/steeper angle point
- ▶ Faster penetration
- ▶ Better holding power

LIGHT GAUGE METAL Framing

Wafer head Vector[™] point fasteners are designed for exceptionally fast driving into 25-20 ga. steel. Attaches lath to light gauge metal.

- Wafer head
- Fine thread
- Vector point
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
31ZV	7 x 9/16-in	35-lb	15M	WAFER HEAD, VECTOR THREAD, #2PHIL, CLEAR ZINC



Grabber's new Vector[™] screw significantly reduces drive time and increases productivity with its much sharper and steeper-angled point compared to traditional framing fasteners. Independent testing has demonstrated that Vector[™] point screws drive up to eight times faster than IFI SAE J78 fastener penetration standards and 50% faster than competing fasteners. In a drive comparison with standard framing fasteners, the Vector[™] performed considerably better across the board in multiple drive test comparisons.

Wafer Head Streaker[®]



LIGHT GAUGE METAL Framing

Attaches metal lath to wood or to 25-20 ga. steel studs and framing.

- Wafer head
- Fine thread
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
31Z	8 x 9/16-in	37-lb	10M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
32Z	8 x 1-in	26-lb	5M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
33Z	8 x 1-1/4-in	31-lb	5M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
3138Z	8 x 1-1/2-in	21-lb	3M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
3151Z	8 x 2-in	22-lb	2.5M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC
3176Z	8 x 3-in	12-lb	1M	WAFER HEAD, FINE THREAD, #2PHIL, CLEAR ZINC

LIGHT GAUGE METAL Framing

Attaches metal lath to wood or to 25-20 ga. steel studs and framing.

- Wafer head
- Fine thread
- No. 2 Phillips
- GrabberGard[®] gray

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
31RG	8 x 9/16-in	37-lb	10M	WAFER HEAD, FINE THREAD, #2PHIL, GRABBERGARD
32RG	8 x 1-in	26-lb	5M	WAFER HEAD, FINE THREAD, #2PHIL, GRABBERGARD
33RG	8 x 1-1/4-in	31-lb	5M	WAFER HEAD, FINE THREAD, #2PHIL, GRABBERGARD





Metal Framing

Wafer Head Driller



Grabber's SuperPoint[™] premium lathing and framing fasteners feature sharper threads and drill points and are designed to meet the most demanding metal framing applications.

HEAVY GAUGE METAL Framing

Attaches metal lath to 20-14 ga. steel studs and framing.

- Wafer head
- Drill point
- No. 2 Phillips
- Clear zinc

Note:
Super Point Type 3 Available in bulk.
Part numbers: 234Z, 235Z, 236Z, 237Z, and 239Z

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
34Z	8 x 1/2-in	27-lb	10M	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
35Z	8 x 1-in	27-lb	5M	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
36Z	8 x 1-1/4-in	32-lb	5M	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
37Z	8 x 1 5/8-in	32-lb	4M	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
39Z	8 x 3-in	31-lb	1M	WAFER HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
234Z	8 x 1/2-in	27-lb	10M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC
235Z	8 x 1-in	27-lb	5M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC
236Z	8 x 1-1/4-in	32-lb	5M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC
238Z	8 x 2-1/2-in	31-lb	2.5M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC
234Z10CW	10 x 3/4-in	34-lb	5M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC
236Z10CW	10 x 1-1/4-in	34-lb	5M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC
234Z12CW	12 x 3/4-in	34-lb	5M	WAFER HEAD, SUPER POINT, #2PHIL, CLEAR ZINC

Pan Head Driller



HEAVY GAUGE METAL Framing

Framing screw for 20-14 ga.

- Pan head
- Drill point
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
19Z	6 x 7/16-in	38-lb	15M	PAN HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
20Z	8 x 1/2-in	33-lb	10M	PAN HEAD, DRILL POINT, #2PHIL, CLEAR ZINC
10058P3	10 x 5/8-in	38-lb	7.5M	PAN HEAD, DRILL POINT, #3 PHIL, CLEAR ZINC

HEAVY GAUGE METAL Framing

Framing screw for 20-14 ga.

- Pan head
- Drill point
- No. 2 Phillips
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
19	6 x 7/16-in	38-lb	15M	PAN HEAD, DRILL POINT, #2PHIL, BLACK PHOSPHATE

Heavy Gauge Metal Framing - Self Drilling Screws

Flat Pan Head Driller



HEAVY GAUGE METAL Framing

Flat pan head drill point fasteners designed for attaching 20-14 ga. steel. LOX recess for better driving performance. Unique grip-tight, high torque pan head design.

- Pan head
- Drill point
- No. 2 LOX[®]
- Yellow zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
FP101875LYZ	10-18 x 3/4-in	42-lb	8M	FLAT PAN HEAD, LOX 2, YELLOW ZINC
FP102275LYZ	10-22 x 3/4-in	44-lb	8M	FLAT PAN HEAD, LOX 2, YELLOW ZINC

Flat Pan Head Driller



HEAVY GAUGE METAL Framing

Flat pan head drill point fasteners designed for attaching 20-14 ga. steel. LOX recess for better driving performance. Unique grip-tight, high torque pan head design.

- Pan head
- Drill point
- No. 2 LOX[®]
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
FP121878JBWZ	12-18 x 7/8-in	44-lb	6M	FLAT PAN HEAD, LOX 2, CLEAR ZINC
SP121251BWZ	12-18 x 1-1/4-in	44-lb	3.5M	FLAT PAN HEAD, LOX 2, CLEAR ZINC

Hex Head Streaker[®]



LIGHT GAUGE METAL Framing

High-torque washer head for fast framing and sheet metal work in 25-20 ga. Use 1/4-in nut setter.

- Hex head
- Fine thread
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
25Z	8 x 9/16-in	33-lb	10M	HEX HEAD, FINE THREAD, CLEAR ZINC

Hex Head Driller



HEAVY GAUGE METAL Framing

Attaches fixtures, backup plates, door frames and lathers channel to structural studs, metal checks, etc. in 20-14 ga.

- Hex head
- Drill point
- GrabberGard

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
10075H3RG	10 x 3/4-in	34-lb	5M	12 GAUGE HEX HEAD DRILLER, GRABBERGARD
12075H3RG	12 x 1-1/2-in	35-lb	3.5M	12 GAUGE HEX HEAD DRILLER, GRABBERGARD
1224150H4RG	12-24 x 1-1/2-in	33-lb	2.5M	12 GAUGE HEX HEAD DRILLER, GRABBERGARD
1224200H4RG	12-24 x 2-in	36-lb	2M	12 GAUGE HEX HEAD DRILLER, GRABBERGARD



Hex Head Driller



HEAVY GAUGE METAL General

Attaches fixtures, backup plates, door frames and lathers channel to structural studs in 20-14 ga.

- Hex head
- Drill point
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
08050H3	8 x 1/2-in	37-lb	10M	8 GAUGE HEX HEAD DRILLER, CLEAR ZINC
08058H3	8 x 5/8-in	37-lb	10M	8 GAUGE HEX HEAD DRILLER, CLEAR ZINC
08075H3	8 x 3/4-in	42lb	10M	8 GAUGE HEX HEAD DRILLER, CLEAR ZINC
08100H3	8 x 1-in	38-lb	7.5M	8 GAUGE HEX HEAD DRILLER, CLEAR ZINC
08125H3	8 x 1-1/4-in	35-lb	5M	8 GAUGE HEX HEAD DRILLER, CLEAR ZINC
08200H3	8 x 2-in	33-lb	3M	8 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10050H3	10 x 1/2-in	34-lb	5M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10058H3	10 x 5/8-in	41-lb	7.5M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10075H3	10 x 3/4-in	30-lb	5M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10100H3	10 x 1-in	37-lb	5M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10125H3	10 x 1-1/4-in	33-lb	5M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10150H3	10 x 1-1/2-in	35-lb	3.5M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
10200H3	10 x 2-in	31-lb	3M	10 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12075H3	12 x 3/4-in	40-lb	5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12100H3	12 x 1-in	40-lb	3.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12125H3	12 x 1-1/4-in	34-lb	3.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12150H3	12 x 1-1/2-in	35-lb	3.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12200H3	12 x 2-in	32-lb	3.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12250H3	12 x 2-1/2-in	30-lb	1.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12300H3	12 x 3-in	22-lb	1M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
12350H3	12 x 3-1/2-in	21-lb	1M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14075H3	14 x 3/4-in	61-lb	5M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14100H3	14 x 1-in	52-lb	3.5M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14125H3	14 x 1-1/4-in	35-lb	2M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14150H3	14 x 1-1/2-in	33-lb	2M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14200H3	14 x 2-in	34-lb	1.5M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14250H3	14 x 2-1/2-in	33-lb	2M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14300H3	14 x 3-in	22-lb	2M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
14400H4	14 x 4-in	21-lb	.5M	14 GAUGE HEX HEAD DRILLER, CLEAR ZINC
122478H4	12 x 7/8-in	50-lb	3.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC
1224125H4	12 x 1-1/4-in	50-lb	3.5M	12 GAUGE HEX HEAD DRILLER, CLEAR ZINC

HYDROGEN EMBRITTELEMENT



Grabber's 10, 12 & 14 gauge zinc-plated drill point fasteners are manufactured in ISO 9002 factories, plated as prescribed in the ASTM F1941-10 Standard Specification for Electrodeposited Coatings on

threaded fasteners, and post-plating baked according to the process articulated in SAE AMS 2759/9, Hydrogen Embrittlement Relief (Baking) of Steel Parts, Section 3.3.3.1, and SAE J78, which calls for a four-hour minimum time (the duration between the end of acid exposure and the beginning of the heating cycle in the baking furnace) for baking out entrapped hydrogen after acid treating the parts. The baking process may take from 3 to 23 hours at 375° to 425°, depending on the materials used and the platings or finishes applied.

Grabber's 10, 12 & 14 gauge drill point fasteners are also tested for hydrogen embrittlement by benchmarks outlined in ASME B18.6.4, section 2.9.1.4, Hydrogen Embrittlement Test, and the SAE J78 4.4.1 Hydrogen Embrittlement Test Criteria, under protocols articulated in ASME B18.18.2 Inspection and Quality Assurance for High-Volume Machine Assembly Fasteners.

Sheathing to Wood, Light or Heavy Gauge Metal

Flat Wafer Head



CEMENT BOARD Sheathing

Attaches cement board to light gauge metal (25-20 ga.) or wood. Features a .40 diameter head and GrabberGard® exterior coating.

- Flat wafer head
- Alternating thread
- No. 2 Phillips
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
GC8B125HL	8 x 1-1/4-in	37-lb	5M	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
GC8B158HL	8 x 1-5/8-in	31-lb	4M	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD
GC8B238HL	8 x 2-3/8-in	31-lb	2M	FLAT WAFER HEAD, ALT THREAD, #2PHIL, GRABBERGARD

Flat Wafer Head



CEMENT BOARD Sheathing

Attaches cement board to steel. Features a .40 diameter head and GrabberGard® exterior coating.

- Flat wafer head
- Drill point
- No. 2 Phillips
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
GC8B125SD	8 x 1-1/4-in	5M	29-lb	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD
GC8B158SD	8 x 1-5/8-in	4M	29-lb	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD
GC8B238SD	8 x 2-3/8-in	3M	29-lb	FLAT WAFER HEAD, SELF DRILL, #2PHIL, GRABBERGARD

Flat Wafer Head



HIGH DENSITY Sheathing

Attaches high density sheathing to light gauge metal (25-20 ga.) or wood. Features .375 diameter head and GrabberGard® exterior coating.

- Flat wafer head
- Fine thread
- No. 2 LOX®
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
GHS8114LG	8 x 1-1/4-in	5M	26-lb	FLAT WAFER HEAD, FINE THREAD, #2LOX, GRABBERGARD
GHS8158LG	8 x 1-5/8-in	4M	29-lb	FLAT WAFER HEAD, FINE THREAD, #2LOX, GRABBERGARD
GHS8238LG	8 x 2-3/8-in	3M	27-lb	FLAT WAFER HEAD, FINE THREAD, #2LOX, GRABBERGARD

Flat Wafer Head



HIGH DENSITY Sheathing

Attaches high density sheathing and fiber cement vertical siding to heavy gauge metal. Features a .375 diameter head and GrabberGard® exterior coating.

- Flat wafer head
- Winged drill point
- No. 2 LOX®
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
GH8114LG	8 x 1-1/4-in	5M	26-lb	FLAT WAFER HEAD, WINGED DRILLER, #2LOX, GRABBERGARD
GH8158LG	8 x 1-5/8-in	4M	25-lb	FLAT WAFER HEAD, WINGED DRILLER, #2LOX, GRABBERGARD
GH8238LG	8 x 2-3/8-in	3M	31-lb	FLAT WAFER HEAD, WINGED DRILLER, #2LOX, GRABBERGARD



Flat Wafer Head Winged Driller

HIGH DENSITY Sheathing



Attaches high density sheathing to steel. Features a .375 diameter head and GrabberGard® exterior coating.

- Flat wafer head
- Winged drill point
- No. 2 Phillips
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
8125SDW	8 x 1-1/4-in	27-lb	5M	FLAT WAFER HEAD, WINGED DRILLER, #2PHIL, GRABBERGARD
8158SDW	8 x 1-1/4-in	27-lb	4M	FLAT WAFER HEAD, WINGED DRILLER, #2PHIL, GRABBERGARD

Sheathing to Light Gauge Metal

PLYLITE® Flat Head

LIGHT GAUGE METAL Sheathing



Plylite applications:

- ▶ Plywood to 25-20 gauge steel framing
- ▶ Plywood sheathing to 22 gauge steel deck
- ▶ Dense board to light gauge steel
- ▶ Slatwall to 25-20 gauge steel studs
- ▶ OSB & FRP to 25-20 gauge steel studs

"The miracle fastener"™ Attaches and countersinks plywood to 25-20 gauge steel.

- Flat head
- Plylite® threaded point
- No. 2 Phillips
- Yellow zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
GPLY150	7 x 1-1/2-in	35-lb	7.5M	FLAT HEAD, #2 PHILLIPS RECESS, YELLOW ZINC
GPLY200	7 x 2-in	31-lb	5M	FLAT HEAD, #2 PHILLIPS RECESS, YELLOW ZINC
GPLY275	7 x 2-3/4-in	25-lb	7.5M	FLAT HEAD, #2 PHILLIPS RECESS, YELLOW ZINC

Sheathing to Heavy Gauge Metal

Wafer Head Winged Pilot Point

HEAVY GAUGE METAL Sheathing



Attaches 3/16-in to 3/4-in plywood to 20-14 gauge metal.

- Thin wafer head
- No. 3 winged drill point
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
101716W3	10 x 1-7/16-in	39-lb	4M	WAFER HEAD WINGED 3PT DRILLER, #2PHIL, CLEAR ZINC

HEAVY GAUGE METAL Sheathing



Attaches 3/16-in to 3/4-in plywood to 20-14 gauge metal.

- Thin wafer head
- No. 3 winged drill point
- No. 2 Phillips
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
101716W3RG	10 x 1-7/16-in	39-lb	4M	WAFER HEAD WINGED 3PT DRILLER, #2PHIL, GRABBERGARD

Wafer Head Pilot Point Driller

HEAVY GAUGE METAL Sheathing



Attaches 3/16-in to 3/4-in plywood to 14 to 20 gauge metal.

- Thin wafer head
- No. 3 pilot drill point
- No. 2 Phillips
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
101716	10 x 1-7/16-in	39-lb	4M	WAFER HEAD PILOT 3 PT DRILLER, #2PHIL, CLEAR ZINC

HEAVY GAUGE METAL Sheathing



Attaches 3/16-in to 3/4-in plywood to 14 to 20 gauge metal.

- Thin wafer head
- No. 4 winged drill point
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
10158W4	10 x 1-5/8-in	39-lb	4M	WAFER HEAD PILOT 4 PT WINGED DRILLER, #2PHIL, CLEAR ZINC

Flat Head Pilot Point Driller

HEAVY GAUGE METAL Sheathing




Attaches 3/8-in to 1-in plywood to steel joist 20-14 gauge.

- Flat head
- No. 3 pilot drill point
- No. 2 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
P8516F3	8 x 1-5/16-in	30lb	6M	FLAT HEAD PILOT POINT DRILLER, 3 PT, #2PHIL, CLEAR ZINC
P81516F3	8 x 1-15/16-in	31lb	4M	FLAT HEAD PILOT POINT DRILLER, 3 PT, #2PHIL, CLEAR ZINC



Flat Head Winged Driller



HEAVY GAUGE METAL Sheathing

Attaches 1-in or thicker, plywood to 14-8 gauge metal.

- Flat head
- No. 3 winged drill point
- No. 3 Phillips
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
12200FW3	12 x 2-in	33-lb	2M	FLAT HEAD WINGED DRILLER, T-3 PT, #3PHIL, CLEAR ZINC
12250FW3	12 x 2-1/2-in	30-lb	1.5M	FLAT HEAD WINGED DRILLER, T-3 PT, #3PHIL, CLEAR ZINC
14275FW3	14 x 2-3/4-in	33-lb	1M	FLAT HEAD WINGED DRILLER, T-3 PT, #3PHIL, CLEAR ZINC



HEAVY GAUGE METAL Sheathing

Attaches 1-in or thicker, plywood to 14-8 gauge metal.

- Flat head
- No. 3 winged drill point
- No. 3 Phillips
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
12200FW3RG	12 x 2-in	33-lb	2M	FLAT HEAD WINGED DRILLER, T-3 PT, #3PHIL, GRABBERGARD
12250FW3RG	12 x 2-1/2-in	30-lb	1.5M	FLAT HEAD WINGED DRILLER, T-3 PT, #3PHIL, GRABBERGARD
14275FW3RG	14 x 2-3/4-in	30-lb	1M	FLAT HEAD WINGED DRILLER, T-3 PT, #3PHIL, GRABBERGARD

Wood to Wood or Metal

Trim Head Streaker



LIGHT GAUGE METAL Trim

Attaches interior wood to light gauge metal and wood. Streaker point means quick and easy penetration while the smaller, less noticeable head provides a finished look.

- Trim head
- Type 17 point
- No. 1 square recess
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
175100	7 x 1-1-in	29-lb	10M	TRIM HEAD, FINE THREAD, #1SQ, GRAY PHOSPHATE
175	7 x 1-5/8-in	49-lb	10M	TRIM HEAD, FINE THREAD, #1SQ, GRAY PHOSPHATE
185	7 x 2-1/4-in	34-lb	5M	TRIM HEAD, FINE THREAD, #1SQ, GRAY PHOSPHATE
17576	8 x 3-in	21-lb	2M	TRIM HEAD, FINE THREAD, #1SQ, GRAY PHOSPHATE

Trim Head Driller



HEAVY GAUGE METAL Trim

Attaches wood trim over single or double layer gypsum board to 20-14 ga. steel.

- Trim head
- Drill point
- No. 1 square recess
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
175D	7 x 1-5/8-in	28-lb	5M	TRIM HEAD, DRILL POINT, #1SQ, GRAY PHOSPHATE
185D	7 x 2-1/4-in	29-lb	4M	TRIM HEAD, DRILL POINT, #1SQ, GRAY PHOSPHATE
175D76	8 x 3-in	22-lb	2M	TRIM HEAD, DRILL POINT, #1SQ, GRAY PHOSPHATE

Flat Head Wood Screws



INTERIOR WOOD General

Clear zinc coated screws for interior projects such as cabinets, paneling, furniture, wood framing, stairs, wood trim & more.

- Flat head
- Coarse thread
- No. 2 square recess
- Clear zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
78100Z	8 x 1-in	30-lb	8M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78118Z	8 x 1-1/8-in	31-lb	6M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78125Z	8 x 1-1/4-in	32-lb	6M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78150Z	8 x 1-1/2-in	31-lb	5M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78175Z	8 x 1-3/4-in	28-lb	4M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78200Z	8 x 2-in	25-lb	3M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78250Z	9 x 2-1/2-in	27-lb	2.5M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78300Z	9 x 3-in	26-lb	2M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78350Z	10 x 3-1/2-in	19-lb	1M	FLAT HEAD COARSE THREAD, CLEAR ZINC
78400Z	10 x 4-in	21-lb	1M	FLAT HEAD COARSE THREAD, CLEAR ZINC



INTERIOR WOOD General

Yellow zinc coated screws for interior projects such as cabinets, paneling, furniture, wood framing, stairs,

- Flat head
- Coarse thread
- No. 2 square recess
- Yellow zinc

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
78200YZ	8 x 2-in	25-lb	3M	FLAT HEAD COARSE THREAD, YELLOW ZINC
78250YZ	9 x 2-1/2-in	27-lb	2.5M	FLAT HEAD COARSE THREAD, YELLOW ZINC
78275YZ	9 x 2-3/4-in	27-lb	2M	FLAT HEAD COARSE THREAD, YELLOW ZINC
78300YZ	9 x 3-in	26-lb	2M	FLAT HEAD COARSE THREAD, YELLOW ZINC
78350YZ	10 x 3-1/2-in	19-lb	1M	FLAT HEAD COARSE THREAD, YELLOW ZINC



EXTERIOR WOOD General

GrabberGard exterior grade coated screws for deck and fence attachment and general exterior wood construction to wood.

- Flat head
- Coarse thread
- No. 2 square recess
- GrabberGard®

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
78125RG	8 x 1-1/4-in	32-lb	6M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78150RG	8 x 1-1/2-in	31-lb	5M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78175RG	8 x 1-3/4-in	28-lb	4M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78200RG	8 x 2-in	25-lb	3M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78250RG	9 x 2-1/2-in	27-lb	2.5M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78300RG	9 x 3-in	26-lb	2M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78350RG	10 x 3-1/2-in	19-lb	1M	FLAT HEAD COARSE THREAD, GRABBERGUARD
78400RG	10 x 4-in	21-lb	1M	FLAT HEAD COARSE THREAD, GRABBERGUARD



Interior Wood to Wood

Pan Head Cabinet Screws



INTERIOR WOOD Cabinet

Pan head screw used for joining together cabinet face frames. Type 17 point provides easy penetration and minimal expansion of material leaving a smooth flush surface.

- Pan head
- Type 17 point
- No. 2 square recess
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
902Q4	6 x 1-1/4-in	24-lb	10M	PAN HEAD STREAKER, TP17 POINT, #2 SQUARE, PHOSPHATE
902Q	6 x 1-1/2-in	44-lb	5M	PAN HEAD STREAKER, TP17 POINT, #2 SQUARE, PHOSPHATE



INTERIOR WOOD Cabinet

Pan head screw used for joining together cabinet face frames. Type 17 point provides easy penetration and minimal expansion of material leaving a smooth flush surface.

- Pan head
- Type 17 point
- No. 2 Phillips recess
- Gray phosphate

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
90-4	6 x 1-1/4-in	44-lb	10M	PAN HEAD STREAKER, TP17 POINT, #2 PHILLIPS, PHOSPHATE
90	6 x 1-1/2-in	24-lb	5M	PAN HEAD STREAKER, TP17 POINT, #2 PHILLIPS, PHOSPHATE

Stainless Steel

302 S/Steel Bugle Head Screw



302 302 stainless steel

STAINLESS STEEL Deck & Fence

302 heavy-duty 10 gauge stainless steel designed specifically for application in redwood, cedar & pressure treated lumber.

- Bugle head
- Type 17 point
- No. 2 square recess
- 302 stainless steel

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
10200SSQ	10 x 2-in	36-lb	3.5M	BUGLE HEAD WOOD SCREW, 302 S/STEEL, TP17, #2SQ
10250SSQ	10 x 2-1/2-in	26-lb	2.5M	BUGLE HEAD WOOD SCREW, 302 S/STEEL, TP17, #2SQ
10300SSQ	10 x 3-in	22-lb	2M	BUGLE HEAD WOOD SCREW, 302 S/STEEL, TP17, #2SQ



302 302 stainless steel

STAINLESS STEEL Deck & Fence

302 heavy-duty 10 gauge stainless steel designed specifically for application in redwood, cedar & pressure treated lumber.

- Bugle head
- Type 17 point
- No. 2 Phillips recess
- 302 stainless steel

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
10200SS	10 x 2-in	36-lb	3.5M	BUGLE HEAD WOOD SCREW, 302 S/STEEL, TP17, #2PHIL
10250SS	10 x 2-1/2-in	26-lb	2.5M	BUGLE HEAD WOOD SCREW, 302 S/STEEL, TP17, #2PHIL
10300SS	10 x 3-in	22-lb	2M	BUGLE HEAD WOOD SCREW, 302 S/STEEL, TP17, #2PHIL

305 Stainless Steel Flat Head



305 305 stainless steel

STAINLESS STEEL Deck & Fence

305 stainless steel flat head square drive screws designed for deck and fence fastening where additional corrosion protection is needed.

- Flat head
- Type 17 point
- No. 2 square recess
- 305 stainless steel

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
GST114	8 x 1-1/4-in	28-lb	5M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST112	8 x 1-1/2-in	26-lb	4M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST200	8 x 2-in	24-lb	3M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST214	8 x 2-1/4-in	28-lb	2.5M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST212	10 x 2-1/2-in	24-lb	2M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST300	10 x 3-in	25-lb	1.5M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST312	10 x 3-1/2-in	22-lb	1M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ
GST400	10 x 4-in	22-lb	1M	FLAT HEAD, SQUARE RECESS, 305 S/STEEL, TP17, #2SQ

304 S/S Trim Head Deck Screw



304 304 stainless steel

STAINLESS STEEL Deck & Fence

304 stainless steel trim head square drive fine thread Streaker[®] screws designed for fastening decks and trim to light gauge steel or wood.

- Trim head
- Type 17 point
- No. 1 square recess
- 304 stainless steel

PART NO.	SIZE	WEIGHT	QTY	DESCRIPTION
17S76SSQ	8 x 3-in	22-lb	2M	TRIM HEAD 304 SS FINE THREAD STREAKER DECK & TRIM SCREW



Wood to Wood Framing

Lag-Master™



EXTERIOR WOOD Multi-Purpose

Multi-purpose wood fastener for general wood to wood construction such as ledger boards, laminated beams, underdeck connections, angles & brackets, and dimensional lumber.

- 3/8-in Hex head
- Type 17 point
- Draw-Tite shank
- Galvanized

PART NO.	SIZE	COUNT	DESCRIPTION
GLM212CP	14 x 2-1/2-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM278CP	14 x 2-7/8-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM300CP	14 x 3-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM338CP	14 x 3-3/8-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM358CP	14 x 3-5/8-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM378CP	14 x 3-7/8-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM400CP	14 x 4-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM412CP	14 x 4-1/2-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM478CP	14 x 4-7/8-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM500CP	14 x 5-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM578CP	14 x 5-7/8-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED
GLM600CP	14 x 6-in	500-ct	HEX HEAD COARSE THREAD TYPE 17 GALVANIZED

Tie-Master™



EXTERIOR WOOD Multi-Purpose

The best timber fastener for retaining walls, decks, docks, boardwalks and other general wood construction.

- Flat head
- Star recess
- Type 17 point
- Draw-Tite shank
- Galvanized

PART NO.	SIZE	COUNT	DESCRIPTION
GTIE10CP	14 x 10-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE12CP	14 x 12-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE212CP	14 x 2-1/2-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE412CP	14 x 4-1/2-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE4CP	14 x 4-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE5CP	14 x 5-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE6CP	14 x 6-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED
GTIE8CP	14 x 8-in	500-ct	FLAT HEAD COARSE THREAD TYPE 17 STAR 40 GALVANIZED

GRABBER TIE-MASTER™ AND LAG-MASTER™

Grabber Tie-Master™ and Lag-Master™ deck framing fasteners have received an evaluation report from ICC Evaluation Service (ICC-ES) certifying the fasteners are in compliance with the following codes

- ▶ 2012, 2009, and 2006 International Building Code (IBC)
- ▶ 2012, 2009, and 2006 International Residential Code (IRC)

Grabber's Tie-Master™ and Lag-Master™ Multipurpose Wood Fasteners described in the report are used for engineered wood-to-wood connections in accordance with the IBC and the ANSI/AWC National Design Specification for Wood Construction (NOS). The fasteners may be used under the IRC when an engineered design is submitted in accordance with IRC Section R301.1.3.





Drywall Nails

Smooth Shank Cup Head



INTERIOR WOOD Drywall

For attaching drywall to wood framing. Smooth shank design. Extra sharp long diamond point reduces to possibility of drywall cracking. Cupped saucer head is designed to countersink into drywall. The phosphate coating reduces possible chemical reaction with joint compound.

- Cup head
- Smooth shank
- Phosphate
- Long sharp diamond point (LSDP)

ITEM NO.	SIZE	WEIGHT	QTY
DWCH1316	13 GA x 19/64 x 1-3/16-in	50-lb	BOX
DWCH138	13 GA x 19/64 HD x 1-3/8-in	50-lb	BOX
DWCH158	13 GA x 19/64 HD x 1-5/8-in	50-lb	BOX
DWCH178	13 GA x 19/64 HD x 1-7/8-in	50-lb	BOX
DWCH138G	12.5 x 11/32 HD x 1-3/8-in	50-lb	BOX
DWCH138G-25	12.5 GA x 11/32 HD x 1-3/8-in	25-lb	BOX
DWCH158G	12.5 GA x 11/32 HD x 1-5/8-in	50-lb	BOX
DWCH178G	12.5 GA x 11/32 HD x 1-7/8-in	50-lb	BOX
DWCH238G	11.5 GA x 3/8 HD x 2-3/8-in	50-lb	BOX

Ring Shank



INTERIOR WOOD Drywall

For attaching drywall to wood framing. Ring shank design reduces back out and nail pops. Extra sharp long diamond point reduces the possibility of drywall cracking.

- Ring shank
- Bright coating
- Long sharp diamond point (LSDP)

ITEM NO.	SIZE	WEIGHT	QTY
DWAT125	12.5 x 11/32 x 1-1/4-in	50-lb	BOX
DWAT138	12.5 x 11/32 x 1-3/8-in	50-lb	BOX
DWAT158	12.5 x 11/32 x 1-5/8-in	50-lb	BOX
DWAT200	12.5 x 11/32 x 2-in	50-lb	BOX
DWAT125-25	12.5 x 11/32 x 1-1/4-in	25-lb	BOX

Smooth Shank



INTERIOR WOOD Drywall

For attaching drywall to wood framing. Smooth shank design. Extra sharp long diamond point reduces to possibility of drywall cracking.

- Smooth shank
- Cement coated
- Long sharp diamond point (LSDP)

ITEM NO.	SIZE	WEIGHT	QTY
DWCC125H	12.5 x 11/32 x 1-1/4-in	50-lb	BOX
DWCC138	13 x 3/8 x 1-3/8-in	50-lb	BOX
DWCC138-25	13 x 3/8 x 1-3/8-in	25-lb	BOX
DWCC200	13 x 3/8 x 2-in	50-lb	BOX

Smooth Shank



INTERIOR WOOD Drywall

For attaching drywall to wood framing. Smooth shank design. Extra sharp long diamond point reduces to possibility of drywall cracking. Vinyl coating protects against possible chemical reaction to joint compound and helps prevent pullouts.

- Smooth shank
- Vinyl coated
- Long sharp diamond point (LSDP)

ITEM NO.	SIZE	WEIGHT	QTY
DWVC158	12.5 x 19/64 x 1-5/8-in	50-lb	BOX
DWVC200	12.5 x 19/64 x 1-5/8-in	50-lb	BOX

Ring Shank Cup Head



INTERIOR WOOD Drywall

For attaching drywall to wood framing. Ring shank design reduces back out and nail pops. Extra sharp long diamond point reduces the possibility of drywall cracking.

- Cupped head
- Ring shank
- Phosphate coated
- Long sharp diamond point (LSDP)

ITEM NO.	SIZE	WEIGHT	QTY
DWCH138RS	13 GA x 19/64 HD x 1-3/8-in	50-lb	BOX



SuperDrive[®] The Industrial Strength Fastening System

NEW SuperDrive[®] N7

GRABBER SuperDrive[®] N7 Series

The new SuperDrive N7, is a light weight easy-to-use automated fastening tool designed to work with your favorite driver. N7 works with DeWalt, Makita and Hitachi screw guns.

SuperDrive[®] N7 head with Drywall Clip Features:

- ▶ Quick adjustment for fastener length from 3/4-in - 2-3/16-in
- ▶ Use with screw diameters from 6 - 12 gauge
- ▶ Simple design, easy to service
- ▶ Compact and lightweight industrial-strength design
- ▶ SureLock[™] fine depth control adjustment
- ▶ Works with DeWalt, Makita and Hitachi drivers

Recommended Applications:

- ▶ Drywall and sheathing to wood or metal
- ▶ Metal to metal construction
- ▶ Wood to wood construction

Smaller head design reaches in to tighter spaces. Rounded tip won't damage drywall or wood.

Lightweight aircraft aluminum body

Item No. SDN7

Quickly adjust for screw length with a just click of a button

Fine depth adjustment is quick and easy



Use with your choice of DeWalt, Makita, Hitachi or Grabber Rocker power tool. Pictured here with Grabber Rocker[®] power tool.

SuperDrive[®] 55 Series

SuperDrive[®] 55 Series

Features and Benefits:

- ▶ Use for any screw application from 1-in - 2-in
- ▶ Use with screw diameters from 6 - 12 gauge
- ▶ Simple design, easy to service
- ▶ Compact and lightweight industrial design
- ▶ SureLock[™] fine depth control adjustment
- ▶ Extra long bit life with patented LOX[®] bits

Recommended Applications:

- ▶ Drywall and Sheathing to Wood or Metal
- ▶ Metal to Metal
- ▶ Light or Heavy Gauge Metal
- ▶ Subfloor
- ▶ Wood to Wood



Item No. CW55G

SuperDrive 55 head with drywall clip

Item No. CW55F

SuperDrive 55 head with feed track

Use with your choice of DeWalt, Makita, Hitachi or as pictured here with Grabber Rocker[®] power tool.



SuperDrive[®] 75 Series

SuperDrive[®] 75 Series



Features and Benefits:

- ▶ Use for any screw application from 5/8-in - 3-in
- ▶ Use with screw diameters from 6 - 12 gauge
- ▶ Simple design, easy to service
- ▶ Compact and lightweight industrial design
- ▶ Most versatile tool on the market
- ▶ Set and forget depth control system
- ▶ Extra long bit life with patented LOX[®] bits

Recommended Applications:

- ▶ Subfloor/deck/dock
- ▶ Roof tile
- ▶ Wood to metal
- ▶ Drywall and sheathing
- ▶ Wood to wood construction

Item No. CW55F
SuperDrive 55 head with feed track

Item No. SDEXT2
Extension rod and coupler

Item No. EXT520
Drive shaft

Item No. 38227200
Handle

Use with your choice of DeWalt, Makita, Hitachi or as pictured here with Grabber Rocker[®] power tool.

SuperDrive[®] 80 Series

SuperDrive[®] 80 Series



Item No. SDDW
SuperDrive 80 head with drywall clip

Features and Benefits:

- ▶ Compact
- ▶ Light weight
- ▶ Low profile
- ▶ Use for any screw application from 3/4-in – 1-1/4-in
- ▶ Fine depth control adjustment
- ▶ Drywall clip or feed track options

Recommended Applications:

- ▶ Drywall and sheathing to wood or metal
- ▶ Metal to metal

Use with your choice of DeWalt, Makita, Hitachi or as pictured here with Grabber Rocker[®] power tool.



Wood Frame - Residential Collated Screw Applications

1 DRYWALL to Wood

Bugle Head GRABBER®



- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C300	1,000
6 x 1-5/8-in	C400	1,000
7 x 2-in	C500	1,000
8 x 2-1/2-in	C900	1,000

Attaches gypsum board and wood to wood. Extra sharp point and threads make driving easier and provide better holding power.



- Bugle head
- Coarse thread
- No. 2 Phillips
- Yellow zinc

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C300YZ	1,000
6 x 1-5/8-in	C400YZ	1,000

Ideal for general purpose interior soft wood to wood applications. Extra sharp point and threads make driving easier and provide better holding power.

Bugle Head Laminator



- Bugle head
- Coarse thread
- No. 2 Phillips
- Gray phosphate

SIZE	ITEM NO.	COUNT
10 x 1-1/2-in	C12	1,000

Heavy gauge drywall laminator screws are also ideal for wood to wood connection.

NOTE:
Use with Grabber drywall adhesive, item number: GDWA

2 SUBFLOOR to Wood

LOX® Recess Sub-floor Screws



- Flat head
- Coarse thread
- No. 2 LOX®
- Yellow zinc

SIZE	ITEM NO.	COUNT
8 x 1-3/4-in	C8175L3YZ	1,000
8 x 2-in	C8200L3YZ	1,000
8 x 2-1/2-in	C8250L3YZ	1,000

Designed for sub-floor attachment to wood. LOX® sub-floor screws provide a secure attachment and eliminate squeaks. Experience fewer cam-outs and an unparalleled driving experience with LOX® recess fasteners.

3 EXTERIOR SHEATHING to Wood

Bugle Head GRABBER®



- Bugle head
- Coarse thread
- No. 2 Phillips
- GrabberGard® gray

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C300RG	1,000
6 x 1-5/8-in	C400RG	1,000
7 x 2-in	C500RG	1,000

Attaches sheathing, insulation board, wood, etc. wood. Standard bugle head.

NOTE:
Staining may occur when using freshly cut lumber.

4 DECKS & FENCE to Wood

LOX® Recess Deck Screws



- Flat head
- Coarse thread
- No. 2 LOX®
- GrabberGard® gray

SIZE	ITEM NO.	COUNT
8 x 2-in	C8200L2M	1,000
8 x 2-1/2-in	C8250L2M	1,000
8 x 3-in	C9300L2M	1,000

Designed for exterior deck & fence construction. Experience fewer cam-outs and an unparalleled driving experience with LOX® recess fasteners.

NOTE:
Staining may occur when using freshly cut lumber.



- Flat head
- Coarse thread
- No. 2 LOX®
- 316 Stainless steel

SIZE	ITEM NO.	COUNT
10 x 3-in	CB10300L316	1,000

Designed for exterior deck & fence construction. 316 Marine grade stainless steel flat head deck and fence screw. Designed for high corrosion environments. Experience fewer cam-outs and an unparalleled driving experience with LOX® recess fasteners.

Metal Frame Applications

5 DRYWALL to Light Gauge Metal

Interior Fine Thread




- Bugle head
- Fine thread
- No. 2 Phillips
- Gray phosphate

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C368	1,000
6 x 1-5/8-in	C468	1,000
6 x 1-3/4-in	C568	1,000
6 x 2-in	C768	1,000

Attaches gypsum board to wood or 25-20 ga. steel. Standard bugle head.

6 DRYWALL to Heavy Gauge Metal

Bugle Head Drill Point




- Bugle head
- Drill point
- No. 2 Phillips
- Clear zinc

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C14Z	1,000
6 x 1-5/8-in	C15Z	1,000
6 x 1-7/8-in	C16Z	1,000

Attaches gypsum board to 20-14 ga. steel. Standard bugle head.

RESIDENTIAL APPLICATIONS



SuperDrive is state-of-the-art:

Professional tools designed to do the job.

- ▶ **SuperDrive N7** drives screws from 3/4-in to 2-in and up to 10 gauge. N7's light-weight and compact design make it the ideal tool for hanging drywall.
- ▶ **SuperDrive 05** drives screws from 3/4-in to 2-in and is most often used for metal to metal construction.
- ▶ **SuperDrive 55** drives screws from 1-in to 2-in and is ideal for metal framing and drywall fastening applications.
- ▶ **SuperDrive 75**, drives screws from 3/4-in to 3-in and is designed for sub-floor, roof tile, docks and deck fastening applications.
- ▶ **SuperDrive 85** features a narrow indexing module designed to reach into tight corners and recess. SuperDrive 85 is perfect for metal framing, and metal roof stitching, and drives 3/4-in - 7/8-in screws.
- ▶ **SuperDrive 80** features a narrow indexing module designed to reach into tight corners and recess. SuperDrive 80 is perfect for metal framing, hanging drywall, and drives 3/4-in - 7/8-in screws.

SuperDrive is a modular, professional automated fastening system. The tools described above are combined with any number of screws and two nose-piece types to meet the specific demands of particular applications. SuperDrive can be used with or without an extension and can be used with most major screw-guns including Makita, Hitachi, DeWalt and Rocker.

SuperDrive is simply the best:

- ▶ Will not jam
- ▶ Rapid change bits
- ▶ 50 screws per strip
- ▶ Low maintenance modular design
- ▶ Custom designed hardened nose piece
- ▶ Accurate depth control
- ▶ Drives at angles
- ▶ Works in narrow and restricted spaces

Quality every step of the way... The reason the pros choose GRABBER®

GRABBER® sweats the small stuff, and that makes all the difference. The professionals first choice for over 40 years, GRABBER® premium quality screws are built for performance. Sharper threads mean a better driving experience so GRABBER® changes thread dies more frequently. Tight recesses mean screws are less likely to cam-out and bit tips will last longer so GRABBER® changes recess dies more frequently. Consistent heat treating means screw heads will be less likely to pop off, so GRABBER® heat treats fewer screws at a time ensuring more even heat treatment. These are small things most people don't notice, but they are also small things that make the difference between average fasteners and professional grade fasteners.

No more strip-outs with LOX®



LOX®
DRIVE SYSTEM

If you use power tools... You should use screws designed for power tools.

Torque Test
Ultimate Torque(Nm)



Metal Frame - Residential and Commercial Collated Screw Applications

GRABBER
SuperDrive[®] Auto-feed
Fastening System

80
Series

Item No. Description

SDDW25IT	Makita, 2500RPM, w/drywall clip
SDDWIT	Grabber Rocker, 4000RPM, w/drywall clip
SDDWITF	Grabber Rocker, 4000RPM, w/feed track

85
Series

Item No. Description

SDFD25IT	Makita, 2500RPM, feed track, no extension
SDFD25XT	Makita, 2500RPM, w/extension

N7
Series

Item No. Description

SDN740DT	SuperDrive N7 with 4063 driver
----------	--------------------------------

55
Series

Item No. Description


5540IT	Grabber Rocker, 4000 RPM, w/feed track
5540DTG	Grabber Rocker, 4000 RPM, w/drywall clip, no extension
5540XTG	Grabber Rocker, 4000 RPM, w/extension

75
Series

Item No. Description

7525XT	Grabber Rocker, 2500 RPM w/extension
7525RR	Grabber Rocker, 2500 RPM, no extension, special roofing nose-piece
7540XT	Grabber Rocker, 4000 RPM w/extension
7545HXT	Hitachi, 4500 RPM w/extension
7560XT	Makita, 6000 RPM w/extension

COMMERCIAL APPLICATIONS



Grabber's approved mill keeps tight control overall production standards and processes. Grabber's mill is ISO 9001, ISO 14001 and ICC-ES certified compliant ensuring Grabber fasteners meet or exceed the highest industry standards.



7 EXTERIOR SHEATHING to Heavy Gauge Metal
Bugle Head Drill Point



- Bugle head
- Drill point
- No. 2 Phillips
- GrabberGard[®] gray

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C14RG	1,000
6 x 1-5/8-in	C15GG8P	1,000
6 x 1-7/8-in	C16RG	1,000
8 x 1-1/4-in	C14RG8F2	1,000

Attaches sheathing, insulation board, wood, etc. to 20-14 ga. steel studs. Standard bugle head.

7 SHEATHING Ply/OSB, Exterior Board to Light Gauge
Bugle Head STREAKER[®]



- Bugle head
- Fine thread
- No. 2 Phillips
- GrabberGard[®] gray

SIZE	ITEM NO.	COUNT
6 x 1-1/4-in	C36RG	1,000

Attaches sheathing, insulation board, wood, etc. to 25-20 ga. steel studs. Standard bugle head. Features GrabberGard[®] exterior coating.

7 HIGH DENSITY EXT SHEATHING Heavy Gauge Metal
Flat Wafer Head Winged Drill Point



- Flat wafer head
- Winged drill point
- No. 2 LOX[®]
- GrabberGard[®] gray

SIZE	ITEM NO.	COUNT
8 x 1-1/4-in	CGH8114LG	1,000
8 x 1-5/8-in	CGH8158LG	1,000

Attaches high density sheathing and fiber cement vertical siding to heavy gauge metal. Features a .375 diameter head and GrabberGard[®] exterior coating.

8 SUB-FLOOR Ply/OSB, Heavy Gauge Metal
Flat Head Stabber[®]



- Flat head
- Fine thread
- No. 2 LOX[®]
- Yellow zinc

SIZE	ITEM NO.	COUNT
8 x 1-1/2-in	CS8150JBWYZ	1,000
8 x 2-in	CS8200JBWYZ	1,000

STABBER[®] sub-floor screws attach plywood/OSB to 22-16 gauge steel. Flat head provides a flush finished surface. LOX[®] recess does not require a magnetic bit tip holder and provides a sure driving experience.

Flat Head Pilot Point



- Flat head
- Fine thread
- No. 2 LOX[®]
- Clear zinc

SIZE	ITEM NO.	COUNT
8 x 1-5/8-in	CM158SDZJBW	1,000
8 x 1-3/4-in	CM175SDZJBW	1,000
8 x 2-in	CM200SDZJBW	1,000

Attaches 3/8-in to 1-in plywood to steel joist 20-14 ga. LOX[®] recess does not require a magnetic bit tip holder and provides a sure driving experience.

Flat Head PLYLOCK[®]



- Flat head
- Winged drill point
- No. 3 LOX[®]
- Yellow zinc

SIZE	ITEM NO.	COUNT
10 x 2-in	C10200L3YZE	1,000
10 x 2-1/2-in	C10250L3YZE	1,000

10 gauge winged drill point PLYLOCK[®] screws attach plywood/OSB sub-floor panels to steel joist 20-14 ga. LOX[®] recess does not require a magnetic bit tip holder and provides a sure driving experience.



- Flat head
- Winged drill point
- No. 3 LOX[®]
- GrabberGard[®] gray

SIZE	ITEM NO.	COUNT
10 x 2-in	C10200L3GE	1,000

10 gauge winged drill point PLYLOCK[®] screws attach plywood/OSB sub-floor panels to steel joist 20-14 ga. LOX[®] recess does not require a magnetic bit tip holder and provides a sure driving experience.

9 METAL FRAMING Heavy Gauge Metal
Flat Pan Head Drill Point



- Flat pan head
- Drill point
- No. 2 LOX[®]
- Yellow zinc

SIZE	ITEM NO.	COUNT
10-18 x 3/4-in	CFP101875LYZ	1,000
10-22 x 3/4-in	CFP102275LYZ	1,000
12-18 x 7/8-in	CFP121878JBWZ	1,000

Flat pan head drill point fasteners designed for attaching 20-14 ga. steel.



- Flat pan head
- Drill point
- No. 2 LOX[®]
- Clear zinc

SIZE	ITEM NO.	COUNT
12-18 x 7/8-in	CFP1218150JBWZ	1,000

Flat pan head drill point fasteners designed for attaching 20-14 ga. steel.

10 SHEATHING Heavy Gauge Metal to Ply/OSB
Modified Flat Pan Head Drill Point



- Modified flat pan head
- Hi-Lo threads
- Drill point
- No. 3 LOX[®]
- Yellow zinc

SIZE	ITEM NO.	COUNT
11 x 1-3/8-in	CDMWH138	1,000

Attaches 20-14 ga. steel to plywood and OSB sheathing. LOX[®] recess does not require a magnetic bit tip holder and provides a sure driving experience.



Acoustical Fasteners

Eye-lag Screws

INTERIOR WOOD Hanger



Attaches hanger wire to wooden ceiling joist.

- Black phosphate

ITEM NO.	SIZE	WEIGHT	QTY
3EL	1/4 x 3-in	36-lb	1,000
4EL	1/4 x 4-in	38-lb	1,000

Eye-lag Screws

LIGHT GAUGE METAL Hanger



Attaches hanger wire to steel deck or joist ceiling. 25-20 ga.

- Clear zinc

ITEM NO.	SIZE	WEIGHT	QTY
H-3	1/4 x 2-3/4-in	20-lb	1,000
H-4	1/4 x 2-in	20-lb	1,000
H-5	1/4 x 3-1/4-in	20-lb	1,000

Eye-lag Screws

HEAVY GAUGE METAL Hanger



Attaches hanger wire to steel deck or joist ceiling. 20-14 ga.

- Clear zinc

ITEM NO.	SIZE	WEIGHT	QTY
H-2	1/4 x 2-in	20-lb	1,000
H-1	1/4 x 3-in	20-lb	1,000

Eye Lag Adapter



ITEM NO.	DESCRIPTION
ELAT	Eye Lag Installation tool

Eye Lag Pole



ITEM NO.	DESCRIPTION
LM12	Eye Lag Pole, 4' - 12'
LM18	Eye Lag Pole, 6' - 18'
LM24	Eye Lag Pole, 8' - 24'

Note: Other sizes available upon request

CB Clips

CB Clips


Frame an 8 foot column or beam in under 2 minutes with Grabber column and beam clips

With Grabber® Fireproofing Column and Beam Drywall Clips, steel columns are fireproofed, and provide a finished coded drywall surface, ready for final decoration.

Get it done much faster! Saves you an incredible 65% in fireproof production time over spray-on fireproofing, including decorative enclosure.

Saves 65% in Production Time!

- ▶ Use half the material
- ▶ No loss of usable floor space
- ▶ Snaps on by hand...no tools required
- ▶ Application time 75 seconds per column
- ▶ 12 operations per column vs. 80
- ▶ Approved by Underwriters' Laboratories



Item No. CB60
Patent# 6067691

Insert Bits and Bit Holders

Phillips Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
2BIT	No. 2	1-in	Phillips Bit (reduced)
2BITG	No. 2	1-in	Phillips Bit (reduced)
250PB1	No. 1	2-1/2-in	Phillips Bit
250PB2	No. 2	2-1/2-in	Phillips Bit (regular)
250PB3	No. 3	2-1/2-in	Phillips Bit
30-2P	No. 2	1-15/16-in	Phillips Bit
30-3P	No. 3	1-15/16-in	Phillips Bit

Phillips SuperDrive® Bit Tips

ITEM NO.	SIZE	LENGTH	DESCRIPTION
TCW153	No. 2	6-in	Phillips Bit
CF155	No. 2	6-1/4-in	Phillips Bit (SD, N7)
CF158	No. 2	6-3/8-in	Phillips Bit (SD, N7)
TCW178B	No. 2	7-in	Phillips Bit (SD, N7)



STAR Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
60T25	No. 25	1-in	STAR Bit
60T20	No. 20	1-in	STAR Bit
62T20	No. 20	2-in	STAR Bit

Square Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
X950-1	No. 1	1-in	Square Bit
X950-2	No. 2	1-in	Square Bit
250R1	No. 1	2-1/2-in	Square Bit
250R250R2	No. 2	2-1/2-in	Square Bit

Magnetic Nut Drivers



ITEM NO.	SIZE	DESCRIPTION
MSHS14	1-1/8 x 1/4-in	Short Nut Setter
MSHS16	1-1/8 x 5/16-in	Short Nut Setter
MSHS38	1-1/8 x 3/8-in	Short Nut Setter
MSH14	1-3/4 x 1/4-in	Medium Nut Setter
MSHS16	1-3/4 x 5/16-in	Medium Nut Setter
MSH38	1-3/4 x 3/8-in	Medium Nut Setter
MSHL14	2-9/16 x 1/4-in	Long Nut Setter
MSHL16	2-9/16 x 5/16-in (6-in)	Long Nut Setter
MSHL38	2-9/16 x 3/8-in	Long Nut Setter

Magnetic Bit Holders



ITEM NO.	SIZE	DESCRIPTION
MBHW14	1/4 x 2-3/8-in	Magnetic Bit Holder
MBH143	1/4 x 3-in	Magnetic Bit Holder
MBH146	1/4 x 6-in	Magnetic Bit Holder
MBH148	1/4 x 8-in	Magnetic Bit Holder
MBH1410	1/4 x 10-in	Magnetic Bit Holder
MBH1412	1/4 x 12-in	Magnetic Bit Holder

Quick Connect Bit Holder



ITEM NO.	DESCRIPTION
BH142	Quick Connect Bit Holder
BPBH142	Quick Connect Bit Holder (2 pack)

LOX® 1-in Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
1002LN	No. 2	1-in	LOX Bit
SF 1002LB2	No. 2	1-in	LOX Bit (2 pc)
SF 1002LB5	No. 2	1-in	LOX Bit (5 pc)
SF 1002L	No. 2	1-in	LOX Bit (stick fit)
SF 100L3	No. 3	1-in	LOX Bit (stick fit)

LOX® 2-in Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
SF 2002L	No. 2	2-in	LOX Bit (stick fit)
2002LN	No. 2	2-in	LOX Bit
2002LNB5	No. 2	2-in	LOX Bit (5 pc)
SF 200L3	No. 3	2-in	LOX Bit (stick fit)



▶ LOX 2



▶ LOX 3

LOX® 3-in Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
SF 3002L	No. 2	3-in	LOX Bit (stick fit)
SF 300L3	No. 3	3-in	LOX Bit (stick fit)



▶ LOX 2



▶ LOX 3

LOX® 2-in Double Sided Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
SF 2002LLB2	No. 2	2-in	LOX Bit (2 pc/stick fit)
SF 2002LLB5	No. 2	2-in	LOX Bit (5 pc/stick fit)

LOX® #2 SuperDrive Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
T2153L	No. 2	6-in	LOX Bit
T2153LN	No. 2	6-in	LOX Bit (Hard)
T2178LN	No. 2	7-in	LOX Bit

LOX® #3 SuperDrive Bit Tips



ITEM NO.	SIZE	LENGTH	DESCRIPTION
T3153LN	No. 3	6-in	LOX Bit
T3178LN	No. 3	7-in	LOX Bit

LOX® IS DESIGNED FOR POWER TOOLS

In a recent independent torque test, LOX screws demonstrated almost double the torque capacity of a four point contact recess. Applying increased torque to the recess — the standard drive cammed out with 15 Nm (well before the screw was fully seated). In every comparable test, the LOX recess screw seated completely with an average force of 26 Nm.

Advantages of LOX®

- ▶ Less Waste
- ▶ Less Wobble
- ▶ Less Cam Out
- ▶ Fewer Slivers
- ▶ Stick Torque
- ▶ Drives Off Angle
- ▶ Exceptional Bit Life



TENSOR™ BIT WITH REDUCED SHANK

- ▶ Tensor reduced shank bit tips minimize engagement shock extending bit tip life.
- ▶ Tensor bits are the first bits designed specifically for impact wrenches and screw guns.



LOX Stick-Fit bit tips are ideal for use with Grabber bulk screws. Stick-fit bit tips are precision bit tips designed to fit snugly into a LOX recess allowing screws to be held in place on the end of the bit tip. No magnetic bit is required. Stick-fit also means a better driving experience drive after drive with less chance for cam-outs.



Abrasive Wheels

Grabber Premium Abrasives



Item No. G21400
PREMIUM CHOP SAW BLADE



Item No. 1400
IMPACT METAL STUD EATER



Item No. G41204078MS
ABRASIVE BLADE

ITEM NO.	SIZE	RPM
G123321MS	12 x 3/32 x 1-in	5,100
1400	14 x 3/32 x 1-in	4,365
G21400	14 x 3/32 x 1-in	4,400
G41204078MS	4.5 x .040 x 7/8-in	13,300
G41211678MS	4.5 x 1/16 x 7/8-in	13,300
G71858MS	7 x 1/8 x (Diam-5/8)-in	8,700
G101858MS	10 x 1/8 x 5/8-in	6,100
GDBT4512	7-in	13,300
GDBT712	7-in	8,500
G60004078MS	6 x .040 x 7/8-in	8,700

Type 1 Premium Aluminum Oxide Cut-off or Cutting Wheels

Grabber cutting and grinding wheels are purpose formulated for the tough tasks professional craftsmen face day in, day out Grabber resin bonded wheels are engineered with the high performance and dependability you have come to expect from Grabber products. All our bonded abrasives are manufactured under the certification of the ISO9002 Quality organization. All Grabber bonded abrasive products have qualified and are certified by the MPAA German Safety Organization and exceed ANSI standards for safety.

- ▶ Designed for use on stationary chop saws.
- ▶ Use as cutting tools on hand held grind machines.
- ▶ Aluminum oxide for smooth cutting and longer tool life.
- ▶ For use on iron, steel, tubing and bar.
- ▶ For structural shapes such as steel studs and ferrous applications.
- ▶ Double layer of heavy-duty fiberglass for safety.

Screw Drivers

Grabber ROCKER[®] Screw Drivers



ITEM NO.	RPM	AMP	WEIGHT
4060	0-4000	6.0	3.1-lb
4063	0-4000	6.3	3.1-lb
4025	0-2500	6.5	3.5-lb

- ▶ High torque pro clutch heavy-duty screw driver 120V AC, 50-60 Hz
- ▶ 6.3 Amp HD 0 - 4,000 RPM variable speed reversible
- ▶ Set & forget aluminum depth locator pop-on/pop-off nose piece
- ▶ Includes #2 Phillips bit-tip and magnetic bit-tip holder 3.1 lb. (1.4 Kg)





RAMSET® Powder Fastening Systems

Ramset® 721 — Single Shot



Item No. 721

Advantages:

- ▶ Rugged metal housing — holds up for years
- ▶ Low recoil — reduces operator fatigue
- ▶ Rubber cushion grip — for maximum operator comfort
- ▶ Easy to maintain — only two moving parts
- ▶ Easy access to tight areas — narrow 5/8-in muzzle bushing
- ▶ Increased Operator speed — automatic cartridge ejection system
- ▶ Simple to clean
- ▶ 3 year warranty

Specifications:

- ▶ .22 caliber, single-shot loads: 2 (Brown), 3 (Green), 4 (Yellow)
- ▶ Weight: 4.3 pounds
- ▶ Muzzle Bushing O.E.: 5/8-in

721 (Common Fasteners)

SHANK IN	LENGTH MM	APPLICATION	ITEM NO.
3/4-in	19.1-mm	TRACK TO CONCRETE	1506B
1-in	25.4-mm	TRACK TO CONCRETE	M100BB

Ramset® XT540 — Semi Automatic



Item No. XT540

Advantages:

- ▶ Power adjust dial down two full loads
- ▶ Quick & easy front end maintenance
- ▶ Fully automatic piston return
- ▶ Shock absorbing rubber grip
- ▶ Ergonomically balanced
- ▶ Trigger lock & hand guard for safety

Specifications:

- ▶ Low recoil .27 caliber strip tool
- ▶ Capacity for up to 3-in straight pin

The Ramset XT540 was specifically designed for the commercial framer for heavy-duty interior and exterior applications. The XT540's combination of high power and durability make it the ideal tool for the following applications:

- ▶ Driving 1-1/4-in embedment for perimeter track
- ▶ Fastening track & clips to structural steel
- ▶ Track to hard concrete
- ▶ Excellent compliment to the Ramset TrakFast tool

XT540 (Common Fasteners)

SHANK IN	LENGTH MM	APPLICATION	ITEM NO.
0.545-in	13.8-mm	1/2-in PREMIUM STEEL PIN	TE12
13/16-in	20.6-mm	3/4-in TRUE EMBEDMENT PIN	TE34



Ramset® Cobra — Semi Automatic



Item No. COBIII

Advantages:

- ▶ Semi-automatic .27 caliber tool – uses strip loads
- ▶ Padded recoil – absorbing handle for greater operator comfort
- ▶ Fastens up to 3-in standard Ramset drive pins and threaded studs – ideal for general construction applications
- ▶ Full one year warranty

Specifications:

- ▶ .27 caliber 10 shot strip loads: 3 (Green), 4 (Yellow), 5 (Red)
- ▶ Weight: 4.5 pounds
- ▶ Length: 13-1/4-in
- ▶ Muzzle busing O.D.: 9/16-in
- ▶ Maximum pin length: 2-1/2-in (3-in w/washer)

Cobra (Common Fasteners)

SHANK IN	LENGTH MM	APPLICATION	ITEM NO.
3-in	76.2-mm	2 X 4 TO CONCRETE	1524SDP
2-1/2-in	63.5-mm	2 X 4 TO CONCRETE	1516SDC
3/4-in	19-mm	DRYWALL TRACK TO CONCRETE	1506

Ramset® Viper — Semi Automatic

Item No. VIPER4



Advantages:

- ▶ Automatic load advance
- ▶ Automatic piston return
- ▶ Overdrive protection
- ▶ Open front-end design
- ▶ Simplified barrel retention collar
- ▶ Stable steel collar
- ▶ Uses Viper pole system

Specifications:

- ▶ .27 Caliber strip tool
- ▶ Semi-Automatic
- ▶ Designed specifically for overhead applications
- ▶ 3 year warranty
- ▶ .27 caliber 10-shot strip loads, 3 (green), 4 (yellow), 5 (red)
- ▶ Weight: 4.5 lbs.
- ▶ Length: 17-in
- ▶ Maximum pin length: 1-1/2-in

Viper (Common Fasteners)

SHANK IN	LENGTH MM	APPLICATION	ITEM NO.
1-in	25.4-mm	THREADED ROD HANGER	14TRHSS10
1-in		THREADED ROD HANGER	38TRHSS10
1-in		CEILING CLIP	SDC100
1-1/4-in	31.8-mm	CEILING CLIP	SDC125
7/8-in		CEILING CLIP	SPC78
1-1/4-in	31.8-mm	CEILING CLIP	SPC114



RAMSET® Gas Fastening Systems

Ramset® TrakFast



Item No. TF1200

Still the most revolutionary fastening system in the construction industry

Since its introduction in 1991, TrakFast has been the tool of choice for both interior and exterior contractors. The TrakFast Automatic Fastening System fastens all types of track, from standard track to hat channel, deep leg, Z, and J channel. Contractors continue to report tremendous savings when using TrakFast for high production fastening.

Advantages:

- ▶ Increased durability and reliability
- ▶ Off position to prevent battery drainage
- ▶ Three to five times faster than powder tools
- ▶ 42 pin magazine
- ▶ Piston automatically resets
- ▶ No recoil
- ▶ No licensing required
- ▶ No changing loads
- ▶ Narrow nose & profile
- ▶ 2 year warranty (6 months on wearable parts)

Specifications:

- ▶ Gas technology
- ▶ Fully automatic
- ▶ 1-1/2-in pin capacity
- ▶ 42 pin magazine capacity
- ▶ Length: 17.5-in
- ▶ Height: 15-in
- ▶ Weight: 7.9 lbs.
- ▶ Maximum cycles per second: 2
- ▶ Fuel cell: 1000 shots
- ▶ Battery (charged): 3000 shots

TF1200 (Common Fasteners)

SHANK IN	LENGTH MM	APPLICATION	ITEM NO.
1/2-in		PIN,	FPP012
1/2-in	12.7-mm	STEP DOWN PIN	FPP012S
3/4-in	19.1-mm	BLACK PIN	FPP034B
3/4-in		STEP DOWN PIN,	FPP034S
1-in		Pin Clear Zinc Collated	FPP100
1-1/4-in		Pin Clear Zinc Collated	FPP114
3/4-in		PIN BREAKAWAY STRIP	FPP034T
1-in		PIN	FPP100T
1-1/2-in		PIN	FPP112T
1-3/4-in		PIN	FPP114T
1-3/4-in		Wood to Metal Pin	PLY138

ACCESSORIES

TFUEL	FUEL CELL
B0092	BATTERY





RAMSET® Electronic Fuel Injection

Ramset® T3MAG



Item No. T3MAG

Advantages:

- ▶ Higher stick rate (.125 diameter pin)
- ▶ 25% more power
- ▶ Easy push-down force
- ▶ Deep leg track capacity
- ▶ 45 pin magazine capacity
- ▶ Newly designed fitted dust shield
- ▶ Battery charger provides constant charging even with voltage drops.
- ▶ ICC approved (ESR -1955)

Specifications:

- ▶ Weight: 9.2 lbs
- ▶ Height: 15-in
- ▶ Length: 18-1/2-in
- ▶ Width: 4.3-in
- ▶ Power: 100 joules
- ▶ Fuel cell design: One step insert and click
- ▶ 45 pin magazine capacity
- ▶ Fastener assembly: 15 pin (strip)
- ▶ Fastener length capability: 0.5 – 1.0-in
- ▶ Fastener pin diameter: .125-in
- ▶ Fuel cell capacity: 000+ shots
- ▶ Shots per battery charge: 3000 (approx.)

T3MAG (Common Fasteners)

ACCESSORIES		SHANK IN	LENGTH MM	APPLICATION	ITEM NO.
TFUEL	FUEL CELL	1/2-in STEEL PIN W/ T3 FUEL	1000	5 BOXES (5000)	T3012
B0092	BATTERY	3/4-in CONCRETE PIN W/T3FUEL	1000	5 BOXES (5000)	T3034B
		3/4-in STEP-SHANK CONCRETE PIN W/T3FUEL	1000	5 BOXES (5000)	T3034S
		1-in CONCRETE PIN W/T3FUEL	1000	5 BOXES (5000)	T3100





NITROSET[™]

TRIPLE PLAY[™]

Three applications. . . only one tool

- ▶ Ceiling
- ▶ Track
- ▶ Wall

Nitroset takes key safety and environmental concerns into consideration when manufacturing its Solid Propellant Fastening System. Powered by nitrocell charges rather than traditional primer or gunpowder, Nitroset is able to cleanly drive nails into hard aggregate concrete surfaces, and incorporates Triple Play versatility. Its lightweight and low-profile design makes it easy to handle and be put to use in tight spaces. Operation is considerably quieter than explosive charges, making the Nitroset system ideal for occupied buildings. Plus, Nitroset is 100% lead free, keeping it in compliance with OSHA and no-lead worksite requirements!

Advantages:

- ▶ **LIGHTWEIGHT & EASY TO USE**
 - Low profile design for tight spaces
 - Fits with NITROSET[™] handle or extension pole
- ▶ **UNIQUE ENTRY SYSTEM PROVIDES ADDED SAFETY**
 - Not regulated as "Class 1 Explosive Material" by the DOT (REF. EX2009040168)
 - Non-toxic & non-hazardous material supported by MSDS report
 - Completely LEAD FREE in compliance with OSHA CFR 1926.62
- ▶ **REDUCED USAGE COSTS**
 - No license required for operation, only training*
 - No storage or shipping restrictions determined by the DOT
 - No special job site clean up costs
 - No special cleaning solution required to maintain the tool



Nitro Tools & Extension Poles

DESCRIPTION	PART NO.
Nitroset Overhead Fastening Tool Kit	NTSSX
4-in - 8-in, 2-Section, Alum. Pole for Nitroset with rubber grip	TOP8V
6-in - 12-in, 2-Section, Alum. Pole for Nitroset with rubber grip	TOP12V
6-in - 12-in - 18-in, 3-Section, Alum. Pole for Nitroset with rubber grip	TOP183V



*According to ANSI A10.3 NITROSET[™] tools are not classified as a powder actuated tool, thus no licensing is required prior to use.

Nitro Fasteners



DESCRIPTION	QTY.	ITEM NO.
3/4-in x .125 Track Pin	1,000	PIN219Y
1-1/4-in x 0.145 Straight Shank Pin & Clip without Silencer (4000PSI)	100pcs	CLAS332L
1-1/4-in x 0.152 - 0.130 Step Shank Pin & Clip with Silencer (6000PSI)	100pcs	CLAS532LS



Lasers

Precision Lasers

High accuracy point and crossline laser leveling solutions for multi-purpose application.

- ▶ **All lasers are self-leveling and most carry a limited time instant exchange warranty that minimizes downtime.** (Model HV301 carries a send-in 2 year warranty).
- ▶ **Built for rugged commercial, everyday use — IP54 rated — Can withstand a 3' drop to concrete.**
- ▶ **Bright crossline lasers make easy viewing in challenging conditions.**

Talk to your Grabber® dealer about which Trimble® features are right for your individual needs.



Item Number & Description	
	LP30 LASER POINTER 3-BEAM (3 Year Limited - 1 Year over the counter)
	LP50 LASER POINTER 5-BEAM (3 Year Limited - 1 Year over the counter)
	52XL MULTI-PURPOSE LASER 5 Point & Cross Line Laser (3 Year Limited - 2 Year over the counter)

Item Number & Description	
	13XL 3 BEAM CROSS LINE LAYOUT LASER with 1 down point (3 Year Limited - 2 Year over the counter)
	HV301G GREEN BEAM HORIZONTAL VERTICAL INTERIOR LASER (2 year warranty)
	HV101 HORIZONTAL VERTICAL INTERIOR LASER PACKAGE with remote, wall mount recharge kit (3 Year Limited - 1 Year over the counter)
	
HV101-4 HORIZONTAL VERTICAL LASER KIT Includes HV101 laser, HR320 receiver, tripod, grade rod, wall mount, remote control, target, laser glasses and case (3 Year Limited - 1 Year over the counter)	



Coatings and finishes

Black/Gray Phosphate **Salt spray results ASTM B117 24 hours, no red rust**

Recommended for interior applications

Clear Zinc **Salt spray results ASTM B117 24 hours, no red rust**

Recommended for interior applications and exterior applications where the fastener will be encapsulated, i.e. the attachment of lathing prior to the application of stucco.

Yellow Zinc **Salt spray results ASTM B117 48 hours, no red rust**

Recommended for interior applications and exterior applications where the fastener will be encapsulated, i.e. the attachment of lathing prior to the application of stucco.

Salt spray results ASTM B117 1000 hours, 15 cycles Kesternich per DIN 50018, no red rust

GrabberGard® metal finish is a high-grade proprietary metal surface processing technology that prevents corrosion. It is a duplex coating constituting a zinc substrate and organic polymer topcoat. The distinguishing feature of GrabberGard® is the joining and encapsulation the substrate with the fused organic surface coating. These layers are bonded together through thermal fusion, and this unique method of combining layers results in a combination of the coating films. GrabberGard® treatment does not attribute its anti-corrosion properties to any single material, but the synergy of these two layers, which when combined has superb corrosion resistant qualities. Suitable for use in non coastal areas with all pressure treated lumbers including ACQ.



Salt spray results ASTM B117 1000 hours, no red rust

Type 302 stainless steel is an extremely tough, ductile grade that demonstrates superior corrosion resistance to type 301 stainless steel.

This grade as well as the rest of the 300 series we offer can be used in MRI and other applications calling out non-magnetic parts. Suitable for exterior grade that is not in coastal areas when used in conjunction with untreated wood, MCQ, CCA or Borate and other NON ACQ treated lumber.

305 Stainless Steel Non-Coastal Grade

Type 305 stainless steel is a nickel chromium austenitic grade of stainless steel and is inherently non-magnetic. This material is not hardened by heat treatment and provides very good corrosion protection. Suitable for exterior grade that is not in coastal areas when used in conjunction with treated or untreated wood, including ACQ.

316 Stainless Steel Marine Grade

Type 316 stainless steel is a nickel chromium austenitic grade of stainless steel and is inherently non-magnetic. This material provides the highest level of corrosion protection. This austenitic stainless steel has an increased molybdenum content to increase its resistance to corrosion when compared to other 300 series alloys. It is suitable for use in coastal areas and is considered Marine grade stainless. Suitable for exterior grade in coastal areas, and around pools and spas, acidic conditions, and can be used in conjunction with treated or untreated wood, including ACQ.

410 Stainless Steel Mild Grade

Type 410 stainless steel is a low-carbon martensitic grade of stainless steel and is magnetic. 410 stainless steel is a general purpose harden-able stainless steel. Its strength, good ductility and resistance to corrosion in mild atmospheres, steam and mild chemical environments, in conjunction with its ability to be hardened makes it suitable for use in stainless steel self drilling screws. If additional rust protection is required, Grabber-Gard coating may be applied to the surface.

Salt spray results ASTM B117 1000 hours, 15 cycles Kesternich per DIN 50018, no red rust

Grabber's NanoGard™ product is an innovative nano scale surface treatment technology providing, high quality and extreme corrosion resistance properties. Suitable for use in non coastal areas with all pressure treated lumbers including ACQ. Bright appearance similar to stainless steel.

Grabber DRIVAL® fasteners are protected against hydrogen embrittlement failure.

Hydrogen embrittlement (HE) refers to any time-delayed failure mechanism that is aggravated or accelerated because of the presence of hydrogen. Most self-drilling fasteners are case-hardened, which provides the necessary hardness for drilling and tapping, but leaves the screws vulnerable to (HE) due to their high surface hardness and the opportunity for introduction of hydrogen during the electroplating and cold working manufacturing processes.

DRIVAL® fasteners are specially designed and processed to help prevent hydrogen-induced brittle failures. Each fastener undergoes a post plating baking process to ensure the optimal combination of hardness and hydrogen relief required for maximum performance in the field.

Testing of this product, in accordance with ASTM standards, has proven that DRIVAL® fasteners provide the same resistance to hydrogen embrittlement (HE) failure as a grade 5 fastener. Grabber's hardening and baking processes provide unmatched performance.

Grabber has you covered with more than just great fastening products. . .

To put it simply, Grabber can help you build a better product while simultaneously making you more money. Through constant innovation, Grabber continues to simplify the way you work by providing the best, most technologically advanced products available today.



Drywall Screws
Metal Framing Screws
Concrete Anchors
Pneumatic Nails

Fasten it

Grabber has a full line of fasteners for just about any application. From drywall screws to heavy gauge framing screws Grabber has what you need. Grabber invented the drywall screw and changed an entire industry. For the past 40 years Grabber has been the name you can trust for professional grade fasteners.



SuperDrive
Screw Guns
Chop Saws
Lasers

Drive it

Grabber's SuperDrive tool is designed to make driving screws faster and more accurate. Along with SuperDrive, Grabber offers many other tools that make your work easier including chop saws, routers, lasers and more.



Subfloor Adhesives
Drywall Adhesives
Acoustical Sealants
Fire Stopping Caulks

Caulk it

Grabber offers a complete line of caulks including sound control sealants, subfloor adhesives, drywall adhesives, insulation foam and more. Grabber also offers EFC and IFC fire stopping caulks and sealants.



NO-COAT® Stick Products
NO-COAT® ULTRAFLEX
HYDROTRIM®
Drywall Tape
Finishing Tools

Finish it

Grabber has everything you need for finishing your drywall projects. From fiberglass mesh tape and spark perforated drywall tape to the innovative No-Coat® structural drywall system, Grabber has what you need to do the job right.

Quality every step of the way. . . the reason the pros choose Grabber

Grabber sweats the small stuff, and that makes all the difference

The professional's first choice for over 40 years, Grabber premium quality screws are built for performance. Sharper threads mean a better driving experience so Grabber changes thread dies more frequently. Tight recesses mean screws are less likely to cam-out and bit tips will last longer so Grabber changes recess dies more frequently. Consistent heat treating means screw heads will be less likely to pop off, so Grabber heat treats fewer screws at a time ensuring more even heat treatment. These are small things most people don't notice, but they are also small things that make the difference between average fasteners and professional grade fasteners.

Grabber is an international distributor of premium fasteners and fastening systems for wood, metal, and drywall applications in the commercial and residential construction markets. Grabber is home to the Deckmaster® Hidden Fastening System, the patented LOX® Drive System, and the SuperDrive Auto-Feed Fastening System. Grabber also distributes a wide range of proprietary tools and accessories, various equipment, and building materials to the construction industry.

Grabber screws and drywall nails are ICC ES (International Code Council Evaluation Service) evaluated, and engineered to meet or exceed the specifications for use, as prescribed in UBC 1997, IBC 2006, IRC 2006, IBC 2009, and IRC 2009. ASTM reports, approvals, shear, pullout and other technical information is available at www.grabberman.com

Grabber screws and nails are produced in an ISO 9001 and ISO 14001 approved and certified manufacturing environments. Grabber also supports a complete line of US manufactured construction fasteners that meet "Buy American" and the "American Reinvestment and Recovery Act" requirements. GrabberGard® exterior grade coated fasteners are rated for use in ACQ, pressure and fire treated lumber.



GRABBER
CONSTRUCTION PRODUCTS

www.grabberman.com

**Visit www.grabberman.com or
call 800-477-8876
to find a dealer near you.**

