Retail Packaged Drawer Slides

Retail Buyers Guide





Drawer Slides

Introducing the KV[®] Retail Drawer Slide Program. A packaging solution for today's retailers. Consumer friendly with key reature call outs. Ideal for H-racks, gondolas, shelves, peg boards and custom displays.



Model	Weight Class	Key Features	Mount	Finish	Recommended Use
RETAIL	SLIDE OVERVIEV	V			
1129	35 lbs.	Friction Release	Under	Zinc	Kitchen Cabinets, Bathroom Vanities
1175	50 lbs.	Lift-Out Release	Under	Zinc	Kitchen Cabinets, Bathroom Vanities
1260	60 lbs.	Hold-In, Lever Release	Side	Zinc	Kitchen Cabinets, Bathroom Vanities, Architectural Woodwork
1805	75 lbs.	Gravity Close, Lift Out Release	Side	White	Kitchen Cabinets, Bathroom Vanities, Architectural Woodwork, Residential Furniture
8450FM	100 lbs.	Soft-Close, Lever Release	Side	Anochrome	Desk and Credenza Box Drawers, Space Cabinetry, Millwork
TT100*	100 lbs.	Hold-In, Lever Release	Side	Zinc	Desk and Credenza Box Drawers, Cabinetry, Millwork

*1 year limited warranty.

Package Features

- Trilingual
 - Reach expanding and international markets
- Instructions Included
 - Easy to read graphic visuals
 - Included with all products
- Hardware Included
 - All hardware and screws are included
 - Easier to shop with fewer items to purchase
- Hang Tags
 - Product can be displayed on peg hooks
- Display Pack Packaging
 - Product can be displayed on shelf



Light-Duty Slides



KV[®] light-duty slides are the perfect choice for home applications where a durable, simple-to-install slide is required. They are highly cost effective and easy to install and replace. They are widely used in bathroom vanities, built-ins, kitchen cabinets and as replacement slides in existing cabinetry.

.....



1129 Center Under Drawer Slide

The 1129 Slide is a 3/4 extension, ball-bearing slide that features a friction disconnect. The 1129 is perfect for light-duty kitchen and bath cabinetry.

- 35 lbs. load class
- Sizes: 16", 18", 20", 22"

Zinc

1175 Center Under Drawer Slide

The 1175 Slide is a 3/4 extension and center mounts with two roller guides that create a smooth and secure ride. It mounts with staples or screws for quick installation. Drawers lift out for easy removal.

- 50 lbs. load class
- Size: 22-5/8"

Zinc





Medium-Duty Slides

KV[®] medium-duty slides are the perfect choice for home applications where a durable, basic slide is required. They are highly cost effective and easy to install. They are widely used in kitchen cabinets, bathroom vanities, architectural woodwork and built-ins.



1260 Side-Mount Slide

The 1260 Series is built for kitchen cabinets, architectural woodwork and bathroom vanities. All models have 3/4 extension travel, a positive stop, rollers that operate on ball bearings and a lever disconnect.

- 60 lbs. load class
- Sizes: 16", 18", 20", 22"

Zinc



1805 Euro-Style Slide

The 1805 Euro-Style Slide is an epoxy-coated, 3/4 extension slide for use in kitchen cabinet, commercial millwork, home office and furniture applications where self-closing and a lift-out disconnect is desired. The 1805 is side/ bottom mounting for use in both frame and frameless construction. Additional rear mounting sockets are available for face frame applications. A single captive roller limits side play for improved lateral stability.

- 75 lbs. load class
- Sizes: 350mm, 400mm, 450mm, 500mm, 550mm, 600mm



Heavy-Duty Precision Slides



KV® Precision Ball Bearing Slides contain more ball bearings per inch than most slides and are formed with a precision roll-formed ball race, making for some of the quietest and smoothest slides in the industry. Convenience and safety features - such as direct access mounting, 32mm and traditional hole patterns, cushioned stops, anti-scrape bushings and anti-rebound stay-close - provide options that span a wide range of drawer applications.

8450FM Soft-Close Drawer Slide

The new 8450FM Series is a step forward in side-mounted, ball-bearing, soft-close drawer slides. 8450FM slides include a patented Force-Management[™] module which utilizes an innovative rack and gear system that brings the drawer box to a smooth, quiet, secure close.

- 100 lbs. load class
- Sizes: 16", 18", 20", 22"
- Fully-integrated soft-close module
- Full Extension
- Traditional and 32mm mounting hole configurations
- Non-handed lever release

Anochrome





Spring Design **DISTANCE PULLED (inches)**

Traditional Linear

Design

A lower peak pull force--making them the easiest soft-close slides to open.

Β

Significantly less drop off force at the module release point--eliminating the "jerkiness" of traditional linear spring designs.



True-Trac[™] 100 Side-Mount Drawer Slide

Tru-Trac 100 is a smart and economical choice for a 100-pound class, full-extension ball-bearing slide solution. Designed to meet the needs of today's value-conscious consumer, Tru-Trac 100 features a non-handed design, industry standard 1/2" side clearance and a lever disconnect for easy drawer removal. Ball-bearing construction delivers a smooth operation and a positive stop bumper provides an anti-rebound feature.

- 100 lbs. load class
- Sizes: 16", 18", 20", 22", 24"
- · Non-handed design
- Full Extension
- Face frame mounting hole
- Lever disconnect for easy drawer removal
- 1 Year warranty

⁸⁴⁵⁰FM Soft-Close Slides have:

Drawer Slide Quick Reference Matrix



Knape & Vogt[®] strives to provide our customers with products that effectively satisfy all project requirements. The Quick Reference Matrix below provides a retail snapshot of Knape & Vogt's drawer slide portfolio, making it easy to search for the features you are looking for in a drawer slide solution.

			Slide Type		Extension		Dis	connect Type	;	Open/Close Features			
	Mounting Style	Load Class	Roller Bearing	Ball Bearing	3/4 Extension	Full Extension	Friction Release	Lever Release	Lift Out	Hold In/ Anti-Rebound	Self-Close	Soft Close	
1129	Under Drawer	35 lbs.		•	•		•						
1175	Under Drawer	50 lbs.	•		•				•				
1260	Side	60 lbs.	•		•			•		•			
1805	Side	75 lbs.	•		•				•	•	٠		
8450FM	Side	100 lbs.		•		٠		•		•	٠	•	
TT100	Side	100 lbs.		•		•		•		•			

		Weight		Llni	it Dimen	sions		Unit Wt.	Master Carton	Master Pack	Carton		
Item	Description	Class	Finish		W	H	UOM	(lbs.)	Cubic in.	Qty.		UPC Code	SCM Code
LIGHT-DUTY S													
1129 Under Drawer - 3/4 Extension													
1129RP ZC 16	16" Under Drawer Slide	35 lbs.	Zinc	17.875	1.875	1.250	Each	1.15	528	10	11.50	029274354114	1 00 29274 35411 1
1129RP ZC 18	18" Under Drawer Slide	35 lbs.	Zinc	19.875	1.875	1.250	Each	1.25	585	10	12.50	029274354121	1 00 29274 35412 8
1129RP ZC 20	20" Under Drawer Slide	35 lbs.	Zinc	21.875		1.250	Each	1.38	642	10	13.80	029274354138	1 00 29274 35413 5
1129RP ZC 22	22" Under Drawer Slide	35 lbs.	Zinc	22.875	1.875	1.250	Each	1.45	699	10	14.50	029274354145	1 00 29274 35414 2
1175 Under Draw													
1175RP ZC22-5/8	3 22-5/8" Under Drawer Slide	50 lbs.	Zinc	24.250	1.750	1.125	Each	0.75	713	10	7.60	029274354213	1 00 29274 35421 0
MEDIUM-DUTY SLIDES													
1260 Ball-Bearing	g - 3/4 Extension												
1260RP 16	16" Side Mount Slide	60 lbs.	Zinc	17.250	3.125	1.125	Pair	1.42	827	10	14.20	029274354282	1 00 29274 35428 9
1260RP 18	18" Side Mount Slide	60 lbs.	Zinc	19.250	3.125	1.125	Pair	1.56	918	10	15.60	029274354299	1 00 29274 35429 6
1260RP 20	20" Side Mount Slide	60 lbs.	Zinc	21.250		1.125	Pair	1.65	1009	10	16.50	029274354305	1 00 29274 35430 2
1260RP 22	22" Side Mount Slide	60 lbs.	Zinc	23.250		1.125	Pair	1.85	1099	10	18.50	029274354312	1 00 29274 35431 9
1123-101P	Rear Mount Bracket		Plastic	6.00	5.00	1.00	Pair	0.06	240	10	1.00	029274376659	1 00 29274 34527 0
1805 Euro-Style -		75 lba	W/bito	15.250	1 075	1.000	Doir	1 05	407	10	10.50	029274354237	1 00 29274 35423 4
1805RP WH 350 1805RP WH 400	350 mm Side Mount Slide 400 mm Side Mount Slide	75 lbs. 75 lbs.		17.250		1.062 1.062	Pair Pair	1.05 1.20	437 492	10 10	10.50 12.00	029274354237	1 00 29274 35423 4
1805RP WH 400	450 mm Side Mount Slide	75 lbs.	White		1.875	1.062	Pair	1.20	492 547	10	12.00	029274354350	1 00 29274 35435 7
1805RP WH 500	500 mm Side Mount Slide	75 lbs.		21.250		1.062	Pair	1.40	601	10	14.70	029274354077	1 00 29274 35407 4
1805RP WH 550	550 mm Side Mount Slide	75 lbs.		23.250		1.062	Pair	1.60	656	10	14.70	029274354091	1 00 29274 35409 8
1805RP WH 600	600 mm Side Mount Slide	75 lbs.	White	25.250		1.062	Pair	1.80	711	10	18.50	029274354107	1 00 29274 35410 4
1805-101P	Rear Mount Bracket	10 100.	Plastic		5.00	1.00	Pair	0.10	240	10	1.50	029274345297	1 00 29274 34529 4
HEAVY-DUTY SLIDES													
8450 Soft-Close Full Extension													
8450FMRP 16	16" Side Mount Slide	100 lbs.	Zinc	17.750	1.875	1.062	Pair	2.50	513	10	25.00	029274354244	1 00 29274 35424 1
8450FMRP 18	18" Side Mount Slide	100 lbs.	Zinc	19.750	1.875	1.062	Pair	2.90	560	10	29.00	029274354251	1 00 29274 35425 8
8450FMRP 20	20" Side Mount Slide	100 lbs.	Zinc	21.750	1.875	1.062	Pair	3.25	615	10	32.50	029274354268	1 00 29274 35426 5
8450FMRP 22	22" Side Mount Slide	100 lbs.	Zinc	23.750	1.875	1.062	Pair	3.60	670	10	36.00	029274354275	1 00 29274 35427 2
8403P	Rear Mounting Bracket		Zinc				Pair			10		029274345303	1 00 29274 34530 0
TT100 Full Extension													
TT100RP 400	400 mm Side Mount Slide	100 lbs.	Zinc	17.250	1.875	1.062	Pair	2.70	443	10	27.00	029274354022	1 00 29274 35402 9
TT100RP 450	450 mm Side Mount Slide	100 lbs.	Zinc	18.250		1.062	Pair	3.03	468	10	30.30	029274354039	1 00 29274 35403 6
TT100RP 500	500 mm Side Mount Slide	100 lbs.	Zinc	19.250		1.062	Pair	3.32	493	10	33.20	029274354046	1 00 29274 35404 3
TT100RP 550	550 mm Side Mount Slide	100 lbs.	Zinc	20.250		1.062	Pair	3.75	518	10	37.50	029274354053	1 00 29274 35409 8
TT100RP 600	600 mm Side Mount Slide	100 lbs.	Zinc		1.875	1.062	Pair	4.05	543	10	40.50	029274354060	1 00 29274 35410 4
TT401P	Rear Mounting Bracket		Zinc	6.00	5.00	2.00	Pair	0.36	240	10	4.10	029274345266	1 00 29274 34526 3

Planograms

Note: Planograms are shown for demonstration purposes only. Please see your sales representative to have a planogram customized to fit your needs.



2' Knape & Vogt sample planogram shown.



1-1/2' Knape & Vogt sample planogram shown.



Modular Drawer Slide Planogram



This and other KV literature is available for download at www.kv.com > Resource Library

Knape & Vogt reserves the right to change product specifications at any time without notice and without incurring responsibility for existing units. ©2015 Knape & Vogt. KV and the KV logo are trademarks of Knape & Vogt.