

Electrical AND Supplies



BUSSMANN



LUTRON®



COOPER Wiring Devices



DURACELL®



Table Lamp

Requires four D batteries, not included. Krypton bulb, replacement Ace No. 32417. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36223	43-1016	EA	1	1.3	7.99



Pen Light

Non-replaceable batteries. Assorted colors. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30025	43-1216	EA	12	1	2.49



LED Pen Light

Lifetime bulb - never need to replace the bulb. Lightweight aluminum construction. Handy metal clip. Includes 2 AA batteries. Replaces Ace No. 32380. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260023	43-1218	EA	1	0.3	5.99



LED Flex-Light

LED. Lifetime bulb - never need to replace the bulb. Flexible arm. Assorted colors. Magnetic base. Includes 1 AAA cell battery. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251428	43-1406	EA	1	0.2	7.99



Key Chain Flashlight

Forever bulb - never need to replace bulb. Assorted colors. Durable carabineer clip. Convenient bottle opener. Includes keychain ring. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251345	43-1411	EA	1	0.3	5.99



Cap Light

3 LED white cap lights. Forever bulb - never need to replace bulb. 12 hour run time. Lightweight. Hands free. Clips to brim of hat. Replacement battery - Ace No. 3008711 (Duracell 2016). Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251691	43-2105	EA	1	0.2	7.99



LED Flashlight

Forever bulb - never need to replace the bulb. Assorted colors. 30 hour run time on one set of heavy duty batteries. 3 optic lens. Includes 3 AAA cell batteries. Black with red accents or gray with red accents. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260064	43-2504	EA	1	0.5	9.99



Flashlight

Lifetime bulb - never need to replace bulb. Power failure feature. Convenient fold-out plug. Great for emergencies. Replaces Ace No. 3101763. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260049	43-1045	EA	1	0.6	15.99



Flashlight

Super bright Krypton bulb. Weather resistant. Impact resistant - 10 foot drop test Chemical and grease resistant. Shatterproof polycarbonate lens and reflectors. Tool tough construction. Includes 3 D cell batteries. Replaces Ace No. 3024098. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3252871	43-2356	EA	1	1.4	9.99



Flashlight

1 watt LED. Focus control. Lifetime bulb - never need to replace the bulb. Focus control. Aluminum construction. Optical lens. Includes 2 AA cell batteries. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251444	43-4255	EA	1	0.2	19.99



Headlight

5mm LED bulb. Lifetime bulb - never need to replace the bulb. Multi-use headlight. Can be worn on head or arm. Batteries included. Includes clip for wrist strap. Adjustable elastic strap. Assorted colors. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251659	43-2089	EA	1	0.2	5.99



Flashlight

Nine 5mm LED bulbs. Lifetime bulb - never need to replace the bulb. Includes 3 AAA cell batteries. Aluminum construction. Tail cap switch. Convenient nylon lanyard. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251436	43-4245	EA	1	0.3	5.99



Flashlight

Uses 2 D batteries. Replacement bulb Ace No. 32415. Plastic. Assorted colors. Batteries not included. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32835	43-6480	EA	20	4.8	2.49



Flashlight

Uses 2 D batteries. Replacement bulb Ace No. 32415. Plastic. Assorted colors. Batteries not included. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30674	43-1480	EA	6	2	2.99



Flashlight

Uses D batteries. Replacement bulb Ace No. 32415. Plastic. Assorted colors.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30171	43-2094	CD2	1	1.3	6.99



Flashlight

Includes Ace heavy duty AA batteries. Krypton bulb. Replacement bulb Ace No. 34459. 100,000 cycle switch. Plastic. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3024288	43-2361	EA	1	0.3	5.49



Flashlight

Includes Ace heavy duty D batteries. Krypton bulb. Replacement bulb Ace No. 32415. 100,000 cycle switch. Plastic. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3024296	43-2360	EA	1	0.9	8.49



Flashlight

Synthetic rubber and stainless steel construction. Super bright Xenon bulb. Water resistant. Shock resistant. Sealed on/off switch. 2 AA heavy duty batteries included. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34137	43-2956	EA	1	0.4	6.99



Flashlight

Rubber and stainless steel construction. Super bright Xenon bulb. Water resistant. Shock resistant. Sealed on/off switch. 2 D cell heavy duty batteries included. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34136	43-2966	EA	1	1.2	9.49



Flashlight

Synthetic rubber and stainless steel construction. Super bright Xenon bulb. Water and shock resistant. Convenient nylon lanyard. Uses 3 D cell batteries Included. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36194	43-2976	EA	1	1.5	11.99



Flashlight

2 AA batteries, not included. Plastic. Replacement bulb Ace No. 34459. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205275	43-1481	EA	1	0.4	2.29



Flashlight with Xenon Bulb

Combo 2D and 2 AA flashlights. Synthetic rubber and stainless steel construction. Super bright Xenon bulb. Water resistant. Shock resistant. Sealed on/off switch. 2 AA heavy duty batteries included. 2 D heavy duty batteries included. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34860	43-5982	EA	1	1.6	14.99



Flashlight

Aircraft aluminum casing, knurled grip. Adjustable beam. Lexan lens and reflector. Rotary switch. O-ring sealed. Spare bulb in tail cap. Replacement bulb Ace No. 34862. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34861	SK3A016	Black	EA	1	0.1	6.99
31537	SK3A036	Red	EA	1	0.2	6.99

JS PRODUCTS, INC.

Incandescent Flashlight

1-AAA cell. Overall length: 3.75". Head diameter .65". Head, body and end cap are made of black anodized aluminum with black rubber over molded on head and end cap. Head has a threaded focus adjustment and a water resistant o-ring. Switch is on end cap. End cap holds spare bulb, is water resistant and has a large thru-hole for lanyard, carabineer or hanging hook. Lexan polycarbonate lens. Replacement bulb Ace No. 33565. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224698	92155	EA	1	0.3	6.99

JS PRODUCTS, INC.

Incandescent Flashlight

2-AA. Overall length: 6.8". Head diameter 1.5". Head, body and end cap are made of red anodized aluminum with black rubber over molded on head and end cap. Head has a threaded focus adjustment and a water resistant o-ring. End cap holds spare bulb, is water resistant and had a large thru hole for lanyard, carabineer or hanging hook. Lexan polycarbonate lens. Xenon bulb. Replacement bulb Ace No. 33565. Includes 2 each AA batteries. Nylon black carry holster with metal belt clip. Velcro closure flap. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224631	92153	EA	1	0.4	10.99

JS PRODUCTS, INC.

Incandescent Flashlight

2C. Overall length: 8". Head diameter 2". Head, body and end cap are made of red anodized aluminum with black rubber over molded grip surfaces. Head has a threaded focus adjustment and a water resistant o-ring. Water resistant push button switch with rubber over mold. End cap holds spare bulb and has a large thru hole for lanyard, carabineer or hanging hook. Lexan polycarbonate lens. Xenon bulb. Replacement bulb Ace No. 3166188. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224573	92154	EA	1	0.8	16.99

JS PRODUCTS, INC.

LED Flashlight

3-D cell. Overall length: 13". Head diameter: 2.40". Incandescent bulb. Flashlight, head, body and end caps are made of red anodized aluminum with black rubber over molded grip surfaces. Flashlight head has a threaded focus adjustment. Head has a water resistant o-ring. Water resistant push button switch with rubber over mold. End cap holds spare bulb and has large thru hole for lanyard, carabineer or hanging hook. Lens is made of Lexan polycarbonate. Replacement bulb Ace No. 3166196. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224565	92151	EA	1	1.5	19.99

JS PRODUCTS, INC.

Flashlight Combo

3D/2AA/1AAA combo pack. Flashlight head, body and end cap is made of red anodized aluminum with black rubber over molded grip surfaces. Flashlight head has a threaded focus adjustment and a water resistant O-ring. Push button switch with rubber over mold. End cap holds spare bulb, is water resistant and has a large thru hole for lanyard, carabineer or hanging hook. Lens is made of Lexan polycarbonate. Replacement bulbs Ace No. 3166196(3D) and 33565 (2AA and 1AA). Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3244126	92246	EA	1	1.8	29.99



Flashlight

Aircraft aluminum casing, knurled grip. Adjustable beam. Lexan lens, and reflector. Rotary switch. O-Ring for water resistance. Spare bulb in tail cap. Replacement bulb Ace No. 34098. Black. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34093	M3A016	EA	1	0.2	11.99



Flashlight Holster Pack

Includes 1 Mini Maglite flashlight, 2 AA batteries, and nylon open top belt loop holster. Flood to spot focus. Aluminum body. Spare lamp in tail cap. O-ring sealed at all threaded joints. Limited lifetime warranty. Black. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32336	SM2A01H	EA	1	0.3	10.99



Flashlight

LED bulb. Optimum high brightness. 2 AA batteries included. Black. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3222890	SP2201H	EA	1	0.6	21.99



Flashlight Holster Pack

Includes 1 Mini Maglite flashlight, 2 AA batteries, and nylon open top belt loop holster. Flood to spot focus. Aluminum body. Spare lamp in tail cap. O-ring sealed at all threaded joints. Limited lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34090	SM2A03H	Red	EA	1	0.4	10.99
34089	SM2A11H	Blue	EA	1	0.4	10.99
34438	SM2AMRH	Camouflage	EA	1	0.4	10.99
3183639	SM2A10H	Silver	EA	1	0.4	10.99



Flashlight

Large head. Aircraft aluminum casing with knurled grip. Adjustable beam. Lexan lens and reflector. 3 position switch. Sealed rubber thumb switch. O-ring for water resistance. Spare bulb in tail cap. Black. Clamshell.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34748	S4C016	4 C Cells	EA	1	0.6	18.99



Flashlight

LED bulb. Optimum brightness and battery life. Black. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3222981	ST2D016	2 D Cells	EA	1	1.3	31.99
3223039	ST3D016	3 D Cells	EA	1	1.3	33.99



Flashlight

Aircraft aluminum with knurled grip. Small head. Adjustable beam. Lexan lens and reflector. 3 position sealed thumb switch. O-ring for water resistance. Spare bulb in tail cap. Red. Replacement bulb Ace No. 32343. Clamshell.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003696	SS2D036	2 D Cell	EA	1	1.3	17.99
3021441	SS3D036	3 D Cell	EA	1	1.5	19.99
3021458	SS4D036	4 D Cell	EA	1	1.4	19.99



Flashlight

Aircraft aluminum with knurled grip. Small head. Adjustable beam. Lexan lens and reflector. 3 position sealed thumb switch. O-ring for water resistance. Spare bulb in tail cap. Black. Clamshell.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32337	SS2D016	2 D Cells	EA	1	1.5	17.99
32338	SS3D016	3 D Cells	EA	1	1	19.99
32339	SS4D016	4 D Cells	EA	1	1.5	19.99



Flashlight

Aircraft aluminum with knurled grip. Small head. Adjustable beam. Lexan lens and reflector. 3 position sealed thumb switch. O-ring for water resistance. Spare bulb in tail cap. 6 D cell. Replacement bulb Ace No. 3004843. Black. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004827	SS6D016	EA	1	1.8	25.99

JS PRODUCTS, INC.

Flashlight

Incandescent flashlight. Water resistant. Black rubber grip. Made of anodized aluminum. Xenon bulb Ace No. 3166188. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3221934	92150	EA	1	1.3	17.99



Headlight

.5 watts. 20 lumens. 9 light modes: 100% brightness - maximum, 50% brightness - optimum, main beam strobe, red LED, red LED strobe, blue LED, green LED, red safety light - on rear battery pack and red emergency strobe on rear battery pack. Pivoting head. Runtime: 45 hours. Comfortable head strap. Uses three AAA batteries (included). Lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255098	SPHLT3AAA-B	EA	1	0.4	14.99



Headlight

3 watt LED. Tail light. Lightweight hands-free operation. Uses three AA batteries (included). Lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255163	SE3AAHDLT-BX	EA	1	0.8	37.99



Flashlight

Uses 2 AA batteries, included. Head rotates 360° and pivots 90° up and down. Spring clip. Lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3132180	ILJ2AA-B	EA	1	0.3	9.99



Lantern

6 volt battery included. Floats. Push button switch. Replacement bulb, Ace No. 32417. Assorted colors. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3117173	43-2087	EA	1	2.3	3.99



Lantern

Krypton bulb. Comfort grip handle. 45° swivel for hands free use. Push button switch. Includes stand and battery. Yellow and black tough construction. Lifetime warranty. Uses 6 volt battery, not included. Replacement bulb Ace No. 32417. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205416	I6V-B2	EA	1	3	13.99



Flashlight

2 AA work light flashlight. Heavy duty. Super bright Krypton bulb. 200 percent brighter. Weather resistant. Includes 2 AA cell batteries. Replaces Ace No. 3038759. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3252293	43-2355	EA	1	0.4	6.49

RAYOVAC®**Flashlight**

Krypton bulb. Strong magnet. Protected slide switch. Comfortable grip. Lifetime warranty. Uses 2 D batteries, not included. Replacement bulb Ace No. 32415. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205390	IN2-KML	EA	1	0.4	8.49

RAYOVAC®**Flashlight**

Krypton bulb. 90° swivel for hands free use. Smooth beam prismatic reflector for close-in use. Rubber protected end cap lens ring. Shock absorbing barrier wall passes. 6' drop test. Toolbox tough. Uses 2 D batteries, not included. Lifetime warranty. Replacement bulb Ace No. 32415. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205382	ISL2D-B	EA	1	1.3	10.99

ACE**Flashlight**

Work light flashlight with batteries. Super bright Krypton bulb. 200% brighter. Weather resistant. Includes two D cell batteries. Replaces Ace No. 3024056. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3252772	43-2350	EA	1	0.8	6.99

RAYOVAC®**Lantern**

Krypton bulb, twice as bright as a regular PR bulb. Replacement bulb Ace No. 32417. Floats. Weather resistant. Classic hunter green. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3165776	SP4D-KB	EA	1	2.5	15.99

ACE**Lantern**

Compact design. Lightweight. Clip on hook. Uses 4 AA batteries (not included). Great for camping, emergencies, patio or nightlight. Assorted colors. Replaces Ace No. 3175304. Hang tag.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260031	43-1014	EA	1	0.8	6.99

RAYOVAC®**Lantern**

9 watt fluorescent U-tube lasts up to 24 hours on 8 D alkaline batteries. Weather resistant. 2 light settings. Rubber molding on base and handle. Replacement bulb Ace No. 3172301. Classic hunter green. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3165784	SP8D	EA	1	3.5	27.99

ACE**LED Flashlight**

Forever bulb - never need to replace the bulb. Assorted colors. Lightweight. Durable switch. Includes 2 AA cell batteries. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260015	43-2503	EA	1	0.2	4.99

ACE**Flashlight**

3 5mm LED bulbs. Forever bulb - never replace. Flashlight can stand on flat surfaces. 3 AA batteries included. Great for home use. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260080	43-1402	EA	1	0.4	7.99

GARRITY**LED Flashlight**

80 lumens. 3 watt LED. Truebeam optics - white, bright even light. Solid aluminum construction. Lifetime guarantee. Includes 3 Duracell AAA batteries. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3259793	KDAY1DSE04A	EA	1	0.5	29.99

ACE**LED Key Light with Key Chain**

Forever bulb - never replace. Batteries included. Assorted colors. Includes key chain and button cell batteries. Replaces Ace No. 3024460. Great for end caps, clip strips, side panels and checkouts. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260056	43-1415	EA	1	0.1	4.99

**Tripod Flashlight**

Six LED flashlight. Tripod for hands free use. Adjustable head. Low battery indicator. 3, 6, or 9 AA batteries, not included. Maxlife 369 Tripod. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214889	95-112W	EA	1	0.9	19.99

**Flashlight**

No batteries. No bulbs. Just wind to charge. Self powered. Dual function LED: 3 LED lights or 5 LED blinking lights. Ideal for emergency, home, auto or camping. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3208089	41-4272	EA	1	0.5	15.99

HYBRID SOLAR LITE**Flashlight**

1 watt LED. Provides up to 16 hours of continuous light on a full charge. Holds a charge up to a year without recharging. Charge from sun or artificial light. Back-up battery Ace No. 3008737. Can be charged over and over. Waterproof and it floats. Safety lanyard included. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3252954	001175	EA	1	0.8	19.99

**Flashlight**

White LED. Lasts up to 100,000 hours. Includes Glare Guard and 3 AAAA alkaline batteries. Waterproof. Black aluminum body. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205440	65018	EA	1	0.2	21.99

JS PRODUCTS, INC.**LED Flashlight**

2-AA, 1 watt LED. Overall length: 6.8". Head diameter: 1.5". Head, body and end cap are made of black anodized aluminum with black rubber over molded on head and end cap. Head has a water resistant o-ring. Water resistant push button switch with rubber over mold. End cap has a large thru hole for lanyard, carabineer or hanging hook.

Lexan polycarbonate lens. Bulb is LED-no replacement necessary. Includes 2-AA batteries. Nylon black carry holster with metal belt clip. Velcro closure flap. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224672	92152	EA	1	0.5	25.99

JS PRODUCTS, INC.**LED Flashlight**

2D, 1 watt LED. Overall length: 10.5". Head diameter: 2.40". Head, body and end cap are made of black anodized aluminum with black rubber over molded grip surfaces. Head has a water resistant o-ring. Water resistant push button switch with rubber over mold. End cap has a large thru hole for lanyard, carabineer or hanging hook.

Lexan polycarbonate lens. Bulb is LED-no replacement necessary. Includes 2D battery. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224664	92148	EA	1	1.8	33.99



Flashlight

6 high intensity LEDs - 5 white and 1 red. 46 lumens. 122 hours working battery life. 1.8 maximum wattage. Three extra AAA batteries included. No bulbs to replace. Cloverleaf multi-reflector system. Lightweight aluminum casing. Dual switch system. Package allows for consumer testing of flashlight features. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251188	TT1106CP	EA	1	1.3	29.99



Flashlight

6 high intensity white LEDs. 73 lumens. 118 hours working battery life. 2.92 maximum wattage. Comes with batteries installed and includes 3 extra AAA batteries. Cloverleaf multi-reflector system. Lightweight aluminum casing. Tactical rear on/off switch. Package allows consumers to check flashlight intensity. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251253	TT7345SCP	EA	1	0.6	29.99



Flashlight

83 lumens. 120 hours working battery life. 3.44 maximum wattage high intensity white LED. Three extra batteries included. Lightweight aluminum casing. Tactical rear on/off switch. 5" long. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251295	TT7361TSCP	EA	1	0.5	49.99



Floating Lantern

6 volt heavy duty battery included. Bright Krypton bulb. Long range beam. Durable construction. Assorted colors: red, yellow and blue.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001419	EVBL6V-B	EA	1	3	5.99



Flashlight

Bright 1 watt Rebel 40 high powered LED. 55 lumens. Runtime: 9 hours. Polymer body - impact, chemical and corrosion resistant. Water resistant. 3 colored lenses included: red, blue and green. Handy holster with lens storage included. Useful pocket clip. Uses two AA alkaline batteries (included). Lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255296	SP1WCLIP-B	EA	1	0.4	19.99



Flashlight

4 watts. 7090XRE CREE LED and lasts for 100,000 hours. Water resistant. Yields 150 lumens. Uses three C batteries. Runtime: 100 hours. Anodized aluminum body finished by CNC machine. Rubber comfort grip. Titanium color. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255346	SE4W3C	EA	1	2.3	29.99



Flashlight

1 watt Luxeon LED and lasts for 100,000 hours. Water resistant. Uses two AA alkaline batteries. Up to 45 lumens. Runtime: 5 hours. Titanium color. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255387	SE1W2AA-B	EA	1	0.6	19.99



Flashlight

3 watts. Up to 50 times brighter than standard LED. DC/DC regulated circuitry provides maximum light output throughout the life of the battery. Twist bottom to turn on light. Adjustable beam. Handy clip and wrist strap. Aircraft grade aluminum. Uses two AA alkaline batteries (included). Lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255528	SELUX2AA3W-B	EA	1	0.3	31.99



Flashlight

.5 watts. 20 lumens. Runtime: 45 hours. Machined aluminum with knurled grip. Water resistant. Handy holster included. Uses three AAA alkaline batteries (included). Bronze finish. Lifetime warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3255775	SPHW3AAA-BX	EA	1	0.5	13.99



Flashlight Holster

Universal flashlight holster stretches to fit most shapes and size of flashlights. Fits most AA 123, C and D flashlights. Rotating clip allows for optimal positioning and use; locks in 8 positions enabling you to point and shine light hands free. Clips to a belt waistband and backpack strap for hands free use. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261153	LHS-03	EA	1	0.3	7.99



Flashlight Combo Kit

LED upgrade for AA Mini Maglite. Converts AA Mini Mag incandescent flashlights to LED lighting. Extends battery life, lasts 4 times longer. 10 year lamp life, 100,000 hours of continuous use. Dependable, shock resistant. Bright white LED illumination. 2 pin replacement module and push button tail cap switch. Push button on/off switch for on demand illumination. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214301	LUC-07	EA	1	0.2	9.99



Upgrade LQ Switch Combo

1 watt. Fits Mini Maglite flashlights. IQ switch-tail cap switch for AA Mini Maglite. Features 5 light modes, 3 power levels. Extends battery life-lasts four times longer. Auto-off in the first 3 modes-prevents accidental drainage. LED replaces the incandescent bulb to provide bright white illumination and extended bulb and battery life. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235330	NIQ-07-1WC	EA	1	0.2	18.99



Flashlight Accessory Pack

Pocket clip, key ring, and wrist lanyard. Red, clear, and amber colored lens set. Lens holder. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33168	AM2A016	EA	1	0.1	5.49



Flashlight Belt Holder

For D cell Maglites. Black. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004793	ASXD036	EA	1	0.2	6.99



Flashlight Upgrade Module

Extends battery life. 10 year lamp life, 100,000 hours of continuous use. Reliable and efficient LED technology. Pure white light, bright white LED. Self adjusting for all capacity levels. Compatible with 2-6 C and D cells. Shockproof. Can be used with rechargeable lithium, Ni-Cad, NiMH, and lead acid batteries. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205713	LRB-07-PR	EA	1	0.2	11.99



Flashlight Mounting Bracket

For D cell Maglites. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004785	ASXD026	EA	1	0.2	5.99



Holster Clip Case

Extra large. Pockets for full size flashlight and multi tool. Multiple interior pockets for credit cards, pens, ID's, etc. Expandable front pocket. Black. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3137213	NPXL-03-01	EA	1	0.3	19.99



Closet Light

Battery operated. Uses two D batteries (not included). Plastic body. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34890	73012	EA	1	0.5	3.99



Closet Light

Compact. Rocker switch. Wall or ceiling mount, screws and double stick tape included. Uses 3 AA batteries, not included. Opaque lens. White. Packed/2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038700	2012	EA	1	0.5	6.99



Closet Light with Push Switch Lens

Lights areas where electricity is not readily available. On/off with touch of lens. Spare bulb included. Operates on 4 AA batteries (not included). AC adapter port. Table top or hang. Non-skid feet. White with frosted lens. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038692	73061	EA	1	0.3	4.99



Fluorescent Closet Light



6 watt. 10-1/2". Uses 4 D cell batteries, not included. Pull cord switch. Opaque lens. White. Blister pack.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038718	2035	EA	1	0.5	15.49



Flashlight Bulb

Screw base. Carded/2.



Stock No.	Mfr. No.	Fits	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33775	43-1679	1 AA Flashlights	CD2	12	0.4	2.49
31905	43-1222	2 AA Flashlights	CD2	12	0.2	2.49
31927	43-1002	2 D Flashlights	CD2	12	0.4	1.99
33774	43-1673	3 D Flashlights	CD2	12	0.2	2.79



Flashlight Bulb

2 D. Bayonet base. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200862	43-1004	CD2	12	0.3	2.79



Flashlight Bulb

Fits flashlights with 4 D or one 6 volt battery. Screw base. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3086329	43-1674	CD2	12	0.4	2.79



Flashlight Bulb

Fits flashlights with 6 volt or 4 D batteries. Screw base. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31906	43-1675	CD2	12	0.4	2.79



Flashlight Bulb

Fits 5D flashlights. Bayonet base. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31925	43-1667	CD2	12	0.4	2.79



Flashlight Bulb

Fits flashlights with 6 D batteries. Bayonet base. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31928	43-1676	CD2	12	0.3	2.79



Flashlight Bulb

20 percent brighter than ordinary bulbs. Carded/2.



Stock No.	Mfr. No.	Fits	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34459	43-1662	2 C, 2 AA Flashlights	CD2	12	0.3	1.99
32415	43-1660	2 D Flashlights	CD2	12	0.3	1.99
32416	43-1661	3 D Flashlights	CD2	12	0.3	1.99



Flashlight Bulb

Fits lanterns with 6 volt battery. 20 percent brighter than ordinary bulbs. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32417	43-1663	CD2	12	0.9	1.99



Flashlight Bulb

Fits lanterns with 2 volt rechargeable battery. 20 percent brighter than ordinary bulbs. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32419	43-1671	CD2	12	0.4	2.99



Flashlight Bulb

Krypton gas filled. Fits lamps with 6 volt battery. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31924	43-1013	EA	1	0.2	1.99



Flashlight Bulb

High intensity xenon gas bulb. 125 percent brighter than vacuum bulbs. Bayonet base. Fits 2 AA lanterns/flashlights. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166170	43-1694	EA	12	1.2	3.49



Flashlight Bulb

High intensity xenon gas bulb. 125 percent brighter than vacuum bulbs. Bayonet base. Fits 2 D lanterns/flashlights. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166188	43-1692	EA	1	0.3	3.49



Flashlight Bulb

Fits 6 volt lanterns and flashlights. High intensity xenon gas bulb. 125 percent brighter than vacuum bulbs. Flanged base. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166204	43-1698	EA	12	1.3	3.49



Lantern Bulb

For 4 volt rechargeable lanterns. Fits Black and Decker spotlitter. Xenon. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33564	43-1690	CD2	1	0.2	3.99



Halogen Flashlight Bulb

Fits flashlights w/2 "D" batteries. Bayonet base. Carded/1.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32280	43-1680	EA	12	0.4	4.99



Flashlight Bulb

Fits lanterns with 6 volt battery. Bayonet base. For Ace lantern. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32281	43-1683	EA	1	0.1	4.99



Flashlight Bulb

Fits flashlights using 4 volt rechargeable batteries.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32418	43-1670	CD2	12	1.3	2.99



Flashlight Bulb

Fits flashlights using 2 AA batteries and use T1 bulbs. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33565	43-1672	CD2	12	1	2.99



Flashlight Bulb

Fits 1 AAA cell flashlight (Ace No. 34861). Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34862	LK3A001	CD2	1	0.1	2.99



Flashlight Bulb

2 AA cell bulb. Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32340	LM2A001	CD2	1	0.1	2.99



Flashlight Lamp

Fits 2 AAA cell flashlight (Ace No. 34093). Carded/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34098	LM3A001	CD2	1	0.2	2.99



Xenon Flashlight Bulb

Fits C and D cell flashlights. Carded/1.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32341	LMSA201	2 Cell	EA	1	0.1	3.49
32342	LMSA301	3 Cell	EA	1	0.1	3.49
32343	LMSA401	4 Cell	EA	1	0.1	3.49
3004835	LMSA501	5 Cell	EA	1	0.1	3.49
3004843	LMSA601	6 Cell	EA	1	0.2	3.49



Flashlight Bulb

Use with Mag flashlight Ace No. 36239. Carded/1.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36241	LR00001	EA	1	0.1	6.99



Lithium Battery

Lasts up to 7 times longer than standard alkaline batteries. 33% lighter than regular alkaline batteries. 15 year shelf life. Recloseable pack of 4. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3206356	L92BP-4	CD4	1	0.1	12.99



Lithium Photo Battery

Size "AAA". Lasts up to 7 times longer than standard alkaline batteries. 33% lighter than standard alkaline batteries. 15 year shelf life. Card of 2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3237997	L92BP-2	EA	1	0.2	7.49



Alkaline Battery

Date coded. Wide card.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166675	MN24B16	AAA	CD16	1	0.4	12.99
3166659	MN1500B16	AA	CD16	1	1.3	12.99
3102605	MN14R8DWZ0017	C	EA	1	1.5	12.99
3100856	MN13R8DWZ0017	D	EA	1	3.4	12.99
3100476	MN16B4DW	9V	EA	1	0.6	12.99



Alkaline Battery

1.5 volts. Designed for long-lasting performance in the broadest range of device applications. An environmentally responsible battery that can be disposed of with regular household trash. No added mercury.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30042	E92BP-4	AAA	Card of 4	CD4	12	1.8	4.49
3209350	E92BP-16H	AAA	Card of 16	CD16	1	0.6	12.99
30102	E91BP-4	AA	Card of 4	CD4	12	3	4.49
32105	E91BP-8	AA	Card of 8	CD8	6	3	7.99
3209368	E91BP-16H	AA	Card of 16	CD16	1	0.9	12.99

DURACELL Div of P&G**Alkaline Battery**

7.5 volt. For use in radio fence RF20/ receiver (Ace No. 8008070). Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3018678	MN175BPK	EA	1	0.1	6.49

**Alkaline Battery**

1.5 volt.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3016607	AH2400B4Z	AAA	Card of 4	CD4	18	3	3.29
32123	AH1500B4Z	AA	Card of 4	CD4	14	3.5	3.29
32113	AH1400B2Z	C	Card of 2	CD2	8	3	3.29
32114	AH1300B2Z	D	Card of 2	CD2	6	4.5	3.29
32116	AH1604BZ	9V	Card of 1	EA	12	3	3.29

DURACELL Div of P&G**Alkaline Battery**

1.5 volt.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32625	MN1604BZ	9V	Card of 1	EA	12	3	4.49
30205	MN1604B2Z	9V	Card of 2	CD2	12	3.5	7.99
32327	MN2400B4Z	AAA	Card of 4	CD4	18	2.2	4.49
3009735	MN2400B8Z	AAA	Card of 8	CD8	10	3	7.99
32886	MN1500B4Z	AA	Card of 4	CD4	14	3.8	4.49
34575	MN1500B8Z	AA	Card of 8	CD8	8	4	7.99
32783	MN1400B2Z	C	Card of 2	CD2	8	3.3	4.49
34574	MN1400R4ZX	C	Card of 4	CD4	1	0.4	7.99
32782	MN1300B2Z	D	Card of 2	CD2	6	4.4	4.49
34573	MN1300R4Z	D	Card of 2	CD4	12	14	7.99

DURACELL Div of P&G**Battery**

1.5 volts. Use in high drain electronics, cameras, cellular phones and camcorders.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3169661	MX2500B2PK	AAAA	Card of 2	EA	6	0.4	4.29
3130143	MX2400B4Z	AAA	Card of 4	CD4	1	0.1	5.49
3130176	MX1500B4Z	AA	Card of 4	CD4	1	0.4	5.49
3130150	MX1500B8Z	AA	Card of 8	CD8	1	0.5	9.49

**Alkaline Battery**

1.5 volts. Designed for long-lasting performance in the broadest range of device applications. An environmentally responsible battery that can be disposed of with regular household trash. No added mercury. 7 year shelf life.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3008745	E92BP-8	AAA	Card of 8	CD8	6	1.9	7.99
30103	E93BP-2(GE)	C	Card of 2	CD2	6	2	4.49
32108	E93BP-4	C	Card of 2	CD4	12	9	7.99
3005196	E93BP-8H	C	Card of 8	PK8	1	1.8	12.99
30104	E95BP-2(GE)	D	Card of 2	CD2	12	10	4.49
32118	E95BP-4	D	Card of 4	CD4	12	18	7.99
3005204	E95BP-8H	D	Card of 8	PK8	1	3.3	12.99

**Alkaline Battery**

9 volt. Designed for long-lasting performance in the broadest range of device applications. An environmentally responsible battery that can be disposed of with regular household trash. No added mercury. 7 year shelf life.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32899	522BP	Card of 1	EA	12	2.5	4.49
30204	522BP-2	Card of 2	CD2	12	4	7.99
3005212	522BP-4H	Card of 4	PK4	1	1.3	12.99

**Alkaline Battery**

Resealable storage container. 5 year warranty in storage.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3149465	815-30	AA	Pack of 30	PK30	1	1.8	14.99
3149432	824-30D	AAA	Pack of 30	PK30	1	0.8	14.99
3149382	814-12PPD	C	Pack of 12	PK12	1	3	12.99
3149184	813-12PPD	D	Pack of 12	PK12	1	4	12.99
3149424	A1604-8PPD	9V	Pack of 8	PK8	1	1.4	14.99

DURACELL Div of P&G**Keyless Entry Battery**

3 volts. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3037777	DL1616BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Keyless Entry Battery**

3 volts. For use with car alarms, watches, and calculators. Replaces DL1620, CR1620. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193240	DL1620BPK	EA	1	0.2	4.29

DURACELL Div of P&G**Keyless Entry Battery**

3 volt. .787" diameter, .063" ht. For use in: keyless entry (General Motors), memory backup (Smith Corona), calculators (Texas Instruments), selectronics translator. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3008711	DL2016BPK	EA	6	1	4.29

DURACELL Div of P&G**Keyless Entry Battery**

3 volt. .787" diameter, .098" height. For use in: Casio digital diary, camcorder backup, still video camera backup, SLR camera backup, selectronics translator, TV remote (Kuron). Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3008729	DL2025BPK	EA	6	1	4.29

**Cordless Phone Battery**

3.6 volts, 700 mAh, NiCad with universal plug. For use with Cobra, Panasonic, Uniden, and other Phones. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity, and plug type as the one being replaced. After replacing a phone battery, phone must be charged for 24 hours prior to use. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001336	3001336	EA	1	0.3	13.49

DURACELL Div of P&G**Keyless Entry Battery**

12 volts. For car alarms, home security, and garage door openers. Card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193513	MN21B2PK	CD2	1	0.1	2.79

**Cordless Phone Battery**

3.6 volt, 700 mAh, NiCad. For use with Cobra and other phones. Phone must be charged 24 hours prior to use after replacing a phone battery. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity and plug type as the one being replaced. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001393	3001393	EA	1	0.3	13.49

DURACELL Div of P&G**Keyless Entry Battery**

12 volts. Keyless entry battery for Lexus, Mercedes, and Toyota vehicles. Card/1.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193208	MN27BPK	EA	1	0.1	1.79

**Cordless Phone Battery**

3.6 volt. 700 mAh. Replacement for AT&T models: 9230,9311,9312,9341,9351, HS-8201,HS-8211, HS-8241, HS-8243,9320,9353. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107463	3107463	EA	1	0.2	13.49



Cordless Phone Battery

3.6 volts, 700 mAh, NiCad. For use with Southwestern Bell phones and others. Phone must be charged for 24 hours prior to use. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity and plug type as the one you are replacing. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190063	3190063	EA	1	0.3	13.49



Rechargeable Battery

Charges up to 1000 times. For high drain devices. Provides as much service life as 35 reusable batteries. Nickel metal hydride system (NiMH). Cadmium free. No memory.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3106127	NH12BP-2	AAA	Card of 2	EA	1	0.2	11.99
3194800	NH12BP4	AAA	Card of 4	EA	1	0.3	13.99
3106424	NH15BP-2	AA	Card of 2	EA	1	0.2	11.99
3106119	NH15BP-4	AA	Card of 4	EA	1	0.3	13.99
3106135	NH35BP-2(R2)	C	Card of 2	EA	1	0.3	11.49
3106143	NH50BP-2(R2)	D	Card of 2	EA	1	0.4	11.49
3106150	NH22NBP	9V	Card of 1	EA	1	0.2	11.49



Solar Light Battery

Replacement battery for most solar yard lights. Size: AA. Capacity: 900 Mah. Nickel-Cadmium battery. Card of 4.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3269495	BT-NC-94	PK4	1	0.1	5.49



Solar Replacement Battery Pack

Replacement battery pack for premium solar lights. Pack of 4. AA size. 1500MAH capacity. Nickel-metal hydride battery. Clamshell hang pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3269503	BT-NM-154	PK4	1	0.1	10.99

DURACELL Div of P&G

Lantern Battery

6 volts. Square spring top.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30904	MN908	EA	6	8	9.49



Lantern Battery

6 volt. Screw terminals. 50% more use life than zinc carbon batteries. Sealed in steel case.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32760	945R4	EA	1	1.5	5.49



Lantern Battery

6 volt. Spring top. 50% more use life than zinc carbon batteries. Pack/2. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3020732	944-2R	PK2	1	3	8.49



Lantern Battery

12 volts. Screw terminals. Sealed in steel case.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32562	926	EA	1	3	12.99



Lantern Battery

6 volt.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32356	1209	EA	12	18	5.49



Lantern Battery

6 volt. For lanterns. Square spring terminal.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31575	529	EA	1	2.3	11.99



Cordless Phone Battery

3.6 volts, 700 mAh, NiCad. For use with AT&T, V-tech phones and others. Phone must be charged for 24 hours prior to use. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity and plug type as the one you are replacing. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190329	3190329	EA	1	0.3	18.49



Cordless Phone Battery

3.6 volts, 400 mAh, NiCad. For use with AT&T, V-tech and other 2.4 ghz phones. Phone must be charged for 24 hours prior to use. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity, and plug type as the one you are replacing. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190097	3190097	EA	1	0.3	13.49

DURACELL Div of P&G

Photo & Electronic Battery

1.5 volt. Model MS76. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36228	MS76BPK	EA	1	0.2	4.29

DURACELL Div of P&G

Battery

1.5 volt. Alkaline. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3115581	PX76A/675PK	EA	6	0.2	1.79

DURACELL Div of P&G

Photo Battery

Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36230	DL123ABPK	3V	EA	6	0.2	9.99
36231	DL223ABPK	6V	EA	1	0.2	13.99
36229	DL245BPK	6V	EA	1	0.1	13.99

DURACELL Div of P&G

Photo & Electronic Battery

1.5 volts. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3067352	PX625ABPK	Card of 1	EA	1	0.1	4.29
36226	MN9100B2PK	Card of 2	CD2	6	0.4	4.29



Cordless Phone Battery

3.6 volts, 700 mAh, NiCad. For use with Cobra, Northwestern Bell, Panasonic, Sony, Uniden, and other phones. Phone must be charged for 24 hours prior to use. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity, and plug type as the one you are replacing. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3164811	3164811	EA	1	0.3	13.49

DURACELL Div of P&G

Photo & Electronic Battery

3 volt. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36224	DL1/3BPK	EA	1	0.1	4.29

DURACELL Div of P&G

Digital Camera Battery

Nickel Oxyhydroxide battery for digital camera use. Up to 2X more pictures in digital cameras. 90 more photos versus premium alkaline. Releases more power to meet the needs of extremely high drain digital cameras. Carded.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214830	NX1500B4Z	AA	Card of 4	EA	1	0.2	6.49
3214848	NX1500B8Z	AA	Card of 8	EA	1	0.3	10.99
3214855	NX2400B4Z	AAA	Card of 4	EA	1	0.3	6.49



Advanced Lithium Batteries

AAA. 2 pack. Performance up to 4 times longer in digital cameras. Lasts up to 30% longer in MP3 and CD players. Performs in extreme temperatures. 33% lighter than ordinary alkaline. Carded.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3263167	EA92BP-2	AAA	Pack of 2	CD2	1	0.2	6.49
3263183	EA92BP-4	AAA	Pack of 4	CD4	1	0.1	10.99
3263191	EA92BP-8	AAA	Pack of 8	CD8	1	0.1	17.99
3263076	EA91BP-2	AA	Pack of 2	CD2	1	0.1	6.49
3263134	EA91BP-4	AA	Pack of 4	CD4	1	0.1	10.99
3263159	EA91BP-8	AA	Pack of 8	CD8	1	0.3	17.99



Photo Battery

Size AA. Lasts up to 7 times longer than standard alkaline batteries. 33% lighter than standard alkaline batteries. 15 year shelf life.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3022449	L91BP-2	Card of 2	EA	1	0.2	7.49
3194784	L91BP-4	Card of 4	EA	1	0.3	12.99
3233228	L91BP-8	Pack of 8	EA	1	0.3	19.99



Cordless Phone Battery

4.0 volts, 500 mAh, lead acid. For use with Sony and other phones. Phone must be charged 24 hours prior to use after replacing a phone battery. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity and plug type as the one being replaced. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3032919	3032919	EA	1	0.3	22.99



Cordless Phone Battery

3.6 volts, 300 mAh, NiCad. For use with Panasonic, Sony, Cobra, and other phones. Phone must be charged 24 hours prior to use after replacing a phone battery. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity and plug type as the one being replaced. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001401	3001401	EA	1	0.2	13.49

DURACELL Div of P&G

Photo Battery

3.0 volt. For applications with over 66% of today's digital cameras. Provide up to 2 times the power of Nickel Metal Hydride and Lithium AA batteries. Carded.




Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190428	DLCRV3BPK	Card of 1	EA	1	0.2	10.49



Cordless Phone Battery

3.6 volts, 300 mAh, NiCad. For use with Cobra, G.E. phones and others. Phone must be charged for 24 hours prior to use. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity and plug type as the one you are replacing. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001377	3001377	EA	1	0.1	13.49

DURACELL Div of P&G

Photo Battery

Watch and calculator battery. Lithium. 3.0 volts. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3037769	DL2450BPK	EA	1	0.1	4.99

DURACELL Div of P&G

Photo & Electronic Battery

6 volt. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36227	PX28LBPK	EA	1	0.1	8.99

DURACELL Div of P&G

Battery

J (flat-pak). 6 volt. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36232	7K67B9K	EA	1	0.2	4.29

DURACELL Div of P&G

Electronic Battery

3 volt. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3109030	DLCR2BPK	EA	1	0.1	9.99



Cordless Phone Battery

3.6 volts. 830 mAh, NIMH. Replacement battery for Panasonic models: P104A, KX- TG2302B, 2312W, 2313W, 2322B, 2343W, 2336S, 2346S, 2356S, KX- TG5050W, 5200M, 5210M, 5230M, 5240M, 6500M, KX- TG2344B, and TG-KX5212M. NI-MH (nickel metal hydride) has no memory. When replacing a battery, make sure the replacement battery is the same size, shape, voltage, polarity, and plug type as the one you are replacing. After replacing the battery, phone must be charged for 24 hours prior to use. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3136637	3136637	EA	1	0.3	21.99

DURACELL Div of P&G

Home Medical Battery

6 volt. For photo, medical equipment, and wireless dog fences.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3093127	PX28ABPK	EA	1	0.1	4.79

DURACELL Div of P&G

Home Medical Battery

3 volt. For medical devices. Replaces DL2032 and CR2032. Pack of 2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193539	DL2032B2PK	CD2	1	0.1	5.49

DURACELL Div of P&G**Battery**

3 volt. Lithium. Replaces: DL1216, CR1216 and 1216. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099199	DL1216BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch Battery**

3 volt. Replaces ECR1025. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3162070	DL1025BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch Battery**

3.0 volts. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3037751	DL2430BPK	EA	1	0.1	5.49

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; D, H 226, SR43(S)12, WS10, 504, 260, 507. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099207	D301/386BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; A, J, SR44(S)W, GS14, WS16, SR47, S06, 228, G13, WS15, S05. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099066	D303/357PK	EA	6	0.2	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; F, 70T, SR754W, WS-6, G55, WS6, SR54, 255, SB83, G5, SR48. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099140	D309/393BPK	EA	6	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

Replaces; T, 602, TR621SW, SR60, S14. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099082	D364BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. For use with watches, thermometers, hand-held games, and calculators. Replaces SR64, SR527SW. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193448	D319BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. For use with watches, thermometers, hand-held games, and calculators. Replaces SR720, SR58, XS. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193489	D361/362BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

Replaces Z, d1L36, SR920(S) (W), SB-AN), (BN), 30. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099223	D370/371BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. For use in watches, thermometers, handheld games, and calculators. Same as Energizer and Rayovac 376. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183738	D376BPK	EA	1	0.2	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; SR626SW, SR66 and S32. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099041	D377BPK	EA	6	0.2	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; SR521SW. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099165	D379BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; L, 317, TR1120(S)(W), SR59, S17, 607, 530. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099231	D381/391BPK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; K, 247, TR41(S)(W), GS3, S22, 247B, G3, WS4, S13. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099181	D384/392PK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; M, 603, SR1130(S)(W), G10, SR54, S09, S24. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099090	D389/390PK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; SR926(S)(W), SB- (AP)(BP), SR57, 25, W, 35. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099108	D395/399PK	EA	1	0.1	4.29

DURACELL Div of P&G**Watch & Calculator Battery**

1.5 volt. Replaces; N, V, 612, TR726W (S)(W), SR59, S17, 607, 530. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3099215	D396/397PK	EA	1	0.1	4.29

DURACELL Div of P&G**Hearing Aid Battery**

1.4 volt. Easy Tab packaging-portable, compact, lightweight, seals in freshness, resealable pack. Clamshell.



Stock No.	Mfr. No.	Description	Model No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3175882	DA13B8W	Card of 8	DA13	CD8	1	0.2	10.49
3175957	DA675B6W	Card of 6	DA675	CD6	1	0.2	8.49
3175775	DA312B8W	Card of 8	DA312	CD8	1	0.2	10.49
3175866	DA10B8W	Card of 8	DA10	CD8	1	0.2	10.49

**Digital Power Kit**

Includes 4 AA rechargeable batteries. Charges both AA and AAA batteries in 8.5 hours. Sleek compact design ideal for travel and camera bags. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193018	CHDCWB-4	EA	1	0.8	21.99

**Rechargeable Battery Charger**

Value charger with 2 AA batteries. 2000MAH capacity. Charges 2 or 4 AA batteries. Fold out plug. LED indicator. Charges any NIMH AA or AAA battery. Peggable clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3267598	CHVCWB-2	EA	1	0.7	12.99

**Battery Charger**

Charges multiple combinations of AA, AAA, C, D, or 9V NiMH batteries. Nickel Metal Hydride (NiMH). Charge status indicator. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3106416	CHFCV	EA	1	2	22.99

COOPER Wiring Devices**Socket Reducer**

Medium to candelabra base. 75 watts. 125 volts. Plastic. UL listed and CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33776	S313/10	EA	10	0.3	2.79

COOPER Wiring Devices**Socket Adapter**

Converts socket to 2 wire polarized outlet. 660 watts. 125 volts. UL listed, CSA approved. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30871	808-BOX	EA	10	1.2	3.79



Socket & Plug Adapter

For residential use. for use with porcelain lamp holders Ace No. 30847, 30848, 36028, 36029, 36036, and 36127. White. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160942	002-00125-000	EA	1	0.2	1.99



Turn Knob Socket

750 watt, 250 volt. Mogul base lampholder. Removable turn knob. Two circuit hickey tapped 1/4" IPS x 7/8" high. Screw terminals. UL listed, CSA approved. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30875	8601	EA	1	0.7	12.49



Lampholder

75 watts. 120 volts. One piece. Keyless. Urea. Incandescent. Pony cleat. Single circuit. Open terminal. 2 terminal screws. White. 1 year limited warranty. Non-UL. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33820	005-10020-000	EA	10	0.3	2.49



Lampholder

75 watt. 125 volt. One piece. Candelabra base. Keyless. Urea. Incandescent. Pony cleat. single circuit. Open terminal. Non-UL. White. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30583	005-10028-000	EA	1	0.1	1.99



Flasher Socket Button

For medium base sockets. For use with 15 to 60 watt bulbs. 65-85 flashes per minute. Non-UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30906	BP1008	EA	1	0.1	3.79



Lampholder

Fits 3-1/4", 3-1/2" and 4" outlet boxes. Double screw terminal. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34477	LH=1P	EA	1	0.3	2.49



Lampholder

Fits 3-1/4" 3-1/2" and 4" outlet boxes. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34478	LH=2P	EA	1	0.4	4.29



Lampholder

Grounded outlet. Fits 3-1/4", 3-1/2" and 4" outlet boxes. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34479	LH=3P	EA	1	0.3	5.99



Socket Adapter

15A-660W-125V. 2 pole, 2 wire. Medium base. UL Listed. Ivory. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3088374	006-00128-001	EA	1	0.2	2.99



Lampholder

15A-660W-125V. 2 pole, 2 wire. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30855	004-1403-I	Ivory	EA	10	1.3	2.99
30854	002-1403	Black	EA	10	1.5	2.99



Lampholder

15A-660W-125V. 2 pole, 2 wire. Pull chain controls lamp socket only. Outlet continually live. UL listed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30853	008-1406-I	Ivory	EA	10	1.4	3.29
30852	007-1406	White	EA	10	1.6	3.29



Socket Adapter

660 watts. 250 volt. Mogul to medium. Porcelain reducer. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30859	000-8681	EA	1	0.1	4.29



Socket Extension

660 watts. 250 volt. 1 piece socket extension. Extension 1-3/16". To be used with phenolic sockets only. Black. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3068236	009-02006-000	EA	1	0.1	3.29



Push-Thru Socket

660W/250V maximum. 1/8" threaded bushing. Medium base. Phenolic body. Polished gilt. Brass finish. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30862	003-6098-PG	EA	1	1	3.99



Turn Knob Socket

250W, 250V. Single circuit. Medium base. 1/8" IPS tapped bushing with set screw. Removable turn knob-electrolier. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30864	054-10083-16	EA	10	1	4.29



Turn Knob Socket

250W, 250V maximum. 1/8" FIP tapped bushing. Medium base. Removable turn knob. Two circuit. Brass finish. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30867	051-07090-PG	EA	10	0.8	4.49



Pull Chain Socket

660W, 250V maximum. 1/8" FIP taped bushing with set screw. Medium base. Polished gilt shell. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30860	014-19980-PG	EA	1	0.1	4.99



Turn Knob Socket

250 watts. 250 volt maximum. 1/8" FIP tapped bushing less set screw. Removable turn knob. Electroiler 2-circuit. Used for lamps that have night light in the base. Two circuit. Polished gilt finish. UL approved. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30479	009-7070-PG	EA	1	0.1	4.99



Pull Chain Socket

660 watt/250 volt. Medium base metal shell lampholder. Phenolic body. Aluminum screw shell. Interior mechanism for Ace No. 30860. UL listed. Clam pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32278	003-19980-M	EA	1	0.1	3.29



Push-Thru Socket

660 watts. 250 volt. Single circuit. Medium base. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30863	002-7080-M	EA	1	0.1	1.99



Turn Knob Socket

250W, 250V. Medium base. Single circuit. Removable knob. Brass finish. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31945	015-10083-16M	EA	1	0.1	2.79



Turn Knob Socket

250W, 250V. Medium base. 2 circuit. 1/8" IPS tapped bushing. Removable turn knob. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31946	028-7090-M	EA	1	0.1	3.29



Lamp Fixture Socket

660 watts. 250 volt. Medium base. Screw terminals. 1/8" IPS hickey. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32507	004-3152-8	EA	10	1.3	3.99



Lampholder

660 watts. 250 volts. Metal shell incandescent. Brass. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3069333	014-9347-PG	EA	1	0.2	4.79



Lamp Socket

660 watts. 250 volt. Medium base. 1/8" IPS hickey. Screw terminals. Side mounting "L" bracket. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32508	008-03152-00F	EA	1	0.1	3.99



Lampholder

660 watts. 250 volt. Medium base. Removable hickey. Terminal screws backed out and staked. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30869	006-3352-8	EA	1	0.1	1.99



Socket

660 watts. 250 volt. Medium base. 6" leads molded into boots. Phenolic interior and screw shell. Brass shell contact. Leads are #14 AWG. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30823	001-55	EA	1	0.2	3.99



Cluster Socket

660 watts. 250 volt. 1/8" IPS male (top and bottom). 1-11/16" H. Medium base. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32347	018-4015-D4F	EA	1	0.3	7.99



Lampholder

660 watt/250 volt. Four screw terminals for feed through wiring. Fits 3-1/4" and 4" boxes. UL listed, CSA certified. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36038	920-49875	EA	5	3.5	1.79



Lampholder

660 watts. 250 volt. 4-1/2" OD. Top wired. Fits 3-1/4" or 4" box. 2" pull chain. 3' pull cord with bell end. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36028	920-49816	EA	1	1	3.49



Lampholder

660 watt/125 volt lampholder. 15 amp/125 volt outlet. 2 pole, 2 wire outlet. Side wired. Fits 3-1/4" or 4" box. 2" pull chain. 3' pull cord with bell end. UL and CSA listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36127	920-9716	EA	1	0.8	4.99



Lampholder

660 watt/125 volt lampholder. 15 amp/125 volt outlet. 2 pole, 3 wire outlet. Side wired. Fits 3-1/4" or 4" box. 2" pull chain. 3' pull cord with bell end. UL listed, CSA certified. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36029	922-09726-000	EA	1	0.8	4.99



Cleat Fixture

660 watts. 250 volt. Medium base. For lampholder. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30888	002-19062	EA	10	2.5	3.99



Socket

660 watts. 250 volt. Medium base. Low two-piece. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30887	001-9880	EA	1	0.2	4.99



Ceiling Fixture Socket

660 watts. 250 volt. Two piece ring type. 9" leads, stripped 3/4". UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32292	003-8101	EA	1	0.1	3.99



Fixture Socket

660 watts. 250 volt. Medium base. Threaded mounting bushing and locknuts. Bottom turn knob socket. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30872	014-4155-51	EA	1	0.1	4.29



Socket

660 watts. 250 volt. Medium base. Pin type. Detachable zinc-plated wire hook. Accepts #14-12 stranded insulated wire. For temporary lighting only. Not waterproof. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30880	001-167	EA	25	2.3	2.99



Voltage Converter

Converts 220/240 foreign voltage to 110/120 US. 50 watts max. Travel pouch.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
60075	F11	EA	1	.9	15.99



Travel Converter

Changes 110/120 US voltage to 220/240V foreign voltage. 50 watts max. Travel case. Peggable box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
68860	FR22	EA	1	1.3	15.99



Converter

Converts 220 volts Foreign Electricity to 110 volts for use Overseas. Use on most U.S. appliances rate 0-2000 watts. Convenient High/Low Wattage Selector Switch. Use low 0-25 watts setting for electric shavers, radios, most curling irons. Use high 26-2000 watts setting for some hair dryers, irons, steamers, etc. Travel pouch.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6087779	TS2000	EA	1	.6	28.99



Converter

Includes converter and five polarized adapter plugs to accommodate most foreign outlets, also includes zippered case. Converts 220 volts foreign electricity to 110 volts for use overseas. Use on most U.S. appliances rate 0-2000 watts. Convenient High/Low wattage selector switch. Use low 0-25 watts setting for electric shavers, radios, most curling irons. Use high 26-2000 watts setting for some hair dryers, irons, steamers, etc.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6088611	TS-2000CK	EA	1	1.0	37.99



Adapter Plug Set

Five international plugs. Adapts electrical wall outlets. Travel pouch. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
60077	M500E	EA	1	.2	11.49



Adapter Plug

North and South America adapter plug. For use in North, Central, South America and Caribbean. Also for European appliances used in the United States. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
64354	NW3C	EA	1	.3	4.29



Travel Lite Adapter Plug

Adapter plug with two thick pins. For Great Britain, Ireland, China and India. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6008312	NW4C	EA	1	.1	4.29



Travel Lite Adapter Plug

Adapter plug with two long thin plug for Europe, Africa, Africa, Middle East Asia and parts of the Caribbean. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6006688	NW1C	EA	1	.2	4.29



Adapter Plug

Combination plug adapts a United Kingdom type three blade plug for North/South America, the Caribbean and Japan. May need to use Ace No. 68860 if appliance is not dual voltage. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6117725	NW-7C	EA	1	.1	4.49



Switch Guard

Use on any switch plate. Fits any standard light switch. For locking switches that control motion or dusk to dawn lights. Plastic. White. Card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3017746	3017746	EA	12	3	2.99



Wireless Switch

150' range. Controls up to 1500 watts. 4 selectable codes. Accepts 3 prong grounded plugs. Approved for wet locations. Perfect for landscape, holiday and security lighting. Battery included. 5 year warranty. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190576	HW2190	EA	1	0.9	23.99



Remote Control

50' range. Four selectable codes. Plugs into any standard outlet. For controlling Christmas lights, under counter lighting and any plug-in lamp. Battery included. 2-year warranty. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190568	RC7000D	EA	1	0.6	20.99



Residential Vacancy Sensor

120 volt AC, 60 Hz. 2 wire + ground. Incandescent loads 25-500 watt. Wall plate included. White. Ground CEC T24 2005 compliant. UL listed. Sensors automatically turn light off after a space becomes vacant saving electricity. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3230075	RS-100BA-W-CS	EA	1	0.4	29.99



Residential Vacancy Sensor

120 volt AC, 60 Hz. 3 wire. Incandescent/fluorescent loads 0-600W. Wall plate included. White. Ground CEC T24 2005 compliant. UL listed. Sensors automatically turn light off after a space becomes vacant. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3230059	RS-150BA-W-CS	EA	1	0.5	29.99



Occupancy Sensor

Decora passive infrared wall switch occupancy sensor. Single pole. 40W/VA MIN 500W 400VA maximum. 120 volt AC. 60HZ. 350 square foot coverage. Residential grade. UL and CSA approved. 2 year limited warranty. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201969	R21-PR150-1LI	Ivory	EA	1	0.5	16.99
3069184	R22-PR150-1LW	White	EA	1	0.5	16.99



Wall Timer Switch

Replaces any standard wall light switch. Use to automatically control lights, air conditioners, fan and more. Fits all contemporary wall plate designs. Uses no electricity to operate. Color coordinated time dial and knob included. Wall plate not included. UL listed. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31743	FD60MC	Ivory	EA	1	0.7	18.99
3000734	FD60MWC	White	EA	1	0.3	18.99



Timer Switch

40 amp. Single pole, single throw. Gray. UL and CSA listed. Boxed.

Stock No.	Mfr. No.	Volts	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30909	T101	120	EA	1	2.7	54.99



Electronic Timer

24 hour dial. Improved triac switch. Random on/off pattern. Self learning feature. 15 minute memory guard. Universal design-install with either decorator/standard wall plates. White. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30088	EJ351C	EA	1	0.4	21.99



Time Switch Trippers

1 on/1 off. For Model No.'s T101, T102, T103, T104, T102-20 and T104-20. Black/gray. UL and CSA listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31521	156T1978A	EA	1	0.1	2.79

COOPER Wiring Devices

Toggle Switch

10A-125V;5A-250V. For SPT cord. Side wire. Heavy duty plastic construction. Brown. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30721	735B-BOX	EA	1	0.2	2.99

LEVITON

Adapter Switch

13 amp. 125 volt. 2P 2W. Non-grounding. Plug-in switch tap. UL and CSA approved. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190584	C21-01469-00I	Ivory	EA	1	0.1	4.49
3189842	C22-01469-00W	White	EA	1	0.1	4.49

COOPER Wiring Devices

Toggle Switch

15 amp/125 volt. AC-1/2" H.P., 120V/AC. Grounding screw. Push-in terminals accept #12 or #14 solid wire only. Side wire terminals accept up to #10 solid or stranded wire. UL listed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3018827	C1303-7LTV	Ivory	EA	1	0.2	7.99

LEVITON

Toggle Switch

15A/120V AC. For residential and light commercial use. Push-in terminals accept #12 or #14 solid wire only. Side wire terminals accept up to #12 solid wire. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201811	203-01451-02I	Ivory	EA	10	2	0.79
3201829	228-01451-02W	White	EA	10	1.3	0.79
3201803	202-01451-002	Brown	EA	10	2	0.79

LEVITON

Toggle Switch

15 amp. 120 volt. Toggle. Single-pole AC quiet switch. Residential grade. Grounding. Quick wire push-in and side wired. Light almond. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3212628	208-01451-02T	EA	1	0.1	0.79

LEVITON

Toggle Switch

15 amp. 120 volt. Quickwire push-in and side wired. Thermoplastic body. Steel strap. UL and CSA certified. 2 year limited warranty. White. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215621	M22-01451-2WM	BX10	1	1.1	5.49

LEVITON

Toggle Switch

15 amp. 120 volt. Quickwire push-in and side wired. Thermoplastic body. Steel strap. UL and CSA certified. 2 year limited warranty. Ivory. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215613	M21-01451-2IM	BX10	1	1.1	5.49

LEVITON

Toggle Switch

15 amp. 120 volt AC. Quiet switch. With grounding screw. Quick wire and side wired. Light almond. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3212651	208-01453-02T	EA	1	0.1	1.79



Toggle Switch

15A/120V AC. For residential and light commercial use. Push-in terminals accept #12 or #14 solid wire only. Side wire terminals accept up to #12 solid wire. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201845	214-01453-02I	Ivory	EA	10	1.8	1.49
3201852	226-01453-02W	White	EA	10	1.8	1.49
3201837	215-01453-002	Brown	EA	10	1.4	1.49



Quiet Toggle Switch

15 amp. 120 volt. 3 way AC Quiet switch. Residential grade. Grounding. Quickwire Push-in and side wired. White. UL/CSA certified. 2 year limited warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3172186	S02-01453-2WS	EA	1	0.1	1.99



Toggle Switch

15 amp. 120 volt. Single pole AC quiet switch. Toggle lighted handle - illuminated off. Grounding. Thermoplastic body. Side wired. 10 year limited warranty. UL and CSA approved. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215670	C21-05501-LHI	EA	1	0.1	6.49



Toggle Switch

15 amp. 120V. Single pole AC Quiet switch. Grounding. Toggle lighted handle - illuminated off. Thermoplastic body. Side wired. White. UL and CSA approved. 10 year limited warranty. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215688	L02-05501-LHW	EA	1	0.1	6.49



Quiet Toggle Switch

15A/120/277V AC. Single pole. Grounding screw. AC quiet switch. For commercial and residential use. Side wire terminals accept up to #10 solid wire. UL and CSA approved. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201746	S01-CS115-2IS	Ivory	EA	1	0.1	2.49
3201753	S02-CS115-2WS	White	EA	1	0.1	2.49



Toggle Switch

120/277 volt AC. 20 amp. Grounding screw. For commercial and residential use. Side wire terminals accept up to #10 solid wire. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201761	S01-CS120-2IS	Ivory	EA	1	0.1	4.79
3201779	S02-CS120-02W	White	EA	1	0.1	4.79



Grounding AC Quiet Toggle Switch

Toggle lighted handle - illuminated off. 15 amp. 120V. Commercial grade. Grounding. Side wired. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215696	836-05503-LHI	EA	1	0.2	9.99



Toggle Switch

15A/120/277V AC. For commercial and residential use. Side wire terminals accept up to #10 solid wire. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201787	S01-CS315-02I	Ivory	EA	1	0.1	4.79
3201795	S02-CS315-2WS	White	EA	1	0.1	4.79



Lighted Toggle Switch

15 amp. 120 volt. Toggle lighted handle - illuminated off. 3-way AC Quiet switch. Commercial grade. Grounding. Side wired. White. Replaces Ace No. 3018926. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215795	C22-05503-LHW	EA	1	0.2	9.99



Toggle Switch

15 amp. Single pole. Side-wired. For use up to #12 AWG. Use with aluminum wiring. UL and CSA listed. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215639	208-02651-02W	White	EA	1	0.1	4.99
3215654	207-02651-02I	Ivory	EA	1	0.1	4.99



Toggle Switch

15 amp. 3-way switch. Side-wired. To be used with up to #12 AWG. For use with aluminum wiring. UL and CSA listed. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215647	208-02653-02W	White	EA	1	0.1	6.99
3215662	207-02653-02I	Ivory	EA	1	0.1	6.99



Toggle Switch

15 amp. 120/277 volt. 4-way AC Quiet switch. Grounding. Side wired. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3204930	S02-CS415-2WS	White	EA	1	1.3	12.99
3204922	S01-CS415-2IS	Ivory	EA	1	1.3	12.99



Toggle Switch

20A, 120/277V. Back and side wire, accepts up to #10 wire. Ground screw terminal standard. UL, CSA approved. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31910	CSB120B-BOX	Brown	EA	1	0.1	4.99



Toggle Switch

20 amp. 120/277 volt. Commercial grade. Thermoplastic. Grounding. Side wired. UL and CSA certified. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31915	S01-CS220-2IS	Ivory	EA	1	0.1	9.99
3170362	S02-CS220-2WS	White	EA	1	0.1	9.99
31914	S00-CS220-02S	Brown	EA	1	0.1	9.99



Toggle Switch

20 amp. 120/277 volt. Commercial grade. Grounding. Side wired. UL and CSA certified. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3170446	S01-CS320-2IS	Ivory	EA	1	0.1	5.49
3170461	S02-CS320-2WS	White	EA	1	0.1	5.49



Toggle Switch

1 HP, 120V/240V/277V. Quickwire push-in and side wired. Maximum amperage 16 amps. Thermoplastic body and steel strap. 10 year limited warranty. UL and CSA certified. Ivory. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31917	060-CS420-02I	EA	1	0.1	13.99



Toggle Switch

20 amp. 120/277 volt. Toggle 4-way AC quiet switch. Grounding. Side wired. White. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009099	S02-CS420-2WS	EA	1	0.1	13.99



Toggle Switch

15 amp. 120 volt AC. Toggle framed single pole AC Quiet switch. Residential grade. Grounding. With Quickwire and side wired. All screws out ground screw ears. 2 year limited warranty. UL and CSA approved. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33437	S01-01451-2IS	Ivory	EA	1	0.1	0.99



Grounding Quiet Toggle Switch

Single pole. 15 amp. 120 volt. Residential grade. Grounding. Quickwire push-in and side wired. UL and CSA certified. 2 year limited warranty. White. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3127586	S02-01451-2WS	EA	10	1.3	0.99




Grounding AC Quiet Toggle Switch

15 amp. 120 volt. Residential grade. Grounding. Quickwire push-in and side wired. UL and CSA certified. 2 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32462	S01-01453-2IS	Ivory	EA	10	1.5	1.79



Toggle Switch

15 amp/125 Volt AC. For direct connection to aluminum or copper wire. Grounding screw. Side wire terminals accept up to #10 solid or stranded aluminum or copper wire. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30117	5221-7B-BU	Brown	EA	10	1.3	5.49



Combination Switch & Receptacle

Decora style. 1000 watt switch, 125 volt AC. Outlet: 15 amp, 125 volt AC. Single pole. Replaces standard switch or switch outlet combination device to provide GFCI protection. Can be common-feed or split-feed wire. UL listed. UL 943 certified. Peggable box.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001849	R11-07299-ONI	Ivory	EA	1	0.4	27.99
3001831	R12-07299-ONW	White	EA	1	0.4	27.99



Combination Dual Toggle Switch

15 amp. 120/277 volt. Duplex style. Single pole/single pole AC combination switch. Commercial grade. Grounding. Side wired. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235181	S01-05224-2IS	Ivory	EA	1	0.1	6.99
3235199	S02-05224-2WS	White	EA	1	0.1	6.99



Combination Switch

15 amp. 120/277 volt. Duplex style 3-way/3-way AC combination switch. Commercial grade. Non-grounding. Side wired. Ivory. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30596	S01-05243-0IS	EA	1	0.1	15.99



Combination Switch

15 amp/120-277 volt. Commercial grade AC combination device. Grounded. Side-wired with terminal screws that accept up to #12 copper wire or copper-clad wire. 2 year limited warranty. White. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235397	S02-05243-0WS	EA	1	0.2	15.99



Combination Switch & Pilot Light

15 amp. 120 volt. Duplex style. Single pole/neon pilot AC combination switch. Commercial grade. Non-grounding. Side wired. Thermoplastic body. UL and CSA approved. 10-year limited warranty. Ivory. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3221843	S01-05226-0IS	EA	1	0.1	8.49



Combination Switch & Pilot Light

15 amp. 120 volt. Duplex style. Single pole/neon pilot AC combination switch. Commercial grade. Non-grounding. Side wired. Thermoplastic body. UL and CSA approved. 10 year limited warranty. White. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201662	S02-05226-0WS	EA	1	0.1	8.99



Combination Switch

15 amp. 120/277 volt. Duplex style. Commercial grade. Non-grounding. Side wired. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201670	S01-05241-0IS	Ivory	EA	1	0.1	12.99
3201704	R42-05241-0WS	White	EA	1	0.3	12.99



Combination Switch & Receptacle

Switch: 15 amp/120-277 volt and receptacle: 15 amp/125 volt. Single pole switch/receptacle (grounding). Commercial grade AC combination device. Side-wired. Accepts up to #12 copper wire or copper-clad wire. Limited 2 year warranty. UL listed. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235322	S01-05225-0IS	Ivory	EA	1	0.2	8.99
3235314	S02-05225-0WS	White	EA	1	0.2	8.99



Rocker Switch with Wallplate

15 amp. 120/277 volt. Residential grade. Grounding. Quickwire push-in and side wired. With Decora style wallplate. Thermoplastic body. Ivory. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31612	A01-05671-02I	EA	5	1.3	4.79



Rocker Switch

15 amp. 120/277 volt. Residential grade. Grounding. Quickwire push-in and side wired. Thermoplastic body. With Decora style wallplate. White. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33125	A02-05671-02W	EA	5	1.2	4.79



Rocker Switch

15 amp/125 volt. Rocker style. Push in side wire. UL listed. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31613	A01-05673-02I	EA	1	0.2	9.49



Rocker Switch

15 amp/125 Volt. Rocker style. Push in side wire. UL listed. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33132	A02-05673-02W	EA	1	0.2	9.49



Illuminated Decorator Switch W/Wall Plate

15 amp/125 volt. Rocker style. Grounding single pole. Push in side wire. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34672	A01-05672-02I	Ivory	EA	5	1.2	9.99
34673	A02-05672-02W	White	EA	5	1.3	9.99



Rocker Switch & Wallplate

15 amp. 120/277 volt. 3 way. Single pole. Residential grade. Grounding. Quickwire push-in and side wired. With Decora style wallplate. Thermoplastic body. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34674	A01-05674-02I	Ivory	EA	5	1.3	11.99
34675	A02-05674-02W	White	EA	5	1.2	11.99




Rocker Switch

15 amp. 120/277 volt. Side and push wire, accepts #12 and #14. Built in wire stripper for #12 and #14 wire to speed installation. Longer, wider strap provides 40% for contact area. UL listed. Window box.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214178	7501LA-BOX	Light Almond	EA	1	0.2	3.49



Rocker Switch

15 amp. 120/277 volt. Side and push wire, accepts #12 and #14. Built in wire stripper for #12 and #14 wire to speed installation. Longer, wider strap provides 40% for contact area. UL Listed. Window box.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214186	7503LA-BOX	Light Almond	EA	1	0.2	4.49



Rocker Switch

15A, 120/277V. Rocker style. Back and side wired. Screw or clip ground. UL/CSA/NOM listed. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31037	S01-05601-2IS	Ivory	EA	1	0.1	3.49
31036	S02-05601-2WS	White	EA	1	0.1	3.49



Rocker Switch

15 amp. 120/277 volt. AC Quiet switch. Residential grade. Grounding. Quickwire push-in and side wired. Thermoplastic body. UL and CSA approved. 2 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31030	S01-05603-2IS	Ivory	EA	1	0.1	4.49
31031	S02-05603-2WS	White	EA	1	0.1	4.49



Combination Switch

15A-120V. 2 rocker switches. 20 amp feed through. Decora duplex - 2 rocker switches. Commercial grade. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3068202	S02-01754-OWS	White	EA	1	0.1	14.49
3068194	S01-01754-OIS	Ivory	EA	1	0.1	14.49



Combination Switch

15A -120V. 20A feed through. 3 rocker switches. Commercial grade. White. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3068228	S02-01755-0WS	EA	1	0.1	15.99



Combination Switch

15 amp 120 volt. Single pole. Ground screw terminals. Push in wiring. UL and CSA certified. 2 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3103116	S01-01755-0IS	Ivory	EA	1	1	15.99



Dimmer Switch

Single pole. 600 watts. Includes one Diva preset dimmer and one Claro single gang decorator wall plate. Large rocker switch for on/off at selected light levels. Soft glow night light feature. RFI suppression. Indoor use. UL listed, CSA, NOM approved. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193596	DVW-600PH-WH	EA	1	0.3	26.99



Dimmer Switch

Single pole. 600 watts. Includes one Diva preset dimmer and one Claro single gang decorator wall plate. Large rocker switch for on/off at selected light levels. Soft glow night light feature. RFI suppression. Indoor use. UL listed, CSA, NOM approved. Ivory.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3193570	DVW-600PH-IV	EA	1	1	26.99



Dimmer Switch

Single pole. 600 watts. Includes one Diva preset dimmer and one Claro single gang decorator wall plate. Large rocker switch for on/off at selected light levels. Soft glow night light feature. RFI suppression. Indoor use. UL listed, CSA, NOM approved. Light almond.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200037	DVW-600PH-LA	EA	1	0.5	26.99



Dimmer Switch

600 watts. Single pole. UL listed. Ivory. Clampack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32109	A01-06641-00I	EA	1	0.1	14.49



Dimmer Switch

600 watts. UL listed. White. Clampack..



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34051	A02-06641-00W	EA	1	0.2	14.49



Dimmer Switch

600 watts. UL listed. Clear. Clampack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32348	A00-06691-00I	EA	1	0.3	15.99



Toggle Switch Dimmer

3 way. 1000W. Single pole. 120 volt AC. 60 HZ. RFI radio/TV filter. Incandescent. LED locator light. Ivory. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32470	A01-TG110-1LI	EA	1	0.3	30.99



Dimmer Switch

1000 watts. Standard. White. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3204765	A02-TG110-1LW	EA	1	0.8	30.99



Toggle Dimmer

600W. 120 volt AC. 60HZ. Electro-mechanical. Incandescent. Toggle dimmer with RIF filter. UL and CSA certified. 5 year limited warranty. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32217	A01-06643-00I	Ivory	EA	1	0.2	15.49
34052	A01-06643-00W	White	EA	1	0.2	15.49



Dimmer

600W. Slide down to off. Use with traditional wall plate opening. RFI suppression. Includes both white and ivory knobs. Indoor use UL, CSA, NOM approved. White/Ivory. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200011	GL-600H-DK	EA	1	0.8	9.99



Dimmer

1000W. Slide down to off. Use with traditional wallplate opening. RFI suppression. Includes both white and ivory knobs. Indoor use UL, CSA, NOM approved. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199528	GL-1000H-DK	EA	1	0.4	39.99



Dimmer

600W. Slide selects light level. Push on/off. Use with traditional wall plate opening. RFI suppression. Includes both white and ivory knobs. Indoor use UL, CSA, NOM approved. White/Ivory. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200029	GL-600PH-DK	EA	1	1	16.99



Dimmer

600 watt, 125 volt. The original decorator style slide dimmer. Uses decorator style wall plate. RFI suppression. UL listed, CSA, NOM approved. Clamshell card.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007325	S-6004H-IV	Ivory	EA	1	0.3	11.99
3007366	S-600H-WH	White	EA	1	0.5	11.99



Dimmer

Slide down to turn off. Full range slide dimming. Single pole. 600 watt, 125 volt. Uses decorator style wall plate (not included). Radio frequency interference (RFI) filtering. UL listed. Light almond. Clamshell card.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200136	S-600H-LA	EA	1	0.5	14.99



Dimmer

600 watt. The original designer style slide dimmer. Slider selects light level. Small rocker switch for on/off at selected light level. Fits standard decorator wall plate opening. RFI suppression. Indoor use UL, CSA, NOM approved. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007374	S-600PH-IV	Ivory	EA	1	0.4	19.99
3007382	S-600PH-WH	White	EA	1	0.6	19.99
3200144	S-600PH-LA	Light Almond	EA	1	0.4	19.99



Dimmer

600 watts. The original designer style slide dimmer. Slider selects light level. Small rocker switch for on/off at selected light level. Fits standard decorator wall plate opening. RFI suppression. Indoor use. UL listed, CSA, NOM approved. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007416	S-603PH-IV	Ivory	EA	1	1	24.99
3007424	S-603PH-WH	White	EA	1	1	24.99



Dimmer

3-way. 600 watts. The original designer style slide dimmer. Slider selects light level. Small rocker switch for on/off at selected light level. Fits standard decorator wall plate opening. RFI suppression. Indoor use. UL listed, CSA, NOM approved. Light almond. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200078	S-603PH-LA	EA	1	0.3	27.99



Dimmer

600 watts. Traditional toggle switch for on/off. Smooth linear slide for setting light levels. Lights come on to preset level. Use with traditional wall plate opening. RFI suppression. Indoor use. UL, CSA, NOM approved. Clamshell card.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007499	TG-600PH-IV	Ivory	EA	1	0.8	16.99
3007507	TG-600PH-WH	White	EA	1	1	16.99



Dimmer Switch

600 watts. Traditional toggle switch for on/off. Smooth linear slide for setting light levels. Lights come on to preset level. Use with traditional wall plate opening. RFI suppression. Indoor use. UL, CSA, NOM approved. Clamshell card.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007515	TG-603PH-IV	Ivory	EA	1	0.3	21.99
3007523	TG-603PH-WH	White	EA	1	0.4	21.99



Dimmer Knob

For 1/4" D-shaped shaft. Fits all wall mounted speed controls and dimmers. Thermoset. Clampack..



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34053	A01-26115-00I	Ivory	EA	1	0.1	2.29
34054	A01-26115-00W	White	EA	1	0.1	2.29



Dimmer Knob

For Lutron rotary style dimmers. For Ace No's 3199965, 3199673, 3199981, and 3199999. Indoor use. UL, CSA, NOM listed. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007663	RK-WH	White	EA	1	0.2	2.49



Rotary Dimmer

600 watts. 120 volt AC. 60 Hz. On/off dial. Electro-mechanical. Incandescent. Dual white and ivory knobs. Wallplate not included. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3247913	A00-06602-0IW	EA	1	0.2	3.79



Rotary Dimmer Switch with RFI

600 watts. 120 volt AC. 60 Hz. 3 way. Deluxe push on/push off. Radio/TV filter. Pre-set. Electro-mechanical. Incandescent. Rotary dimmer pre-set. Dual knobs white and ivory. 2 year limited warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3247954	A00-06683-0IW	EA	1	0.3	5.99



Rotary Dimmer with RFI

600 watts. 120 volt AC. 60 Hz. Single pole. Deluxe push on/push off. Radio/TV filter. Electro-mechanical. Incandescent. Rotary dimmer pre-set. Dual knobs. 2 year limited warranty. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3247939	A00-06681-0IW	White & Ivory	EA	1	0.4	4.99



Dimmer Switch

600 watts. Rotate to off. Use with traditional wall plate opening. RFI suppression. Includes both white and ivory knobs. Indoor use UL, CSA, NOM approved. White. Clamshell.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199965	D-600RH-DK	EA	1	1	5.99



Dimmer Switch

Full range dimming. 600 watt, 125 volt. Uses standard toggle wall plate (not included). Radio frequency interference (RFI) filtering. UL listed. White. Clamshell card.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200953	D-600PH-DK	EA	1	1	5.99



Dimmer Switch

Full range dimming. 600 watt, 125 volt. Uses standard toggle wall plate (not included). Radio frequency interference (RFI) filtering. UL listed. Clamshell card.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199981	D-603PH-DK	EA	1	0.2	9.99



Slide Fan Control

5 amp. 120 volt AC. 60 Hz. Single pole. Electro-mechanical. Full range pre-set. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3248671	A02-06627-0PW	White	EA	1	0.3	10.99
3248697	A01-06627-0PI	Ivory	EA	1	0.4	10.99



Dual Rotary Fan Control & Dimmer

1.5 amp. 120 volt AC. 60 Hz. 300 watts. Single pole. RFI Radio/TV filter. Electro-mechanical. 4 settings: maximum-high-medium-low. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3248705	A02-RTD01-1W	White	EA	1	0.3	18.99
3248713	A01-RTD01-10I	Ivory	EA	1	1	18.99



Rotary Fan Speed Control

5 amp. 120 volt AC. 60 Hz. Electro-mechanical. Fits into toggle wallplate. Ivory. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3248044	A01-06616-00I	EA	1	0.4	8.99



Rotary Fan Speed Control

5 amp. 120 volt AC. 60 Hz. Electro-mechanical. Fits into toggle wallplate. White. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3248051	A02-06616-00W	EA	1	0.4	8.99



Rotary Fan Control

1.5 amp. 120 volt AC. 60 Hz. Single pole. RFI Radio/TV filter. Electro-mechanical. 4 settings of maximum-high-medium-low. White. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3248317	A02-RTF01-10W	EA	1	0.4	23.99



Rotary Fan Control

1.5 amp. 120 volt AC. 60 Hz. Single pole. RFI Radio/TV filter. Electro-mechanical. 4 settings of maximum-high-medium-low. Ivory. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3248325	A01-RTF01-10I	EA	1	0.4	23.99



Touch Lamp

For turning most lamps into touch control. No wiring. 200 watts. Converts single level bulb to 3 levels of light. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34370	34370	EA	1	0.3	14.99



Dimmer

For replacement converting to touch control. Replaces all touch lamps and converts host others. Converts single way bulb to 3 levels of light. All hardware included. UL listed. CSA approved. Rated at 150 watt. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007044	3007044	EA	1	0.2	8.99



Lamp Dimmer

500 watts. Full range dimmer for incandescent and halogen. Nut, knob, washer included. 270° control and positive off. 120 volts, 60HZ. UL recognized. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3039344	3039344	EA	1	0.3	9.99



Touch Control Dimmer

For converting most lamps to touch control. Works in any metal socket. Converts single way bulb to 3 levels of light. Rated at 150 watts. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31157	31157	EA	1	0.4	10.49



Lamp Socket Manual Dimmer

Converts any lamp to full range dimming. Use inexpensive one-way bulb. Rated to 100 watts. UL listed. Indoor use only. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34329	34329	EA	1	0.4	7.99



Table-Top Dimmer

For lamps. Use with incandescent and halogen bulbs. 300W maximum. LED locator light. 6' power cord. Non-skid, non-mar base. Solid state. UL listed. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3063708	3063708	EA	1	0.7	12.99



Momentary Switch

For doorbells and buzzers. Single pole, single throw. Pressure contact on-off. 3 amp, 240 VAC. 6 amp, 120 VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31498	6379	EA	1	0.1	4.49



Test Switch

For push to test applications. Normally on SPST. 3 amp, 125 volt AC. UL listed. Blister carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3023728	6381	EA	1	0.1	4.49



Canopy Switch

For lamps and appliances. Single throw. Push on-off. 1 amp, 250V. 2 amp, 125V Tungsten. 3 amp, 125V. 6 amp, 120 VAC. UL listed. Brass knob. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33494	6377	EA	1	0.1	3.99



Canopy Switch

For lamps and appliances. Single throw. Push on-off. 1 amp, 250V. 2 amp, 125V Tungsten. 3 amp, 125V. 6 amp, 120 VAC. Nickel. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33495	6378	EA	1	0.2	3.99



Canopy Switch

For lamps and appliances. Single throw. Push on-off. Stripped six inch leads. 4 amp, 250V. 8 amp, 125V. 10 amp, 125VAC. 1/3 HP, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31506	6380	EA	1	0.2	6.49



Pull Chain Switch

For ceiling fixtures and lamps. Single pole, single throw. Pull on-off. 6" stripped leads. 1 solid brass. 1 amp, 125V tungsten. 1 amp, 250V. 3 amp 125V. 3 amp, 125VACL. 6 amp, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30735	6360	EA	1	0.1	5.49



Pull Chain Switch

6A/125VAC. For ceiling fixtures. SPST on-off. Nickel. UL listed and CSA certified. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36022	6355	EA	1	0.1	4.99



Pull Chain Switch

For ceiling fixtures and lamps. Single pole, single throw. Pull on-off. Stripped six inch leads. Nickel plated. 1 amp 125V T. 1 amp 250. 3 amp 125V. 3 amp 125VACL. 6 amp 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31503	6361	EA	1	0.1	5.49



Pull Chain Switch

For ceiling fans. Stab type connections. Pull off-on-on. 1.5 amp 250VACL. 3 amp, 250VAC. 6 amp, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34699	6362	EA	1	0.2	4.29



Pull Chain Switch

For ceiling fans. Stab type connections. Pull off-on-on-on. 1.5 amp 250VACL. 3 amp, 250VAC. 6 amp, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34698	6363	EA	1	0.2	4.79



Pull Chain Switch

For ceiling fan and light fixture applications. Single pole, single throw. All angle pull on-off. 6 inch stripped leads. 6 amp, 125VAC. 3 amp, 250VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36395	6364	EA	1	0.2	7.99



Pull Chain Switch

On-off switch for fan lights. Brass finish chain and collar. Blister Carded. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34738	77023	EA	1	0.5	3.99



Pull Chain Switch

3-way, 3-wire unit. Brass pull chain. For many brands of ceiling fans. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3124351	77052	EA	1	0.1	5.99



Pull Chain Switch

3-speed. Brass chain and collar. Blister Carded. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34737	77021	EA	1	0.2	4.49



Canopy Switch

For ceiling fixtures and lamps. Single pole, single throw. Rotate on-off. Plastic knob. Stripped six inch leads. 1 amp, 250V. 2 amp, 125V Tungsten. 3 amp, 125V. 6 amp, 120 VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33496	6387	EA	1	0.1	3.79



Canopy Switch

For ceiling fixtures and lamps. Single pole, single throw. Rotate on-off. Metallic knob. Stripped six inch leads. 1 amp, 250V. 2 amp, 125V Tungsten. 3 amp, 125V. 6 amp, 120 VAC. Metal knob. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33497	6388	EA	1	0.1	4.99



Canopy Switch

For ceiling fixtures and lamps. Rotate off-on-on-on. Stripped six inch leads. 1 amp, 250V. 3 amp, 125V Tungsten. Metal knob. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33498	6389	EA	1	0.3	5.99



Rotary Switch

For control panel displays. Rotary off-on-on-on. 2 amp, 250VAC. 4 amp, 125VAC. 1 amp, 125V DC. Plastic knob. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30743	6386	EA	1	0.3	8.49



Rocker Switch

For stoves and appliances. Single pole, single throw. Rocker on-off. Fits 7/16" x 1" opening. 4 amp, 125 volt/250 volt AC inductive. 16 amp, 125 volt/250 volt AC resistive. 20 amp, 12 or 24 volt DC resistive. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34701	6383	EA	1	0.1	6.49



Toggle Switch

For stoves and appliances. On-off, single pole single throw. For 7/16"x1" opening. 4 amp, 125 VAC inductive. 16 amp, 125 VAC resistive. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3023678	6384	EA	1	0.2	6.99



Vacuum Cleaner Slide Switch

For vacuum and appliances. Single pole, single throw. Slide on-off. Fits opening of 9/16" x 1". 10 amp, 125VAC. 5 amp, 250VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34702	6382	EA	1	0.2	3.29



Toggle Switch Cover

Protects switches from moisture and dust. Durable rubber cover and nut. Blister card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34700	6385	CD2	1	0.2	4.99



Toggle Switch

Non-metallic. Single pole, single throw. Toggle on-off. 10 amp, 250VAC. 20 amp, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33492	6373	EA	1	0.2	4.79



Toggle Switch

Non-metallic. For marine and RV applications. Double pole, double throw. Toggle on-off-on. 10 amp, 250 VAC. 20 amp, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33493	6374	EA	1	0.2	7.49



Toggle Switch

For small power tools/appliances. Single pole, single throw. 15 amp, 125VAC. 10 amp, 240 VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30747	6370	EA	1	0.2	5.49



Toggle Switch

For small power tools and appliances. Single pole, single throw. Toggle on-off. Stripped six inch leads. 4 amp, 250V. 8 amp, 125V. 10 amp, 125VAC. 1/3 HP, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31507	6368	EA	1	0.2	5.49



Toggle Switch

For power tools and appliances. Single pole, single throw. Toggle on-off. 10 amp, 250VAC. 20 amp, 125VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31499	6366	EA	1	0.1	4.29



Toggle Switch

For small power tools and appliances. Single pole, single throw. Toggle on-off. 6 amp, 120 VAC. 3 amp, 240 VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33491	6365	EA	1	0.2	4.29



Toggle Switch

For power tools and appliances. Single pole, double throw. Toggle on-off-on. 10 amp, 250 volt AC. 20 amp, 125 volt AC. 3/4 HP 125/250 volt AC. UL listed. Blister carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31500	6367	EA	1	0.1	4.29



Toggle Switch

For power tools and appliances. Single pole, double throw. Toggle on-on. 10 amp, 250VAC. 20 amp, 125VAC. 3/4 HP 125/250VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31501	6369	EA	1	0.2	4.49



Toggle Switch

For power tools and appliances. Toggle on-off. Double pole, single throw. 20 amp, 125VAC. 10 amp, 125VAC. 1-1/2HP, 125V/250VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31505	6371	EA	1	0.2	5.99



Toggle Switch

For power tools and appliances. On-off, single pole single throw. Rated 3/4 HP. 20 amp, 125 VAC. 10 amp, 250 VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3023538	6376	EA	1	0.2	5.99



Toggle Switch

For small power tools and appliances. Toggle on-off-on. Double pole, double throw. 10 amp, 250VAC. 20 amp, 125VAC. 1-1/2 HP, 125V/250VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31504	6372	EA	1	0.2	7.49



Toggle Switch

For power tools and appliances. On-on, DPDT. Rated 1-1/2 HP. 20 amp, 125 VAC. 10 amp, 250 VAC. UL listed. Blister Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3023520	6375	EA	1	0.2	7.99



Rotary Switch

6A-125V. 3A-125VT. 3A-250V. On/off. Single pole for SPT-1 wire only. UL and CSA approved. White. Replaces Ace No. 31089. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265576	C22-00423-3KW	EA	1	0.1	2.79



Rotary Switch

6A-125V. 3A-125VT. 3A-250V. Single pole for SPT-1 wire only. Brown switch/ivory wheel. UL and CSA approved. Replaces Ace No. 31088. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265295	C20-00423-03K	EA	1	0.1	2.79



Feed-Through Cord Switch

3 amp/125 volt, 1/2 H.P.. 18/2-16/2 Type SPT-1, SPT-2 or round cord, 18/2 Type SVT and other cords up to 9/32" outer jacket. Single pole. Heavy duty. On/off easy to use switch. Brown. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235231	C20-05410-000	EA	1	0.1	4.99



Feed-Thru Cord Switch

Heavy duty appliance switch. 3 amp. 125 volt AC. Single pole, single throw on/off. Accepts SPT 18/2 and SPT 16/2. UL and CSA approved. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201886	C21-05410-00I	Ivory	EA	1	0.1	4.99
3201894	C22-05410-00W	White	EA	1	0.5	4.99



Cord End Triple Outlet

Outlets quickly add a receptacle to SPT cord. fits 18-2 SPT-1 cord. Insulation piercing terminals eliminate need for tools. Snap in unstripped wire and device is ready to use. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30642	BP2602W-SP	White	EA	10	0.8	2.99
30643	BP2602B-SP	Brown	EA	10	0.8	2.99



Receptacle

15 amp. 125 volt. NEMA 5-15R. 2P; 3W. With ears duplex receptacle. Straight blade. Residential grade. Grounding. All screws backed out contractor pack. Quick wire push-in and side wired. Steel strap. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3212941	216-05320-TCP	Light Almond	EA	1	0.1	0.59



Grounding Duplex Receptacle

15 amp/125 volt. NEMA 5-15R. Push in wiring terminals accommodate only #14 gauge solid copper wire. #10 and #12 must use side terminals. Sho-pack box.




Stock No.	Mfr. No.	Description	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3212461	1107LA-BOX	Each	Light Almond	EA	1	0.1	2.49



Duplex Receptacle with Wallplate

15 amp. 125 volt. NEMA 5-15. 3 wire. Straight blade. Residential grade. Grounding. Quickwire push-in and side wired. Thermoplastic accepts 12 and 14 AWG. With thermoplastic wallplate. 2 year limited warranty. UL and CSA certified. Ivory. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31611	A01-05675-00I	EA	5	1.1	3.79



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15. 3 wire. Straight blade. Residential grade. Grounding. Quickwire push-in and side wired. Thermoplastic. Accepts 12 and 14 AWG. With wallplate. 2 year limited warranty. UL and CSA certified. White. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33124	A02-05675-00W	EA	5	1.1	3.79



Receptacle

20 amp. 125 volt. NEMA 5-20R. 2P 3W. Straight blade. Self grounding. Smooth face. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. White. Boxed.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201621	S02-05015-KWS	15	EA	1	0.1	3.79
3201639	S02-05801-KWS	20	EA	1	0.1	4.99



Receptacle

15AMP. For residential use. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201571	006-00223-00I	Ivory	EA	1	0.1	1.99
3201589	008-00223-00W	White	EA	1	0.1	1.99



Receptacle

15AMP. For residential and light commercial use. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201605	303-05320-ICP	Ivory	EA	10	1.3	0.79
3201613	212-05320-WCP	White	EA	10	1.3	0.79
3201597	302-05320-0CP	Brown	EA	10	1.3	0.79



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. 2 pole 3 wire. Straight blade. With ears duplex receptacle. Residential grade. Thermoplastic body material. Self grounding. Quickwire Push-in and side wired. Steel strap. Ivory. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3172202	S01-05320-0IS	EA	1	0.1	0.69



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. 2 pole 3 wire. Straight blade. With ears duplex receptacle. Residential grade. Thermoplastic body material. Self grounding. Quickwire Push-in and side wired. Steel strap. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3172228	S02-05320-0WS	White	EA	1	0.1	0.69



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. 2P 3W. Straight blade. Grounding. All screws backed out. Quickwire push-in and side wired. Steel strap. UL and CSA approved. 2 year limited warranty. Ivory. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215472	M21-05320-IMP	EA	1	1.2	3.99



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. 2P 3W. Straight blade. Grounding. All screws backed out. Quickwire push-in and side wired. Steel strap. UL and CSA approved. 2 year limited warranty. White. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215480	M22-05320-WMP	BX10	1	1.2	3.99



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. CO/ALR. Grounding. Use with aluminum wiring applications. Straight blade. Side wired. Steel strap. Ivory. 2 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215530	017-12650-00I	EA	1	0.2	3.79



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. CO/ALR. Grounding. Use with aluminum wiring applications. Straight blade. Side wired. Steel strap. White. 2 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215548	018-12650-00W	EA	1	0.1	3.79



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. 2P 3W. Straight blade. Grounding. Quickwire push-in and side wired. Thermoplastic body. Steel strap. UL and CSA certified. Limited 2 year warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201506	S01-OCR15-0IS	Ivory	EA	1	0.1	2.29
3201514	S02-OCR15-0WS	White	EA	1	0.1	2.29



Duplex Receptacle

20 amp. 125 volt. NEMA 5-20R. 2P 3W. Straight blade. Self grounding. Smooth face. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201555	S01-OCR20-0IS	Ivory	EA	1	0.2	3.29
3201563	S02-OCR20-0WS	White	EA	1	0.2	3.29
3201522	S00-OCR15-00S	Brown	EA	1	0.1	2.29



Receptacle

20 amp. 125 volt. NEMA 5-20R. 2P 3W. Straight blade. Self grounding. Smooth face. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Ivory. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3221868	S01-05801-KIS	EA	1	0.1	4.99



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. Back and side wired. 2P 3W. Duplex receptacle. Straight blade. Commercial grade. Nylon body. Self grounding. Steel strap. UL and CSA approved. 10 year limited warranty.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201530	S01-0BR15-0IS	Ivory	EA	1	0.1	2.49
3201548	112-0BR15-00W	White	EA	1	0.2	2.49



Receptacle

15 amp. NEMA 5-15R. 2 pole, 3 wire grounding. 125 volt. Side wire. Commercial grade. High impact and chemical resistant nylon face. Triple wipe contacts for superior plug retention. Automatic grounding. UL, CSA. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3138302	CR15LA-BOX	Light Almond	EA	1	0.2	3.79

COOPER Wiring Devices

Receptacle

15 amp/125 Volt. NEMA 5-15R. 2 pole, 3 wire grounding. Side wire. Commercial grade. High impact and chemical resistant nylon face. Triple wipe contacts for superior plug retention. Automatic grounding. UL, CSA. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3169950	CR20LA-BOX	Light Almond	EA	1	0.1	2.79

LEVITON

Receptacle

20 amp, 125 volt. NEMA 5-20R. 2P 3W. Straight blade. Self grounding. Smooth face. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Brown.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31935	S00-OCR20-00S	EA	1	0.2	3.29

COOPER Wiring Devices

Duplex Receptacle

20 amp, 125 volt. NEMA 5-20R. 2P 3W. Narrow body. Straight blade. Commercial grade. Self grounding. Back and side wired. Steel strap. UL and CSA certified. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3035417	S01-0BR20-0IS	Ivory	EA	1	0.2	3.79
3035425	S02-0BR20-0WS	White	EA	1	0.2	3.79

COOPER Wiring Devices

Receptacle

125 Volt. NEMA 5-15R. 2 pole, 3 wire grounding. Back and side wiring. Commercial grade. High impact and chemical resistant nylon face. Triple wipe contacts for superior plug retention. Automatic grounding. Light Almond. UL, CSA. Boxed.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3169919	BR15LA-BOX	15	EA	1	0.2	2.49
3169935	BR20LA-BOX	20	EA	1	0.2	3.79

LEVITON

Duplex Receptacle

15 amp, 125 volt. NEMA 5-15. Quickwire push-in and side wired. Shutter mechanism inside receptacle blocks access to the contacts unless a two prong plug is inserted helping ensure hair pins, keys, etc. will be locked out. White. UL and CSA certified. Limited 2 year warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251899	205-T5325-00W	EA	1	0.2	2.99

LEVITON

Duplex Receptacle

15 amp, 125 volt. Push in wiring terminals accommodate only #14 gauge solid copper wire. #10 and #12 must use side terminals. UL listed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31034	S01-05325-0IS	Ivory	EA	1	0.1	2.49
31035	S02-05325-0WS	White	EA	1	0.1	2.49

LEVITON

Duplex Receptacle

20 amp, 125 volt. NEMA 5-20R. 2P 3W. Straight blade. Commercial grade. Self grounding. Back and side wired. Steel strap. UL and CSA approved. 10 year limited warranty. White. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3164696	S02-16352-0WS	EA	1	0.2	5.49

LEVITON

Duplex Receptacle on Cover

15 amp, 125 volt. NEMA 5-15R. 4" diameter cover - zinc plated steel. Brown receptacle - nylon face and body. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30615	B00-05042-000	EA	1	1	5.99



Duplex Receptacle

15 amp. 125 volt. NEMA 5-15R. 2P 3W. Straight blade. Grounding. All screws backed out. Quickwire push-in and side wired. Steel strap. UL and CSA approved. 2 year limited warranty. Ivory. 10 pack. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215498	S01-05015-KIS	EA	1	0.1	3.79



Receptacle

20 amp. 125/250 volt. NEMA 10-20R. 2P, 3 wire. Narrow body. Straight blade. Non-grounding. Side-wired. Steel strap. Nylon face and body material. AC horsepower rating of 208V, 2HP L-L 1 HP L-N. Withstands 2000V per UL 498. Brass contacts and screws. Ivory. 10 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3171279	003-05032-00I	EA	1	0.1	5.49



Duplex Receptacle

20 amp. 125 volt. NEMA -20R. 2P 3W. Narrow body. Straight blade. Grounding. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 2 year limited warranty. White. 10 pack. Boxed.



Stock No.	Mfr. No.	Finish	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215506	S01-05821-0IS	Ivory	EA	1	0.3	5.99
3215514	S02-05821-0WS	White	EA	1	0.1	5.99



Receptacle

20 amp. 125 volt. NEMA 5-20R. 2P 3W. Straight blade. Self grounding. Smooth face. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Brown. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3239068	S00-05821-00S	EA	1	0.1	5.99



Surface Mount Receptacle

50 amp. 250 volt. NEMA 6-50R. 2P 3W. Straight blade. Industrial grade. Thermoplastic body. Grounding. Side wired. Steel strap. Black. UL and CSA approved. 10 year limited warranty. Replaces Ace No. 33126. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265444	B00-05378-000	EA	1	0.8	9.99



Recreation Vehicle Receptacle

30 amp. 125 volt. NEMA TT-30R. 2P 3W. Flush mount receptacle. Straight blade. Industrial grade. Nylon face. Grounding. Side wired. Steel strap. Black. UL and CSA approved. 10 year limited warranty. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201415	B00-07313-000	EA	1	0.3	8.49



Receptacle

30 amp. 250 volt. 4-wire. For residential and commercial use. Matching plug Ace No. 3201381. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201399	B00-00278-000	EA	1	0.4	7.99



Grounded Heavy-Duty Receptacle

50 amp, 250 volt. NEMA 6-50R. 2 pole, 3 wire flush MTG receptacle. Straight blade. Industrial grade. Side wired. Steel. Strap black.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215407	B00-05374-000	EA	1	0.3	10.99



Power Receptacle

50 amp. 125/250 volt. NEMA 14-50R. 3P 4W. Straight blade. Industrial grade. Grounding. Side wired. Steel strap. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201407	B00-00279-000	EA	1	0.4	11.99



Power Receptacle

30 amp. 125/250 volt. 3 wire. Straight blade. Industrial grade. Non-grounding. Side wired. For residential and commercial use. Matching plug (Ace No. 3201373). Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201431	B00-05207-000	EA	1	0.3	5.99



Receptacle

30 amp./250 volt. NEMA 6-30R. 2 pole 3 wire. Flush mounting receptacle. Straight blade. Grounding. Side wired steel strap. 10 year limited warranty. UL and CSA listed. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3263209	R00-05372-000	EA	1	0.3	10.49



Receptacle

50 amp. 125/277 volt. NEMA 10-50R. 3P 3W. Straight blade. Industrial grade. Nylon face. Non-grounding. Side wired. Steel strap. Black. UL and CSA approved. 10 year limited warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201423	B00-05206-000	EA	1	0.3	5.49



Receptacle

30 amp. 125/250 volt. NEMA 10-30R. 3P 3W. Straight blade. Industrial grade. Non-grounding. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201449	B00-05054-000	EA	1	0.7	7.49



Receptacle

30 amp. 125/250 volt. NEMA 10-30R. 3P 4W. Straight blade. Industrial grade. Non-grounding. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201464	B00-55054-000	EA	1	0.8	13.99



Receptacle

50 amp. 125/250 volt. NEMA 10-30R. 3P 3W. Straight blade. Industrial grade. Non-grounding. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201456	B00-05050-000	EA	1	0.7	7.49



Receptacle

50 amp. 125/250 volt. NEMA 10-30R. 3P 4W. Straight blade. Industrial grade. Non-grounding. Side wired. Steel strap. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201472	B00-55050-000	EA	1	0.8	13.99

360electrical
it's revolutionary

Rotating Duplex Outlet

Rated: 15A, 125 volt. Uses: cell phone chargers, hairdryers, cordless appliances, nightlights and more. Receptacle "click and hold" in 18 unique positions. Replaces standard outlets. Devices stay powered even during rotation. Screwless wall plates. Fits standard electrical boxes. Backwire with screw clamps. 2 year limited manufacturer warranty. UL listed. Clamshell.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3208428	36010-W	White	EA	1	0.4	9.99
3208436	36011-V	Ivory	EA	1	0.4	9.99

LEVITON

Duplex Receptacle

15 amp, 125 volt. NEMA 5-15. Quickwire push-in and side wired. Shutter mechanism inside receptacle blocks access to the contacts unless a two prong plug is inserted helping ensure hair pins, keys, etc. will be locked out. White. UL and CSA certified. Limited 2 year warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251873	205-T5320-00W	EA	1	1.3	1.99

LEVITON

GFCI Receptacle

Tamper proof GFCI with LED indicator light. 15 amp, 125 volt. 20 amp, 125 volt feed-through. NEMA 5-15. Quickwire push-in and side wired. Shutter mechanism inside receptacle blocks access to the contacts unless a two prong plug is inserted helping ensure hair pins, keys, etc. will be locked out. White. UL and CSA certified. Limited 2 year warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251956	002-T7599-00W	EA	1	0.3	16.99

LEVITON

GFCI with LED

15 amp, 125 volt. 20 amp, 125 volt feed-through. NEMA 5-15. LED indicator light. Quickwire push-in and side wired. Shutter mechanism inside the receptacle blocks access to the contacts unless a two prong plug is inserted. Ivory. Limited 2 year warranty. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3253838	001-T7599-00I	EA	1	0.4	16.99

LEVITON

GFCI Receptacle

Ground fault circuit interrupter. 15 amp. 125 volt. 20 amp feed through. Duplex receptacle. Decora style. Trips in 0.025 seconds. Wall plate included. 2 year warranty. Approved to new UL code. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3195856	C31-07599-0NI	Ivory	EA	1	2.2	14.99
3195864	C32-07599-0NW	White	EA	1	0.4	14.99

ACE

GFCI Receptacle

Ground fault circuit interrupter. 15 amp. 125 volt AC duplex receptacle. Prevents line load reversal, improved surge and line noise. Side or back 14-10 AWG wire. Trip indicator light. Nylon wallplate included. Meets 2003 UL943 revision standards. UL listed. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3192507	3192507	Ivory	EA	1	0.5	12.99
3192499	3192499	White	EA	1	0.3	12.99
3192515	3192515	Light Almond	EA	1	0.3	12.99

ACE

GFCI Receptacle

Ground fault circuit interrupter. 20 amp. 125 volt AC duplex receptacle. Prevents line load reversal, improved surge and line noise. Side or back 14-10 AWG wire. Trip indicator light. Nylon wallplate included. Meets 2003 UL943 revision standards. UL listed. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3192523	3192523	Ivory	EA	1	0.4	13.49
3192531	3192531	White	EA	1	0.4	13.49
3192549	3192549	Almond	EA	1	0.4	13.49

COOPER Wiring Devices

Trailer Adapter

30 amp. 2 pole, 3 wire. NEMA TT-30. Plugs into a standard 15 or 20 amp and 125 volt receptacle. Takes 30 amp travel trailer. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30126	1264-BOX	EA	1	0.2	5.99

COOPER Wiring Devices

Add-On Outlet

125 volt. Adds receptacle to ordinary household wire. Use on 18-2SPT-1, 18-2SPT-2, 18-2HPN cord. Polarized. Snaps on, no tools required. Carded.



Stock No.	Mfr. No.	Color	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3162625	BP2606B-SP	Brown	15	EA	1	0.1	2.29

COOPER Wiring Devices

Connector

15 amp. 125 volts. Accepts up to #16 gauge cord. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33422	SA155W	White	EA	10	0.7	2.49
33420	SA155	Black	EA	10	0.4	2.49
33421	SA155B	Brown	EA	10	0.5	2.49
3051141	SA155GD	Gold	EA	10	0.8	2.49

COOPER Wiring Devices

Connector

15 amp. 125 volts. Thermoplastic. NEMA 5-15R. Accepts up to #14 gauge cord. Blades embedded in body. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3051117	SA993W	White	EA	10	1.3	4.79
3051109	SA993O	Orange	EA	10	1.3	4.79
3051034	SA993G	Gray	EA	10	1	4.79
3051075	SA993	Black	EA	10	1	4.79

COOPER Wiring Devices

Standard Blade Connector

15 amp. 125 volt. NEMA 5-15R. Matches Ace No. 36086. Orange. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36088	6887-BOX	EA	10	1.3	5.49

LEVITON
Connector

20 amp. 125 volt. NEMA 5-20R. 2P, 3 wire. Industrial grade. Straight blade. Grounding. .245-.700 cord range. Solid brass blades and contacts. Super tough nylon body. Steel screws. Black/white. Lifetime warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32224	061-5369-C	EA	1	0.2	14.99

LEVITON
Clamptite Connector

15 amp. 125 volt. 2-wire. Polarized. Light duty. For household and residential use. Matching plug Ace No. 3201183. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201191	016-00102-0PW	White	EA	10	0.6	3.49
3201209	017-00102-0PE	Black	EA	10	1	3.49

LEVITON
Polarized Light Duty 2-Wire Plug

15 amp, 125 volt. NEMA 1-15P. 2P 2-wire plug straight blade. Residential grade. Polarized. Non-grounding. Use with No. 20, 18 and 16 flat or rounded copper wire. Brown. UL and CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215258	015-00101-00P	EA	1	0.1	2.49

LEVITON
Polarized Light Duty 2-Wire Connector

15 amp, 125 volt. NEMA 1-15R. 2P 2-wire connector straight blade. Residential grade. Polarized. Non-grounding. Use with No. 20, 18 and 16 flat or rounded copper wire. Brown. UL and CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215266	015-00102-00P	EA	1	0.1	3.49

COOPER Wiring Devices

Grounding Connector

15 amp. 250 volt. Grounding connector. NEMA 6-15R. 2P 3W. Straight blade. Industrial grade. Black and white. Nylon husk and cable clamp with removable insert. "U" type for fast threading. UL and CSA certified. Lifetime warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32222	061-05669-00C	EA	1	0.1	13.49

LEVITON

Connector

15 amp. 250 volt. NEMA 6-15R. 2P, 3W connector. Straight blade. Commercial grade. Armored grounding - steel. .245-.655 cord range. Brass contacts. Body material of PVC and steel. Yellow. 10 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30692	000-615CA-000	EA	1	0.2	7.99

COOPER Wiring Devices

Armored Grounding Conductor

20 amp. 125 volt. 2P 3W. Straight blade. Commercial grade. Round dead front. Polarized armored grounding. Yellow vinyl with steel armor and clamps. UL and CSA certified. 10 year limited warranty. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33155	000-520CA-000	EA	1	0.2	6.99

LEVITON

Straight Blade Connector

15 amp. 125 volt. 2-wire. Non-polarized. For residential and light commercial use. Matching plug Ace No. 3198769. Black. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201134	000-115CR-000	EA	1	0.1	2.99

LEVITON

Straight Blade Connector

15 amp. 125 volt. 3 wire. For residential and commercial use. Matching plug Ace No. 34980. Yellow. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201241	000-515CV-000	EA	1	0.1	5.49

LEVITON

Straight Blade Connector

15 amp. 125 volt. 3 wire. For residential and commercial use. Matching plug Ace No. 3201225. Black. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201217	000-515CR-000	EA	1	0.1	5.99

LEVITON

Straight Blade Connector

15 amp. 125 volt. 3 wire. For residential and commercial use. Matching plug Ace No. 3201308. Yellow. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201290	000-515CA-000	EA	1	0.1	5.99

LEVITON

Straight Blade Connector

20 amp. 250 volt. 3 wire. For residential and commercial use. Matching plug Ace No. 3201316. Yellow. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201324	000-620CA-000	EA	1	0.1	8.49

COOPER Wiring Devices

Safety Grip Plug

For lamp cord. Finger guard and grip. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30666	BP2601W-SP	White	EA	10	0.8	2.79
30667	BP2601B-SP	Brown	EA	10	0.4	2.79

COOPER Wiring Devices

Vinyl Armored Plug

Round dead front. 2P 3 watt. 20 amp. 125 volt. NEMA 5-20P. Vinyl with steel armor and clamps. Commercial grade. Wire gauge: 18-12 AWG. UL and CSA listed. 10 year limited warranty. Yellow. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31943	000-520PA-000	EA	1	0.1	4.29

LEVITON
Plug

15 amp, 250 volt. NEMA 6-15P. 2P, 3W plug. Straight blade. Commercial grade. Armored grounding. Steel body. .245-.655 cord range. Brass blades and contacts. Body material of PVC and steel. Yellow. 10 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30681	000-615PA-000	EA	1	0.1	3.99

COOPER Wiring Devices

Straight Blade Plug

20 amp. 125-250 volt. 3 pole, 3 wire. NEMA 10-20P. For up to #12 wire. Fits Ace No. 3171279. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30682	2836-B0X	EA	1	0.3	6.49

LEVITON
Grounding Plug

15 amp. 125V. NEMA 5-15P. 2P 3W. Straight blade. Industrial grade. Grounding. Black/white. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215217	R03-05266-00C	EA	1	0.2	5.99

LEVITON
Round Plug

15 amp. 125 volt. 2-wire. Non-polarized. For residential and commercial use. Matching connector Ace No. 3201589. Brown. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3198751	000-48642-000	EA	1	0.1	2.79

LEVITON
Easy Plug

10 amp. 125V. NEMA 1-15P. 2P 2W. Straight blade. Residential grade. Non-polarized. Non-grounding. 2 pack. White. Thermoplastic. UL and CSA certified. 2 year limited warranty. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215290	C22-00123-00W	CD2	1	0.1	2.49

LEVITON
Straight Blade Plug

15 amp. 125 volt. 2-wire. For residential and light commercial use. Matching connector Ace No. 3201191. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201175	016-00101-0PW	White	EA	10	0.6	2.49
3201183	017-00101-0PE	Black	EA	10	0.8	2.49



Flat Plug

15 amp. 125 volt. 2-wire. Non-polarized. For residential use. Matching connector Ace No. 3201589. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3198405	001-48643-00W	White	EA	25	0.6	1.49
3198223	000-48643-000	Brown	EA	25	1.3	1.49



Plug

15 amp, 125 volt. Straight blade. Vinyl body. Non-polarized. Non-grounding. For use with 18-14 AWG wire. Black. 2 year limited warranty. UL certified. Contractor pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3258829	002-48643-00E	EA	1	0.2	1.49



Grounding Plug

15 amp. 125 volt. NEMA 1-15P. 2P 2W. Angle plug. Clamite design. Residential grade. Polarized. Non-grounding. UL and CSA approved. 2 year limited warranty. Black. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215241	C25-101AN-00E	EA	1	0.1	2.49



Straight Plug

10 amp. 125 volt. NEMA 1-15P. 2P 2W. Straight blade. Residential grade. Non-polarized. Non-grounding. UL and CSA approved. 2 year limited warranty. Brown. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215282	C20-00123-000	EA	1	0.1	2.49



Super Angle Plug

15 amp 2-wire. UL and CSA approved. Residential grade. white. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215316	C22-00321-00W	EA	1	0.1	2.49



Angle Plug

15 amp. Polarized. 2-wire. UL and CSA approved. Residential grade. Brown. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215308	C20-00321-000	EA	1	0.1	2.49



COOPER Wiring Devices

Straight Blade Plug

125 volt. 15 Polarized. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31850	SA540W	White	EA	10	0.6	1.79
3015898	SA540B	Brown	EA	10	0.6	1.79
3027752	SA540GD	Gold	EA	10	0.4	1.79
31849	SA540	Black	EA	10	0.4	1.79



COOPER Wiring Devices

Straight Blade Plug

125 volt. 15 amp. 2 pole 3 wire. NEMA 5-15P. Matches Ace No. 36088. Orange. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36086	6867-BOX	EA	10	1.5	2.99



Straight Blade Plug

15 amp. 125 volt. 3 wire. For residential and light commercial use. Matching connector Ace No. 3201167. White. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201233	000-515AN-000	EA	1	0.1	3.79



Straight Blade Plug

125 volt. 15 amp. No. 14 gauge cord maximum. UL listed. Gray. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004710	SA399G	EA	10	0.4	3.49



Straight Blade Plug

125 volt. 15 amp. No. 14 gauge cord maximum. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004728	SA399W	White	EA	10	0.7	3.49
3004702	SA399	Black	EA	10	0.7	3.49
3016672	SA399O	Orange	EA	10	0.8	3.49



Straight Blade Plug

15 amp. 125 volt. 2 wire. Non-polarized. For residential and light commercial use. Matching connector Ace No. 3201134. Black. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3198769	000-115PR-000	EA	1	0.1	2.79



PVC Grounding Plug

15 amp. 125 volt. 3-wire. For residential and commercial use. Yellow. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34980	000-515PV	EA	1	0.3	2.79



Angle Plug

30 amp. 125 volt. NEMA TT-30P. 2 pole, 3 wire. Straight blade. Commercial grade. Grounding. Accepts 14-6 AWG. .687 - .875 cord range. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3215381	B00-00830-00T	EA	1	0.4	10.49



Straight Blade Plug

15 amp. 125 volt. 3-wire. For residential and commercial use. Matching connector Ace No. 3201217. Black. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201225	000-515PR-000	EA	1	0.1	3.29



Straight Blade Plug

15 amp. 125 volt. 3 wire. For residential and commercial use. Ideal for shops, garages, and rough duty work with hard floors. Matching connector Ace No. 3201290. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201308	000-515PA-000	EA	1	0.1	3.49



Straight Blade Plug

20 amp. 250 volt. 3 wire. For commercial and residential use. Ideal for shops, garages, and rough duty work with hard floors. Matching connector Ace No. 3201324. Yellow. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201316	000-620PA-000	EA	1	0.1	5.99



Straight Blade Plug

15 amp. 125 volt. 3 wire. For residential and light commercial use. Matching connector Ace No. 3201167. Black. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201142	000-00113-000	EA	1	0.1	4.99



Nylon Plug

15 amp. 250 volt. NEMA 6-15P. 2 pole 3 wire. Industrial grade. Straight blade. Grounding. Accepts .245-.700 cord range. Accepts 18-10 AWG. Super tough nylon body. Black/white. Lifetime warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3259306	061-05666-00C	EA	1	0.1	8.99



Plug

20 amp. 125 volt. NEMA 5-20P. 2P, 3 wire. Industrial grade. Straight blade. Grounding. .245-.700 cord range. Super tough nylon body. Solid brass contacts. Black/white. Lifetime warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32225	061-5366-C	EA	1	0.1	10.49



Connector

15 amp. 125 volt. NEMA 5-15R. 3 wire. Industrial grade. Straight blade. Grounding. .245-.700 cord range. Accepts 18-10AWG. Super tough nylon body. Black/white. Lifetime warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32220	061-05269-00C	EA	1	0.2	12.99



Straight Blade Plug

30/50 amp. 250 volt. NEMA 6-30P/6-50P. 2P 3W. Grounding. Accepts 14-6 AWG. 0.630 - 1.050 cord range. Commercial grade. Thermoplastic body. UL and CSA approved. 10 year limited warranty. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201365	B00-00931-000	EA	1	0.5	16.49



Angle Plug

30/50 amp. 125/250 volt. NEMA 14-30P/14-50P. 3P 4W. 0.750 - 1.125 cord range. 14-6 AWG accepted. Thermoplastic body. Straight blade. Commercial grade. Angle. Grounding. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201381	B00-00275-00T	EA	1	0.4	15.99



Angle Plug

30/50 amp. 125/250 volt. NEMA 10-30P/10-50P. 3P 3W. Straight blade. Commercial grade. Non-grounding. Black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3201373	B00-00287-00T	EA	1	0.4	12.99



Locking Connector

15 amp. 125 volt. NEMA L5-15R. 2 pole 3 wire. Industrial grade. Grounding. Accepts .240-.700 cord range. Accepts 18-10 AWG. Super tough nylon body. Black-white. Lifetime warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3259322	065-04729-00C	EA	1	0.1	16.99



Locking Connector

20 amp. 150 volt. NEMA L5-20R. 2 pole 3 wire. Industrial grade. Grounding. Super tough nylon body. Black - white. Accepts 16-10 AWG. Cord range: .385 - .780. UL and CSA approved. Lifetime warranty. Replaces Ace No. 32230. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265253	021-02313-0PB	EA	1	0.4	18.99



Locking Connector

20 amp. 250 volt. NEMA L6-20R. 2 pole 3 wire. Industrial grade. Grounding. Super tough nylon body. Black - white. Accepts 16-10 AWG. Cord range: .385 - .780. UL and CSA approved. Lifetime warranty. Replaces Ace No. 32232. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265220	021-02323-0PB	EA	1	0.4	19.99



Locking Connector

20 amp. 125/250 volt. NEMA L14-20R. 3P 4W. Matches Ace No. 3004124. Industrial grade. Grounding. Super tough nylon body. Black - white. Accepts 14-10 AWG. Cord range: .595 - .895. UL and CSA approved. Lifetime warranty. Replaces Ace No. 3162716. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265212	021-02413-0PB	EA	1	0.5	22.99



Locking Connector

20 amp. 125/250 volt. NEMA I10-20R. 3 pole 3 wire. Non-grounding. Industrial grade. Super tough nylon body. Accepts 16-10 AWG. Cord range: .385 - .780. Black-white. UL and CSA approved. Lifetime warranty. Replaces Ace No. 31942. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265261	021-02363-0PB	EA	1	0.4	14.99



Locking Connector

30 amp. 125 volt. NEMA L5-30R. 2P 3W. Industrial grade. Grounding. Nylon body and cable clamp with removable insert. Black and white. UL and CSA certified. Lifetime warranty. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32234	021-02613-0PB	EA	1	0.7	24.99



Locking Connector

30 amp. 250 volt. NEMA L6-30R. 2P 3W. Grounding. Black-white. Super tough nylon body. Accepts 16-8 AWG. Cord range: .385 - .930. Lifetime warranty. UL and CSA approved. Replaces Ace No. 32236. Polybag.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265170	021-C2623-0PC	EA	1	0.5	29.99



Plug

15 amp. 125 volt. NEMA 5-15P. 2P, 3 wire. Locking plug. Industrial grade. Grounding. .240-.700 cord range. 18-10 AWG wire gauge. Super tough nylon body. Solid brass contact blades. Steel and zinc plated screws. Black/white. Lifetime warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32229	061-4720-C	EA	1	0.1	9.99



Locking Plug

20 amp, 125 volt, NEMA I5-20P, 2 pole 3 wire. Grounding. Black-white. Industrial grade. Super tough nylon body. Accepts 16-10 AWG. Cord range: .385 - .780. Lifetime warranty. UL and CSA approved. Replaces Ace No. 32231. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265246	021-02311-0PB	EA	1	0.3	12.99



Locking Plug

20 amp, 125/250 volt, NEMA L10-20P, 3 pole 3 wire. Industrial grade. Super tough nylon body. Accepts 16-10 AWG. Cord range: .385 - .780. Non-grounding. Black - white. UL and CSA approved. Lifetime warranty. Replaces Ace No. 31941. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265154	021-02361-0PB	EA	1	0.3	9.99



Locking Plug

20 amp, 125/250 volt, NEMA L14-20P, 3P 4W. Matches Ace No. 3265212. Nylon body. Industrial grade. Grounding. Black-white. Lifetime warranty. UL and CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004124	021-02411-0PB	EA	1	0.8	19.99



Locking Plug

20 amp, 250 volt, NEMA L6-20P, 2P 3W. Industrial grade. Grounding. Black and white. Nylon body and cable clamp with removable insert. UL and CSA certified. Lifetime warranty. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32233	021-02321-0PB	EA	1	0.7	13.99



Locking Plug

30 amp, 125 volt, NEMA L5-30P, 2P 3W. Industrial grade. Grounding. Nylon body and cable clamp with removable insert. Black and white. UL and CSA certified. Lifetime warranty. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32235	021-02611-0PB	EA	1	0.7	18.99



Locking Plug

30 amp, 250 volt, NEMA L6-30P, 2P 3W. Industrial grade. Grounding. Nylon body and cable clamp with removable insert. Black and white. UL and CSA certified. Lifetime warranty. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32237	021-02621-0PB	EA	1	0.3	19.99



Outlet Flasher

15amp, 120 volts. Polarized. 14-20 flashes per minute. Ideal for Christmas lights, displays, and signs. Single outlet. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30905	C471/10	EA	1	0.1	3.79



Grounding Adapter

15 amp, 125 volt, 1875 watts. 2 wire outlet to 3 wire. NEMA 1-15. Polarized. Grounds to wall plate screw. Not UL listed. Vinyl. Polybagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3073954	312A/09	White	EA	25	0.9	0.79



Grounding Adapter

2 to 3 wire. For residential use. Gray. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3136603	025-00274-000	EA	30	1.3	0.99



Adapter

660 watts, 125 volt. Medium base. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36027	EE-083/10 BU	EA	25	0.8	1.99



Adapter

15 amp, 125 volt, 660 watts. Plug-in type. Polarized medium base. UL listed, CSA approved. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038627	FA-704A/01 BUL	Ivory	EA	25	1.1	2.79
36026	FA-704A/01 BU	Brown	EA	25	1.1	2.79



Camper Temporary Adapter

Adapts 20 amp/120 volt to 30 amp/120 volt. Adapts to any power outlet configuration. R/V park accessory. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32762	AD2030	EA	1	0.1	13.99



Camper Temporary Adapter

Adapts 50 amp/120/240 volt to 20 amp/120 volt. Used for mobile and mobile homes. Adapts to any power outlet configuration. R/V park accessory. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32764	AD5020	EA	1	0.1	16.99



Power Outlet Wall Plate

Single opening (2-5/32") power receptacle wall plate. For one gang box. Steel construction. Smooth, clean no-line design. Chrome finish. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32885	S384CCC10	EA	1	0.1	2.49



Power Outlet Wall Plate

Single opening (2-5/32") power receptacle wall plate. For two gang box. Smooth, clean no-line design. Steel construction. Chrome finish. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32892	S3862CCC10	EA	1	0.2	3.99

COOPER Wiring Devices

Blank Wallplate

Thermoset. For residential and light commercial use. 2 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36555	001-85025-000	Brown	EA	1	0.1	0.99



Blank Wallplate

Midway wallplate. Nylon. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007267	001-0PJ13-00I	Ivory	EA	25	1.7	0.99
3007275	002-0PJ13-00W	White	EA	1	0.1	0.99



Toggle Switch Wallplate

Toggle switch wall plate. Thermoplastic nylon. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007200	001-00PJ2-00I	Ivory	EA	25	2.5	1.29
3007218	002-00PJ2-00W	White	EA	25	2	1.29



Toggle Switch Wallplate

Leviton manufacturing designed for maximum resistance to impact abrasion, fading and discoloration. Resistant to mechanical stress associated with high abuse applications. UL and CSA certified. Commercial grade. Back by a limited ten year warranty. Bulk.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021342	021-00PJ1-00I	Ivory	EA	20	1	0.79
3007192	022-00PJ1-00W	White	EA	20	1.2	0.79



Receptacle Wallplate

Duplex receptacle. Midway wallplates are a full .37" higher and wider than standard size wallplates. designed for maximum resistance to impact abrasion, fading and discoloration. Resistant to mechanical stress associated with high abuse applications. Nylon. Commercial grade. Back by a limited ten year warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3029279	021-00PJ8-00I	Ivory	EA	20	1	0.79
3007226	022-00PJ8-00W	White	EA	20	1.3	0.79



Duplex Receptacle Wall Plate

.375" longer and wider on all sides than standard to cover wallboard openings. Screw-catch feature holds plate mounting screw captive for ease of installation. Virtually unbreakable polycarbonate construction. UL/CSA approved. Bagged.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235280	PJ82V	Ivory	EA	1	0.1	1.49
3235272	PJ82W	White	EA	1	0.3	1.49



GFCI Wallplate

Thermoset. Resistant to fading, discoloration, grease, oils, organic solvents and moisture scratches. For residential and light commercial use. 2 year limited warranty. UL and CSA certified.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3127339	001-80412-00I	Ivory	EA	1	0.1	3.99
3127305	005-80412-00W	White	EA	1	0.1	3.99



Wall Plate

2 toggle 1 Decora/GFCI device combination wallplate. Standard size. Thermoset. White. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220993	005-80421-00W	EA	10	1.7	2.79



GFCI Wallplate

Decora GFCI wallplate. Thermoset plastic. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents and moisture scratches. White. 2 year limited warranty. UL and CSA certified. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3162369	001-88601-000	EA	1	0.1	2.29



Toggle Switch Wallplate

Thermoset plastic. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents and moisture scratches. 2 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34115	001-86109-000	Ivory	EA	1	0.1	2.79
34318	001-88109-000	White	EA	1	0.1	2.79



Combination Wallplate

Duplex and toggle. Thermoset. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34319	001-86105-000	Ivory	EA	1	0.1	2.79



Blank Wall Plate

For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents and moisture scratches. Brown. 2 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218153	001-85014-000	EA	1	0.1	0.59



Blank Wall Plate

Made of hard plastic urea. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202181	001-88014-000	White	EA	1	0.1	0.59
3202264	001-86014-000	Ivory	EA	1	0.1	0.59



Duplex Receptacle Wall Plate

For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents and moisture scratches. Ivory. 2 year limited warranty. UL and CSA certified. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218427	001-86025-000	EA	1	0.1	0.99



Toggle Wall Plate

Standard size. Made of hard plastic urea. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202157	001-85001-000	Brown	EA	1	0.1	0.39
3202199	020-88001-000	White	EA	20	1.5	0.39
3202272	020-86001-000	Ivory	EA	20	1.4	0.39



Toggle Switch Wallplate

Standard size (unbreakable). For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202538	021-80701-00I	Ivory	EA	20	1	0.69
3202496	022-80701-00W	White	EA	20	1	0.69



Toggle Wall Plate

Hard plastic urea. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202579	001-86101-00I	Ivory	EA	1	0.1	1.49
3202587	001-88101-00W	White	EA	1	0.1	1.49



Toggle Wall Plate

Standard size. Made of hard plastic urea. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202207	001-88009-000	White	EA	25	2.8	0.99
3202280	001-86009-000	Ivory	EA	25	3	0.99



Toggle Switch Wall Plate

Thermoset. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. Brown. UL and CSA certified. 2 year limited warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218138	001-85009-000	EA	1	0.1	0.99



Toggle Wall Plate

Made of hard plastic urea. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202215	001-88011-000	White	EA	1	0.2	1.79
3202298	001-86011-000	Ivory	EA	1	0.2	1.79



Toggle Switch Wall Plate

Thermoset. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. White. UL and CSA certified. 2 year limited warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218229	001-88012-000	EA	1	0.1	1.99



Duplex Receptacle Wall Plate

Toggle switch wall plate. UREA. Captured screw. For residential and light commercial use. UL and CSA certified. 2 year limited warranty. Resistant to fading, discoloration, grease, oils, organic solvents and moisture. Ivory. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220951	M21-86003-IMP	BX10	1	0.5	2.49



Duplex Receptacle Wall Plate

Single gang toggle switch wall plate. UREA. Captured screw. For residential and light commercial use. UL and CSA certified. 2 year limited warranty. Resistant to fading, discoloration, grease, oils, organic solvents and moisture. White. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220936	M22-88003-WMP	BX10	1	0.5	2.49



Toggle Switch Wall Plate

UREA. Captured screw. For residential and light commercial use. UL and CSA certified. 2 year limited warranty. Resistant to fading, discoloration, grease, oils, organic solvents and moisture. White. 10 pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220761	M22-88001-WMP	BX10	1	0.6	2.79



Toggle Switch Wall Plate

Single gang toggle switch wall plate. UREA. Captured screw. For residential and light commercial use. UL and CSA certified. 2 year limited warranty. Resistant to fading, discoloration, grease, oils, organic solvents and moisture. Ivory. Ten pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220845	M21-86001-IMP	BX10	1	0.1	2.79



Receptacle Wallplate

Standard size. Thermoset plastic. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202165	001-85003-000	Brown	EA	1	0.1	0.39
3202223	020-88003-000	White	EA	20	1.3	0.39
3202314	020-86003-000	Ivory	EA	20	1.3	0.39



Receptacle Wall Plate

Made of hard plastic urea. For residential and commercial use. Bagged.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202595	001-86103-001	Ivory	EA	1	0.1	1.29
3202603	001-88103-001	White	EA	1	0.1	1.29



Duplex Receptacle Wall Plate

Made of hard plastic urea. For residential and commercial use. Ivory. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202322	001-86016-000	EA	25	3	0.99



Duplex Receptacle Wall Plate

Made of hard plastic urea. For residential and commercial use. White. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202231	001-88016-000	EA	25	2.5	0.99



Duplex Receptacle Wall Plate

Thermoset. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. Brown. UL and CSA certified. 2 year limited warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218211	001-85016-000	EA	1	0.1	0.99



Toggle & Receptacle Wall Plate

Made of hard plastic urea. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202306	001-86005-000	Ivory	EA	1	0.1	0.99
3202249	001-88005-000	White	EA	1	0.1	0.99



Combo Switch & Duplex Receptacle Wall Plate

For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. Brown. UL and CSA certified. 2 year limited warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218096	001-85005-000	EA	1	0.1	0.99



Telephone & Cable Wall Plate

Made of hard plastic urea. For residential and commercial use. Ivory. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202256	001-86013-000	EA	1	0.1	0.79



Telephone & Cable Wall Plate

Made of hard plastic urea. For residential and commercial use. White. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202173	001-88013-000	EA	1	0.1	0.79



Wall Plate

Thermoset. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. Brown. UL and CSA certified. 2 year limited warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218088	001-85004-000	EA	1	0.1	0.49



Receptacle Wall Plate

Hard plastic urea. For residential and commercial applications. Ivory. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220928	001-86004-000	EA	25	1.5	0.49



Duplex Receptacle Wall Plate

Standard size. Made of thermoplastic nylon. For residential and commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202553	021-80703-001	Ivory	EA	20	0.8	0.69
3202504	022-80703-00W	White	EA	20	1	0.69



Toggle Switch Wall Plate

Thermoset. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. Ivory. UL and CSA certified. 2 year limited warranty. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218294	001-86012-000	EA	1	0.2	1.99



Toggle Switch & Duplex Receptacle Wall Plate

Two toggle switch and one duplex receptacle. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. White. UL and CSA certified. 2 year limited warranty. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218443	001-86021-000	EA	1	0.1	1.79



Toggle Switch & Duplex Receptacle Wall Plate

Two toggle switch and one duplex receptacle. For residential and light commercial use. Resistant to fading, discoloration, grease, oils, organic solvents scratches and moisture. Ivory. UL and CSA certified. 2 year limited warranty. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218450	001-86021-000	EA	1	0.1	1.79



Decora Wall Plate

Hard plastic urea. For residential or commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202389	020-80401-001	Ivory	EA	20	1.2	0.59
3202330	021-80401-00W	White	EA	20	1	0.59



Screwless Wall Plate

Hard plastic urea. For residential or commercial use. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202454	C21-80301-OSI	Ivory	EA	1	0.1	3.99
3202462	C22-80301-OSW	White	EA	1	0.1	3.99



Decora Wall Plate

Hard plastic urea. For residential or commercial use. Bagged.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202397	001-80409-LOI	Ivory	EA	1	0.2	1.29
3202348	005-80409-00W	White	EA	1	0.1	1.29



Duplex Receptacle & Decora Wall Plate

Hard plastic urea. For residential or commercial use. Bagged.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202371	002-80455-00W	White	EA	1	0.1	1.79
3202413	001-80455-00I	Ivory	EA	1	0.1	1.79



Decora Wall Plate

Hard plastic urea. For residential or commercial use. Bagged.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202421	001-80411-00I	Ivory	EA	1	0.2	2.49
3202363	005-80411-00W	White	EA	1	0.1	2.49



Toggle Switch

Hard plastic urea. For residential or commercial use. Bagged.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202405	001-80405-00I	Ivory	EA	1	0.1	1.79
3202355	005-80405-00W	White	EA	1	0.1	1.79



Combo Wall Plate

2 toggle and 1 GFCI combination wallplate. Thermoset plastic. Ivory. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220977	001-80421-00I	EA	10	1.7	2.79



Receptacle Wall Plate

1.406" hole. Device receptacle wallplate. Thermoset area. Device mount. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3220787	001-88004-000	EA	25	1.3	0.49



Blank Wall Plate

No device blank wallplate. Standard size. Thermostat urea. Box mount. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3218419	001-88025-000	EA	25	3.3	0.99



Outlet Adapter

15 amp, 125 volt, 1875 watts. Vinyl. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36076	FA-702A/09 BS	White	EA	10	0.7	1.99
36075	FA-702A/01 BS	Brown	EA	10	0.8	1.99



Outlet Adapter

2 blade. Indoor only. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33244	FA-248/15	Ivory	EA	5	0.7	3.99
33247	FA-248/09	White	EA	5	0.7	3.99



Outlet Adapter

.15 amp, 125 volt, 1875 watt. 2 pole. 2 wire. Vinyl polarized cube. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34987	34987	Ivory	EA	1	0.1	1.79



Outlet Adapter

15 amp, 125 volt. Includes grounding tab. UL listed. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015906	FA-703A/09	White	EA	10	1	4.99



Outlet Adapter

15 amp, 125 volt, 1875 watts. 2 pole, 3 wire. NEMA 15-5. Converts any grounding outlet into 3 grounding outlets. Polarized slots. UL listed CSA approved. Boxed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30639	FA-703/11	Ivory	EA	10	1	4.99
30638	FA-703/01	Brown	EA	10	0.9	4.99



Outlet Adapter

Converts single outlet into three grounded outlets. Female plug pre mold for added strength. UL approved. Indoor use only.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166345	FA-148/20	Beige	EA	1	0.2	3.99
30873	FA-148/24	Orange	EA	1	0.2	3.99
3164936	FA-148/22	Green	EA	1	0.2	3.99



Outlet Adapter

15 amp, 125 volt, 1875 watts. 2 pole 2 wire. UL listed. Bulk.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36048	FA-352/11 BU	EA	10	1.1	2.79



Outlet Adapter

Single grounded to triple grounded. 15 amp. 125 volt. 1875 watts maximum. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33534	FA-35109B	White	EA	1	0.1	3.29
33532	FA-35115B	Ivory	EA	1	0.1	3.29
33533	FA-35101B	Brown	EA	1	0.1	3.29



Outlet Adapter

15 amp, 125 volt, 1875 watts. NEMA 15-5. Single grounded to triple grounded. UL listed, CSA approved. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36037	FA-351/11	White	EA	10	1.1	2.99
36036	FA-351/01	Brown	EA	10	1.1	2.99



Outlet Adapter

.15 amp, 125 volt, 1875 watts. 2 pole, 2 wire with rigid terminal lug. Single to triple. Polarized. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038676	FA-351C/11	EA	10	1.1	4.29



Outlet Adapter

15 amp, 125 volt, 1875 watts. Single grounded to triple grounded outlet. Brown. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36047	FA-352/01 BU	EA	10	1.1	2.79



Outlet Adapter

Converts duplex grounding receptacle to 6 grounding receptacles. Rigid plastic. 3 outlets on each side. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3092343	54546	Ivory	EA	3	0.7	4.99
3092335	54543	White	EA	3	0.6	4.99



Outlet Adapter

15 amp. 125 volt. 1800 watts maximum. Converts standard grounded duplex wall outlet to six grounded outlets. UL listed.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33538	FA-35715B	Ivory	EA	1	0.2	4.29
33539	FA-35709B	White	EA	1	0.2	4.29
33540	FA-35701B	Brown	EA	1	0.2	4.29



Wall Switch Timer

Astronomic feature follows daily changes in sunrise/sunset. Up to 6 on/off settings per 7 day period a total of 42 on 42 off settings per week. LCD digital clock and readout. Battery backup (battery included) Ace No. 3109030. Random setting feature available to avoid predictable Time Controlled look. Manual override feature. Use with decorator style wall plate (not included). White. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3236734	ST01C	EA	1	0.5	38.99

CREATIVE ACCENTS®

Toggle Wall Plate

2-3/4" x 4-1/2". Chrome. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30799	9CS101	EA	6	0.1	1.79

CREATIVE ACCENTS®

Toggle Wall Plate

Two side by side toggle switches. UL listed. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30801	9CS102	EA	3	0.2	2.99

CREATIVE ACCENTS®

Toggle Wall Plate

Three side by side toggle switches. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32466	9CS103	EA	3	1.3	4.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30800	9CS108	EA	6	0.8	1.79

CREATIVE ACCENTS®

Rocker Wall Plate

Rocker. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161593	9CS117	EA	1	0.3	1.79

CREATIVE ACCENTS®

GFCI & Rocker Wall Plate

One toggle and one rocker. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3177292	9CS126	EA	1	0.3	2.79

CREATIVE ACCENTS®

GFCI & Rocker Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3175734	9CS127	EA	1	0.2	2.79

CREATIVE ACCENTS®

Toggle Wall Plate

Bright brass finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3157922	9BS103	EA	1	0.2	5.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Bright brass finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158136	9BS108	EA	1	0.1	3.49

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Antique brass finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158516	9AB108	EA	1	0.1	3.49

CREATIVE ACCENTS®

Rocker Wall Plate

Bright brass finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158144	9BS117	EA	1	0.2	3.49

CREATIVE ACCENTS®

Toggle & Rocker Wall Plate

Bright brass finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158151	9BS126	EA	1	0.2	4.49

CREATIVE ACCENTS®

Rocker Wall Plate

Bright brass finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158227	9BS127	EA	1	0.2	4.49

CREATIVE ACCENTS®

Rocker Wall Plate

Antique brass finish. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158623	9AB117	EA	1	0.3	3.49

CREATIVE ACCENTS®

Toggle Wall Plate

Pewter tone finish. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161627	9PT101	1-Gang	EA	1	0.1	3.49
3161635	9PT102	2-Gang	EA	1	0.2	5.49
3161775	9PT103	3-Gang	EA	1	0.4	8.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Pewter tone finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161783	9PT108	EA	1	0.1	3.49

CREATIVE ACCENTS®

Rocker Wall Plate

Pewter tone finish. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161791	9PT117	EA	1	0.1	3.49

CREATIVE ACCENTS®

Toggle & Rocker Wall Plate

Pewter tone finish. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161809	9PT126	EA	1	0.2	5.49

CREATIVE ACCENTS®

Rocker Wall Plate

Pewter tone finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161833	9PT127	EA	1	0.2	5.49

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3157898	9BS101	Bright Brass	EA	1	0.1	3.49
3158243	9AB101	Antique Brass	EA	1	0.2	3.49

CREATIVE ACCENTS®

Switch Wallplate

Toggle switch. Antique brass. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3157914	9BS102	Bright Brass	EA	1	0.2	4.49
3158425	9AB102	Antique Brass	EA	1	0.2	4.79

CREATIVE ACCENTS®

Toggle Wall Plate

UL listed. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32695	401U	1-Gang	EA	1	0.3	5.99
32696	402U	2-Gang	EA	1	0.4	6.99
3007770	403U	3-Gang	EA	1	0.4	9.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32698	408U	EA	1	0.1	5.99

CREATIVE ACCENTS®

GFCI Receptacle Wall Plate

UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34595	417U	EA	1	0.1	5.99

CREATIVE ACCENTS®

Switch & Duplex Receptacle Wall Plate

Combo switch and GFCI/Decora. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34596	426U	EA	1	0.2	6.99

CREATIVE ACCENTS®

Rocker Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160116	427U	EA	1	0.2	6.99

CREATIVE ACCENTS®

Toggle Wall Plate

3-step furniture finish. UL listed. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32683	701	1-Gang	EA	1	0.2	5.99
32684	702	2-Gang	EA	1	0.2	6.99

CREATIVE ACCENTS®

Toggle Wall Plate

3-step furniture finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007796	703	EA	1	0.4	9.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

3-step furniture finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32686	708	EA	1	0.5	5.99

CREATIVE ACCENTS®

GFCI Receptacle Wall Plate

3-step furniture finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34591	717	EA	1	0.2	5.99

CREATIVE ACCENTS®

GFCI & Toggle Wall Plate

3-step furniture finish. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34592	726	EA	1	1	6.99

CREATIVE ACCENTS®

Rocker Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160348	727	EA	1	0.2	6.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160355	901L	1-Gang	EA	1	0.1	6.99
3160363	902L	2-Gang	EA	1	0.3	7.99
3160371	903L	3-Gang	EA	1	0.3	9.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160421	926L	EA	1	0.2	7.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160439	927L	EA	1	0.2	7.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3154234	982CW	White Porcelain	EA	1	0.3	7.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3153681	981CW	White Porcelain	EA	1	0.3	6.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3154531	988CW	EA	1	0.2	6.99

CREATIVE ACCENTS®

Rocker Wall Plate

Rocker. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3154903	987CW	EA	1	0.2	6.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Light oak finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160397	908L	EA	1	0.2	6.99

CREATIVE ACCENTS®

Rocker Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160405	917L	EA	1	0.1	6.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3159381	9MC101	EA	1	0.2	6.99

CREATIVE ACCENTS®

Toggle Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3159407	9MC102	EA	1	0.2	9.99

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3159753	9MC108	EA	1	0.1	6.99

CREATIVE ACCENTS®

Rocker Wall Plate

Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3159910	9MC117	EA	1	0.2	6.99

CREATIVE ACCENTS®

Toggle Wall Plate

Clear plastic. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158706	9WW101	EA	1	0.1	3.49

CREATIVE ACCENTS®

Toggle Wall Plate

Clear plastic. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3158797	9WW102	EA	1	0.4	5.49

CREATIVE ACCENTS®

Duplex Receptacle Wall Plate

Clear plastic. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3159266	9WW108	EA	1	0.1	3.49

CREATIVE ACCENTS®

Rocker Wall Plate

Clear plastic. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3159282	9WW117	EA	1	0.2	3.99

CREATIVE ACCENTS®

Wall Plate Screws

Metal. Card/10.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3160850	9SB010	Bright Brass	CD10	1	0.1	1.49
3160876	9SA010	Antique Brass	CD10	1	0.1	1.49
3160884	9SI010	Ivory	CD10	1	0.1	1.49
3160918	9SW010	White	CD10	1	0.1	1.49

**Plastic Insulating Bushing**

Used on the end of Rigid and IMC conduits and other threaded connectors to provide a smooth well rounded bearing surface to protect wires or cables. Thermoplastic. UL/CSA.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182342	49321	1/2"	Bag	BG2	1	0.1	0.29
3182359	49322	3/4"	Bag	BG2	1	0.1	0.49
3066719	49323	1"	Bag	EA	1	0.1	0.59
3066727	49324	1-1/4"	Bag	EA	1	0.1	0.69
32975	49325	1-1/2"	Bag	EA	1	0.1	0.79
3066743	49326	2"	Bag	EA	1	0.1	0.99



90 Degree Elbow

Used to connect Rigid or IMC conduit together to allow for 90° bends. Galvanized steel. UL listed. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179884	02-55531PE	1/2"	EA	1	0.7	4.99
30416	02-55532PE	3/4"	EA	1	1.3	5.99



Pull Elbow

Used to facilitate pulling conductors through a 90° bend in a run of Rigid or IMC conduits. Removable aluminum cover. Zinc die-cast with neoprene gasket. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30464	49681	1/2"	EA	1	0.1	4.49



Threaded Conduit Body

Used to gain access to the interior of a raceway for wire pulling, inspection, and maintenance where the raceway changes direction. Assembled with cover and gasket. Die-cast aluminum. UL/CSA. Boxed. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30434	02-55641LB	1/2"	EA	1	0.3	8.99
30435	02-55642LB	3/4"	EA	1	0.5	9.99
34943	02-55644LB	1-1/4"	EA	1	1.8	17.49
34945	02-55646LB	2"	EA	1	3.8	30.99



Service Entrance Ell

Used to gain access to the interior of a raceway for wire pulling, inspection, and maintenance. Listed for use in wet locations. Die-cast aluminum. UL/CSA. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179892	02-51025	1/2"	EA	1	0.3	5.49
30460	02-51026	3/4"	EA	1	0.2	6.99
30461	02-51027	1"	EA	1	0.5	9.99



Reducing Bushing

Used to reduce the entry size of threaded conduit to allow joining conduits of two different sizes. Zinc die-cast. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182268	49001	3/4"-1/2"	EA	1	0.1	1.49
3180320	49003	1"-3/4"	EA	1	0.2	1.99



Threaded Conduit Body

Used to gain access to the interior of a raceway for wire pulling, inspection, and maintenance where the raceway changes direction. Assembled with cover and gasket. Die-cast aluminum. UL/CSA. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30432	02-55641C	1/2"	EA	1	0.2	7.99
30433	02-55642C	3/4"	EA	1	0.4	9.99



Threaded Conduit Body

Used to gain access to the interior of a raceway for wire pulling, inspection, and maintenance where the raceway changes direction. Assembled with cover and gasket. UL/CSA. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30436	02-55641T	1/2"	EA	1	0.3	10.49
30437	02-55642T	3/4"	EA	1	0.8	12.99



Threaded Conduit Body

Used to gain access to the interior of a raceway for pulling wire, inspection, and maintenance where the raceway changes direction. Assembled with cover and gasket. Die-cast aluminum. UL/CSA. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33303	02-55641LL	1/2"	EA	1	0.3	8.99



Conduit Nipple

Used to terminate threaded conduit to a knock out, outlet box, or metal enclosure where room is limited, or with a locknut to connect two outlet boxes side by side or back to back. Zinc die-cast. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182235	49202	1/2"	EA	1	0.1	1.29
3182250	49203	3/4"	EA	1	0.1	1.49



Offset Nipple

Used to provide an offset connection between two outlet boxes or metal enclosures. Zinc die-cast. UL/CSA.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3066602	49020	1/2"	Bag	EA	1	0.1	2.49
3066610	49021	3/4"	Bag	EA	1	0.1	3.49



Threaded Coupling

Used to join two lengths of threaded Rigid or IMC conduit. Galvanized steel. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30351	02-55080	1/2"	EA	1	0.1	1.99
30352	02-55081	3/4"	EA	1	0.1	2.49
30353	02-55082	1"	EA	1	0.3	3.49
3179421	02-55083	1-1/4"	EA	1	0.4	3.99
30355	02-55084	1-1/2"	EA	1	0.5	4.49
3179165	02-55085	2"	EA	1	0.8	4.99



Fixture Lockout

3/8". Used to secure a light fixture canopy. Square. Heavy duty. Steel. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179488	49099	BG2	50	3.8	0.99



Conduit Locknut

Used for securing Rigid and IMC conduits and other threaded connectors to a steel box or metal enclosure. Steel. Zinc plated.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182417	47101	1/2"	Bag	BG3	50	4	0.79
3182425	48102	3/4"	Bag	BG2	50	1.8	0.69
3182433	47103	1"	Bag	EA	50	1.8	0.49
3182524	49104	1-1/4"	Bag	EA	50	2.4	0.59
3179942	49105	1-1/2"	Bag	EA	1	0.1	0.69
3182540	49106	2"	Bag	EA	25	1.6	0.99



Reducing Washer

Used to reduce the size of a knockout in a steel outlet box or metal enclosure. Two washers are required for each knockout. Zinc plated steel. UL/CSA.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182557	49301	3/4" to 1/2"	Bag	BG2	1	0.1	0.59
3182615	49302	1" to 1/2"	Bag	BG2	1	0.1	0.69
3182631	49303	1" to 3/4"	Bag	BG2	1	0.1	0.79
3006269	49306	1-1/4" to 1"	Bag	BG2	1	0.1	0.99
3172913	49315	2" to 1-1/2"	Bag	BG2	1	0.1	1.29
3172939	49421	2-1/2" to 2"	Bag	BG2	1	0.2	1.79



EMT Set Screw Connector

Used to join, secure, and terminate steel EMT conduit to knockouts in concrete tight box or dry location applications. Concrete tight. Single set screw. Zinc die-cast. No individual UPC's. UL/CSA. Boxed in bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179876	02-55232	1"	EA	1	0.1	1.79
3180239	02-55233	1-1/4"	EA	1	0.3	2.29
31361	02-55234	1-1/2"	EA	1	0.3	3.49
31362	02-55235	2"	EA	1	0.5	4.49



EMT Set Screw Connector

Used to secure and terminate steel EMT conduit to knockouts in concrete tight boxes or dry location applications. Concrete tight. Single set screw. Zinc die-cast. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183126	49230	1/2"	EA	50	3	0.49
3183092	49231	3/4"	EA	25	2	0.79



EMT Set Screw Coupling

Used to join two lengths of steel EMT conduit for concrete tight or dry location applications. Concrete tight. Double set screw. Zinc die-cast. No individual UPC's. UL/CSA. Boxed in bulk.




Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30397	02-55242	1"	EA	20	2	1.99
3179991	02-55243	1-1/4"	EA	1	0.4	2.79
31353	02-55244	1-1/2"	EA	1	0.1	3.99
3180064	02-55245	2"	EA	1	0.4	4.99



EMT Set Screw Connector

Used to join two lengths of steel EMT conduit for concrete tight or dry location applications. Concrete tight. Double set screw. Zinc die-cast. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183068	49240	1/2"	EA	50	6	0.69
3183027	49241	3/4"	EA	25	0.1	0.99



EMT Compression Connector

Used to secure and terminate steel EMT conduit to knockouts in concrete tight box, dry, or damp locations. Concrete tight. Zinc die-cast. UL/CSA listed locknut.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3180866	49250	1/2"	Bag	EA	50	4.5	0.99
3180874	49251	3/4"	Bag	EA	25	3.5	2.99
3180106	02-55252	1"	Box	EA	1	0.2	3.29
3180122	02-55253	1-1/4"	Box	EA	1	0.4	3.49



Switch Box

With Romex clamps. 3" x 2" x 2-1/4". 2-1/2" deep. 4 end pri-outs. 2 end knockouts 1/2". 1 bottom knockout 1/2". 12.5 cubic inch capacity. TS bracket with gauging tabs and recessed nailing spur. Clamps for non-metallic cable. Gangable. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32014	8531	EA	1	0.8	3.29



EMT Compression Coupling

Used to join two lengths of steel EMT conduit for concrete tight, dry, or damp applications. Concrete tight. Zinc die-cast. UL/CSA.




Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3180965	49260	1/2"	Bag	EA	20	6	0.99
3180973	49261	3/4"	Bag	EA	12	4.3	1.49
3179959	02-55262	1"	Box	EA	1	0.3	2.49



Switch Box

With Romex clamps. 18.0 cubic inch capacity. 4 end pri-outs. 2 end knockouts 1/2". 4 side knockouts 1/2". 1 bottom knockout 1/2". Non-metallic cable clamps. Plaster ears for drywall mounting. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31876	8601	EA	1	0.8	4.99



Switch Box

With conduit knockouts. 2-1/2" deep. 2 end knockouts 1/2". 2 bottom knockouts 1/2". Switch box support for old work applications. Gangable. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31328	506	EA	20	13	6.99



EMT Offset Set Screw Connector

Used to make a slight adjustment in terminating the end of a run of steel EMT conduit to an enclosure or box in dry locations. Concrete tight. Zinc die-cast. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3180981	49006	1/2"	EA	1	0.1	2.99
3066016	49007	3/4"	EA	1	0.1	3.99



Switch Box

With conduit knockouts. 1-1/2" deep. 3" x 2" x 1-1/2". 2 side knockouts 1/2". 1 back knockout 1/2". 7.5 cubic inch capacity. Gangable. Plaster ears for drywall mounting. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30314	400	EA	20	1.5	3.49



Switch Box

With Romex clamps. 3" x 2" x 2-1/4". 2-1/4" deep. 4 end knockouts 1/2". 1 back knockout 1/2". 4 side pri-outs. 10.5 cubic inch capacity. Clamps for non-metallic cable. Gangable. Beveled corners. Plaster ears for drywall mounting. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30315	8471	EA	1	0.5	3.79



EMT 90 Degree Compression Connector

Used to terminate steel EMT conduit to an unthreaded box or enclosure in dry or damp locations where a 90 degree bend is required. Concrete tight. Rain tight. Zinc die-cast. UL and CSA listed. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3066933	49057	1/2"	EA	1	0.1	2.99



Switch Box

With Romex clamps. 3" x 2" x 2-1/2". 2-1/2" deep. 4 pri-outs. 2 end knockouts 1/2". 12.5 cubic inch capacity. 1 bottom knockouts 1/2". Clamps for non-metallic cable. Gangable with ears. UL listed. Bulk.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32012	8519	EA	1	0.4	2.79



EMT Pull Elbow

Used to facilitate pulling conductors through a 90° bend in a run of steel EMT conduit. Removable cover gives ample access so pulling wire can be achieved without obstructions. Zinc die-cast. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181062	49561	1/2"	EA	1	0.2	3.79
3066032	49562	3/4"	EA	1	0.2	4.49



EMT 90 Degree Elbow

Used to connect steel EMT conduit together to allow for 90 degree bends. Galvanized steel. UL listed. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32876	02-55541PE	1/2"	EA	1	0.3	4.29
32877	02-55542PE	3/4"	EA	1	0.4	4.99
30412	02-55543PE	1"	EA	1	0.9	5.49
30413	02-55544PE	1-1/4"	EA	1	1.4	6.49
30414	02-55545PE	1-1/2"	EA	1	2	7.49
31334	02-55546PE	2"	EA	1	3	11.49



Switch Box

With Romex clamps. 3" x 2" x 1-1/2". 1-1/2" deep. 4 end pri-outs. Non-gangable. Non-metallic cable clamps. Plaster ears for drywall mounting. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30323	410	EA	1	0.4	3.79



EMT Nonmetallic Coupling

Used to provide a transition from steel EMT conduit to 12-2 nonmetallic sheathed cable. Set screw type. Zinc die-cast. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3066982	49280	1/2" to 1/2"	EA	1	0.1	2.29



Switch Box

With conduit knockouts. 2" deep. 3" x 2" x 2". Gangable. Plaster ears for drywall mounting. 4 side knockouts 1/2". 2 end knockouts 1/2". 2 back knockouts 1/2". Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30317	8420	EA	1	0.4	3.29



Switch Box

With conduit knockouts. 2-1/2" deep. 3" x 2" x 2-1/2". 4 side knockouts 1/2". 2 end knockouts 1/2". 2 back knockouts 1/2". 12.5 cubic inch capacity. Gangable. Plaster ears for drywall mounting. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30318	8500	EA	1	0.5	3.29



Screw-In Greenfield Connector

Used to terminate flexible metal conduit to a knockout in a dry location box or enclosure where minimum spacing is desired between the conduits. Zinc die-cast. No individual UPC's. UL/CSA.




Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181872	49009	3/8"	Bag	EA	50	3	0.79
3181906	49010	1/2"	Bag	EA	50	3	0.99



Switch Box

With conduit knockouts. 2-1/2" deep 3" x 2" x 2-1/2". 4 side knockouts 1/2". 2 end knockouts 1/2". 2 back knockouts 1/2". "B" bracket for mounting box flush and square to stud. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30321	502	EA	1	0.6	3.79



90 Degree Flex Angle Connector

Used to make a 90 degree termination of armored cable, metal clad cable, or flexible metal conduit to a knockout or unthreaded slip hole in a dry location box or enclosure. Zinc die-cast. UL/CSA.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3066271	49801	3/8"	Bag	EA	1	0.1	1.79
3181435	49804	1/2"	Bag	EA	1	0.1	1.79
3066297	49806	3/4"	Bag	EA	1	0.1	2.99



Set Screw Flex Connector

1/2". Used to terminate regular wall steel or aluminum flexible metal conduit to a knock out in a dry location box or enclosure. Zinc die-cast. UL/CSA. Bagged.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181542	49090	EA	1	0.2	1.29



Switch Box

With knockouts. 2-3/4" deep. 3" x 2" x 2-3/4". 4 side knockouts 1/2". 2 end knockouts 1/2". 2 back knockouts 1/2". 14.0 cubic inch capacity. Gangable. Plaster ears for drywall mounting. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30319	8560	EA	1	0.6	3.49



BX Connector

For 3/8" cable. Used to terminate steel armored cable to a 1/2" knockout in a dry location box or enclosure. End stopped. Zinc die-cast. UL listed locknut. Individual UPC. UL/CSA.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181385	49501	Bag	EA	1	0.1	0.59



Squeeze Connector

Used to terminate flexible metal conduit to a knockout in a dry location box or enclosure. Zinc die-cast. UL/CSA.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181807	49401	3/8"	Bag	EA	1	0.1	0.99
3181815	49407	1/2"	Bag	EA	1	0.1	0.99



Switch Box

With Romex clamps. 3-3/4" x 2" x 1.1" deep. 2 end pri-outs. 1 end knockout 1/2". 6.5 cubic inch capacity. Bracket for mounting on stud. Non-metallic "Q" clamps cable. With ears, non-gangable. UL listed. Bulk.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32008	404	EA	25	9.9	4.29



Switch Box

2-27/32" deep. 4 side pri-outs for NM cable. 2 side knockouts 1/2". 1 back knockout 1/2". 14.0 cubic inch capacity. Non-metallic cable clamps. Nails for use on wooden studs. "S" Bracket for extended sides. Non-gangable. Gauging notches at 3/8", 1/2" and 5/8". UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004868	8355	EA	1	0.7	3.49



Switch Box

With Romex cables. Old Work. 2-27/32" deep. 4 end pri-outs. 2-1/2" end knockouts. Non-metallic cable clamps. Steel support and plaster ears. Single speed screw for quick installation. Non-gangable. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33292	545	EA	20	14.5	4.49



Anti-Short Bushings

Trade size: #0. Inserted into the end of armored cable and flexible metal conduit in order to protect the conductors from sharp edges of the raceway where cut. For cable sizes 14-2, 14-3, and 12-2 armored cable. For 5/16" flexible metal conduit. Plastic. CSA listed. Bagged. PK/35.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33151	02-55035	BG35	1	0.1	2.99



Handy Box

1-1/2" deep. 11.5 cubic inch capacity. 6 side knockouts 1/2". 2 end knockouts 1/2". 3 back knockouts 1/2". Steel construction, welded corners. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30335	8650	EA	1	0.5	2.49



Service Entrance Head

Used as a connecting point in an overhead service entrance and can be mounted on threaded or unthreaded Rigid, IMC, or EMT conduit. Clamp on type. Phenolic insulator with multiple holes. Made of aluminum die cast. Listed for use in wet locations. UL and CSA listed. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31343	02-51254	1-1/4"	EA	1	1	7.49



Handy Box

1-7/8" deep. 13.0 cubic inch capacity. 6 side knockouts 1/2". 2 end knockouts 1/2". 3 back knockouts 1/2". Drawn steel construction. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30337	8660	EA	1	0.5	1.49



Handy Box

1-7/8" deep. 13.0 cubic inch capacity. 4 side knockouts 3/4". 2 end knockouts 3/4". 2 bottom knockouts 3/4". Drawn steel construction. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36410	8663	EA	1	0.5	3.29



Handy Box

With A bracket. 1-7/8" deep. 13.0 cubic inch capacity. 3 side knockouts 1/2". 2 end knockouts 1/2". 3 back knockouts 1/2". A bracket for mounting box against face and side of spur. Drawn steel construction. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30338	661	EA	1	0.6	3.29



Standard Porcelain Wireholder

1-11/16" lag. Use in overhead service to support and secure incoming service entrance wires prior to entrance. Porcelain and steel. UL/CSA. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179926	02-56030	EA	1	0.2	4.99



Handy Box Extension

1-7/8" deep. 6 side knockouts 1/2". 2 end knockouts. Drawn steel construction. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30313	665	EA	1	0.3	3.29



Heavy Duty Porcelain Wireholder

2-1/4" lag. Use in overhead service to support and secure incoming service entrance wires prior to entrance. Porcelain and steel. Boxed. UL/CSA.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30473	02-56033	EA	1	0.6	6.99



Handy Box

2-1/8" deep. 16.5 cubic inch capacity. 6 side knockouts 1/2". 2 end knockouts 1/2". 3 back knockouts 1/2". Steel construction, welded corners. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30336	8670	EA	1	0.8	3.29



Octagon Box

1-1/2" deep x 3-1/2". 11.8 cubic inch capacity. 4 side knockouts 1/2". 1 bottom knockout 1/2". UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30325	110	EA	1	0.4	2.49



Liquid Tight Connector

Steel/malleable iron. Zinc electro plated. For use on flexible metallic and Type B non-metallic liquid tight conduit. Outdoor and indoor uses. Reuseable. Includes sealing washer. UL listed, CSA certified. Polybagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33050	3402-8	1/2"	EA	15	2.6	4.29
33051	3403-8	3/4"	EA	10	2.6	5.49



Octagon Box

1-1/2" deep x 4". 15.5 cubic inch capacity. 4 side knockouts 1/2". 5 bottom knockouts 1/2". UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30326	8125	EA	1	0.4	1.49



Octagon Box

1-1/2" deep x 4". 15.5 cubic inch capacity. 2 side knockouts 1/2". 2 side knockouts 3/4". 3 bottom knockouts 1/2". 2 bottom knockouts 3/4". UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30327	127	EA	1	0.5	1.79



90 Degree Liquid Tight Conduit Connector

Uninsulated. For both metallic and non-metallic liquid tight conduit. UL listed. Polybagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33053	3422-8	1/2"	EA	15	2.6	5.99
33054	3423-8	3/4"	EA	10	2.6	8.99



Octagon Extension Ring

1-1/2" deep x 4". 16.5 cubic inch capacity. 4-1/2" side knockouts. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30311	128	EA	1	0.3	2.49



Octagon Box

With J bracket. 1-1/2" deep x 4". 15.5 cubic inch capacity. Non-metallic cable clamps. 4 side knockouts 1/2". 5 bottom knockouts 1/2". J bracket with gauging notches for toe nailing. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32015	158	EA	1	0.5	2.99



Octagon Box

1-1/2" deep x 3-1/2". 11.8 cubic inch capacity. Non-metallic Romex cable clamps. 2-1/2" side knockouts. 1-1/2" bottom knockout. 4 side pri-outs for NM cable. Matching cover, Ace No. 30302. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30328	112	EA	1	0.4	2.79



Ground Clamp

For #10-#2 AWG. Used to connect bare or insulated copper wire to copper or galvanized steel water pipe or metal gas pipe. Bronze. UL/CSA. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179934	41309	1/2"-1"	EA	1	0.2	4.79



Octagon Box

1-1/2" deep x 4". 15.5 cubic inch capacity. Non-metallic Romex cable clamps. 4 NM side pri-outs. 2-1/2" side knockouts. 1-1/2" bottom knockouts. Matching cover, Ace No. 3005576 or Ace No. 30303. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30329	8146	EA	1	0.4	2.49



Ground Rod Clamp

1/2"-1". For #10-#2 AWG. Used to connect bare or insulated copper wire to copper or galvanized steel water pipe or metal gas pipe. With bronze screws suitable for direct burial. Bronze. UL/CSA. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3006160	41310	EA	1	0.3	5.49



Octagon Box

With TS bracket/Romex clamps. 1-1/2" deep x 4". 15.5 cubic inch capacity. Non-metallic cable clamps. 4 NM cable pri-outs. 1-1/2" side knockout. 1-1/2" bottom knockout. TS Bracket with gauging tabs and recessed nailing spur. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31001	164	EA	1	0.7	3.49



Octagon Box

With J bracket. 1-1/2" deep x 4". 15.5 cubic inch capacity. Non-metallic cable clamps. 4 side priouts. 2-1/2" side knockouts. 1-1/2" bottom knockouts. 1 bottom knockout 1/2". J bracket with gauging notches for toe nailing. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31873	160	EA	1	0.7	3.49



Ground Clamp

1/2"-1". For #8-#4 AWG. Used to connect armored cable to copper or galvanized steel water pipe or metal gas pipe. Pressure bar grips armored cable insulation to decrease chances of grounding conductor being pulled out. Bronze. UL/CSA. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33336	41409	EA	1	0.2	4.99



Flexible Vinyl Grommets

Used in steel boxes and sheeting. Protects cable. Insulates. Black vinyl.



Stock No.	Mfr. No.	Fits	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013497	GHG-1525	1/4" ID	CD6	1	0.1	2.29
3013505	GHG-1538	3/8" ID	CD5	1	0.2	2.29
3013513	GHG-1550	1/2" ID	CD4	1	0.2	2.29



Knockout Seal

Used to close exposed holes in an outlet box or metal enclosure. Steel. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182763	47150	1/2"	EA	1	0.1	0.49
3182771	49151	3/4"	EA	1	0.1	0.59
3063815	49153	1-1/4"	EA	1	0.1	0.79
3180858	49152	1"	EA	1	0.1	0.69
3172566	49154	1-1/2"	EA	1	0.1	0.99
3172574	49155	2"	EA	1	0.1	1.49



Square Box

1-1/2" deep x 4". 21.0 cubic inch capacity. 12-1/2" side conduit knockouts. 5-1/2" bottom conduit knockouts. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30330	8190	EA	1	0.6	1.99



Square Box

1-1/2" deep x 4". 21.0 cubic inch capacity. 8-1/2" conduit side knockouts. 4-3/4" conduit side knockouts. 3-1/2" conduit bottom knockouts. 2-3/4" conduit bottom knockouts. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30331	8192	EA	1	0.6	1.99



Square Box Extension

1-1/2" deep x 4". 22.5 cubic inch capacity. 12-1/2" conduit side knockouts. UL listed. Bulk.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30312	8201	EA	1	0.4	2.99



Square Box

2-1/8" deep x 4". 30.3 cubic inch capacity. 8-1/2" conduit side knockouts. 4 conduit TKO side knockouts. 3-1/2" conduit bottom knockouts. 2 conduit TKO conduit bottom knockouts. Welded box. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32962	8232	EA	1	0.8	2.79



Service Entrance Cable Connector

12/3 UF. Used to seal and terminate oval type SE or SEU cables. For underground feeder cable only. For a watertight box or enclosure.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3066586	49092	1/2"	Bag	EA	1	0.1	2.99
3179827	49093	3/4"	Bag	EA	1	0.2	2.99



Square Box

With TS bracket. 2-1/8" deep x 4". 30.3 cubic inch capacity. 6-1/2" conduit side knockouts. 3 conduit TKO side knockouts. 3-1/2" conduit bottom knockouts. 2 conduit TKO conduit bottom knockouts. TS mounting bracket with gauging tab and nailing spur for mounting box on wood stud. Welded box. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30980	8235	EA	1	0.2	4.49



Device Box

2-1/8" deep x 4". 30.3 cubic inch capacity. 8-1/2" conduit side knockouts. 4-3/4" conduit side knockouts. 3-1/2" conduit bottom knockouts. 2-3/4" conduit bottom knockouts. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30761	683	EA	1	0.8	7.99



Clamp Type Cable Connector

3/8" trade size. Fits 1/2" knockout. Used to terminate non-metallic sheathed and oval type SE or SEU cables to a knockout. For use in a dry location box or enclosure. Male hub threads NPS. Zinc die-cast. Bagged.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179082	49650	3/8"	Bag	BX100	1	0.5	0.49
3179074	49660	3/4"	Bag	EA	50	6	1.79
3066529	49663	1"	Bag	EA	1	0.1	1.99



Square Box

1-1/2" deep x 4". 42.0 cubic inch capacity. 4 side knockouts 3/4". 4 side knockouts 1". 3 bottom knockouts 1/2". 2 bottom knockouts 3/4". Welded corners. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32963	8265	EA	1	1.3	5.99



AFC
CABLE SYSTEMS®

Liquid Tight Straight Fitting

Joins PVC or metal liquid tight conduit. UL listed. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34386	8064	1/2"	EA	1	0.3	3.99
34387	8065	3/4"	EA	1	0.2	4.49



AFC
CABLE SYSTEMS®

45 Degree Liquid Tight Elbow


Use with PVC or metal liquid tight conduit. UL listed. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34388	8074	1/2"	EA	1	0.2	4.49
34389	8075	3/4"	EA	1	0.8	5.49



Ceiling Pan

1/2" deep. 5 bottom knockouts 1/2". 6.0 cubic inch capacity. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30339	8293	EA	1	0.3	3.29

Thomas&Betts**Conduit Body**

Used to gain access to conduit for wire pulling. UL listed. Polybagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33340	E986D-CTN	1/2"	EA	1	0.3	3.29
33341	E986E-CTN	3/4"	EA	1	0.5	3.99
31934	E986F-CTN	1"	EA	1	1	4.49
30754	5133666U	1-1/4"	EA	1	0.7	5.99
31937	E986HR	1-1/2"	EA	1	1	7.49
30755	5133668U	2"	EA	1	1.5	9.99

RACO**Blank Box Cover**

Blank cover raised 1/4" for drywall. For exposed work application. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30301	860	EA	25	2.5	0.79

Thomas&Betts**Conduit Body**

Used to gain access to conduit for wire pulling. UL listed. Polybagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33342	E983D-CTN	1/2"	EA	1	0.2	3.99
33343	E983E-CTN	3/4"	EA	1	0.5	4.49

RACO**Box Cover**

For toggle switch. Raised 1/4". For exposed work application. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30299	865	EA	25	2.5	0.99

RACO**Box Cover**

For 1 duplex receptacle. Raised 1/4". For exposed work application. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30298	864	EA	25	1.9	0.99

Thomas&Betts**Female Adapter**

PVC slip female end to iron pipe size. NEMA TC-3 and UL514. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33212	E942DR-CTN	1/2"	EA	1	0.1	0.49
33213	E942ER-CTN	3/4"	EA	1	0.2	0.79
33214	E942FR-CTN	1"	EA	1	0.1	0.99
33215	5140046C	1-1/4"	EA	1	0.3	1.29
33216	5140047C	1-1/2"	EA	1	0.2	1.29
33217	E942JR	2"	EA	1	0.3	1.49

RACO**Box Cover**

For single receptacle, 1.406" diameter. Raised 1/4". For exposed work application. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30300	863	EA	25	2	0.99

RACO**Box Cover**

With 1/2" knockout. For exposed work applications. Steel construction. UL listed. Bulk.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33481	861	EA	1	0.1	1.49



Blank Box Cover

Flat, blank. For junction box. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30289	8752-5	EA	10	2.7	0.99



Male Terminal Adapter

Joins conduit to outlet or junction box. Threaded. UL listed. Boxed/100.




Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33218	E943DR-CTN	1/2"	BX100	1	8	0.49
33219	E943ER-CTN	3/4"	EA	50	4	0.79



Square Steel Electrical Box Cover

4". Flat with 1/2" knockout. Steel. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32957	8753-5	EA	10	2.8	1.29



Square Box Cover

4". Flat with 1/2" knockout. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32959	8833-5	EA	10	3.9	2.49



Male Terminal Adapter

Joins conduit to outlet or junction box. Threaded. UL listed. Bulk.-individually UPC'd.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3189438	E943D-CTN	1/2"	EA	1	0.1	0.49
33220	E943FR-CTN	1"	EA	1	0.1	0.99
33221	E943GR-CTN	1-1/4"	EA	1	0.1	0.99
33222	E943HR-CTN	1-1/2"	EA	1	0.3	1.29
33223	5140108C	2"	EA	1	0.3	1.79



Square Box Cover

4". Raised 1/4" for dry wall. 1.5 cu. in. Single device opening. For hidden work applications. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30293	8771	EA	1	0.2	1.49



PVC Reducer Bushing

For use with Schedule 40 or Schedule 80 conduit. Male and female. For connecting different sizes of PVC conduit. UL approved. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36364	E950ED-CTN	3/4" x 1/2"	EA	1	0.1	0.99
3006442	5142221C	1" x 3/4"	EA	1	0.1	2.79



Square Box Cover

Raised 1/2" for dry wall. 3.5 cu. in. Single device opening. For hidden work applications. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30292	8772	EA	1	0.2	1.79

Thomas&Betts**Standard Coupling**

1/2". Socket type for joining PVC conduit. NEMA TC-3 and UL514 conduit. Gray.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3189420	E940D-CTN	Each	EA	1	0.1	0.39
33206	E940DR-CTN	Box 75	EA	75	7.5	0.39

RACO**Square Box Cover**

4". Raised 5/8" for dry wall. Single device opening. For hidden work applications. UL listed. 4.5 cubic inch. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30291	8768	EA	1	0.3	1.99

Thomas&Betts**PVC Conduit Coupling**

Standard design. Socket type for joining PVC conduit. NEMA TC-3 and UL514. Bulk.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33207	E940ER-CTN	3/4"	Box of 45	EA	45	4.8	0.49
33208	E940FR-CTN	1"	Box of 24	EA	24	2.5	0.69
33209	E940GR-CTN	1-1/4"	Box of 30	EA	30	3.8	0.79
33210	E940HR-CTN	1-1/2"	Box of 12	EA	12	2.5	0.99
33211	E940JR-CTN	2"	Box of 16	EA	16	3.2	1.29

RACO**Square Box Cover**

4". Raised 3/4" for dry wall. 5.5 cu. in. Single device opening. For hidden work applications. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30290	8773	EA	1	0.2	2.29

RACO**Square Box Cover**

4". 2-3/4" on center. Raised 5/8". 3.8 cubic inch capacity. Single device. Round opening for light fixtures. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33319	8756	EA	1	0.2	1.79

RACO**Round Raised Box**

4". Light fixture mounting holes 2-3/4" on center. Raised 5/8". 3.8" cu in capacity. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30196	727	EA	1	0.2	1.99

RACO**Square Box Cover**

4". Raised 1/4". For 2 wiring devices. Drawn. Angled mounting slots allow for correction of box misalignment. 3.0 cubic inch. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30294	8777-0	EA	1	0.1	1.99

Thomas&Betts**Access Pull Elbow**

UL listed. Polybagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36354	E990DR-CAR	1/2"	EA	1	0.3	3.79
36355	E990ER-CAR	3/4"	EA	1	0.2	4.29



Square Box Cover

4". For two devices. Raised 1/2" for drywall. 6.5 cubic inch capacity. For hidden work applications. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30297	8778	EA	1	0.2	1.99



Square Box Cover

4". For 2 wiring devices. Raised 5/8". 7.3 cubic inch. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33480	8769	EA	1	0.2	2.49



Square Box Cover

4". For 2 devices. Raised 3/4". 10.1 cubic inch capacity. For exposed work applications. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30295	8779	EA	1	0.3	2.49



Square Box Cover

4". For 1 wiring device. Raised 1/2". 3.8 cubic inch capacity. For hidden work applications. UL listed. Bulk.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32960	8837	EA	1	0.2	3.79



Square Box Cover

4". For 2 wiring devices. Raised 1/2". 6.5 cubic inch capacity. For hidden work applications. UL Listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32961	841	EA	1	0.3	3.99



90 Degree Elbow

Use with Schedule 40 conduit. UL listed. Bulk.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33230	UA9ADR-CTN	1/2"	Each	EA	1	0.2	0.99
3193364	UA9AER-CTN	3/4"	Each	EA	1	0.3	1.29
33232	UA9AFR-CTN	1"	Box of 25	EA	25	12	1.79
33233	UA9AGR-CTN	1-1/4"	Each	EA	1	1	2.29
33234	UA9AH-CAR	1-1/2"	Each	EA	1	1.3	2.99
33235	UA9AJ-CAR	2"	Each	EA	1	1.3	4.29



45 Degree Elbow

UL listed. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36356	UA7ADR-CAR	1/2"	EA	1	0.1	0.99
36357	UA7AER-CAR	3/4"	EA	1	0.3	1.29
36358	UA7AFR-CTN	1"	EA	1	0.3	1.79
36359	UA7AGR-CTN	1-1/4"	EA	1	0.4	2.29
36360	UA7AHR-CTN	1-1/2"	EA	1	0.6	3.29
36361	UA7AJ-CAR	2"	EA	1	0.8	2.99



Square Box Cover

4" For 1 toggle switch. Raised 1/2". 6.5 cu in capacity. For exposed work. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30306	800C	EA	1	0.3	2.79



Square Box Cover

4". For 1 duplex receptacle. Raised 1/2". 7.3 cu in capacity. For exposed work. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30307	902C	EA	1	0.3	2.79



Blank Round Box Cover

3-1/2". Flat. One knockout 1/2". UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30302	8703-5	EA	10	1.7	1.49



Blank Round Box Cover

4" diameter. Flat, blank. For exposed work applications. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3005576	8722-5	EA	10	2	1.29



Blank Round Box Cover

4". Flat, blank. For exposed work applications. Centered 1/2" knockout. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30303	8724-5	EA	10	2.1	1.49



Octagon Box Cover

Raised for drywall. For duplex receptacle. 4" flat. UL listed. Bulk.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30305	8731-5	EA	10	1.8	1.99



Square Box Cover

For 2 toggle switches. Raised 1/2" x 4". 7.3 cubic inch capacity. For exposed work. UL listed. Polybagged.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30308	803C	EA	1	0.3	2.79



Square Box Cover

For 1 toggle switch and 1 duplex receptacle. Raised 1/2" x 4". 7.3 cubic inch capacity. For exposed work. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30309	906C	EA	1	0.3	2.79



Square Box Cover

For 2 duplex receptacles. Raised 1/2" x 4". 7.3 cubic inch capacity. For exposed work. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30310	907C	EA	1	0.3	2.79



Square Box Cover

For 1 single receptacle (1-13/32"). Raised 1/2" x 4" (7.2 cu in). For exposed work applications. Steel. UL listed. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32001	801C	EA	1	0.3	2.79



Square Box Cover

For one 30-50 AMP receptacle. Raised 1/2" x 4". 2.156" diameter hole. For exposed work applications. UL listed. Polybagged.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32003	810C	EA	1	0.3	3.29



Square Outlet Box

For 1 GFCI receptacle. Raised 1/2" x 4". For exposed work. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3002888	808C	EA	1	0.4	3.49



Square Outlet Box

For 2 GFCI receptacles. Raised 1/2" x 4". For exposed work. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3002896	809C	EA	1	0.3	3.49



Weatherproof Outlet Box Accessory Pack

1/2" diameter x 1/4". Used to close unused threaded openings. Includes 3 closure plugs and 2 wire nuts. Zinc die-cast. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31647	31647	EA	1	0.2	1.79



Closure Plug

Zinc die-cast. Weatherproof. 1/2" diameter x 1/4" thick. UL/CSA. 50 plugs per box.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3090339	3090339	Gray	BX50	1	0.2	0.79



Weatherproof Outlet Box

2-13/16" x 4-9/16" x 2-3/16". Single gang outlet box. 18.3 cubic inches. Includes 2 closure plugs, mounting lugs, and ground screws. Aluminum die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3014354	3014354	Gray	EA	1	0.5	4.99
3025020	3025020	White	EA	1	1	4.99
3024965	3024965	Bronze	EA	1	1	4.99



Weatherproof Outlet Box

2 13/16" x 4 9/16" x 2 3/16". Single gang outlet box 3-3/4" holes. 18.3 cubic inches. Includes 2 closure plugs, mounting lugs, and ground screw. Aluminum die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31654	31654	EA	1	0.7	6.49



Weatherproof Outlet Box

2 13/16" x 4 9/16" x 2 3/16". Single gang outlet box 4-1/2" holes. 18.3 cubic inches. Includes 2 closure plugs, mounting lugs, and ground screw. Aluminum die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31653	31653	Gray	EA	6	3.8	6.49
3025079	3025079	White	EA	1	0.5	5.49



Weatherproof Outlet Box

2-13/16" x 4-9/16" x 2-3/16". Single gang outlet box. 18.3 cubic inches. Includes 2 closure plugs, mounting lugs, and ground screws. Aluminum die-cast. Powder coat finish. UL/CSA. Bronze. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3024973	3024973	EA	1	1.3	5.49



Outlet Box

4-1/2" x 4-1/2" x 2-15/16". Two gang outlet box 3-1/2" holes. 32 cubic inches. Includes 2 closure plugs, mounting lugs, and ground screw. Aluminum die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34407	34407	EA	1	1.1	10.49



Outlet Box

4-5/8" x 4-9/16" x 2". Two gang outlet box. 31 cubic inches. Includes 2 closure plugs, mounting lugs, ground screw. Aluminum die-cast. Powder coat finish. Gray. UL/CSA. Shrinkwrapped.

Stock No.	Mfr. No.	Holes	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3014578	3014578	5 - 3/4"	EA	1	1.8	11.49



Round Outlet Box

4-3/16" x 5-1/2" x 1-5/8". Round outlet box 5-1/2" holes. 16.0 cubic inches. Includes 4 closure plugs and ground screw. Aluminum die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31656	31656	EA	1	0.8	6.49



Round Outlet Box

4-3/16" x 5-1/2" x 1-5/8". 16.0 cubic inches. 5-1/2" holes. Includes 4 closure plugs, ground screw. Aluminum die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36261	36261	White	EA	1	0.8	6.49
36260	36260	Bronze	EA	1	0.8	6.49



Blank Cover

2-7/8" x 4-5/8" x 3/8". Single gang. Prevents access to unused box. Includes gasket and mounting screws. Steel. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3025087	3025087	White	EA	1	0.3	1.79
3025012	3025012	Bronze	EA	1	0.4	1.79



Blank Cover

2-7/8" x 4-5/8" x 3/8". Single gang. Prevents access to unused box. Includes gasket and mounting screws. Steel. Powder coat finish. UL/CSA. Gray. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31650	31650	EA	1	0.4	1.79



Blank Cover

4-5/8" x 4-1/2" x 3/16". Prevents access to unused box. Includes gasket and mounting screws. Steel. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34406	34406	EA	1	0.4	2.99



Toggle Switch Cover

2-5/8" x 4-1/2" x 1-3/16". Single gang. Single pole 15 amp, 125 volt switch included. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. UL/CSA.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31641	31641	EA	1	0.6	3.99



Toggle Switch Cover

2-5/8" x 4-1/2" x 1-3/16". Single gang. 3 way 15 amp, 125 volt switch included. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31643	31643	EA	1	0.6	7.49



Vertical GFCI Cover

Self closing. 2-15/16" x 4-11/16" x 13/16". For single GFCI device. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA. Gray. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32617	32617	EA	1	0.6	6.49



Horizontal GFCI Outlet Cover

2-15/16" x 4-11/16" x 13/16". For GFCI device. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33101	33101	Gray	EA	1	0.7	3.79
36267	36267	White	EA	1	0.5	3.79
36266	36266	Bronze	EA	1	0.5	3.79



Lampholder Cover

2-15/16" x 4-3/4" x 1-3/16". Single gang rectangular lamp holder one 1/2" hole. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA. Gray. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31658	31658	EA	1	0.4	2.99



Lampholder Cover

2-15/16" x 4-3/4" x 1-3/16". Single gang rectangular lamp holder one 1/2" hole. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36273	36273	White	EA	1	0.4	2.99
36272	36272	Bronze	EA	1	0.4	2.99



Lampholder Cover

2-15/16" x 4-3/4" x 1-3/16". Single gang rectangular lamp holder 3-1/2" holes. Includes gasket, mounting screws, and 2 closure plugs. Zinc die-cast. Powder coat finish. Gray. UL/CSA.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31659	31659	EA	1	0.4	4.29



Blank Cover

4-1/8" diameter x 1/16". Round blank cover. Prevents access to unused box. Includes gaskets and mounting screws. Steel. Powder coat finish. UL/CSA. Gray. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34444	34444	EA	1	0.4	2.49



Blank Cover

4-1/8" diameter x 1/16". Round blank cover. Prevents access to unused box. Includes gaskets and mounting screws. Steel. Powder coat finish. UL/CSA. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3090156	3090156	EA	1	0.4	2.49



Vertical Outlet Cover

Self closing. 2-15/16" x 4-11/16" x 1". For a single receptacle. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31644	31644	EA	1	0.4	4.29



Receptacle Cover

Self closing. 2-15/16" x 4-11/16" x 1". Single gang, horizontal duplex cover. For duplex receptacle. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31651	31651	EA	6	2.6	3.79



Lampholder Cover

Self closing. 2-15/16" x 4-11/16" x 1". Single gang, horizontal duplex cover. For duplex receptacle. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36269	36269	EA	1	0.4	3.79



Horizontal Cover

Self closing. 2-15/16" x 4-11/16" x 1". For duplex receptacle. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Bronze. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36268	36268	EA	1	0.4	3.79



Horizontal Cover

2-15/16" x 4-11/16" x 1". Includes self-closing cover and duplex receptacle. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32645	32645	EA	1	0.6	5.99



Toggle Cover

4-9/16" x 4-9/16". With two single pole 15 amp/125 volt switches. Gasket and mounting hardware included. Zinc die-cast. Powder coat finish. Gray. UL/CSA approved. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3212289	3212289	EA	1	0.6	8.99



Outlet Cover

Self closing. 4 11/16" x 4 11/16" x 1". For 2 gang duplex outlet. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34405	34405	EA	1	0.9	9.99



Ceiling Box Installation Kit

Direct mount deep box with rotating dual support. Pre-assembled with ground screws. Supports up to 70 lbs. and fixtures up to 150 lbs. 1-1/2". 16 cubic inch. Peel-off tape for hands free installation. Reduces fan wobble. For new construction or when attic is accessible. Acceptable for fan support. Includes metal mounting bracket, hardware and 22.5 cubic inch metal electrical box. Recommended for earthquake areas. Meets NEC fan safety codes. Boxed.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32557	55505	EA	1	0.5	5.99



Adjustable Bar Hanger

Range: 14-1/4" x 22-1/2". 3/8" mounting stud. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30343	920	EA	1	0.4	3.99



Retrofit Fan Brace

1-1/2" deep metal fan-rated. 16 cubic inch capacity ceiling box. Adjustable square tube bar and heavy-duty plastic feet- Self-leveling. Economical ceiling fan/light fixture support kit. Supports fans up to 70 lbs. and fixtures up to 150 lbs. Single #10 support for 16" to 24" spans. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34385	33310	EA	1	2	14.99



Ceiling Fan Installation Kit

Direct mount deep box, with deep rotating dual support. 2-1/2" deep box. 25 cubic inch. Pre-assembled with ground screws. Supports up to 70 lbs. and fixtures up to 150 lbs. Peel off tape for hands free installation. Reduces fan wobble. For new construction or when accessible. Acceptable for fan support. Includes metal mounting bracket, hardware and 22.5 cubic inch metal electrical box. Recommended for earthquake areas. Meets latest NEC fan safety codes. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3070943	44400	EA	1	0.9	7.99



Joist Mount Installation Kit

Shallow box with wings for thick/fire wall ceilings. Singles No. 10 support. 5/8" deep metal pancake box. 8 cubic inch. For new construction or when attic is accessible. Supports fans up to 70 lbs. and fixtures up to 150 lbs. Direct mount to joist with ground screw pre-installed. Peel-off tape for hands free installation. UL listed. 3 color box. Meets new NEC fan safety codes.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3071008	77706	EA	1	0.6	5.49



Fan Brace

Ceiling fan and light fixture brace. Fits 16 or 24 inch center joists. Reduces fan wobble. Includes 22.5 cubic inch fiberglass electrical box. Attic access not necessary. No tools necessary. All weight supported by brace. May be hacksaw cut to make mini brace; when deadwood is between joist. Needs 4" clearance. Can be used in mobile homes. Recommended for earthquake areas. Boxed.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3000791	22200	EA	1	3.2	16.99



Grounding Screws

For metal boxes with No. 10-32 tapped holes. Green. UL listed. Bag/10.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32287	8973-1	BG10	10	0.6	1.99



Grounding Wire

6", 12 gauge. Switch or receptacle to box. Green. Card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32290	18100	CD2	10	0.7	2.29



Cable Protector Plate

1-1/2"W x 2-9/16"L. Nails on stud to protect wiring from dry wall screws. Steel. Box of 100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32361	2709	BX100	1	8	0.49



Mounting Device

Fits 1/4" to 1" thick walls. For coaxial cable, cable TV, telephone. No mounting box required. Mounts class two wiring devices. Cat 5 compatible. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3051455	LV1-1CS	EA	1	0.1	2.29



Switch Box Supports

Used to attach an outlet box in drywall where there are no means of attaching the box to a structure. Steel. Bag/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3179090	49882	PK2	50	2.8	0.99



Electrical Depth Spacers

Allows proper depth to keep devices flush with wall plates. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013596	GSP-04	EA	1	0.1	3.79



Add-A Depth Ring

Extends switch box set too deep in wall. Adjustment range 1/4" - 1". Two 1-1/8" screws included. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33293	976	EA	1	0.1	3.99

Thomas & Betts

Electrical Box Extender

Corrects set back installation problems common with: ceramic tile, paneling, wallboard, wainscoting, stucco. One unit can be used for multi gang applications. Designed to work with all large dimmers and GFCI's. Use for remodeling. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3109154	B1EXT-CRD	EA	1	0.2	1.99

Thomas & Betts

Bracketed Shallow Outlet Box

8 cubic inch capacity. 4 knockouts. Use in basement walls or where space is limited. Includes nail on bracket. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003712	B108B-UPC	EA	1	0.1	1.29

Thomas & Betts

Shallow Outlet Box

8 cubic inch capacity. 4 knockouts. Use in basement walls or where space is limited. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003720	B108R-UPC	EA	1	0.1	1.79

Thomas&Betts**Outlet Box**

14 cubic inch capacity. 4 integral clamps. Mounting ears. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30733	B114RR-UPC	EA	25	4.5	2.49

Thomas&Betts**Outlet Box**

20 cubic inch capacity. For large wiring devices. Use in existing work. Plastic. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3163524	B120R	EA	1	0.3	2.79

Thomas&Betts**Outlet & Switch Box**

18 cubic inch capacity. Captive nails. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30737	B118AR-UPC	EA	25	5.2	0.49

Thomas&Betts**Outlet & Switch Box**

20 cubic inch capacity. Captive nails. Mounts on side of stud. 4 knockouts, 2 each end. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30740	B120AR-UPC	EA	25	5.6	0.59

Thomas&Betts**Outlet & Switch Box**

Large capacity single gang box. For switch or outlet. Drywall stops. Blue. With captive nails. 22.5 cubic inch capacity. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3092731	B122A-UPC	EA	1	0.2	0.79

Thomas&Betts**Switch Box**

22 cubic inch capacity. Hard shell box with captive nails. Won't crack or break like fiberglass. Integral cable clamps- eliminates metal clamps and screws. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3175056	BH122A-UPC	EA	1	0.4	0.99

Thomas&Betts**Outlet Box**

25 cubic inch. 6 integral clamps and mounting flange. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34363	B225R-UPC	EA	1	0.2	3.29

Thomas&Betts**Outlet & Switch Box**

18 cubic inch capacity. Hard shell box with captive nails. Will not crack or break. Integral cable clamps-eliminates metal clamps and screws. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3188448	BH118R	EA	1	0.3	3.79

Thomas&Betts**Outlet & Switch Box**

34 cubic inch capacity. Hard shell box with captive nails. Will not crack or break. Integral cable clamps. Eliminates metal clamps and screws. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3188497	BH234R	EA	1	0.4	4.49

Thomas&Betts**Outlet & Switch Box**

32 cubic inch capacity. Two gang nail on new work box with captive nail. 8 integral clamps, 4 each side. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30753	B232AR-UPC	EA	15	5.5	1.29

Thomas&Betts**Switch Box**

35 cubic inch capacity. Hard shell with captive nails. Won't crack or break like fiberglass. Integral cable clamps- eliminates metal clamps and screws. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3175064	BH235A	EA	1	0.5	2.49

**Exterior Lampholder Gaskets**

2 1/4" diameter x 3/8". Prevents moisture from entering lamp holder. Includes 2 molded rubber gaskets. Rubber. Black. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33144	33144	EA	1	0.1	2.79

**Weatherproof Pigtail Lampholder**

2 3/8" x 2 1/8" x 4 5/16". Replacement bulb A19, Ace no. 31351. Uses up to 150 watt max incandescent bulb (not included). Medium base. Includes pigtail, internal fiber gasket, and ground screw. Porcelain socket locking ring. Zinc die-cast. Powder coat finish. Gray.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31655	31655	EA	1	0.5	4.49

Thomas&Betts**Outlet & Switch Box**

44 cubic inch capacity. New work box with captive nails and wire support. 12 integral clamps. 6 each side. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32813	B344AR-UPC	EA	8	3.5	2.99

**Pigtail Lampholder**

2 3/8" x 2 1/8" x 4 5/16". Replacement bulb A19, Ace no. 31351. Uses up to 150 watt max incandescent bulb (not included). Medium base. Includes pigtail, internal fiber gasket, and ground screw. Porcelain socket locking ring. Zinc die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36274	36274	White	EA	1	0.4	4.49
36270	36270	Bronze	EA	1	0.5	4.49

**Lampholder Cover Assembly**

4 1/4" x 4 1/4" x 3/4". Replacement bulb PAR38, Ace no. 3019759. Uses up to 150 watt max bulb (not included). Includes lamp holder and round 1 hole cover. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32619	32619	Gray	EA	1	0.9	7.49



Lampholder Cover Assembly

4-1/4" x 4-1/4" x 1-1/4". Uses up to 150 watt max bulb (not included). Includes 2 lamp holders and round 3 hole cover. Includes gasket, mounting screws, and 1 closure plug. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31669	31669	EA	1	1	10.49



Lampholder Cover Assembly

4-1/4" x 4-1/4" x 1-1/4". Uses up to 150 watt max bulb (not included). Includes 2 lamp holders and round 3 hole cover. Includes gasket, mounting screws, and 1 closure plug. Zinc die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36277	36277	White	EA	1	1	10.49
36276	36276	Bronze	EA	1	1.3	10.49



Weatherproof Lampholder Kit

2 15/16" x 4 3/4" x 1 3/16". Uses up to 150 watt max bulb (not included). Includes 2 lamp holders and rectangular 3 hole cover. Includes gasket, mounting screws and 1 closure plug. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31686	31686	EA	1	1	12.99

Thomas&Betts

Ceiling Box

18.0 cubic inch capacity. 2-3/4" deep. Captive nails. 4 integral clamps. "Zip Mount" retainers. High temperature resistance. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32712	B618RR-UPC	EA	8	3	2.79



Security Floodlight Kit



2 7/8" x 4 5/8" x 3/8". Replacement bulb PAR38, Ace no. 3019759. Uses up to 150 watt max bulb (not included). Includes 2 lamp holders, rectangular cover, outlet box with 3-1/2" holes, and photoelectric control. On at dusk off at dawn. Includes gasket and mounting hardware. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Clamshell.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34498	34498	EA	1	1.6	22.99



Lampholder Cover

2 15/16" x 4 3/4" x 1 3/16". Single gang rectangular lamp holder 3-1/2" holes. Includes gasket, mounting screws, and 2 closure plugs. Zinc die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36263	36263	White	EA	1	0.4	4.29
36262	36262	Bronze	EA	1	0.4	4.29

Thomas&Betts

Ceiling Box

20.0 cubic inch capacity. 2-1/4" deep. Captive nails. Fixture spacing for 2-3/4" and 3/12". 6 integral clamps. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32713	B520AR-UPC	EA	15	3.5	1.29



Lampholder Cover

4-1/4" x 4-1/4" x 3/4". Round lamp holder cover one 1/2" hole. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. Gray. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31660	31660	EA	1	0.4	2.99



Lampholder Cover

4-1/4" x 4-1/4" x 3/4". Round lamp holder cover one 1/2" hole. Includes gasket and mounting screws. Zinc die-cast. Powder coat finish. UL/CSA. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36493	36493	White	EA	1	0.4	2.99
36492	36492	Bronze	EA	1	1	2.99



Lampholder Cover

4-1/4" x 4-1/4" x 1-1/4". Round lamp holder cover 3- 1/2" holes. Includes gasket, mounting crews and 2 closure plugs. Zinc die-cast. Powder coat finish. UL/CSA. Gray.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31661	31661	EA	1	0.4	4.29



Lampholder Cover

4-1/4" x 4-1/4" x 1-1/4". Round lamp holder cover 1/2" holes. Three 1/2" holes. Includes gasket, mounting screws, and 2 closure plugs. Zinc die-cast. Powder coat finish. White. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36265	36265	EA	1	0.4	4.29



Lampholder Cover

4-1/4" x 4-1/4" x 1-1/4". Round lamp holder cover 3- 1/2" holes. Includes gasket, mounting crews and 2 closure plugs. Zinc die-cast. Powder coat finish. Bronze. UL/CSA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36264	36264	EA	1	0.4	4.29

Thomas&Betts

Ceiling Box

Adjusts 14" to 24". Fixture spacing for 2-3/4" and 3- 1/2". 6 internal clamps. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32711	B620HR-UPC	EA	8	4.8	3.79

Thomas&Betts

PVC Plastered & Mud Ring Cover

4" square. For square junction box. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36368	A400R-CAR	EA	1	0.1	1.79

Thomas&Betts

Blank Cover

4". Converts ceiling box to junction box. Blue. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32714	E460R-CAR	EA	1	0.1	1.79



New Work Switch

18.0 cubic inch capacity. 2-7/8"D x 2-1/4"W x 3- 5/8"H. Internal-mid nails. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34469	1096=N	EA	1	0.4	0.99



Old Work Box

14.0 cubic inch capacity. Single gang with ears, snap bracket, speed klamps. 2-7/8"D x 2-3/8"W x 3-1/4"H. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34472	H9331=ESK	EA	1	0.4	2.79



In-Use Cover

2-3/4" standard depth. 16 in 1 configurations. Vertical or horizontal mount. Premounted gasket insert for switch and rounds and mounting screws. Clear plastic. UL listed. Meets 2005 National Electrical Code. Shrinkwrapped.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3208154	MM410C	EA	1	0.4	10.99



In-Use Cover

2-3/4" standard depth. 55 in 1 configurations. Premounted gasket insert for switch and rounds and mounting screws. Clear plastic. Meets 2005 National Electrical Code. UL listed. Shrinkwrapped.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3208147	MM2410C	EA	1	0.7	15.99

Thomas & Betts

End Box

UL listed. Matching covers Ace No. 33368 and 32041. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32037	E981DFN-CTN	1/2"	EA	1	0.4	5.99
32038	E981EFN-CTN	3/4"	EA	1	0.3	6.49

Thomas & Betts

End Box

1/2". Schedule 40 PVC. Conform to NEMA TC-3 and UL514. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32033	E980DFN-CTN	EA	1	0.4	5.99

Thomas & Betts

End Box

3/4". For electrical applications. Schedule 40 PVC construction. Conform to NEMA TC-3 and UL514. Matching covers: Ace No's 33368 and 32041. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32036	E980EFN-CTN	EA	1	0.5	6.49

Thomas & Betts

Outlet & Switch Box

Mounts on FS type weatherproof one gang rectangular box. Schedule 40 PVC. Screws and gaskets included. UL listed for wet locations. Polybagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33368	E980CN-CAR	EA	1	0.1	2.99



Plastic Nm Cable Connector

Snap-in one piece construction. Wide variety of cable configurations. Used to terminate non-metallic sheathed cable to a knockout in a dry location box or enclosure. Bagged.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182805	49740	1/2" Knockout	EA	1	0.1	0.49



Split Bolt Connector

Wire range #14-#4 AWG. Compact, high strength, high copper alloy. Used for copper to copper, copper to copper-weld, and copper-weld to copper-weld. Provides maximum pressure on all combinations of run and tap conductors. UL listed. Clamshell/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3207172	KS20RK	CL3	1	0.2	5.99



Split Bolt Connector

Wire range #14-#8 AWG. For copper conductors. Compact, high strength, high copper alloy. Provides maximum pressure on all combinations of run and tap conductors. UL listed. Clamshell/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3207180	KS17RK	CL3	1	0.2	4.99



Split Bolt Connector

Wire range #16-#10 AWG. For copper conductors. Provides maximum pressure on all combinations of run and tap conductors. Compact, high strength, high copper alloy. UL listed. Packed/5. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3034311	KS90RK	PK5	1	0.3	5.49



Split Bolt Connector

For copper conductors. Compact, high strength, high copper alloy. Provides maximum pressure on all combinations of run and tap connectors. UL listed.



Stock No.	Mfr. No.	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3034360	KS15RK	14-8	CL5	1	0.2	7.49
30444	KS23RK	14-2	CL2	1	0.2	5.49



Ground Rod Clamp

Copper. Acceptable for direct burial. Fits size 2 to 10 copper wire. UL467, REA listed. Use w/1/2" and 5/8" ground rods.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32554	CP58BX	EA	1	0.1	4.29



Conduit Hanger

Used to secure and suspend EMT, rigid, IMC and PVC conduits from overhead supports. Carriage bolt and nut attached. Made of stamped steel. Zinc plated finish. UL and CSA listed.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3182649	49100	1/2"	Bag of 50	EA	50	4	0.59
3182714	49110	3/4"	Bag of 30	EA	30	2.8	0.79



On-Floor Cord Protector

Conceals wires and cords on any flooring surface. Pre-slit channel for easy cord insertion. Creates a trip-free surface. Applies with pressure sensitive tape. Boxed.



Stock No.	Mfr. No.	Size	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009719	CDI-5	5' Coil	Ivory	CL5'	1	2	12.99



Metal Wire Channel

5'. Holds seven No. 12 THNN or nine No. 14 THNN wires. Compatible with Romex. Ivory.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32132	B-1	EA	10	15.5	7.49

Wiremold**Metal Accessory Kit**

Includes; wire channel, clips, straps. Contains: 4-B-9, 4-B-10, 3-B-11. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32137	B-9-10-11	EA	5	1.4	7.49

Wiremold**Metal T-Fitting**

90°. For installations requiring 3-way branching including 90°. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32139	B-16	EA	5	1.1	7.49

Wiremold**Metal Starter Box**

Use to install an extension box for starting point from existing power. 15/16" deep. Fits both 500 and 700 series raceway. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32133	B-5	EA	1	0.4	6.49

Wiremold**Metal Box**

For mounting dimensioned devices. Includes connector. 1-3/8" deep. Fits both 500 and 700 series raceway. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31747	B-3	EA	1	0.8	7.49

Wiremold**Metal Flat Elbow**

For making a left or right 90° turn on a flat surface. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32134	B-6	EA	5	1.3	4.99

Wiremold**Metal Inside Elbow**

For making a 90° turn around an inside corner from wall-to-wall or wall-to-ceiling. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32135	B-7	EA	5	1.3	4.99

Wiremold**Metal Outside Elbow**

For making a 90° turn around an outside corner. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32136	B-8	EA	5	0.9	4.99

Wiremold**Metal Box**

Accommodates most commercial grade wiring devices. 1-3/8" deep. Fits both 500 and 700 series raceway. Ivory scuff cote finish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3000239	B-32	EA	1	0.8	8.99

Wiremold®**Round Ceiling Fixture & Fan Box**

For mounting lighting fixtures, smoke alarms, paddle fans, etc. Fits both 500 and 700 series raceway. 5-1/2" diameter. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31748	B4F	EA	1	1	11.49

Wiremold®**Surface Wiring Switch Kit**

1 gang outlet box. Matching faceplate and single pole switch. Turnkey solution for common DIY surface wiring projects. Paintable. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214921	B2S	EA	1	0.8	9.99

Wiremold®**Surface Wiring Switch Kit**

1 gang outlet box. Matching faceplate and single pole switch. Turnkey solution for common DIY surface wiring projects. Non-Metallic. Paintable. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214905	NM2S	EA	1	0.3	9.99

Wiremold®**Surface Wiring Outlet Kit**

1 gang outlet box. Matching color faceplate and duplex outlet. Turnkey solution for common DIY wiring projects. Metallic. Paintable. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214939	B2D	EA	1	0.8	9.99

Wiremold®**Surface Wiring Outlet Kit**

1 gang outlet box. Matching color faceplate and duplex outlet. Turnkey solution for common DIY wiring projects. Non-Metallic. Paintable. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214913	NM2D	EA	1	0.4	9.99

Wiremold®**Wiring System Channel**

5'. For Sure-Snap system only. 2-piece base and cover. Plastic.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32444	NM1	Ivory	LTH5'	20	13	8.99

Wiremold®**Wiring System Flat Elbow**

Used for making a right or left 90° turn on a flat surface. Packed/2.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32461	NM6	Ivory	PK2	5	1	4.99

Wiremold®**Wiring System Inside Elbow**

90 degree turn. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32484	NM7	Ivory	EA	5	0.6	3.99



Wiring System Outside Elbow

90 degree turn. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32485	NM8	Ivory	EA	5	0.6	3.99



Wiring System T-Fitting

90°. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32491	NM11	Ivory	EA	5	0.4	4.49



Wiring System Accessory Pack

Connector covers and wire holders. Connects channels together. Place inside channel. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32490	NM910	Ivory	EA	5	0.8	3.99



Wiring System Deep Outlet Box

1-3/8" deep. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32457	NM3	Ivory	EA	1	0.3	8.49



Wiring System Outlet Box

1-3/8" deep. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3000288	NM3-2	Ivory	EA	1	0.5	10.99



Wiring System Extra Deep Outlet Box

1-3/4" deep. For dimmers, GFCI's, etc. Non-metallic. Plastic. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3140498	NM35	Ivory	EA	1	0.4	7.49



Wiring System Circular Fixture

Used to install smoke detectors, ceiling fans, etc. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32459	NM4	Ivory	EA	1	0.5	11.49



Cord Channel

5'. Perfect for hiding permanent lamp cords and phone cables. For Cordmate System only. Self adhesive backing. Paintable and stainable.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34504	C1	Ivory	LTH5'	1	0.3	5.49

Wiremold

Flat Elbow

For making a right or left hand turn on a flat surface. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34505	C6	Ivory	EA	10	0.6	2.29

Wiremold

Inside Elbow

For Cordmate System only. 90 degree turn. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34506	C7	Ivory	EA	10	0.3	1.99

Wiremold

Outside Elbow

90 degree turn. Plastic. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34507	C8	Ivory	EA	10	0.3	2.29

Wiremold

Cord Cover Coupling

Connects channel lengths. Plastic. Packed/2.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34508	C9	Ivory	PK2	10	0.3	2.29

Wiremold

Cord Cover Kit

For hiding several cords. Ideal for speaker cables, video cables and power cords. Easy peel and press installation. Paintable. Includes 4 pieces: 30" channel, 3 couplings, 2 flat elbows, 1 inside elbow, 1 outside elbow and 1 T-fitting. White. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260361	CMK50	EA	1	1.4	24.99



AFC
CABLE SYSTEMS®

Flexible Conduit



3/8" trade size. Wire not included. Resists nail penetration. Dry location only. UL listed. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3018801	5501-30-00	100' Coil	CL100'	1	18	0.69



AFC
CABLE SYSTEMS®

Flexible Conduit



Interlocking steel armor. Interior surface allows easy wire fishing. Install in dry locations only. UL listed. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32025	5502-30-00	1/2" x 100'	CL100'	1	29	0.79
3018850	5503-30-00	3/4" x 100'	CL100'	1	30	0.99



AFC
CABLE SYSTEMS®

Flexible Conduit



Wire not included. 66% lighter than steel. Resists nail penetration. Dry locations only. UL Listed. Coiled.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32200	5601-30-00	3/8" x 100'	CL100'	1	6.4	0.59
32201	5602-30-00	1/2" x 100'	CL100'	1	8.8	0.69
32372	5603-30-00	3/4" x 100'	CL100'	1	16	0.79

Thomas & Betts

Electrical Tubing

Flexible. Blue. UL listed/CSA certified. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3032190	A51AEB1	1/2" x 200'	CL200'	1	20	0.49
3032208	A51AGA1	3/4" x 100'	CL100'	1	13.7	0.59



UL Metallic Liquid Tight Conduit



Flexible. Seals out moisture, weather, and most corrosive fumes and vapors. Use with air conditioners, pumps, and irrigation. Continuous ground wire. Suitable for direct burial. UL listed. Coiled.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36509	6201-30-00	3/8" x 100'	CL100'	1	32	1.29
33056	6202-30-00	1/2" x 100'	CL100'	1	28.4	1.49
33057	6203-30-00	3/4" x 100'	CL100'	1	40	1.99



Liquid Tight Conduit



Crush resistant PVC construction. Resistant to liquids, sunlight, dirt, and grease. Smooth interior for easy wire pulling. Non-corrosive and non-conductive. For indoors and outdoors. Approved for direct burial applications. References: UL, CSA, NEC, and CEC. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34364	6002-30-00	1/2" x 100'	CL100'	1	28	0.69
34365	6003-30-00	3/4" x 100'	CL100'	1	40	0.79



Electrical Metallic Conduit

10' length. 300 volts. Galvanized. Use for EMT (thinwall) applications. UL listed. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30279	1/2IN	1/2"	LTH10'	10	30	2.29
30280	3/4IN	3/4"	LTH10'	10	45	3.99
30281	1IN	1"	LTH10'	1	7	6.99
30282	1-1/4IN	1-1/4"	LTH10'	5	48	10.99
30283	1-1/2IN	1-1/2"	LTH10'	5	58	13.99
31332	2IN	2"	LTH10'	1	15.7	15.99



IMC Metal Conduit

10' length. Galvanized. Color-coded end cap thread protectors. This metal conduit is a lighter weight more economical version of Rigid metal conduit. It has the same outside diameter with a thinner wall. IMC is recognized by the NEC for the same uses as Rigid conduit, including all hazardous locations. UL listed. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30284	1/2IN	1/2"	LTH10'	10	30	11.99
30285	3/4IN	3/4"	LTH10'	5	41	13.99
30286	1IN	1"	LTH10'	5	60	16.99
30287	1-1/4IN	1-1/4"	LTH10'	1	13.5	22.99
30288	1-1/2IN	1-1/2"	LTH10'	1	18.5	24.99
31333	2IN	2"	LTH10'	1	25	37.99



Conduit

10' long. For use in underground or exposed above ground applications. Heavy wall thickness. UL listed. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33200	A52AE12U	1/2"	LTH10'	10	16.2	0.99
33201	A52AG12U	3/4"	LTH10'	10	22	1.49
33202	A52BA12U	1"	LTH10'	10	33	2.29
33203	A52BC12U	1-1/4"	LTH10'	5	43.4	2.99
33204	A52BE12U	1-1/2"	LTH10'	5	52	3.79
33205	A52CA12U	2"	LTH10'	1	7	5.49



Ground Rod

One pointed end. 10 mil plating thickness. UL listed. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30277	611285UPC	1/2" x 8'	LTH8'	1	4	12.99
30278	615880UPC	5/8" x 8'	LTH8'	1	6.7	13.99



Primary Wire

19/30 stranding. 18 gauge. .092" nominal outside diameter. 100' spool. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
83179	18-100-17	White	SP100'	1	1.0	0.29
83180	18-100-11	Black	SP100'	1	1.0	0.29
89748	18-100-12	Blue	SP100'	1	1.0	0.29
83181	18-100-15	Green	SP100'	1	1.0	0.29
83182	18-100-14	Yellow	SP100'	1	1.0	0.29
83183	18-100-16	Red	SP100'	1	1.0	0.29



Primary Wire

19/29 stranding. 16 gauge. .104" nominal outside diameter. 100' spool. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
83185	16-100-17	White	SP100'	1	1.4	0.39
83186	16-100-11	Black	SP100'	1	1.4	0.39
83190	16-100-12	Blue	SP100'	1	1.4	0.39
83191	16-100-15	Green	SP100'	1	1.4	0.39
83192	16-100-14	Yellow	SP100'	1	1.4	0.39
89749	16-100-16	Red	SP100'	1	1.4	0.39



Primary Wire

19/27 stranding. 14 gauge. .116" nominal outside diameter. 100' spool. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
83195	14-100-17	White	SP100'	1	2.0	0.49
83198	14-100-11	Black	SP100'	1	2.0	0.49
83200	14-100-12	Blue	SP100'	1	2.0	0.49
89750	14-100-15	Green	SP100'	1	2.0	0.49
83201	14-100-14	Yellow	SP100'	1	2.0	0.49
83203	14-100-16	Red	SP100'	1	2.0	0.49



Primary Wire

19/25 stranding. 12 gauge. .142" nominal outside diameter. 100' spool. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
83206	12-100-17	White	SP100'	1	3.0	0.69
83215	12-100-11	Black	SP100'	1	3.0	0.69
83217	12-100-15	Green	SP100'	1	3.0	0.69
83218	12-100-16	Red	SP100'	1	3.0	0.69



Primary Wire

19/23 stranding. 10 gauge. .174" nominal outside diameter. 100' spool. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
83226	10-100-17	White	SP100'	1	4.3	0.99
89752	10-100-11	Black	SP100'	1	4.3	0.99
83230	10-100-15	Green	SP100'	1	4.3	0.99
83234	10-100-16	Red	SP100'	1	4.3	0.99



Building Wire

14 gauge, 2 conductor. With bare copper ground. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. White. Typical use: grounded switches and light fixtures. Don't use in outdoor locations or damp basements. UL listed. Display box.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31547	28827421	25'	BX25'	1	2.4	12.99
31546	28827422	50'	BX50'	1	5	19.99
31545	28827423	100'	BX100'	1	4.5	24.99
30237	28827455	250'	CL250	1	15	0.59



Building Wire



12 gauge, 2 conductor. With bare copper ground. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Yellow. Typical use: bath exhaust fan, workshop outlets, dishwasher, refrigerator, disposer, freezer. Don't use in outdoor locations or damp basements. UL listed. Display box.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31550	28828221	25'	BX25'	1	3	15.99
31549	28828222	50'	BX50'	1	6	23.99
31548	28828223	100'	BX100'	1	11	35.99
30238	28828255	250'	CL250	1	22	0.69



Building Wire



10 gauge, 2 conductor. With bare copper ground. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Orange. Typical use: wall heater: 1,650-7,000 watts up to 30 amps. Don't use in outdoor locations or damp basements. UL listed. Display box.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32244	28829022	50'	BX50'	1	12	39.99



Building Wire



6 gauge 3 conductor stranded. With bare copper ground. 90 feet. 55 amp 600 volt. 7 strand conductors. 90 degree C temperature rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors PVC jacket. Black. Typical use: double oven - up to 50 amps double oven/range up to 55 amps. For outlets, switches, ceiling fans and general household wiring. Placed in masonry blocks and tile walls. Places where space is available and free of excess moisture or dampness. For normal dry locations. UL listed. Reel.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265055	63950072	RL90	1	33	2.49



Building Wire



8 gauge 3 conductor stranded. With bare copper ground. 100 feet. 40 amp 600 volt. 7 strand conductors. 90 degree C temperature rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors PVC jacket. Black. Typical use: double oven-up to 40 amps. Don't use in outdoor locations or damp basements. UL listed. Reel.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265089	63949272	RL100	1	26	2.19



Building Wire



14 gauge/2 conductor. With bare copper ground. 450 ft.. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors PVC jacket. White jacket. Typical use: switch outlet. Don't use in outdoor location or damp basements. UL listed. Bulk reel.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3236353	28827472	RL450	1	30	0.69



Building Wire



10 gauge/3 conductor. With bare copper ground. 200 ft.. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors PVC jacket. Orange jacket. Typical use: cloths dryer, oven/range. Don't use in outdoor location or damp basements. UL listed. Bulk reel.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235967	63948472	RL200	1	36	1.69



Building Wire



10 gauge/2 conductor. With bare copper ground. 350 ft.. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors PVC jacket. Orange jacket. Typical use: cloths dryer, oven/range. Don't use in outdoor location or damp basements. UL listed. Bulk reel.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3235991	28829072	RL350	1	43.3	1.19



Building Wire



10 gauge, 2 conductor. With bare copper ground. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Orange. Typical use: 1,650-7,000 watts up to 30 amps. Don't use in outdoor locations or damp basements. UL listed. Spool.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31673	28829055	250'	BX250'	1	34	1.19



Building Wire



14 gauge, 3 conductor. With bare copper ground. 250 ft.. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. White. Typical use: ceiling fan/ light switch, 3-way switch. Don't use in outdoor locations or damp basements. UL listed. Coil.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30239	63946855	CL250	1	22	0.69



Building Wire



12 gauge, 3 conductor. With bare copper ground. 250 ft.. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Yellow. Typical use: ceiling fan/ light switch, 3-way switch. Don't use in outdoor locations or damp basements. UL listed. Coil.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30240	63947655	CL250	1	30	1.09



Building Wire



10 gauge, 3 conductor. With bare copper ground. 250 ft.. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Orange. Typical use: clothes dryer, oven range-up to 30 amp. Don't use in outdoor locations or damp basements. UL listed. Coil.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31538	63948455	CL250'	1	45	1.69



Building Wire



8 gauge, 3 conductor stranded. With bare copper ground. 40 amp, 600 volt. 7 strand conductors. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Black. Typical use: oven/range-up to 40 amps. Don't use in outdoor locations or damp basements. UL listed. Coil.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32445	63949202	125'	CL125	1	34	1.59



Building Wire



6 gauge, 3 conductor stranded. With bare copper ground. 55 amp, 600 volt. 7 strand conductors. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Black. Typical use: double oven- up to 50 amps, double oven/ range-up to 55 amps. Don't use in outdoor locations or damp basements. UL listed. Spool.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32446	63950002	125'	CL125	1	42	2.19



Underground Feeder Wire

14 gauge, 2 conductor. With bare copper ground. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, pumps. Don't use in indoor locations. UL listed. Display box.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33071	13054221	25'	BX25'	1	3	15.99
31534	13054222	50'	BX50'	1	3.8	27.99
31533	13054223	100'	BX100'	1	8	48.99



Underground Feeder Wire

12 gauge, 2 conductor. With bare copper ground. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, pumps. Don't use in indoor locations. UL listed. Display box.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33072	13055921	25'	BX25'	1	3	19.99
31536	13055922	50'	BX50'	1	4.6	34.99
31535	13055923	100'	BX100'	1	14	58.99



Underground Feeder Wire

14 gauge, 3 conductor. With bare copper ground. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, pumps. Don't use in indoor locations. UL listed. Coil.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30231	13057555	100'	CL250	1	24.3	0.89



Underground Feeder Wire

12 gauge, 3 conductor. With bare copper ground. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, pumps. Don't use in indoor locations. UL listed. Coil.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30232	13058355	250'	CL250	1	34	1.29



Underground Feeder Wire

10 gauge, 3 conductor. With bare copper ground. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, pumps. Don't use in indoor locations. UL listed. Display box.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31671	13059155	250'	BX250'	1	50	1.59



Underground Feeder Wire

14 gauge, 2 conductor. With bare copper ground. 250 ft.. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, posts. Don't use in indoor locations. UL listed. Coil.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30229	13054255	CL250'	1	9.3	0.69



Underground Feeder Wire

12 gauge, 2 conductor. With bare copper ground. 250 ft.. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, posts. Don't use in indoor locations. UL listed. Coil.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30230	13055955	CL250	1	27	0.79



Underground Feeder Wire

10 gauge, 2 conductor. With bare copper ground. 250 ft.. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 60 degree C conductors). THHN insulated conductors, PVC jacket. Gray. Typical use: underground or outdoor applications, outdoor receptical, outdoor post lamps, posts. Don't use in indoor locations. UL listed. Coil.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31670	13056755	BX250'	1	36	1.29



Bell Wire

20/3. 500 feet. 150 volts. Type CL2 low voltage cable using thermoplastic insulated solid conductors. Applications: thermostat control, burglar alarms, intercoms, door bells. Insulation: PVC. Conductor: soft annealed solid copper per ASTM B3-90. Not for riser, plenum, or tray uses. Resistant to spread to fire in accordance with NEC. Industry standard: UL13 for power limited circuit cable. Red/white/green. Spool.

Stock No.	Mfr. No.	Size	Gauge Conductors	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30275	701026632	500'	20/2	SP500	1	6.8	0.19



Thermostat Wire

150 volts. Type CL2 low voltage cable using thermoplastic insulated conductors and jacket. Used for thermostat controls, heating and air conditioning installations, burglar alarm systems, intercom systems, and door bells. Insulation: PVC. Conductor: soft annealed solid copper per ASTM B3-90. Industry standard: UL13 for power limited circuit cable for other than plenum, riser, or tray uses UL1581. Resistant to the spread of fire in accordance with NEC. Brown. Spool.

Stock No.	Mfr. No.	Size	Gauge Conductors	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30273	553026607	500'	18/2	SP500	1	12.8	0.19
30274	553036607	500'	18/3	SP500	1	13	0.29
33299	553046607	250'	18/4	SP250	1	8.3	0.39
32303	553056607	250'	18/5	SP250	1	10.5	0.49
33300	553076607	250'	18/7	SP250	1	14	0.59



Building Wire

12 gauge, 19 strand single conductor. 500 ft.. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and cable trays for services, feeders and branch circuits- other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32353	22964101	Black	SP500	1	12	0.39
32354	22965801	Red	SP500	1	13	0.39
32357	22966601	White	SP500	1	13	0.39
34784	22968201	Green	SP500	1	12.5	0.39
34785	22967401	Blue	SP500'	1	12.5	0.39



Building Wire

14 gauge, 19 strand single conductor. 500 feet. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and cable trays for services, feeders and branch circuits - other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34780	22955901	Black	SP500'	1	8	0.19
34781	22956701	White	SP500'	1	12.3	0.19
34782	22959101	Green	SP500'	1	7.8	0.19
34783	22957501	Red	SP500'	1	8	0.19



Building Wire

8 gauge, 19 strand single conductor. 500 ft.. 45 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and cable trays for services, feeders and branch circuits- other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32447	20488312	Black	SP500	1	26	0.69



Building Wire

6 gauge, 19 strand single conductor. 500 feet. 60 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and table trays for services, feeders, and branch circuits - other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31259	20493301	Black	SP500	1	50	0.89



Building Wire

10 gauge, 19 strand single conductor. 500 feet. 30 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and cable trays for services, feeders and branch circuits- other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34786	22973201	Black	SP500	1	18	0.59
34787	22974001	White	SP500	1	20	0.59
34788	22975701	Red	SP500	1	20	0.59
34789	22977301	Green	SP500	1	18	0.59
34790	22976501	Blue	SP500	1	19	0.59



Building Wire

14 gauge, single conductor. 500 feet. 15 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and cable trays for services, feeders and branch circuits- other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30242	11580801	White	SP500'	1	8	0.17
30241	11579001	Black	SP500'	1	8	0.17
30244	11582401	Blue	SP500'	1	7.8	0.17
30243	11581601	Red	SP500'	1	8	0.17
32923	11583201	Green	SP500	1	7.5	0.17



Building Wire



12 gauge, single conductor. 500 feet. 20 amp, 600 volt. 90 degree C temp rating (with ampacity limited to that for 75 degree C conductors). Copper conductors. PVC insulation, nylon jacket. Typical use: used in conduit and cable trays for services, feeders and branch circuits - other applications include automotive, machine tooling, appliances. Don't use without conduit. UL listed. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30246	11588101	White	SP500	1	11.5	0.29
30245	11587301	Black	SP500'	1	13	0.29
33242	11591501	Green	SP500'	1	11	0.29
30248	11590701	Blue	SP500'	1	12	0.29
30247	11589901	Red	SP500'	1	11.5	0.29



Lamp Cord



18/2 SPT-1. 250'. 10 amps, 300 volts. Can be used with lamps, small appliances, radios, etc. Insulation: PVC. Thermoplastic jacket. Conductor: soft annealed stranded copper per ASTM B3- 90. Industry standard: UL62, UL1581. Not for hard usage in accordance with NEC. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30253	0477	Brown	SP250	1	5.3	0.39
30254	600006601	White	SP250	1	6	0.39
30255	600006619	Clear/Gold	SP250	1	6	0.39
32300	600006608	Black	SP250	1	5.5	0.39
32301	600006621	Silver	SP250	1	6	0.39
32302	600006618	Clear	SP250	1	6	0.39



Lamp Cord



16/2 SPT-2. 250 feet. 13 amps, 300 volts. Can be used with lamps, small appliances, radios, etc. Insulation: PVC. Thermoplastic jacket. Conductor: soft annealed stranded copper per ASTM B3- 90. Industry standard: UL62, UL1581. Not for hard usage in accordance with NEC. Spool.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31133	60126-66-08	Black	SP250	1	9.5	0.49
31663	601266601	White	SP250	1	8.3	0.49
31662	601266607	Brown	SP250	1	9.4	0.49



Category 5E Riser & Data Cable Wire



350 MHZ. 4 pair UTP (unshielded twisted pair construction). Meets TIA/EIA568-B.2 specification for category 5E. CMR rated for indoor residential use. 1,000' pull out box

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3184488	CAT5E-1MBRSR	RL1000	1	24	0.39



Round Rubber Service Cord



250 foot. 18 amps 300 volts. Weather resistant jacket. Rubber jacket. Portable oil and water resistant submersible outdoor flexible power cable. Black. Spool.

Stock No.	Mfr. No.	Gauge Conductors	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30259	8232260408	16/2	SP250	1	15	0.59
30260	4318	16/3	SP250	1	20	0.69
30261	8232270408	14/2	SP250	1	20	0.69
30262	823327-04-08	14/3	SP250	1	25.5	0.79



Service Cord



12/3 SJEW. 250 feet. 25 amps, 300 volts. For hard usage applications in accordance with NEC. Applications: portable tools and lamps, pumps, portable farm equipment. Conductor: soft annealed stranded copper per ASTM B3- 90. Insulation and Type: TPE. Industry standard: UL62, UL1581, CSA-C22.2 No. 49. Rubber. Black. Spool.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33326	233880408	SP250	1	28	0.99



Round Vinyl Service Cord



250 feet. 13 amps, 300 volts. Orange. Thermoplastic insulated conductors and an overall thermoplastic jacket. For hard usage applications in accordance with NEC. For use with portable tools and lights. Insulation: PVC. Conductor: soft annealed stranded copper. Industry standard: UL62, UL1581, CSA-C22.2 No. 49. Spool.

Stock No.	Mfr. No.	Gauge Conductors	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32593	203076603	14/3 SJTW	SP250	1	23.2	0.79
32608	203086603	12/3 SJTW	SP250	1	33	0.99



Bare Copper Solid Wire



4 gauge, single bare. 200'. 170 amp, 600 volt. 90° C temperature rating. Copper conductors. Typical use: uninsulated hook up, and grounds in electrical construction. Don't use as insulated conductor. UL listed. Spool.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32413	10644302	SP200	1	25.2	1.29



Bare Copper Stranded Wire



6 gauge, single bare. 315'. 125 amp, 600 volt. 90° C temp rating. Copper conductors. Typical use: uninsulated hook up, and grounds in electrical construction. Don't use as insulated conductor. UL listed. Spool.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31676	10638502	SP315	1	28	0.99



Bare Copper Solid Wire



8 gauge. Single bare. 600 volt. 90°C temperature rating. 95 amps. Copper conductors. Typical use: uninsulated hook up, and grounds in electrical construction. Don't use as insulated conductor. UL listed. Spool/500'.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31675	10632802	SP500	1	24.9	0.59



Economy Speaker Wire

Connects speakers and other audio equipment. One tinned copper conductor, one bare copper conductor. PVC jacket insulation with clear. Convent polarity marking. UL approved. Bulk. Spool/500'.



Stock No.	Mfr. No.	Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32214	SWEAC24-500	24 AWG	SP500	1	4	0.29
32328	SWEAC18-500	18 AWG	SP500	1	8	0.39



RG59-U Coaxial Cable

500' length. 20 AWG, CW (copper clad steel center conductor). Shield: foil, single side aluminum/poly tape and braid, 64/0.16mm aluminum alloy (60% coverage). Suitable for broadband applications. Foil is bonded to dielectric. UL listed. Bulk.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3167830	RG59UL60-500	Black	SP500	1	14	0.19



RG6-U Coaxial Cable

500' length. 18 AWG, CW (copper clad steel center conductor). Shield: foil, single side aluminum/poly tape and braid, 64/0.16mm aluminum alloy (60% coverage). Suitable for broadband applications. Foil is bonded to dielectric. UL listed.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3167814	RG6UL60-500	Black	SP500	1	15	0.29



Extension Cord

6' length. 16/2 SPT-2. 13 amp, 125 volt. Three polarized outlets in a solid plug. UL listed. Sleeved.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32677	32677	White	EA	10	3	1.99
32676	32676	Brown	EA	10	3	1.99



Halogen Clamp Light

Operates on normal 120 volts, standard household current. Portable clamp light attaches to almost any surface. Large vinyl coated hook allows light to be hung for more versatility. Comfortable foam cushioned pistol grip. Premium 35 watt halogen bulb included. Replacement bulb Ace No. 3107737. Tempered glass lens. Approved for indoor and outdoor use. Two year warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3140530	MCL35	EA	1	1.7	14.49



Extension Cord

9' length. 16/2 SPT-2. 13 amp, 125 volt. Three polarized outlets in a solid plug. UL listed. Sleeved.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32679	32679	White	EA	10	4	2.49
32678	32678	Brown	EA	10	3.9	2.49



Utility Worklight

100 watt. Rated for use with up to 150 watt lamp. Includes 100 watt PAR lamp. Protective guard to protect lamp and consumer from heat of PAR lamp. Carry handle and 1' 18/3 wire cord makes work light useful around the entire house. 1 year limited warranty. UL listed for indoor and outdoor use. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3198413	WL100	EA	1	3.8	11.49



Extension Cord

12' length. 16/2 SPT-2. 13 amp, 125 volt. Three polarized outlets in a solid plug. UL listed. Sleeved.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32590	32590	White	EA	1	0.6	3.29
32588	32588	Brown	EA	1	0.5	3.29



Extension Cord

15' length. 16/2 SPT-2. 13 amp. 125 volt. Three polarized outlets in a solid plug. UL listed. Sleeved.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32681	32681	White	EA	1	0.6	3.79
32680	32680	Brown	EA	1	0.6	3.79



Extension Cord

20' length. 16/2 SPT-2. 13 amp. 125 volt. Three polarized outlets in a solid plug. UL listed. Sleeved.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32591	32591	White	EA	1	0.8	4.49
32589	32589	Brown	EA	1	0.8	4.49



Stand Light

1000 watt. 120 volt, three 500 watt halogen bulbs. 18 gauge, 3 wire, 6' grounded power cord. Heavy duty tripod stand with adjustable leg. Twist lock std adjusts to over 6' high. Weatherproof on/off safety switches. Power cord storage brackets on stand. Tempered glass lens. Heavy duty safety wire guard. Rated for indoor/outdoor use. Sled design can be used as a portable work light. 2 year warranty. Replacement bulb Ace No. 31899. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3142981	TQS1000N	EA	1	17	47.99



Stand Worklight

1200 watt, two 300 watt halogen lamps in each fixture. Oval design allows lamp to sit further back in worklight to help dissipate the heat. Four switches, choose between 300, 600, 900, and 1200 watts. 7' cord. 2 extra lamps included. Indoor and outdoor use. Includes safety tip-over switch that turns off worklight when tipped over. Fixture features safety wire guard, tempered glass lens, and weatherproof switching. Includes extension leg for working on uneven surfaces. Blue/black. 5 year limited warranty. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3106283	DTS1200	EA	1	23	79.99



Power Block

12/3 SJTW. Grounded outlets. PVC jacket. Round wire. Water and oil resistant. 3 conductor grounded. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32610	10P-002-010FOG	10'	EA	1	1.8	15.49
32882	10P-003-025FOG	25'	EA	1	5.1	30.99



Clamp Lamp

18/2 SPT-2, 6'. 6 foot cord. 120 volt. 150 watt bulb maximum. Polarized plug. Without steel cage. Porcelain socket. Vinyl clamp grip. White. NOT UL listed. Bulk with label.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31861	1CB-008-006FWH	EA	6	6	7.49



GFCI Cord

15A/125V. 12/3 SJTW. 2' 6". 3-outlet power block without Powerlite. Has a right angle male plug ground fault circuit interrupter. Manual test/reset buttons. Exclusive Yellow Jacket compound is more flexible and abrasion resistant at any temperature than standard vinyl compounds or blue cold weather cords. Lifetime warranty. UL listed. Meets OSHA spec's. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3233186	2848	EA	1	1.5	39.99



Halogen Worklight

500 watt. Full "S" handle with padded grip. Includes extra bulb-comes with one premium 500 watt lamp in fixture and one replacement lamp stored in handle. Shatterproof glass lens and wire lens cover. 4 foot grounded cord. Weatherproof design tested for indoor/outdoor use. Orange/black. UL approved. Replacement bulb Ace No. 31899. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3143476	PQS45	EA	1	4	13.49



Triple Outlet Cord

3' length. 14/3 SJT. 1875 volts. 13 amps. PVC jacket. Round wire. 3 conductor grounded. For general indoor use. Orange. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32202	11P-002-003F0G	EA	1	0.4	7.49



Extension Cord

100' length. 14/3 SJTW. 13 amp. 1875 watt. 125 volt. PVC jacket. Round wire. Water and oil resistant. 3 conductor grounded. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31840	060713X309T003	EA	1	10	38.99



Extension Cord

12/3 SJTW-A. Super flexible. Power indicator light. Strain relief. Won't crack to - 58 or deform to +140°F. Lifetime guarantee. UL listed. Meets OSHA spec. Sleeved.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009024	2883	25'	EA	1	4	27.99
3009032	2884	50'	EA	1	6.8	42.99
3009040	2885	100'	EA	1	10.8	64.99



Halogen Worklight

600 watts, twin halogen 300 watt lamps. Oval design allows lamp to sit further back in worklight to help dissipate the heat. Broad stance for greater stability. Two switches, choose between 300 and 600 watts. 18/3 6' cord. Extra lamp included (stored in handle). Weatherproof tested. For indoor and outdoor use and wet locations. Blue/black. 5 year limited warranty. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3106275	P600	EA	1	6	26.99



Extension Cord

10/3 SJTW-A. Super flexible. Power indicator light. Strain relief. Won't crack to - 58 or deform to +140 degrees F. Lifetime guarantee. UL listed. Meets OSHA spec. Sleeved.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009057	2805	50'	EA	1	10	59.99



Extension Cord

7'. 16/2 SPT-2. Thin male plugs keep cord close to the wall. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3095742	2236	White	EA	1	0.4	5.49
3095684	2239	Tan	EA	1	0.4	5.49



Extension Cord

13'. 16/3 SPT-2. Thin male plugs keep cord close to the wall. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3119856	2232	White	EA	1	1	11.99
3119880	2255	Tan	EA	1	1	11.99



Extension Cord

25' length. 16/3 SJTWA. 13 amp, 125 volt, 1625 watt. Use with bug zappers, rotisseries, and outdoor equipment. 3 conductor grounded. PVC jacket, rounded wire. Water and oil resistant. Indoor/outdoor use. UL listed, OSHA approved. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3188299	OUSJT163025WH	White	EA	1	1.9	10.99
3188323	OUSJT163	Black	EA	1	1.9	10.99



Trouble Light

25 foot cord. 18/2 SJT. 125 volt. 75 watt bulb maximum. Polypropylene hook and guard. On/off switch. 2 conductor polarized. Yellow. Meets OSHA specifications. UL listed. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31856	1TL-001-025FYL-	EA	1	1.6	14.99



Extension Cord

40' length. 16/3 SJTWA. 13 amp, 125 volt, 1625 watt. Use with bug zappers, rotisseries, and outdoor equipment. 3 conductor grounded. PVC jacket, rounded wire. Water and oil resistant. Indoor/outdoor use. UL listed, OSHA approved. Green. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34894	10C-006-040FGN	EA	1	2.9	13.99



Extension Cord

80' length. 16/3 SJTWA. 13 amp, 125 volt, 1625 watt. Use with bug zappers, rotisseries, and outdoor equipment. 3 conductor grounded. PVC jacket, rounded wire. Water and oil resistant. Indoor/outdoor use. UL listed, OSHA approved. Green. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34895	10C-006-080FGN	EA	1	7	19.99



Extension Cord

15' length. 16/2 SPT-2. 10 amp. 125 volt. 1250 watt. PVC insulation. Flat wire. 2 conductor polarized. Piggyback plug. On/off switch. White. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30131	1PC-002-015FWH	EA	1	0.6	10.99



Trouble Light with Metal Cage

16/3 SJT cord. Galvanized metal lamp shield. Uses 75 watt bulb. Replacement bulb Ace No. 3261617. Polarized plug with 12A grounded receptacle. On/off switch. Sleeved.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3205846	TL-JTW163-025M	25'	EA	1	1.1	14.49
3205838	ACE-426APDQ-K	50'	EA	1	4.3	22.99



Trouble Light w/Retractable Cord Reel

30' SJT 16/3 cord. Yellow metal jacket. Black retractable cord with locking receptacle. Includes: yellow plastic trouble light w/SJT 18/2 1' cord with outlet and on/off switch on handle. Also includes grounded banana style triple tap with grounded outlets. The trouble light and trouble tap are interchangeable. Replaces Ace No. 3205861 and 3205853 UL approved. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3265873	CR-JTW163-30-CM	EA	1	9	41.99



Extension Cord

13'. 16/2 SPT-2. Thin male plugs keep cord close to the wall. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3095635	2240	Tan	EA	1	0.4	6.99
3095494	2237	White	EA	1	0.4	6.99



Extension Cord

8'. 16/3 SPT-2. Thin male plugs keep cord close to the wall. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3119765	2241	White	EA	1	0.8	8.99
3119831	2254	Tan	EA	1	0.8	8.99



Extension Cord

16/3 SPT-2. 125 volt. 1625 watt. 13 amps. PVC insulation. Flat wire. 3 conductor grounded. For general indoor use. Yellow. Sleeved. Not UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31843	1FY-002-025FYL	25'	EA	1	0.5	12.99
31844	1FY-002-050FYL	50'	EA	1	2.8	20.99



Fluorescent Worklight

6 foot cord. 16/3C SJT. One 18 watt bulb included. Equivalent to 100W incandescent bulb. Innovative retractable and removable nylon-tipped double hang hook rotates 360 degrees. Polarized plug with 12A grounded receptacle. Sleek ergonomic design. Replacement bulb Ace No. 3261521. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3208006	FL-JTW163-6X-18	EA	1	1.6	25.99



Major Appliance Cord

14/3 SPT-3. 15 amps. 125 volt. 1875 watt. 3 conductor grounded. PVC insulation. For general indoor use with air conditioners, refrigerators, freezers, microwaves, and, dehumidifiers. Molded right angle cap. Beige. Sleeved. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31830	1AC-001-006FBG	3'	EA	1	0.5	8.49
31831	1AC-001-003FBG	6'	EA	1	0.7	9.49
31832	1AC-001-009FBG	9'	EA	1	1	11.99
31833	1AC-001-012FBG	12'	EA	1	1.3	12.49
31834	1AC-001-015FBG	15'	EA	1	1.8	13.49



Fluorescent Worklight

6 foot cord. 16/3C SJT. 26 watts. Uses 2 13W bulbs. 10000 hour rated bulbs (included). Equivalent to 125 watts incandescent bulb. Polarized plug with 12A grounded receptacle. Hang hook and tool hook. Sleek ergonomic design. Flame retardant yellow polypropylene handle. With protective bumper on light. Replacement bulbs: 2 each of Ace No. 3265402. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3207990	FL-JTW163-6X26	EA	1	2.9	34.99



Fluorescent Trouble Light w/Retractable Cord Reel

20 foot cord. 18/2 SJT cord. 13 watt. Flashlight type end. Ballast on plug. 13W replacement bulb Ace No. 3265402. Plastic. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015658	CR-SVT182-20FL	EA	1	5.1	27.99



Clamp Lamp

6' cord. 120 volt. 18/2 SPT. 60 watt bulb maximum. 5-1/2" aluminum bell shade. 150 watt maximum. Bakelite socket and vinyl grip. On/off switch. Brown. Bulk. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31271	1CB-003-006FBR	EA	6	5.7	7.99



Extension Cord

15' length. 16/2 SJO. 13 amp. 125 volt. 1625 watt. For general indoor use with floor polishers, polishers, and sanders. Use with double insulated tools. 2 conductor polarized. EPDM rubber jacket. Round wire. Black. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31465	1RE-001-015FBK	EA	1	1.3	9.49



Clamp Lamp

6' cord. 8-1/2" vented aluminum reflector. 18/2 SPT. 150 watt maximum bulb (not included). Push thru switch, vinyl clamps, and 6' brown cord. UL listed. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31860	4151	EA	6	4.6	8.99



Indoor Extension Cord

25 feet. 16 gauge. 13 amp - 1625 aatts. 125 volt. 3 conductor grounded. Extra flexible rubber. For general indoor use with shop vacs, shop tools and other indoor cords. Round wire. Black. Meets OSHA specifications. UL listed. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31474	1RE-002-025FBK	EA	1	2	17.99



Small Appliance Cord

2' length. 18/2 HPN (neoprene). 10 amp. 125 volt. 1250 watt. Polarized. Can be used for most appliances with 1/2" spacing between contact and a pin type connector. Fits most electric coffee makers, frying pans, etc. Indoor use. Black. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30123	1AD-003-002FBK	EA	1	0.1	2.99



Small Appliance Cord

6' length. 18/2 HPN (neoprene). 10 amp. 125 volt. 1250 watt. Polarized. Can be used for most appliances with 1/2" spacing between contact and a pin type connector. Fits most electric coffee makers, frying pans, etc. Indoor use. Black. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30124	AP-HPN182-06X-B	EA	1	0.2	8.99



Small Appliance Cord

6' length. 18/2 SPT-2, 7 amp. 125 volt. 875 watt. Polarized. Can be used for most appliances with 5/16" spacing between contact and a pin type connector. Fits most mixers, hot trays, roasters, broilers, etc. Indoor use. White. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31460	1AP-005-006FBK	EA	1	0.3	4.79



Small Appliance Cord

6' length. 18/2 HPN (neoprene). 10 amp. 125 volt. 1250 watt. Polarized. Can be used for most appliances with 1-1/16" spacing between contact and a pin type connector. Fits most mixers, hot trays, roasters, broilers, etc. Indoor use. Black. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30118	1AP-004-006FBK	EA	1	0.2	8.99



Small Appliance Cord

6' length. 16/2 HPN (neoprene). 15 amp. 125 volt. 1875 watt. Polarized. Can be used for most appliances with 1-1/16" spacing between contact and a pin type connector. Fits most mixers, hot trays, roasters, broilers, etc. Indoor use. Black. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30122	1AP-006-006FBR	EA	1	0.2	8.49



Small Appliance Cord

7' length. 16/2 HPN (neoprene). 15 amp. 125 volt. 1875 watt. Premium grade CPE jacket. For irons, toasters, grills, electric heaters, heat producing appliances. Crimped ring terminals. Black. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30127	1AP-002-007FBK	EA	1	0.3	6.99



Small Appliance Cord

8' length. 16/2 HPN (neoprene). 13 amp. 125 volt. 1625 watt. Polarized. Can be used for heat producing appliances. Indoor use. Black. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31459	1AP-001-008-FBK	EA	1	0.4	8.99



Power Supply Cord

20' length. 18/2 SVT. 10 amp. 125 volt. 1250 watt. PVC jacket. 2 conductor polarized. Straight cap. Conductor stripped 5/8". Jacket removed 2". For vacuum cleaners. Grey. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31462	1PS-007-020FGY	EA	1	0.4	11.49

JS PRODUCTS, INC.

Fluorescent Light without Cord

13 watt. Shatter resistant polycarbonate lens. Extra outlet in handle. Swivel hang hook. Retention cord strap keeps extension cord plugged in. Red ABS plastic body. Replacement bulb Ace No. 3165628. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224722	92186	EA	1	1.8	24.99



Power Supply Cord

8' length. 16/2 SJT. 13 amp. 125 volt. 1625 watt. PVC jacket. 2 conductor polarized. Straight cap. Conductor stripped 5/8". Jacket removed 2". For double insulated tools. Grey. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32620	1PS-004-008FGY	EA	1	0.5	7.49

JS PRODUCTS, INC.

Worklight Led Bulb

25 bright white LED bulbs. 100,000 continuous hours run time. Shatter resistant polycarbonate lens. Rechargeable Ni-MH batteries have 8-hour continuous run time. Battery recharging is 4-5 hours. Red ABS plastic body with black rubber over molded grip. Swivel and fold away hang hook. AC adapter included. UL listed. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224771	92164	EA	1	1.9	39.99



Power Supply Cord

13 amp. 125 volt. 1625 watt. PVC jacket. Round wire. Straight cap. Conductor stripped 5/8". Jacket removed 2". Grey. Sleeved. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31470	1PS-003-006FGY	6'	EA	1	0.4	7.49
32311	1PS-003-008FGY	8'	EA	1	0.5	8.49
31471	1PS-003-009FGY	9'	EA	1	0.7	8.49



Range Cord

2-#6 and 1-#8 SRDT. 50 amp. 250 volt. 12,500 watt. Premium grade PVC insulation. For ranges in homes built prior to 1997. Strain relief lamp. Molded right angle cap. Eyelet ends. Sleeved. Gray. NEMA 10-50P. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31445	FSR0795-1-ACA	4'	EA	1	1.8	14.99
31446	FSR0821-1-ACA	6'	EA	1	2.2	18.99



Range Cord

2-#6 and 2-#8 SRDT. 50 amp. 250 volt. 12,500 watt. Premium grade PVC jacket. For electrical ranges. Strain relief clamp. Molded right angle cap. Eyelet ends. Meets revised NEC requirements. Sleeved. Black. NEMA 14-50P. UL listed.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30348	FSR0831-1-ACA	4'	EA	1	2.6	16.99
31954	FSR0832-1-ACA	6'	EA	1	3.5	21.99



Dryer Cord

3-#10 SRDT. 30 amp. 250 volt. 7500 watts. Premium grade PVC insulation. For dryers in homes built prior to 1997. Strain relief clamp. Molded right angle cap. Eyelet ends. Grey. Sleeved. NEMA 10-30P. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30170	FSR0794-1-ACA	4'	EA	1	1.1	11.99
31448	FSR0818-1-ACA	6'	EA	1	1.5	15.99



Dryer Cord

4-#10 SRDT. 30 amp. 250 volt. 7500 watts. Premium grade PVC jacket. For dryers in homes built prior to 1997. Strain relief clamp. Molded right angle cap. Eyelet ends. Black. Meets revised NEC requirements. Sleeved. NEMA 14-30P. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31955	FSR823-1-ACA	4'	EA	1	1.7	16.99
31956	FSR0825-1-ACA	6'	EA	1	2.2	19.99



Extension Cord

Expands from 3' to 10'. 16/3 SJTW. 13 amp. 125 volt. 1625 watt. PVC jacket. Round wire. 3 conductor grounded. Right angle plug. Clips to belt, keeps cord out of way. Ideal for work shop or tool bench use. Water and oil resistant. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36116	1CC-001-015F0G	EA	1	1.3	14.49



Extension Cord

16/2 SJTW. 13 amp. 125 volt. 1625 watt. PVC jacket. Round wire. Water and oil resistant. 2 conductor grounded. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32621	Q151XN2X309T001	10'	EA	1	0.8	2.99
30953	Q151XN2X309T002	25'	EA	1	1.3	4.99
30956	Q151XN2X309T003	50'	EA	1	2.7	8.99



Extension Cord

25' length. 14/3 SJOW. 15 amp. 125 volt. 1875 watt. EPDM rubber jacket. Round wire. 3 conductor grounded. Two layers of insulation. Water and oil resistant. Harsh weather use. Stays flexible to -58 to +212°F. Power indicator lighted female end. Contractor quality. Blue. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30671	GL-JOW143-25X-6	EA	1	3	22.99



Extension Cord

50' length. 14/3 SJOW. 15 amp. 125 volt. 1875 watt. EPDM rubber jacket. Round wire. 3 conductor grounded. Two layers of insulation. Water and oil resistant. Harsh weather use. Stays flexible to -58 to +212°F. Power indicator lighted female end. Contractor quality. Blue. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30816	GL-JOW143-50X-B	EA	1	5.6	43.99



Extension Cord

100' length. 14/3 SJOW. 13 amp. 125 volt. 1875 watt. EPDM rubber jacket. Round wire. 3 conductor grounded. Two layers of insulation. Water and oil resistant. Harsh weather use. Stays flexible to -58 to +212°F. Power indicator lighted female end. Contractor quality. Blue. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30818	GL-JOW143-100-B	EA	1	10.1	79.99



Extension Cord

16/3 SJTW. 1625 watt. 125 volt. 13 amps. PVC jacket. Round wire. Water and oil resistant. 3 conductor grounded. Indoor/outdoor use. Sleeved. Meets OSHA specifications. Orange. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32359	Q0607C9X309T002	10'	EA	1	0.8	3.49
31835	Q0607C9X309T003	25'	EA	1	1.7	6.99
31836	Q0607C9X309T001	50'	EA	1	3	9.99
31837	Q0607C9X309T004	100'	EA	4	25	17.99



Extension Cord

14/3 SJTW. 15 amp. 1875 watt. 125 volt. PVC jacket. Round wire. Water and oil resistant. 3 conductor grounded. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31838	060713X309T001	25'	EA	1	1	14.99
31839	060713X309T002	50'	EA	1	4.8	20.99



Extension Cord

12/3 SJTW. 15 amp. 1875 watts. 125 volt. PVC jacket. Round wire. Water and oil resistant. 3 conductor grounded. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34083	06071AX309T001	25'	EA	1	6	22.99
31841	06071AX309T002	50'	EA	1	8	36.99
31842	06071AX309T003	100'	EA	2	30	64.99



Extension Cord

12/3 SJTOW. 15 amp. 125 volt. 1875 watt. Ace logo on cord. Lighted plug. Red. Meets OSHA specifications. UL listed. Sleeved



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3192473	4005	25'	EA	1	4.8	22.99
3192283	4004	50'	EA	1	7	29.99



Extension Cord

25' length. 16/3 SJTWA. 13 amp, 125 volt, 1625 watt. Use with bug zappers, rotisseries, and outdoor equipment. 3 conductor grounded. PVC jacket, rounded wire. Water and oil resistant. Indoor/outdoor use. Green. UL listed, OSHA approved. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3188216	OUST163025GR	EA	1	1.9	10.99



Extension Cord

15' length. 16/3 SJTWA. 13 amp, 125 volt, 1625 watt. Use with bug zappers, rotisseries, and outdoor equipment. 3 conductor grounded. PVC jacket, rounded wire. Water and oil resistant. Indoor/outdoor use. UL listed, OSHA approved. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3106614	OU-SJT163-10-GR	Green	EA	1	1.3	7.99
3166311	OU-SJT163-WH	White	EA	1	1.1	8.49



GFCI Plug

2' length. In-line GFCI. 12/3 SJTW. 15 amp, 125 volts. Yellow. Meets OSHA specs. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3164241	2817	EA	1	1.5	54.99



Extension Cord

14/3 SJTW-A. Super flexible. Power indicator light. Strain relief. Won't crack to - 58 or deform to +140°F. Lifetime guarantee. UL listed. Meets OSHA spec. Sleeved.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3008992	2886	25'	EA	1	3	17.99
3009008	2887	50'	EA	1	5	27.99
3009016	2888	100'	EA	1	9	49.99



Extension Cord

80' length. 12/3 SJTW. 15 amps, 125 volts, 1875 watts. 300 volt rated. Heavy-duty contractors grade. High visibility for safety. Used on jobsites. Black plugs. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3064144	4309	Neon Green	EA	1	10.2	45.99



Extension Cord

14/3 SWOJ. 300 volt rated. True rubber jacket resists oil, chemicals and water. High visibility color. UL listed. Carded.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3087368	4301	25'	EA	1	3.3	29.99
3087376	4302	50'	EA	1	4.5	49.99



Extension Cord

25 feet. 14/3 STW. 15 amp/125 volt/1875 watt. NEMA 5-15. 3 outlets spaced at 8 feet. intervals. Lighted outlet shows power is on. Weather guards. Mounting anchors. Indoor/outdoor. Green. UL listed. Replaces Ace No. 3195757.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261518	KB-168	EA	1	4.9	19.99



Power Block

2' length. 12/3 STW-A. Lifetime guarantee. Yellow. UL listed. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3101920	2882	EA	1	1	15.99



Power Center Cord

3' length. 16/3 SJT-2. 125 volt. 1625 watt. 13 amp. PVC insulation. Flat wire. 3 conductor grounded. For general indoor use. Orange. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32307	11P-001-003;OG	EA	1	0.4	7.99



Power Center Cord

16/3 SJT. 13 amp. 125 volt. 1625 watt. PVC jacket. Round wire. 3 conductor grounded. For general indoor use. Sleeved. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31139	11P-001-009FBE	9'	EA	1	0.8	10.99
33408	11P-003-012FBE	12'	EA	1	0.9	14.49



Power Block

14/3 SJTW. Grounded outlets. PVC jacket. Round wire. Water and oil resistant. 3 conductor grounded. Indoor/outdoor use. Orange. Sleeved. Meets OSHA specifications. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32612	10P-001-010FOG	10'	EA	1	1.8	12.99
31699	10P-001-025FOG	25'	EA	1	2.5	23.99
31700	10P-001-050FOG	50'	EA	1	6	32.99
31520	10P-001-100-FOG	100'	EA	1	10.1	50.99



Socket Cord

9' length. 18/2 SPT-2. 120 volt, 150 watt bulb maximum. PVC insulation. Flat wire. 2 conductor polarized. Phenolic socket. On/off switch. Brown. Sleeved. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30132	1CB-006-009FBR	EA	1	0.4	7.99



Power Caddy

25' length. 16/3 cord rating. 10 amp circuit breaker. 4 grounded outlets. Can be wall mounted. Plastic. Black cord, yellow case. Boxed.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31340	2801	EA	1	3.8	29.99



Cord Locking System

Keeps plug connection in place. Plastic. Orange. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009206	K-200	EA	1	0.2	1.99



Extension Cord Holder

Holds 150'. Plastic. Orange. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32197	K-150	EA	1	0.2	1.79



Extension Cord Reel

Plastic. Orange. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009271	KW-110	100'	EA	1	1.3	6.99
32198	KW-130	150'	EA	1	1.3	8.49



Extension Cord Reel

150' 16/3 or 125' 14/3 capacity. Plastic. Orange. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34270	K-100	EA	1	1.3	10.49

JS PRODUCTS, INC.

Plastic Cord Reel

16/3 gauge SJTW cord. 7 amp circuit breaker built-in. Spring loaded retractable 30' cord. Hang hole located on top of reel. Black ABS reel housing, 3 outlet light t-top indicates positive power connection. Red cord color. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3224797	92175	EA	1	6	61.99



Retractable Extension Cord Reel

30'. 14/3 SGT cord rating. One piece 3 outlet power block. Metal. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32130	48006	EA	1	10	57.99



Yard Stake

6 foot cord. 16/3 SJTW grounded cord. Ideal for Holiday and decorative lighting. Slide cover outlets. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261674	KB-300N	EA	1	1.3	7.99



Portable Plug-In GFCI

15 amp. 125 volt, 1875 watt. Detects power leaks and cuts off electricity in less than a second to prevent shock. Use with any standard extension cord. Test and reset buttons. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3116266	2762	EA	1	0.4	28.99



Power Strip

15 amp. 125 volt. 1875 watt. Heavy duty 4' 14/3 power cord. Lighted power switch with built-in circuit breaker. Beige. This sku is NOT a surge suppressor. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33542	S9P609000A04000	EA	1	1.8	11.99



Power Strip

15 amp. 125 volt. 1875 watt. Heavy duty 3' 14/3 power cord. Durable ABS housing. Lighted power switch with built-in circuit breaker. UL listed. Sleeved.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33543	S3A601000A03001	Beige	EA	4	3.4	4.79
3164324	S3A601000A03002	Green	EA	1	0.8	4.79

PHILIPS

sense and simplicity

Power Strip

4 ft. 14/3 power cord. Lighted switch with 15 amp circuit breaker. 5 grounded adapter-ready outlets. Built in keyhole slots (on back) for flush mounting. Good for home theatre or computer workstation. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3230471	100631	EA	1	1.9	19.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 540 joule rating. 330 clamping voltage. Durable ABS housing. Surge suppressor indicator light. Power shut-off feature. Lighted power switch with built-in circuit breaker. EMI/RFI filtering. Heavy duty 4' 14/3 power cord. \$10,000 connected equipment guarantee. Beige. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33529	S3A601A100	EA	1	0.8	9.99



Surge Suppressor

15 amp, 125 volt, 1875 watt. Full 3 line protection-840 joule rating. 330 clamping voltage. Phone/fax/modem protection. Indicator light. Power shut off feature. EMI/RFI filtering. 6 ft. phone cable included. \$10,000 connected equipment guarantee. Durable ABS housing-Beige. UL listed. Clamshell.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185345	S3A101B3T1	EA	1	0.4	8.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 885 joule rating. 330 clamping voltage. Indicator light. Power shut-off feature. EMI/RFI filtering. \$10,000 connected equipment guarantee. Durable ABS housing. Beige. UL listed. Clamshell.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185402	S3A301B300	EA	1	0.3	6.99



Surge Suppressor

125V/15A. 6 outlet. 1350 joules. 3 ft. cord. Frequency: 50/60HZ. Maximum surge: 6000 volts. 14/3 AWG, 3-wire. "Fire Shield" protected. Specially shielded conductors. The only power strips with built-in intelligence to detect cord damage and disconnect power in 25/1000 of a second. One year guarantee. UL listed and CSA approved. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3236809	90802-3FA-011	EA	1	1.4	18.99



Surge Suppressor

125V/15A. 8 outlet. 3500 joules. 6 ft. cord. Frequency: 50/60HZ. Maximum surge: 6000 volts. 14/3 AWG, 3-wire. "Fire Shield" protected. Specially shielded conductors. With coax/cable and phone/fax/modem protection. The only power strips with built-in intelligence to detect cord damage and disconnect power in 25/1000 of a second. One year guarantee. UL listed and CSA approved. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3236882	90814-2FA-011	EA	1	3	41.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 1080 joule rating. 330 clamping voltage. Indicator light. Power shut-off feature. EMI/RFI filtering. \$10,000 connected equipment guarantee. Durable ABS housing. Beige. UL listed. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185410	S3A501B3T1	EA	1	0.7	9.49

PHILIPS

sense and simplicity

Surge Protector

3 ft. 14/3 power cord. 540 joules. Master power switch with 15 amp circuit breaker. 5 grounded adapter-ready outlets. Power blocker automatic shutdown technology. Power indicator-indicates unit is receiving power. Ground indicator-indicates proper wiring or ground protection. Protection indicator- indicates full protection and power to receptacles. Built-in keyhole slots (on back) for flush mounting. Good for home theatre or computer workstation. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3230497	100566	EA	1	3	24.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 2160 joule rating. 330 clamping voltage. Phone/fax/modem protection. Indicator light. Power shut-off feature. Swivel flat plug. Spring activated safety covers. EMI/RFI filtering. Heavy duty 6' 14/3 power cord. 6' phone cable included. \$50,000 connected equipment guarantee. Durable ABS housing. Beige. UL listed. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185444	S3A801C6T1	EA	1	1.8	21.99



Surge Suppressor

15 amp., 125 volt. 1875 watt. Full 3-line protection, 1080 joule rating. 330 clamping voltage. Satellite/cable protection. Indicator light. Power shut-off feature. Sliding safety covers. EMI/RFI filtering. Heavy duty 4' 14/3 power cord. 6' satellite/coaxial cable included. \$50,000 connected equipment guarantee. Durable ABS housing. Beige. UL listed. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3184405	S3A701B3D1	EA	1	1.5	15.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 2160 joule rating. 330 clamping voltage. Phone/fax/modem protection and satellite/cable protection. Indicator light. Power shut-off feature. Swivel flat plug. Spring activated safety covers. EMI/RFI filtering. Heavy duty 6' 14/3 power cord. 6' satellite/coaxial cable and 6' phone cable included. \$50,000 connected equipment guarantee. Durable ABS housing. Beige. UL listed. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185568	S3A801C6C	EA	1	2.1	25.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 2160 joule rating. 330 clamping voltage. Phone/fax/modem protection and satellite/cable protection. Indicator light. Power shut-off feature. Swivel flat plug. Spring activated safety covers. EMI/RFI filtering. Heavy duty 6' 14/3 power cord. Two 6' satellite/coaxial cable and one 6' phone cable included. \$50,000 connected equipment guarantee. Durable ABS housing. Beige. UL listed. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185618	S3A801C6C2	EA	1	2.5	27.99



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 1080 joule rating. 330 clamping voltage. Surge suppressor indicator light. Power shut-off feature. Lighted power switch with built-in circuit breaker. EMI/RFI filtering. Heavy duty 4' 14/3 power cord. \$10,000 connected equipment guarantee. Beige. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33528	59P609B300	EA	1	1.8	14.49



Surge Suppressor

15 amp. 125 volt. 1875 watt. Full 3-line protection, 1080 joule rating. 330 clamping voltage. Indicator light. Power shut-off feature. Lighted power switch with built-in circuit breaker. EMI/RFI filtering. Heavy duty 15' 14/3 power cord. Large transformer sized outlets. \$10,000 connected equipment guarantee. Metal housing. Gray. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185428	S3A602B300	EA	1	3.2	23.99

BELKIN.

Surge Protector

15' cord 700 Joules. Impact resistant metal case. Great for power tools. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3203791	F9D1001-15-DP	EA	1	4.4	31.99



Surge Tap

810 joule protection. 330 clamping voltage. 3-line protection. EMI/RFI filtering 20 dB. Power shut down. Boxed. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3101987	6915	EA	1	0.8	9.49



Surge Tap

1 in/2 out. 810 joule protection. 330 clamping voltage. 3-line protection. EMI/RFI 20 dB. Power shut down. Boxed. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3101995	6919	EA	1	1.8	12.49



Plastic Surge Brick

1 in/2 out phone protection. 6' cord with right angle plug. 2995 joule protection. 330 clamping voltage. 3-line protection. EMI/RFI 40 dB. 6' line cord, 6' RG 59, and 6' RG6 coaxial cable included. Boxed. UL Listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102019	6956	EA	1	3.5	31.99

BELKIN.

Surge Protector

700 Joules. 4' cord. \$50,000 connected equipment warranty. UL rated. Black. Sleeved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3203106	BE106001-04B-DP	EA	1	1.9	10.99



Plastic Surge Strip

1085 joule protection. 330 clamping voltage. 3-line protection. EMI/RFI 40 dB. Power shut off. Right angle plug. Cord management on unit. UL listed. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102027	6939	4'	EA	1	2	15.49
3102050	6940	10'	EA	1	3	17.99



Plastic Surge Strip

1 in/2 out phone modem protection. 4' cord with right angle plug. 1085 joule protection. 330 clamping voltage. 3-line protection. EMI/RFI 40 dB. Power shut down. Cord management on unit. 6' phone line cord included. Boxed. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102043	6941	EA	1	3	18.99



Plastic Surge Strip

4' cord with right angle plug. 300 clamping voltage. 3-line protection. EMI/RFI 40 dB. Power shut down. Cord management on unit. 6' coaxial cable included. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102035	6942	EA	1	1.8	18.99

BELKIN.

Surge Protector

700 Joules. \$50,000 connected equipment warranty. For notebook computers, fax/modems, household electronics and more. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3115672	F9H601ACW-DP	EA	1	0.7	12.99



Ground Stake Timer

15 amp circuit breaker. 6 receptacles. 2 on/off settings per day. 12" cord. Handy override switch. Weatherproof cover. Can be wall mounted or used with ground stake. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3138187	HB1116R	EA	1	2.2	24.99



Plug Fused Switch

Toggle on/off switch. Limits to 125 volt maximum. Protects motors from damage due to overload. Fits 2-1/4" handy box. Maximum motor size 3/4 H.P. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30726	BP/SSU	EA	1	0.4	9.99



Fuse Cover

15 amp maximum. Limits to 125 volt maximum. Protects motors from damage due to overload. Fits 2-1/2" handy box. Maximum motor size 3/4 H.P. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30727	BP/SRU	EA	1	1	10.99



Circuit Breaker

2" wide. 100 amp, 120/240 vac. Double pole. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Protects wire from overheating and current overload. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BR, (Sylvania/ Challenger/T&B). Standard overload and short circuit protection in Cutler- Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. Use for replacement in Ace No. 32165, 32160, 31202 and 31216. Use as main breaker for Ace No. 32249, 34824, 32159, 32179, 33207 and 34828. Can be used as 2 pole branch breaker or replacement main breaker in Cutler-Hammer type BR MCB panels. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31495	BR2100	EA	1	1	40.99



Circuit Breaker

2" wide. 120/240 volt AC. Double pole. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Protects wire from overheating and current overload. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BR, (Sylvania/ Challenger/T&B). Standard overload and short circuit protection in Cutler- Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31487	BR220	20	EA	1	0.7	11.99
31489	BR230	30	EA	1	0.6	11.99
31490	BR240	40	EA	1	1	11.99
31492	BR250	50	EA	1	0.6	11.99
31493	BR260	60	EA	1	1	11.99
31494	BR270	70	EA	1	1.3	26.99



Circuit Breaker

1". 20 volt AC. 2-single pole. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Non-circuit limiting. Protects wire from overheating and current overload. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BR (Sylvania/ Challenger/T&B). Standard overload and short circuit protection in Cutler- Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. For NON CTL (circuit limiting) QO load centers without bus bar slots-for use in load centers manufactured prior to 1968. Tandem breakers offer two circuit protection while only requiring one space in a load center. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36107	BR1515	15	EA	1	0.4	15.49
36108	BR2020	20	EA	1	0.4	15.49
36109	BR3030	30	EA	1	1.4	15.49



Circuit Breaker

1" wide. 120/240 volt AC. Single pole. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Protects wire from overheating and current overload. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BR, (Sylvania/ Challenger/T&B). Standard overload and short circuit protection in Cutler- Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31469	BR115	15	EA	1	0.3	4.99
31481	BR120	20	EA	1	0.3	4.99
31482	BR130	30	EA	1	0.3	4.99



Circuit Breaker

1" wide. 120/240 volt AC. Single pole. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Class A ground fault protection-protects against electric shock produced by ground fault. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BR, (Sylvania/ Challenger/T&B). Standard overload, short circuit protection and GFI in Cutler-Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31175	GFCB115	15	EA	1	0.4	37.99
31159	GFCB120	20	EA	1	0.4	37.99



Circuit Breaker

1" wide. 120 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Circuit limiting. Protects wire from overheating and current overload. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BD, (Sylvania/ Challenger/T&B). Standard overload and short circuit protection in Cutler- Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. For CTL (circuit limiting) load centers with bus bar slots. Tandem breakers offer two circuit protection while only requiring one space in a load center. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31483	BD1515	15	EA	1	0.4	11.99
31486	BD2020	20	EA	1	0.4	11.99
31184	BD3030	30	EA	1	0.3	11.99



Circuit Breaker

1". 120/240 vac. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Reduces the risk of electrical fires caused by arcing faults in wiring, extension cords, lamps, etc.. Plug-in. Fits (Westinghouse/Bryant/ Cutler-Hammer)-BR (Sylvania/ Challenger/T&B). Standard overload and short circuit protection in addition to arcing detection in Cutler-Hammer, Westinghouse, Bryant, Challenger, or Sylvania load centers. Required by 2002 National Electric Code for bedroom circuits. UL listed. C.S.A. approved. Carded.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107398	CH115AFCS	15	EA	1	0.8	38.99
3107406	CH120AFCS	20	EA	1	0.9	38.99



Circuit Breaker Kit

120/240 volt AC. 10,000 AIR. Switch indicator. Used to add a main breaker to main lug panels. Bolt-on. Fits GE panels. Main breaker. Mounts above the bus, takes up no spaces. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32766	THMB100CP	100	EA	1	1.9	42.99
32767	THMB125CP	125	EA	1	1.3	74.99



Circuit Breaker Kit

2". 120/240 volt AC. 22,000 AIR. Switch indicator. Used to add a main breaker to main lug panels. Mounted. Fits GE panels. Main breaker. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3090040	THQM1100CP	100	EA	1	1.3	44.99
3090057	THQM1125CP	125	EA	1	1.5	74.99



Circuit Breaker Kit

4". 200 amp, 240 volt AC. 22,000 AIR. Switch indicator. Mounts vertically to enable top or bottom feed. Mounted. Fits GE panels. Main breaker. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3203965	THQMV200D	EA	1	3	114.99



Circuit Breaker

200 amp, 240 volt AC. 10,000 AIR. Switch indicator. Main breaker replacement. Bolt-on. Fits GE panels. Main breaker. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34069	TQD22200WL	EA	1	2.5	109.99



Circuit Breaker

1". 120/240 vac. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Standard overload and short circuit protection in load centers. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31096	THQL1115	15	EA	1	0.4	5.49
31097	THQL1120	20	EA	1	0.8	5.49
31098	THQL1130	30	EA	1	0.3	5.49
32798	THQL1140	40	EA	1	0.4	5.49
3221082	THQL1150	50	EA	1	0.4	5.49



Circuit Breaker

1". 30 amp, 120/240 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Ground fault circuit interruption, standard overload and short circuit protection in load centers. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36155	THQL1130GFP	EA	1	0.3	49.99



Circuit Breaker

2". 120/240 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Ground fault circuit interruption, standard overload and short circuit protection in load centers. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36157	THQL2120GFP	20	EA	1	0.8	109.99
36158	THQL2130GF1	30	EA	1	0.8	109.99



Circuit Breaker

2". 120/240 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Standard overload and short circuit protection in load centers. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31102	THQL2120	20	EA	1	0.4	11.99
31103	THQL2130	30	EA	1	0.9	11.99
31104	THQL2140	40	EA	1	0.8	11.99
31105	THQL2150	50	EA	1	0.8	11.99
31106	THQL2160	60	EA	1	0.9	11.99
32742	THQL2170	70	EA	1	0.8	26.99
36159	THQL21100	100	EA	1	0.6	35.99



Circuit Breaker

1/2". 120/240 vac. Non-interchangeable. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Standard overload and short circuit protection in load centers. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amp Rating	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31713	THQP115	15	EA	1	0.3	5.49
31714	THQP120	20	EA	1	0.2	5.49
32775	THQP130	30	EA	1	0.2	5.49
32761	THQP140	40	EA	1	0.3	5.49



Circuit Breaker

1". 120/240 volt AC. Non-interchangeable. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Standard overload and short circuit protection in load centers. UL listed. CSA approved. Bulk.



Stock No.	Mfr. No.	Amp Rating	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30054	THQP215	15	EA	1	0.5	11.99
30055	THQP220	20	EA	1	0.4	11.99
31715	THQP230	30	EA	1	0.4	11.99
31716	THQP240	40	EA	1	0.4	11.99
33127	THQP250	50	EA	1	0.4	11.99

SQUARE D

Circuit Breaker

3/4". 120/240 vac. Non-interchangeable. 10,000 AIR. Visi-Trip indicator. Plug-in. Fits Q.O. panels. Standard overload and short circuit protection in Q.O. load centers. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32634	Q0115	15	EA	1	0.4	7.49
32635	Q0120	20	EA	1	0.4	7.49
32636	Q0130	30	EA	1	0.4	7.49

SQUARE D

Circuit Breaker

1-1/2". 120/240 vac. Non-interchangeable. 10,000 AIR. Visi-Trip indicator. Plug-in. Fits Q.O. panels. Standard overload and short circuit protection in Q.O. UL listed. C.S.A. approved. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32637	Q0220	20	EA	1	0.5	17.99
32638	Q0230	30	EA	1	0.8	17.99
33190	Q0240	40	EA	1	0.8	17.99
32639	Q0250	50	EA	1	0.8	17.99

SQUARE D

Circuit Breaker

1". 120/240 vac. Non-interchangeable. 10,000 AIR. Switch indicator. Plug-in. Fits Homeline panels. Standard overload and short circuit protection in Homeline load centers. UL listed. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34017	HOM115	15	EA	1	0.4	3.99
34018	HOM120	20	EA	1	0.4	3.99
34019	HOM130	30	EA	1	0.4	3.99

SQUARE D

Circuit Breaker

2". 120/240 vac. Non-interchangeable. 10,000 AIR. Switch indicator. Plug-in. Fits Homeline panels. Standard overload and short circuit protection in Homeline load centers. UL listed. Bulk.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34020	HOM220	20	EA	1	0.8	9.99
34022	HOM230	30	EA	1	0.8	9.99
34024	HOM250	50	EA	1	0.6	9.99



Circuit Breaker

1". 120/240 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits (Gould/ITE/Siemens)-QP, (Crouse Hinds/Murray)-MP, General Electric-THQL, (Sylvania/Challenger)-C, Thomas & Betts-TB and (Bryant/Westinghouse)-BR panels. Standard overload and short circuit protection in load centers. UL classified as interchangeable. UL listed. CSA approved. HACR rated. Carded.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108842	TB115-ACE-CS	15	EA	1	0.3	6.49
3108859	TB120-ACE-CS	20	EA	1	0.3	6.49



Circuit Breaker

2". 120/240 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits (Gould/ITE/Siemens)-QP, (Crouse Hinds/Murray)-MP, General Electric-THQL, (Sylvania/Challenger)-C, Thomas & Betts-TB and (Bryant/Westinghouse)-BR panels. Standard overload and short circuit protection in load centers. UL classified as interchangeable. UL listed. CSA approved. HACR rated. Carded.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108883	TB220-ACE-CS	20	EA	1	0.5	11.99
3108891	TB230-ACE-CS	30	EA	1	0.5	11.99



Circuit Breaker

15 amp. 1" breaker. 120 volt AC. 10,000 AIC. Residential-commercial use. AFCI helps prevent electrical fires by detecting and interrupting arcing - both parallel and series. UL listed. CSA approved. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261120	THQL1115AFP2	EA	1	0.5	40.99



Circuit Breaker

20 amp. 1" breaker. 120 volt AC. 10,000 AIC. Residential-commercial use. AFCI helps prevent electrical fires by detecting and interrupting arcing - both parallel and series. UL listed. CSA approved. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261146	THQL1120AFP2	EA	1	0.5	40.99



Circuit Breaker

1". 120/240 volt AC. Interchangeable. Not interchangeable with Square D Homeline panels. 10,000 AIR. Switch indicator. Plug-in. Fits GE panels. Ground fault circuit interruption, standard overload and short circuit protection in load centers. UL listed. CSA approved. Carded.



Stock No.	Mfr. No.	Amp Rating	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3005030	THQL1115GFP	15	EA	1	0.8	42.99
3005048	THQL1120GFP	20	EA	1	0.8	42.99



Load Center

18-3/4"W x 14-5/16"H x 3-7/8"D. Surface/flush cover. Accepts 12-1" per pole breakers or 20 maximum circuits using BD tandem or BQ quadplex breakers. If ground bar required, use Ace No. 34820. Replacement main breaker Ace No. 31495. Includes main breaker. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32165	BR1220B100	EA	1	20	56.99



Ground Bar

For use in type BR and type CH load centers up to 16 max circuits. Used to terminate the bare conductor in non-metallic cable. UL listed. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32322	GBK5P	EA	1	0.4	6.49



Load Center Filler Plate

For circuit breaker opening in load centers. For 1" wide opening. Bag/5.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3014669	BRFPF	BG5	1	0.2	5.99



Load Center

10-3/16"W x 18-1/2"H x 3-5/8"D. 125 amp. 12 circuit. Accepts twelve- 1/2" breakers or six- 1" breakers. Main breaker not included. Use Mfg. No. THMB125 (Ace No. 32767) breaker kit to convert to main breaker load center. Cover included. UL listed. Boxed.



Stock No.	Mfr. No.	Mount	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32776	TLM612SCUDP	Surface	EA	1	9	22.99



Load Center

10-3/16"W x 18-1/2"H x 3-5/8"D. Field convertible between main lugs and main circuit breaker. 16 circuit for (16)-1/2" breakers or (8)-1" breakers. Replacement master main breaker kit Ace No. 36159 (THMB 125CP). Main breaker not included. Cover included. Boxed.



Stock No.	Mfr. No.	Mount	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32777	TLM812FCUDP	Flush	EA	1	18	29.99
31093	TLM812SCUDP	Surface	EA	1	9	28.99



Load Center

14"W x 19"H x 3-3/4"D. 12 to 24 circuit capacity. Accepts 12-1" breakers or 24-1/2" breakers. Copper bus. Galvanized steel box. Combination flush/surface cover. Use Mfg. No. THQMH125CP (Ace No. 3090040 or 3090057) breaker kit to convert to main load center. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31095	TLM1212CCUP	EA	1	20	32.99



Main Lug Load Center

7-1/4"W x 9"H x 3"D. 2 circuit capacity. Accepts two- 1" breakers or four- 1/2" breakers. Combination cover for surface or flush mounting. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32257	TL240SCUP	EA	1	4.3	13.99



Main Lug Load Center

37-1/4"W x 9"H x 3"D. 4 to 8 circuits capacity. Accepts four- 1" breakers or eight- 1/2" breakers. Combination cover for surfaces of flush mounting. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31094	TL412CP	EA	1	6	17.99



Main Lug Load Center

40 amp. 7-1/4"W x 10"H x 3-3/4"D. Four-circuits capacity. Accepts two-1" spaces or four- 1/2" spaces. Raintight. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32258	TL240RCUP	EA	1	6	24.99



Main Lug Load Center

70 amp. 7-1/4"W x 10"H x 3-3/4"D. 2 to 4 circuits capacity. Accepts two- 1" spaces or four- 1/2" spaces. Raintight. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32732	TL270RCUP	EA	1	3.5	26.99



Main Lug Load Center

125 amp. 4 to 8 circuits capacity. Accepts eight- 1/2" breaker. Thermoplastic housing. Raintight. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36151	TPL412RP	EA	1	2.2	29.99



Main Lug Load Center

7-1/2"W x 9-7/32"H x 3-5/16"D. 4 to 8 circuits capacity. Accepts four- 1" breakers or eight- 1/2" breakers. Thermoplastic housing. Combination surface/flush cover. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36161	TPL412CP	EA	1	2.1	18.99



Main Lug Load Center

125 amp. 7-1/4"W x 10"H x 3-3/4"D. 4 - 8 circuit capacity. Accepts four-1" breakers or eight-1/2" breakers. Raintight. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32261	TL412R1P	EA	1	6.8	30.99



Main Breaker Load Center

14"W x 23"H x 3-3/4"D. 100 amp. 20 circuit capacity. Accepts 20-1" breaker. Copper bus. Panel and main breaker 22KAIC. Galvanized steel enclosure. Combination flush/surface cover. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32753	TM2010CCU	EA	1	24.8	74.99



Main Breaker Load Center Resi-Pack

Contains: 1- Mfg. No. TM2010CCU 20 space 100 amp main breaker load center, 6-15 amp 1" breakers, 6-20 amp 1" breakers, 1-30 amp 1" double pole breakers and 1-50 amp 1" double pole breaker. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3148848	TM2010CCUPL4	EA	1	24	114.99



Main Breaker Load Center

14"W x 33-3/16"H x 3-3/4"D. 200 amp. 20-40 circuit. 40 circuit capacity. Accepts 20-1" breakers, or 40-1/2" breakers. Copper bus. Panel and main breaker 22KAIC. Galvanized steel box. Combination flush/surface cover. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32754	TM2020CCUP	EA	1	28.6	119.99



Main Breaker Load Center

14"W x 35-7/16"H x 3-3/4"D. 40 circuit maximum capacity. Accepts 32-1" breakers, 16-1/2" breakers. Copper bus. Panel and main breaker 22KAIC. Galvanized steel box. Combination flush/surface cover. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32757	TM3220CCU	EA	1	35	129.99



Spa Disconnect Panel

50 amp. For spas, hot tubs, water heaters, and swimming pools. Ground fault circuit interrupter included. Main lug load center. 125 amp, 120/240 volt. 2 spaces, 4 circuits. Gray outdoor metal enclosure. Ground bar included. NEMA 3R design insures a safe, weather tight installation for residential, light commercial and even industrial application. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3203841	UG412RMW250P	EA	1	8	124.99



Main Breaker Load Center

14"W x 43-7/16"H x 3-3/4"D. 40 circuit capacity. Accepts 40-1" breaker. Copper bus. Panel and main breaker 22KAIC. Galvanized steel enclosure. Combination flush/surface cover. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32758	TM4020CCUP	EA	1	38	164.99



Main Breaker Load Center

200 AMP. Main breaker. 12-1/2"W x 28-11/16"H x 4-5/8"D. Accepts 8 - 1" breakers or 16 - 1/2" breakers. 22KAIC rated. Feed through lugs. Copper bus. Galvanized steel. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3050093	TM820RCUFLP	EA	1	30	134.99



Main Lug Load Center

125 amp. Size 23-1/2"x14"x4-7/8". Combination overhead. underground surface. Rainproof. Factory installed main lugs. Main lug wire size 6-2/0. Single phase, three wire. 4 breaker spaces. Accepts 4-1" breakers or 6-1/2" breakers. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3004975	TSL412CSCU	EA	1	30	60.99



Main Breaker Load Center

200 amp. Accepts 4-1" or 8-1/2" breakers. Overhead/underground. Galvanized steel. 14" Width. 26" Height. 4-1/2" Depth. Main breaker factory installed. Copper bus. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3148988	TSM420CSCU	EA	1	34	109.99



Fusible Air Conditioner Disconnect

30 amp. 9"W x 5"H x 2-1/8"D. 120/240 volts. 3 HP, 1 phase. Pullers are removable or re-installable in off position. Padlock provision. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36163	TF30RCP	EA	1	4	12.99



Air Conditioner Disconnect

60 amp fusible puller. 6-1/2"W x 9"H x 3-1/4"D. 60 amp. Two pole - 120/240 volts. UL listed. Brown box.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021417	TF60RCP	EA	1	4	12.99



Mobile Home Breaker Disconnect

100 amp. 17"W x 7-1/4"H x 5"D. 100 amp breaker included. Rain tight. UL listed. Brown box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021524	TQL100REP	EA	1	10.5	84.99



Mobile Home Breaker Disconnect

200 amp breaker included. Rain tight. UL listed. Brown box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021540	TQD200NREP	EA	1	15.2	119.99



Safety Switch

30 amp. 4-3/8"W x 7-5/8"H x 2-1/2"D. 30 amp, 2-wire. 120 volt. Side operated. Takes 1 plug fuse. Thermoplastic housing. UI Listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31081	TPF130	EA	1	1	17.49



Air Conditioner Disconnect

60 amp. 4-3/4"W x 7-1/2"H x 2"D. Two pole-120/240 volts. Non-fusible puller. UL listed. Brown box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021409	TFN60RCP	EA	1	3	9.99



Safety Switch

30 amp. 4-3/8"W x 7-5/8"H x 2-1/2"D. 3-wire. S/N 120/240 volt. Side cap operated. Thermoplastic housing. Takes 2 plug fuses. UL listed. Boxed.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31083	TPF230	EA	1	0.4	20.99



Safety Switch

6-1/2"W x 10-5/8"H x 3-5/16"D. 2 pole, 3 wire. 120/240 volts. Fusible safety switch. Uses cartridge fuse. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32716	TG3221CP	EA	1	5.4	29.99



Safety Switch

8-1/2"W x 13-7/8"H x 4"D. 2 pole, 3 wire. 120/240 volts. Fusible safety switch. Uses cartridge fuse. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32717	TG3222	EA	1	9	46.99



Fusible Outdoor Safety Switch

6-7/8"W x 9-7/8"H x 3-8/16"D. 2 pole, 3 wire. 120/240 volts fusible safety switch. Uses cartridge fuse. Raintight. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32718	TG3221R	EA	1	6	40.99



Outdoor Safety Switch

100 amp. 9-7/8"W x 21-1/4"H x 5"D. 2 pole, 3 wire. 120/240 and 240 volts AC. Uses cartridge fuse. Raintight. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36152	TG3223R	EA	1	9	119.99



Universal Hub

Bolt on hub for conduit pipe. For use on Midwest and G.E. panels. Boxed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32265	TC75P	3/4"	EA	1	0.2	6.99
3021433	TC100P	1"	EA	1	0.4	6.99
32266	TC125P	1-1/4"	EA	1	0.5	6.99
32267	TC150P	1-1/2"	EA	1	0.4	6.99
32268	TC200P	2"	EA	1	0.3	6.99



Recreational Vehicle Park Panel

70 amp. 14-3/8"W x 7-1/4"H x 5-3/16"D. Power outlets. 70 amp RV power outlet panel with one 30 amp receptacle and one 20 amp receptacle. One 20 amp and 30 amp circuit breaker and (one circuit breaker space). Outdoor UL listed. One construction for factory assured terminations rolled edge door for cord protection. Galvanized steel. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32894	U041CP	EA	1	10	109.99



Power Outlet Panel

5"W x 7"H x 5"D. Provides one 30 amp receptacle (NEMA R32). Outdoor enclosure (NEMA 3R). Rolled edge door. Padlockable door. All in one construction. Galvanized steel enclosure. For outdoor use. Boxed.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3189271	U013P	EA	1	5	26.99



Power Outlet Panel

7-1/8"W x 5-3/4"H x 5-3/16"D. 120/240 volts. 50 amp with one 50 amp receptacle. All in one. Rolled edge door. Galvanized steel. For outdoor use. UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31968	U054P	EA	1	5	28.99



Ground Bar Kit

For attaching ground wire in load centers and safety switches. Required when load center is not at point of service entrance. Lug wire size copper: (11) 14-8, (3) 14-4, aluminum: (3) 14-4, (3) 12-4. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3164779	TGK12CP	EA	1	0.4	5.49



Ground Bar Kit

24 hole. Use with most TM and TLM series load centers. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34065	TGK24CP	EA	1	0.5	6.49

SQUARE D

Safety Switch

Outdoor 60 amp, single phase. 4.63"W x 6.50"H x 3.88"D. Single phase, 2 wire. For air conditioning disconnect. Horsepower rating 3, maximum 10. 240VAC. No over current protection. Rainproof. Bracket for use on stucco or siding available (PKH8). UL listed. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32539	Q0200TR	EA	1	4	16.99



Filler Plate

For GE load centers. Includes two 1/2" filler plates and two 1" filler plates. Replaces Ace No. 34064. Carded. Packed/4.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3237088	THFILLER	EA	1	0.3	3.99



Plug Fuse

15 amp. 125 volt. Time delay. Edison base (brass threads). Typical application: small motor and inductive load circuits with high in-rush current levels. Used with box cover units to provide equipment protection. UL listed. Replaces Ace No. 31577. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266632	BP/TL-15	CD3	5	0.8	4.99



Plug Fuse

20 amp. 125 volt. Time delay. Edison base (brass threads). Typical application: small motor and inductive load circuits with high in-rush current levels. Used with box cover units to provide equipment protection. UL listed. Replaces Ace No. 31582. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266640	BP/TL-20	CD3	5	0.8	4.99



Plug Fuse

25 amp. 125 volt. Time delay. Edison base (brass threads). Typical application: small motor and inductive load circuits with high in-rush current levels. Used with box cover units to provide equipment protection. UL listed. Replaces Ace No. 3020401. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266665	BP/TL-25	CD3	5	0.8	4.99



Plug Fuse

30 amp. 125 volt. Time delay. Edison base (brass threads). Typical application: small motor and inductive load circuits with high in-rush current levels. Used with box cover units to provide equipment protection. UL listed. Replaces Ace No. 31583. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266673	BP/TL-30	CD3	5	0.8	4.99



Plug Fuse

Type T. "Fustron". 125 volts. Can be used for: circuits serving appliances or tools, with electric motors, furnaces, washing machines, workshops, refrigerators, and fans. Yellow box. UL listed and CSA certified.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3174596	BP/T-10	10	EA	1	0.2	6.99
3174638	BP/T-20	20	CD2	1	0.4	6.99
3174653	BP/T-30	30	CD2	1	0.2	6.99



Plug Fuse

Type S. "Fustat". Industrial strength. Used for motor protection. Will not open under repeated motor start-ups. White.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3174448	BP/S-15	15	CD2	1	0.2	6.99
3174463	BP/S-20	20	CD2	1	0.2	6.99



Plug Fuse

15 amp. 125 volt. Time delay. Loaded link rejection base plug fuse. Time-delay load link SL series fuse provide a rejection feature to help prevent over fusing. Typical applications: small motor and inductive load circuits with high in-rush current levels. Used with box cover units to provide equipment protection. UL listed. Replaces Ace No. 31197. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266483	BP/SL-15	CD3	5	1.3	4.99



Plug Fuse

20 amp. 125 volt. Time delay loaded link rejection base plug fuse. Typical applications: small motor and inductive load circuits with high in-rush current levels. Used with box cover units to provide equipment protection. UL listed. Replaces Ace No. 31199. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266491	BP/SL-20	CD3	5	0.9	4.99



Plug Fuse

25 amp. 125 volt. Time delay loaded link rejection base plug fuse. Typical applications: small motor and inductive load circuits with high in-rush current levels. Threads prevent a larger amp fuse from being used. UL listed. Replaces Ace No. 3020393. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266509	BP/SL-25	CD3	5	0.9	4.99



Plug Fuse

30 amp. 125 volt. Time delay loaded link rejection base plug fuse. Typical applications: small motor and inductive load circuits used with box cover units to provide equipment protection. Tamper proof base with porcelain threads. Threads prevent a larger amp fuse from being used. UL listed. Replaces Ace No. 31576. Carded/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266517	BP/SL-30	CD3	5	0.9	4.99



Mini Breaker

Brass. UL listed. Carded.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31058	BP/MB-15	15	EA	1	0.2	9.99
31059	BP/MB-20	20	EA	1	0.1	9.99



Time Delay Fuse

10 amp. 250 volt. Fustron dual element time delay. Current limiting fuse Class RK5. Ferrule base. Size: 2"L x 9/16" diameter. Typical applications: power, panel boards, motor control centers, combination starters, machinery and disconnects. Replaces Ace No. 31069. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3263522	FRN-R-10	EA	10	0.1	6.99



Time Delay Fuse

15 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 2" x 9/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 31070. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3263613	FRN-R-15	EA	10	0.3	6.99



Time Delay Fuse

20 amp. 250 volt. Fusetron dual-element time- delay. Current limiting fuse Class RK5. Size: 2"L x 9/16" diameter. Ferrule base. Typical applications: power, panel boards, motor control centers, combination starters, machinery and disconnects. UL listed. Replaces Ace No. 31071. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3263621	FRN-R-20	EA	10	0.3	6.99



Time Delay Fuse

25 amp. Fuse length: 2" x 9/16" diameter. Time delay fuse for motor protection. Limited to 250 volt maximum. Ferrule base. UL listed (Class R). Replaces Ace No. 31072. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266095	FRN-R-25	EA	10	0.3	6.99



Time Delay Fuse

30 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 2" x 9/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 31073. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266103	FRN-R-30	EA	10	0.4	6.99



Time Delay Fuse

35 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 2" x 9/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 30557. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266129	FRN-R-35	EA	10	0.5	6.99



Time Delay Fuse

40 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 2" x 9/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 31074. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266145	FRN-R-40	EA	10	0.5	6.99



Time Delay Fuse

45 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 2" x 9/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 33284. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266160	FRN-R-45	EA	10	1.2	6.99



Time Delay Fuse

50 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 3" x 13/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 33285. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266178	FRN-R-50	EA	10	1.2	6.99



Time Delay Fuse

60 amp. 250 volt. Current limiting fuse class RK5. Fuse length: 2" x 9/16" diameter. Ferrule base. Typical applications: power panel boards, control centers, combination starters, machinery disconnects. UL listed. Replaces Ace No. 31075. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266186	FRN-R-60	EA	10	1.2	6.99



Time Delay Fuse

100 amp 250 volts. Full length 2" diameter 9/16". Knife blade construction. Typical applications: power, panel boards, motor control centers, combination starters, machinery and disconnects. UL listed. Replaces Ace No. 31076. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266202	FRN-R-100	EA	5	1.6	17.99



General Purpose Fuse

10 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. Typical applications: light duty circuit locations. Replaces Ace No. 31061. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266210	NON-10	EA	10	0.4	1.79



General Purpose Fuse

15 amp. 250 volt. One-time general purpose fuse. No time delay feature. Size: 2"L x 9/16" diameter. Ferrule construction. Non-current limiting Class K5. Typical applications: light duty circuit locations. UL listed. Replaces Ace No. 31062. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266236	NON-15	EA	10	0.4	1.79



General Purpose Fuse

20 amp. 250 volts. One time cartridge fuse. No time delay feature. Non-current limiting Class K5. Size: 2"L x 9/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31063. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266228	NON-20	EA	10	0.4	1.79



General Purpose Fuse

25 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. No time delay feature. Size: 2"L x 9/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31064.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266251	NON-25	EA	10	0.4	1.79



General Purpose Fuse

30 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. No time delay feature. Size 2"L x 9/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31065. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266277	NON-30	EA	10	0.4	1.79



General Purpose Fuse

35 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. No time delay feature. Size: 3"L x 13/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31679. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266301	NON-35	EA	10	1	2.49



General Purpose Fuse

40 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. No time delay feature. Size 3"L x 13/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No.31066. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266319	NON-40	EA	10	1	2.49



General Purpose Fuse

45 amp. 250 volt. One time cartridge fuse. No time delay feature. Size: 3"L x 13/16" diameter. Ferrule construction. Non-current limiting K5. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31680. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266327	NON-45	EA	10	1	2.49



General Purpose Fuse

50 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. No time delay feature. Size 3"L x 13/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31681. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266335	NON-50	EA	10	1	2.49



General Purpose Fuse

60 amp. 250 volt. One-time cartridge fuse. Non-current limiting Class K5. No time delay feature. Size: 3"L x 13/16" diameter. Ferrule construction. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31067. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266350	NON-60	EA	10	1	2.49



General Purpose Fuse

100 amp. 250 volt. One-time cartridge fuse. Non-time delay. Non-current limiting Class K5. Size: 5-7/8"L x 1/16" diameter. Knife blade. General purpose. Typical application: light duty circuit locations. UL listed. Replaces Ace No. 31068. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3266244	NON-100	EA	5	1.4	8.99



Electronic Equipment Fuse

1/4" x 1-1/4". 250 volt. Used for automotive/ electronic applications. Glass tube. Full color Carded. UL and CSA listed. Blister Card/5.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001443	BP/AGC-1/2	1/2	CD5	1	0.2	2.29
3001468	BP/AGC-1-1/2	1-1/2	CD5	1	0.1	2.29
3001492	BP/AGC-4	4	CD5	1	0.1	2.29



Electronic Equipment Fuse

Dimensions: 5mm x 20mm. Glass tube. Nickel plated brass end caps. Volts: 250 A/C (63mA-2.5A), 125 A/C (3.15-15A). UL listed. For electronic circuits. 5 amps. Card of 2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3174430	BP/GMA-5A	CD2	1	0.2	3.99



Fuse

1/4" x 1-1/4". 250 volts. Fast acting. Ceramic tube. Full color card/2. UL and CSA listed.



Stock No.	Mfr. No.	Amps	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001583	BP/ABC-10	10	CD2	1	0.3	3.99
32144	BP/ABC-15	15	CD2	1	0.1	3.99



Fuse Kit

1/4" x 1-1/4" fuses. Contains: 2-AGC 1 amp, 2-AGC 2 amp and-AGC 3 amp fuses. Used for CB radio, cordless phone, stereo speakers. Limits are 250 volts. Glass tube. UL listed. Card/5.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32142	HEF-1	CD5	1	0.2	3.99



Fuse Kit

5 x 20 time delay metric fuse. Contains: 1-MSL 1/2 amp, 1-MSL 1 amp, 1-MSL 1-1/2 amp, 1-GDC 1 amp, 1-GDC 2 amp fuses. Limits are 250 volts. Clear glass. Card/5. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32143	HEF-2	CD5	1	0.2	6.49



PVC Conduit Strap

2 hole. Non-corroding PVC. Enables secure fastening of plastic electrical conduit schedule 40 PVC, copper tubing, etc.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34484	GCC-120	For 1/2" Conduit	BG20	1	0.4	3.29
34485	GCC-220	For 3/4" Conduit	BG20	1	0.3	3.99
34486	GCC-310	For 1" Conduit	BG10	1	0.3	2.79
34487	GCC-410	For 1-1/4" Conduit	BG10	1	0.3	3.79
34488	GCC-510	For 1-1/2" Conduit	BG10	1	0.2	3.99
34489	GCC-610	For 2" Conduit	BG10	1	4.49	



Drive Strap Nail

Secures steel EMT conduit to wooden structure. Can be used in place of one or two hole straps. Stamped steel. Zinc plated finish.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181294	49609	3/4"	BG3	1	0.1	0.59
3183258	49600	1/2"	BG3	1	0.2	0.49



EMT Conduit Strap

Used for providing support for steel EMT conduit as required by the National Electric Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183241	47920	1/2"	Bag of 50	BG3	50	1.6	0.79
30377	55920-SA	1/2"	Box 100	BX100	1	2.6	0.29
3181088	49921	3/4"	Bag of 3	BG3	1	0.1	0.99
3181096	49922	1"	Each	EA	1	0.1	0.49
32927	49923	1-1/4"	Each	EA	1	0.2	0.69
32928	49924	1-1/2"	Each	EA	1	0.3	0.99
32929	49925	2"	Each	EA	1	0.4	0.99



Plastic Cable Clamp

Single hole. Black plastic. UV resistant. Secures wiring, tubing and cordage. The I.D. is determined by the size listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012499	PPC-1538UVB	3/8"	CD15	1	0.1	2.29
3012598	PPC-1550UVB	1/2"	CD12	1	0.1	2.29
3013000	PPC-1575UVB	3/4"	CD6	1	0.2	2.29



Plastic Cable Clamp

One hole. Secures wiring, tubing or cordage. The I.D. is determined by the size listed. White.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33033	PPC-1525	1/4"	CD18	1	0.2	1.99
33038	PPC-1538	3/8"	CD15	1	0.1	1.99
33039	PPC-1550	1/2"	CD12	1	0.1	1.99
3030269	PPC-1575	3/4"	CD6	1	0.3	1.99



EMT Conduit Strap

3/4". Used for providing support for steel EMT conduit where higher load bearing supports are desired as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181120	49821	BG3	25	1	1.29



EMT Conduit Strap



Used for providing support for steel EMT conduit where higher load bearing supports are desired as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed.

Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181112	47820	1/2"	Bag of 25	BG3	25	3	0.99
34952	51920A	1/2"	Box of 100	BX100	1	1.3	0.39
34953	51921	3/4"	Box of 50	EA	50	1.4	0.49
3036688	49823	1-1/4"	Each	EA	1	0.1	0.79
3036696	49824	1-1/2"	Each	EA	1	0.1	0.79
3036704	49825	2"	Each	EA	1	0.2	0.99



EMT Conduit Strap



1". Used for providing support for steel EMT conduit where higher load bearing supports are desired as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed. Bagged.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181138	49822	EA	1	0.1	0.49



Rigid Conduit Strap



Used for providing support for rigid or IMC conduit as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181153	47900	1/2"	BG3	25	3	0.69
3181187	49901	3/4"	BG3	20	3.8	0.79



Rigid Conduit Strap



Used for providing support for rigid or IMC conduit as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed. Bagged.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181195	49902	1"	EA	1	0.1	0.99
31812	49904	1-1/2"	EA	1	0.1	1.29



Rigid Conduit Strap



Used for providing support for rigid or IMC conduit as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed. Bulk.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31813	55905-S	2"	EA	1	0.2	1.29



Rigid Conduit Strap



Used for providing support for steel EMT conduit where higher load bearing supports are desired as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed. Bag/3.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181229	47830	1/2"	BG3	25	2.3	0.39
3181260	49831	3/4"	BG3	20	3	0.49



Rigid Conduit Strap



1". Used for providing support for steel EMT conduit where higher load bearing supports are desired as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3181278	49832	EA	1	0.1	0.59



Rigid Conduit Strap



Used for providing support for rigid or IMC conduit where higher load bearing supports are desired as required by the National Electrical Code. Click-on type. Made of stamped steel and zinc plated. UL and CSA listed.

Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3180403	49833	1-1/4"	EA	1	0.1	0.69
34950	49834	1-1/2"	EA	1	0.1	0.69
3180460	49835	2"	EA	1	0.1	0.79



BX Cable Strap



3/8". Supports runs of armored cable. Galvanized steel. Zinc plated finish. Bag/3.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3180494	47919	BG3	50	1.5	0.49



Kwik Clip

Ratcheting fastener adjusts to cables. Releasable. Adhesive back.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013422	GKK-1538	3/8"	CD6	1	0.3	3.79
3013430	GKK-1550	1/2"	CD4	1	0.2	3.79
3013448	GKK-1575	3/4"	CD2	1	0.1	3.79



Velcro Fastener

Reusable Velcro strip fastens wires and cables. Cinch tab allows attachment to cord or cable. Peggable polybag of 3.



Stock No.	Mfr. No.	Length	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3091949	45-V8BKW	8"	Black	BG5	1	0.1	4.49
3091972	45-V11BKW	11"	Black	BG5	1	0.1	5.49



Cable Ties

4" long. 18 lb. tensile strength. Bundle dia: 1/16" to 3/4". White nylon. Self locking.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30915	45-104	Bag of 40	BG40	1	0.1	2.29
3001773	46-104	Bag of 100	BG100	1	0.1	3.49



Cable Ties

5.50" long. 30 lb. tensile strength. Double Lock increases holding strength by 50%. Bundle dia: 1/16" to 1-1/4". White nylon. Self locking. Bag/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003886	46-206	BG100	1	0.2	5.49



Cable Ties

White. 8"L x .19"W. Bundle dia: 1/16" to 1-3/4". 75 lb. tensile strength. Nylon self locking.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30923	45-308	BG20	1	0.1	2.29



Cable Ties

7"L x .19"W. Bundle diameter: 1/16" to 1-3/4". 50 lb. tensile strength. Nylon self locking. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34802	46-308	BG100	1	0.3	4.99



Cable Ties

10.75"L x .19"W. Bundle diameter: 1/16" to 2-3/4". 50 lb. tensile strength. Black nylon. Self locking. Bag/12.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30924	45-312	BG12	1	0.3	2.29



Cable Ties

10.75" x .22". 50 lb. tensile strength. Bundle diameter 1/16" to 3". White nylon. Self locking. Polybag/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34803	46-310	BG100	1	0.4	10.49



Cable Ties

14" Long. 50 lb. tensile strength. Bundle dia: 1/16" to 4". White nylon. Self locking.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34801	45-315	BG8	1	0.1	1.79



Cable Ties

14" Long. 50 lb. tensile strength. Bundle dia: 1/16" to 4". White nylon. Self locking.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001781	46-315	BG100	1	0.8	11.99



Cable Ties

4"L x .10". 18 lb. tensile strength. Bundle dia: 1/16" to 3/4". UV resistant black nylon. Self locking.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34804	45-104UVB	Bag of 30	BG30	1	0.1	2.49
3001799	46-104UVB	Bag of 100	BG100	1	0.2	3.99



Cable Ties

8"L x .17". 75 lb. tensile strength. Bundle diameter: 1/16" to 2". UV resistant black nylon. Self locking.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34805	45-308UVB	Bag of 15	BG15	1	0.2	2.29
3001807	46-308UVB	Bag of 100	BG100	1	0.3	7.99



Cable Ties

10.75"L x .19"W. 75 lb. tensile strength. Bundle diameter: 1/16" to 3/4". UV resistant black nylon. Self locking.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34806	45-312UVB	Bag of 8	BG8	1	0.1	2.29
3001815	46-310UVB	Bag of 100	BG100	1	0.4	11.49



Cable Ties

75 pound tensile strength. Bundle diameter: 1/16" to 4". UV resistant black nylon. Self locking. Bagged/8. Peggable bag.



Stock No.	Mfr. No.	Description	Length	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001823	46-315UVB	Bag of 100	14"	BG100	1	0.4	13.49
34807	45-315UVB	Bag of 8	15.12"	BG8	1	0.1	1.99



Colored Cable Tie Assortment

Colors: yellow, pink, green orange, blue. 8"long. 75 Lb. tensile strength. Flame retardant 6/6 nylon. Bag/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3029741	46-308FST	BG100	1	0.3	6.49



Colored Cable Tie Assortment

7"L x .19"W. 1/16" to 2" bundle diameter. Contains 20 each of: red, yellow, orange, gray, green and blue. Bag/120.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012275	46-ACL	BG120	1	0.4	9.49



Cable Tie Assortment

For home, garden, automotive, marine or electrical. Includes: 100 - 4" assorted color 18 lb. tensile 100 - 4" natural 18 lb. tensile 100 - 6" natural 45 lb. tensile 50 - 8" assorted color 75 lb. tensile 150 - 8" natural 75 lb. tensile. Industrial grade 6/6 nylon. MIL spec approved. Plastic jar.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3065570	50398	EA	1	1.3	9.99



Releasable Cable Ties

8"L x 20"W. Bundle diameter: 1/16"-2-1/8". 50 Lb. tensile strength. Releasable/reusable. White nylon. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3007820	47-108	BG25	1	0.1	4.79



Cable Ties

8"L x 20"W. Bundle diameter: 1/16"-2-1/8". 50 Lb. tensile strength. Releasable/reusable. Black nylon. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3010014	47-108UVB	BG25	1	0.1	4.79



Mounting Cable Ties

8" long. 1/16" to 2" bundle. Mountable with screw or nail. White nylon. Meets UL94 and E145205.



Stock No.	Mfr. No.	Tensile Strength	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3030160	45-308MT	50 lb.	BG20	1	0.1	2.99
31862	48-308	75 lb.	BG100	1	0.8	10.49



Mounting Cable Ties

8" long. 1/16" to 2" bundle size. Mountable with screw or nail. 50 lb. tensile strength. Black nylon. UV resistant. Meets UL94VZ and E145205.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3030178	45-308MTUVB	Bag of 15	BG15	1	0.1	2.99
32199	48-308UVB	Bag of 100	BG100	1	0.2	10.99



Mounting Cable Tie Base

For all self-locking cable ties. Adhesive backing. Nylon. With screw holes. Bag/5.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34808	45-MB	White	BG5	1	0.1	2.29
34809	45-MBUVB	Black	BG5	1	0.1	2.29



Split Flex Tubing

Protects and organizes wire and cables. Corrugated, slit. Slip on. Cuts with scissors. Can be used on automobiles, boats, computer cables, entertainment systems, video games, etc. Bagged.



Stock No.	Mfr. No.	Size	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3194578	KITBAG038-BLK	3/8" x 10'	Black	EA	1	0.2	4.99
3194545	KITBAG012-BLK	1/2" x 8'	Black	EA	1	0.2	5.49



Stick-On Plastic Wire Clips

Fastens small wires along walls and baseboards without nails. 5/16" diameter. Card/10.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3030228	GWC-1510	CD10	1	0.1	3.99



Plastic Staple

Secure Romex/UF/ and other NM cable. Secures No. 14 and No. 12 conductors. 1/2". Fast and easy way to install both zinc plated nails drive together without splitting wood. Nail heads are recessed for minimum exposure. Smooth saddles prevent damage to insulation. UV-resistant polyethylene saddles will not rust, rot or deteriorate. Bagged/250.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013307	PS-1550	Card/15	CD15	1	0.2	1.99
30380	PS-50	Bag/50	BG50	10	3	2.79



Plastic Staple

3/4". Secures Romex/UF and other NM cable. Secures #12 and # 10 conductors. Zinc plated nails. Recessed nail heads. Smooth saddles prevent damage to insulation.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013315	PS-1575	Card/15	CD15	1	0.2	2.29
30381	PS-75	Bag/50	BG50	10	3	3.29



Plastic Coaxial Staple

Single nail staple. Secures RG-49- Rg-59 and RG-6 coaxial cable. Fastens bell wire, audio cord, SPT cord, thermostat wire. 3/16".



Stock No.	Mfr. No.	Description	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013380	PSB-1600	Card/25	Black	CD25	1	0.1	2.29
3013398	PSW-1600	Card/25	White	CD25	1	0.1	2.29



Plastic Coaxial Staple

Single nail. 1/4" round opening. Use for securing RG-6, RG-49, and RG-59 coaxial cables.



Stock No.	Mfr. No.	Description	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013372	PSW-1650	Card/25	White	CD25	1	0.4	2.99
3013349	PSW-165	Card/50	White	CD50	1	0.2	3.99
3013356	PSB-165	Card/50	Black	CD50	1	0.3	3.99



Plastic Coaxial Staple

7/16" inside diameter. Single nail. Use for multiple phone cable and SJ wire. Gray. Card/15.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3030186	PSG-15	CD15	1	0.3	2.29



Plastic Coaxial Staple

Use for securing RG-49, RG-59 and RG-6 coaxial cables. For mounting to wood surfaces inside or outside. Clip-on feature allows for hands free installation. UV resistant polyethylene saddle. Zinc plated nail resists rust. Black.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3168812	PCC-1525	Card/25	EA	1	0.1	2.79



Plastic Masonry Coaxial Staple

Use for securing RG-49, RG-59 and RG-6 coaxial cables. For mounting to cement block, mortar or plaster surfaces. UV resistant polyethylene saddle. Zinc plated nail resists rust. Black.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3093382	PCS-1525	Card/25	CD25	1	0.2	4.49



Plastic Masonry Coaxial Staple

Use for securing RG-49, RG-59 and RG-6 coaxial cables. For mounting to cement block, mortar or plaster surfaces. Clip-on feature allows for hands free installation. UV resistant polyethylene saddle. Zinc plated nail resists rust. Black.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3168820	PCS-1600	Card/25	EA	1	0.1	3.29



Data Cable Staple

Secures RJ-11, RJ-12, RJ-45, CAT3 and CAT5 wire. Designed to cradle the cable without pinching to allow for full data flow speed. For mounting to wood surfaces. UV resistant polyethylene saddle. Zinc plated nail resists rust. Blue.




Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3168788	PTP-25	Card/25	EA	1	0.1	2.79



Category 3 & 5 Masonry Staple

Secures RJ-11, RJ-12, RJ-45, CAT3 and CAT5 wire. Designed to cradle the cable without pinching to allow for full data flow speed. For mounting to masonry surfaces. UV resistant polyethylene saddle. Zinc plated nail resists rust. Blue.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3168796	PTM-25	Card/25	EA	1	0.1	2.99



Double Coaxial Staple

Secure multiple RG-6, RG-6 quad shield, RG-59, and RG-59 quad shield coaxial cables. For mounting to wood or masonry surfaces inside or outside. Dual design for securing pairs of coaxial cable. Clip-on feature allows for hands free installation. UV resistant polyethylene saddle. Zinc plated nail resists rust. Black.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3168846	PDS-1525B	Card/25	EA	1	0.1	2.99



Plastic Coaxial Roofing Staple

Use for securing RG-6, RG-6 quad shield, RG-59, and RG-59 quad shield coaxial cables. Long nails accommodate roofing applications. Used for inside and outside applications. Dual design for securing pairs of coaxial cable. Clip-on feature allows for hands free installation. UV resistant polyethylene saddle. Zinc plated nail resists rust. Black.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3168861	PSR-25	Card/25	EA	1	0.1	3.99



Plastic Kwik Mount Staple

Single nail. Two sided wire mount. "Butterfly" design. Allows wire to be removed. Use for: telephone cable, outdoor holiday lighting, extension cords, bell wire, thermostat wire.



Stock No.	Mfr. No.	Description	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038726	PWS-1525	Card/25	White	CD25	1	0.3	2.49



Insulated Metal Staple

1/2" width. Used for: 14 and 12 AWG 2 conductor NM and UF cable. Chisel points. Flat recessed head. Plastic cable insulator.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038502	MSI-1525	Card of 15	CD15	1	0.1	1.79



Metal Wire Staple

1/2" x 1". Secures 14/2, 12/2, 10/2 NM. Chisel points. Flat recessed head.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30382	MS-150	Box of 100	BX100	10	6	2.29



Metal Wire Staple

9/16" x 1-1/4". Secures 14/3, 12/3, 10/3 NM. Chisel points. Flat recessed head.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30383	MS-175	Box of 100	BX100	1	0.8	2.79



Heat Shrink Tubing

Shrinks to fit one-half its diameter. For insulating wires, repair cords, cover tool handles, make rope loops and cord ends. Black polyolefin. UL and CSA listed.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34376	HST-093	3/32"	Card/8	CD8	1	0.1	2.79
34377	HST-125	1/8"	Card/7	CD7	1	0.1	2.79
34378	HST-187	3/16"	Card/8	CD8	1	0.1	2.79
34379	HST-250	1/4"	Card/6	CD6	1	0.1	2.79
34891	HST-375	3/8"	Card/3	CD3	1	0.1	2.79
34892	HST-500	1/2"	Card/3	CD3	1	0.1	2.79
3012234	HST-750	3/8"	Card/2	CD2	1	0.1	2.79
3012242	HST-999	1/2"	Card/2	CD2	1	0.1	2.79



Heat Shrink Tubing Assortment

Shrinks to fit one-half its diameter. For insulating wires, repair cords, cover tool handles, make rope loops and cord ends. Black polyolefin. 4 of 1/8", 2 of 3/16" and 1/4". Carded. UL and CSA listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34380	HST-AST	CD8	1	0.1	2.79



Underground UF Splice Kit

Minimum #14/3, #12/2. Maximum #8/3. Provides a waterproof permanently sealed connection. Kit includes: Setscrew splice connector and one 8" x 1.3" diameter heavy wall polyolefin heat shrink tubing for UF cable. Polybag.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34502	HST-1300	EA	1	0.3	12.49



Circuit Breaker Panel Markers

90 assorted strips for identification of circuit breaker boxes. Adhesive backed. Zip lock bag.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003829	42-ALPHA	EA	1	0.1	4.29



Wire Marker Booklet

Book of 450 markers. Adhesive backed cloth. Contains: numbers 1-90, letters A-Z, symbols +, -, I, -0. Peggable bag.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3030251	42-035	EA	1	0.3	10.99



Wire Connector Assortment

Reusable Zip-Lock bag. 25 assorted connectors: qty. 3 #22-#16 AWG (gray), qty. 4 #22-#16 AWG (blue), qty. 6 #22-#14 AWG (orange), qty. 6 #18-#10 AWG (yellow). UL listed. Bag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3008836	25AWC	BG25	1	0.3	2.99



Wire Connector Assortment

Twist-on. Assorted sizes: qty. 2 #22- #16 AWG (gray), qty. 2 #22-#14 AWG (orange), qty. 3 #18-#10 AWG (yellow), qty. 2 #18-#10 AWG (red). UL listed. Card/9.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34923	19-AWC	CD9	1	0.3	1.79



Wire Connector

Twist-on. Small gray #GB-1. 22-16 AWG. 2 #16 maximum. Copper to copper applications only. UL listed. Carded/14.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021896	19-001	CD14	1	0.1	1.49



Wire Connector

Twist-on. Small Blue #GB-2. 22-16 AWG. 3 #16 maximum. Copper to copper application only. UL listed. Carded/14.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021904	19-002	CD14	1	0.1	1.79



Wire Connector

Twist-on. Orange #GB-3. 22-14 AWG. 4 #16 W/1 #20 maximum. Copper to copper application only. UL listed. Carded/12.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3021920	19-003	CD12	1	0.1	1.49



Wire Connector

Twist-on. Yellow #GB-4. 18-10 AWG. 4 #14 maximum. Copper to copper applications only. UL listed. Carded/9.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3022035	19-004	CD9	1	0.1	1.49



Wire Connector

Twist-on. Red #GB-3. 18-10 AWG. Copper to copper applications only. UL listed. Carded/6.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3022043	19-006	CD6	1	0.2	1.49



Wire Connector

Twist-on. Small Gray #GB-1. 22-16 AWG. 2 #16 maximum. Copper to copper applications only. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34918	25-001	BG25	1	0.1	2.79



Wire Connector

Twist-on. Small Blue #GB-2. 16-22 AWG. Copper to copper applications only. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34919	25-002	BG25	1	0.1	2.79



Wire Connector

Twist-on. Orange #GB-3. 22-14 AWG. 4 #16 W/1 #20 maximum. Copper to copper applications only. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34920	25-003	BG25	1	0.1	2.99



Wire Connector

Twist-on. Yellow #GB-4. 18-10 AWG. Copper to copper applications only. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34921	25-004	BG25	1	0.1	3.49



Wire Connector

Twist-on. Red #GB-3. 18-10 AWG. Copper to copper applications only. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34922	25-006	BG25	1	0.2	3.79



Wire Connector

Miniature size. Joins #22 through #16 AWG solid or stranded copper wire. Wire ranges: Min. 3 #22 up to 2 #16. 300 volt maximum. Heat resistant to 105°C (221°F). Gray. UL and CSA listed. Box/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31981	10-001	BX100	1	0.3	4.99



Wire Connector

Very small size. Joins #22 through #14 AWG solid or stranded copper wire. Wire ranges: 3 #22 up to 1 #14 w/1 #16. 300 volt maximum. Heat resistant to 105°C (221°F). Blue. UL and CSA listed. Box/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33337	10-002	BX100	1	0.2	5.99



Wire Connector

Small size. Joins #18 through #14 AWG solid or stranded copper wire. Wire ranges: Min. 1 #18 w/1 #20 up to 2 #14. 600 volt maximum. Heat resistant to 105°C (221°F). Orange. UL and CSA listed. Box/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30994	10-003	BX100	1	0.3	6.99



Wire Connector

Medium size. 18-10 AWG. Wire ranges: Min. 4 #16 w/1 #18 up to maximum 2 #12. 600 volt maximum. Heat resistant to 105°C (221°F). Yellow. UL and CSA listed. Box/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30995	10-004	BX100	1	0.5	7.49



Wire Connector

Large size. Joins #14 through #10 AWG solid or stranded copper wire. Wire ranges: Min. 6 #14 up to maximum 2 #10 w/2 #12. 600 volt maximum. Heat resistant to 105°C (221°F). Red. UL and CSA listed. Box/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30996	10-006	BX100	1	0.8	11.99



Wire Connector

Silicone filled. 1-5/16" x 7/16". Maximum 600 volts, 1000 volts in fixtures and signs. 221°F/105°C rating. Min. 3 No. 22 ga wires. Maximum 2 No. 14 ga wires. Replaces heat shrink electrical tape, waterproofing and electrical kits. Aqua blue/orange. UL 50 letter and CSA approved. Card/6.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3121415	62110	CD6	1	0.2	3.49



Wire Connector

Silicone filled. 1-5/16" x 5/8". Maximum 600 volts, 1000 volts in fixtures and signs. 221°F/105°C rating. Min. 6 No. 22, maximum 4 No. 12 wires. Replaces heat shrink and electrical tape. Aqua blue/red. UL 50 letter and CSA approved. Card/5.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3121423	62210	CD5	1	0.2	3.49



Wire Connector

Silicone filled. 1-9/16" x 13/16". Maximum 600 volts, 1000 volts in fixtures and signs. 221°F/105°C rating. Min. 4 No. 14 ga wires. Maximum 2 No. 6 with 1 No. 12 ga wires. Replaces heat shrink electrical tape, waterproofing and electrical kits. Aqua blue/dark blue. UL 50 letter and CSA approved. Card/3.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3121431	62310	CD3	1	0.4	3.49



Wire Connector

2" x 13/16". Maximum 600 volts, 1000 volts in fixtures and signs. 167°F/75°C temperature rating. Minimum 3 No. 22. Maximum 4 No. 12 or 3 No. 10. Silicone sealant locks out moisture and air. Underground. No junction box needed. Light blue. UL listed/CSA approved. Card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3121639	10600	CD2	1	0.2	3.99



Wire Connector

2" x 13/16" outside diameter. Up to 30 volts. For spliced wires below grade for irrigation systems and low voltage lighting. Application range - 20° to 150°F. maximum storage. Only sparkproof, waterproof, silicone filled wire connector. Silicone prevents corrosion and sparking. Tan finish. UL listed and CSA approved. Card/4.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36193	20101	CD4	1	0.2	3.49



Wire Connector

For copper to copper wire connections only. Wing design allows for firm manual installation. Hex head allows for automatic installation with 7/16" socket. Use with #14 AWG to #6 AWG, minimum: three #14 AWG, maximum: one #6 and one #8. 600 volt maximum rating, 1000 volt maximum rating in lighting fixtures and signs. Square wire spring for better hold. Long skirt covers stripped wire for better protection. Gray. UL and CSA listed.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34926	19-2H2	Card of 3	CD3	1	0.1	1.79
3022233	25-2H2	Bag of 15	BG15	1	0.3	3.49
30961	10-2H2	Box of 50	BX50	1	0.6	8.99



Wire Connector

Knurled wings for surer grip. Twist-on. Copper to copper application only. Joins #22 to #10 AWG solid or stranded copper wire. Wire ranges: min 2 #18 up to 3 #12. Yellow. Card/6.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34924	19-084	CD6	1	0.2	1.49



Wire Connector

Knurled wings for surer grip. Twist-on. Copper to copper application only. Joins #18 to #10 AWG solid or stranded copper wire. Wire ranges: min 2 #14 up to 5 #12. Red. Card/6.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34925	19-086	CD6	1	0.3	1.79



Wire Connector

Knurled wings for surer grip. Twist-on. Copper to copper application only. 14-6 AWG. Wire ranges: min 1 #10 w/1 #12, max 1 #6 stranded w/2 #8 stranded. Blue. Card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3022068	19-089	CD2	1	0.2	1.49



Grounding Wire Connector

Twist-on. Connector has hole in the tip for ground wire. Solid copper to copper connections only. 14-10 AWG. Wire ranges: min 2 #14 up to 4 #12. Green. UL listed. Card/6.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34927	19-095	CD6	1	0.1	2.29



Wire Connector

Small/Medium. 22-10 AWG. Wire ranges: min 2 #18 up to 3 #12, strip wire 1/2". 600 volt maximum. Heat resistant to 150°C (221°F). Yellow. UL and CSA listed.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001732	25-084	Bag/25	BG25	1	0.3	2.79
30958	10-084	Box/100	BX100	1	0.3	8.99



Wire Connector

Twist-on. Red #GB6. 18-10 AWG. Copper to copper applications only. UL listed. Polybag/25.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001740	25-086	BG25	1	0.2	3.99



Wire Connector

Twist-on. Large blue #89. 8-10 AWG. Copper to copper applications only. UL listed. Polybag/10.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3022241	25-089	BG10	1	0.3	4.99



Wire Connector

Medium. 18-10 AWG. Wire ranges: min 2 #14 up to 5 #12 or 3 #10 and strip wire 9/16". 600 volt maximum. Heat resistant to 105°C (221°F). Red. UL and CSA listed.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30960	10-086	Box/100	BX100	1	0.8	11.99



Wire Connector

14-6 AWG. Wire range: min 1 #10 w/1 #12 up to 2 #6 including 6 #12 or 3 #8 or 5 #10. Stripes wire 7/8". 600 volt maximum. Heat resistant to 105°C (221°F). Extra large. UL listed and CSA approved. Blue. Box/50.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30972	10-089	BX50	1	1	13.99



Grounding Connector

14-10 AWG solid. Copper wire in grounding connections only. UL listed and CSA approved. Box/100.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32522	10-095	BX100	1	0.8	13.99



Wire Connector

Wing guard. Twist-on. Assorted sizes: qty. 2 #18- #10 AWG (yellow), qty. 2 #18- #10 AWG (red), qty. 1 #22-#16 AWG (gray). Copper to copper applications only. Card/5.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3022159	19-AWW	CD5	1	0.1	1.79



Ring Terminal

2-18 AWG. Vinyl insulated. Tin plated copper for corrosion resistance. Resistance to sunlight, chemicals and vibration. 2Red. UL listed. CSA approved.



Stock No.	Mfr. No.	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34538	34538	8-10	PK10	1	0.1	2.79
34537	34537	4-6	PK10	1	0.1	2.79



Ring Terminal

16-14 AWG. Vinyl insulated. Tin plated copper for corrosion resistance. Resistance to sunlight, chemicals and vibration. Blue. UL listed. CSA approved.



Stock No.	Mfr. No.	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015443	3015443	1/4"-5/16"	PK7	1	0.1	2.79
34540	34540	4-6	PK10	1	0.2	2.79
34541	34541	8-10	PK10	10	0.8	2.79



Ring Terminal

12-15 AWG. Vinyl insulated. Tin plated copper for corrosion resistance. Resistance to sunlight, chemicals and vibration. Stud size: 7/16". Yellow. UL listed. CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015476	3015476	PK5	1	0.1	2.79



Ring Terminal

12-10 AWG. Vinyl insulated. Tin plated copper for corrosion resistance. Resistance to sunlight, chemicals and vibration. Yellow. UL listed. CSA approved.



Stock No.	Mfr. No.	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34548	34548	12 to 1/4"	PK7	10	0.9	2.79
34546	34546	1/4"-3/8"	PK7	10	0.8	2.79
34544	34544	8-10	PK8	10	0.8	2.79



Closed End Connector

Use with solid or stranded copper wire. Tin-plated seamless copper crimp sleeve. Fully insulated nylon. Vibration, corrosion, and chemical resistant. Clear/white. UL listed. CSA approved.



Stock No.	Mfr. No.	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34568	34568	22-14	PK10	1	0.1	2.79
34569	34569	16-10	PK10	1	0.1	2.79
3015534	3015534	22-14	PK100	1	0.3	10.49
3015542	3015542	16-10	PK50	1	0.3	10.49



Tap Splice Connector

Insulation displacement connector. For snap-in low voltage wire without prior stripping. Vinyl with tin plated copper inserts. Temperature rating 75 degree C. Red. UL listed. CSA approved.



Stock No.	Mfr. No.	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34567	34567	22-18	PK6	1	0.1	2.79
34566	34566	18-14	PK6	10	0.8	2.79



Snap Plug Connector

Vinyl insulated tin plated copper pin. Temperature rating 105 degree C. UL listed. CSA approved. 22-18 AWG. 156 pin size. Red.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34564	34564	PK6	1	0.1	2.79



Snap Plug Connector

Vinyl insulated tin plated copper pin. Temperature rating 105 degree C. UL listed. CSA approved. 16-14 AWG. 156 pin size. Blue.




Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34565	34565	PK6	10	1	2.79



Male Disconnect

Wire gauge: 22-18. Vinyl insulated tin plated copper pin. Temperature rating 75 degree C. UL listed. Red. CSA approved. .187 Tab.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015401	3015401	PK10	1	0.1	2.79



Female Disconnect

Wire gauge: 12-10. Vinyl insulated tin plated copper pin. Temperature rating 75 degree C. UL listed. Yellow. CSA approved. .250 tab size.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33645	33645	PK8	1	0.1	2.79



Female Disconnect

Vinyl insulated tin plated copper tab. Temperature rating 75 degree C. UL listed. CSA approved. .250 tab size.




Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34519	34519	Red	22-18	PK10	10	0.6	2.79
34521	34521	Blue	16-14	PK10	10	0.8	2.79
33643	33643	Yellow	12-10	PK8	10	0.8	2.79



Female Disconnect

Wire gauge: 22-18. Nylon insulated tin plated copper tab.
Temperature rating 75 degree C. UL listed. Blue. CSA approved.
.187 tab size.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015393	3015393	PK10	10	0.5	2.79



Male Disconnect

Vinyl insulated tin plated copper pin. Temperature rating 75 degree C. UL listed. CSA approved. .250 tab size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34527	34527	Yellow	22-18	PK10	1	0.3	2.79
34529	34529	Blue	16-14	PK10	1	0.2	2.79



Ring Terminal

Tin plated copper for corrosion resistance. Vinyl insulated.
Resistance to sunlight, chemicals and vibration. UL listed.
CSA approved.



Stock No.	Mfr. No.	Color	Wire Gauge	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34539	34539	Red	22-18	8-10	PK100	1	0.1	9.99
34542	34542	Blue	16-14	8-10	PK100	1	0.3	9.99
3015435	3015435	Blue	16-14	12 to 1/4"	PK100	1	0.4	9.99
34547	34547	Yellow	12-10	1/4"-3/8"	PK50	1	0.3	9.99
34545	34545	Yellow	12-10	8-10	PK50	1	0.3	9.99
3015450	3015450	Yellow	12-10	1/4"-3/8"	PK50	1	0.2	9.99



Tap Splice Connector

Insulation displacement connector. For snap-in low voltage wire without prior stripping. Vinyl with tin plated copper inserts. Temperature rating 75 degree C. UL listed. CSA approved. Clamshell.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3015526	3015526	Blue	18-14	PK25	1	0.3	5.99



Snap Plug Connectors

Vinyl insulated tin plated copper pin. Temperature rating 105 degree C. UL listed. CSA approved. 156 pin size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34705	34705	Red	22-18	PK100	1	0.3	12.49
34706	34706	Blue	16-14	PK100	1	0.4	12.49



Snap Plug Receptacles

Vinyl insulated tin plated copper pin. Temperature rating 105 degree C. UL listed. CSA approved. 156 pin size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34533	34533	Red	22-18	PK6	1	0.2	2.79
34535	34535	Blue	16-14	PK6	1	0.2	2.79
34534	34534	Red	22-18	PK50	1	0.3	9.99
34536	34536	Blue	16-14	PK50	1	0.3	9.99



Male Disconnect

Vinyl insulated tin plated copper pin. Temperature rating 105 degree C. UL listed. CSA approved. .250 tab size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34528	34528	Red	22-18	PK100	1	0.3	9.99
34530	34530	Blue	16-14	PK100	1	0.3	9.99



Female Disconnect

Vinyl insulated tin plated copper pin. Temperature rating 105 degree C. UL listed. CSA approved. .250 tab size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33646	33646	Yellow	12-10	PK50	1	0.3	9.99
34520	34520	Red	22-10	PK100	1	0.1	9.99
34522	34522	Blue	16-14	PK100	1	0.3	9.99
33644	33644	Yellow	12-10	PK50	1	0.3	9.99



Male Disconnect

Nylon insulated tin plated copper tab. Temperature rating 75 degree C. UL listed. CSA approved. .250 tab size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34531	34531	Red	22-18	PK6	1	0.5	2.79
34532	34532	Blue	16-14	PK6	10	0.8	2.79
33649	33649	Yellow	12-10	PK4	1	0.1	2.79
34703	34703	Red	22-18	PK50	1	0.3	9.99
34704	34704	Blue	16-14	PK50	1	0.4	9.99
33650	33650	Yellow	12-10	PK50	1	0.3	9.99



Female Disconnect

Nylon insulated tin plated copper tab. Temperature rating 75 degree C. UL listed. CSA approved. .250 tab size.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34525	34525	Red	22-18	PK6	10	0.3	2.79
34523	34523	Blue	16-14	PK6	10	0.4	2.79
33647	33647	Yellow	12-10	PK4	10	0.4	2.79
34526	34526	Red	22-18	PK100	1	0.2	12.49
34524	34524	Blue	16-14	PK100	1	0.3	9.99
33648	33648	Yellow	12-10	PK50	1	0.4	9.99



Butt Splice Connector

Wire gauge: 16-14. Tin plated copper for corrosion resistance. Vinyl insulated. Resistance to sunlight, chemicals and vibration. Blue. UL listed. CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3011236	3011236	PK4	10	0.4	4.29



Butt Splice Connector

Tin plated copper for corrosion resistance. Vinyl insulated. Heat shrinkable for water resistant seal. UL listed. CSA approved.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3011244	3011244	12-10 AWG	PK3	1	0.1	4.29



Butt Splice Connector

Wire gauge: 22-18. Tin plated copper for corrosion resistance. Vinyl insulated. Resistance to sunlight, chemicals and vibration. Heat shrink. Red. UL listed. CSA approved.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3010964	3010964	PK4	1	0.1	4.79



Spade Terminal

Tin plated copper for corrosion resistance. Vinyl insulated. Resistance to sunlight, chemicals and vibration. UL listed. CSA approved.



Stock No.	Mfr. No.	Color	Wire Gauge	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34549	34549	Red	22-18	4-6	PK10	1	0.2	2.49
34552	34552	Blue	16-14	4-6	PK10	1	0.2	2.99
34550	34550	Red	22-18	4-6	PK100	1	0.3	9.99
34553	34553	Blue	16-14	4-6	PK100	1	0.2	9.99



Butt Splice Connector

Tin plated copper for corrosion resistance. Vinyl insulated. Resistance to sunlight, chemicals and vibration. UL listed. CSA approved.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34558	34558	Red	22-18	PK10	10	0.6	2.49
34560	34560	Blue	16-14	PK10	10	0.8	2.49
34561	34561	Blue	16-14	CL100	1	0.4	12.99
34562	34562	Yellow	12-10	PK8	10	0.8	2.49
34563	34563	Yellow	12-10	PK50	1	0.3	12.99



Spade Terminal

8-10 stud size. Tin plated copper for corrosion resistance. Vinyl insulated. Resistance to sunlight, chemicals and vibration. UL listed. CSA approved.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34551	34551	Red	22-18	PK10	1	0.1	2.29
34554	34554	Blue	16-14	PK10	1	0.1	2.29
34556	34556	Yellow	12-10	PK8	1	0.2	2.29
34555	34555	Blue	16-14	PK100	5	1.8	9.99
34557	34557	Yellow	12-10	PK50	1	0.3	9.99



Terminal & Connector Kit

175 pieces total. Terminals sized 10 to 22 AWG. Includes: 76 ring terminals, 34 spade terminals, 43 insulated disconnects, 27 butt splice connectors, and 18 compartment recloseable carry-in case. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3036936	3036936	KIT180	1	1	22.99



Ring Terminal

Nylon insulation for resistance to sunlight, water, oil, chemicals and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. Yellow. UL listed.



Stock No.	Mfr. No.	Wire Gauge	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196797	AMT-106	12-10	8	PK3	1	0.1	4.79
3196813	AMT-108	12-10	1/4	PK3	1	0.1	4.79



Ring Terminal

Wire gauge: 22-18. Stud size: 10. Nylon insulation for resistance to sunlight, water, oil, chemicals and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. Red. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196763	AMT-100	PK3	1	0.1	4.79



Ring Terminal

Wire gauge: 16-14. Stud size: 8. Nylon insulation for resistance to sunlight, water, oil, chemicals and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. Blue. UL listed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196771	AMT-103	PK3	1	0.1	4.79



Spade Terminal

Stud size: No. 8. Nylon insulation for resistance to sunlight, water, oil, chemicals and vibration.

Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. UL listed.



Stock No.	Mfr. No.	Color	Wire Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196821	AMT-110	Red	22-18	PK3	1	0.1	4.49
3196839	AMT-113	Blue	16-14	PK3	1	0.1	4.49
3196854	AMT-116	Yellow	12-10	PK3	1	0.1	4.49



Butt Splice Connector

Wire gauge: 22-18. Nylon insulation for resistance to sunlight, water, oil, chemicals, and vibration.

Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. Red. UL listed.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196870	AMT-120	Clamshell/Packed 3	PK3	1	0.1	4.49
3196888	AMT-121	Clamshell/Packed 25	PK25	1	0.2	11.49



Butt Splice Connector

16-14 AWG. Nylon insulation for resistance to sunlight, water, oil, chemicals, and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. UL listed. Blue.



16-14 AWG. Nylon insulation for resistance to sunlight, water, oil, chemicals, and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. UL listed. Blue.

Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196896	AMT-123	Clamshell/Packed 3	PK3	1	0.1	4.49
3196904	AMT-124	Clamshell/Packed 25	PK25	1	0.2	11.49



Butt Splice

12-10 AWG. Nylon insulation for resistance to sunlight, water, oil, chemicals, and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. UL listed. Yellow.



12-10 AWG. Nylon insulation for resistance to sunlight, water, oil, chemicals, and vibration. Adhesive lined heat shrink sleeve for water tight seal. Tin plated copper for corrosion resistance. Blazed seam for maximum strength. UL listed. Yellow.

Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196912	AMT-126	Clamshell/Packed 3	PK3	1	0.1	4.49
3196920	AMT-127	Clamshell/Packed 25	PK25	1	0.2	11.49



Heavy Duty Lug

Funneled entry. Tin plated copper for corrosion resistance. Seamless barrel for maximum strength when crimped. UL listed. Clamshell.



Stock No.	Mfr. No.	Wire Gauge	Stud Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3196938	AML-200	6	1/4"	PK2	1	0.1	8.99
3196946	AML-201	6	5/16"	PK2	1	0.1	8.99
3196953	AML-202	6	3/8"	PK2	1	0.1	8.99
3197027	AML-203	4	5/16"	PK2	1	0.1	8.99
3197043	AML-204	4	3/8"	PK2	1	0.1	8.99
3197050	AML-205	2	5/16"	PK2	1	0.1	8.99
3197068	AML-206	2	3/8"	PK2	1	0.1	8.99
3197076	AML-207	1/0	3/8"	PK2	1	0.1	8.99



Alligator Clip

22-14 AWG. For home, auto and marine. English and Spanish. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32901	14-075	1-1/4"	CD4	10	0.4	1.99
31007	14-076	2"	CD4	10	0.6	2.49



Alligator Clip

2" length. Screw terminal. Color coded insulation one red, one black clip insulation covers entire clip 22-14 AWG. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3011970	14-077	CD2	1	0.1	2.29



Alligator Clip

2" length. Color coded insulation one red, one black clip insulation covers entire clip 22-14 AWG. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3011988	14-078	CD2	1	0.2	2.29



Battery Charging Clip

Crimp and screw terminal. Spring loaded. Carded.



Stock No.	Mfr. No.	Amp Rating	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012002	14-505	5	CD4	1	0.2	2.79
31004	14-510	10	CD4	10	0.8	3.49
31005	14-530	30	CD2	10	1.2	3.79



Battery Charging Clip

4". 50 amp. Designed specifically for battery and testing. Equipment applications 5-50 amps. 1 per card. Replaces Ace No. 31006.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3268976	14-550	EA	10	1.1	2.99



Battery Clamps

50 amp. English and Spanish. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32241	14-630	CD2	10	1.5	3.79



Crimp Connector

For branch circuits and fixture wiring. 18 AWG thru 10 AWG copper wire. Zinc plated steel pressure type.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31793	20-410	Card of 12	CD12	1	0.1	2.29



Cable Ties

Provide a value pack of cable ties. Value pack will include standard pack of existing Ace No. 3261906 with a bonus of 50 cable ties with seasonal color green. Patented design and high quality construction. 50% more tensile strength than industry standard ties. 25% more free.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261906	10090A	BG250	1	0.3	6.99



Conduit Bender Handle

For 1/2" and 3/4" benders. 3/4" IPS x 3/8". Self merchandising.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30201	BH-75	EA	1	4	17.99



Conduit Bender

Threaded for 3/4" diameter bender handle. Features acrylic levels as well as sight lines for perfect bends. Deluxe contractor quality. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31019	931B	EA	1	2.8	23.99



Hand Bender

Bends 1/2" EMT. 3.69" bending radius. Light weight aluminum head only. Dual marking system for bending on the floor or in the air. Uses 3/4" x 3/8" bender handle BH-75, Ace No. 30201. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3206141	960	EA	1	2	20.99



Electrical Tape

3/4" x 66'. 7 mil. all weather flame retardant. Resealable canister. 660 volts or -18 to 105°C (0 - 221°F) maximum. Tri-lingual. UL listed, CSA approved. Canister with label.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3039179	04140	Green	EA	12	3.1	4.99
3039211	04144	Blue	EA	12	4.2	4.99
3039187	04141	White	EA	12	3	4.99
3039195	04142	Yellow	EA	12	3.9	4.99
3039203	04143	Red	EA	12	3	4.99



Liquid Electrical Tape

4 ounce. Application heat range is from 0 degrees F. to 240 degrees F. Flexible vinyl. Seals out moisture. Prevents corrosion. Sticks to metal, plastic, vinyl, rubber, and composite surfaces. Includes applicator and brush cap. Blister pack.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34384	NA55	Black	EA	1	0.5	8.49



Electrical Tape

3/4" x 12'. 600 volts 80°C (176°F) maximum. 1 roll each red, white, black, yellow, and green.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33821	50-33821-01	EA	1	1.3	2.99



Electrical Tape

Flame retardant. Cello wrapped. UL listed.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33180	33180	3/4" x 60'; 7 Mil.	EA	10	2.3	0.79
32735	50-32735	3/4" x 66'; 7.5 Mil.	EA	10	2.3	1.79



Friction Tape

15 mil. cotton cloth. Also for wrapping hockey sticks. UL listed. Cello wrap.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30982	50-30982	3/4" x 30'	EA	1	0.4	1.79
30983	50-30983	3/4" x 60'	EA	12	4	2.29



Electrical Tape

8.5 mil. 3/4" x 66'. Flame retardant. Weather resistant. Non-corrosive adhesive. -40 to 176°F. UL listed. Cello wrap.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013752	50-01092	EA	24	6	3.29



Electrical Tape

1/2" x 20". Resists weather and solvents. 600 volt and 80°C (176°F) maximum. 1 roll each: green, orange red, blue, white. UL listed. Cello wrap. Packed/5.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3013760	50-01093	PK5	12	3	4.49



Fish Tape

50' length x 1/8" x .045". 7" reel diameter. Steel case. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003878	EFT-50B	EA	1	1.8	17.99



Fish Tape

65' length. 1/8" carbon steel wire. Wrist-saver handle. Impact modified handle and housing. Comfort formed grip comfortably fits in palm. Red/black. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31024	FTS-65R	EA	1	3.1	24.99



Fish Tape

125' x 1/8" x .060". Corrosion resistant. Wrist-saver handle. Professional grade. Easy spin design. Durable rubber grips. Drop proof handle and housing. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32097	FTS-125R	EA	1	5.6	45.99



Flat Wire Tape

25' low profile, .25" wide blade, rigid steel tape. Carbon steel fish tape. 100 lb. pulling rate. Low memory tape does not curl. Ideal for fishing wires through suspended ceilings, down walls and under carpet. Locking reel handle for quick retrieval and easy tape release. Ergonomic pull handle. Aerodynamic tip reduces friction and decreases hang-ups. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107364	EFT-21PN	EA	1	1.5	18.49



Splicing Tape


3/4" x 22'. 30 mil. Forms water tight cover for electrical splices. Self fusing. Cello wrap.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30986	50-30986	EA	1	0.1	5.99



Silicone Rubber Tape

1" x 10'. For automotive, electrical, marine, plumbing athletic and general. 12,000 volts maximum. Bonds to itself. Water tight seal. -65 to 500°. F. Ultra-violet, chemical and weather resistant. Soft and form fitting. Black. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3073533	00-04195	EA	1	0.1	7.99



Data Com Cable Stripper

Use to strip UTP and STP cable including standard phone cable, Cat 3 and Cat 5 cable. Maximum capacity .24" (6.2mm) OD. Tension release lever allows for easy positioning and cable release. Yellow. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3169026	GTPS-100	EA	1	0.1	5.49



Coaxial Cable Cutter & Stripper

4-3/4" length. Cuts and strips RG-58, RG-59 and RG-6 coaxial cable. Easily adjusts to various cable thickness. One squeeze cutting action. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012127	SE-98	EA	1	0.3	21.99



Modular Telephone Wire Crimper Cutter

Use with RJ-11 and RJ-45 modular plugs only. Will crimp 4, 6 and 8 contact modular plugs as well as 4 position handset plugs. Built-in wire stripper and cutter. Peggable.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108347	3108347	EA	1	0.5	18.49



Wire Stripper

5" hardened steel. Strips 10 to 24 AWG wire. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34915	GS-40	EA	1	0.3	4.79



Stripper

6" long. Strips solid or stranded wire. Compact tool adjusts to any of 8 wire sizes. Looping hole bends and loops wire to fit on screw terminal. Strips wire sizes 12-24 AWG. Spring return reduces hand fatigue. Vinyl grips for added comfort only. Peggable box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32407	GS-45	EA	1	0.2	9.99



Automatic Stripper & Crimper

9" long. Strips solid or stranded wire. Automatic jaw-loaded wire stripper self-adjusts to strip wire. Crimps insulated, non-insulated and ignition terminals. Strips wire sizes 10-22 AWG. Cushioned high leverage insulated grips. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250420	GS-394	EA	1	0.5	16.99



Wire Stripper with Lock

6" hardened steel. 10-20 AWG wire. Has a cutter, wire loop and plier. Comfortable high leverage handles. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250602	GS-360	EA	1	0.3	11.49



Wire Stripper & Multi-Tool

8" hardened steel. 10-20 AWG wire. Has a plier crimp bolt cutter and re-threader. Large comfortable high leverage handles. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250586	GS-370	EA	1	0.2	15.99



Wire Stripper

Strips gauge wire No. 10, 12, 14, 16 and 18. Cuts and rethreads bolt sizes 6-32, 8-32 and 10-32. Snap in sensor detects AC voltage without contacting live wires. Corrosion resistant stainless steel blades. Comfortable high leverage handles. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260478	GST-55M	EA	1	0.4	24.99



Wire Stripper

Strips No. 12/2 and No. 14/2 NM cable. Cuts and rethreads bolt sizes 6-32, 8-32 and 10-32. Snap-in AC voltage sensor slides in and out of handle for ease of use. Sensor detects 50-600 volt AC voltage without contacting live conductors. Corrosion resistant stainless steel blades. Durable high impact handles. UL listed tester. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250313	GST-224M	EA	1	0.5	24.99



Cable Ripper

Splits PVC jacketed non-metallic cable. Strips inner conductors 14-8 AWG solid and 16-10 AWG stranded. For cable types NM-B and UF-B. Peggable box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31026	CRC-100	EA	1	0.2	2.29



Wire Stripper

8" long. Strips solid or stranded wire. Strips wire clean with one easy squeeze up to a full 7/8". Strips wire sizes 8-22 AWG. AWG size marked at each cutting hole. Cushioned no-slip plastic handles. Peggable box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31690	SE-92	EA	1	1.3	14.99



Electrical Crimp Kit

Contains 1 GS-70 multi-tool crimps. Cuts, strips and rethreads. 99 piece terminal assortment: 24 ring terminals, 20 spade connectors, 26 butt splices, 9 pigtail connectors, 5 pair of disconnects, 5 pair of bullet connectors, and 1 plastic storage case. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31421	GK-35	EA	1	0.9	12.99



Stripper & Crimper

Strips wire sizes 10 to 22 AWG. Cuts bolt sizes 10-24, 10-32, 8-32, 6-32, and 4-40. Crimps insulated and non-insulated terminals. Crimps 7 MM ignition terminals. Comfort handles. Measures stud sizes. Also cuts wire. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31028	1002	EA	1	0.8	24.99



6-In-One Tool

Gauges, wire cuts, and crimps insulated terminals. Strips wire sizes 10 to 22 AWG. Cuts bolt sizes 10-24, 10-32, 8-32, 6-32, and 4-40. Comfort handles. Measures stud sizes. Also cuts wire. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32255	1000	EA	1	0.6	21.99



Coax Crimp Tool

8" long. For fittings on RG59, RG6, and RG11 coaxial cable. The compound action and heavy cushioned handles. Steel. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30948	30948	EA	1	0.8	6.49



Crimping Tool

Crimps RG-58, 59, and 62 cable. "F" and BNC connectors. Black matte. Carded - English and Spanish.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36306	36306	EA	1	2	21.99



Crimping Tool

8.5" long. Anvil type wire cutter nose. Steel. Used for insulated and non-insulated terminals. 22-18 AWG to 12-10 AWG. Includes wire stripper and bolt cutters. Orange cushion grips. Blister card.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3017696	3017696	EA	1	1	6.49



Electrician's Triple Tap Threading Tool

Taps 6-32, 8-32 and 10-24 threads. Top grade Rockwell 60 steel. Cleans out or re-taps steel boxes, troughs and fixtures. Replaceable tap. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012119	TT-10B	EA	1	0.2	10.99



Cartridge Fuse Puller

For 13/32" to 13/16" diameter fuses, 1 to 60 amps. Blue. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3269651	BP/FP-2	EA	1	0.1	9.99



Battery Tester

Tests AAA, AA, C, D, 9 volt and 1.5 volt button cell batteries. Analog scale shows battery level from low to good. Durable ABS shell. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260767	GBT-3502	EA	1	0.2	8.99



Analog Battery Tester

Analog display with selector dial tests: 1.5 volt N, AAA, AA, C and D cells. 1.25 volt nicade rechargeable, 3 volt lithium, 9 volt DC rectangular 6 volt and 22.5 volt lantern, 6, 12, 15, and 22.5 volt photography cells. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3065901	GBT-500A	EA	1	0.4	11.99



Outlet Tester

Tests for six common wiring conditions. Tests for open grounds, open hots, open neutrals and reversed polarity. Wraparound indicator lights and status chart. 110-120 volt AC. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260619	GRT-3500	EA	1	0.2	5.99



Outlet & GFCI Tester

110-125 volt AC. Plug in detector. Detects 6 common wiring errors in standard and GFCI protected outlets. Separate GFCI test button tests standard outlets to GFCIs. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250669	GFI-3501	EA	1	0.2	9.99



Circuit Breaker Tester

Locates circuits without turning off breakers. Self-calibrating receiver with audible and visual indicators. Working voltage range of 80-140 volts AC maximum to ground at 50-60 HZ. Operating temperature 32 to 122 degrees F. Built-in battery strength indicator. Uses 9V battery (not included). Probe design. Replaces Ace No. 3011871. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3269073	CS550A	EA	1	0.5	29.99



Voltage Tester

Tests AC 120 volt, 240 volt and 440 volt. Tests DC 150 volt, 300 volt and 500 volt. Separate indicator lights for each voltage level. 36" test lead. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260593	GET-3206	EA	1	0.3	9.99



Low Voltage Tester

5-50 volts AC/DC. Twin lead type with alligator clips. Indicator glows when voltage is present and brightens as voltage increases. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260585	GET-3202	EA	1	0.1	3.79



Voltage Tester

80-250 volts AC/DC. 360 degree visual indicator. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260544	GET-3100	EA	1	0.1	3.49



Voltage Tester

Tests DC voltage from 6-12 volts. Pointed probe for piercing wires. Alligator clip for one-hand testing. 36" test leads. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250644	GAT-3400	EA	1	0.3	4.99



Screwdriver Tester

Checks voltage and continuity. Tests 12 to 250 volts AC/DC on energized circuits and continuity on non-energized circuits. Two button cell batteries included. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260536	GCV-3206	EA	1	0.2	8.99



Continuity Tester

Tests for continuity in non-energized circuits, fuses, wires, light bulbs and ground continuity. Fully shielded indicator bulb. Insulated test lead with alligator clip. 1 year warranty. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260429	GCT-3304	EA	1	0.2	6.99



Voltage Tester

120-480 volt AC/DC with polarity indication. Vibration and visual indicators. Snap together probes for single hand testing. Durable ABS housing. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3250636	GVT-392	EA	1	0.4	24.99



Voltage Tester

Tests AC/DC voltage at 120 volt, 240 volt and 277 volt. Individual indicators for each voltage range. Flexible 36" test lead. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260601	GET-3213	EA	1	0.5	6.99



Voltage Sensor

Pocket size. 50 to 600 volts AC. Battery check feature. 360 deg. light indicator. audible indicator. Replacement battery Ace No. 3115581 (requires 2). 1 year warranty. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251121	GVD-3504	EA	1	0.3	12.99



Electrical Tester Set

Contains continuity tester with 36" lead and light indicator. UL listed circuit analyzer for use in 110-125 volt AC circuits. UL listed voltage tester with 90-300 volt AC/DC capacity. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012135	GK-3	EA	1	0.3	12.99



Digital Multimeter

11 range. Tests up to 500 volt AC, 600 volt DC, and 2M Ohm resistance. Includes test leads, 9 volt battery and instruction manual. CAT III 600V. Replacement fuse Ace No. 3194057. C-ETL US LISTED. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3251113	GDT-311	EA	1	0.3	19.99



Dual Telephone Line Tester

Use for trouble shooting common problems on standard dual line analog telephone lines. Tri-colored LEDs indicate line status. LED readouts indicate: red line dead, reversed or miswired line, AC voltage present, Green line - OK. Tests single and dual phone lines. Not for digital phone lines. One year warranty. Replaces Ace No.3169117. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3269081	TT6200L	EA	1	0.1	9.99



Digital Multimeter

10 ADC range. Non-contact voltage 100-600 VAC. Checks outlets, fuses, wires, plugs, motors, battery and electric circuit. Complete with 9V battery test-leads fuse and operation instructions. Overload protection on all ranges. Diode and battery test function. Recessed safety designed input terminals. Tilt stand. 1000 hour battery life. 1 year warranty. UL listed both U.S. and Canadian standards. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3232188	DM6400	EA	1	1.3	39.99



Punch Down Tool

Non-impact punch down tool for use with CAT5 and CAT3 phone and data line terminations. Complete with type 110 punch down blade with cut-off. Low cost design perfect for homeowner or occasional use. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3169554	PDT-110LC	EA	1	0.3	15.49



Multi-tester

5 function/ 12 range/12 position. Tests AC or DC voltage to 500 volts. DC current to 250 mAMPS. Resistance to 1 megOhm. Decibels from -20 to +56 dB. Diode protected circuit. Includes battery, instructions and test leads. Use with Ace No. 3012176. Use Ace No. 3021128 for replacement fuse. 1 year limited warranty. Carded tank. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32668	GMT-312	EA	1	0.5	15.99



Analog Multi-Tester

Manual range selection. Easy to read color coded analog displays. Includes batteries, test leads, spare fuse and operating instructions. Agency approved and incorporates fuse overload protection circuitry. 500V. 6 total functions 14 range. Resistance to 50K OHMs. 250 MA DC current. High-impact grade ABS housing. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33282	GMT318	EA	1	0.5	17.99



Analog Multi-Tester

7 function/19 ranges. Tests AC or DC voltage to 1000 volts. DC current to 10 amps. Resistance to 10 MEGOHM. Decibels from -8 to + 62dB. 1.5 volt and 9 volt battery sensitivity. Audible continuity check. Includes test leads. battery and instructions. Fuse protected circuit. 1 year limited warranty. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33695	GMT-319	EA	1	0.9	19.99



Digital Multimeter

4 function/14 range. Tests up to 500 volt AC, 600 volt DC and 2M Ohm resistance. Auto off. Protective rubber boot with lead storage. Includes: test leads, battery and instructions. 1 year limited warranty. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3260445	GDT-3190	EA	1	0.9	25.99



Replacement Test Lead

26" test lead, one red, one black. Replacements for GMT-12A (32668) and GMT-18A (33282). UL registered. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3012176	RTL-108	EA	1	0.2	3.49



Anti Oxidant Compound

1 oz. tube. For connecting aluminum to aluminum or aluminum to copper wire.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30202	OX-100B	EA	1	0.2	4.29



Wire Pulling Lubricant

1 quart. squeeze bottle.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33338	79-006N	EA	1	2.5	6.99



Electrical Conduit Seal

Non-hardening. Non combustible. Seals electrical conduit openings against drafts, dust, moisture and noise. Dark gray. 1 lb. bar. Clear wrap.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33339	DS-130	EA	1	1.3	2.79



MOTOROLA
Business Two-Way Radios

Family Radio System

22 channels on GMRS non-business frequencies. No privacy codes. Up to 10 mile range line-of-sight unobstructed. Scan. Battery save feature. Audio accessory jack. 10 call tones. Audible low battery warning. Keypad lock. Uses 3 AAA alkaline batteries (not included). Color - violet blue. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3136652	FV300	PK2	1	0.6	29.99



Family 2 Way Radio

22 GMRS-FRS channels. 1 watt. 121 privacy codes. 10 call tones. Audio accessory jack. Keypad lock. LCD battery meter with low battery alert. Removable swivel belt clip. Maximum outdoor range 14 miles line-of-sight. Includes 2 radios. NIMH rechargeable batteries. Dual pocket charger. Not legal for business use. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3161049	SX600R	PK2	1	2	49.99



Phone Line Cord

26 gauge. 4 conductor. For use with single phone line. Use with modular plugs to make or repair line cords. Does not include modular plugs. Ivory. 500' spool.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32423	32423	SP500	1	8	0.29



Phone Line Cord

26 gauge. For use with single phone line. Use with modular plugs to make or repair line cords. Does not include modular plugs. 6 conductor. White. 100' length. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3184256	3184256	EA	1	1.8	15.49



Modular In-Line Coupler

4 conductor. Use to extend modular telephone line cord between wall plate and telephone. For use with single phone line. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33175	33175	Ivory	EA	6	0.4	2.49
36204	36204	White	EA	6	0.3	2.49



Modular In-Line Coupler

Use to extend modular telephone line cord between wall plate and telephone. For use with single phone line. 6 conductor. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108412	3108412	Ivory	EA	1	0.4	3.49
3108420	3108420	White	EA	1	0.5	3.49



Telephone Station Wire

4 conductor. Use to hook up additional rooms in the home or garage with telephone service. For behind wall use. Recommended for use with single phone line. Not recommended for outdoor use unless used in conjunction with conduit. 22 gauge. Card/50'.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30782	30782	EA	1	2	6.49



Telephone Station Wire

4 conductor. Use to hook up additional rooms in the home or garage with telephone service. For behind wall use. Recommended for use with single phone line. Not recommended for outdoor use unless used in conjunction with conduit. 24 gauge. Card/100'.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3087343	3087343	EA	1	1.9	9.99



Telephone Station Wire

4 conductor. Use to hook up additional rooms in the home or garage with telephone service. For behind wall use. Recommended for use with single phone line. Not recommended for outdoor use unless used in conjunction with conduit. 24 gauge. 500' spool.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30543	30543	SP500	1	1.3	0.29



Phone Wire

100'. 24 gauge. 6 conductor. 3 twisted pairs. UL listed. Recommended for use with multiple phone lines or net-working computers.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108339	3108339	EA	1	2	10.99



Modular In-Line Coupler

4 conductor. Use to connect 2 single phone line cords. To convert single jack end to dual jack ends. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102688	3102688	Ivory	EA	1	0.3	3.79
3165180	3165180	White	EA	1	0.9	3.79



Modular "T" Duplex Adapter

4 conductor. Adapts singular modular jack to dual modular jacks. For use with single phone line. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33176	33176	Ivory	EA	6	0.3	4.49
36203	36203	White	EA	6	0.4	4.49



Modular "T" Duplex Adapter

Adapts singular modular jack to dual modular jacks. For use with single phone line. 6 conductor. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108404	3108404	Ivory	EA	1	0.2	4.99
3108396	3108396	White	EA	1	0.2	4.99



Phone Adapter

4 conductor. Converts a two line system into two single line outlets. White. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3138492	3138492	Ivory	EA	1	0.4	4.99
3165214	3165214	White	EA	1	0.1	4.99



Modular Triplex Adapter

4 conductor. Adapts singular modular jack to triple modular jacks. Allows hookup of 3 telephone devices. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038262	3038262	Ivory	EA	6	0.5	3.99
3175122	3175122	White	EA	1	0.2	3.99



Modular Triplex Adapter

4 conductor. Converts 2 line service jack to a line 1 jack, line 2 jack, and a combo line 1 and 2 jack. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3117199	3117199	Ivory	EA	1	0.2	4.49
3165560	3165560	White	EA	1	0.1	4.49



Modular Triplex Adapter

6 conductor. 3 lines. Splits a 3 line telephone system into a line 1, line 2, line 3. For use with multiple phone lines. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3165164	3165164	Ivory	EA	1	0.3	5.99
3105202	3105202	White	EA	1	0.1	5.99



Phone Junction Box

Add up to four additional telephone jacks to different rooms of the home. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31852	31852	EA	1	1	9.49



DSL Line Filter

4 conductor. Eliminates interference between DSL and analog lines. For use with single phone line. Replacement inline filter originally supplied by phone company. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166360	3166360	EA	1	0.2	7.99



Phone Butt Splice

26-19 gauge. Connects 2 or 3 wires. To use to add length/wire to existing line. 10/pack. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3103983	3103983	EA	1	1	1.79



Phone Butt Splice

26-22 gauge. Connector for bundle splicing. Connects 2 wires. For use in adding length/wire to existing line. 10/pack. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3104007	3104007	EA	1	0.9	1.79



Phone Tap Connector

22-26 gauge. Connector for tapping into existing telephone wire without interruption. Pack of 10. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3103975	3103975	EA	1	0.2	1.79



Handset Modular Plug

4 conductor. Crimp-on. Connects to 4 conductor modular handset coil cords. Pack of 10. RJ9 connector. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33474	33474	CD10	6	0.4	3.29



Phone Modular Plug

4 conductor. Connects to 4 conductor telephone line cord. RJ-11 connector. Pack of 10. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32345	32345	CD10	6	0.4	3.29



Phone Modular Plugs

6 conductor. Connects to 6 connector telephone line cord. Pack of 10. RJ25 connector. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108313	3108313	BG10	1	0.9	3.49



Twist Free Adapter

Eliminates all tangles from your cord. Compatible with all modular handset cords. Attaches to phone or handset. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32817	32817	Clear	EA	1	0.6	4.29
32816	32816	White	EA	1	0.3	4.29



Phone Wire Clips

For flat line cord and round station wire. Cadmium plated steel nails. 20/pack. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3092095	3092095	CD20	6	0.8	2.99



Phone Wire Clips

For rounded line cord and station wire. Strong adhesive. Pack of 12. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102720	3102720	PK12	1	0.1	2.99



Phone Jack Wall Plate

4 conductor. Single jack. Color Mate Technology-color coded for category and station wiring. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36316	36316	White	EA	1	0.3	5.49
36315	36315	Ivory	EA	1	0.3	5.49



Phone Jack Wall Plate

Single jack. 4 conductor. Color Mate Technology-color coded for category and station wiring. UL listed. Carded.

Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33076	33076	Ivory	EA	6	1.3	3.49
36205	36205	White	EA	6	1.3	3.49



Phone Jack Wall Plate

Single jack. Color Mate Technology-color coded for category and station wiring. 6 conductor. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108438	3108438	Ivory	EA	1	0.2	3.99
3108289	3108289	White	EA	1	0.3	3.99



Phone Wall Plate

6 conductor. Use for installation of modular telephone, fax machines and answering machines. Screw-in terminals for easy installation. For use with multiple phone lines.

ColorMate technology. Mounting screws included. Light almond. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3165008	3165008	EA	1	0.2	3.99



Phone Jack Wall Plate

4 conductor. Dual jacks. Color Mate Technology-color coded for category and station wiring. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32080	32080	Ivory	EA	6	1.4	4.49
36208	36208	White	EA	6	1.3	4.49



Phone Jack Wall Plate

Dual jacks. Color Mate Technology-color coded for category and station wiring. 6 conductor. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108297	3108297	Ivory	EA	1	0.3	4.99
3108305	3108305	White	EA	1	0.3	4.99



Phone Wall Plate

Dual jacks. 6 conductor. Use for installation of modular telephone, fax machines and answering machines. Screw-in terminals for easy installation. For use with multiple phone lines. ColorMate technology. Mounting screws included. Light almond. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3165016	3165016	EA	1	0.3	4.99



Modular Surface Phone Jack

Single jack. For walls or baseboards. Color Mate Technology-color coded for category or station wiring. 4 conductor. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31365	31365	Ivory	EA	1	0.3	2.99
36206	36206	White	EA	1	0.1	2.99



Modular Surface Phone Jack

Single jack. For walls or baseboards. Color Mate Technology-color coded for category or station wiring. 6 conductor. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108370	3108370	Ivory	EA	1	0.2	3.99
3108388	3108388	White	EA	1	0.1	3.99



Phone Jack

Single jack. 4 conductor. Front loading. For walls or baseboards. Color Mate Technology-color coded for category or station wiring. UL listed. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3163409	3163409	EA	1	0.4	3.29



Phone Jack

Dual side jacks. Side jacks are for use with auto dialers, answering machines, etc. 4 conductor. Color Mate Technology-color coded for category and station wiring. Ivory. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038270	3038270	EA	6	1.8	5.99



Phone Jack

Single jack. 4 conductors. Front loading. For walls or baseboards. Color Mate Technology. Color-coded for category or station wiring. UL listed. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30783	30783	EA	1	0.1	3.29



Phone Jack Wall Plate

4 conductor. Single jack. Color Mate Technology-color coded for category and station wiring. For new construction or conversion from existing modular instruments. Mounts directly to sheetrock. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31853	31853	Ivory	EA	6	1.8	3.99
36207	36207	White	EA	6	1.8	3.99



Surface Jack Converter

4 conductor. Converts telephone block to modular jack. Color Mate Technology-color coded for category and station wiring. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038247	3038247	Ivory	EA	1	0.2	2.49
3038254	3038254	White	EA	1	0.2	2.49



Phone Jack Wall Plate

4 conductor. Single jack. Quick mount. Color Mate Technology-color coded for category and station wiring. For wall type phones. UL listed. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038734	3038734	EA	6	1.3	4.99



Phone Jack Wall Plate

Single jack. Quick mount. Color Mate Technology-color coded for category and station wiring. For wall type phones. 4 conductor. Ivory. UL listed. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31691	31691	EA	6	1.6	4.99



Phone Jack Wall Plate

4 conductor phone jack. "F" female video jack. Color Mate Technology-color coded for category and station wiring. UL listed. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36313	36313	Ivory	EA	1	0.3	4.99
36314	36314	White	EA	1	0.3	4.99



Phone Handset Cord

12'. Flexible, tangle-resistant. Use to replace existing handset coiled cords. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32076	32076	Almond	EA	1	0.4	3.99
32077	32077	White	EA	1	0.3	3.99
34755	34755	Black	EA	1	0.4	3.99



Phone Handset Cord

Flexible, tangle-resistant. Use to replace existing handset coiled cords. Carded.



Stock No.	Mfr. No.	Size	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32074	32074	25'	Almond	EA	1	0.5	4.99



Phone Handset Cord

25'. Flexible, tangle-resistant. Use to replace existing handset coiled cords. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30135	30135	White	EA	1	1.3	4.99
34425	34425	Black	EA	1	0.4	4.99



Modular Telephone Line Cord

25'. Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. Carded.




Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108362	3108362	White	EA	1	0.8	7.49
32998	32998	Ivory	EA	1	0.4	6.49
3038213	3038213	White	EA	1	0.4	6.49



Modular Telephone Line Cord

50'. Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3092087	3092087	Ivory	EA	1	0.8	8.99
3184207	3184207	White	EA	1	0.5	8.99



Modular Telephone Line Cord

100'. Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102621	3102621	EA	2	2.6	10.49



Modular Telephone Line Cord

100'. Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102753	3102753	EA	2	3	10.49



Modular Telephone Line Cord

25'. Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. 6 conductor. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3108354	3108354	EA	1	0.8	7.49



Modular Telephone Line Cord

4 conductor. Use to install or replace line cord for a wall mount telephone. For use with single phone line. For use between wall and phone. 5-1/4". Silver. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038239	3038239	EA	6	1.8	0.99



Telephone Line Cord

Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190014	3190014	White	EA	6	1.8	3.29
34813	34813	Ivory	EA	6	1.3	3.99



Modular Telephone Line Cord

4 conductor. Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. 15'. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32078	32078	EA	1	0.4	5.99



Modular Telephone Line Cord

Use to extend or replace existing modular line cords. For use with single phone line. Can be used to add answering machines, fax machines, etc. To be used between wall and phone. White. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102704	3102704	7'	EA	6	1.4	3.99
3102712	3102712	15'	EA	1	0.4	5.99



Modular Extension Line Cord

25'. 4 conductor. Use to extend existing modular line cords. One male end, one female end. For use with single phone line. For use with telephones, answering machines, fax, etc. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102696	3102696	White	EA	1	0.4	7.99
32079	32079	Ivory	EA	1	0.4	7.99



Extension Line Cord

25'. 4 conductor. Dual modular jacks. Use to extend from modular plug to two modular jacks. For use with single phone line. For use with telephones, answering machines, fax, etc. Ivory. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31276	31276	EA	1	0.5	8.49



Telephone Line Tester

Eliminates costly, unnecessary calls. Provides visual indication of phone line problem. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038205	3038205	EA	1	0.2	6.49



Telephone Headset

Universal. For cordless phones with 2.5mm jack. Adjustable noise canceling microphone. Headband is adjustable. Clip allows you to attach the cord to your clothing. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3194446	3194446	EA	1	0.2	7.99



AM-FM Clock Radio

.9" green LED display. "Graduwake" alarm. One touch nap timer. Programmable snooze. Forward/reverse time and alarm set. "No worry" battery back-up. Black.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
60237	RP5405	BX1	1	1.8	13.99



Portable AM-FM Radio

Analog AM/FM tuning system. Digital display. Alarm clock. Short wave SW1 & SW2 bands. Requires 2 D batteries (not included). 3" speaker. Telescopic FM antenna. 3.5mm headphone jack. AC cord included. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
68296	CX-39	EA	1	1.4	14.99



Shortwave Radio

AM/FM/SW receiver. Portable radio with analog tuner and digital readout. display shows time sleep - time alarm. Powered by 2 AA batteries. Audio jack for ear buds (included). Pick up broadcasts from around the world. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6139547	NGM300BRU	EA	1	1.8	29.99



Cassette Tape

For general purpose 60-minute recording. Low noise, high output.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6067128	D60L2	PK2	1	.4	2.29



Video Tape

Six hours. For general recording. Lifetime warranty.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6072649	T-120RVS5	PK5	1	2.8	8.99



Blank Compact Discs

80-minute, 52X speed, 700MB. Extensively tested to ensure absolute recording and playback compatibility from maximum speed computer burners to portable CD players. For use with data MP3 audio video photos. Cake boxed.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6097414	CD-R80CB25	25 Pack	EA	1	1.3	9.99



DVD+R

Each disc offers 4.7GB of storage capacity. Each disc can be fully recorded one time and played thousands of times. Excellent for computer burners and DVD home recorders. 25 pack. Cake box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6126049	DVD+R47FCB25	EA	1	1.3	15.99



DVD-R

Each disc offers 4.7GB of storage capacity. Each disc can be fully recorded one time and played thousands of times. Excellent for computer burners and DVD home recorders. 25 pack. Cake box.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6126056	DVD-R47FCB25	EA	1	1.5	15.99



Basic Midsize Headphones

Acoustic reflector. Enhanced bass. Lightweight. Black.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6095186	SBCHL145	EA	1	.4	7.99

BELKIN.

CD To Cassette Adapter

DC lighter plug adapter kit. Includes replacement fuse. Built-in compartment for plug storage.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6095210	F8V366-APL	EA	1	.4	19.99

BELKIN.

FM Transmitter

For use with all MP3 players and CD players using a 3.5 headphone jack. Transmits on FM channels 88.1-107.9 MHz. Turns on and off automatically. Provides up to 8 hours battery life. Includes 2 AAA batteries. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6125850	F8V3080-APL	EA	1	.5	39.99

BELKIN.

I-POD Cord

USB 2.0 to 30 pin cable. For use with IPOD video 4G 3G photo. NANO MINI. Charges IPOD. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
6126007	F3U202V06	EA	1	.3	24.99



AC Adapter

500 mA. Six voltage settings to 12 volt DC. Saves batteries in electronic equipment. Powers electronic products up to 500 milliamps. Includes 6 detachable adapter plugs. UL listed. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3001120	3001120	EA	1	0.8	12.99



FM Indoor Antenna

Clear Jacket. Attaches to any FM receiver. Enhances FM reception. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32070	32070	EA	1	0.2	4.29



TV Antenna

300 Ohm. Includes 75 Ohm push-on adapter. Complete with lead wire and terminals. Extra high-impact polystyrene base with felt padded steel bottom. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30918	30918	EA	1	0.5	5.99



Antenna

300 Ohm. Deluxe fine tuning adjustment knob. Includes 75 Ohm push-on adapter. Durable-core telescopic elements extend to 30". Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30917	30917	EA	1	0.8	10.99



TV Antenna

VHF/UHF/FM stereo. Cable ready 75 Ohm output. 4' coax cable included. 32" adjustable VHF elements. 12 position fine tuning dial allows precision tuning. Digital satellite and HDTV cable ready. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3106697	3106697	EA	1	2	20.99



Mast Standout

Galvanized nutbuckle and strap for antenna installation. Adjusts to most antenna masts. Accommodates 300 Ohm flat or 75 Ohm coaxial cable. Card/2.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30944	3069ACE	CD2	1	0.1	1.79



Woodscrew Standout

Secures antenna downlead cable to wood base mount. Accommodates 300 Ohm flat or 75 Ohm coaxial cable. 3-1/2" projection. Card of 4.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30939	3071ACE	CD4	1	0.3	1.99



Chimney Mount

3" clearance. For masts up to 1-1/2" diameter. Includes 2-12' lengths of 3/4" wire. Chrome. Carded. Bilingual: English and Spanish.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30949	3080ACE	EA	1	3	12.99



Mast Wall Mount

3-1/4" clearance. For masts up to 1-3/4" diameter. Includes 2 brackets and hardware. Chrome. Carded. Bilingual: English and Spanish.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30950	3079ACE	EA	1	1	6.49



Coax Feed-Thru Bushing

For RG6 or RG59. To feed coaxial cable through walls. Acts as a weather resistant grommet. Ivory. Pack/2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166568	3166568	CD2	1	0.2	1.99



Transformer

Converts 300 Ohm twin lead spade lugs to 75 Ohm "F" connection. Indoor. Black. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30771	30771	EA	1	0.2	4.29



Transformer

75 to 300 Ohm. Converts 300 Ohm screw terminals to 75 Ohm down lead. Weatherproof boot. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32968	32968	EA	1	0.1	5.49



DVD Player Converter RF Modulator

RCA S-Video input, coaxial output. Allows TV without audio and video RCA inputs. Gives ability to view DVD players on TV w/coaxial input. RF DVD player converter. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3187531	3187531	EA	1	1.9	19.99



Coaxial Wall Plate

75 Ohm. Provides professional installation for custom interiors. Mounts to standard electrical box. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33401	33401	White	EA	6	0.4	4.79
30712	30712	Ivory	EA	6	0.3	4.79
3190048	3190048	Light Almond	EA	6	1	4.79



Coaxial Wall Plate

75 Ohm. Mounts to standard electrical box. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36311	36311	White	EA	1	0.1	5.99
36312	36312	Ivory	EA	1	0.3	5.99



Coaxial Wall Plate

Feed through. For use with double female connector (Ace No. 3163391). Bag/10. Bulk.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31457	31457	Ivory	EA	10	2	0.79
34627	34627	White	EA	10	3	0.79



Dual Coaxial Wall Plate

75 Ohm. Provides professional installation for custom interiors. Mounts to standard electrical box. Use with two televisions, TV and VCR, or television and stereo. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3101219	3101219	White	EA	1	0.2	5.49
3101201	3101201	Ivory	EA	1	0.2	5.49
3163771	3163771	Light Almond	EA	1	0.1	5.49



RCA Jack Wall Plate

Double spring clip. Easily attach speaker wire. For use with speaker wire. Solder type wire connection. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102738	3102738	EA	1	0.3	7.99



Speaker Cable

16 AWG, 2 conductor. Intended for outdoor or underground use. Use with Power limited circuits, except in risers and plenums. Conductor: bare copper .16 mm/45C. Insulation: SR-PVC, 2.34 mm. 2F: red and black .51 mm thickness. Jacket: crush resistant, sunlight resistant, black PVC 7.0 mm +/-0.15 (thickness 1.14 mm). UL approved, CM,CL2. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3203148	3203148	50'	EA	4	6.8	22.99



Speaker Wire

24 AWG, 2 conductor. Connects speakers and other audio equipment. One tinned copper conductor, one bare copper conductor. PVC jacket insulation with clear. Polarity markings on jacket. UL approved. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30938	30938	EA	12	6	7.49



Speaker Wire

Connects speakers and other audio equipment. One tinned copper conductor, and one bare copper conductor. PVC jacket insulation with clear. Convenient polarity marking. 18 AWG, 2 conductor. UL approved. Card. Bulk.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34745	34745	50'	CL50'	12	12	7.99
3165123	3165123	100'	CL100'	1	3.5	11.99



Speaker Wire

Connects speakers, subwoofers, and other audio equipment. Use with audio and home theater systems. Convenient polarity marking. Flexibility with high strand count. Studio grade performance. Copper. Carded.

Stock No.	Mfr. No.	Size	Gauge	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3174109	3174109	50'	16 AWG	EA	1	2	15.99
3174158	3174158	100'	16 AWG	EA	1	3.3	27.99



Coaxial Cable

75 Ohm. 20 AWG, copper clad steel center conductor. Push-on connectors on both ends. For TV, VCR, switching devices and video amplifiers. Foil is bonded to dielectric for improved shielding. Black. UL approved. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34694	34694	6'	EA	1	0.3	6.49



Video Cable

"F" plug to right angle "F" plug. Black with gold connectors. One end right angle "F" connector-one end straight "F" connector. Use to connect VCR, video amplifier, and TV when right angle connector provides better access to TV signal input. 98% braided heavy shielding with stranded center conductor for optimum signal strength and cable flexibility. Black. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3169190	3169190	12'	EA	1	0.4	7.99



Video Coaxial Cable

75 Ohm. 20 AWG, copper clad steel center conductor. "F" connectors on both ends. For TV, VCR, switching devices and video amplifiers. Foil is bonded to dielectric for improved shielding. UL approved. Carded.



Stock No.	Mfr. No.	Size	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33399	33399	3'	White	EA	1	0.2	3.79
30713	30713	3'	Black	EA	1	0.1	3.79
33400	33400	6'	White	EA	1	0.2	5.99
33140	33140	6'	Black	EA	1	0.4	5.99
3167616	3167616	25'	Black	EA	6	5	8.49
3167657	3167657	25'	White	EA	6	4.8	8.49



Video Coaxial Cable

75 Ohm. 18 AWG, copper clad steel center conductor. "F" connectors on both ends. For satellite receiver, TV, VCR, switching devices and video amplifiers. Shield: foil, single side aluminum/poly tape and braid, 64/0.16 mm aluminum alloy (60% coverage). Foil is bonded to dielectric. Suitable for broadband applications. Satellite and digital capable. UL approved. Carded.



Stock No.	Mfr. No.	Size	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3102654	3102654	3'	Black	EA	1	0.2	3.99
3164159	3164159	3'	White	EA	1	0.2	3.99
3102662	3102662	6'	Black	EA	1	0.3	6.49
3164167	3164167	6'	White	EA	1	0.2	6.49
3164209	3164209	12'	Black	EA	1	0.7	7.99
3164183	3164183	12'	White	EA	1	0.8	7.99
3167749	3167749	25'	White	EA	6	4.8	9.99
3167707	3167707	25'	Black	EA	6	4	9.99
3167756	3167756	50'	White	EA	4	6.6	15.49
3167715	3167715	50'	Black	EA	4	8	15.49
3167772	3167772	100'	White	EA	2	6	24.99
3167731	3167731	100'	Black	EA	2	6	24.99



Coaxial Adapter

F type to RCA plug. Video. Converts F type to RCA. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30780	30780	EA	1	0.1	4.49



Coaxial Adapter

"F" type to push-on "F" type. Converts thread on F connector to push on F connector. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31819	31819	EA	6	0.2	4.49



Coaxial Cable Clips

Cadmium plated steel nails. Use to secure RG59 coax to wall or baseboard. Pack/10. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36317	36317	White	CD10	1	0.2	1.49
30157	30157	Black	CD10	1	0.1	1.49



Coaxial Cable Clips

Use to secure RG6 and RG6 quad coax to wall or baseboard. Cadmium plated steel nails. Pack/6. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3138484	3138484	Black	CD6	6	0.3	1.49
3102779	3102779	White	CD6	1	0.2	1.49



Coaxial Connector

75 Ohm. For repairing cables for video applications. Requires no crimp or compression tool. Carded.



Stock No.	Mfr. No.	Size	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30803	30803	RG59	Card 2	CD2	6	0.2	1.79
36310	36310	RG6	Card 2	CD2	6	2	1.99
3162963	3162963	RG6	10 Pack	CD10	1	0.8	4.99



Coaxial Connector

No tools required. Used for repairing cables for video applications. For Bulk. RG6 quad coaxial cable. Ace No. 3167855. Pack/2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3163342	3163342	CD2	1	0.6	3.99



Coaxial Connector

F type. No tools required. Use for repairing cables for video applications. For Bulk. RG6 quad coaxial cable, Ace No. 3167855. Pack/2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3163367	3163367	CD2	1	0.3	4.49



Coaxial Connector

F type. No tools required. Use to make/repair cables for video applications. Pack of 2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3163334	3163334	CD2	1	0.4	3.79



Coaxial Connector

O-ring seal inside nut and silicone gel where cable sits. Use for repairing cables for video applications. For use with Bulk. RG6 quad cable, Ace No. 3167855. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185675	3185675	Card 2	CD2	1	0.3	2.99



Coaxial Connector

O-ring seal inside nut and silicone gel where cable sits. Crimps with standard hex tool. Pack/2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107570	3107570	EA	1	0.4	2.79



Adapter Coupling

"F" female to "F" female connector with nut and washer. Used for joining coax cable. Gold. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33141	33141	EA	6	0.3	1.99



Adapter Coupling

For use with double female connector (Ace No. 3163391). White. Bag/10. Bulk.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3163391	3163391	CD10	1	1.5	6.99



Coaxial Connector

75 Ohm. For indoor termination of coaxial cable using standard hex crimp tool. Used to make repair on cables for video applications. Separate crimp ring. Card/2.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36309	36309	RG6	CD2	6	0.2	1.49
32970	32970	RG59	CD2	6	0.3	1.29



Coaxial Connector

RG6 size. Crimp on. For repairing cables for video applications. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185709	3185709	2 Pack	CD2	1	0.1	1.79
3185782	3185782	10 Pack	CD10	1	1.2	4.49



Adapter Coupling

"F" male to male connector. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33810	33810	EA	1	0.1	2.99



Right Angle Adapter

75 Ohm. F connector to F connector. Used to make F connector into right angle. Repositions cable jack for easy access. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33811	33811	EA	1	0.1	4.49



Video Adapter

Female "F" jack to RCA plug. Repositions cable jack for easy access where space is limited. Perfect for flat screen televisions. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3184850	3184850	EA	1	0.1	4.99



Video Adapter

RCA to RCA plugs. Repositions cable jack for easy access where space is limited. Perfect for flat screen televisions. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3185667	3185667	EA	1	0.6	4.99



RCA Audio Coupler

Connects two RCA patch cables. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34690	34690	EA	1	0.1	3.29



Grounding Block

75 Ohm. Coaxial. Used to ground coaxial installations. Protects against lightning damage. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30810	30810	EA	1	0.3	2.79



Coaxial Splitter

75 Ohm, 500-900 MHz. Splits single 75 Ohm coax input into two, three or four 75 Ohm coax outputs. Indoor/outdoor use. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32969	32969	2-Way	EA	4	0.8	4.49
30772	30772	3-Way	EA	4	0.6	4.99
32965	32965	4-Way	EA	4	0.8	5.99



Satellite Coax Splitter

2 GHz, 5-2150 MHz. Splits single 75 OHM coax input into two 75 OHM coax outputs. Gold. Indoor and outdoor use. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107612	3107612	2-Way	EA	1	0.3	8.99
3107620	3107620	3-Way	EA	1	0.4	10.49
3107638	3107638	4-Way	EA	1	0.4	11.99



Coax Splitter

75 Ohm. 500-900 MHz. Splits single 75 Ohm coax input into six or eight 75 Ohm coax outputs. Indoor or outdoor use. Carded.



Stock No.	Mfr. No.	Description	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3166881	3166881	6-Way	EA	1	0.3	7.99



Antenna & Cable Switch

75 Ohm. For switching between two signal sources to a single television. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31820	31820	EA	1	0.3	4.49



Transformer

75 to 300 Ohm. Converts 75 Ohm coax to 300 Ohm twin lead terminals. Indoor. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32966	32966	EA	1	0.1	3.79



Terminator Cap

75 Ohm. VHF, UHF, FM. Gold. Attach to any unused "F" terminal. Built in resistor reduces ghosting and feedback by sealing off open "F" terminals on splitters, wall plates, etc. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30805	30805	EA	1	0.1	2.49



RCA Plug Cable

75 Ohm. RCA to RCA gold plugs fit components with RCA jacks. 20 AWG, copper clad steel center conductor. For TV, VCR, switching devices and video amplifiers. Foil is bonded to dielectric for improved shielding. Black. UL listed. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34693	34693	6'	EA	1	0.4	3.79



Single RCA Cable

6' length. For audio and video connection between components. Black. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34691	34691	EA	1	0.3	2.99



RCA Audio & Video Cables

Triple RCA plugs to triple RCA plugs. For audio and video connection between components. Gold plated. Stain relief ends reduce cable damage. Black. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3190022	3190022	6'	EA	1	0.8	6.99
3172483	3172483	12'	EA	1	1.3	11.99



Triple RCA Cables

Gold plated triple RCA cable. Metal hooded ends. Connects audio/video components. For stereo video dubbing. Blue. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
33812	33812	6'	EA	1	0.9	15.99



Speaker Wire Cable

20' length. 24 gauge. RCA to RCA plug ends. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34692	34692	EA	1	0.3	5.99



Stereo Audio Cable

Connects stereo audio input/output for TV, VCR, DVD, mini-dish receiver, and other home theater products. High flex jacket and cable. 24K gold plated, precision machined RCA plugs. 100% shielded OFC copper shielded-eliminates noise. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183506	3183506	6'	EA	1	0.6	17.99
3183530	3183530	12'	EA	1	0.8	27.99



Digital Audio Cable

Gold RCA connector. High performance digital audio cable. For DVD, digital audio receivers and digital audio components. Interconnects DVD, digital audio receivers and other digital audio components. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3173242	3173242	6'	EA	1	0.4	13.99



Fiber Optic Cable

For high performance digital audio to use with CD, DVD, receivers, and amplifiers requiring Toslink to Toslink. Optimal digital performance with fiber optical signal. Interactive package. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183381	3183381	6'	EA	1	0.2	19.99
3183449	3183449	12'	EA	1	0.3	27.99



RGB Component Video Cable

75 Ohm oxygen free cable. For component video interconnection to DVD, HDTV, and video projectors. Low signal loss for superior signal and video clarity. Maximum noise reduction and shielding. 24K gold plated, precision machined RCA plugs. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3183357	3183357	6'	EA	1	0.8	14.99
3183373	3183373	12'	EA	1	2	19.99



Video Cable

High definition multi-media interface (HDMI) cable, HDMI connectors. Use for transmission of pure audio and video signals from a HDMI equipped audio/video component to a HDTV, flat panel display or other equipment with HDMI connections. For high definition video (1080p, 1080i and 720p) and standard video format. Smooth PVC jacket with molded ends. Resolution 1920 x 1080. Data speed transfer: 4.95 Gbps. Clamshell.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199312	3199312	6'	EA	1	0.8	41.99
3199361	3199361	12'	EA	1	1.5	69.99



Video Cable

18 pin. High definition multimedia interface to digital visual interface (HDMI to DVI) cable. HDMI to DVI-D connectors. Use for transmission of pure digital video signals from a HDMI equipped audio/video component to HDTV, flat panel display or other equipment with DVI connections. Backward compatibility between HDMI and DVI equipped components for high definition video (1080p, 1080i and 720p) and standard video format. Smooth PVC jacket with molded ends and easy grip cap-tured screws. Resolution 1920 x 1080. Data speed transfer: 4.95 Gbps. Clamshell.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199296	3199296	6'	EA	1	1	41.99



S-Video Cable

Used to hookup S-VHS, DVD, and CD and laser disc players. Gold plated, 4 pin min din mole connectors. S-Video connectors on both ends. Produces superior picture quality. Black. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3174083	3174083	6'	EA	1	0.2	9.99
3122348	3122348	12'	EA	1	0.4	14.99



Dual RCA & S-Video Cable

Triamese cable 2 RCA and 1 S-Video. Gold connectors. Use for excellent picture quality and full stereo performance. Connects TV, VCR, DVD, satellite receivers and other audio and video components. Strain relief ends reduce cable damage. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3172764	3172764	6'	EA	1	0.8	19.99



Audio Cable

6' length. 3.5 mm stereo plug gold-plated to 3.5 mm stereo plug gold-plated. Used to connect two audio components with 3.5 mm jacks. Can be used for MP3's. Shielded patch cable. Black PVC jacket. Molded construction. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3206117	3206117	CD1	1	0.1	5.49



Dual RCA Cable

For audio and video connection between components. Black. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31130	31130	6'	EA	1	0.3	4.49
3102647	3102647	12'	EA	1	0.4	4.99



RCA Audio Adapter

6" length. Y, RCA type. Converts RCA male plug to 2-RCA female "Y" adapter. Use to combine or split RCA signal. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
31129	31129	EA	1	0.3	2.99



Video Adapter

Two 3.5 mm mini plugs to triple RCA plug. Yellow video, red audio, white audio to dual 3.5 mm plug. Allows use of portable DVD player to output on television. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199544	3199544	EA	1	0.2	6.99



"Y" Audio Adapter Cable

6' length. 3.5 mm plug to 2 RCA plugs. Connect portable CD player to stereo receiver. Connect MP3 player to stereo receiver. Connect computer multi media speakers to stereo. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3202769	3202769	EA	1	0.3	5.49



"Y" Audio & Video Adapter

Y adapter. 3.5 mm mini stereo plug to two 3.55 mm mini stereo jacks. 6'. Allows for 2 headphones to be used simultaneously. Shielded patch cable, black PVC jacket, molded construction. Use with MP3 and portable DVD players. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3199551	3199551	EA	1	0.2	4.29



RCA Audio Adapter

Converts RCA female jack to 2-RCA male plugs "Y" adapter. Used to combine or split RCA signal. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3103967	3103967	EA	1	0.1	2.99



Banana Plug

Use up to 10 gauge speaker wire. Gold. Pack of 2. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107547	3107547	EA	1	0.4	6.99



Audio Plug

Converts 1/4" stereo jack to a 3.5mm stereo plug. Allows the use of conventional full sized headphone on a mini or personalized stereo system. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30941	30941	EA	1	0.2	3.29



Audio Plug Adapter

Converts 3.5 mm stereo jack to 1/4" stereo plug. Allows the use of mini stereo headphones with your home stereo system. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
30912	30912	EA	6	3	2.29



RCA Male Plugs

Use to make or repair RCA audio cables. RCA male. Pack of 2. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32095	32095	CD2	1	0.2	3.29



Alligator Clips

1.5" length. Use for quick connection of lead wires. Pack of 2 (1 black, 1 red). Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
32098	32098	CD2	1	0.3	3.29



Signal Amplifier with Return Path



1 GHz, 10 dB gain. VHF/UHF/FM. Indoor distribution amplifier. Improves weak video signals caused by splitting the signal for multiple TV and video equipment installations. Specifications: 1 input - 1 output Operating frequency: 54 to 1000 MHz Return path frequency: 5 to 42 MHz Amplifier gain: 10 dB Noise figure: 3.5 dB Impedance: 75 OHM Power supply: 15 volt DC output Power required: 115 volt AC, 60 Hz. Handles all cable, UHF/VHF/FM off-air signals and return path. Works with a digital cable box, cable modem, On-Demand, HDTV and more. Simple to install. Indoor use only. Replaces Ace No. 30770. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261419	3261419	EA	1	0.9	23.99



Signal Amplifier with Return Path



1 GHz, 24 dB gain. VHF/UHF/FM. Indoor distribution amplifier. Improves weak video signals caused by splitting the signal for multiple TV and video equipment installations. Specifications: 1 input - 1 output Operating frequency: 54 to 1000 MHz Return path frequency: 5 to 42 MHz Amplifier gain: 24 dB Noise figure: 5.4 dB Impedance: 75 OHM Power supply: 15 volt DC output Power required: 115 volt AC, 60 Hz. Handles all cable, UHF/VHF/FM off-air signals and return path. Works with a digital cable box, cable modem, On-Demand, HDTV and more. Simple to install. Indoor use only. Replaces Ace No. 30708. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3261393	3261393	EA	1	1	34.99



In-Line Amplifier

20 dB, 450-2250 MHz. For amplification of satellite and DSS signal. "F" type fittings for all types of standard coax cable use. Indoor use only. Gold. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107588	3107588	EA	1	0.4	15.49



Amplified Satellite Diplexer

Combines or separates local TV and satellite signals onto one cable. Digital ready for amplified antennas. For use with non-amplified diplexer. Ace No. 3174935. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107646	3107646	EA	1	0.3	9.99



Non-Amplified Satellite Diplexer

Digital ready. For non-amplified antennas. Combines or separates local TV and satellite signals onto one cable. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3174935	3174935	EA	1	0.3	9.99



Grounding Block

75 Ohm. Coaxial. Used to ground coaxial installations. To protect against lightning damage. Carded.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107554	3107554	EA	1	1.2	3.99



Earbud Headphones

For use with portable equipment such as AM/FM radios, cassette players, and CD players. Produces clear, dynamic stereo sound. Lightweight design for active individuals. Includes extra set of ear pads. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038122	3038122	EA	1	0.2	6.49



Headphones

For use with portable equipment such as AM/FM radios, cassette players, and CD players. Produces clear, dynamic stereo sound. Ultra lightweight. Includes extra set of ear pads. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3038114	3038114	EA	1	0.4	3.99

BELKIN.

IPOD Charging Kit

Consists of IPOD/USB cord, AC adapter and 12 volt adapter. Offers convenient charging solution at home or on the road. Energy Star rated. Compatible with all 30 pin IPODs. White. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3238003	F8Z152	EA	1	0.6	34.99



Air Dusters

8 ounce. Non-flammable. Blasts away dirt, dust, and debris. Penetrates cracks and crevices. Safe to use with sensitive components and all surface finishes. Plastic safe. Authorized by USDA for use in federally inspected meat and poultry plants.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3034287	09870	EA	1	0.7	6.99



Networking Cable

RJ45 male plug, both ends. Blue stranded UTP Category 5E cable rated at 350 MHz/155 Mbps. Snagless boot construction. Meets EIA/TIA T568 A/B standards. UL listed. Bagged.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214145	3214145	3'	EA	1	0.1	3.49
3167020	3167020	7'	EA	1	0.3	6.49
3167046	3167046	14'	EA	1	0.4	8.99

BELKIN.

USB Cable Extension

10' length. USB extension cord. 20 gauge. Flexible jacket. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3198843	F3U13V10	EA	1	0.8	9.99

BELKIN.

USB Cable

A to B. 20 gauge. For many computer devices. Works with USB 2.0. Carded.



Stock No.	Mfr. No.	Size	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3198819	F3U133V06	6'	EA	1	0.4	9.99

BELKIN.

USB Cable

6 feet. USB to mini USB. Hi-speed data transfer. OFC power wires. Gold plated contacts. For use with digital camera and phones using a mini USB. Windows and Macintosh compatible. Lifetime warranty. Blister pack.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3230133	F3U138V06	EA	1	0.3	7.99



In-Line Coupler

8 position, 8 conductor. Used to extend the length of 2 Category 5E network cables. RJ45 female jacks on each end. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3200276	3200276	EA	1	0.2	10.99



Blank Inserts

Blank insert for Keystone wall plate. Use to protect unused Keystone opening from dust and debris. Packed/5. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214087	3214087	White	EA	1	0.2	2.49
3214095	3214095	Almond	EA	1	0.3	2.49



Keystone Insert

Use for connection of video signals (TV, cable, HDTV, and satellite). Gold plated. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214061	3214061	White	EA	1	0.2	4.99
3214079	3214079	Almond	EA	1	0.2	4.99



Keystone Insert

Use for connection of audio speakers. Accepts up to 14 AWG speaker wire or banana plugs. Gold plated/color coded-red/black. Carded/1.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214103	3214103	White	EA	1	0.3	6.99
3214111	3214111	Almond	EA	1	0.2	6.99



Keystone Insert

Use for connection of audio speakers/components. Accepts RCA male plugs. Gold plated. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214129	3214129	White	EA	1	0.2	3.49
3214137	3214137	Almond	EA	1	0.2	3.49



Plugs

RJ45. 8 position, 8 conductor mod plug for round/solid cable. Use to terminate Category 5E wire. Clear plugs. UL approved. Packed/10.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3167053	3167053	EA	1	0.1	9.99



Multi-Line Jack

RJ25, Category 3, 6 position, 6 conductor. Use for phone, fax, and modem. Allows for connecting up to 3 separate lines. Use with Category 3 or standard 4C station wire. Keystone insert. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214046	3214046	White	EA	1	0.2	3.49
3214053	3214053	Almond	EA	1	0.2	3.49



90 Degree Keystone Jack

RJ45 8 position, 8 conductor. For Internet, modem and computer networking. Use with Category 5E wire. Accepts 23-24 AWG solid wire. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214004	3214004	White	EA	1	0.1	4.99
3214012	3214012	Almond	EA	1	0.1	4.99



90 Degree Keystone Jack

RJ45 8 position, 8 conductor. For Internet, modem and computer networking. Use with Category 5E wire. Accepts 23-24 AWG solid wire. Packed/5. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3214020	3214020	White	EA	1	0.2	14.99
3214038	3214038	Almond	EA	1	0.1	14.99



Keystone Wall Plate

Use to connect computer, audio, video, and telephone. Connection on one wall plate. Mounts to standard electrical J-box. Color matching mounting screws included. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3213717	3213717	White	EA	1	0.1	1.79
3213766	3213766	Almond	EA	1	0.3	1.79



Keystone Wall Plate

Use to connect computer, audio, video, and telephone. Connection on one wall plate. Mounts to standard electrical J-box. Color matching mounting screws included. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3213782	3213782	White	EA	1	0.3	1.79
3213840	3213840	Almond	EA	1	0.3	1.79



Keystone Wall Plate

Use to connect computer, audio, video, and telephone. Connection on one wall plate. Mounts to standard electrical J-box. Color matching mounting screws included. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3213865	3213865	White	EA	1	0.2	1.99



Keystone Wall Plate

Use to connect computer, audio, video, and telephone. Connection on one wall plate. Mounts to standard electrical J-box. Color matching mounting screws included. Carded.



Stock No.	Mfr. No.	Color	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3213923	3213923	White	EA	1	0.2	1.99
3213956	3213956	Almond	EA	1	0.2	1.99



Networking Cable

25'. RJ45 male plug, both ends. Blue stranded UTP Cat5E cable rated at 350 MHz/155 Mbps. Snagless boot construction. Meets EIA/TIA T568 A/B standards. UL listed. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3184868	3184868	EA	1	0.5	15.99



Networking Cable

100' length. Category 5E networking cable. RJ45 male plugs, both ends. Blue stranded UTP Category 5E cable rated at 350MHz/155Mbps. Snagless boot construction. Meets EIA/TIA T568 A/B standards. UL listed. Bagged.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3184884	3184884	EA	1	3.3	29.99



Surface Mount Housing

Dual port. Ports accept various multi-media keystone inserts. Use for custom installation of fast Ethernet, computer, video, and audio connectors. White. Carded.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3213980	3213980	EA	1	0.2	3.79

NAUTILUS/BROAN MFG.

Intercom

7-1/4" x 4-7/8" x 2". 2 unit set. 3 channel FM. Uses up to 8 stations. Voice activated "Auto" key for total hands free operation. "Auto" key is for listening in on baby or invalid. Built-in filters reduce interference from fluorescent lights, appliances, and dimmers. Thumb wheel volume control with "off" setting allows adjustment at each station. 500' range. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3100195	IMA-110WH-2	EA	1	2.7	89.99

NAUTILUS/BROAN MFG.

Intercom

Add on unit for use with Ace No. 3100195. 3 channel FM. Uses up to 8 stations. Voice activated "Auto" key for total hands free operation. "Auto" key is for listening in on baby or invalid. Built-in filters reduce interference from fluorescent lights, appliances and dimmers. Thumb wheel volume control with "off" setting allows adjustment at each station. 500' range. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3100203	IMA-110WH	EA	1	1.4	44.99



Contractor Chime Kit

Kit includes: 1 No. 96 chime (Ace No. 36450), 1 No. 670 pushbutton (Ace No. 36480)-non lighted, 1 No. 715W-1 lighted pushbutton (Ace No. 3209988), 1 No. 122C transformer (Ace No. 36484), 16 VAC-10 VA low voltage transformer, and wired door chime with 2 note front door/1 note rear door chime. Door chime sound display: A. Bell wire not included (recommended AC-196C/36489). Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36465	AC-102	EA	1	4	23.99



Contractor Chime

7-1/4"L x 2"D x 4"H. 2 note melody for front entrance. 1 note melody for additional entrance. Door chime sound display: A. White molded cover. Boxed.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36456	AC-95B	EA	1	0.8	12.99



Boxed Chime

7-1/4"L x 2"D x 4"H. 2 note melody for front entrance. 1 note melody for additional entrance. Door chime sound display: A. White molded cover with flowing line design. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36450	AC-96	EA	1	1.4	15.99



Door Chime

7"L x 2-1/8"D x 7-3/8"H. Contemporary styling. Exceptional sound quality. Distinctive 2 note melody for front entrance. Enhanced 1 note for an additional entrance. Door chime sound display: C. Satin brass finished tubes. Cream cover. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36453	AC-50	EA	1	2	35.99



Door Chime

7"L x 2-3/8"D x 8"H. Contemporary styling. Exceptional sound quality. Distinctive 2 note melody for front entrance. Distinctive 1 note melody for additional entrance. Door chime sound display: C. Satin brass finished tubes. Solid oak cover. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36461	AC-79	EA	1	1.9	44.99



Door Chime

10-1/2"L x 3-1/8"D x 5-7/8"H. Contemporary styling. 8 note melody front door tone. Enhanced 1 note for an additional entrance. Exceptional sound quality. Door chime sound display: F. White molded cover. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209780	AC-81	EA	1	4	45.99



Wireless Door Chime Button

Up to 150-foot range. 128 selectable codes. Accessory push button. Works with all Heath Zenith. Low battery indicator. Weather proof with gasket seal. Replacement battery Ace No. 3009743. Off white. 5-year warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3087590	AC6197-C	EA	1	0.2	8.99



Wireless Doorbell Button

Up to 150 foot range. Accessory push button. 128 selectable codes. Works with all Heath Zenith wireless chimes. Low battery indicator. White with rectangular button. Push button replacement battery, Ace No. 3009743. 5 year warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3035698	AC6190-C	EA	1	0.3	10.49



Door Chime

Up to 75' range. Selectable front and back chime. Single push battery included. Push button battery included. 128 selectable codes. Door chime sound display: D. Push button replacement battery, Ace No. 3009743. 5 year warranty. White.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36460	AC-6151	EA	1	0.1	16.99



Door Chime

Up to 100 foot range. Single push button included. Push button battery included. Selectable front and back chime. 128 selectable codes. Westminster or ding dong selection. High quality chime sound. Door chime sound display: E. Volume control. White. 5 year warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3035458	AC6166-C	EA	1	1	22.99



Door Chime

Selectable front and back door chime. Single push button included. Push button battery included. 128 selectable codes. Door chime sound display: D. Up to 100 foot range. Compatible with all other Heath chimes. 1 year battery life. Push button replacement battery, Ace No. 3009743. Replacement button Ace No. 3035698. 5 year warranty. Off white. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3014727	AC6150	EA	1	0.1	15.49



Door Chime

Up to 150 foot range. Single push button included. Push button battery included, 3 year battery life. Replacement pushbutton battery: 3009743. Door chime takes 3-D cell batteries. Selectable front and back chime. 128 selectable codes. Westminster or ding dong selection. High quality chime sound. Door chime sound display: E. Volume control. Off white. 5 year warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009644	AC6153-C	EA	1	0.9	22.99



Front & Back Door Chime

Up to 150 foot range. Two push buttons included. Push button battery included, 3 year battery life. Front and back door applications-two tones. 128 selectable codes. Westminster or ding dong selection. High quality chime sound. Door chime sound display: E. Volume control. Push button replacement battery, Ace No. 3009743. Lustrous Satin chime bars. Off white. 5 year warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3009651	AC6162T-C	EA	1	1.3	29.99



Door Chime Extender

Up to 100 foot range. Battery operated. Transmitter battery included. Activates plug-in chime when existing doorbell sounds. Selectable front and back chime. 128 selectable codes. Westminster or ding dong selection. High quality chime sound. Door chime sound display: E. Volume control. White. 5 year warranty. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3003522	AC6157-C	EA	1	1.3	28.99



Wired Push Button

1"L x 3-5/8"H. Traditional styling. Lighted for night visibility. Recessed mount. For new or replacement use. Not to exceed 16V. Solid brass. Black hammered finish. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209939	AC-829LB	EA	1	0.2	7.49



Wired Push Button

3/4" diameter. Recessed mount design. Unlighted. For new or replacement use. Not to exceed 23V. Gold rim. Pearl center. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36469	AC-450G	EA	1	0.1	2.49



Wired Push Button

3/4" diameter. Recessed mount design. Lighted for night visibility. For new or replacement use. Not to exceed 16V. Gold rim. Pearl center. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36470	AC-455G	EA	1	0.1	2.79



Wired Push Button

1-3/4" diameter. Flush mount. Unlighted. Antique brass. Black center. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36479	AC-VSRA	EA	1	0.1	5.49



Wired Push Button

3/4"L x 2-3/4"H. Surface mount design. Unlighted. For new or replacement use. Not to exceed 23V. Black plastic. White bar. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36481	AC-667-1	EA	1	0.1	2.49



Unlighted Push Button

.875" L x 2.875" H. Surface mount design. For new or replacement use. White bar. Not to exceed 23V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36480	AC-670	EA	3	0.3	2.49



Wired Push Button

1"L x 2-3/4"H. Surface mount design. Lighted for night visibility. For new or replacement use. Not to exceed 16V. Gold with white button. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36467	AC-715G-1	EA	1	0.1	3.99



Wired Push Button

3/4"L x 2-3/4"H. Surface mount design. Lighted. For new or replacement use. Not to exceed 16V. Silver with white button. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36468	AC-715A1	EA	1	0.2	3.99



Wired Push Button

1"L x 2-3/4"H. Surface mount design. Lighted for night visibility. For new or replacement use. Not to exceed 16V. Gold with white button. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36478	AC-715G	EA	1	0.3	5.49



Wired Push Button

3/4"L x 2-3/4"H. Surface mount design. Unlighted. For new or replacement use. Not to exceed 23V. Gold with white button. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3221835	AC-711P	EA	1	0.1	3.99



Wired Push Button

1-1/4"L x 3-1/8"H. Solid brass construction. For new or replacement use. Lighted button for night visibility. Recessed mount design. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3020666	AC-856	EA	1	0.3	12.49



Wired Push Button

1-3/4"L x 3-1/5"H. Pineapple design. Classic charm solid brass. Antique copper finish. For new or replacement use. Lighted button for night visibility. Recessed mount design. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3107778	AC-872	EA	1	0.4	10.49



Wired Push Button

1-1/8"L x 2-1/2"H. Traditional styling. Solid brass. Satin nickel finish. For new or replacement use. Lighted button for night visibility. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209954	AC-932	EA	1	0.1	16.49



Wired Push Button

1-1/4"L x 3-3/8"H. Recessed mount design. Solid brass/brushed antique brass finish. For new or replacement use. Lighted button for night visibility. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209921	AC-925	EA	1	0.3	13.99



Wired Push Button

2"L x 3"H. Recessed mount design. Solid brass. Ornate oval. Venetian bronze finish. Lighted button for night visibility. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209962	AC-931	EA	1	0.8	20.99



Wired Push Button

2"L x 3"H. Arts and crafts solid brass chime. Pewter finish. Solid brass for longer life. For new or replacement use. Lighted for night visibility. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209897	AC-873PW	EA	1	0.3	17.49



Wired Push Button

2-1/4" diameter. For new or replacement use. Classic charm solid brass chime. Antique copper finish. Lighted button for night visibility. Not to exceed 16V. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
3209871	AC-871	EA	1	0.2	21.99



Door Chime Transformer

2-1/4"L x 1-7/8"D x 2-1/2"H. Lock nut type. Input: 120 VAC. Output: 16 VAC-10 watt. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36484	AC-122C	EA	1	1.5	8.99



Tri Volt Transformer

2-1/2"L x 2-1/4"D x 2-1/8"H. Clamp on door chime. Input: 120 VAC. Output: 8 VAC-10 VA, 16 VAC- 10 VA, 24 VAC-20 VA. Clamshell.

Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36485	AC-125C	EA	1	1.8	16.99



Door Bell

2-1/2"L x 1-1/8"D x 6-3/4"H. For use with three 6 volt DC batteries or 3106937 or 36483 transformer. Classic styling. Industrial strength and quality. Great for small businesses. Enclosed buzzer. Bell wire not included (recommended AC-196C/36489). Silver. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36486	AC-172C	EA	1	0.8	9.99



Door Bell

4"L x 1-1/8"D x 7"H. For use with three 6V DC batteries or AC-125C/36485 transformer. Classic styling. Industrial strength and quality. Great for small businesses. Enclosed buzzer. Bell wire not included (recommended AC-196C/36489). Silver. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36487	AC-174C	EA	1	1	15.49



Door Chime Buzzer

2-1/2"L x 1"D x 3"H. For use with three 6V DC batteries or AC-125C/36485 transformer. Classic styling. Industrial strength and quality. Great for small businesses. Silver finish. Clamshell.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36488	AC-170C	EA	1	0.3	7.99

NAUTILUS/BROAN MFG.

Push Button Bulb

16 volts maximum Fits most lighted push buttons. Fits all Nutone lighted push buttons. Card/2.



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
34726	PBL-2	EA	1	0.1	5.49



All Purpose Doorbell Wire

65 feet. 20 AWG-single strand. Clamshell



Stock No.	Mfr. No.	Unit of Meas.	Order Multiple	Wgt.	Unit Price
36489	AC-196C	EA	1	0.8	4.99