

CGC  
Interior  
Panel &  
Finishing  
Solutions



**WHEN IT COMES TO  
BUILDING YOUR WORLD,  
CGC HAS YOUR WALLS  
AND CEILINGS COVERED.**  
CGC Interior Finishing Products

[cgcinc.com](http://cgcinc.com)



At CGC, we know that settling for “good enough” is never an option. You need reliable, high-quality products that you can depend on every time.

For more than 100 years, CGC has been the leading manufacturer of the highest-performing building materials within the industry. So you can trust that when you choose our products, you’re always getting the best possible quality.

We offer finishing products specifically designed to meet your needs, and a full portfolio that provides unique and adaptable solutions for a variety of environments.

Beyond outstanding products, we also offer expertise, technical support and nationwide availability. All driven by a dedication to finding solutions for you. Plus, we have the technology and manufacturing capabilities to ensure our products exceed industry standards before ever being introduced to the market.

We do all of this because we believe that our reputation is built on yours. When you succeed, we succeed. Your exceptional skill—combined with our solutions—lead to better experiences and quality finishes.

# TABLE OF CONTENTS

## FINISHING SOLUTIONS

|                         |       |
|-------------------------|-------|
| Drywall Compounds ..... | 4-6   |
| Joint Tapes .....       | 7     |
| Bead and Trim .....     | 8-11  |
| Strait-Flex .....       | 12-13 |

## SURFACING SOLUTIONS

|                                 |       |
|---------------------------------|-------|
| Interior Texture Finishes ..... | 14-15 |
| Plaster Finishes .....          | 15-17 |
| Plaster Accessories .....       | 17    |

## PREPARATION SOLUTIONS

|               |       |
|---------------|-------|
| Primers ..... | 18-19 |
|---------------|-------|

## INTERIOR PATCH & REPAIR SOLUTIONS

|                       |       |
|-----------------------|-------|
| Repair Products ..... | 20-21 |
|-----------------------|-------|

## QUICK REFERENCE GUIDES .....

22

## CGC COMMODITY CODES .....

23-26



# FINISHING SOLUTIONS

Offering the industry's broadest selection of finishing solutions, our high-quality drywall compounds, joint tapes, beads and trims deliver superior performance for every job, every time. Whether you're taping, applying a finish coat or patching a crack, there is a CGC finishing product to meet your needs.

## Drywall Compounds

### READY-MIXED DRYWALL COMPOUNDS

CGC ready-mixed drywall compounds are drying-type products that are vastly superior to ordinary ready-mixed compounds and are preferred for consistently high-quality work. These formulations are specially premixed to a creamy, smooth consistency essentially free of crater-causing air bubbles. They offer excellent slip and bond and easy workability. Available for hand or machine-tool applications.

#### CGC Synko® Brand Lite Line™ All Purpose Drywall Compound



- Versatile—for all drywall joint finishing steps
- Easy to apply and sand
- Less shrinkage—minimizes coats over corner bead
- Available in: 17 L carton

Less weight, less shrinkage (minimizes coats over corner bead) and easier to apply and sand than conventional weight drywall compounds. For embedding CGC Synko® Brand Paper Joint Tape and applying drywall filling and finishing coats, covering fasteners and USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. For hand-applying simple textures.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

#### CGC Synko® Brand Lite Joint™ Drywall Compound



- For embedding drywall paper joint tape
- Less weight, easier to apply
- Ideal for use in mechanical taping tools
- Available in: 18 L pail, 17 L carton

Ideal for use in mechanical taping tools. Less weight, easier to apply than conventional joint compound. For embedding CGC Synko® Brand Paper Joint Tape. For applying USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim on drywall and the first coat over bare metal corner bead, trim and fasteners. For skim coating drywall surfaces, hand-applying simple textures, patching cracks and laminating drywall. Do not use for filling and finishing coats over joints.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

#### CGC Synko® Brand Lite Finish™ Drywall Compound



- For fill and finish coats in drywall joint finishing
- Less weight, easier to apply and sand
- Good crack resistance and less shrinkage
- Available in: 17 L carton

For the filling coat (second coat) and finishing coat (third coat) over embedded paper joint tape, corner bead, trim and fasteners. For all coats when covering USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. Do not use to embed joint tape, to apply the first coat over metal corner bead, trim and fasteners, to skim coat or to texture.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

#### CGC Synko® Brand Advanced Finish Drywall Compound



- For fill and finish coats in drywall joint finishing
- Superior slip, applies with minimal surface imperfections
- Good crack resistance and less shrinkage
- Available in: 17 L carton

For the filling coat (second coat) and finishing coats (third coat) over embedded paper joint tape, corner bead, trim and fasteners. For all coats when covering USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. Provides a superior slip, applies with minimal surface imperfections. Do not use to embed joint tape, to apply the first coat over metal corner bead, trim and fasteners, to skim coat or to texture.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

**READY-MIXED  
DRYWALL  
COMPOUNDS  
(CONT.)**

**CGC Synko® Brand Classic All Purpose® Drywall Compound**



- Versatile—for all drywall joint finishing steps
- Easy to apply and sand, smooth finish
- Less shrinkage—minimizes coats over corner bead
- Regional availability
- Available in: 17 L carton

Less weight, less shrinkage (minimizes coats over corner bead) and easier to apply and sand than conventional weight drywall compounds; provides a smooth finish. For embedding CGC Synko® Brand Paper Joint Tape and applying drywall filling and finishing coats, covering fasteners and USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

**CGC Synko® Brand Classic Finish® Drywall Compound**



- For fill and finish coats in drywall joint finishing
- Smoother finishing and easier sanding
- Good crack resistance and less shrinkage
- Available in: 17 L carton

For the filling coat (second coat) and finishing coats (third coat) over embedded paper joint tape, corner bead, trim and fasteners. For all coats when covering USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. Provides smoother finishing and easier sanding. Do not use to embed joint tape, to apply the first coat over metal corner bead, trim and fasteners, to skim coat or to texture.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

**CGC Synko® Brand Dust Control® Drywall Compound**



- Unique formula binds up fine residue during sanding to form heavier particles that tend to fall to the floor instead of clouding the air
- Ideal for remodeling, less sanding mess
- Versatile—for all drywall finishing steps
- Less weight, easier to apply
- Available in: 15.5 L carton, 13.5 L pail, 3.6 L pail, 1.8 L pail, 162 mL tube, Patch and Repair Kit

Reduces airborne sanding dust for faster clean-up—ideal for remodeling projects. Less weight, less shrinkage (minimizes coats over corner bead) and easier to apply and sand than conventional weight drywall compounds. For embedding CGC Synko® Brand Paper Joint Tape, applying drywall filling and finishing coats. Also for covering fasteners, USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim, and for hand-applying simple textures.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

**CGC Synko® Brand UltraLight Drywall Compound**



- Versatile—for all drywall joint finishing steps
- Up to 30% less weight, easier to apply
- Excellent taping and finishing performance
- Available in: 17 L carton, 13.5 L pail

Easier to apply and handle than conventional weight drywall compounds. For embedding CGC Synko® Brand Paper Joint Tape, applying drywall filling and finishing coats, and covering fasteners, USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim, and skim coating drywall surfaces. Provides an easier to sand surface.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

**CGC Synko® Brand Redi-Filler™ Drywall Compound**



- Versatile—for all drywall joint finishing steps
- Great bond, hard-finish surface
- Ideal for skim coating
- Available in: 13.5 L pail, 3.6 L pail, 1.8 L pail

For embedding CGC Synko® Brand Paper Joint Tape and applying drywall filling and finishing coats. Also for covering fasteners, USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim, skim coating drywall surfaces and hand-applying simple textures. For repairing cracks on drywall and plaster.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

## SETTING-TYPE DRYWALL COMPOUNDS

CGC setting-type drywall compounds provide faster finishing of drywall interiors, even under slow drying conditions. Rapid chemical hardening and low shrinkage permit same-day finishing and usually next-day decoration. These products feature exceptional bond, virtually unaffected by humidity extremes. They are ideal for laminating double-layer systems, particularly fire-rated assemblies, and for adhering gypsum panels to above-grade concrete surfaces. May also be used for surface texturing and for filling, smoothing and finishing interior above-grade concrete. Note that setting-type drywall compounds should not be used for skim coating due to dryout concerns.

### CGC Synko® Brand Pro-Set® Setting-Type Drywall Compound



- Available in 30- and 90-minute set times
- For one-day patching and joint finishing and next-day decoration
- Easy to sand
- Provides low shrinkage and a superior bond
- Ideal for laminating drywall and patching plaster surfaces
- Available in: 9 kg bag

Provides strong bond. For embedding CGC Synko® Brand Paper Joint Tape and applying drywall joint filling and finishing coats. For covering fasteners, USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim, and filling and levelling interior above-grade concrete. For laminating drywall and patching drywall and plaster surfaces. Do not use as a skim coat.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### CGC Synko® Brand Fast-Set™ Setting-Type Drywall Compound



- Available in 40-minute set time
- For one-day patching and joint finishing and next-day decoration
- Provides low shrinkage and a superior bond
- Ideal for laminating drywall and patching plaster surfaces
- Available in: 9 kg bag

Provides strong bond. For embedding CGC Synko® Brand Paper Joint Tape and applying drywall joint filling and finishing coats. For covering fasteners, USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim, and filling and levelling interior above-grade concrete. For laminating drywall and patching drywall and plaster surfaces. Do not use as a skim coat.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### CGC Sheetrock® Brand Durabond® Setting-Type Drywall Compound



- Available in 90-minute set time
- Exceptional bond with low shrinkage
- Same-day finishing and next-day decorating possible
- Excellent check-crack resistance in heavy fills
- Unique resistance to humidity
- Available in: 15 kg bag

Provides strong bond. For embedding CGC Synko® Brand Paper Joint Tape, covering fasteners and USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. For filling and levelling interior above-grade concrete, laminating drywall and patching drywall and plaster surfaces. Do not use as a skim coat.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

## CONCRETE LEVELLING COMPOUND

### CGC Synko® Brand Concrete Fill™ Quick-Setting Compound



- Fills and levels deep voids or cracks on interior walls and ceilings
- Easy to apply and provides good adhesion
- Very low shrinkage, excellent crack resistance
- Available in: 15 kg bag

This fiberglass reinforced plaster compound fills deep voids or cracks in above-grade interior concrete or masonry walls and ceilings. Fills and levels above-grade cracks and voids between pre-cast concrete panels, columns and concrete masonry. Also used to pre-fill or patch plaster and drywall surfaces.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### CGC Synko® Brand Concrete Seal™ Leveller and Sealant



- High-performance concrete ceiling leveller
- Easy to work with, provides good adhesion
- Provides good base for texture spray
- Available in: 15 kg bag

Lightweight gypsum plaster compound—formulated for easy trowel application over dry, sound, interior concrete. Features a built-in adhesive so bonding agents are not needed. Mixes easily with no lumps. Provides good base for medium to coarse texture spray. Can fill voids up to 3 mm (1/8 in.) thick.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

# Joint Tapes

## PAPER JOINT TAPES

From the originator of modern joint finishing, CGC reinforcing tapes add strength and crack resistance for smooth concealment at flat joints and inside corners. CGC joint tapes are high-quality and easily applied, and are available for specialized uses.

To prevent cracking and ensure good joint performance, paper tape is always recommended. While the high-strength of setting-type compounds produces a strong joint with either paper or fiberglass mesh tape, even with setting-type compounds, paper joint tape performs best.

### CGC Synko® Brand Paper Joint Tape



- Superior center creasing for trouble-free corner finishing
- High strength to resist tearing, stretching or wrinkling
- Processed for superior bond
- Wafer thin for easy joint treatment
- Available in: 75' roll, 250' roll, 500' roll; 2-1/16" wide

High-performing paper tape that has strong, cross-directional fibres with high tensile strength for use with CGC drywall compounds to reinforce joints and corners in gypsum drywall interiors.

## FIBERGLASS JOINT TAPES

While fiberglass mesh tape is stronger than paper tape in expansion under ultimate tensile load, it does not reinforce the drywall compound in compression, bending or shear, and will allow visible cracking of the drywall compound to occur at lower loads as the glass mesh stretches. The only time CGC recommends mesh tape is when you're using our fiberglass drywall tapes with CGC setting-type drywall compounds.

### CGC Sheetrock® Brand Fiberglass Joint Tape



- Self-adhesive tape—no bedding coat needed
- Smooth joints in only two coats
- Use with setting-type drywall compounds for one-day joint finishing
- Available in: 65' roll, 300' roll, 500' roll; 2" wide

High number of strands-to-inch count makes it ideal for joints, cracks and small holes in drywall, plaster and ceilings.

### CGC Sheetrock® Brand Mould-Resistant Fiberglass Joint Tape



- Moisture- and mould-resistant
- Self-adhesive tape—no bedding coat needed
- Smooth joints in only two coats
- Use with setting-type drywall compounds for one-day joint finishing
- Available in: 300' roll; 2" wide

Designed to provide increased moisture and mould protection. Self adhesion makes joint finishing simpler and quicker.

### USG Imperial® Brand Tape: Type P



- For veneer plaster systems
- Type P for pressure-sensitive attachment
- Open weave of tape provides excellent keying of plaster during embedding
- Produces highly crack-resistant veneer plaster assemblies
- Available in: 300' roll; 2-1/2" wide

Strong, glass-fiber tape for joint reinforcement in USG veneer plaster systems on wood framing.

# Bead and Trim


## PAPER-FACED METAL CORNER BEAD AND TRIM

For the most cost-effective, problem-free, beautiful corners, choose USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim. Fast, easy installation means reduced labour costs, while superior product performance eliminates costly job callbacks, saving money and ensuring customer satisfaction. Nailing is not required, so installation and corner alignment are easier, and there are no nails to pop when wood framing shrinks. Paper-faced metal technology provides excellent bond adhesion qualities for drywall compounds, textures and paints. The unique green “nose coating” on the paper tape covering resists scuffing and fuzzing from knives and sanding. The paper tape covering ensures excellent adhesion of drywall compounds, textures and paints for a strong, smooth finish.

USG Beadex™ Brand Paper-Faced Metal Corner Bead and Trim provide superior resistance to edge cracking and chipping for a look that stays beautiful despite the stresses of normal building movement and everyday wear and tear. In fact, CGC warrants that its beads and trims will not edge crack for the lifetime of the structure using recommended application techniques.

## 90° AND OFFSET OUTSIDE CORNER BEAD

### USG Beadex™ Brand Paper-Faced Metal Corner Bead Outside Corner (B1W, B1XW, B1 Super Wide)




Use for 90° outside corners. Suitable for use on any thickness of wallboard. Standard lengths: 8', 9', 10'. Meets ASTM C1047.


#### Dimensions

| Style         | A      | B       | C       | D      |
|---------------|--------|---------|---------|--------|
| B1W EL        | 3/4"   | 11/16"  | 11/16"  | 3/4"   |
| B1XW EL       | 5/8"   | 13/16"  | 13/16"  | 5/8"   |
| B1 Super Wide | 11/16" | 1-1/16" | 1-1/16" | 11/16" |

**Note:** XW = Extra Wide; EL = Even Leg.



### USG Beadex™ Brand Paper-Faced Metal Corner Bead Offset Outside Corner (B1 OS)




Designed for 135° corners. Offset bead is designed to give a true offset corner with a smaller bead height requiring less compound to finish. Can be used on any thickness of wallboard. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

#### Dimensions


| Style | A    | B    | C    | D    |
|-------|------|------|------|------|
| B1 OS | 5/8" | 3/4" | 1/2" | 5/8" |

**Note:** OS = Offset



## 90° AND OFFSET INSIDE CORNER


### USG Beadex™ Brand Paper-Faced Metal Corner Trim Inside Corner (B2)




Designed to form a true inside (90°) corner. For use with any thickness of wallboard. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

#### Dimensions

| Style | A    | B    | C    | D    |
|-------|------|------|------|------|
| B2    | 5/8" | 3/8" | 3/8" | 5/8" |



### USG Beadex™ Brand Paper-Faced Metal Corner Trim Offset Inside Corner (B2 OS)




Designed for a 135° offset angle on inside corners greater than 90°. For use on any thickness of wallboard. Standard lengths: 8', 9', 10'.

#### Dimensions


| Style | A    | B    | C    | D    |
|-------|------|------|------|------|
| B2 OS | 5/8" | 5/8" | 5/8" | 5/8" |

**Note:** OS = Offset



## SOFTLINE BULLNOSE AND OFFSET OUTSIDE CORNER BEAD


### USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner (SLOC)




Installs easily to form a smooth rounded outside corner. The 3/4" radius can be used for 1/2" or 5/8" drywall. Standard lengths: 8', 9', 10', 12'. Meets ASTM C1047.

#### Dimensions

| Style | A    | Radius | B    |
|-------|------|--------|------|
| SLOC  | 5/8" | 3/4"   | 5/8" |



### USG Beadex™ Brand Paper-Faced Metal Corner Bead 1" Bullnose Offset Outside Corner (SLOC OS)




Designed for 135° offset angles. Speeds application and eliminates need on framing members for fastening corners. Standard lengths: 8', 9', 10'. Meets ASTM C1047.


#### Dimensions

| Style   | A    | Radius | B    |
|---------|------|--------|------|
| SLOC OS | 3/4" | 1"     | 3/4" |

**Note:** OS = Offset



### USG Beadex™ Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Outside Corner (Baby Bull®)




Provides a narrower finished look with a smaller radius compared to other bullnose profiles. Also excellent for trimming around windows. Can be applied over new 1/2" or 5/8" drywall. Standard lengths: 8', 10'. Meets ASTM C1047.

#### Dimensions

| Style      | A    | Radius | B    |
|------------|------|--------|------|
| Baby Bull® | 5/8" | 1/2"   | 5/8" |




### USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Nail-On (SLOC N)



Use for smooth, rounded corners where nailing or other mechanical fastening is required. Can be fastened to 1/2" or 5/8" drywall with nails, staples or screws. Standard lengths: 8', 9', 10'. Meets ASTM C1047.


#### Dimensions

| Style  | A     | Radius | B     |
|--------|-------|--------|-------|
| SLOC N | 9/16" | 3/4"   | 9/16" |



## SOFTLINE BULLNOSE AND OFFSET INSIDE CORNERS

### USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Inside Corner (SLIC)



Use to create a smooth, rounded inside corner. The 3/4" radius trim is suitable for 1/2" or 5/8" drywall. Standard lengths: 8', 10'. Meets ASTM C1047.


#### Dimensions

| Style | A    | Radius | B    |
|-------|------|--------|------|
| SLIC  | 3/4" | 3/4"   | 3/4" |



## L-TRIMS

### USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B4)




Use where wallboard abuts with suspended ceilings, beams, plaster, masonry and concrete walls, as well as untrimmed door and window jambs.  
Standard lengths: 8', 10'. Meets ASTM C1047, with the exception of B4 (1/2") and B4 NB (1/2").

#### Dimensions


| Style        | A    | B      | C       |
|--------------|------|--------|---------|
| B4 (1/2")    | 1/2" | 15/16" | 1-5/16" |
| B4 NB (1/2") | 1/2" | 15/16" | 1-5/16" |
| B4 (5/8")    | 5/8" | 13/16" | 1-5/16" |
| B4 (3/4")    | 3/4" | 15/16" | 1-1/16" |
| B4 (1")      | 1"   | 15/16" | 1-3/8"  |

**Note:** NB = No Bead



## J-TRIMS


### USG Beadex™ Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9)



Use where wallboard abuts with suspended ceilings, beams, plaster, masonry and concrete walls, as well as untrimmed door and window jambs.  
Standard lengths: 7', 8'. Meets ASTM C10 47, with the exception of B4 (1/2") and B4 NB (1/2").


#### Dimensions

| Style     | A    | B     | C     | D       |
|-----------|------|-------|-------|---------|
| B9 (1/2") | 1/2" | 9/16" | 5/8"  | 1-1/16" |
| B9 (5/8") | 1/2" | 5/8"  | 9/16" | 1-1/16" |



## REVEAL TRIMS

### USG Beadex™ Brand Paper-Faced Metal Trim Reveal, Tape-On (Reveal NB)



This modified tape-on "L"-shaped trim solves a variety of problems associated with reveal details on soffits, wall areas, ceilings, light boxes and other interior architectural components. Reveal NB features a paper flange on both trim legs. The additional paper flange eliminates the need to caulk the edge of reveal details, providing a cleaner and straighter line. Available only in No Bead. Standard length: 10'. Meets ASTM C1047.


#### Dimensions

| Style            | A      | B    | C    | D    |
|------------------|--------|------|------|------|
| Reveal NB (1/2") | 15/16" | 1/2" | 1/2" | 3/4" |

**Note:** NB = No Bead




### USG Beadex™ Brand Shadowline Tape-On Reveal Trim



Designed to provide a reveal or "Shadowline" where wallboard abuts with a suspended ceiling.  
Standard length: 10'. Meets ASTM C1047.


#### Dimensions

| Style     | A    | B    | C      | D      |
|-----------|------|------|--------|--------|
| SL (1/2") | 1/2" | 1/2" | 15/16" | 1-1/4" |
| SL (5/8") | 5/8" | 5/8" | 7/8"   | 15/16" |




**TAPE-ON FLEXIBLE  
OUTSIDE AND INSIDE  
CORNER BEAD**

**USG Beadex™ Brand B1 Flexible Metal  
Corner, Tape-On Outside Flexible  
Corner (B1 Beaded Flex)**



Proprietary style designed specifically to make straight, strong outside corner angles. Available in 3" width and manufactured with two 3/4" galvanized steel strips laminated to paper tape with a flexible gap between the strips. B1 Beaded Flex has a unique raised bead (nose) in the flexible gap to provide faster, easier finishing with drywall compound. For use on any wallboard thickness. Standard lengths: 8', 9', 10'. Meets ASTM C1047.

| Dimensions          |        |      |      |        |
|---------------------|--------|------|------|--------|
| Style               | A      | B    | C    | D      |
| B1 Beaded Flex (3") | 11/16" | 3/4" | 3/4" | 11/16" |



**PRODUCT  
SPOTLIGHT**

# **USG BEADEX™ BRAND PAPER-FACED METAL CORNER BEAD AND TRIM**

- Fast, easy installation means reduced labour costs
- Provides superior resistance to edge cracking and eliminates costly job callbacks
- Apply with drywall compound—no nails to pop when wood framing shrinks
- Excellent for use with setting-type compounds for quicker finishing and decoration
- Unique “nose coating” on paper tape covering resists scuffing and fuzzing
- Available in a variety of profiles
- Lifetime warranty against edge cracking

*For a comprehensive description of the Lifetime Warranty, visit [cgcinc.com](http://cgcinc.com)*



## DRYWALL CORNER FLEX TAPE

## COMPOSITE DRYWALL TAPES

# CGC Strait-Flex®

CGC Strait-Flex® Drywall Corner Flex Tapes form easily to all angles and corners. Will not shrink, blister, tear, sag or wrinkle. Water resistant and rustproof. Material can be second coated immediately. Does not require fasteners, stapling or any special tools. Slotted edges ensure superior bond.


### CGC Strait-Flex® Original Composite Drywall Tape



Inside and outside corner flex tape designed to be the most versatile, multi-purpose drywall tape available. It allows you to create perfect inside and outside 90-degree and angled corners making it ideal for bay windows, coffered ceilings and inside corners where gaps are present. It will install using only half the compound compared to a conventional bead. Available in 100' rolls; 2-3/8" (6 cm) wide.

#### Dimensions

| Style    | A       | B       |
|----------|---------|---------|
| Original | 1-3/16" | 1-3/16" |




### CGC Strait-Flex® Medium Composite Drywall Tape



Inside corner flex tape allows you to create perfect inside 90-degree corners, angled corners and inside angles of bay windows. Use it to straighten minor framing irregularities to produce straight, strong and professional inside corners. Available in 100' rolls; 2-1/4" (5.7 cm) wide.

#### Dimensions

| Style  | A      | B      |
|--------|--------|--------|
| Medium | 1-1/8" | 1-1/8" |



## PAPER-FACED COMPOSITE DRYWALL TAPES

CGC Strait-Flex® Paper-Faced Composite Drywall Tapes have a memory-free hinge design which allows for ease of installation, straighter corners and perfect angles. Straightens framing irregularities.


### CGC Strait-Flex® Perfect® 90 Paper-Faced Composite Drywall Tape



A paper-faced laminated drywall tape ideal for inside corners. The paper edging allows for easier feathering and prevents edge cracking. The diamond-punched paper ensures ultimate bonding and faster drying while the laminated nose protects against fuzz-ups during finishing and sanding. Available in 25' rolls; 2-1/16" (5.2 cm) wide.

#### Dimensions

| Style      | A     | B      | C      | D     |
|------------|-------|--------|--------|-------|
| Perfect 90 | 5/16" | 11/16" | 11/16" | 5/16" |




### CGC Strait-Flex® Mid-Flex 250 Paper-Faced Composite Drywall Tape



Ideal for inside, outside and angled corners. With its memory-free hinge design it speeds installation and allows you to create straight corners where framing irregularities may exist. The paper edging allows for easier feathering and prevents edge cracking. The diamond-punched paper ensures ultimate bonding and faster drying while the laminated nose protects against fuzz-ups during finishing and sanding. Available in 100' rolls; 2-1/2" (6.3 cm) wide.

#### Dimensions

| Style        | A     | B      | C      | D     |
|--------------|-------|--------|--------|-------|
| Mid-Flex 250 | 7/16" | 13/16" | 13/16" | 7/16" |



**PAPER-FACED  
COMPOSITE  
DRYWALL TAPES  
(CONTINUED)**


**CGC Strait-Flex® Mid-Flex 300  
Paper-Faced Composite Drywall Tape**



Ideal for inside, outside and angled corners. With its memory-free hinge design it speeds up installation and allows you to create straight corners where framing irregularities may exist. The paper edging allows for easier feathering and prevents edge cracking. The diamond-punched paper ensures ultimate bonding and faster drying time. Available in 100' rolls; 3" (7.6 cm) wide.

**Dimensions**

| Style        | A    | B  | C  | D    |
|--------------|------|----|----|------|
| Mid-Flex 300 | 1/2" | 1" | 1" | 1/2" |




**CGC Strait-Flex® Wide-Flex 400  
Paper-Faced Composite Drywall Tape**



Designed for off angles and 90-degree corners with large framing irregularities and gaps. This product is ideal for hard-to-straighten vaults and outside corners, butterfly vaults, obtuse angles and double 5/8" outside corners. Use it to straighten framing irregularities and replace damaged metal corner bead. Available in 100' rolls; 4" (10.2 cm) wide.


**Dimensions**

| Style         | A    | B      | C      | D    |
|---------------|------|--------|--------|------|
| Wide-Flex 400 | 1/2" | 1-1/2" | 1-1/2" | 1/2" |



**COMPOSITE  
CORNER BEAD**


**CGC Strait-Flex® Arch-Stick  
Arched Corner Bead**



Designed to eliminate flat spots in curved applications making it the perfect solution for free-form, custom drywall applications where a seamless installation is required. The tear strips reduce transportation damage and are designed to make curved-to-straight transitions unnoticeable. The composite nose resists dents and provides a beautiful corner without fuzz-ups during finishing and sanding. Standard length: 10'.

**Dimensions**

| Style      | A      | B      |
|------------|--------|--------|
| Arch-Stick | 1-5/8" | 1-5/8" |



**PRODUCT  
SPOTLIGHT**

## CGC STRAIT-FLEX® ARCH STICK

**Designed to eliminate flat spots in curved corner applications.**

- Ideal for arched doors and windows, curved walls, ceilings, staircases and free-form, custom drywall applications where a seamless installation is required
- PVC/Tempered-steel backbone for perfect arches; no flat spots
- Tear strips reduce transportation damage and are designed to make curved to straight transitions unnoticeable
- Composite nose resists dents and provides a beautiful corner without fuzz-up during finishing and sanding
- Easily installs using standard drywall compound, no special tools or fasteners required
- Second coat of compound can be applied immediately, very light skim-coat to finish



# SURFACING SOLUTIONS

CGC offers a wide variety of textures and finishes to hide minor surface blemishes and provide distinctive interior styling. These products are fast, easy to apply and quick drying, saving labour time to preserve job profits.

## Interior Texture Finishes

CGC textures provide an economical interior wall and ceiling solution for a wide range of patterns.

### POWDER TEXTURES

#### CGC Synko® Brand Span-Tex™ Non-Aggregate Texture



- For decorating most interior walls and ceilings
- Provides a variety of texture patterns
- Hand, spray or roller apply
- Available in: 15 kg bag

A non-aggregated coating for use over interior, above-grade drywall and concrete surfaces. Produces a variety of texture patterns including: skip trowel; spatter; spatter/knockdown; orange peel. Dries to a white finish that helps conceal minor defects. Not intended as a final coating—may be overpainted when dry. Not washable unpainted.

#### CGC Synko® Brand Kal-Tex® Fine Aggregate Ceiling Texture



- Finishes most interior walls and ceilings
- Provides fine knockdown and spray textures
- Hides minor surface defects
- Available in: 15 kg bag

A fine aggregated spray coating for use over interior above-grade drywall, plaster or concrete walls and ceilings. Provides a variety of trowel-down, knockdown or spray-applied textures. Conceals minor surface defects and is easy to mix. Dries to a white finish that is often left unpainted but may be spray painted if preferred. Not washable unpainted.

#### CGC Synko® Brand Ruff-Tex® Medium Aggregate Ceiling Texture



- Finishes most interior ceilings
- Produces medium-texture with exceptional hide
- Strong bond, superior crack resistance
- Available in: 15 kg bag

An aggregated spray coating that bonds to new or old interior above-grade drywall, plaster, concrete ceilings, wood or metal pipe (when primed). Conceals minor surface defects and has superior crack resistance. Dries to a white finish that is often left unpainted but may be spray painted if preferred. Not washable unpainted.

#### CGC Synko® Brand Snow-Tex® Coarse Aggregate Ceiling Texture



- Finishes most interior ceilings
- Produces coarse-texture spray finish
- Superior crack resistance, excellent hide
- Available in: 15 kg bag

A coarse polystyrene-aggregated spray coating for use over interior, above-grade drywall, plaster, wood, metal pipe (when primed) and concrete ceilings. Provides an attractive sand-finish texture that helps conceal minor surface defects. Dries to a white finish that is often left unpainted but may be spray painted if preferred. Not washable unpainted.

## POWDER TEXTURES (CONTINUED)

### CGC Synko® Brand MH Texture™ Coarse Aggregate Ceiling Texture



- Designed for manufactured housing construction
- Produces coarse-texture spray finish with excellent hide
- Conceals minor surface defects
- Available in: 15 kg bag

A coarse polystyrene-aggregated non-abrasive and machine-friendly spray coating for use over interior, above-grade drywall, plaster, wood, metal pipe (when primed) and concrete ceilings. Provides a variety of attractive finishes that help conceal minor surface defects. Dries to a white finish that is often left unpainted but may be spray painted if preferred. Not washable unpainted.

## READY-MIXED TEXTURE

### CGC Synko® Brand Span Lite™ Spray Texture



- For decorating most interior walls and ceilings
- Provides attractive spatter/knockdown pattern
- Superior open time and standout
- Available in: 15.5 L carton

A ready-mixed coating for use over interior, above-grade drywall, concrete and most other wall and ceiling surfaces. Formulated to create spatter/knockdown or orange peel texture patterns. Dries to a white finish that should be overpainted when dry. Not washable unpainted.

## Plaster Finishes

## VENEER PLASTER FINISHES AND BASECOATS

USG veneer plaster systems offer the opportunity to trim days from interior finishing schedules and provide strong, highly abrasion-resistant surfaces. These products are designed for one- or two-coat work over gypsum bases or directly to concrete block or properly prepared monolithic concrete. Both one- or two-coat applications offer a truly monolithic surface that is superior for critical light conditions.

## VENEER FINISHES

### USG Diamond® Veneer Finish




- For economical, abrasion-resistant walls and ceilings
- Excellent for texturing
- Finish coat for one- and two-coat veneer plaster systems
- Fast drying—permits next-day decorating
- Available in: 22.6 kg (50 lb.) bag

For application over CGC Grand Prix® Brand Veneer Plaster Base, USG Diamond® Brand and Imperial® Brand Veneer Basecoat, and USG Red Top® Brand Gypsum Plaster Basecoats. Do not apply to completely dry basecoats. Apply USG Brand Plaster Accelerator Alum Catalyst solution to sun-faded CGC Grand Prix® Veneer Plaster Base. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### USG Imperial® Veneer Finish




- For strong, abrasion-resistant interior finishes
- Durable and stable, especially in high-traffic areas
- Usually ready for next-day decoration with a latex-based breather-type paint
- When used with CGC Grand Prix® Brand Veneer Plaster Base, provides fire resistance
- Available in: 22.6 kg (50 lb.) bag

For application over CGC Grand Prix® Brand Veneer Plaster Base and USG Imperial® Brand Veneer Basecoat Plaster. As finish coat over USG Diamond® Brand Veneer Basecoat applied to USG Durock™ Brand Cement Board or USG Fiberock® Brand Abuse-Resistant Panels. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

## VENEER BASECOATS

### USG Diamond® Veneer Basecoat




- For economical two-coat residential and light-commercial applications
- Superior workability for faster, easier application
- Excellent base for a variety of plaster finishes
- High coverage—as much as 4,000 to 5,000 sq. ft. per ton
- Available in: 22.6 kg (50 lb.) bag

Produces a monolithic base with regulated suction for constructing quality walls and ceilings in locations where the superior strength of USG Imperial® Basecoat Plaster may not be required.

For application over CGC Grand Prix® Brand Veneer Plaster Base, concrete block and monolithic concrete (treated with USG Plaster Bonder). For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### USG Imperial® Veneer Basecoat



- Durable and stable, especially in high-traffic areas
- Permanent bond
- When used with CGC Grand Prix® Brand Veneer Plaster Base, provides fire resistance
- Available in: 22.6 kg (50 lb.) bag

High-strength, veneer plaster produces a hard, abrasion-resistant surface for commercial and residential applications where walls are exposed to significant traffic.

For application directly over CGC Grand Prix® Brand Veneer Plaster Base and concrete block. Treat monolithic concrete with USG Plaster Bonder before applying basecoat. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

USG conventional plaster systems provide the highest-quality finish and the capability to create complex high-end surfaces such as vaults, domes and columns. These products feature excellent acoustical performance, proven fire resistance, increased abuse resistance and design flexibility, and are the best system to attain a uniform, monolithic, blemish-free, smooth surface with excellent wear resistance.

## CONVENTIONAL PLASTER FINISHES AND BASECOATS

## CONVENTIONAL FINISHES

### CGC Red Top® Brand Gauging Plaster: Quick Set



- Plaster of Paris for moulding and casting when mixed with water alone
- Mixes smoothly and easily
- Provides smooth-trowel or sand-float lime-putty finishes for normal interior walls and ceilings
- Produces hard, crack and abrasion-resistant surfaces
- Available in: 22.6 kg (50 lb.) bag

Mix with lime putty to create smooth-trowel and sand-float finishes over any gypsum basecoat. Type N (e.g. CGC Red Top® Single-Hydrate Finish Lime) or Type S (e.g. CGC Snowdrift® Double-Hydrate Finish Lime) recommended. Also for moulding and casting. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### USG Red Top® Brand Gauging Plaster: Slow Set



- Mixes smoothly and easily
- Provides smooth-trowel or sand-float lime-putty finishes for normal interior walls and ceilings
- Produces hard, crack and abrasion-resistant surfaces
- Available in: 22.6 kg (50 lb.) bag

Mix with lime putty to create smooth-trowel and sand-float finishes over any gypsum basecoat. Type N (e.g. CGC Red Top® Single-Hydrate Finish Lime) or Type S (e.g. CGC Snowdrift® Double-Hydrate Finish Lime) recommended. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

## CONVENTIONAL BASECOATS

### USG Structo-Lite® Basecoat Plaster



- Mill-mixed perlite-aggregate gypsum plaster; requires only the addition of water at the jobsite
- Ideal where it is not desirable to mix aggregate with plaster on the jobsite
- Lightweight plaster; weighs less than half as much as sanded plaster
- Excellent for areas requiring highly insulated plaster
- Available in: 22.6 kg (50 lb.) bag

For application over gypsum lath, metal lath and masonry surfaces. Recommended over metal lath for float or texture finish only, not smooth-trowel finish. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### USG Red Top® Brand Gypsum Plaster



- Multipurpose conventional basecoat plaster applications
- The most popular conventional gypsum basecoat plaster in the building industry
- For hand or machine application; for use with sand or lightweight aggregates
- For plaster wall and ceiling assemblies requiring high fire-resistant and sound-isolating performance
- Available in: 22.6 kg (50 lb.) bag

Mix with aggregate and apply to all standard lath and masonry plaster bases. Hand or machine apply. For interior use only.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

## Plaster Accessories

When conditions exist that affect the adhesion or the normal setting time of conventional plasters, veneer plasters, lime finish plasters and setting-type drywall compounds, CGC offers special additives in a variety of high-performance formulations.

### USG Gypsum Plaster Retarder: Standard Strength and For Lime-Based Products



- For slowing the setting time of conventional plasters, veneer plasters, lime finish plasters and setting-type drywall compounds
- Available in the following formulations: Standard Strength and For Lime-Based Products
- Available in: 1.1 kg (2.5 lb.) resealable pouch (Standard Strength), 1.3 kg (3 lb.) resealable pouch (For Lime-Based Products)

USG Gypsum Plaster Retarders are additives that lengthen the setting time of gypsum plaster by slowing the chemical crystal formation that causes the gypsum plaster to set or harden. It easily disperses into mixing water for quick addition to plaster mix.

### USG Gypsum Plaster Accelerator: Standard Strength



- For reducing the setting time of plasters and setting-type drywall compounds
- Easy to use
- Available in: 1.3 kg (3 lb.) resealable pouch

Standard Strength is intended to provide a slight adjustment (10 to 30 minutes) to the setting time for veneer and conventional plasters.

### USG Plaster Bonder



- Compatible with a large assortment of gypsum- and cement-based plasters
- Easily applied by brush, roller or spray to a uniform continuous film
- Tinted (pink) to allow easy visual inspection when required
- Film dries quickly for sameday use, or may be left unplastered for up to 10 days
- Available in: 3.7 L (1 gal.) resealable container

For bonding new plaster to gypsum plaster, cinder block, stone, drywall and other similar interior materials. Pink liquid dries to a light red coloured film that rewets when plaster is applied to provide an integral, strong, durable bond. Do not use around extremely moist or humid area such as swimming pools and do not apply to the underside of concrete roof decks.

# PREPARATION SOLUTIONS

Proper preparation is essential for producing the best possible painted finish. Also important for a superior paint job is the equalization of both the porosity and surface texture to minimize decorating problems. CGC preparation solutions ensure your interiors are perfectly smooth and free of pockmarks, fine ridges and scuffed paper from sanding, providing a solid foundation for a superior finish.

## Primers

Whether you're skim coating an entire surface or spray applying a primer, CGC primers and primer-surfacer minimize decorating problems and help achieve a superior paint job over interior gypsum board, wood and concrete surfaces.

### CGC Synko® Brand T.I.P.S.™ Primer Sealer



- Primes and seals new drywall
- Minimizes drywall decorating problems
- Flat white interior latex—brush, roller or spray apply
- Available in: 18.9 L pail

Apply to new drywall before finishing with paints, textures or wall coverings. Minimizes drywall decorating problems caused by porosity and surface texture variations between drywall face paper and areas finished with joint compound. Use over new interior concrete and plaster finishes. Not a vapor barrier and not intended as a final coating; paint or texture when dry. Not recommended for repainting old textured ceilings.

### CGC Synko® Brand Quick Dry™ Texture Primer



- Minimizes drywall decorating problems
- Applies evenly with air or airless spray
- Flat white interior latex
- Available in: 18.9 L pail, 1000 L tote

For priming new drywall and clean interior masonry surfaces before texturing. Fast drying, minimizes drywall decorating problems, provides good hide and coverage, ready to use.

### CGC Synko® Brand Roll-On™ Texture Primer



- Minimizes drywall decorating problems
- Applies evenly with roller, air or airless spray
- Flat white interior latex
- Available in: 18.9 L pail

For priming new drywall before texturing. Fast drying, minimizes drywall decorating problems, provides excellent hide and coverage, ready to use. Not recommended for repainting old texture ceilings.

---

### CGC Synko® Brand Pro Spray-On™ Texture Primer

---



- Minimizes drywall decorating problems
- Applies evenly with roller, air or airless spray
- Flat white interior latex
- Available in: 18.9 L pail

For priming new drywall before texturing. Fast drying, minimizes drywall decorating problems, provides excellent hide and coverage, ready to use. Not recommended for repainting old texture ceilings.

---

### CGC Synko® Brand Pre-Coat™ Drywall Surface Equalizer

---



- Superior high-performance basecoat
- Use under gloss and dark paints or in critical lighting conditions
- Apply with roller, brush, or airless spray
- Available in: 18 L pail

Apply this superior high-solids basecoat to new drywall before finishing with gloss, semi-gloss and dark paints or in critical lighting conditions. Minimizes drywall decorating problems caused by porosity and surface texture variations between drywall face paper and areas finished with joint compound. Dries to a flat, white finish.

---

### USG Sheetrock® Brand Tuff-Hide™ Primer-Surfacer

---



- Achieves a Level 5 finish faster
- High build spray for a smoother, more beautiful finish
- Durable coating hides minor surface defects
- Excellent for critical light areas
- Ideal finish for ceilings
- Dries white, can be tinted to match final top coat
- Available in: 18.9 L (5 gal.)

Provides a dual-purpose latex based coating for application over interior drywall. To achieve a GA-214/ASTM C840 Level 5 drywall finish, a single spray application provides the same highest quality finish as the traditional two step process of skim coating surfaces with drywall compound, followed by a coat of primer. Dries to a flat, white finish that can be left unpainted on noncontact surfaces, such as ceilings.

# INTERIOR PATCH & REPAIR SOLUTIONS

Finished interior walls are subject to abuse and damage from time to time. CGC offers a line of repair products to deal with a variety of holes, cracks, dents and abrasions.

## Repair Products

### CGC Sheetrock® Brand Dust Control® Patch & Repair Kit



- Unique formula binds up fine residue during sanding to form heavier particles that tend to fall to the floor instead of clouding the air
- Kit includes: 236 mL pail of compound, 4" x 4" metal patch, compound applicator, and 2 drywall sanding pads

Reduces airborne sanding dust for faster clean-up—ideal for remodeling projects. Kit includes everything needed to repair small to medium sized drywall damage.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### CGC Sheetrock® Brand Dust Control® Tube with Applicator Cap



- For repairing small holes and cracks in drywall
- Available in: 162 mL tube

Reduces airborne sanding dust for faster clean-up—ideal for remodeling projects. Suitable for filling nail holes and other small repairs. Unique cap designed to be used as a tool to smooth compound when applied.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### CGC Sheetrock® Brand Setting-Type Drywall Compound



- Available in 5-, 20- and 90-minute set times
- For one-day patching and joint finishing and next-day decoration
- Easy to sand
- Provides low shrinkage and a superior bond
- Available in: 1.25 kg resealable pouch

For patching small holes and cracks in interior drywall and plaster surfaces, and filling and levelling interior above-grade concrete walls and ceilings. For taping and finishing joints in interior drywall.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

### CGC Sheetrock® Brand Durabond® Setting-Type Drywall Compound



- Available in 90-minute set time
- Exceptional bond with low shrinkage
- Same-day finishing and next-day decorating possible
- Excellent check-crack resistance in heavy fills
- Unique resistance to humidity
- Available in: 2 kg resealable pouch

For patching small holes and cracks in interior drywall and plaster surfaces, and filling and levelling interior above-grade concrete walls and ceilings. For taping joints in interior drywall.

GREENGUARD Gold certified and qualifies as a low VOC emitting material.

---

### CGC Sheetrock® Brand Drywall Repair Clips

---



- For fast, easy drywall repair of large holes (over 2") and areas damaged by water
- When used with fire-rated drywall, meets building code requirements for repairing one-hour fire-rated drywall partitions
- Suitable for both 1/2" and 5/8" drywall
- 6 clips, 12 drywall screws

---

### CGC Strait-Flex® Perma-Patch Drywall Repair Patch

---



- Quickly repairs door knob damage to drywall
- Imprinted with can light and standard receptacle patterns for easy trimming
- The most economical and permanent way to repair drywall
- Outperforms metal patches
- Available in: 8" x 8" patch, 2-pack

---

### CGC Strait-Flex® Outlet Patch Receptacle Repair Patch

---



- Pre-cut to fit standard receptacle boxes
- Repairs and reinforces mis-cuts or damaged areas around receptacle box
- Very fast, extremely strong
- Available in: 4-3/4" x 6-1/4" patch, 2-pack

---

### CGC Wall Repair Patches

---



- Ideal for patching holes in drywall and plaster
- Self adhesive
- Metal reinforced
- Available in: 4" x 4", 6" x 6"

# QUICK REFERENCE GUIDES

## DRYWALL COMPOUND APPLICATION GUIDE

|                                    |                                 | Page # | Embedding<br>Tape/Bead | Filling | Finishing | Crack<br>Repair | Hole Repair | Minimum<br>Time Before<br>Reapplying* |
|------------------------------------|---------------------------------|--------|------------------------|---------|-----------|-----------------|-------------|---------------------------------------|
| READY-MIXED<br>DRYWALL COMPOUND    | CGC Synko® Lite Line™           | 4      |                        |         |           |                 |             | 24 hrs.                               |
|                                    | CGC Synko® Lite Joint™          | 4      |                        | -       | -         |                 |             | 24 hrs.                               |
|                                    | CGC Synko® Lite Finish™         | 4      | -                      |         |           |                 | -           | 24 hrs.                               |
|                                    | CGC Synko® Advanced Finish      | 4      | -                      |         |           |                 | -           | 24 hrs.                               |
|                                    | CGC Synko® Classic All Purpose® | 5      |                        |         |           |                 |             | 24 hrs.                               |
|                                    | CGC Synko® Classic Finish®      | 5      | -                      |         |           |                 | -           | 24 hrs.                               |
|                                    | CGC Synko® Dust Control®        | 5      |                        |         |           |                 | -           | 24 hrs.                               |
|                                    | CGC Synko® UltraLight           | 5      |                        |         |           |                 | -           | 24 hrs.                               |
|                                    | CGC Synko® Redi-Filler™         | 5      |                        |         |           |                 |             | 24 hrs.                               |
| SETTING-TYPE<br>DRYWALL COMPOUND** | CGC Synko® Pro-Set® 30          | 6      |                        |         | -         |                 | -           | 30 mins.                              |
|                                    | CGC Synko® Pro-Set® 90          | 6      |                        |         | -         |                 | -           | 90 mins.                              |
|                                    | CGC Synko® Fast-Set™            | 6      |                        |         | -         |                 | -           | 40 mins.                              |
|                                    | CGC Sheetrock® Durabond® 90     | 6      |                        | -       | -         |                 |             | 90 mins.                              |
|                                    | CGC Synko® Concrete Fill™       | 6      | -                      | -       | -         |                 |             | 90 mins.                              |

\* Drying time is dependant on the environment's temperature and humidity levels. At 24 °C (75 °F), 50% R.H., allow approx. 24 hours for compound to dry.

\*\* Setting time is a range that can be affected by temperature, relative humidity and wet-thickness. Application to porous surface or at less than 3 mm (1/8 in.) thickness may prevent chemical setting and bond. Paint should only be applied once compound is dry.

## CGC STRAIT-FLEX® APPLICATION GUIDE

|                                          |                               | Page # | Outside 90°<br>Corners | Inside 90°<br>Corners | Angled<br>Corners | Vaults |
|------------------------------------------|-------------------------------|--------|------------------------|-----------------------|-------------------|--------|
| COMPOSITE<br>DRYWALL<br>TAPE             | CGC Strait-Flex® Original     | 12     |                        |                       |                   |        |
|                                          | CGC Strait-Flex® Medium       | 12     | -                      |                       |                   | -      |
| PAPER-FACED<br>COMPOSITE<br>DRYWALL TAPE | CGC Strait-Flex® Perfect 90   | 12     | -                      |                       |                   | -      |
|                                          | CGC Strait-Flex® Mid-Flex 250 | 12     |                        |                       |                   |        |
|                                          | CGC Strait-Flex® Mid-Flex 300 | 13     |                        |                       |                   |        |
|                                          | CGC Strait-Flex® Mid-Flex 400 | 13     |                        | -                     |                   |        |



RECOMMENDED



ACCEPTABLE

- NOT RECOMMENDED

# CGC COMMODITY CODES

## READY-MIXED DRYWALL COMPOUNDS

| Product                                                    | Available In  | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------|---------------|----------------|---------------------|---------------------|
| CGC Synko® Brand Lite Line™ All Purpose Drywall Compound   | 17 L carton   | 332030         | -                   | 75                  |
| CGC Synko® Brand Lite Joint™ Drywall Compound              | 18 L pail     | 332011         | -                   | 48                  |
| CGC Synko® Brand Lite Joint™ Drywall Compound              | 17 L carton   | 332032         | -                   | 75                  |
| CGC Synko® Brand Lite Finish™ Drywall Compound             | 17 L carton   | 332034         | -                   | 75                  |
| CGC Synko® Brand Advanced Finish Drywall Compound          | 17 L carton   | 332040         | -                   | 75                  |
| CGC Synko® Brand Classic All Purpose® Drywall Compound     | 17 L carton   | 332036         | -                   | 75                  |
| CGC Synko® Brand Classic Finish® Drywall Compound          | 17 L carton   | 332038         | -                   | 75                  |
| CGC Synko® Brand Dust Control® Drywall Compound            | 15.5 L carton | 330171         | -                   | 75                  |
| CGC Synko® Brand Dust Control® Drywall Compound            | 13.5 L pail   | 331351         | -                   | 48                  |
| CGC Synko® Brand Dust Control® Drywall Compound            | 3.6 L pail    | 330361         | -                   | 144                 |
| CGC Synko® Brand Dust Control® Drywall Compound            | 1.8 L pail    | 330181         | 8                   | 27 cartons          |
| CGC Synko® Brand UltraLight Drywall Compound               | 17 L carton   | 330135         | -                   | 75                  |
| CGC Synko® Brand UltraLight Drywall Compound               | 13.5 L pail   | 330130         | -                   | 48                  |
| CGC Synko® Brand Redi-Filler™ All Purpose Drywall Compound | 13.5 L pail   | 330014         | -                   | 48                  |
| CGC Synko® Brand Redi-Filler™ All Purpose Drywall Compound | 3.6 L pail    | 330013         | -                   | 144                 |
| CGC Synko® Brand Redi-Filler™ All Purpose Drywall Compound | 1.8 L pail    | 330012         | 8                   | 27 cartons          |

## SETTING-TYPE DRYWALL COMPOUNDS

| Product                                                         | Available In  | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-----------------------------------------------------------------|---------------|----------------|---------------------|---------------------|
| CGC Synko® Brand Pro-Set® 90 Setting-Type Drywall Compound      | 9 kg bag      | 330078         | -                   | 56                  |
| CGC Synko® Brand Pro-Set® 30 Setting-Type Drywall Compound      | 9 kg bag      | 330133         | -                   | 56                  |
| CGC Synko® Brand Fast-Set™ Setting-Type Drywall Compound        | 9 kg bag      | 330134         | -                   | 56                  |
| CGC Sheetrock® Brand Durabond® 90 Setting-Type Drywall Compound | 15 kg bag     | 381600         | -                   | 80                  |
| CGC Sheetrock® Brand Durabond® 90 Setting-Type Drywall Compound | 2 kg pouch    | 380381         | 6                   | 90 cartons          |
| CGC Sheetrock® Brand 90 Setting-Type Drywall Compound           | 1.25 kg pouch | 380383         | 6                   | 90 cartons          |
| CGC Sheetrock® Brand 20 Setting-Type Drywall Compound           | 1.25 kg pouch | 380384         | 6                   | 90 cartons          |
| CGC Sheetrock® Brand 5 Setting-Type Drywall Compound            | 1.25 kg pouch | 380395         | 6                   | 90 cartons          |

## CONCRETE LEVELLING COMPOUNDS

| Product                                                | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|--------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| CGC Synko® Brand Concrete Fill™ Quick-Setting Compound | 15 kg bag    | 330027         | -                   | 40                  |
| CGC Synko® Brand Concrete Seal™ Leveller and Sealant   | 15 kg bag    | 330026         | -                   | 40                  |

## JOINT TAPES

### PAPER JOINT TAPES

| Product                           | Available In            | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-----------------------------------|-------------------------|----------------|---------------------|---------------------|
| CGC Synko® Brand Paper Joint Tape | 75' roll; 2-1/16" wide  | 330160         | 24                  | 100 cartons         |
| CGC Synko® Brand Paper Joint Tape | 250' roll; 2-1/16" wide | 330059         | 20                  | 36 cartons          |
| CGC Synko® Brand Paper Joint Tape | 500' roll; 2-1/16" wide | 330057         | 10                  | 40 cartons          |

### FIBERGLASS JOINT TAPES

| Product                                                    | Available In           | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------|------------------------|----------------|---------------------|---------------------|
| CGC Sheetrock® Brand Fiberglass Joint Tape                 | 65' roll; 2" wide      | 380012         | 24                  | 75 cartons          |
| CGC Sheetrock® Brand Fiberglass Joint Tape                 | 300' roll; 2" wide     | 380009         | 12                  | 63 cartons          |
| CGC Sheetrock® Brand Fiberglass Joint Tape                 | 500' roll; 2" wide     | 380008         | 12                  | 60 cartons          |
| CGC Sheetrock® Brand Mould-Resistant Fiberglass Joint Tape | 300' roll; 2" wide     | 380018         | 12                  | 63 cartons          |
| USG Imperial® Brand Tape: Type P                           | 300' roll; 2-1/2" wide | 364820         | 12                  | 54 cartons          |

**90° AND OFFSET  
OUTSIDE CORNER BEAD**

**BEAD AND TRIM**

| Product                                                                        | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|--------------------------------------------------------------------------------|----------------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Corner Bead Outside Corner (B1W EL)        | 7', 8', 9', 10', 12' | 680051         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Bead Outside Corner (B1XW EL)       | 7', 8', 9', 10', 12' | 285720         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Bead Outside Corner (B1 Super Wide) | 8', 10'              | 285780         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Bead Offset Outside Corner (B1 OS)  | 8', 9', 10'          | 285650         | 50                  | 60 cartons          |

**90° AND OFFSET  
INSIDE CORNER**

| Product                                                                      | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Corner Trim Inside Corner (B2)           | 8', 9', 10'  | 287910         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Trim Offset Inside Corner (B2 OS) | 8', 9', 10'  | 287920         | 50                  | 60 cartons          |

**SOFTLINE BULLNOSE  
AND OFFSET OUTSIDE  
CORNER BEAD**

| Product                                                                                        | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------------------------------------------|----------------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner (SLOC)            | 7', 8', 9', 10', 12' | 285700         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Bead 1" Bullnose Offset Outside Corner (SLOC OS)    | 8', 9', 10'          | 680011         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Bead 1/2" Bullnose Outside Corner (Baby Bull®)      | 7', 8', 9', 10', 12' | 285640         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Outside Corner, Nail-On (SLOC N) | 8', 9', 10', 12'     | 288270         | 50                  | 60 cartons          |

**SOFTLINE BULLNOSE  
AND OFFSET INSIDE  
CORNERS**

| Product                                                                            | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Corner Bead 3/4" Bullnose Inside Corner (SLIC) | 8', 10'      | 288060         | 50                  | 60 cartons          |

**L-TRIMS**

| Product                                                          | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B41/2")     | 7', 8', 10'  | 287940         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B4 NB 1/2") | 8', 10'      | 287930         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B4 5/8")    | 7', 8', 10'  | 287960         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B4 3/4")    | 8', 10'      | 288120         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Trim "L" Shaped (B41")       | 10'          | 287990         | 50                  | 60 cartons          |

**J-TRIMS**

| Product                                                                | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B91/2")  | 7', 8'       | 288000         | 50                  | 60 cartons          |
| USG Beadex™ Brand Paper-Faced Metal Trim "J" Shaped, Tape-On (B9 5/8") | 7', 8'       | 288010         | 50                  | 60 cartons          |

**REVEAL TRIMS**

| Product                                                                   | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|---------------------------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand Paper-Faced Metal Trim Reveal, Tape-On (Reveal NB 1/2") | 10'          | 288020         | 50                  | 60 cartons          |
| USG Beadex™ Brand Shadowline Tape-On Reveal Trim (SL 1/2")                | 10'          | 288040         | 50                  | 60 cartons          |
| USG Beadex™ Brand Shadowline Tape-On Reveal Trim (SL 5/8")                | 10'          | 288050         | 50                  | 60 cartons          |

**TAPE-ON FLEXIBLE  
OUTSIDE AND INSIDE  
CORNER BEAD**

| Product                                                           | Available In           | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-------------------------------------------------------------------|------------------------|----------------|---------------------|---------------------|
| USG Beadex™ Brand B1 Flexible Metal Corner (B1 Beaded Flex)       | 8', 10'                | 285750         | 50                  | 60 cartons          |
| CGC Strait-Flex® Perfect 90 Paper-Faced Composite Drywall Tape    | 25' roll; 2-1/16" wide | 681176         | 12                  | 48 cartons          |
| CGC Strait-Flex® Original Composite Drywall Tape                  | 100' roll; 2-3/8" wide | 681115         | 12                  | 24 cartons          |
| CGC Strait-Flex® Medium Composite Drywall Tape                    | 100' roll; 2-1/4" wide | 681135         | 12                  | 24 cartons          |
| CGC Strait-Flex® Mid-Flex 250 Paper-Faced Composite Drywall Tape  | 100' roll; 2-1/2" wide | 681130         | 10                  | 24 cartons          |
| CGC Strait-Flex® Mid-Flex 300 Paper-Faced Composite Drywall Tape  | 100' roll; 3" wide     | 681120         | 10                  | 24 cartons          |
| CGC Strait-Flex® Wide-Flex 400 Paper-Faced Composite Drywall Tape | 100' roll; 4" wide     | 681125         | 7                   | 24 cartons          |
| CGC Strait-Flex® Arch-Stick Composite Corner Bead                 | 10'                    | 285735         | 25                  | 48 cartons          |

## POWDER TEXTURE

## INTERIOR TEXTURE FINISHES

| Product                                                       | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|---------------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| CGC Synko® Brand Span-Text™ Non-Aggregate Texture             | 15 kg bag    | 330132         | -                   | 56                  |
| CGC Synko® Brand Kal-Text® Fine Aggregate Ceiling Texture     | 15 kg bag    | 330139         | -                   | 56                  |
| CGC Synko® Brand Ruff-Text® Medium Aggregate Ceiling Texture  | 15 kg bag    | 330036         | -                   | 60                  |
| CGC Synko® Brand Snow-Text® Coarse Aggregate Ceiling Texture  | 15 kg bag    | 330038         | -                   | 60                  |
| CGC Synko® Brand MH Texture™ Coarse Aggregate Ceiling Texture | 15 kg bag    | 330039         | -                   | 60                  |

## READY-MIXED TEXTURE

| Product                                   | Available In  | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-------------------------------------------|---------------|----------------|---------------------|---------------------|
| CGC Synko® Brand Span Lite™ Spray Texture | 15.5 L carton | 332025         | -                   | 75                  |

## PLASTER FINISHES

## VENEER FINISHES

| Product                     | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-----------------------------|----------------------|----------------|---------------------|---------------------|
| USG Diamond® Veneer Finish  | 22.6 kg (50 lb.) bag | 162640         | -                   | 63                  |
| USG Imperial® Veneer Finish | 22.6 kg (50 lb.) bag | 164949         | -                   | 63                  |

## VENEER BASECOATS

| Product                       | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-------------------------------|----------------------|----------------|---------------------|---------------------|
| USG Diamond® Veneer Basecoat  | 22.6 kg (50 lb.) bag | 162681         | -                   | 63                  |
| USG Imperial® Veneer Basecoat | 22.6 kg (50 lb.) bag | 164849         | -                   | 63                  |

## CONVENTIONAL FINISHES

| Product                                       | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-----------------------------------------------|----------------------|----------------|---------------------|---------------------|
| CGC Red Top® Brand Gauging Plaster: Quick Set | 22.6 kg (50 lb.) bag | 163351         | -                   | 63                  |
| USG Red Top® Brand Gauging Plaster: Slow Set  | 22.6 kg (50 lb.) bag | 163352         | -                   | 63                  |

## CONVENTIONAL BASECOATS

| Product                            | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------|----------------------|----------------|---------------------|---------------------|
| USG Structo-Lite® Basecoat Plaster | 22.6 kg (50 lb.) bag | 163841         | -                   | 40                  |
| USG Red Top® Brand Gypsum Plaster  | 22.6 kg (50 lb.) bag | 163840         | -                   | 63                  |

## FINISHING LIMES

| Product                                 | Available In         | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-----------------------------------------|----------------------|----------------|---------------------|---------------------|
| CGC Red Top® Single Hydrated (Type N)   | 22.6 kg (50 lb.) bag | 401460         | -                   | 50                  |
| CGC Snowdrift® Double Hydrated (Type S) | 22.6 kg (50 lb.) bag | 409240         | -                   | 50                  |

## PLASTER ACCESSORIES

| Product                                              | Available In            | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------|-------------------------|----------------|---------------------|---------------------|
| USG Gypsum Plaster Retarder: Standard Strength       | 1.1 kg resealable pouch | 160217         | 6                   | 48 cartons          |
| USG Gypsum Plaster Retarder: For Lime-Based Products | 1.3 kg resealable pouch | 160218         | 6                   | 48 cartons          |
| USG Gypsum Plaster Accelerator: Standard Strength    | 1.3 kg resealable pouch | 160216         | 6                   | 48 cartons          |
| USG Plaster Bonder: Pink                             | 3.7 L container         | 161200         | 6                   | 36 cartons          |

## PRIMERS

| Product                                              | Available In | Commodity Code | Quantity per Carton | Quantity per Pallet |
|------------------------------------------------------|--------------|----------------|---------------------|---------------------|
| CGC Synko® Brand T.I.P.S.™ Primer Sealer             | 18.9 L pail  | 330049         | -                   | 32                  |
| CGC Synko® Brand Quick Dry™ Texture Primer           | 18.9 L pail  | 330045         | -                   | 32                  |
| CGC Synko® Brand Quick Dry™ Texture Primer           | 1000 L tote  | 330129         | -                   | 1                   |
| CGC Synko® Brand Roll-On™ Texture Primer             | 18.9 L pail  | 330043         | -                   | 32                  |
| CGC Synko® Brand Pro Spray-On™ Texture Primer        | 18.9 L pail  | 330048         | -                   | 32                  |
| CGC Synko® Brand Pre-Coat™ Drywall Surface Equalizer | 18 L pail    | 330056         | -                   | 32                  |
| USG Sheetrock® Brand Tuff-Hide™ Primer Surfacer      | 18.9 L pail  | 542728         | -                   | 48                  |

## REPAIR PRODUCTS

| Product                                                     | Available In               | Commodity Code | Quantity per Carton | Quantity per Pallet |
|-------------------------------------------------------------|----------------------------|----------------|---------------------|---------------------|
| CGC Sheetrock® Brand Drywall Repair Clips                   | 6 clips, 12 drywall screws | 385001         | 20 packs            | –                   |
| CGC Sheetrock® Brand Dust Control® Patch and Repair Kit     | 5-piece kit                | 380149         | 6                   | 108 cartons         |
| CGC Sheetrock® Brand Dust Control® Tube with Applicator Cap | 162 mL tube                | 380148         | 6                   | 210 cartons         |
| CGC Strait-Flex® Perma-Patch Drywall Repair Patch           | 8" x 8", 2-pack            | 380885         | 50                  | 24 cartons          |
| CGC Strait-Flex® Outlet Patch Receptacle Repair Patch       | 4-3/4" x 6-1/4", 2-pack    | 380445         | 50                  | 24 cartons          |
| CGC Wall Repair Patch                                       | 4" x 4"                    | 380441         | 12                  | 441 cartons         |
| CGC Wall Repair Patch                                       | 6" x 6"                    | 380661         | 12                  | 225 cartons         |



GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage (CDPH Standard Method V1.1, also known as CA Section 01350). For more information, visit [ul.com/gg](http://ul.com/gg).

[illegible]

## CONTACT INFORMATION

Manufactured by  
CGC Inc.  
350 Burnhamthorpe Rd. W., 5th Floor  
Mississauga, ON L5B 3J1

United States Gypsum Company  
550 West Adams Street  
Chicago, IL 60661

## PRODUCT INFORMATION

See [cgcinc.com](http://cgcinc.com) for the most  
up-to-date product information.

## CUSTOMER SERVICE

1.800.387.2690

## WEBSITES

[cgcinc.com](http://cgcinc.com)  
[cgcdesignstudio.com](http://cgcdesignstudio.com)

## NOTE

Products described here may not be available  
in all geographic markets. Consult your CGC  
representative for information. The information  
in this document is subject to change without  
notice. USG Corporation assumes no responsibility  
for any errors that may inadvertently appear in  
this document.

## NOTICE

We shall not be liable for incidental and  
consequential damages, directly or indirectly  
sustained, nor for any loss caused by application  
of these goods not in accordance with current  
printed instructions or for other than the  
intended use. Our liability is expressly limited  
to replacement of defective goods. Any claim  
shall be deemed waived unless made in writing  
to us within thirty (30) days from date it was or  
reasonably should have been discovered.

## SAFETY FIRST!

Follow good safety and industrial hygiene  
practices during handling and installation  
of all products and systems. Take necessary  
precautions and wear the appropriate  
personal protective equipment as needed.  
Read Safety Data Sheets and related  
literature on products before specification  
and/or installation.

J5051-CAN-ENG/9-17

© 2017 USG Corporation and/or its affiliates. All rights reserved.

The trademarks CGC, BABY BULL, BEADEX, CLASSIC ALL PURPOSE, CLASSIC FINISH, CONCRETE FILL,  
CONCRETE SEAL, DIAMOND, DURABOND, DUROCK, DUST CONTROL, FAST-SET, FIBEROCK, IMPERIAL,  
KAL-TEX, LITE FINISH, LITE JOINT, LITE LINE, MH TEXTURE, PRE-COAT, PRO-SET, QUICK DRY, RED TOP, REDI-  
FILLER, ROLL-ON, RUFF-TEX, SHEETROCK, SNOW-TEX, SNOWDRIFT, SPAN LITE, SPAN-TEX, SPRAY-ON,  
STRAIT-FLEX, STRUCTO-LITE, SYNKO, T.I.P.S., TUFF-HIDE, IT'S YOUR WORLD. BUILD IT., the CGC logo, the  
design elements and colours, and related marks are trademarks of USG Corporation or its affiliates.

**CGC**   
IT'S YOUR WORLD. BUILD IT.™