

Tajima

Tajima

TJM DESIGN CORP.

3-4-3 Azusawa
Itabashi-ku, Tokyo 174-8503 Japan
Phone: +81-3-3969-6603
Fax: +81-3-3969-7402

February, 2007 No.0702-5200G
Printed in Japan

TAJIMA AG

Stansstaderstrasse 54
CH-6370 Stans Switzerland
www.tajima.eu.com
Tel. +41 619 7010
Fax +41 619 7011
info@tajima.eu.com

TOOLSCATALOGUE

P R E M I U M T O O L S



	page
POCKET RULES	4-9
G Plus	
Lock Plus	
Z Lock	
G Lock	
Magnet-G	
Hi Lock	
Super Conve	
Hi Conve	
Top Conve	
My Conve	
In Look	
Pit Measure	
LONG STEEL TAPES	10-11
Engineer Pocket	
Engineer Ten	
Engineer Super	
FIBERGLASS TAPES	12-13
Symron - S	
Symron - L	
Symron - R	

CUTTER KNIVES	14-26
Aluminist Magazine	
Aluminist AC500/AC501	
Aluminist AC520/AC521	
Aluminist AC700/AC701	
Aluminist AC720/AC721	
GRI LC360	
GRI LC560/LC561	
GRI LC660/LC661	
Magazine LCM500	
LC301	
LC302	
LC303	
LC305	
LC500/LC500 SET	
LC501/LC501 SET	
LC520/LC520 SET	
LC521/LC521 SET	
LC620	
LC630	
LC650	
Southpaw	
Art Knife	
Plastic Knife	

CUTTER KNIFE SPARE BLADES 26-27

Blade Dispenser
CUTTER KNIFE SPARE BLADES

SCRAPER 28-29

Scrape - Rite Solid Core
 Scrape - Rite

HAND SAWS & BLADES	30-33
Aluminist Black Sheath Type	
Aluminist Black Folding Type	
Aluminist Black Spare Blades	
G-Saw	
Jump - Saw	
Rapid Pull	
Rapid Pull Straight	
Spare Blades	

VARIOUS PRODUCTS 34-40

Chalk - Rite Auto - Wind
 Chalk - Rite Gear Drive Extra Bold
 Chalk - Rite Gear Drive Ultra Thin
 Chalk Powder
 Spare Line
 Ink - Rite
 Ink
 Wet Weather Ink
 Spare Line
 Plumb-Rite
 Spare Line
 Convoy Just
 Convoy Lite
 Convoy Super
 Convoy J900
 Secure - Rite
 Angle Meter Slant 100/Slant 200
 Stainless Straight Rules

G Plus

Premium shock resistant measuring tape with HyperCoat™ advanced tape protection and an ultra-hard end hook, in an armored case.

Lock Plus

Premium measuring tape with HyperCoat™ advanced tape protection and an ultra-hard end hook.



HYPER COAT APPLICATION PROVES FURTHER TAPE DURABILITY

Innovative Hyper coat application improves tape durability. It also prevents any reflections that may occur on the conventional tape surface. So, it is very clear and easy to see.



BLACK END HOOK GIVES TWO-HOLDS HARDNESS.

Heating process for the end hook gives two-holds hardness compared with its original one. This helps avoiding unexpected end hook disfigurement while it's in use.



HOOK GUARD BUMPER

Hook guard bumper for the end hook absorbs much of impact caused by unexpected drops.



G Plus

Item Code	Size	Memo	Inner Carton	Carton Qty
GP550MY	25mm-5m	Belt Clip, Strap	4	40
GP550MYD	25mm-5m	Belt Clip, Strap, 5pcs/Display	5	6 sets (30pcs)

Lock Plus


Item Code	Size	Memo	Inner Carton	Carton Qty
LP550MY	25mm-5m	Belt Clip, Strap	4	40
LP550MYD	25mm-5m	Belt Clip, Strap, 5pcs/Display	5	6 sets (30pcs)

Z Lock

Durable Solid Tape with protective nylon coating, in an ABS case with embedded non-slip elastomer grips. Recoil Brake at the bottom.



RECOIL BRAKE for the adjustment of the rewinding speed.



NON-SLIP ELASTOMER GRIP prevents slipping and protects measure from damage. Also will not scratch most surfaces if dropped.



Protective nylon coating "SOLID TAPE"



HOOK GUARD BUMPER protects end hook.

Z Lock

Item Code	Size	Memo	Inner Carton	Carton Qty
Z5L50MY	25mm-5m	Belt Clip, Strap	6	60
Z5L50MYD	25mm-5m	Belt Clip, Strap, 6pcs/Display	6	5 sets (30pcs)
Z5L80MY	25mm-8m	Belt Clip, Strap	4	40
Z5L80MYD	25mm-8m	Belt Clip, Strap, 6pcs/Display	6	5 sets (30pcs)

G Lock

Shock resistant measuring tape with a triple-riveted end hook and cushioned Hook Guard Bumper, in an armored case.



G Lock

Item Code	Size	Memo	Inner Carton	Carton Qty
G3P20MY	13mm-2m	Belt Clip, Strap	6	60
G6P30MY	16mm-3m	Belt Clip, Strap	6	60
G9P50MY	19mm-5m	Belt Clip, Strap	6	60
G9P50MYD	19mm-5m	Belt Clip, Strap, 6pcs/Display	6	5 sets (30pcs)
G5P50MY	25mm-5m	Belt Clip, Strap	6	60
G5P50MYD	25mm-5m	Belt Clip, Strap, 6pcs/Display	6	5 sets (30pcs)
G5P70MY	25mm-7m	Belt Clip, Strap	4	40
G5P70MYD	25mm-7m	Belt Clip, Strap, 6pcs/Display	6	5 sets (30pcs)

Item Code	Size	Memo	Inner Carton	Carton Qty
G5P80MY	25mm-8m	Belt Clip, Strap	4	40
G5PA0MY	25mm-10m	Belt Clip, Strap	4	40
G3P20DY	13mm-2m/6ft	Dual Graduation, Belt Clip, Strap	6	60
G6P30DY	16mm-3m/10ft	Dual Graduation, Belt Clip, Strap	6	60
G9P50DY	19mm-5m/16ft	Dual Graduation, Belt Clip, Strap	6	60
G5P50DY	25mm-5m/16ft	Dual Graduation, Belt Clip, Strap	6	60
G5P75DY	25mm-7.5m/25ft	Dual Graduation, Belt Clip, Strap	4	40

Magnet-G

Shock resistant measuring tape with a magnetic-tipped end hook and cushioned Hook Guard Bumper, in an armored case.



Magnet-G

Item Code	Size	Memo	Inner Carton	Carton Qty
GM550MY	25mm-5m	Belt Clip, Strap	6	60

Hi Lock

Smooth and dependable measuring tape in a compact and ergonomic ABS case.



Hi Lock

Item Code	Size	Memo	Inner Carton	Carton Qty
H3P20MY	13mm-2m	Belt Clip, Strap	6	120
H6P30MY	16mm-3m	Belt Clip, Strap	6	60
H6P50MY	16mm-5m	Belt Clip, Strap	6	60
H9P50MY	19mm-5m	Belt Clip, Strap	6	60
H9P50MYD	19mm-5m	Belt Clip, Strap, 12pcs/Display	12	4 sets (48pcs)
H5P50MY	25mm-5m	Belt Clip, Strap	6	60
H5P50MYD	25mm-5m	Belt Clip, Strap, 12pcs/Display	12	4 sets (48pcs)
H5P70MY	25mm-7m	Belt Clip, Strap	6	60
H5P70MYD	25mm-7m	Belt Clip, Strap, 12pcs/Display	12	4 sets (48pcs)
H5P80MY	25mm-8m	Belt Clip, Strap	6	30
H5PA0MY	25mm-10m	Belt Clip, Strap	6	30
H3P20DY	13mm-2m/6ft	Dual Graduation, Belt Clip, Strap	6	120
H6P30DY	16mm-3m/10ft	Dual Graduation, Belt Clip, Strap	6	60
H6P50DY	16mm-5m/16ft	Dual Graduation, Belt Clip, Strap	6	60
H9P50DY	19mm-5m/16ft	Dual Graduation, Belt Clip, Strap	6	60
H5P50DY	25mm-5m/16ft	Dual Graduation, Belt Clip, Strap	6	60
H5P75DY	25mm-7.5m/25ft	Dual Graduation, Belt Clip, Strap	6	60

Super Conve



Rust-resistant tape measure with a stainless steel recoil spring and nylon coated tape.

Super Conve

Item Code	Size	Memo	Inner Carton	Carton Qty
S1950MW	19mm-5m	Belt Clip, Strap	6	60

Hi Conve



Ergonomic measuring tape fits comfortably in hand, delivers smooth and consistent rewind.

Hi Conve

Item Code	Size	Memo	Inner Carton	Carton Qty
NHC20MY	13mm-2m	Belt Clip	6	120
NHC30MY	13mm-3m	Belt Clip	6	120
NHC35MY	13mm-3.5m	Belt Clip	6	120

Top Conve



Tajima's original Auto Stop measuring tape that automatically holds the tape at any extension.

Top Conve

Item Code	Size	Memo	Inner Carton	Carton Qty
TOP20MY	13mm-2m	Black, Belt Clip	6	120
TOP30MY	13mm-3m	Black, Belt Clip	6	60
TOP35MY	13mm-3.5m	Black, Belt Clip	6	60
TOP50MY	13mm-5m	Black, Belt Clip	6	60

Item Code	Size	Memo	Inner Carton	Carton Qty
TOP20MW*	13mm-2m	Beige, W/O Belt Clip	6	120
TOP35MW*	13mm-3.5m	Beige, W/O Belt Clip	6	60
TOP55MW*	13mm-5.5m	Beige, W/O Belt Clip	6	60

* JIS Standard

My Conve



Rectangular-shaped measuring tape with Tajima's Auto Stop that automatically holds the tape at any extension.


My Conve

Item Code	Size	Memo	Inner Carton	Carton Qty
NMY20MY	13mm-2m	Belt Clip, Strap	6	120
NMY30MY	13mm-3m	Belt Clip, Strap	6	60
NMY50MY	13mm-5m	Belt Clip, Strap	6	60

In Look



Unique tape measure with a magnified viewer in the case for easy reading of inside or standard measurements.




In Look

Item Code	Size	Memo	Inner Carton	Carton Qty
INL30MY	13mm-3m	Belt Clip	6	120

Pit Measure



Adhesive-backed measuring tape.



Pit Measure

Item Code	Size	Memo	Inner Carton	Carton Qty
PIT10MW	13mm-1m		8	80
PIT20MW	13mm-2m		8	80
PIT50MW	13mm-5m		8	80

LONG STEEL TAPES

Engineer Pocket

Strong closed-reel steel tape measure in a lightweight yet durable ABS case.



Item Code	Size	Standard Tension	Memo	Inner Carton	Carton Qty
EPK10MW	10mm-10m	50N		4	40
EPK20MW	10mm-20m	50N		4	40
EPK30MW	10mm-30m	50N		4	40
EPK10DW	10mm-10m/33ft	20N		4	40
EPK20DW	10mm-20m/66ft	20N		4	40
EPK30DW	10mm-30m/100ft	20N		4	40

Engineer Ten

Smooth and dependable open-reel steel tape measure designed for accurate long-distance measuring.



Item Code	Size	Standard Tension	Memo	Carton Qty
HTN30MW	13mm-30m	50N		10
HTN50MW	13mm-50m	50N		10
ETNA0MW	13mm-100m	100N	Steel Reel, JIS Standard	5
HTN30DW	13mm-30m/100ft	50N		10
HTN50DW	13mm-50m/165ft	50N		10

LONG STEEL TAPES

Engineer Super

Premium open-reel steel tape measure with a 10 mm wide nylon coated tape that resists damage from water or jobsite chemicals.



Item Code	Size	Standard Tension	Memo	Carton Qty
HSP30MW	10mm-30m	50N	Nylon Coated Tape	10
HSP50MW	10mm-50m	50N	Nylon Coated Tape	10
HSP30DW	10mm-30m/100ft	50N	Nylon Coated Tape	10
HSP50DW	10mm-50m/165ft	50N	Nylon Coated Tape	10


TAPE SAMPLE

Tape width (Thickness)	Coating	Metric / Dual	Available for
10mm (0.18mm)	White acrylic coated tape	Metric EC Dual (metric/inch)	ENGINEER POCKET
13mm (0.23mm)	White acrylic coated tape	Metric EC Metric (100m) Dual (metric/inch)	ENGINEER TEN
10mm (0.44mm)	Nylon coated tape	Metric EC Dual (metric/inch)	ENGINEER SUPER

A PROFILE OF TAPES


White acrylic coated tapes
White acrylic coated carbon steel tape resists bending

- q High grade tool steel core
- w Surface treatment
- e Accurate, long lasting printing
- r Tough, Acrylic resin coating




Nylon coated steel tapes
A tough nylon coating is applied to the tape after acrylic coating and printed graduations.
Tough resistant to rust, bending and scratching.

- q High grade tool steel core
- w Surface treatment
- e Tough, acrylic resin coating
- r Accurate, long lasting printing
- t Clear nylon coating
- y Embossed nish reduces glare



TYPES OF ZERO POINTS



●Only fig.1 and fig.3 follow EC Class2 regulation

Symron-S



Closed-reel fiberglass tape measure with a protective PVC tape coating.

Item Code	Size	Memo	Inner Carton	Carton Qty
SYS10MT	13mm-10m	Blister	4	32
SYS20MT	13mm-20m	Blister	4	24
SYS30MT	13mm-30m	Blister	4	16
SYS50MT	13mm-50m	Box	-	10

Item Code	Size	Memo	Inner Carton	Carton Qty
SYS10DT	13mm-10m/33ft	Blister	4	32
SYS20DT	13mm-20m/66ft	Blister	4	24
SYS30DT	13mm-30m/100ft	Blister	4	16
SYS50DT	13mm-50m/165ft	Box	-	10

Symron-L



Semi closed-reel fiberglass tape measure with a protective PVC tape coating.

Item Code	Size	Memo	Carton Qty
SYL30MT	13mm-30m		12
SYL50MT	13mm-50m		12

Item Code	Size	Memo	Carton Qty
SYL30DT	13mm-30m/100ft		12
SYL50DT	13mm-50m/165ft		12

Symron-R



Open-reel fiberglass tape measure with protective PVC tape coating.

Item Code	Size	Memo	Carton Qty
SYR30MT	13mm-30m		12
SYR50MT	13mm-50m		12
SYRA0MT	13mm-100m		5

Item Code	Size	Memo	Carton Qty
SYR30DT	13mm-30m/100ft		12
SYR50DT	13mm-50m/165ft		12
SYRA0DT	13mm-100m/330ft		5


TAPE SAMPLE

Tape width (Thickness)	Metric / Dual	Side	Available for
13mm (0.52mm)	Metric (2mm/5mm)	Front	SYMIRON-S SYMIRON-L SYMIRON-R
		Reverse	
	Metric (EC)	Front	
		Reverse	
	Dual (metric/inch)	Front	
		Reverse	

A PROFILE OF TAPES

Symron fiberglass tapes Characteristics of PVC-coated fiberglass tape.

- q Fiberglass strands throughout the entire width
- w Special resin paint
- e Accurate imprinted graduation
- r Transparent PVC
- t Embossed finish reduces glare




Tajima Symron Fiberglass Tapes are electrically non-conductive and feature a transparent PVC coating. This special coating makes Tajima tapes over 100 times more resistant to wear than similar fiberglass tapes without such coating.

White and Yellow Tape helps prevent twisting while measuring and rewinding.

●Only fig.1 and fig.3 follow EC Class3 regulation

TYPES OF ZERO POINTS





**ALUMINIST
MAGAZINE**

ALUMINIST MAGAZINE

Stylish and comfortable body design with blade reloads function. Die cast molding technique performs high integrity of metal and elastomer resin. Additional elastomer resin on the stretched grip end provides extra comfort to achieve smoother and greater performance at all events.

Aluminist Magazine

Rugged die-cast aluminum 18 mm cutter holds 6 blades, one blade in the sleeve and 5 blades in the quick-reload magazine.



6-Blade Magazine
For Fast Reloads

Aluminist Magazine	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	ACM500	18mm	3		4	20

ALUMINIST




CENTER-BALANCED CUTTING FORCE
Cutting force balanced on the center of the blade provides superior cutting precision.

DIE-CAST ALUMINUM HANDLE
Ergonomically-designed die-cast aluminum handle with heavy-gauge stainless steel blade guide provides safe and dependable performance.

Aluminist AC500 / AC501

Rugged die-cast aluminum 18 mm cutters with in-handle 2 blade storage, in Auto Blade Lock or Dial Blade Lock models.



Aluminist AC500

Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
AC500	18mm	3	Silver	4	40
	18mm	3	Blue	4	40
	18mm	3	Red	4	40

Aluminist AC501

Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
AC501	18mm	3	Silver	4	40
	18mm	3	Blue	4	40
	18mm	3	Red	4	40

CUTTER KNIVES

Aluminist AC520 / AC521

Contoured handle die-cast aluminum
18 mm cutters with a tuck and pry tool,
in Auto Blade Lock or Dial Blade Lock models.



Aluminist AC520	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	AC520	18mm	1	Silver	4	40

Aluminist AC521	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	AC521	18mm	1	Black	4	40

CUTTER KNIVES

Aluminist AC700 / AC701

Rugged die-cast aluminum 25 mm cutters
with in-handle blade storage,
in Auto Blade Lock or Dial Blade Lock models



Aluminist AC700	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	AC700	25mm	3	Silver	4	40

Aluminist AC701	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	AC701	25mm	3	Silver	4	40

ALUMINIST FIN

USEFUL FUNCTIONS OF THE FIN

SLOTTED SCREWDRIVER
The fin is designed to drive various types of slotted screws.

PRY TOOL
Use the fin for prying off can lids also lifting brads and staples

ETCH MARKING TOOL
Etch a reference mark without need for pencil or pen.

Aluminist AC720 / AC721


Contoured handle die-cast aluminum
25 mm cutters a tuck and pry tool,
in Auto Blade Lock or Dial Blade Lock models.



Aluminist AC720	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	AC720	25mm	1	Silver	4	40

Aluminist AC721	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	AC721	25mm	1	Black	4	40

TAJIMA UTILITY KNIVES WITH NON-SLIP ELASTOMER GRIP GRI SERIES



GRI LC360

Ergonomic 9 mm cutter with elastomer grip, Slide Lock.



GRI LC360	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC360	9mm	1		10	120

GRI LC560 / LC561

Heavy Duty 18 mm cutter with elastomer grip, Auto Blade Lock.

Heavy Duty 18 mm cutter with elastomer grip, Dial Blade Lock.



GRI LC560	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC560 D10	18mm	1	10pcs/Display	10	6 sets (60pcs)

GRI LC561	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC561 D10	18mm	1	10pcs/Display	10	6 sets (60pcs)

GRI LC660 / LC661

Extra Heavy Duty 25 mm cutter with elastomer grip, Auto Blade Lock.

Extra Heavy Duty 25 mm cutter with elastomer grip, Dial Blade Lock.



GRI LC660	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC660 D8	25mm	1	8pcs/Display	8	6 sets (48pcs)

GRI LC661	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC661 D8	25mm	1	8pcs/Display	8	6 sets (48pcs)

CUTTER KNIVES

MAGAZINE



NON-SLIP GRIP
Impact resistant elastomer resin grip provides exceptional comfort and positive, non-slip control.

6-BLADE MAGAZINE
For Fast Reloads

Magazine LCM500



Non-slip elastomer grip
18 mm cutter holds 6 blades,
one blade in the sleeve and 5 blades
in the quick-reload magazine

Magazine	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LCM500	LCM500	18mm	3	Black	4	20

LC301



Sleek and lightweight 9 mm
stainless steel cutter, Slide Blade Lock.

LC301	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC301	9mm	3		10	120

CUTTER KNIVES

LC302

Sleek and lightweight
9 mm stainless steel cutter,
Dial Blade Lock.



LC302	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	LC302	9mm	3		10	120

LC303


Compact 9 mm cutter
with in-handle 2 blade storage,
Slide Blade Lock.



LC303	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
		9mm	3	Yellow	10	120
		9mm	3	Blue	10	120
		9mm	3	Red	10	120

LC305

Multi-purpose 9 mm cutter,
Slide Blade Lock.




LC305	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
	305D60	9mm	1	60pcs Display, 3 colors assorted	60	4 sets (240sets)

CUTTER KNIVES

LC500 / LC500 SET

Ergonomic 18 mm cutter with in-handle 2 blade storage, Auto Blade Lock, in single or 4-color 40-piece display set.



LC500	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC500		18mm	3	Yellow	10	120
		18mm	3	Blue	10	120
		18mm	3	Red	10	120
500C40	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
500C40		18mm	3	40pcs / Display, 4 colors assorted	40	3 sets (120pcs)

LC501 / LC501 SET

Ergonomic 18 mm cutter with in-handle 2 blade storage, Dial Blade Lock, in single or 4-color 40-piece display set.



LC501	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC501		18mm	3	Yellow	10	120
		18mm	3	Blue	10	120
		18mm	3	Red	10	120
501A40	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
501A40		18mm	3	40pcs / Display, 4 colors assorted	40	3 sets (120pcs)

CUTTER KNIVES

LC520 / LC520 SET

Ergonomic 18 mm cutter with in-handle 2 blade storage, Auto Blade Lock, in single or 4-color 40-piece display set.



LC520	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC520		18mm	3	Yellow	10	120
520H40	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
520H40		18mm	3	40pcs / Display, 4 colors assorted	40	3 sets (120pcs)

LC521 / LC521 SET

Ergonomic 18 mm cutter with in-handle 2 blade storage, Dial Blade Lock, in single or 4-color 40-piece display set.



LC521	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC521		18mm	3	Yellow	10	120
521H40	Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
521H40		18mm	3	40pcs / Display, 3 colors assorted	40	3 sets (120pcs)

CUTTER KNIVES

LC620

Heavy Duty 22 mm cutter with in-handle 2 blade storage, Auto Blade Lock.



Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC620	22mm	3	Blue	10	120

LC630

Rugged die-cast aluminum 22 mm cutter with Dual Auto and Dial Blade locking mechanisms and in-handle 2 blade storage.



Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC630	22mm	3		6	60

CUTTER KNIVES

LC650

Extra Heavy Duty 25 mm cutter with elastomer wrapped heavy-gauge stainless steel blade sleeve.



Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC650	25mm	1		10	120

Southpaw

Ergonomic 18 mm cutter with in-handle 2 blade storage, Auto Blade Lock, designed for left-hand use.



Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC504	18mm	3	Left-hand use	10	120

CUTTER KNIVES

Art Knife




Precision trim and slice knife with replacement blades.

Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC101	4.9mm	9		10	120

Plastic Knife



Precision plastic scoring tool.



Item Code	Blade Width	Included Blade	Memo	Inner Carton	Carton Qty
LC701	8.8mm	3		10	120


Blade Dispenser



Snap-segment blade dispenser for safe and dependable dispensing of one blade at a time.

Item Code	Blade Width	Memo	Inner Carton	Carton Qty
LCB30C	9mm	10pcs in dispenser case with card	10	120
LCB50C	18mm	10pcs in dispenser case with card	10	120

CUTTER KNIFE SPARE BLADES



CUTTER KNIFE SPARE BLADES

Series	Item Code	Memo	Blades / pack	Inner Carton	Carton Qty
9mm	LB30N	Soft Case	10	10	120
	LCB30C	Blade Dispenser	10	10	120
	LCB30-50H	Hard Case	50	10	100
18mm	LB50N	Soft Case	10	10	120
	LCB50C	Blade Dispenser	10	10	120
	LCB50-50H	50Pcs pack	50	10	50
18mm Double	LCB50DC	Blade Dispenser	10	10	120
18mm Left	LCB50LC	Blade Dispenser	10	10	120
22mm	CB62H	Hard Case	10	10	100
	LCB65B	Hard Case	10	10	100
25mm	LCB65-20H	Hard Case	20	10	50
	LCB10AH	Hard Case	20	10	100
Art Knife	LCB10AH	Hard Case	20	10	100
Plastic Knife	LCB70AH	Hard Case	5	10	100

Work faster and more efficiently with our powerful solid-core scrapers.

SCRAPE-RITE SOLID CORE

STENHEAD scrapers are formed from one continuous piece of premium stainless steel and capped with a wide striking head. Hammer impact to the head is conveyed directly to the blade resulting in faster, more efficient performance and exceptional control.



STRONGER BLADE
Extra-thick 1.8 mm stainless steel blades are heat treated and hardened for superior strength and dependable performance.

SUPERIOR GRIP
Hardened resin handles are impact-resistant and ergonomically designed to provide exceptional comfort and positive, non-slip control.

EXTRA-WIDE STRIKING HEAD
Thick stainless steel striking heads are extremely durable and offer a large target area for safer and easier hammering applications.

Scrape-Rite Solid Core Standard Blade



Traditionally flared blade for common scraping tasks.

Item Code	Size (V,H,T)	Memo	Carton Qty
SCR-C50	290 × 66 × 40	1.8mm thickness	12
SCR-C75	300 × 75 × 40	1.8mm thickness	12

※V=Vertical, H=Horizontal, T= Thickness

Scrape-Rite Solid Core Curved Blade



Rectangular blade with a curved edge for scraping thin materials like wallpaper.

Item Code	Size (V,H,T)	Memo	Carton Qty
SCR-K45	280 × 66 × 40	1.8mm thickness	12

※V=Vertical, H=Horizontal, T= Thickness

Scrape-Rite Solid Core Fishtail Blade



Wide fishtail blade for corners and recessed areas that other blades can't reach.



Scrape-Rite Solid Core Fishtail Blade

Item Code	Size (V,H,T)	Memo	Carton Qty
SCR-N70	290 × 70 × 40	1.8mm thickness	12
SCR-N95	305 × 95 × 40	1.8mm thickness	12

※V=Vertical, H=Horizontal, T= Thickness

Scrape-Rite Solid Core Multi-Tool Blade



All-in-one blade designed to handle multiple scraping tasks.



Scrape-Rite Solid Core Multi-Tool Blade

Item Code	Size (V,H,T)	Memo	Carton Qty
SCR-M75	295 × 66 × 40	1.8mm thickness	12

※V=Vertical, H=Horizontal, T= Thickness

Scrape-Rite



Reversible-blade scraper with die-cast aluminum head and reinforced shaft for fine scraping or heavy chisel-like action.



Built-in safety spring
Easy handling system to replace the blade. Die cast aluminum head, reinforced. The built-in spring prevents the blade from forced shaft and steel end cap dropping down.

Power Scraping
Reversible 18mm Blade for Standard or ultra-sharp scraping tasks

Precision Scraping
Reversible 18mm Blade for Standard or ultra-sharp scraping tasks

Item Code	Size (V,H,T)	Included Blade	Memo	Inner Carton	Carton Qty
SCR-L200	200 × 110 × 40	3	18mm Blades	4	24
SCR-L300	300 × 110 × 40	3	18mm Blades	4	24
SCR-L600	600 × 110 × 40	3	18mm Blades	4	24

※V=Vertical, H=Horizontal, T= Thickness

ALUMINIST


Black Power Glide™ Blades
Strong 0.9 mm thick fluorine-coated blades repel resins and wood chips, keeping the cutting teeth in optimum condition.



Fluorine-Coated Blade Repels Resins and Wood Chips.



* after cutting through 40 mm thick branches, 100 times.



Retains Sharpness 3 times Longer

0.9 mm Thick for Superior Strength

Aluminist Black Sheath Type

Fixed blade saw with sheath, equipped with a 0.9 mm thick PowerGlide™ blade coated with fluorine to keep the cutting edge free of debris.



Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
ALSA-A210FB	210		4	24
ALSA-A240FB	240		4	24

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
ALSA-A270FB	270		4	24
ALSA-A300FB	300		4	24

Aluminist Black Folding Type

Folding blade saw, equipped with a 0.9 mm thick PowerGlide™ blade coated with fluorine to keep the cutting edge clean and free of debris.



Two-Position Blade Fold-Out (Straight or Angled)



For positioning the hand even with or above the cutting surface.

Aluminist Black Folding Type

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
ALOR-A210FB	210		4	24
ALOR-A240FB	240		4	24

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
ALOR-A270FB	270		4	24
ALOR-A300FB	300		4	24

Aluminist Black Spare Blades

PowerGlide™ replacement blades, fluorine coated to keep the cutting edge clean and free of debris, 0.9 mm thick.



Aluminist Black Spare Blades

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
ALB-A210FB	210		12	120
ALB-A240FB	240		12	120

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
ALB-A270FB	270		12	120
ALB-A300FB	300		12	120

HAND SAWS & BLADES

G-Saw



Folding blade saw with aggressive cut multipurpose blade.



Spare Blades

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
GKBG210	210		12	120
GKBG240	240		12	120
GKBG270	270		12	120
GKBG300	300		12	120

G-Saw

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
GKG210	210		6	60
GKG240	240		6	60

Jump-Saw



Folding blade saw with aggressive cut multipurpose blade and spring-actuated blade extension for one-hand operation.



Jump-Saw

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
HN-240	240		5	50
HNB-240	240	Spare Blades	10	100

Rapid Pull



Precision cross-cut saw with Quick-Release blade retainer.



Rapid Pull

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
PUL265	265		12	48
PUL265D	265	12pcs / Display	12	6 sets (72pcs)

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
PUL300	300		12	48

HAND SAWS & BLADES

Rapid Pull Straight

Precision cross-cut saw with Quick-Release blade retainer, straight handle with embedded elastomer grip.



Rapid Pull Straight

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
GNG265	265	Rubber	6	24
GN265J	265	Rattan	6	24
GNC265	265		6	24
GNC265ST	265 SHORT		6	24

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
GNC230	230		6	24
GNC250	250		6	24
GNC300	300		6	24

Spare Blades



Premium-grade spring steel replacement blades with fast and clean cutting triple-edge cutting teeth.



Spare Blades

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
GNB230	230		24	120
GNB250	250		24	120
GNB265	265		24	120

Item Code	Nominal Length	Memo	Inner Carton	Carton Qty
GNB265ST	265 SHORT		24	120
GNB300	300		24	120

Chalk-Rite Auto-Wind



Auto wind chalk snap line tool with see-through canister and unique chalk metering sleeve.



Chalk-Rite Auto-Wind	Item Code	Snap-Line	Memo	Inner Carton	Carton Qty
	CR101S	1.0mm x 10m	7m Auto-Wind, 6pcs/set	6	6 sets (36pcs)

Chalk-Rite Gear Drive Extra Bold



Smooth winding 5-gear drive chalk snap line tool with gasket-sealed die cast aluminum case, Extra Bold line model.



Chalk-Rite Gear Drive Extra Bold	Item Code	Snap-Line	Memo	Inner Carton	Carton Qty
	CR201R	1.0mm x 25m	Triple-Speed Rewind, 4pcs/set	4	6 sets (24pcs)

Chalk-Rite Gear Drive Ultra Thin



Smooth winding 5-gear drive chalk snap line tool with gasket-sealed die cast aluminum case, Ultra Thin line model.



Chalk-Rite Gear Drive Ultra Thin	Item Code	Snap-Line	Memo	Inner Carton	Carton Qty
	CR202B	0.5mm x 30m	Triple-Speed Rewind, 4pcs/set	4	6 sets (24pcs)

Chalk Powder

Extra-fine powdered chalk with micro particles for even and consistent coating of the line, in high-visibility red, blue, white and yellow colors.



Chalk Powder	Item Code	Quantity	Memo	Inner Carton	Carton Qty
	PLC2W300	300g	White	6	60
	PLC2B300	300g	Blue	6	60
	PLC2R300	300g	Red	6	60
	PLC2Y300	300g	Yellow	6	60

Spare Line

Premium braided nylon/polyester replacement line for Chalk-Rite™ chalk snap line tools.



Spare Line	Item Code	Size	Memo	Inner Carton	Carton Qty
	PLITOS	0.5mm x 30m	for Chalk Rite	10	100
	PLITOL	1.0mm x 30m	for Chalk Rite	10	100

VARIOUS PRODUCTS

Ink-Rite



Precision snap line tool that uses ink for a bold and consistent marking line that won't scuff or wash away.



Ink-Rite	Item Code	Snap-Line	Memo	Inner Carton	Carton Qty
	IR101	0.6mm x 20m	7.5m Auto-Wind with 100ml red Ink, 6 pcs/set	6	6 sets (36pcs)

Ink

Quick-Dry ink for dry-surface marking, in high-visibility black, red, white and blue colors.



Wet Weather Ink

Wet Weather ink for wet conditions or wet-surface marking, in high-visibility black, red and white colors.



Ink	Item Code	Quantity	Memo	Inner Carton	Carton Qty
	PSB2180	180ml	Black	12	60
	PSS2180	180ml	Red	12	60
	PSA2180	180ml	Blue	12	60
	PSW2180	180ml	White	12	60

Wet Weather Ink	Item Code	Quantity	Memo	Inner Carton	Carton Qty
	PSB3180	180ml	Black	6	36
	PSS3180	180ml	Red	6	36
	PSW3180	180ml	White	6	36

Spare Line



Premium braided nylon/polyester replacement line for Ink-Rite™ ink snap line tools.

Spare Line	Item Code	Size	Memo	Inner Carton	Carton Qty
	PSITOS	0.6mm x 40m	for Ink-Rite	10	100
	PSITOL	0.8mm x 30m	for Ink-Rite	10	100

VARIOUS PRODUCTS

Plumb-Rite



All-in-one plumb bob and universal setter with self-retracting line, with elastomer-wrapped case and 400g Quick-Stabilizing bob.



Plumb-Rite	Item Code	Bob Weight	Length of Line	Memo	Inner Carton	Carton Qty
PZB 400G	PZB400G	400g	4.5m	6 pcs / set	6	4 sets (24pcs)

Plumb-Rite



All-in-one plumb bob and universal setter with self-retracting line, with 400g Quick-Stabilizing bob.



Plumb-Rite	Item Code	Bob Weight	Length of Line	Memo	Inner Carton	Carton Qty
PZB 400	PZB400	400g	4.5m	6 pcs / set	6	4 sets (24pcs)

Plumb-Rite



All-in-one plumb bob and universal setter with self-retracting line, with 300g Quick-Stabilizing bob.



Plumb-Rite	Item Code	Bob Weight	Length of Line	Memo	Inner Carton	Carton Qty
PZB 300	PZB300	300g	3.0m	6 pcs / set	6	4 sets (24pcs)

Spare Line




Premium braided nylon/polyester replacement line for Plumb-Rite™ plumb alignment and centering tools.

Spare Line	Item Code	Size	Memo	Inner Carton	Carton Qty
	PCITOS	0.9mm x 15m	for Plumb-Rite	10	100
	PCITOL	1.2mm x 15m	for Plumb-Rite	10	100

Convoy Just



Extra-long barrel caulk gun with a powerful twin-thrust dispensing system and a 360 degree rotating barrel.




Item Code	Available Cartridge	Memo	Inner Carton	Carton Qty
Convoy Just CNV-JUST	310ml	Yellow	6	24

Convoy Lite



Ultra-Light caulk gun with unique twist-lock barrel removal system for fast and easy tube changes.





Item Code	Available Cartridge	Memo	Inner Carton	Carton Qty
Convoy Lite CNV100LT	310ml	Black	6	24

Convoy Super



Max performance caulk gun with an extra-long barrel, a powerful twin-thrust dispensing system and a 360 degree rotating barrel.




Item Code	Available Cartridge	Memo	Inner Carton	Carton Qty
Convoy Super CNV100SP	310ml	Red	6	24

Convoy J900



Extra-long barrel caulk gun with a powerful twin-thrust dispensing system and a 360 degree rotating barrel, for large-size tubes.



Item Code	Available Cartridge	Memo	Inner Carton	Carton Qty
Convoy J900 CNVJ900	US Quart (900ml)	Yellow	4	16

Secure-Rite



Belt attachment that provides safe and convenient tethering of small hand tools weighing up to 1KG.



Item Code	Braided Steel Line	Memo	Inner Carton	Carton Qty
Secure Rite AZCS	1.2m	Capacity 1Kg	4	80
AZCW	1.2m	Capacity 1Kg	4	40

Angle Meter Slant 100 / Slant 200

Rotating dual scale angle meter provides one-hand measurement of slant or angles.



To measure an angle or rise

- Place the bottom of the Slant 100 flush with the surface to be measured.
- Rotate the thumb-screw knob until the bubble in the vial is centered between the alignment lines then read the angle or rise calibration mark at the index pointer.
- Invert the Slant 100 to measure a downward slope.

To set an angle or rise

- Rotate the thumb-screw knob until the index pointer is positioned at the desired angle or rise calibration mark.
- Place the bottom of the Slant 100 flush with the surface to be set.
- Rotate together until the bubble in the vial is centered between the alignment lines.

Ratio to vertical length 1

Ratio to horizontal length 1

For example, for a rise of 3.00
 $D = B \div C = 1.054$
 $E = 1 \div C = 0.333$

Slant 100	Item Code	Memo	Inner Carton	Carton Qty
	SLT100		6	36

Slant 200	Item Code	Memo	Inner Carton	Carton Qty
	SLTAL200M	With Magnet and Aluminum Frame	6	36

VARIOUS PRODUCTS

Stainless Straight Rules



Stainless Straight Rules

Item Code	Size	Memo	Inner Carton	Carton Qty
SSR15MC	150mm	Chrome Plated	50	50
SSR30MC	300mm		50	50
SSR60MC	600mm		10	10
SSRA0MC	1000mm		10	10
SSRB0MC	1500mm		5	5
SSRC0MC	2000mm		5	5
SSR15MP	150mm	Polished	50	50
SSR30MP	300mm		50	50
SSR60MP	600mm		10	10
SSRA0MP	1000mm		10	10
SSRB0MP	1500mm		5	5
SSRC0MP	2000mm		5	5
SSR15DC	150mm/6in	Chrome Plated	50	50
SSR30DC	300mm/12in		50	50
SSR60DC	600mm/24in		10	10
SSRA0DC	1000mm/36in		10	10
SSRB0DC	1500mm/60in		5	5
SSRC0DC	2000mm/78in		5	5
SSR15DP	150mm/6in	Polished	50	50
SSR30DP	300mm/12in		50	50
SSR60DP	600mm/24in		10	10
SSRA0DP	1000mm/36in		10	10
SSRB0DP	1500mm/60in		5	5
SSRC0DP	2000mm/78in		5	5

INDEX

Item Code	Page				
305D60	21	G3P20MY	6	H6P50DY	7
500C40	22	G5P50DY	6	H6P50MY	7
501A40	22	G5P50MY	6	H9P50DY	7
520H40	23	G5P50MYD	6	H9P50MY	7
521H40	23	G5P70MY	6	H9P50MYD	7
A		G5P70MYD	6	HN-240	32
AC500	15	G5P75DY	6	HNB-240	32
AC501	15	G5P80MY	6	HSP30DW	11
AC520	16	G5PA0MY	6	HSP30MW	11
AC521	16	G6P30DY	6	HSP50DW	11
AC700	17	G6P30MY	6	HSP50MW	11
AC701	17	G9P50DY	6	HTN30DW	10
AC720	17	G9P50MY	6	HTN30MW	10
AC721	17	G9P50MYD	6	HTN50DW	10
ACM500	14	GKBG210	32	HTN50MW	10
ALB-A210FB	31	GKBG240	32	I	
ALB-A240FB	31	GKBG270	32	INL30MY	9
ALB-A270FB	31	GKBG300	32	IR101	36
ALB-A300FB	31	GKG210	32	L	
ALOR-A210FB	31	GKG240	32	LB30N	27
ALOR-A240FB	31	GM550MY	6	LB50N	27
ALOR-A270FB	31	GN265J	33	LC101	26
ALOR-A300FB	31	GNB230	33	LC301	20
ALSA-A210FB	30	GNB250	33	LC302	21
ALSA-A240FB	30	GNB265	33	LC303	21
ALSA-A270FB	30	GNB265ST	33	LC360	18
ALSA-A300FB	30	GNB300	33	LC500	22
AZCS	39	GNC230	33	LC501	22
AZCW	39	GNC250	33	LC504	25
C		GNC265	33	LC520	23
CB62H	27	GNC265ST	33	LC521	23
CNV100LT	38	GNC300	33	LC560 D10	19
CNV100SP	38	GNG265	33	LC561 D10	19
CNVJ900	38	GP550MY	4	LC620	24
CNV-JUST	38	GP550MYD	4	LC630	24
CR101S	34	H		LC650	25
CR201R	34	H3P20DY	7	LC660 D8	19
CR202B	34	H3P20MY	7	LC661 D8	19
E		H5P50DY	7	LC701	26
EPK10DW	10	H5P50MY	7	LCB10AH	27
EPK10MW	10	H5P50MYD	7	LCB30-50H	27
EPK20DW	10	H5P70MY	7	LCB30C	26
EPK20MW	10	H5P70MYD	7	LCB30C	27
EPK30DW	10	H5P75DY	7	LCB50-50H	27
EPK30MW	10	H5P80MY	7	LCB50C	26
ETNA0MW	10	H5PA0MY	7	LCB50C	27
G		H6P30DY	7	LCB50DC	27
G3P20DY	6	H6P30MY	7	LCB50LC	27

INDEX

Item Code	Page		
LCB65-20H	27	SCR-M75	29
LCB65B	27	SCR-N70	29
LCB70AH	27	SCR-N95	29
LCM500	20	SLT100	39
LP550MY	4	SLTAL200M	39
LP550MYD	4	SSR15DC	40
N		SSR15DP	40
NHC20MY	8	SSR15MC	40
NHC30MY	8	SSR15MP	40
NHC35MY	8	SSR30DC	40
NMY20MY	9	SSR30DP	40
NMY30MY	9	SSR30MC	40
NMY50MY	9	SSR30MP	40
P		SSR60DC	40
PCITOL	37	SSR60DP	40
PCITOS	37	SSR60MC	40
PIT10MW	9	SSR60MP	40
PIT20MW	9	SSRA0DC	40
PIT50MW	9	SSRA0DP	40
PLC2B300	35	SSRA0MC	40
PLC2R300	35	SSRA0MP	40
PLC2W300	35	SSRB0DC	40
PLC2Y300	35	SSRB0DP	40
PLITOL	35	SSRB0MC	40
PLITOS	35	SSRB0MP	40
PSA2180	36	SSRC0DC	40
PSB2180	36	SSRC0DP	40
PSB3180	36	SSRC0MC	40
PSITOL	36	SSRC0MP	40
PSITOS	36	SYL30DT	12
PSS2180	36	SYL30MT	12
PSS3180	36	SYL50DT	12
PSW2180	36	SYL50MT	12
PSW3180	36	SYR30DT	13
PUL265	32	SYR30MT	13
PUL265D	32	SYR50DT	13
PUL300	32	SYR50MT	13
PZB300	37	SYRA0DT	13
PZB400	37	SYRA0MT	13
PZB400G	37	SYS10DT	12
S		SYS10MT	12
S1950MW	8	SYS20DT	12
SCR-C50	28	SYS20MT	12
SCR-C75	28	SYS30DT	12
SCR-K45	28	SYS30MT	12
SCRL200	29	SYS50DT	12
SCRL300	29	SYS50MT	12
SCRL600	29		
		T	
		TOP20MW	8
		TOP20MY	8
		TOP30MY	8
		TOP35MW	8
		TOP35MY	8
		TOP50MY	8
		TOP55MW	8
		Z	
		Z5L50MY	5
		Z5L50MYD	5
		Z5L80MY	5
		Z5L80MYD	5



ISO9001:2000 Certification

Tajima Premium Hand Tools

Founded in 1909 as a manufacturer of steel and woven measuring tapes, T.J.M. Design Corporation (formally Tajima Tool Corporation) now produces over 1,000 premium-grade hand tools under the **Tajima**. A multinational organization with global production facilities, T.J.M. Design Corporation continues its commitment to excellence in the design, selection of materials, production and quality control processes that govern the manufacture of its tools. And all T.J.M. Design Corporation staff are dedicated to ensuring that the function, quality, shape and design of **Tajima** fulfills the desires and expectations of the end user. As a result, **Tajima** and tools are recognized worldwide as offering exceptional feature and function at a high level of quality rarely seen in today's industry.

