



VISIT US AT

**DEADONTOOLS.COM**

Cordura® is a registered trademark of INVISTA™

Dead On® Tools  
Pull'R Holding Company, LLC  
415 E State Parkway, Schaumburg, IL 60173  
deadontools.com // deaonstore.com



Tools and parts shown are not included  
Product specifications herein could change without notice

© 2016 Pull'R Holding Company, LLC





# A COLLISION

OF SERIOUS TOOL USING

**PROFESSIONALS**



## CONTENTS

04

HAMMERS

18

RIGS & POUCHES

12

ANNIHILATORS

28

STORAGE


14

EXHUMERS

30

KNEE PADS

WARNING: Certain products identified with this symbol ▼ contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.



AND A  
LIFESTYLE LIVED OUT

**LOUD**





# HAMMERS

*MAXIMUM PERFORMANCE WITH NO LIMITS*

Dead On® Tools defies the laws of physics – setting the highest standard for precision in tools and work gear products. Extending boundaries and making what was once thought impossible, possible, we offer legendary performance through increasingly innovative products. Our products represent perfection that others pursue because they have originated from actual users in the trade.



STEEL



INVESTMENT CAST  
WOOD



GRAPHITE





▼ DOS22M-HD



▼ DOS22S-HD



Tough starts here. Supported by ZeroVibe™ design and I-Beam construction, aerodynamic hammer technology has reached a new standard with our Steel Hammer. It is feature-loaded with a magnetic nail set, nail puller and high-traction grip. Available in both milled and smooth face.





# STEEL HAMMERS

Smooth & Milled Face

▼ Refer to the bottom of page 2 for more information

# SPECIFICATIONS



Dimensions:  
Overall Length: 18 in.  
Handle Length: 16 in.

	<b>DOS22M-HD</b>	<b>DOS22S-HD</b>
<b>FACE</b>	Milled	Smooth
<b>HEAD WEIGHT</b>	22 oz.	22 oz.
<b>OVERALL WEIGHT</b>	2.2 lbs.	2.2 lbs





DO21



DO21C

Dead On® Tools' flagship Investment Cast Process is one of the most cutting-edge technologies used in the tool industry today. Investment Cast engineering requires precision accuracy and ground breaking efficiencies, resulting in a perfectly balanced tool every time.





# INVESTMENT CAST WOOD HAMMERS

Curved & Straight Handle

# SPECIFICATIONS

## What is **Investment Casting?**



This process allows each head to be identical and remarkably balanced. S-7 steel is shock resistant and made for high impact work that would disfigure lesser hammers.

Dimensions:

Overall Length: 18 in. / 457.2 mm

Handle Length: 16 in. / 406.4 mm


### **NAIL SET**

Magnetic

### **S-7 INVESTMENT CAST HEAD**

For a Perfect Strike, Every Time

### **HICKORY HANDLE**



	<b>DO21</b>	<b>DO21C</b>
<b>FACE</b>	Milled	Milled
<b>HANDLE</b>	Straight	Curved
<b>HEAD WEIGHT</b>	21 oz.	21 oz.
<b>OVERALL WEIGHT</b>	2.0 lbs.	2.0 lbs





▼ DO16-GS



▼ DO20-GS

For personal and professional use, graphite shaft hammers are durable and lightweight. Features a magnetic nail set and a diamond textured handle for extra comfort.




# GRAPHITE HAMMERS

16 & 20 Oz.

▼ Refer to the bottom of page 2 for more information

# SPECIFICATIONS



Dimensions:  
Overall Length: 13 in.  
Handle Length: 11 in.

	<b>DO16-GS</b>	<b>DO20-GS</b>
<b>FACE</b>	Smooth	Smooth
<b>CLAW</b>	Curved	Straight
<b>HEAD WEIGHT</b>	16 oz.	20 oz.
<b>OVERALL WEIGHT</b>	1.7 lbs.	1.8 lbs

# ANNIHILATORS

THE ULTIMATE WRECKINGBAR




A wrecking bar and hammer hybrid, the Annihilator is our answer to the toughest jobs out there. Boasting a demolition hammer, axe, wrench, chisel and even a bottle opener, this tool does it all.

▼ Refer to the bottom of page 2 for more information



# SPECIFICATIONS



	AN14	AN18
OVERALL WEIGHT	2.0 lbs	3.7 lbs
BAR LENGTH	9 in.	12 in.
OVERALL LENGTH	14 in.	18 in.

# EXHUMERS

THE BEST **NAILPULLERS**

▼ EX9



▼ EX9CL




▼ EX8



Our latest models of Dead On® Exhumers offer an array of unique features that enhance user experience. They are equipped with the latest technological advances offering dual nail picks, nail extractor, built-in saw blade wrench and even a bottle opener for the beverage of your choice after a satisfying day on the job.

▼ Refer to the bottom of page 2 for more information

# SPECIFICATIONS



	EX8	EX9	EX9CL
OVERALL WEIGHT	0.9 lbs	1.2 lbs	0.8 lbs
BAR LENGTH	8.6 in.	10.6 in.	10.5 in.





# WORKGEAR

*BUILT TOUGH, BUILT TO LAST*

---

Dead On® has taken the same care used in designing its innovative tools and applied it to work gear. The design of our rigs and pouches come from endless testing with our end-users; the right tools in the right place.

## RIGS & POUCHES



## STORAGE



## KNEE PADS





## AT A GLANCE: SUSPENSION RIGS

# 1

## EXPERIENCED PROFESSIONAL



Cordura® Ballistic Nylon

### FRAMER'S SUSPENSION RIG

▼ DO-BSR

*Durable. Versatile. Reliable.*

**CORDURA**  
ballistic  
FABRIC



# 2

## PROFESSIONAL

★★ 1680 Denier Poly

### FRAMER'S SUSPENSION RIG ▼ HDP369857



Tear Strength:

**10.3X**

Puncture Resistance:

**4.1X**

Abrasion Resistance:

**2.5X**

Cordura® Ballistic Nylon



1680 Denier Poly

▼ Refer to the bottom of page 2 for more information

## AT A GLANCE: SUSPENSION RIGS

★★ 1680 Denier Poly  
**CARPENTER'S**  
SUSPENSION RIG ▼ HDP400945



★★ 1680 Denier Poly  
**ELECTRICIAN'S**  
SUSPENSION RIG ▼ HDP411014



## JOURNEYMAN

★ 600 Denier Poly  
**TOOL RIG**  
WITH SUSPENDERS ▼ DO-FR



Tear Strength:

**2.5X**

Puncture Resistance:

**2.0X**

Abrasion Resistance:

**1.6X**



Strength & Resistance measured against 600 Denier Poly at 1x

600 Denier Poly





Cordura® Ballistic Nylon

# FRAMER'S SUSPENSION RIG

▼ DO-BSR

- » Cordura® Ballistic Nylon Material
- » LoadBear™ Stretch Suspension
- » Infinity Belt Fits Up to a 52" Waist
- » Barrel Bottom Pouches For Extra Capacity
- » Single Body Pouch Construction
- » Monster Grommets On Belt
- » Speed Square Pocket
- » Dual Hammer Loop – Steel & Web
- » Cell Phone Pocket Holds iPhone® 6 Plus
- » Tape Measure Top Pocket
- » Chest Retaining Strap
- » Moisture Wicking Belt and Shoulder Lining
- » Total Number of Pockets: 19



▼ Refer to the bottom of page 2 for more information



1680 Denier Poly

# FRAMER'S SUSPENSION RIG

▼ HDP369857



- » 1680 Denier Poly Material
- » LoadBear™ Stretch Suspension
- » Infinity Belt Fits Up to a 52" Waist
- » Barrel Bottom Pouches For Extra Capacity
- » Single Body Pouch Construction
- » Monster Grommets On Belt
- » Speed Square Pocket
- » Dual Hammer Loops – Steel & Web
- » Cell Phone Pocket Holds iPhone® 6 Plus
- » Tape Measure Top Pocket
- » Chest Retaining Strap
- » Moisture Wicking Belt and Shoulder Lining
- » Total Number of Pockets: 19



▼ Refer to the bottom of page 2 for more information





1680 Denier Poly

# CARPENTER'S SUSPENSION RIG

▼ HDP400945

- » 1680 Denier Poly Material
- » LoadBear™ Stretch Suspension
- » Infinity Belt Fits Up to a 52" Waist
- » Barrel Bottom Pouches For Extra Capacity
- » Single Body Pouch Construction
- » Monster Grommets On Belt
- » Speed Square Pocket
- » Dual Hammer Loops – Steel & Web
- » Cell Phone Pocket Holds iPhone® 6 Plus
- » Tape Measure Top Pocket
- » Chest Retaining Strap
- » Moisture Wicking Belt and Shoulder Lining
- » Total Number of Pockets: 18



▼ Refer to the bottom of page 2 for more information





600 Denier Poly

# TOOL RIG WITH SUSPENDERS

▼ DO-FR

- » 600 Denier Poly Material
- » Barrel Bottom Pouches For Extra Capacity
- » Belt Fits Up to a 46" Waist
- » Dual Hammer Loops – Steel & Web
- » Double Grommets On Belt
- » Speed Square Pocket
- » Total Number of Pockets: 24



▼ Refer to the bottom of page 2 for more information



1680 Denier Poly

# ELECTRICIAN'S SUSPENSION RIG

▼ HDP411014

- » 1680 Denier Poly Material
- » LoadBear™ Stretch Suspension
- » Infinity Belt Fits Up 52" Waist
- » Barrel Bottom Pouches For Extra Capacity
- » Single Body Pouch Construction
- » Monster Grommets On Belt
- » Web Hammer Loop
- » Cell Phone Pocket Holds iPhone® 6 Plus
- » Tape Measure Clip
- » Moisture Wicking Belt and Shoulder Lining
- » Adjustable Drill Holster
- » Tall Front Pockets for Holding Meters
- » Total Number of Pockets: 14



▼ Refer to the bottom of page 2 for more information





1680 Denier Poly

## ELECTRICIAN'S POUCH

▼ HDP222496

- » 1680 Denier Poly Material
- » Tall Front Pockets for Holding Meters
- » Tunnel Loop for Belt
- » Web Hammer Loop
- » Removable, Adjustable Shoulder Strap
- » Metal Tape Measure Clip
- » Web Tape Roll Holder
- » Industrial-grade hardware
- » Total Number of Pockets: 14



600 Denier Poly

## UTILITY POUCH

▼ HD54017

- » 600 Denier Poly Material
- » 3 Back-wall Tool Slots
- » T-Chain Toggle Tape Roll Holder
- » Metal Tape Measure Clip
- » Durable Molded Handle
- » Carabiner Included
- » Total Number of Pockets: 12



▼ Refer to the bottom of page 2 for more information



# ACCESSORIES



## DEAD ON® T-SHIRT

"This Job Is Killing Me!"

- ▼ DSTSKULLY-S
- DSTSKULLY-M
- DSTSKULLY-L
- DSTSKULLY-XL
- DSTSKULLY-XXL

## BLACK SKULL LOGO HAT

▼ DOH-B2



▼ Refer to the bottom of page 2 for more information

600 Denier Poly  
**KILLER** PRECISION

TAPE MEASURE HOLDER

▼ DO-TH

- » Dual Fastening System; Clip or Use Belt Loop
- » Locking Strap with Snap
- » Compatible with Dead On® Rig System



600 Denier Poly  
**CELL PUNK™**

CELL PHONE HOLDER ▼ DO-400S

- » Stretch Mesh Front Holds Most Phones
- » Shown with iPhone® 5 (left)
- » Dual Fastening System; Clip or Use Belt Loop
- » Compatible with Dead On Rig System

▼ Refer to the bottom of page 2 for more information





INTRODUCING

# THE DESTROYER

▼ **TECH PACK**

BACKPACK / TOOL PACK

▼ Refer to the bottom of page 2 for more information





All-in-one TECH PACK / BACKPACK / TOOL PACK,  
with a molded water-resistant bottom, makes for a  
great workstation.

- » 1680 Denier Poly Material
- » Overall Size: 20" x 17" x 10"
- » Total Weight: 7.1 lbs.
- » Signature Dead On Skull Molded Front Pocket
- » Durable Molded Handle
- » Multiple Front Anchors for Clip-on Carabiners
- » Main Tool Compartment: 19 Pockets / Holds Drill / Drill Bit Organizer
- » Front Tool Compartment: 7 Pockets / Holds up to 8" Screwdrivers
- » Rear Tech Compartment: 3 Pockets / Holds 17" Laptop / Tablet / Files
- » Breathable Straps, With Moisture-Wicking Lining on Back to Manage Perspiration
- » Small Front Pocket & Side Cargo Pockets
- » Cell Phone Holder Fits iPhone® 6 Plus
- » Holds up to 50 lbs
- » Total Number of Pockets: 34



\* It is not recommended to use a backpack over 35 lbs. for safety reasons

# AT A GLANCE **KNEE PADS**

**NO ROCK<sup>®</sup>  
GEL**  
HDP223186



Cap



Padding



Straps



Lining



Closure



**GEL  
HARD CAP**  
HD98000



**GEL  
FLEXIBLE**  
HDP223155



**GEL  
ELIMINATOR**  
HD99000



**GEL  
ALL TERRAIN**  
HD95000



GelDOME®

# NO ROCK® GEL

▼ HDP223186



A premium, gel-padded kneepad, with primary uses for swiveling or sliding on: carpet, wood, sub floor, concrete and for general construction.



Cap




Padding



Straps



Lining



Closure

▼ Refer to the bottom of page 2 for more information



GeIDOME®

# GEL HARD CAP

▼HD98000



A gel-padded kneepad, with primary uses for swiveling or sliding on: carpet, wood, sub floor, concrete and for general construction.



Cap




Padding



Straps



Lining



Closure

▼ Refer to the bottom of page 2 for more information

GeIDOME®

# GEL FLEXIBLE

▼ HDP223155



A premium, gel-padded "accordion-style" kneepad, with primary uses for: concrete, roofing, non-marring and non-slip applications.



Cap




Padding



Straps



Lining



Closure

▼ Refer to the bottom of page 2 for more information

GeIDOME®

# GEL ELIMINATOR

▼HD99000



A premium, gel-padded, non-marring kneepad, with primary uses for: flooring installation and working on tile / hardwood floors.



Cap




Padding



Straps



Lining



Closure

▼ Refer to the bottom of page 2 for more information



GeIDOME®

# GEL ALL TERRAIN

▼HD95000



A gel-padded multi-purpose kneepad for general protection, featuring 4 raised corners to suspend the kneecap and reduce pressure.



Cap




Padding



Straps



Lining



Closure

▼ Refer to the bottom of page 2 for more information