

HAND TOOLS PRICE LIST FEBRUARY 2012



THE APEX TOOL GROUP COMMITMENT

No matter how large or small your company, we realize our relationship with you defines how you feel about Apex Tool Group. To us, every business relationship is personal, and we place a high value on that connection. To that end, we strive to build a strong bond with you and all our customers by keeping these four promises:

To consistently provide you with innovative solutions driven by our in-depth product experience.

To serve you with expertise that is global in reach, but local in focus.

To maintain our heritage of proven results by delivering products that enhance your productivity.

And finally, to treat you fairly, so you view every business transaction with Apex Tool Group as a positive experience.

With our solid cornerstone of world class brands, we have the capability, the capacity, and the commitment to always provide you with a first class experience.

We're Apex Tool Group. We want to be your tool company.



apextoolgroup.com.au





3 **APEX**[®] Industrial Fastener Tools













11 **CHAMPION**[®]

Spark Plugs

13 **CRESCENT**[®]

Wrenches, pliers, screwdrivers, nutdrivers and tool sets

37 Farrier Tools

40 **GEARWRENCH**[®] Mechanics & Industrial Tools

43 **JACOBS CHUCK**

Industrial Chucks & Accessories

51 LUFKIN Measuring, marking and levelling equipment

71

NICHOLSON Files and rasps

79 **PLUMB**[®] Striking tools, demolition and chisels

85 H.K. PORTER® Manual, hydraulic and pneumatic cutters and accessories

89 **TRADESMANS** Tool Kits for Specialised Trades

97 **WELLER**[®] Soldering guns, irons, table top and micro torches

> 105 **WISS**[®]

Compound action and tinner's snips, scissors, shears and utility knives

113

XCELITE Precision screwdrivers, nutdrivers, pliers, cutters and tool kits

Product	Page No(s).
ALLEN, HEX, TORX KEYS / SETS	26
ALLEN SETS (XCELITE)	115
AVIATION SNIPS & PARTS	105-108
AXE	82
BALL POINT T-HANDLE HEX SETS	26
BARS, ACTION, PRY, WRECKING	82
BITS & BIT HOLDERS (APEX)	3-10
BITS, DRILL BIT SET, MULTI PURPOSE	28
BLADES, METAL CUTTING	29
BLADES, WOOD CUTTING	29
BOLT CUTTERS	16, 87
BRICKLAYERS LINE	60
BRICKLAYERS TOOLS	83
BUTANE GAS	
CABLE TIES	32
CALIPERS, DIGITAL	59
CAULKING GUNS	27
CHAINSAW SHARPENING KIT, STONES	77
CHALK, CHALK REELS	61
CHISELS	82
CHUCKS, KEYS, ACCESSORIES	43-50
CLINCHERS, CLINCH BLOCKS	
COMBINATION SQUARES	59
CRIMPING TOOLS	24
CUTTER, REBAR	87
CUTTERS, CABLE, CONDUIT	24, 87
CUTTER, ELECTRICAL CABLE	24
CUTTERS, MULTI-PURPOSE	16, 87
CUTTERS, PIPE	16
CUTTERS, WIRE ROPE	87
DE-SOLDERING PUMP	103
DETECTOR, STUD	26
DETECTORS, VOLTAGE	25
DISTANCE MEASURER, LASER	68
FARRIER TOOLS	37-39
FENCING TOOLS	18-20
FILES, FILE SETS, HANDLES, ACC	71-77
FISH TAPE & LUBRICANT	25
GAS, BUTANE	103
GLUE GUN	
HACKSAWS, BLADES	
HAMMERS	79-81
HAMMERS, FARRIERS	
HAND CLEANER	
HAND RIVETER	28
HANDSAWS	
HANGERS, SUSPENSION	
HANGING SYSTEM, (NO SUGGESTIONS) .	35-36

Material Number	Page No(s).
HEX KEYS	26
HOLESAW KIT	29
HOLSTERS	33
HOOF PADS	
HVAC TOOLS	109
INCLINOMETERS	60
IRON: LEAD LIGHTING, WOODBURNING	
KNEE PADS/PROTECTORS	65
KNIVES, KNIFE SET, BLADES (XCELITE)	113-114
KNIVES, TRIMMING, BLADES (WISS)	110
LASER LEVELS	67-70
LEATHERWARE	62-65
LEVELS, OPTICAL, LASER, ACCESSORIES	67-70
LEVELS, SPIRIT, BOX	
LINE, BRICKIES	
LINESMANS PLIERS	
LOCKING PLIERS	
LUBRICANT (FOR FISH TAPE ROLL)	
MALLETS	
MEASURING TAPE, CALIBRATED	
MEASURING TAPES, CRESCENT	
MEASURING TAPES, LONG	
MEASURING TAPES, LUFKIN	
MEASURING WHEELS	
	,
METRE STICK	
NUT DRIVER SETS (XCELITE)	
PENCILS, CARPENTERS	
PICK, PROSOECTORS 81	
PIPE & DUCT SNIPS	-
PIPE CUTTERS	
PIPE WRENCH	-
PLIERS; COMBINATION, DIAGONAL CUTTE	
DLE NOSE	18-20
PLIERS, DURA	20
PLIERS, RETAINING RING	20
PLIERS: HIGH VOLTAGE	18-20
PROFESSIONAL TOOL SETS	89-96
PRY BARS	82
PULLER/SPREADER	
PYROPENS	102
RAFTER SQUARES	59
RAPID RENCH	16
RASPS, HORSE	
REBAR CUTTER & BENDER	87
RIVETER, RIVETS	28

Material Number	Page No(s).
RULES, FOLDING	59
RULES, METER STICK	59
RULES, STAINLESS STEEL	59
SAFETY VEST	61
SAWS, HANDSAWS, HACKSAWS	28, 30
SCISSORS / SHEARS	
SCREWDRIVERS	21-23
SCREWDRIVERS, INSULATED	21
SCREWDRIVERS, PRECISION	23, 114
SHEARS, DRESSMAKERS, CARPET, INDUS	TRIAL,
ETC	111
SNIPS16	,107-108
SOCKET SETS	14
SOLDERING IRONS, KITS & ACCESS26	6, 98-103
SOLDERING STATIONS	100
SOLDERING, BUTANE	101
SPANNERS	14
SPARK PLUGS	11
SPIRIT LEVELS	60
SQUARES, RAFTER, COMBINATION,	
CARPENTERS	59
STAPLE GUNS & STAPLES/TACKS	27
STUD DETECTOR	26
SUSPENSION HANGERS	33
SUSPENSION SYSTEM	35-36
TAPES: FLAGGING, BARRICADE, CAUTION	61
TENSIONING TOOL	32, 36
TONGS, FARRIERS	
TOOL / SOCKET SETS	14
TOOL BAGS & HOLSTERS - CRESCENT	33
TOOL BAGS, ROLLS, BELTS, HOLSTERS -	
LEATHER, LUFKIN	62-65
TOOL KIT - PC, ATTACHÉ CASE & TOOLS	
(XCELITE)	116
TOOL KITS - TRADESMANS	89-96
TOOL SETS	14
TORCH, BLOW, BUTANE	.102-103
TORX SETS	26
TRIMMING KNIVES, BLADES	110
TROWELS	83
VOLTAGE DETECTOR	25
WELDERS CLAMP	26
WIRE STRIPPER	25
WIRE STRIPPER & CUTTER (XCELITE)	115
WOODBURNING KITS, TIPS	99
WRECKING BARS	82
WRENCH, PIPE	16
WRENCHES	



Am D Guad



Anx Il-Guard

Bits & Bit Holders
Hand Drivers
Extensions
Adapters

For more than half a century Apex® has maintained a position of leadership in industrial fastening tools. Today, Apex® stands ready to improve the productivity of assembly operations around the world with unsurpassed tool performance and customer service. With the broadest selection of fastener tools in the world, the Apex® brand is synonymous with consistent world-class quality & durability that outlasts as well as outperforms the competition.



The Apex heritage of quality, delivery and support.



For more than half a century Apex has maintained a position of leadership in industrial fastening tools. Today, Apex stands ready to improve the productivity of assembly operations around the world with unsurpassed tool performance and customer service.

Precision Fit

Apex quality begins with select raw materials. Only carefully chosen, high grade tool steel is used. Each tool is manufactured to the tightest tolerances in the industry . . . most are even tighter than licensing agreement requirements. Our bits meet the most stringent government and military specifications where applicable (ie. MIL-B-9946/5 for HTS Hi-Torque[®] bits used in aerospace assembly).



Apex sockets, nutsetters and universal wrenches have hex tolerances that are on average 48% tighter than DIN and 35% tighter than ANSI requirements. With Apex you are assured of an exact, sure fit.

All Apex sockets and extensions have the tightest tolerances for straightness



Precision-manufactured Apex tools are virtually wobble-free.

and concentricity in the industry. Tools that run true perform better and last longer.

Lasting Performance

Each Apex tool is tempered with our proprietary heat treating process that lets you select the degree of

hardness your particular application requires. Choose from tough, non-brittle durability that stands up to torque, to the hardest heat treat available in the industry for the ultimate in wear resistance.

Apex offers a choice of three heat treat hardness levels in many of our screwdriver bits to match



Apex bits & sockets last ten times longer than most of our competitors.

the application. These heat treats are specified by a letter suffix as follows:

X - Hardest heat treat in the industry I - Intermediate hardness R - Lowest hardness

Our experienced staff can help in selecting the best heat treat for your particular application.



Bit Holders, Nutsetters, Extensions and Universal Wrenches



Bit holders adapt hex drive and female square drive power tools to a variety of insert bits. Hex drive nutsetters, extensions and universal wrenches allow nutrunning in all types of applications.

The Apex Fastener range depicted in this catalogue is a small selection from the total available range. Please talk to your Apex representative for solutions not available in this catalogue.

APEX

Phillips Bits



4











Slotted Bits







Material Number	Point Size	Overall in.	Length mm					Bits per Pack
1/4" Hex Insert Bi	ts							
440-2X-AU	2	1	25					5
440-2I-AU	2	1	25					5
440-22X-AU	2	2	51					5
440-3X-AU	3	1	25					2
440-3BNX-AU	3	1 1/4	32	Large bo	ody			2
440-32X-AU	3	2	51					2
440-4X-AU	4	1 5/16	33					2
Material Number	Point Size	Overall in.	Length mm	Turned L in.	ength (A) mm	Turned in.	OD (B) mm	Bits per Pack
1/4" Hex Insert Bit Limited Clearance								
446-0X-AU	0	1	25	7/16	11	0.108	4.06	2
446-2I-AU	2	1	25	7/16	11	0.108	4.06	5
446-23T-AU	2	3	76	2 1/4	57	0.108	4.06	2
Material Number	Point Size	Overall in.	Length mm		-			Bits per Pack
1/4" Hex Insert Bit	ts - A	CR®						
440-1-ACR1X-AU	1	1	25					2
440-2-ACR2-RI-AU	2	1	25					5
440-2-ACR2I-AU	2	1	25					5
440-2-ACR2X-AU	2	1	25					5
440-22-ACR2-RX-AU	2	2	51					2
440-3-ACR3-RX-AU	3	1	25					5
5/16" Hex Insert B	lits							
480-2I-AU	2	1 1/4	32					5
480-2X-AU	2	1 1/4	32					5
480-3X-AU	3	1 1/4	32					2
480-4X-AU	4	1 1/4	32					2
Material Number	Point Size	Overall in.	Length mm	Body D in.	iameter mm	Turned in.	Length mm	Bits per Pack
1/4" Hex Power Di	rive							
491-AX-AU	1	2 3/4	70	3/16	4.8	2	51	2
491-BX-AU	1	3 1/2	89	3/16	4.8	2 3/4	70	2
492-AX-AU	2	2 3/4	70	1/4	6.4	2	51	2
492X-AU	2	1 15/16	49	1/4	6.4	1 1/4	32	2
492-BX-AU	2	3 1/2	89	1/4	6.4	2 3/4	70	2
493-BX-AU	3	3 1/2	89	5/16	7.9	2 1/2	64	2
493-CX-AU	3	6	152	5/16	7.9	5	127	2
1/4" Hex Power Di			42		<u> </u>			•
492-ACR2X-AU	2	1 15/16	49	1/4	6.4	1 1/4	32	2
493-ACR3X-AU	3	1 15/16	49	5/16	7.9	1	25	2

\bigcirc	Material Number	Screw Size	Len in.	gth mm	Blade Th in.	nickness mm	Blade in.	Width mm	Bits per Pack
	1/4" Hex Insert Limited Clearar				↓ ↑	\langle	-	\mathbf{r}	
	445-20X-AU	5F-6R	1	25	.036	.91	.216	5.5	2
	1/4" Hex Insert	Bits							
	445-3X-AU	8F-10R	1	25	.042	1.07	1/4	6.4	2
	445-4X-AU	10F-12R	1	25	.046	1.17	9/32	7.1	2
	445-5X-AU	12F-14R	1 1/2	38	.050	1.27	5/16	7.9	2
	Material Number	Screw Size	Len in.	gth mm	Blade Th in.	ickness mm		Width/ iameter mm	Bits per Pack
	1/4" Hex Power	Drive							
7	326-0X-AU	3F-4R	2 3/4	70	.030	.76	.151	3.84	2
7	326-1X-AU	4F-5R	2 3/4	70	.034	.86	.187	4.75	2
	326-6X-AU	12F-14R	2 3/4	70	.050	1.27	.360	9.14	2

Packs cannot be broken. Pricing is per Pack Qty.

Apex

Torx[®] Bits



Material Number	Torxalign [®] Part Number	Driver Size	A⇔	Overall in.	Length mm	Bits per Pack
1/4" Hex Insert Bit	S					
440-TX-10X-AU	440-TX-10-W	T-10	.107	1	25	2
440-TX-15X-AU	440-TX-15-W	T-15	.128	1	25	2
440-TX-20X-AU	440-TX-20-W	T-20	.151	1	25	2
440-TX-25X-AU	440-TX-25-W	T-25	.173	1	25	2
440-TX-27X-AU	440-TX-27-W	T-27	.195	1	25	2
440-TX-30X-AU	440-TX-30-W	T-30	.216	1	25	2
440-TX-40X-AU	440-TX-40-W	T-40	.260	1	25	2
440-TX-50X-AU	-	T-50	.346	1 1/4	32	2
* Hex will break bef	ore ultimate torque of t	he Torx®	point is r	met.		
Material Number	Driver Size	A (Ref.)	▲ {})	Overall in.	Length mm	Bits per Pack
1/4" Hex Insert Bit	s – Tamper Resistant	**				
440-TX-27-H-AU	T-27-H	.19	95	1	25	2
440-TX-30-H-AU T-30		.2	16	1	25	2
only fit into a tempe	Torx [®] screws feature a r resistant Torx [®] bit. Ta on basis. Contact your l	mper res	sistant To	rx [®] bits a	re availa	blė or
Material	Driver		M	Overall	Length	Bits

Number	Si	ze	1	A {}	in.	mm
5/16" Hex Insert B	its					
480-TX-40X-AU	T-4	40	.26	50	1 1/4	32
480-TX-55X-AU	T-{	55	.44	40	1 1/4	32
Material Number	Driver Size	A (})	Body D in.	iameter mm	Overall in.	Length mm
	Size	A (;)				•
Number	Size	A ⟨͡⟩ .128				•

per Pack

2 2 Bits

per Pack

2 2

2

2

2

2

70

49

89

70

2 3/4

1 15/16

3 1/2

2 3/4

	480-1X-40X-AU	-4	40	.2	60	1 1/4	32
	480-TX-55X-AU	T-{	55	.4	40	1 1/4	32
	Material	Driver	A 🔿	-		Overall	•
	Number	Size	AV	in.	mm	in.	mm
\smile	1/4" Hex Power Dr	ive					
	49-A-TX-15-AU	T-15	.128	.150	3.8	2 3/4	70

.151

.216

.216

.260

T-20

T-30

T-30

T-40

49-B-TX-30-AU

49-A-TX-40-AU

	49-A-TX-15-AU
and a second sec	49-TX-20-AU
	49-A-TX-20-AU
	49-TX-30-AU

Material Number	Point Size	Overall in.	Length mm	Body D in.	iameter mm	Turned in.	Length mm	Bits per Pack
1/4" Hex Power D	rive							
491-B-PZDX-AU	1	3 1/2	89	3/16	4.8	2 3/4	70	2
493-B-PZDX-AU	3	3 1/2	89	5/16	7.9	2 1/4	57	2

Socket Head Bits

Pozidriv® Bits







)	Material Number	Hex Size			Overall in.	Length mm	Bits per Pack
	1/4" Hex Insert	Bits					
	185-0X-AU	5/64			1	25	2
	185-1X-AU	3/32			1	25	2
	185-2X-AU	1/8			1	25	2
	185-10X-AU	9/64			1	25	2
	185-3X-AU	5/32			1 5/16	33	2
	185-5X-AU	7/32			1 5/16	33	2
	185-6X-AU	1/4			1 5/16	33	2
	185-8X-AU	3/8			1 1/4	32	2
	1/4" Hex Insert	Bits - Metric					
	185-5MM-AU	5mm			1 5/16	33	2
	5/16" Hex Inser	t Bits - Metri	С				
	315-10MM-AU	10mm			1 3/8	35	2
	1/4" Hex Power	Drive - Metr	ic				
	AM-3MM-AU	3mm			1 15/16	49	2
	7/16" Hex Powe	r Drive					
	AN-08-AU	1/4			3 1/2	89	2
				Packs cannot b	e broken	. Pricing i	s per

Prices Herein Do Not Include GST Product depictions are not to scale.

4.3

6.0

6.0

7.8

.171

.236

.236

.309



Bits

Length of

Socket Head Bits with Square Drive Adapters, SAE

Material





ノ	Number Complete	Adapter Only	Insert Only	Size	Len in.	igth mm	Ins in.	ert mm	per Pack
	3/8" Square	Drive							
	SZ-7-AU	SC-314	SZ-7-A	7/64	2 1/4	57	1 3/8	35	1

Hex

Overall

Mat No Mat No

Material Number Complete	Hex Size	Overall Length in. mm		Length of Insert in. mm		Bit Length (A) in. mm		Bits per Pack
3/4" Square Dri	ve							
SZ-34-AU Complete	3/4	2 5/8	67	1 9/16	40	29/32	23	1
SZ-31-A-AU Insert Only	1/2	2 5/8	67	1 9/16	40	29/32	23	1

Torq-Set[®] Bits







Material Number	Point Size	Overall in.	Length mm	Bits per Pack
1/4" Hex Insert	Bits			
212-2-AU	2	1	25	2
212-4-AU	4	1	25	2
212-6-AU	6	1	25	2
212-8-AU	8	1	25	2
212-10-AU	10	1	25	2
212-1/4-AU	1/4	1	25	2
5/16" Hex Inser	t Bits			
212-10A-AU	10	1 1/4	32	2
212-1/4A-AU	1/4	1 1/4	32	2
212-5/16A-AU	5/16	1 1/4	32	2
212-3/8A-AU	3/8	1 1/4	32	2
7/16" Hex Powe	r Drive			
170-1/4-AU	1/4	1 1/4	32	2

Tri-Wing[®]







)	Material Number	Recess Size	Screw Size Tension Head	Screw Size Shear Head	Overall in.	Bits per Pack	
	1/4" Hex Insert	Bits					
	TWD-1-AU	1	2-56	4-40	1	25	1
	TWD-2-AU	2	4-40	6-32	1	25	1
	TWD-3-AU	3	6-32	8-32	1	25	1
	TWD-4-AU	4	8-32	10-32	1	25	1
	TWD-5-AU	5	10-32	1/4-28	1	25	1
	TWD-6-AU	6	1/4	5/16	1	25	1
	5/16" Hex Insert	t Bits					
	TWE-5-AU	5	10-32	1/4-28	1 1/4	32	1
	1/4" Hex Power	Drive					
	TW-4-AU	4	8-32	10-32	1 1/4	32	1
	TW-5-AU	5	10-32	1/4-28	1 1/4	32	1
	TWB-6-AU	6	1/4-28	5/16-24	1 1/2	38	1
	TWB-7-AU	7	5/16-24	3/8-24	1 1/2	38	1
	TWB-8-AU	8	3/8-24	7/16-20	1 1/2	38	1

Apex

Apex

Hi-Torque[®] Bits

	Θ	Material Number	Recess	Overall Length in.	Body Diameter in.	Blade Thickness in.	Blade Width in.	Bits per Pack
-		1/4" Square D	rive Inser	t Bits				
		HTS-1-AU	1	1	1/2	.049	.274	1
		HTS-2-AU	2	1	1/2	.059	.295	1
		HTS-3-AU	3	1	1/2	.059	.377	1
		HTS-4-AU	4	1	1/2	.073	.502	1
		3/8" Square D	rive Inser	t Bits				
		HTS-5-AU	5	1 1/4	3/4	.079	.629	1
APE		HTS-6-AU	6	1 1/4	3/4	.095	.745	1

Bit Holders

1/4" Hex Drive for	1/4" Hex Ins	serts	
M-490-4-AU	4	102	Ma
M-490-6-AU	6	152	Ma
3/8" Females Squ	are Drive		
M-838-AU	2 23/32	69	Fo

Material Number



1/4" Hex Drive for 1/4" Hex Inserts										
M-490-4-AU	4	102	Magnetic	1						
M-490-6-AU	6	152	Magnetic	1						
3/8" Females Square Drive										
M-838-AU	2 23/32	69	For 1/4" hex inserts; magnetic	1						
1/2" Female Square Drive										
858PT-AU	1 3/4	45	For 1/4" hex inserts	1						

Į	ļ	
	C	

Material Number	Hex Open (A) in.	Square Drive (B) in.	Ove Len (C in.	gth	Diar	ody neter D) mm	Dian	eve neter E) mm	Ope De (I in.	pth	Bits per Pack
Female Square Drive, Quick Releasing Chucks											
QR-308-AU	1/4	3/8	1 3/4	45	3/4	19	3/4	19	61/64	24	1

Overall Length

mm

in.

Hand Drivers								
	Material Number	Female Hex Size		erall Igth mm	Blade Projection in. mm		Bits per Pack	
	Drivers with Self-Con	tained Ins	ert Bits					
	M-15-SC-AU	1/4	8 1/2	216	4 3/8	111	1	
	Phillips #1, #2, #3; Slotted 4F-5R, 10F-12R; hollow handle							
	Replaceable Bit Drive	ers - Magne	etic					
	M-1500-P-AU	1/4	8 1/2	216	4 3/8	111	1	

Bits per Pack

Hex Extensions







Material Number	Hex Drive in.	Type of Lock		erall ngth mm					
Male Hex Drive with 1/4" Male Square									
EX-250-AU	1/4	Pin	1 3/8	35					
EX-250-2-AU	1/4	Pin	2	51					
EX-250-4-AU	1/4	Pin	4	102					
EX-250-6-AU	1/4	Pin	6	152					
EX-250-8-AU	1/4	Pin	8	203					
Male Hex Drive w	ith 3/8"	Male Squ	uare						
EX-370-AU	1/4	Pin	1 5/8	41					
EX-370-2-AU	1/4	Pin	2	51					
EX-370-3-AU	1/4	Pin	3	76					
Male Hex Drive w	ith 1/2"	Male Squ	Jare						
EX-500-B-2-AU	1/4	Ball	2	51					
EX-501-2-AU	7/16	Pin	4	102					

3/8" Sq. Dr. Extensions



Material Number	Male Square in.	Type of Lock	Overall Length in. mm		Bits per Pack
1 1/4" to 18" (32m	m to 45	7mm) Le	ngth		
EX-376-2-AU	3/8	Pin	2	51	1
EX-376-4-AU	3/8	Pin	4	102	1
EX-376-5-AU	3/8	Pin	5	127	1
EX-376-6-AU	3/8	Pin	6	152	1

Material Number	Male Square in.	Female Square in.	Type of Lock	Overall Length in. mm		Bits per Pack
1/4" to 3/4" Male S	Square					
EX-257-2-AU	1/4	3/8	Pin	2	51	1
EX-257-6-AU	1/4	3/8	Pin	6	152	1
EX-503-AU	1/2	3/8	Pin	1 1/2	38	1
EX-507-3-AU	1/2	3/8	Pin	3	76	1

1/2" Sq. Dr. Extensions

3/8" Sq. Dr. Adapters



Material Number	Male Square in.	Type of Lock	Ove Len in.		Bits per Pack
1 23/32" to 18" (44	mm to	457mm)	Length		
EX-508-3-AU	1/2	Pin	3	76	1
EX-508-4-AU	1/2	Pin	4	102	1
EX-508-5-AU	1/2	Pin	5	127	1
EX-508-15-AU	1/2	Pin	15	381	1

in.

1/2" sq.

mm

.885 22.5

1/2" Sq. Dr. Adapters

	Material Number	Male Square in.		Type of Lock		erall Igth mm	Bits per Pack
4- 0	1/4" to 5/8" Male	Square					
	EX-375-AU	3/8	1/2	Pin	1 1/2	38	1
	EX-377-3-AU	3/8	1/2	Pin	3	76	1
	EX-377-6-AU	3/8	1/2	Pin	6	152	1
Socket Retaining Rings							
\bigcirc	Material Number		Drive			neter ide mm	Bits per Pack

MET-1401C-AU

Prices Herein Do Not Include GST Product depictions are not to scale.

2

Material Number	Description	Pack Qty.	Pack Barcode #9337103	Material Number	Description	Pack Qty.	Pack Barcodo #9337103
170-1/4-AU	BIT 7/16 HEX DRV POWER # 1/4	2	#005108	493-ACR3X-AU	BIT 1/4 HEX DRV POWER # 3. PH	2	#005771
185-0X-AU	BIT 1/4 HEX DRV INSERT # 5/64	2	#005115	493-B-PZDX-AU	BIT 1/4 HEX DRV POWER # 3. PO	2	#005788
185-10X-AU	BIT 1/4 HEX DRV INSERT # 9/64	2	#005122	493-BX-AU	BIT 1/4 HEX DRV POWER # 3. PH	2	#005795
185-1X-AU	BIT 1/4 HEX DRV INSERT # 3/32	2	#005139	493-CX-AU	BIT 1/4 HEX DRV POWER # 3. PH	2	#005801
185-2X-AU	BIT 1/4 HEX DRV INSERT # 1/8	2	#005146	49-A-TX-15-AU	BIT 1/4 HEX DRV POWER # 15. T	2	#005818
185-3X-AU	BIT 1/4 HEX DRV INSERT # 5/32	2	#005153	49-A-TX-20-AU	BIT 1/4 HEX DRV POWER # 20. T	2	#005825
185-5MM-AU	BIT 1/4 HEX DRV INSERT # 5MM	2	#005160	49-A-TX-40-AU	BIT 1/4 HEX DRV POWER # 40. T	2	#005832
185-5X-AU	BIT 1/4 HEX DRV INSERT # 7/32	2	#005177	49-B-TX-30-AU	BIT 1/4 HEX DRV POWER # 30. T	2	#005849
185-6X-AU	BIT 1/4 HEX DRV INSERT # 1/4	2	#005184	49-TX-20-AU	BIT 1/4 HEX DRV POWER # 20. T	2	#005856
185-8X-AU	BIT 1/4 HEX DRV INSERT # 3/8	2	#005191	49-TX-30-AU	BIT 1/4 HEX DRV POWER # 30. T	2	#005863
212-1/4A-AU	BIT 5/16 HEX DRV INSERT # 1/4	2	#005214	858PT-AU	1IT-HOLDER 1/2 FMALE SQ DRV SE	1	#005870
212-1/4-AU	BIT 1/4 HEX DRV INSERT # 1/4	2	#005207	AM-3MM-AU	BIT 1/4 HEX DRV POWER # 3MM H	2	#005887
212-10A-AU	BIT 5/16 HEX DRV INSERT # 10	2	#005238	AN-08-AU	BIT 7/16 HEX DRV POWER # 1/4	2	#005894
212-10-AU	BIT 1/4 HEX DRV INSERT # 10	2	#005221	EX-250-2-AU	EXT 1/4 MALE HEX DRV 1/4 MALE SQ, 2" LG	1	#005917
212-2-AU	BIT 1/4 HEX DRV INSERT # 2. TORQSET	2	#005245	EX-250-4-AU	EXT 1/4 MALE HEX DRV 1/4 MALE SQ,4" LG	1	#005924
212-3/8A-AU	BIT 5/16 HEX DRV INSERT # 3/8	2	#005252	EX-250-6-AU	EXT 1/4 MALE HEX DRV 1/4 MALE SQ,6" LG	1	#005931
212-4-AU	BIT 1/4 HEX DRV INSERT # 4. T	2	#005269	EX-250-8-AU	EXT 1/4 MALE HEX DRV 1/4 MALE SQ,8"LG	1	#005948
212-5/16A-AU	BIT 5/16 HEX DRV INSERT # 5/1	2	#005276	EX-250-AU	EXT 1/4 MALE HEX DRV 1/4 MALE	1	#005900
212-6-AU	BIT 1/4 HEX DRV INSERT # 6. T	2	#005283	EX-257-2-AU	EXT 3/8 FMALE SQ DRV 1/4 MALE	1	#005955
212-8-AU	BIT 1/4 HEX DRV INSERT # 8. T	2	#005290	EX-257-6-AU	EXT 3/8 FMALE SQ DRV 1/4 MALE	1	#005962
315-10MM-AU	BIT 5/16 HEX DRV INSERT # 10M	2	#005306	EX-370-2-AU	EXT 1/4 MALE HEX DRV 3/8 MALE	1	#005986
326-0X-AU	BIT 1/4 HEX DRV POWER # .03 S	2	#005313	EX-370-3-AU	EXT 1/4 MALE HEX DRV 3/8 MALE	1	#005993
326-1X-AU	BIT 1/4 HEX DRV POWER # .034	2	#005320	EX-370-AU	EXT 1/4 MALE HEX DRV 3/8 MALE	1	#005979
326-6X-AU	BIT 1/4 HEX DRV POWER # .05 S	2	#005337	EX-375-AU	EXT 1/2 FMALE SQ DRV 3/8 MALE	1	#006006
440-1-ACR1X-AU	BIT 1/4 HEX DRV INSERT # 1.0	5	#005344	EX-376-2-AU	EXTENSION 3/8 M-3/8F 2 LG	1	#006013
440-22-ACR2-RX-AU	BIT 1/4 HEX DRV INSERT # 2. P	2	#005351	EX-376-4-AU	EXTENSION (APEX)	1	#006020
440-22X-AU	BIT 1/4 HEX DRV INSERT # 2. P	2	#005368	EX-376-5-AU	EXTENSION (APEX)	1	#006037
440-2-ACR2I-AU	BIT 1/4 HEX DRV IN	5	#005375	EX-376-6-AU	EXTENSION (APEX)	1	#006044
440-2-ACR2-RI-AU	BIT 1/4 HEX DRV INSERT # 2	5	#005382	EX-377-3-AU	EXT 1/2 FMALE SQ DRV 3/8 MALE	1	#006051
440-2-ACR2X-AU	BIT 1/4 HEX DRV INSERT # 2. P	5	#005399	EX-377-6-AU	EXT 1/2 FMALE SQ DRV 3/8 MALE	1	#006068
440-2I-AU	BIT 1/4 HEX DRV INSERT # 2. P	5	#005405	EX-500-B-2-AU	EXT 1/4 MALE HEX DRV 1/2 MALE	1	#006075
440-2X-AU	BIT 1/4 HEX DRV INSERT # 2. P	5	#005412	EX-501-2-AU	EXT 7/16 MALE HEX DRV 1/2 MAL	1	#006082
440-32X-AU	BIT 1/4 HEX DRV INSERT # 3. P	2	#005429	EX-503-AU	EXTENSION 1/2M-3/8F	1	#006099
440-3-ACR3-RX-AU	BIT 1/4 HEX DRV INSERT # 3. P	5	#005436	EX-507-3-AU	EXT 3/8 FMALE SQ DRV 1/2 MALE	1	#006105
440-3BNX-AU	BIT 1/4 HEX DRV INSERT # 3. P	2	#005443	EX-508-15-AU	EXT 1/2 FMALE SQ DRV 1/2 MALE	1	#006112
440-3X-AU	BIT 1/4 HEX DRV INSERT # 3. P	2	#005450	EX-508-3-AU	EXT 1/2 FMALE SQ DRV 1/2 MALE	1	#006129
440-4X-AU	BIT 1/4 HEX DRV INSERT # 4. P	2	#005467	EX-508-4-AU	EXT 1/2 FMALE SQ DRV 1/2 MALE	1	#006136
440-TX-10X-AU	BIT 1/4 HEX DRV INSERT # 10	2	#005474	EX-508-5-AU	EXT 1/2 FMALE SQ DRV 1/2 MALE	1	#006143
440-TX-15X-AU	BIT 1/4 HEX DRV INSERT # 15	2	#005481	HTS-1-AU	BIT 1/4 SQ DRV SERVICE DRV #	1	#006150
440-TX-20X-AU	BIT 1/4 HEX DRV INSERT # 20	2	#005498	HTS-2-AU	BIT 1/4 SQ DRV SERVICE DRV #	1	#006167
440-TX-25X-AU	BIT 1/4 HEX DRV INSERT # 25	2	#005504	HTS-3-AU	BIT 1/4 SQ DRV SERVICE DRV #	1	#006174
440-TX-27-H-AU	BIT 1/4 HEX DRV INSERT # 27	2	#005511	HTS-4-AU	BIT 1/4 SQ DRV SERVICE DRV	1	#006181
440-TX-27X-AU	BIT 1/4 HEX DRV INSERT # 27	2	#005528	HTS-5-AU	BIT 3/8 SQ DRV SERVICE DRV #	1	#006198
440-TX-30-H-AU	BIT 1/4 HEX DRV INSERT # 30	2	#005535	HTS-6-AU	BIT 3/8 SQ DRV SERVICE DRV #	1	#006204
440-TX-30X-AU	BIT 1/4 HEX DRV INSERT # 30	2	#005542	M-1500-P-AU	BIT 0.0 HAND DRIVER # 1/4 HEX	1	#006211
440-TX-40X-AU	BIT 1/4 HEX DRV INSERT # 40	2	#005559	M-15-SC-AU	BIT 0.0 HAND DRIVER # 1/4 HEX	1	#006228
440-TX-50X-AU	BIT 1/4 HEX DRV INSERT # 50.	2	#005566	M-490-4-AU	MAG. BIT-HOLDER 1/4 MALE HEX D	1	#006235
445-20X-AU	BIT 1/4 HEX DRV INSERT # .036	2	#005573	M-490-6-AU	MAG. BIT-HOLDER 1/4 MALE HEX D	1	#006242
445-3X-AU	BIT 1/4 HEX DRV INSERT # .042	2	#005580	M-838-AU	MAG. BIT-HOLDER 3/8 FMALE SQ D	1	#006259
445-4X-AU	BIT 1/4 HEX DRV INSERT # .046	2	#005597	MET-1401C-AU	CLIP, RETAINING	2	#006266
445-5X-AU	BIT 1/4 HEX DRV INSERT # .05	2	#005603	QR-308-AU	QUICK CHANGE CHUCK	1	#006273
446-0X-AU	BIT 1/4 HEX DRV INSERT # 0.0	2	#005610	SZ-31-A-AU	BIT 5/8 HEX DRV INSERT(DP) X 1/2 HEX	1	#006280
446-23T-AU	BIT 1/4 HEX DRV INSERT # 2. P	2	#005627	SZ-34-AU	BIT 3/4 SQ DRV INSERT # 3/4 H	1	#006297
446-2I-AU	BIT 1/4 HEX DRV INSERT # 2. P	5	#005634	SZ-7-AU	BIT 3/8 SQ DRV SERVICE DRV #	1	#006303
480-2I-AU	BIT 5/16 HEX DRV INSERT # 2	5	#005641	TW-4-AU	BIT 1/4 HEX DRV POWER # 4. TR	1	#006310
480-2X-AU	BIT 5/16 HEX DRV INSERT # 2	5	#005658	TW-5-AU	BIT 1/4 HEX DRV POWER # 5. TR	1	#006327
480-3X-AU	BIT 5/16 HEX DRV INSERT # 3	2	#005665	TWB-6-AU	BIT 1/4 HEX DRV POWER # 6. TR	1	#006334
480-4X-AU	BIT 5/16 HEX DRV INSERT # 4PH	2	#005672	TWB-7-AU	BIT 1/4 HEX DRV POWER # 7. TR	1	#006341
480-TX-40X-AU	BIT 5/16 HEX DRV INSERT # 40	2	#005689	TWB-8-AU	BIT 1/4 HEX DRV POWER # 8. TR	1	#006358
480-TX-55X-AU	BIT 5/16 HEX DRV INSERT # 55	2	#005696	TWD-1-AU	BIT 1/4 HEX DRV INSERT # 1.0	1	#006365
491-AX-AU	BIT 1/4 HEX DRV POWER # 1.0 P	2	#005702	TWD-2-AU	BIT 1/4 HEX DRV INSERT # 2. T	1	#006372
491-B-PZDX-AU	BIT 1/4 HEX DRV POWER # 1.0 P	2	#005719	TWD-3-AU	BIT 1/4 HEX DRV INSERT # 3. T	1	#006389
491-BX-AU	BIT 1/4 HEX DRV POWER # 1.0 P	2	#005726	TWD-4-AU	BIT 1/4 HEX DRV INSERT # 4. T	1	#006396
492-ACR2X-AU	BIT 1/4 HEX DRV POWER # 2. PH	2	#005733	TWD-5-AU	BIT 1/4 HEX DRV INSERT # 5. T	1	#006402
492-AX-AU	BIT 1/4 HEX DRV POWER # 2. PH	2	#005740	TWD-6-AU	BIT 1/4 HEX DRV INSERT # 6. T	1	#006419
492-BX-AU	BIT 1/4 HEX DRV POWER # 2. PH	2	#005757	TWE-5-AU	BIT 5/16 HEX DRV INSERT # 5	1	#006426
	BIT 1/4 HEX DRV POWER # 2. PH	2	#005764			·	
492X-AU							

Spark Plugs

Spark Plug & Application Chart

CJ8/MP Popular Applications Victa 2 Stroke All Models 1970-1997 Spark plug Left Hand Side of mower Briggs & Stratton engines 2.0hp to 11.0hp Side Valve engines to 1989 Tanaka Brush cutters & Hedge Trimmers

TBC models, PHT models, THT models Replacing Victa p/n HA 25288S

DJ8J/MP Popular Applications

Ryobi Brush Cutters & Trimmers Grass Scorpion RCT264A RCT2800A ->1/1994 Lawn Hornet RLH1100A MKIII, MKIII ->1/1994 Scrub Hornet RSH1100A MKIII ->1/1994 Weed Hornet RWH1100A MKIII ->1/1994 Garden Cultivator RC100A ->1/1994 Sweeper Vac RSV1100A ->1/1994 McCulloch Chainsaws & Brushcutters, Blowers & Vacuums, Various models

J19LM/MP Popular Applications

Electrolux, Flymo, Masport, Rover, Victa, Weedeater, lawn mowers & shredders

Powered by Briggs & Stratton Classic, Europa, Intek, Quantum, Quantum Power, Quattro, Sprint engines all models Victa 4 stroke - Bronco, Commando, Legend, Mustang, Mulcher, Quadra, Sports, Ultima mowers Powered by Briggs and Stratton and Tecumseh engines Lawn & Garden equipment powered by Tecumseh engines Prisma 37, TVS, VLV, Series engines It is recommended engines fitted with resistor type spark plug as original equipment (RJ19LM) be replaced with resistor spark plug type

DJ7Y/MP Popular Applications Ryobi

Brush Cutters & Trimmers 1994-on Grass Scorpion RCT2800A, RST310SS Grass Viper RVC31EP Lawn Hornet RLH1100A Scrub Hornet RSH1100A MKIII Taipan RSS3100AF Weed Hornet RLH1100DS, RWH1100A MKIII Weed Viper RVS310EPS Weed Wasp RWT285DS Blower RGBV 3100P

Please refer to owners manual

Garden Cultivator RC100A Sweeper Vac RSV1100A It is recommended engines fitted with resistor type spark plug as original equipment (RDJ7Y) be replaced with resistor spark plug type

N9YC/MP Popular Applications

Rover, Victa and Honda Lawn mowers Powered by Honda engines GX110, GX120, GXV120, GCV135 GX140, GXV140, GCV160, GXV160

RCJ6Y/MP Popular Applications Resistor spark plug

Homelite Brushcutters and Trimmers - Easy Reach UT20806, Trim Lite UT20760, Trim & Edge UT20772, Trim & Edge UT20805, Versa Tool UT20811, Versa Tool ZS UT15169, Yardsmart C300 UT20775, **Ryobi Brushcutters & Trimmers** - Grass Ranger RCT2200, Grass Scorpion RGT2500, Scrub Hornet RST2500QF,Yard Hornet RYT2500QF,Trimmer PLT3034A

RCJ8Y/MP Popular Applications Resistor spark plug Victa Lawn Mowers

All 2 Stroke Models 1997-onwards Bronco, Charger, Commando mulch or catch Mustang, Vantage Sports, Super Key Start, Tilta Cut edger Flymo Brushcutters & Trimmers Maxi Trim 380, 430S, 460S Weed Eater Garden Products Blowers BV1650, Edger GE21 Featherlite / Prolite Trimmers

RJ19LM/MP Popular Applications

Hedge trimmers GHT17, GHT22

Electrolux, Flymo, Masport, Rover, Victa, Weedeater, lawn mowers & shredders Powered by Briggs & Stratton Classic, Europa, Intek, Quantum, Quantum Power, Quattro, Sprint engines all models Victa 4 stroke Bronco, Commando, Legend, Mustang, Mulcher, Quadra, Sports, Ultima mowers Powered by Briggs and Stratton and Tecumseh engines Lawn & Garden equipment powered by Tecumseh engines Prisma, TVS, VLV, Series engines Please refer to owners manual

CHAMPION





World's No. 1 Spark Plug

Material Number Individuals	Description mm/in	APN/UPC	Shelf Pack
♦ CJ8MP	Spark Plug	9300827060005	10
CJ6Y	Spark Plug	037551001057	4
CJ7Y	Spark Plug	037551011162	8
CJ8Y	Spark Plug	037551011	4
♦ DJ8JMP	Spark Plug	037551011131	8
♦ DJ7YMP	Spark Plug	03755111292	8
♦ J19LMMP	Spark Plug	037551011186	10
♦ N9YCMP	Spark Plug	037551011032	8
♦ RCJ6YMP	Spark Plug	037551011155	8
♦ RCJ8YMP	Spark Plug	037551011193	8
* RC12YCMP	Spark Plug	037551011025	8
♦ RJ19HXMP NEW	Spark Plug	037551011254	8
♣ RJ19LMMP	Spark Plug	037551011209	8

For Cross Reference Guide go to Product Literature in Customer Care Centre, on our Website: www.apextoolgroup.com.au

(C) CRESCE

OIL

The Crescent[®] brand adjustable wrench, celebrating its 100th Anniversary in 2007, is the flagship product of the brand. A true American icon, it is prized by tradesmen and homeowners alike for its utility and durability. Today, the Crescent brand can be found on many other high quality tools, including tongue and groove pliers and locking pliers. Wrenches Pliers Screwdrivers Nutdriverss Tool Sets

Electrician's Tools

•

BRAND

QMATSU

Official Tool Supplier to TeamVodafone

Vociafon



SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"
Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18mm
1/4" Dr. Ratchet Handle with Oval Head

10

APN/UPC

Shelf

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crescent® Brand Adjustable Wrenches

World famous Crescent[®] brand adjustable wrench. These wrenches are made of fine alloy steel to give extra strength and wear. Used by professional mechanics, industrial tradesmen and home mechanics. Dimensions are proportioned for greatest strength with minimum weight. A tension spring under knurl helps prevent jaw opening from changing adjustment. An open handle design permits easier knurl adjustment. Handle made of forged alloy steel and heat treated for toughness and durability. Plated or black oxide finishes are available as indicated.

Material

- World famous Crescent® brand
- Wide capacity jaw (sizes 4"-24", 100-600mm) allows each tool to work with more fastener sizes
- · For professional, industrial or home use
- Wider handle (sizes 6"-12") provides more comfort and less stress on the hand

· Alloy steel and heat treated

Description

- · Tension spring stabilises jaw and knurl adjusts easily
- Number mm/in Pack Wide Handle, Chrome Finish AC24VS 100/4 • 144584 3 Plated finish resists rust and AC26VS 150/6 • 253989 З corrosion Polished head and regular, AC28VS 200/8 • 253996 3 satin finished handle Tapered, satin finished handle for better two-hand grip and AC210VS 250/10 • 254009 3 less weight (sizes 15 to 24) Proportioned dimensions for AC212VS 300/12 • 254016 3 greatest strength and minimum weight AC215VS 380/15 • 254023 1 460/18 AC218VS • 254030 1 AC224VS 610/24 • 254047 1 **Cushion Grip, Chrome Finish** AC24CVS 100/4 • 254146 3 Polished head and red non-slip grip AC26CVS 150/6• 254153 З AC28CVS 200/8 • 254160 3 AC210CVS 250/10 • 254177 3 AC212CVS 300/12 • 254184 3 **Black Oxide Finish** AT24VS 100/4 • 254054 З AT26VS 150/6 • 254061 3 Polished head and regular AT28VS 200/8 • 254078 3 handle Black oxide finish resists AT210VS corrosion 250/10 • 254085 3 AT212VS 300/12 • 254092 З

Rapid Slide Wrench



AC6NKWMP	150/6 Jaw capacity 24mm	• 226761	6
AC8NKWMP	200/8 Jaw capacity 25mm	• 211453	6
AC10NKWMP	254/10 Jaw capacity 32mm	• 222060	6

· Slide button mechanism in handle for quick, fast adjustment

· Debris shield protects slide mechanism, and maintains a smooth operation

Forged steel Chrome finish resists rust and corrosion

Polished head with mm/inch size indicator on jaw

Panid Panah						
Rapid Rench		Material Number	Description mm/in		APN/UPC	Shelf Pack
Crescent"		FR28SMP	200/8		• 229205	4
		· Works on square	cket set, without all the sockets re bolts, hex bolts/screws, g nuts, thumbscrews and many 8mm to 22.2mm	6° swi • Conve	th ratcheting means ng to turn fastene nient adjustment ion, providing qu ers	ers dial controls ja
Pipe Wrench						
		CPW450	450/18		■ 002787	12
		CR.MO Jaw Cast iron handle	e			
Snips						
		N047	Straight Cut Aviation Snip - Yellow Grip	,	• 062031	6
		N048	Left Cut Aviation Snip - Red Grip		• 062048	6
		N049	Right Cut Aviation Snip - Green Grip		• 062055	6
	(KP)	· Cuts hard stee	to 5/32" diameter		● 925756 d circuits, wire, o	10 r cable
Centre Cut Bolt Cutter						
		CJ14	350mm/14"		■ 999926	1
		CJ18	450mm/18"		■ 999933	1
		CJ24	600mm/24"		■ 999940	1
	-	CJ30	750mm/30"		■ 999957	1
CJ Series		CJ36	900mm/36"		■ 999964	1
Wiss [®] Ratcheting Pipe Cutters						
-	W íss [*]	Material Number	Description mm/in	Size mm/in	APN/UPC	Shelf Pack
		WRPCSM	Ratcheting Pipe Cutter - Small Cuts Pipe 3mm to 13mm	121mm/ 4 3/4"	● 222428	3
		WRPCMD	Ratcheting Pipe Cutter - Medium Cuts Pipe 6mm to 23mm	159mm/ 6 1/4"	● 222435	3
		WRPCLG	Ratcheting Pipe Cutter - Large Cuts Pipe 8mm to 29mm	178mm/ 7"	• 222442	3
		 thin walled cond Adjustable ratch increased conversion 	eting mechanism provides enience and less effort design allows pipe cutting in	nylon/ • Replac mediu	e metal cutting h iibreglass handle eable cutting wh m models only) I Lifetime Guarar	eel in handle (la

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crescent™ Locking Pliers

Now you have a choice in quality locking pliers. The new line from Crescent offers performance which meets that of the leading competitor at a substantially lower cost. But don't take our word for it. Compare Crescent head-tohead against any other locking pliers and we guarantee the only difference you'll find is on the price tag. We have the most popular sizes and styles



of locking products, including sheet metal and welder's clamps, and even a range of cushion grip locking pliers.



~	
* Display racks available. Refer to your Apex Tool Group Sales Representation	ve.

Material Number	Description mm/in	Jaw Capacity	APN/UPC	Shelf Pack
Straight Jaw				
C7SV	175/7	34mm	• 206664	3
C10SV	250/10	45mm	• 206800	3
Curved Jaw w	ith Wire Cutter			
C5CV	125/5	32mm	• 206817	3
C7CV	175/7	42mm	• 206695	3
C10CV	250/10	48mm	• 206701	3
Long Nose wi	th Wire Cutter			
C6NV	150/6	58mm	• 206718	3
C9NV	230/9	73mm	• 206725	3
Locking C-Cla	ımp (Reg Tips)			
C6CCV	150/6	51mm	• 206732	3
C11CCV	280/11	102mm	• 206756	5
Locking C-Cla	imp (Swivel Tips)			
C6CCSV	150/6	73mm	• 206749	3
C11CCSV	280/11	102mm	• 206763	5
Locking Shee	t Metal Clamp			
C8SMV	200/8	19mm	• 206770	3
Locking Weldi	ing Clamp			
C9W	230/9	38mm	• 206787	5
Locking Chair	n Clamp			
C20CH	230/9 Chain - 460mm Circumfe	rence	● 206794	5
2 Piece Curve	d Locking Plier Set			
CLP2SET	175/7 & 250/10		• 202864	3
3 Piece Curve	d Locking Plier Set			
CLP3SET	125/5, 175/7, 250/10		• 202871	3
5 Piece Set				
CLP5SET	3 Curved, 2 Long Nose 125/5, 175/7, 250/10 150/6, 230/9		● 202895	3
Locking Plier	- Cushion Grip			
C7CVC	Curved 175/7"	42mm	■ 000448	3
C10CVC	Curved 250/10"	48mm	■ 000189	3
C6LNVC	Long Nose 150/6"	58mm	■ 000455	3
3 Piece Set - 0	Cushion Grips			
CLP3SETC	3 Curved Jaw 125/5, 175/7, 250/10		● 202888	3
CLPR1	Rack - 5 Positions		■ 470845	1
Essteres 0 Deved	· ·			

Features & Benefits

- Maximum jaw opening capacity per ASME specs
- Integral wire cutter on curved jaw and long nose
- Precisely machined ferrule for fine jaw adjustment
- Nickel-plated finish resists rust and corrosion
- Compound action for powerful non-slip locking grip
- Patented angled tooth pattern provides better grip

Crescent[™] Pliers

Introducing the bigger and better Pliers Range from Crescent. New, Upgraded range, with three different price points.

Range includes Ultimate, ProSeries and S-Series.



FEATURES & BENEFITS

- Premium quality forged alloy steel for toughness and durability
- Insulated grips

Crescent

- Precise jaw gap for wire work
- · Cross hatch jaws for positive grip
- Serrated pipe grip (3800 models)
- · Renowned for providing years of work and performance • Extended and hardened cutting jaw for use with
- flat multicore cabling (3800 models) • Built in crimper for use on 1.5mm² to 6mm²
- solderless connectors (3800 models)
- Australian Made

Pliers - Ultimate

PRO SE

The features in detail:







Slim line jaw with precise jaw gap.

Extended and hardened cutting jaw for use with flat multi-core cabling.

Hardened crimping jaw built into handle for use with solderless connectors.

Comp.	Material Number	Description mm/in	APN/UPC	Shelf Pack
3800CTV	3800CTV	Universal plier with crimper, 200mm	■ 466817	6
3800CTP	3800CTP	Universal plier with crimper in nylon pouch, 200mm	■ 473709	4
RODUCT	72-7CV	End cutting nippers with cushion grip, 180mm	■ 003166	6
72-7CV	72-8CV	End cutting nippers with cushion grip, 200mm	■ 463007	6
	72-9CV	End cutting nippers with cushion grip, 230mm	■ 467418	6
NEW PRODUCT	542-7CV	Diagonal cutting pliers with cushion grip, 180mm	■ 004149	6
542-7CV	542-8CV	Diagonal cutting pliers with cushion grip, 200mm	■ 464745	6
654-7CV	654-7CV	Long nose pliers with cushion grip, 180mm	■ 004156	6
Pliers - Ultimate High Voltage				
3800CHV 77 A	3800CHV	1000V Universal plier with crimper, 200mm	■ 473730	4
	5428HV	1000V Diagonal cutter, 200mm	■ 321512	4
5428HV	6547HV	1000V Long Nose Plier with side cutters, 180mm	■ 366216	4

PRO SERIES

FEATURES & BENEFITS

- Heat treated forged alloy steel with hardened cutting edges
- Patented high leverage design gives up to 60% power gain (Compound Action Models only)
- Special heat-treated steel spring holds jaw comfortably open (Compound Action Models only)
- Tested to over 1,000,000 cycles
- Co-Moulded grip for increased comfort and control

Pliers - Pro Series

Material Number	Description mm/in	APN/UPC	Shelf Pack
PS20509C	Compound Action Universal pliers, 230mm/9"	■ 004156	3
PS5429C	Compound Action Diagonal cutting pliers, 230mm/9"	■ 473730	3
PS6549C	Compound Action Long Nose pliers, 230mm/9"	■ 321512	3
728CMG	End Cutting Nipper, 200mm/8"	● 214775	3
508CMG	Universal pliers, 200mm/8"	● 214805	3
7427CMG	Diagonal cutting pliers, 180mm/7"	● 214812	3
6547CMG	Long Nose pliers, 180mm/7"	● 214720	3
	Number PS20509C PS5429C PS6549C 728CMG 508CMG 7427CMG	Numbermm/inPS20509CCompound Action Universal pliers, 230mm/9"PS5429CCompound Action Diagonal cutting pliers, 230mm/9"PS6549CCompound Action Long Nose pliers, 230mm/9"728CMGEnd Cutting Nipper, 200mm/8"508CMGUniversal pliers, 200mm/8"7427CMGDiagonal cutting pliers, 180mm/7"	Numbermm/inPS20509CCompound Action Universal pliers, 230mm/9"• 004156PS5429CCompound Action Diagonal cutting pliers, 230mm/9"• 473730PS6549CCompound Action Long Nose pliers, 230mm/9"• 321512728CMGEnd Cutting Nipper, 200mm/8"• 214775508CMGUniversal pliers, 200mm/8"• 2148057427CMGDiagonal cutting pliers, 180mm/7"• 214812

SERIES

FEATURES & BENEFITS

· Heat treated forged alloy steel with hardened cutting edges

- Non-slip cushion grip on most models (as per depictions)
- Proven, reliable tools from reputable trusted brand, Crescent

Pliers - S-Series

	PRODUCT	508CVN	Universal Pliers with side cutter, 200mm/8"	● 213365	6
		727CVN	End cutting nippers, 180mm/7"	● 213150	6
	PRODUCT	GT28CN	End cutting nippers with carbide jaw, 200mm/8"	● 213785	6
32	PRODUCT	728CVN	End cutting nippers, 200mm/8"	● 213112	6
	PRODUCT	5427CVN	Diagonal cutting pliers, 180mm/7"	● 212801	6
	PRODUCT	5428CVN	Diagonal cutting pliers, 200mm/8"	• 212771	6
	PRODUCT	6546CVSMLN	Long Nose Pliers, 150mm/6"	● 212832	3
	PRODUCT	6547CVN	Long Nose Pliers, 180mm/7"	● 212993	3
		7776CVN	Long Needle Nose pliers, 150mm/6"	● 213372	6
		7777CVN	Long Needle Nose pliers, 180mm/7"	● 213396	6
		8886CVN	Curved Needle Nose pliers, 150mm/6"	● 213020	6

Pliers High Voltage - S-Series				
	Material Number	Description mm/in	APN/UPC	Shelf Pack
	CHV508	1000V HV, Universal Pliers, 200mm/8"	■ 004279	6
PRODUCT	CHV410	1000V HV, Multi-Grip Pliers, 250mm/10"	■ 004255	6
PRODUCT	CHV5428	1000V HV, Diagonal Cutting Pliers, 200mm	■ 004248	6
	CHV6548	1000V HV, Long Nose Pliers, 200mm/8"	■ 004262	6
// Multi-Grip Pliers - S-Series				
THE C	R210CV	Multi-Grip Plier, Straight Jaw, 254mm/10"	● 463685	6
Straight Jaw	R212CV	Multi-Grip Plier, Straight Jaw, 300mm/12"	● 463739	6
Contraction of the second seco	R216CV	Multi-Grip Plier, Straight Jaw, 406mm/16"	● 469687	1
Curved Jaw	R410CV	Multi-Grip Plier, Curved Jaw, 254mm/10"	● 464705	6
	R200SET3	Multi-Grip Pliers Set, 3 Piece, Straight Jaw, 7", 10", 12"	■ 205742	1
Rapid Grip Auto Adjustable Multi-Grip Plie	rs - S-Series	;		
	CMGP10	Multi-Grip Plier, Curved Jaw, 254mm - auto adjustable	■ 002985	5
	CMGP12	Multi-Grip Plier, Curved Jaw, 300mm - auto adjustable	■ 002978	5
Fencing Tools - S-Series				
09	T193610VN	Prong & Hammer Head fence tool, 254mm/10"	● 212955	6
100010VN	193610CVSMN	Prong & Hammer Head fence tool, cushion grip, 254mm/10"	● 212948	3
	10008VN	Button Pliers Fence Tool, 200mm/8"	• 213068	6
	100010VN	Button Pliers Fence Tool, 254mm/10"	● 213051	6
193610CVSMN	100012VN	Button Pliers Fence Tool, 300mm/12"	• 213099	6
Dura Pliers - S-Series				
	Lightweight L	aminated Construction		
	LB10	250/10	● 138835	6
	 Lightweight Lam Riveted Constru Textured Air Custon 	iction		
Retaining Ring Pliers Kit - S-Series				
NEW	DR23H	Retaining Ring Pliers Kit	043127068102	6
PRODUCT	internal ring plieOne pair each oAvailable in skin	e external ring plier, one er of .035, .047 and .070 tips • Enga	ving retaining ring rs use the largest ing ring clips ge tips in holes as azing plier handles	tips that fit the far as poss

Crescent

Crescent

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

1000 Volt Insulated Seroudriver S	at sol						
1000 Volt Insulated Screwdriver S 7 Piece Insulated Screwdriver Set	1/15	erial	Description		APN/UPC	Shelf	
		nber	mm/in		AFIN/OFC	Pack	
	CS7	′-1000V	1000 Volt Insula	ited	■ 650704	1	
	E' is the symbol he electrician				1	2	
D'E sta	ndardization Janisation, which	CAT. No.	SIZE	TYPE		1	
doe doe	es random ting of electrician	613-030	3.0 x 100mm	Slotted		📥	
req	uirements.	613-035	3.5 x 100mm	Slotted			W
The The The	e 'GS' symbol	613-040 613-055	4.0 x 100mm 5.5 x 125mm	Slotted Slotted			•
	German TÜV dependent	614-102	#1 x 80mm	Phillips	4	1 4	
ind	anisation for ustrial certification)	614-203	#2 x 100mm	Phillips		ਮ ➡	0
sig Sat	nifying 'Tested for ety'.		+ Mains Testing	· ·			
1 Chrome molybdenum vanadium steel shaft provides durability. 2 Anti-roll handle design. 3 Specially treated black oxide blades eliminate light reflection, fo	r procision fit		5 Narrow pinch grip fo 6 Wide ergonomically	or comfort and control. designed handle allows sus second screwdriver can be	stained high torque with	minimal muscle	e fatigue.
4 Thumb bolster allows added downward force.			8 Individually tested u	ip to 1000V.	inserted through hang i	iole.	
1000V Insulated Screwdriver Set	Mor						
Crescent	A STREET	SET	8 Piece Screwd	river Set	4003019117222	6	
	Phillip Pozidr Slotter	rive PZ 1 x 1	00 / PH 2 x 100 100 / PZ 2 x 100 4,0 x 100 / 6,5 x 15	50			
1000	NEW PRODUCT	T2V	2 Piece Screwd Phillips #1 x 10 Slotted 2.5mm	0mm	■ 004545	6	
	CSE PRODUCT	T2VL	2 Piece Screwd Phillips #2 x 10 Slotted 4mm x 7	Omm	■ 004521	6	
Statementer Bpns	609 • VD • Co- • Bla	900:2004 E / GS certit -moulded ha des made o	Indles for maximum	omfortable to use and increase torque pecially treated black oxide tips eliminate pht reflection and have a precise fit or added torque, a second screwdriver car e inserted through hang hole			
Screwdriver Sets							
	NEW CSD	OSET10	10 Piece Screw	driver Set	■ 002800	12	
Crescent Crescent date	Philli	ps No. 3 x 1	50mm/6". Phillips N	Phillips No. 1 x 100m Io. 2 x 38mm/1.5" Stul lotted 8 x 150mm/6",	bby. Slotted 3 x 75	mm/3". Slot	6", ted 5 x
	CSD	044	44 Piece Screw	driver Set	■ 004095	10	
			ed, 3 Phillips, 1 insu 50mm and 2 x 75m	lated, 1 bit holder/driv	ver and 2 precision	screwdrive	rs.
	• Erge	onomic, anti ome Vanadii	slip grip, acetate h um, high quality ten	dges and flats are precision formed to event damage agnetic tips on all screwdrivers			
Screwdriver Sets - Pro Series Kits	S						
The Crescent Screwdriver Kits include a range of the most popular screwdrivers for both trades and handyman use. A range of Regular Slotted and	NEW PRODUCT CSD	DIND10	10 Piece Indust	rial Set			
Phillips for the largest to the smallest use. The kits also include an Insulated Electrician's round. They are all packaged in a smart moulded carry case with snap-in screwdriver fittings. A great way to hold	CS1	3 🚵	13 Piece Kit - S	tandard	■ 650001	5	
the kit together and to avoid losing screwdrivers on the job. Handy hang-up holes allow for safe storage in the workshop.	CS3	1 🗻	31 Piece Kit - S	tandard	■ 650056	10	
The workshop.		C C SC C	S13 contains 7 Slo crewdriver	5 Slotted Blades, 5 P tted Blades, 1 Insulate tted Blades, 1 Insulate ts	ed Slotted Blade, 4	•	

Screwdrivers - Individuals - Pro Series							
Features of a professional quality screwdriver.	Material Number		Blade w mm/in	vidth	Blade length mm/in	APN/UPC	Shelf Pack
The blades are made of alloy steel with a full chrome plated finish, with edges and flats precision formed. Colour coded handles are moulded in Australia of tough durable material featuring chemical and U.V. resistance. All screwdrivers are	Regular Round E		•				
assembled by Cooper Tools Australia and subject to rigorous quality control standards at all stages of manufacture.	218R		3/ 1/8		50/2	■ 651084	6
	3532R		4/ 5/32		75/3	■ 651206	6
The Crescent range of convenient Convenient	4316R		5/ 3/16		100/4	■ 651282	6
an extensive range of: Hang-Sell Tag	6316R		5/ 3/16		150/6	■ 651329	6
Regular Slotted	414R	<u></u>	6/ 1/4		100/4	■ 651466	6
Phillips Precision formed working tip	614R	<u></u>	6/ 1/4		150/6	■ 651480	6
Torx O damage.	814MR		6/ 1/4		200/8	■ 651527	6
Chrome	8516MR		8/ 5/16		200/8	■ 651602	6
All screwdrivers are made alloy steel	838MR		10/ 3/8		200/8	■ 651688	6
of the same materials to the highest standards of quality for durability and rust	1038MR		10/ 3/8		254/10	■ 651701	6
with colour coded handles resistance. and reference number for easy identification. Tempered	Regular Insulate			e 🌩			
steel to prevent	4316IR		5/ 3/16		100/4	■ 651305	6
Moulded full distortion.	6316IR		5/ 3/16		150/6	■ 651343	6
Resistant to Ribbed recess oil, solvents for sure, non-slip and most grip.	Stubby Round E	Blade	•				
chemicals.	214R		6/ 1/4		40/ 1 1/2	■ 651442	6
Stubby	Square I	Blade					
CHANGE CONTROL SERIES	1238MS		10/ 3/8		305/12	■ 653101	6
Regular CERES	Phillips	0					
PRU SERES	30P		3/ 1/8	PH0	75/3	■ 660024	6
	41P		5/ 3/16	PH1	100/4	■ 660086	6
PRO SERIES	61P		5/ 3/16	PH1	150/6	■ 660109	6
	42P		6/ 1/4	PH2	100/4	■ 660161	6
Regular Phillips	62P		6/ 1/4	PH2	150/6	■ 660185	6
Crisent Harris	63P		8/ 5/16	PH3	150/6	■ 660246	6
	Insulate	d 🗘					
	61IP		5/ 3/16	PH1	150/6	■ 660123	6
Regular Phillips	62IP		6/ 1/4	PH2	150/6	■ 660208	6
Insulated	Stubby Phillips	0					
	12P		6/ 1/4	PH2	40/ 1 1/2	■ 660147	6
Stubby - Phillips	Pozidriv	e O					
PRO SERIES	31PZ		5/ 3/16	PH1	100/4	■ 668020	6
	52PZ		6/ 1/4	PH2	150/6	■ 668068	6
Pozidrive PRO SERIES							
Comment and			Refer		23 for a com n Grip Screw		of

CRESCENT.

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Crescent[®] provides a comprehensive range and choice of Cushion Grip Screwdrivers, sold as individual and sets. With heat treated chrome vanadium blades, and comfortable, ergonomic co-moulded cushion grips delivering increased leverage and better grip, there is sure to be a driver in the range to suit virtually every application. All individual pieces and sets come in handy hang-sell packaging. Cuchi

Cushion Grip Screwdrive	rs - Sets			
	Material Number	Description	APN/UPC	Shelf Pack
PRODUCT	CMBD7P	7 in 1 Interchangeable Bit Screwdriver No. 1 Phillips x 5mm Slotted, No. 2 Phillips® x 7mm Slotted 1/4", 5/16", 7/16" Nutdrivers Round ergo high efficienty handle grip, cushion grip for added comfort and control, fully polished blade made from tool steel for strength & durability	● 256737	1
CSDS5	CSD2	2 Piece Cushion Grip Screwdriver Set Phillips No. 2 c 100mm Round Blade Mechanics Round Slotted 6mm x 100mm Mechanics	• 256690	1
Crescent	CSD4	Screwdriver Set 4 Piece PH1 x 100mm & PH2 x 100mm Slotted 5mm x 150mm, Slotted 6mm x 100mm	■ 000783	6
	CSDS5	Screwdriver Set Ratchet Stubby 5-in-1 3 Position Ratchet Function (clockwise, anticlockwise & lock) Bits: PH1, PH2, PH3, Slotted 5mm & 6mm	■ 001841	12
CSD4	CSD6	6 Piece Dual Material Handle Screwdriver Set No. 1 x 100mm Round Blade Phillips Screwdriver, No. 2 x 100mm Round Blade Phillips Screwdriver, 6mm x 100mm Mechanics Round Slotted Screwdriver, 6mm x 150mm Mechanics Round Slotted Screwdriver, 5mm x 75mm Electricians Round Slotted Screwdriver, 5mm x 150mm Electricians Round Slotted Screwdriver	● 256720	1
	CPSD7	Precision Screwdriver Set 7 Piece 2.0 x 50mm, 2.5 x 50mm, 3.0 x 50mm, PH00 x 50mm, PH0 x 50mm, T6 x 50mm, T8 x 50mm	■ 000790	10
CPSD7	CSD10	10 Piece Dual Material Handle Screwdriver Set No. 1 x 100mm Round Blade Phillips Screwdriver, No. 2 x 100mm Round Blade Phillips Screwdriver, 6mm x 100mm Mechanics Round Slotted Screwdriver, 6mm x 150mm Mechanics Round Slotted Screwdriver, 5mm x 75mm Electricians Round Slotted Screwdriver, 6mm x 32mm Mechanics Round Slotted Screwdriver, No. 2 x 32mm Round Blade Phillips Screwdriver, No. 0 x 50mm Phillips Pocket Clip Screwdriver, 3mm x 50mm Slotted Partor Clip Screwdriver, 3mm x 50mm Slotted	● 256744	1
	CSD52MP	Pocket Clip Screwdriver 52 Piece Screwdriver Set Set contains: 5 x Slotted, 4 x Phillips, 7 x Precision, 16 x Driver Bits, 8 x Hex Driver Bits, 8 x Torx Driver Bits, Magnetic Bit Holder, Bit Adaptor, Flexible Extension	■ 003562	6
CSD52MP		Shaft, Telescopic Magnetic Pick Up Tool		

Cushion Grip Screwdrivers - Individuals

Cuin Ca

	Slotted =		
PRODUCT	CSD33V	5mm x 75mm Electricians Round Blade	
PRODUCT	CSD36V	5mm x 150mm Electricians Round Blade	
PRODUCT	CSD30V	5mm x 250mm Electricians Round Blade	
NEW	CSD41V	6mm x 32mm Mechanics Round Blade	
	CSD44V	6mm x 100mm Mechanics Round Blade	
PRESE	CSD46V	6mm x 150mm Mechanics Round Blade	
PRODUCT	CSD56V	8mm x 150mm Mechanics Round Blade	
PRODUCT	CSD58V	9.5mm x 200mm Mechanics Round Blade	
PRODUCT	CSDS44V	6mm x 100mm Square Blade	
REW	CSDS56V	8mm x 150mm Square Blade	
	Phillips 🗘		
REW	CSDP34V	No. 1 x 100mm Round Blade	
NEW	CSDP41V	No. 2 x 32mm Round Blade	
NEW	CSDP44V	No. 2 x 100mm Round Blade	
NEW	CSDP46V	No. 2 x 150mm Round Blade	
NEW	CSDP48V	No. 2 x 200mm Round Blade	
NEW	CSDP56V	No. 3 x 150mm Round Blade	
	Torx		
REW	CTD10V	T-10 Torx Screwdriver	
NEW	CTD15V	T-15 Torx Screwdriver	
NEW	CTD20V	T-20 Torx Screwdriver	
NEW	CTD25V	T-25 Torx Screwdriver	
NEW	CTD27V	T-27 Torx Screwdriver	
NEW	CTD30V	T-30 Torx Screwdriver	
NEW	CTD40V	T-40 Torx Screwdriver	

Crimping Tools					
	Material	Description		APN/UPC	Shelf
	Number	mm/in			Pack
Örund	· · · · ·	Crimping Tool Set			
	CRCT10	10 Piece		■ 003654	5
	Compound act Plier releases 6 interchangee Comfortable ru Storage case i Insulated Term Open Barrel C Non Insulated Coaxial Conne Coaxial Conne		G) 2-10 AWG) AWG) 6 8mm 5 4	1mm, 1.73mm 3.48mm	
	Ratcheting D	Data Crimper and Stripper			
PRODUCT	CDC68	Ratcheting Data Crimper a Stripper	and	■ 004507	6
	 Integrated cabl Ratcheting sys 		r		
	CCT8	22-8AWG (0.05-10mm ²)		■ 471200	1
	Insulated Ter	, ,			
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CCT10	22-10AWG (0.05-6mm ²)		■ 471217	1
	 Multiple crimp Co-moulded en for one or two 	eel for adjusting crimping pressu sizes rgonomic handle for improved co handed operation le for Non-Insulated terminals 22 ble for Insulated terminals 22-10.	mfort and ex	•	
Cable Cutters					
	Ratcheting C	able Cutter			
	CRCC1	340mm		■ 471231	5
	aluminium cabl up to 45mm dia steel wire, stee cable) • Specially sharp clean cuts • Ratcheting med	easy cutting of copper and e with an outer diameter of ameter (not suitable for cutting I braided cable or hardened bened and hardened blades for chanisim with compact design e handed operation, requiring	 Locking to be op and pre Quick a apart, p blade to Blade L 	force to operative blade with blad bened in mid-cut so blade release djustment allow ress blade release blade release or equired position ock - Can be loo d (blue position)	e release t (push ha e button) ed by pus ase buttor on cked (red
	Electrical Ca	ble Cutter			
A San Trail	0890CSJ	241/ 9 1/2		• 911919	1
	 Special Alloy h Comfort grips High-leverage j 	ardened blades		cut steel or AC insulated tool	SR
Conduit Cutters					
	Conduit Cut	ter			
Cristent	CCC42	Cuts 3mm-42mm profile		■ 471224	1
	 Heavy duty too Heat treated or up to 42mm di Cuts cleanly w Heavy duty de Bright red colo 	ol utting blade for cutting P.V.C. pipe	ox and work	nose Diace	
NEW PRODUCT	Twiet Condui	t Pipe Cutters			
PRODUCT Orescent Crescent	CTPC20	Crescent Twist Pipe Cutter	20mm	■ 004491	10
	CTPC25	Crescent Twist Pipe Cutter		■ 004491 ■ 004484	10
29	 Auto tube cutte Each tool fits or Cuts conduit cleared 	rs automatically tighten and cut a ne size of pipe	s you turn it	around the tube	

- No protruding handle allows it to be used in confined spaces
 Convenient to store
 Convenient Display Pack of 10

CRESCENT

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Wire Strippers







Material Number	Description mm/in	APN/UPC	Shelf Pack					
5 in 1 Scissor Action Tool								
WS19H 8" Crimper/Cutter 043127071751 6								
 Wire stripper, wire cutter, bolt cutter, plier and crimper Pliers nose permits wire pulling and looping Cleanly strips and cuts 10 - 22 AWG wire Cuts bolts through No. 10, leaving perfect lead thread Crimps isulated and non-insulated solderless terminals Lifetime pivot bearing and red cushion handle grips Wire Stripper 								
WS15H	6" Stripper Cutter	043127231506	6					
WS15H 6" Stripper Cutter 043127231506 6 Ideal for general purpose wire stripping and cutting Plier style nose permits pulling and looping of wire 5								

· Handle spring speeds scissor action

Self Adjusting Wire Stripper

CWS1	Cuts and strips 24-10 AWG	471248	1	
------	---------------------------	---------------	---	--

- Used for stripping and cutting wire, crimping insulated and non-• insulated terminals and crimping ignition terminals
 - Cuts and strips 24-10 AWG (0.2-6mm²) copper or aluminium wire
- Crimps 22-10 AWG (0.5-6mm²) insulated & non-insulated terminals
- Crimps 7-8mm ignition terminals
- Fine adjustments can be made to strip wire insulation smaller than AWG24 (0.2mm²) without cutting into the wire
- Stopper for adjusting wire strip length (rotate stopper when stripper length is not required)

Electricians Pocket Stripper

- CPS12 **Electricians Pocket Stripper**
- Lightweight and easy to use •
- Strips regular cable 20-10AWG (0.5 6mm²)
- Strips RG59 and RG6 coaxial cable
- Strips low volt cable 8-13mm
- Slip resistant rubber grip

Fish Tape and Lubricant



Fi	ch	Та	pe	R
	311	Ia	he	

Fish Tape Roll			
CFT30	30m x 6mm	■ 003746	6
 3 strands for add Made of POM pl used in precisior Includes storage 	astic. Polyoxymethylene (POM) is an eng parts that require low friction and excelle	ineering thermopla ent abrasion resista	stic ance

Lubricant

- **CL100** 1 litre
- Wax based formula provides superior lubricating
- Applies easily and uniformly Clings to cable even through long pulls Temperature stable it does not liquefy No mixing required Does not dry out fast

Voltage Detector

CVS600V 12V-600V, 50-60Hz

■ 001872

■ 003708

■ 003715

15

12

10

- Voltage detection range 12-600V AC, 50-60Hz
- Adjustable sensitivity allows tracing or wires behind walls, at switches or receptables Features include Sensing Tip, 360° Visual Indicator and Sensitivity Adjustment

Electric Irons Soldering and Wood Bu	ırnina			
Crescent	Material Number	Description mm/in	APN/UPC	Shelf Pack
	Irons			
⊥ ■	N25D	25 Watt / 240 Volt Electric Soldering Iron	■ 907006	6
	N40D	40 WattT / 240 Volt Electric Soldering Iron	■ 907013	6
	N80D	80 Watt / 240 Volt Electric Soldering Iron	■ 907020	6
N40D N25D	NW30D	30 Watt / 240 Volt Wood Burning Iron. Ideal for the Hobbyist 6 x stamps included for wood burning	■ 921057	1
Magnetic Welders Clamp				
-	CWC100	100/4	■ 470593	12
· · ·	 Premium qual Product tested 100mm 45° / 90° / 138 	soldering, a	s include welding, assembly, marking ation, or as a floa	
Security Torx Set	Soourity Tor	x Set		
	Security Tor CTKM8	8 Piece Security Torx	■ 667405	12
		Key Wrench Set: T10, 15, 20, 25, 30, 40, 45, 50		
Hex Key Sets				
	8 Piece Ball	Point T-Handle Sets		
t 두	СНКТ8	Metric Key sizes: 2, 2.5, 3, 4, 5, 6, 8 & 10mm	■ 667863	10
СНКТВ	СНКТ81	Imperial Key sizes: 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"	■ 667993	10
	1	proved Leverage and Grip • Ball P	y Hang-up Holes Point for Improved	
		ench Sets		
Crescent	CHKLM8	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm	■ 667832	10
Crescent		8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5,	■ 667832■ 667825	
	CHKLM8 CHKLI8	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8"		10
	CHKLM8 CHKLI8	 8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" 		10
СНКЕМВ	CHKLM8 CHKLI8 Folding Hex	 8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" Key Wrench Sets 9 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 	■ 667825	10
СНКЦМВ	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" 5 Key Wrench Sets 9 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32,	■ 667825■ 667849	10 10 12
СНКШВ	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" Key Wrench Sets 9 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE	■ 667825■ 667849	10 10 12
СНКЦМВ	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9 Multi Handle	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" 8 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE e Hex Key Set Multi Handle	 667825 667849 667856 	10 10 12 12
СНКШВ	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9 Multi Handle CHKM8	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" 8 Viece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE e Hex Key Set Multi Handle Metric 2mm - 10mm Hex Key Set Multi Handle	 667825 667849 667856 667818 	10 10 12 12 12
СНКШВ	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9 Multi Handle CHKM8	8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" 8 Viece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE e Hex Key Set Multi Handle Metric 2mm - 10mm Hex Key Set Multi Handle	 667825 667849 667856 667818 	10 10 12 12 12
CHKLM8	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9 Multi Handle CHKM8 CHKI8	 8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" Key Wrench Sets 9 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE Hex Key Sets Hex Key Set Multi Handle Metric 2mm - 10mm Hex Key Set Multi Handle Imperial 5/64" - 3/8" 	 667825 667849 667856 667818 667801 	10 10 12 12 12 12
CHKLM8	CHKLM8 CHKLI8 Folding Hex CHKM9 CHKI9 Multi Handle CHKM8 CHKI8	 8 Piece Long Ball Point Hex Key Wrench Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm 8 Piece Long Ball Point Hex Key Wrench Set: 5/64", 3/32", 1/8" 5/32", 3/16", 1/4", 5/16", 3/8" Key Wrench Sets 9 Piece Nylon Folding Hex Key Wrench Set: 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6mm RED CASE 9 Piece Nylon Folding Hex Key Wrench Set: 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4 inch BLUE CASE Hex Key Sets Hex Key Set Multi Handle Metric 2mm - 10mm Hex Key Set Multi Handle Imperial 5/64" - 3/8" 	 667825 667849 667856 667818 667801 	10 10 12 12 12 12

Prices Herein Do Not Include GST Product depictions are not to scale.

Crescent

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Multi Tools

Multi 10015						
Crescent	TOOL77all	Material Number	Description mm/in		APN/UPC	Shelf Pack
Creatent	MULTI-PURPOSE TOOLS	TZ2V	Toolzall Pro (1	5 in 1)	• 127815	6
		 All stainless st Phillips[®] Screw Can/Bottle Op Serrated Blade Drop Point Bla Wood File Metal File 	driver • Medium Slotted ner Screwdriver • Lanyard		• Need • Wire	ılar Plier Ile Nose Plier Cutter ing Bar
	Crescent	CMT14	14-in-1 Multi To	ool	■ 002763	12
		 Stainless Stee Belt pouch inc Ideal for outdo Made to ANSI 	or use	pliers smal singl open serra	s, wire cutter, lar I screwdrivers, F e cut file, double er, can opener, ated knife.	hillips screwdriver, cut file, bottle
Staple Gun and Tack	(er					
- /		CSG3	4-in-1 Staple G	aun	■ 004668	10
PRODUCT		nails, 100 x 12 • For use with: Flat wire staple Brad nails 10-	x 10mm staples, 2mm cable staples es 6-14mm long 14mm long 6.2mm, 10-12mm	100 x brad finish s • Heav • Univo • Impa		
		CSG4	4-in-1 Heavy D	Outy Staple Gun	■ 004699	12
Conner PRODUCT		16mm nails, 1 100 x 16mm p • For use with: Flat wire staple Brad nails 16m Cable staples Pins 16mm	x 12mm staples, 00 x 12mm cable ins es 8-14mm long nm	staples, desig • Dura • Low • Botto clear • Pow • Safe	ing amlined body wit gned handle ble metal magaz staple / refill win om loading for ea ing jams er adjustment co ty handle lock sy	tine dow asy loading and ntrol system
		Replacement	Staples			
···	Conservet	CT14	14mm Brad Na	ails	■ 004682	100
Crescent Series 14-	6.	CS6	10.6mm x 6mr 1000 Pieces	n Flat Staple	■ 004675	100
NEW		CS10	10.6mm x 10mm Flat Staple 1000 Pieces		■ 004712	100
Crescent	Crescent	CS12	10.6mm x 12m 1000 Pieces	nm Flat Staple	■ 004651	100
	12-	 Also fits staple 	es from Arrow, Cra	or CSG3 & CSG4 aftman, Stanley, Powe and Rapid 140 range	ershot, Black & D	ecker, Rapid

Caulking Guns

NCG1	Caulking Gun ABS Skeleton 225mm/9"	■ 440510	24
CCG2	Caulking Gun Metal 225mm/9" Cylinder type	■ 002855	6
l.			

Hand Riveter					
F 1100	PRO SERIES	Material Number	Description mm/in	APN/UPC	Shelf Pack
BONUS RIVETS	CPSHR1B	Crescent Hand Riveter - Pro Series	■ 003579	6	
		Heat treated for Powder coated s 3-Jaw system fo 4 Nosepieces: 2	hand riveter, suitable for professional and increased strength and durability surface r increased durability 4mm, 3.2mm, 4.0mm, 4.8mm		5
(and the second s	Autor I	CPR120	Pack of Rivets 120Pc	■ 001933	5

Glue Gun Kit



000		 Set



Multi-Purpose Drill Bit Set



CDB15MX 15 Piece Mixed Drill Bit Set ■ 002077 10 Set contains Drill Bit sizes of 4, 5, 6, 8 and 10mm for each drill bit type

■ 002084

6

• 15 Multi-purpose drill bits for cutting metal/plastic, masonry/concrete or wood

Saws					
Crescent'	NDWS	Dry Wall Saw	■ 921187	12	
	 Super sharp cross-ground blade for fast and easy cutting action Extra thick tempered steel blade for long life Ideal for cutting gyprock, plywood, rope, shrubs & other general purpose applications Auger bit for clean holes and starting hole 				
C pre	NJS2	Multi-Use Saw	■ 921170	12	
	 Multi-Use for cutting metal, plastic, wood, plasterboard and gardening work Comfort design for confined work areas Works with several blade sizes Additional blade included 				

CRESCENT

rescen

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Premium Quality Wood Cutting Blades





Material Number	Description	Arbor	Outer Diameter	APN/UPC	Shelf Pack
NWB1624	24 teeth	20mm/16mm	160mm	■ 003869	1
NWB1640	40 teeth	20mm/16mm	160mm	■ 003838	1
NWB1824	24 teeth	20mm/16mm	184mm	■ 003807	1
NWB1840	40 teeth	20mm/16mm	184mm	■ 003883	1
NWB1860	60 teeth	20mm/16mm	184mm	■ 003852	1
NWB2124	24 teeth	25mm/16mm	210mm	■ 003821	1
NWB2324	24 teeth	35/25/16mm	235mm	■ 003791	1
NWB2340	40 teeth	35/25/16mm	235mm	■ 003876	1
NWB2524	24 teeth	25mm/16mm	254mm	■ 003845	1
NWB2540	40 teeth	25mm/16mm	254mm	■ 003814	1
NWB3030	30 teeth	30/25/16mm	305mm	■ 003784	1
NWB3060	60 teeth	30/25/16mm	305mm	■ 003890	1

FEATURES AND BENEFITS

- Premium quality tungsten carbide tipped saw blades
- Tooth designed and shaped for faster cutting
- · Diamond lapped tooth sharpening for longer lasting edge
- · Made from high carbon steel, blades are hardened, tempered and polished
- · Blades tensioned to run true

Metal Cutting Blades





Holesaw Kit





Prices Herein Do Not Include GST Product depictions are not to scale.

Metal Cutting for Grinders

motal outling					
NMG4	20 teeth	5/8"/16mm	4" 102mm	■ 705046	1
NMG45	20 teeth	7/8"/22mm	4.5" 115mm	■ 705039	1
NMG5	20 teeth	7/8"/22mm	5" 125mm	■ 705053	1

FEATURES AND BENEFITS

- · High grade carbon steel body for durability & long life
- Hardened & tempered body, ground, polished and tensioned to prevent distortion to ensure the blade runs true
- Thin kerf for cleaner cuts requiring less power
- Tungsten carbide tips for faster cutting, sharper, longer lasting edge
- Alternate bevelled ground tips that can be sharpened or replaced
- Reputable brand with quality backup support and fully guaranteed

Blade Care

- Extend blade life by securing both ends of the material to be cut, so vibration can be kept to a minimum Avoid plunge cutting
- Never use a spacer when using an angle grinder, use a guide to help reduce movement
- Tighten collars to avoid any slipping of the blade. Failure to do so will result in damage to the blade When cutting aluminium a lubricant must be used
- .
- Always keep the blade moving through the material, allowing the blade to do the cutting. Forcing the blade will result in overheating

NHSK9 9 Piece Professional Holesaw Kit



Sizes: 16mm, 20mm, 25mm, 32mm, 40mm, 51mm 1 x 11mm Arbor and 1 x 10mm Arbor and adaptor, both with pilot drill

TIPS FOR HOLESAW USE

IMPORTANT: When using the Hex _(() Pin Arbor, be sure the retractable pins are engaged in the holes in the top of the holesaw, only threading the holesaw

onto the arbor is not sufficient. LUBRICANT

Holesaws cut most ferrous metals faster and more efficiently with the use of a lubricant. Cast iron is cut dry, paraffin or beeswax is often used when cutting aluminium. FEEDS

A level, even pressure produces the most efficient cutting action; excessive pressure will dull and possibly break the teeth.

ALWAYS WEAR EYE PROTECTION

It is essential that the operator and others in the area wear protective eye equipment when using power tools. **CLEARING THE CHIPS**

When cutting thick material, the saw

should be removed at intervals to allow for chip clearance.

Handsaws				
Hanusaws	Material Number	Description mm/in	APN/UPC	Shelf Pack
Crescent	NHS550	HANDSAW - 550mm length	■ 002091	1
Hacksaws	Aggressive Premium qu	ened, triple ground teeth for long life and fast cu 7 Teeth/8 Points Blade tooth design for superic Jality SK5 Japanese Steel handle for improved comfort and grip		3
	80975	4-in 1 Hacksaw	● 809759	4
	• 45° angle f • Low profile • Jab saw co • High tensio • Cushion gr	00° for general use for flush cuts e position for tight spaces on for tightening the blade up to 30,000psi rip handle for better control and comfort olade storage inside frame	4 summers of the second	by of JAB SAN
	PRO SERIES NPSHZ	Pro Series High Tension Hacksaw	■ 001889	6
	High tensic Industrial s General PL 2-Way blad	urpose blade		
	NMHF6	Hacksaw Mini Pro Aluminium	■ 809584	12
NMHF6	● Industrial st ● Two way bla ● Nicholson®			

Hacksaw Blades

Crescent



62826	300mm/12" Bi-Metal Steel 18 teeth per inch Carded pack of 2	● 628268	10		
62832	300mm/12" Bi-Metal Steel 24 teeth per inch Carded pack of 2	● 628329	10		
62839	300mm/12" Bi-Metal Steel 32 teeth per inch Carded pack of 2	● 628398	10		
 Nicholson Bi-Metaloy[®] hacksaw blades feature hardened alloy teeth that cut 30% faster and stay sharp 10 times longer than those on 					

standard blades

Hardened tooth edges are continuous-welded to flexible steel backs for superior durability

CRESCENT

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Measuring Wheel



Material Number	Description mm/in		APN/UPC	Shelf Pack
NMW1	Measuring Wheel in Carry Bag - 318.5mm Dia.		■ 492120	1
estimates	uring wheel, convenient for quick tate, home owners, sporting events	longer life • Convenient • Carry bag in • Units of mea	0	

- Adjustable length handle for convenient use and storage
 - Large rubber wheel provides greater stability and

Starting-point indicator for easy measurements

- Counter Limit = 9999.99mm
- Minimum Unit = 100mm Tolerance of +/- 5mm per metre

Measuring Tapes

NL526ME	Short Tapes					
Crescent'	NL526ME	8m/26' x 25mm - Steel Tapeline	■ 490171	6		
NL526SI	NL526SI	8m x 25mm - Steel Tapeline	■ 901707	6		
NT35SI	NT35SI	5m x 19mm - Steel Tapeline	■ 004613	6		
CP8SI	CP8SI	Crescent Pro-Grip Measuring Tape 8m x 25mm - Bulk Pack of 24 * ORDER QTY OF 72 to get store Display Merchandiser	■ 004125	★24		
- 3 × 5	and grip. Durab	le case design and construction increased de	stainless steel end urability and precis cures tape measure	sion .		

locking of the blade without damaging the blade Precision, clear and durable markings ensure accuracy and easy measurement under all conditions. Covered by a clear coating for long life

use, which can be removed if preferred

PRODUCT	CP8SIM	Magnetic End Hook - 8m x 25mm - Carded		8
	CP8MEM	Magnetic End Hook - 8m/26' x 25mm - Carded		8
	NT410SI	10m x 25mm Metric Measuring Tape with Rubber Overmoulded Grip	■ 002411	*5
NT410SI	Long Tapes			
Crescono	N157AU	30m/100' x 13mm Fibreglass Tape - Open Frame	■ 901578	1
NS30ME	NS30ME	30m/100' x 10mm - Steel Tapeline	■ 901684	6

Crescent Cable Ties

Crescent Cable Ties are available in black and natural. Most popular sizes from 100mm to 550mm. The black cable ties are UV resistant, which prolongs useful life under sunshine/ outdoor applications. • All the packs have handy zip lock resealable

closure.









Material Number	Description	Tensile Strength Kgs/lbs	Pack Qty	APN/UPC	Shelf Pack
100mm Lengt	h				
WB425	Black 100mm x 2.5mm	8.1/18	25	■ 485009	1600
WB4100	Black 100mm x 2.5mm	8.1/18	100	■ 485061	550
WB4500	Black 100mm x 2.5mm	8.1/18	500	■ 003944	140
WN425	Natural 100mm x 2.5mm	8.1/18	25	■ 485207	1600
WN4100	Natural 100mm x 2.5mm	8.1/18	100	■ 485269	550
150mm Lengt	h				
WB625	Black 150mm x 3.6mm	18.2/40	25	■ 485016	720
WB6100	Black 150mm x 3.6mm	18.2/40	100	■ 485078	280
WB6500	Black 150mm x 3.6mm	18.2/40	500	■ 003951	60
WN625	Natural 150mm x 3.6mm	18.2/40	25	■ 485214	720
WN6100	Natural 150mm x 3.6mm	18.2/40	100	■ 485276	280
200mm Lengt	h				
WB825	Black 200mm x 4.8mm	22.2/50	25	■ 485023	560
WB8100	Black 200mm x 4.8mm	22.2/50	100	■ 485085	160
WB8500	Black 200mm x 4.8mm	22.2/50	500	■ 003968	32
WN825	Natural 200mm x 4.8mm	22.2/50	25	■ 485221	560
WN8100	Natural 200mm x 4.8mm	22.2/50	100	■ 485283	160
300mm Lengt	h				
WB1225	Black 300mm x 4.8mm	22.2/50	25	■ 485030	160
WB12100	Black 300mm x 4.8mm	22.2/50	100	■ 485092	110
WB12500	Black 300mm x 4.8mm	22.2/50	500	■ 003975	22
WN1225	Natural 300mm x 4.8mm	22.2/50	25	■ 485238	160
WN12100	Natural 300mm x 4.8mm	22.2/50	100	■ 485290	110
370mm Lengt	h				
WB1425	Black 370mm x 4.8mm	22.2/50	25	■ 485047	280
WB14100	Black 370mm x 4.8mm	22.2/50	100	■ 485108	90
WN1425	Natural 370mm x 4.8mm	22.2/50	25	■ 485245	280
WN14100	Natural 370mm x 4.8mm	22.2/50	100	■ 485306	90
Heavy Duty					
WB1525	Black 370mm x 7.6mm HD	54.4/120	25	■ 485252	80
WB15100	Black 370mm x 7.6mm HD	54.4/120	100	■ 485313	40
WB5100HD	Black 120mm x 4.8mm HD	22.2/50	100	■ 485122	50
WB12100HD	Black 300mm x 7.6mm HD	54.4/120	100	■ 485139	50
WB18100HD	Black 450mm x 7.6mm HD	54.4/120	100	■ 485146	25
WB22100HD	Black 530mm x 7.6mm HD	54.4/120	100	■ 485153	20
Assorted Pac	k				
WA350	350 piece Cable Tie Assortment		350	■ 485405	18
Wiss [®] Tensior	ning Tool				
WT1	Cable Tie Tensioning Tool/ Trimmer		1	• 240019	6

Prices Herein Do Not Include GST Product depictions are not to scale.

CRESCENT

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Tool Bag & Holster Range				
	Material Number	Description mm/length/width/height	APN/UPC	Shelf Pack
CWAZOP	CWA20P	Tool Apron 20 Pocket 570/70/300	■ 001667	1
СТРВР	СТР8Р	Tool Bag - 8 Pocket & Belt 260/90/300	■ 001698	1
	CET2P	Tool Bag - Electricians 11 Pocket plus Tape Holder & Tape Chain & Belt 260/90/300	■ 001735	1
CET2P CTC31P	СТС31Р	Tool Carrier - 31 Pocket 490/210/340	■ 001742	1
	СТВ32Р	Tool Bag - 32 Pocket 500/300/250	■ 001759	1
СТВ32Р	CSPH	Holster - Plier/Snips 95/30/260	■ 001797	1
CSPH	CCTB22P	Tool Bag with Folding Chair (Detachable) 420/280/400	■ 001810	1
	from durable 60 tear and weathe	Isters and belts are made D Denier material and are r resistant • Toug • Fully	ts for extra strength h Terylene stitching tested and guarar	teed
		See Pages 62-65 for Le	ather Rang	ge.

Suspension Hangers

• Helet



CCTB22P

Suspension Hangers

CSH60

Features: Increase Workplace Safety - Suspension Hangers allow you to safely run cables and store items off the ground and out of the way thereby removing tripping hazards

■ 016203

60

- Neat and Tidy Use Suspension Hangers to lift and store away all types of workplace, leisure and gardening equipment such as bikes, paint cans, cables, etc
 Will hold just about anything Maximum working load 10kg
 Individually barcoded



Folding LED Worklights						
	Material Number	Description mm/in	APN/UPC	Shelf Pack		
	LED130TA	Rechargeable Folding LED Worklight	■ 004170	2*		
	 80 long-life LED Lights with durable Polycarbonate lenses Rechargeable AC and DC chargers included Up to 2 hour battery life on a full charge Nylon Swivel Hook Easy grip cushioned handle Convenient On/Off switch Reflective strips for increased visibility during roadside applications Integrated neodymium magnets which secure to most metals Friction Hinge and Power Charge indicator 					
~ ~						
		*	SHELF PACKS	CANNOT B	E BROK	
	LED125TA	Mini "D Light" Compact Folding Worklight	■ 004965	6		
	 2 Super Bright L 3-way ON/OFF S 3 Integrated Neo Hinge adjusts up 	Switch dymium Magnets				

- Up to 4.5 hour battery life. Innovative bungee hooks: Ideal for attaching to joists, pipes, tree branches, fences, posts 3 x AA batteries included



Industrial Hand Cleaner With Grit

CHILING CONTRACTO



CHC75	Industrial Hand Cleaner with Grit - 750ml Bottle with resealable Nozzle	■ 004200	80
CHC500	Industrial Hand Cleaner with Grit 5I Pump Pack	■ 004217	4
Used by mechai	irty hard-working hands anywhere nics, painters, engineers, store-men etc. to	o remove stubborn	

- grease, oil, carbon and general soilingContains grease cutting eucalyptus oil. Does not contain solventsContains glycerol for moisturising, won't dry hands

KEN
Hanging Systems



Kwik*Wire*[™]

Cable Lock Hanging System
Clamps
Wire Rope
Tools & Accessories

The Crescent KwikWire cable lock system is a fast and reliable way to suspend fluorescent lighting, ceilings, HID lights, sound systems, cable trays, fan units and air conditioning ducts. It is a cost effective replacement for jack chain and threaded rod, with easy adjustment of the clamp by hand and up to 50% faster to install. System include:

supports

products

The KwikWire[™] from Crescent[®], quick adjustable Hanging System takes the Strain out of Hanging with Chain!

Key benefits of using the new KwikWire[™] KwikAdjust

• Installs up to 50% faster than threaded rod - can quickly wrap around beams with no drilling or tools required • Simple height adjustments are made by releasing the

The KwikWire™ Hanging System is a flexible replacement for jack chain and all threaded rod. The KwikWire™ System will slash your hanging time and the clamp can be easily adjusted by hand.

- Applications for the KwikWire™ Hanging System include:

- Light fixtures
 HVAC duct support
 Sway bracing
 Sign/banner supports
 Wire basket cable tray
 Bus duct
 Air handling equipment

	Wire [™] C king Los	
Clamp Part No.	Wire Rope Dia.	Kg (Safety Factor 5)
KC100	2.0mm	0-35
KC150	3.0mm	10-75
KC200	4.0mm	20-200
KC200	4.8mm	20-290

nging at 15 or 60 of

















Material Number	Description	Kg (Safety Factor 5)	APN/UPC	Shelf Pack
СТТ	Tensioning Tool		■ 460020	1
KP1002	KwikPak contains 100 clamps and 165m of 2.0mm cable		■ 488000	1
KP1503	KwikPak contains 100 clamps and 165m of 3.0mm cable		■ 488017	1
KP2004	KwikPak contains 50 clamps and 100m of 4.0mm cable		■ 488024	1
KP20048	KwikPak contains 50 clamps and 100m of 4.8mm cable		■ 488031	1
KC100	KwikWire 100 Clamps for 2.0mm cable	0-35*	■ 488048	1
KC150	KwikWire 100 Clamps for 3.00mm cable	10-75*	■ 488055	1
KC200	KwikWire 50 Clamps for 4.00mm cable and 4.8mm cable	20-200* 20-290*	■ 488062	1
KW20	KwikWire Rope 165m 2.0mm wire rope		■ 488079	1
KW30	KwikWire Rope 165m 3.0mm wire rope		■ 488086	1
KW40	KwikWire Rope 100m 4.0mm wire rope		■ 488093	1
KW48	KwikWire Rope 100m 4.8mm wire rope		488109	1

* Working Loads shown are for hanging vertically, see above.

- clamp's adjustment pin no tools required · Aesthetic appeal - blends in with upper structural Compatibility with many fastener, anchor and hanger
- · Ideal for sloped ceiling applications will support loads at up to a 60° angle from vertical

Diamond®

DIAMOND

Nippers
Nail Pullers
Tongs & Clinchers
Rasps

Hammers

With over 100 years of product design, development and delivery, Diamond is a world leader in the supply of hand tools to the farrier industry. Diamond is the only farrier brand with every thing you need, shoes and tools (both made in the USA), hoof knives and more, including the recently released Outlaw rasp. We've had it all in one place since 1908 and continue to be the premier brand in farrier products.

SAFETY

- SAFETY Farrier tools should be used only for their designed purposes and within their size ranges. The following cautions should always be observed: 1. Always wear approved eye protection. 2. Never use nippers, pullers or pliers as hammers or hammer on their handles. 3. Do not extend nipper, puller or plier handle lengths to achieve greater leverage. Use a larger tool. 4. When using a hammer, strike squarely avoid glancing blows that may cause the edge of the face to slip, possibly resulting in eye or other serious injury. Never strike with or against the side or cheek of any hammer. 5. Do not use special purpose hammers for anything but the purposes for which they were intended. 6. Never use a hammer with a loose or damaged handle.

Farrier Tools



Shelf

Pack

Diamond®

Farrier Tools



Material Number	Description mm/in	APN/UPC	Shelf Pack
HR15	14" Diamond Horse Rasp	037103206343	6*
17903N	14" Double Ended Horse Rasp/File	9337103179038	6*
18155N	14" Handy Farriers Rasp	037103219558	5*
18130N	14" Platers Magicut Rasp/File	037103219534	6*
T06601	8" Handyfile	037103066105	6
P12D	Pritchell 12"	0043127102172	12
TG4N	Rasp Handle for fit 14" File	0037103213952	12
МРС3	Wiss Snip	9337103580223	6
61B	Rounding Hammer 36oz	0043127101892	4
FH10	Race Track Driving Hammer 10oz	0043127101878	6
FH14	Farrier Driving Hammer 14oz	0043127066955	6
11497	Ball Pein Hammer 12oz	037103114976	6
T11498	Ball Pein Hammer 16oz	037103114983	6

★ SHELF PACKS CANNOT BE BROKEN

Н

Hoof Pads				
	66	Plastic Hoof Pads 5lbs	0043127102264	10 PR
	polyurethane.Long wearing, rNot affected by	pecial, natural colour ion-absorbent. weather or moisture. and is easily trimmed		

GEARWRENCH



THE Evolution OF Innovation



Dilling

GearWrench is a premier hand tool brand from Apex Tool Group, one of the largest hand tool manufacturers in the world. Since the launch of the original patented 5-degree ratcheting wrench, the GearWrench brand has continuously led the industry with breakthroughs in pass-thru ratchets, sockets, screw/nut drivers, pliers and specialty tools. More than 100 million GearWrench products have been "Professionally Tested" throughout the world.



AVAILABLE IN:











GEARWRENCH

GEARWRENCH MOTORSPORTS AUSTRALASIA

GearWrench products in the Australasian market are backed and supported by an exciting motorsport program including the V8 Supercars Fujitsu Series, V8 Ute Series, Free-Style Motocross and Pro Stock Drag Racing. This involves a partnership with leading V8 Supercars Team, Triple8 Racing and Monster Energy drink. Not only do the race teams put the Gearwrench tools to the test in the most arduous of environments, they also bring the excitement and energy of the GearWrench brand to the market through innovative promotions and events.







THE Evolution OF Innovation



Jacobs



Chucks
Chuck Keys
Tool Holders
Accessories

It was more than 100 years ago that Arthur Irving Jacobs developed the first drill chuck with a toothed sleeve and key. From humble beginnings, Jacobs Chucks have evolved to be a recognised leader in the design & manufacture of precision tool and work holding devices for stationary equipment and portable power tools. Combining tradition with world-class innovation and partnerships, Jacobs continues to set the standard in chuck performance and reliability.

It's hard to believe that a set of bruised knuckles was the impetus for one of the most significant industrial advancements in the 20th Century.

Arthur Irving Jacobs was never one for leaving things alone. He was always improving them - continually coming up with new ways of working and new gadgets to do the work. Before he was 30, "A.I.", as he was known, had perfected a new bookbinder, a new method of making bicycle spokes, and chains, plus many other manufacturing advancements.

On one particular occasion, he was working with an old style drill press, trying to hold the belt control with one hand, and applying the spanner wrench to the other, the wrench slipped and he badly battered his knuckles. A.I. knew there had to be a better way. In a matter of days, he had developed the first drill chuck with a toothed sleeve and key. A few months later, he founded what would become The Jacobs® Chuck Manufacturing Company. The rest, as they say, is history.

The keyed chuck helped to transform the production process just at the time when industrial manufacturing was about to experience its most significant growth in modern times. Today, the concept of the original keyed chuck is an integral part of all drill chuck technology. It has been applied to a wide range of applications, from the most sophisticated CNC machining to drilling with the smallest cordless portable drill.

Now a part of the Apex Tool Group family of companies, the Jacobs[®] Chuck Manufacturing Company maintains a global presence as a recognised leader in the design and manufacture of precision tool and work holding devices for stationary equipment and portable power tools.

Finding a better way through world-class innovation and world-class partnerships - that's the driving force behind our business. It's a tradition that began with A.I. Jacobs a century ago when he set up his first network of distributors for the toothed sleeve and keyed drill chuck. It's a tradition we will carry forward with you.

"There must be a better way to build a chuck." -A.I. Jacobs, 1902

Terminology

Chucks and Keys

Jacobs Chuck



Toolholders



Chuck and Accessory Removal Tools

WEDGES (Two Required)

DRIFT

REMOVAL TOOL DEFINITIONS

Ejecting Drift: Hardened steel accessory used to disassemble self-holding taper components. Wedges: Tapered steel plates used in pairs to disassemble chucks from arbors and spindles.

0

TOOL AND WORK HOLDER DEFINITIONS

Arbor: Chuck mounting device used to adapt

standardized chuck mounts to various machine spindle tapers. Arbors are also used to adapt mounts to other rotating devices such as machine spindles and lathes.

Sleeve: Adapter for arbors when the machine spindle requires a larger taper than is available on the arbor.

Extension Socket: Adapting device which increases effective spindle length and provides more flexibility when adapting to various taper sizes.

Centers: Support device for a workpiece when unusually long items or extreme accuracy are important. Available generally as rotating ("live") and stationary ("dead") designs.

Prices Herein Do Not Include GST Product depictions are not to scale.



Ball Bearing Chucks

Super Chuck® Ball Bearing Chucks are designed for close tolerance production drilling on precision equipment.

FEATURES:

- Ball hearing construction maximises gripping force and drilling accuracy.
- Jaws centre-ground for absolute straightness and alignment.
- One-piece sleeve eliminates crack between driving teeth often found in other designs.
- Through-hardened sleeve teeth plus hardened nose and keyholes provide outstanding wear resistance.
- Fluted sleeve standard.
- Each chuck 100% inspected for performance and precision.
- T.I.R. .003" maximum at half capacity.

Taper Mounted



		С	apacit	y Rang	е					Dimer	nsions			Wgt
Material	Model	Minin	num	Maxir	num	Mount	Kev	Closed	Length	Open	Length	Sleev	e Dia.	Each
Number	No.	in	mm	in	mm	Jacobs	No.	in	mm	in	mm	in	mm	gm
30209	8-1/2 N	0.040	1	0.250	6.4	2JT	K30	2.41	61.2	1.95	49.5	1.56	39.7	283
30215	11N	0.040	1	0.375	10.0	2JT	K32	2.88	73.2	2.26	57.4	1.93	49.1	538
30221D	14N	0.040	1	0.500	13.0	3JT	K3	3.88	98.6	2.97	75.4	2.44	62.1	1077
30227	16N	0.125	3	0.625	16.0	3JT	K4	4.31	109.5	3.26	82.8	2.63	66.9	1332
30233	18N	0.125	3	0.750	19.0	4JT	K4	5.12	130.0	3.95	100.3	3.01	76.4	1871
30239D	20N	0.375	10	1.000	25.4	5JT	K5	5.5	139.7	4.23	107.4	3.65	92.6	2834

Plain Bearing Chucks

The O.E.M. standard for accuracy and durability on all types of industrial power and machine tools.



FEATURES:

- Heavy and Medium Duty models for threaded or taper mounting.
- Jaws centre-ground for absolute straightness and alignment.
- One-piece sleeve eliminates crack between driving teeth often found in other designs.
- Through-hardened sleeve teeth plus hardened nose and keyholes provide outstanding wear resistance.
- Each chuck 100% inspected for performance and precision.
 T.I.R. .004" maximum at half capacity.

Taper Mounted - Heavy Duty Model

Fluted sleeve standard except Model 34-33C, which is smooth and ground.

		С	apacit	y Rang	е			Dimensio						Wgt
Material	Model	Minin	num	Maxii	num	Mount	Kev	Closed	Length	Open	Length	Sleev	e Dia.	Each
Number	No.	in	mm	in	mm	Jacobs	No.	in	mm	in	mm	in	mm	gm
6223	ЗA	0.125	3	0.625	16.0	3JT	K3	3.81	96.8	2.87	72.9	2.30	58.4	907
14442	34-02	.040	1	0.500	13.0	2JT	K3	3.52	89.4	2.74	69.6	2.04	51.8	652
6295D	34-06	.040	1	0.500	13.0	6JT	K3	3.52	89.4	2.74	69.6	2.04	51.8	680
14445	34-33	.040	1	0.500	13.0	33JT	K3	3.52	89.4	2.74	69.6	2.04	51.8	652
14451	34-33C(4)	.040	1	0.500	13.0	33JT	K3C	3.71	94.2	2.93	74.4	2.00	50.8	737
6309D	36	0.18	0	0.800	20.3	3JT	K4	4.06	103.1	3.14	79.8	2.54	64.5	1275
14865	36KD(2)	0.18	5	0.800	20.3	3JT	K4	4.25	108.0	3.42	86.9	2.54	64.5	1247

Taper Mounted - Medium Duty Model

Fluted sleeve standard except Models 0 and 1A, which are smooth and ground.

■ All Series 33 Plain Bearing Chucks are hammer capable.

6200	0	.0135	.3	0.156	4.0	0JT	K0	1.404	36.8	1.100	27.9	0.850	21.6	56
6206D	1A	.040	1	0.250	6.5	1JT	K1	1.920	48.8	1.540	39.1	1.180	30.0	141
6214D	2A	.040	1	0.375	10.0	2JT	K2	2.810	71.4	2.170	55.1	1.670	42.4	368
6279D	33	0.08	2	0.500	13.0	33JT	K32	3.210	81.5	2.520	64.0	1.792	45.5	453
6281D	33KD(3)	0.08	2	0.500	13.0	33JT	K32	3.460	87.9	2.770	70.4	1.792	45.5	481
(4)														

(1) Model 0 has a minimum capacity of a No. 80 (.0135in/.344mm) drill.

(2) Equipped with positive drive slot.

(3) Equipped with pin type positive drive.

(4) Equipped with locking collar - 1-1/1.6-20 thread, smooth sleeve.

Thread Mounted - Heavy Duty Model ■ Fluted sleeve standard on all models.

- 1 14104	0.0010 0.0													
6232D	3B 5/8	0.125	3	0.625	16.0	5/8-16	K3	3.81	97	2.84	72	2.29	58	907
6255D	7BA 3/8	0 (1)	1	0.250	6.5	3/8-24	K7	2.23	57	1.74	44	1.33	34	198
8859D	32BA 1/2	0 (1)	1	0.375	10.0	1/2-20	K32	3.05	77	2.31	59	1.79	45	396
33351D	35B 1/2	0.156	4	0.625	16.0	1/2-20	K3	3.52	89	2.74	70	2.04	52	708
6316D	36B 3/4	0.188	5	0.800	20.3	3/4-16	K4	4.12	105	3.20	81	2.54	65	1304



Material Model Minimum Maximum Mount Key Closed Length Open Length Sleeve Dia. Each			С	apacity	y Rang	е					Dimer	nsions			Wat
	Material	Model	Minii	mum	Maxi	mum	Mount	Kev	Closed	Length	Open	Length	Sleev	e Dia.	Each
			in	mm	in	mm			in	mm	in	mm	in	mm	gm

Thread Mounted - Medium Duty Model

Fluted sleeve standard except Models OB 5/16, 1B 3/8, and 41BA 3/8-S, which are smooth and ground.

			•										•	
6204D	0B 5/16 (1)	.0135	.3	0.156	4.0	5/16-24	K0	1.53	39.0	1.17	30.00	0.85	22.0	56
6208D	1B 3/8	.040	1	0.250	6.5	3/8-24	K1	1.95	50.0	1.57	40.00	1.12	28.0	141
6219D	2BA 3/8	.040	1	0.375	10.0	3/8-24	K2	2.81	71.0	2.17	55.00	1.67	42.0	368
006287C	33BA 1/2	0.08	2	0.500	13.0	1/2-20	K32	3.09	78.0	2.43	62.00	1.79	45.0	481
032282C	41BA 3/8	0.04	1	0.375	10.0	3/8-24	K30	2.5	63.5	2.06	52.32	1.43	36.3	
032288C	LBA 3/8- SM SLV	0.04	1	0.375	10.0	3/8-24	K30	2.5	63.5	2.06	52.32	1.43	36.3	
6283D	33BA 3/8	0.08	2	0.500	13.0	3/8-24	K32	3.09	78.0	2.43	62.00	1.79	45.0	481
6289D	33BA 5/8	0.08	2	0.500	13.0	5/8-16	K32	3.09	78.0	2.43	62.00	1.79	45.0	481

(1) At minimum capacity will hold a No. 60 (0.040 in/1.02mm) drill.

(2) Model OB 15/16 has a minimum capacity of a No. 80 (.0135in/.344mm) drill.

(3) Smooth Sleeve

Thread Mounted - Light Duty Model

Industrial Quality

Through-hardened jaws provide hard, durable gripping forces.

14946	24BA 3/8	.063	1.6	0.500	13	3/8-24	KK	3.00	76.2	2.30	58.4	1.72	43.6	368
14947	26BA 1/2	.063	1.6	0.500	13	1/2-20	KK	3.00	76.2	2.30	58.4	1.72	43.6	368

Industrial Keyless Chucks

Precision design combines keyless operation with the ultimate in drill chuck accuracy.

FEATURES:

- Precision tested and certified to .0016" T.I.R. maximum at half capacity.
- Self-tightening feature automatically increases gripping force proportional to increased torque to prevent tool shank slippage.
- All components exposed to wear are completely hardened to maintain accuracy and extend chuck life.
- Jacobs[®] taper mount permits use on a wide range of high accuracy drill presses, jig borers, milling machines and production drilling equipment.

High Precision Model - Taper Mounted

		С	apacity	y Rang	e				Dimer	isions			Wat
Material	Model	Minir	num	Maxir	num	Mount	Closed	Length	Open I	Length	Sleev	e Dia.	Each
Number	No.	in	mm	in	mm	Jacobs	in	mm	in	mm	in	mm	gm
31121D	JKP 65-J1	0.012	.300	0.255	6.5	1JT	2.76	70	2.44	62	1.28	32.5	311
9679	JKP 80-J2S	0.012	.300	0.315	8.0	2JS*	2.91	74	2.64	67	1.46	37.0	396
9681	JKP 100-J2	0.020	.500	0.394	10.0	2JT	3.50	89	3.19	81	1.61	41.0	623
9680	JKP 100-J33	0.020	.500	0.394	10.0	33JT	3.50	89	3.19	81	1.61	41.0	623
9683	JKP 130-J2	0.039	1.000	0.512	13.0	2JT	3.90	99	3.46	88	1.81	46.0	907
9682D	JKP 130-J33	0.039	1.000	0.512	13.0	33JT	3.90	99	3.46	88	1.81	46.0	566
9684	JKP 130-J6	0.039	1.000	0.512	13.0	6JT	3.90	99	3.46	88	1.81	46.0	566
9685D	JKP 160-J6	0.118	3.000	0.630	16.0	6JT	4.21	107	3.74	95	2.17	55.0	1190
* 0 01 11													

* S - Short taper

FEATURES:

- Drill chucks for industrial use (medium duty), available with screw fittings for professional portable drilling machines and with taper fittings for stationary drilling machines.
- Automatic fitting for efficient, fast change of tools.
- Self-tightening mechanism automatically increases the grip in proportion to the increase in torque during the drilling and avoids the tool slipping in a clockwise rotation.
- Fits tools of up to 20mm in diameter.

Machine fitting via DIN0238 of Jacobs tapers and UNF thread fittings.

Medium Duty - Industrial Keyless Chucks

33363D	JK 130 1/2	0.039	1	0.512	13.0	1/2-20	3.74	95	3.39	86	1.73	44	566
33366	JK 130 J6	0.039	1	0.512	13.0	6JT	3.74	95	3.39	86	1.73	44	652
33370	JK 160 J6	0.118	3	0.630	16.0	6JT	4.53	115	4.02	102	2.01	51	1077









Arbors

Precision CNC machined and ground to ensure high accuracy and close-tolerance fit.

FEATURES:

- Precision machined and ground to master gages for maximum performance with Jacobs[®] drill and tap chucks.
- Adapt Jacobs® taper to: Morse tapers, straight shanks, threaded shanks and Bridgeport® tapers.
- Each chuck, with one interchangeable Rubber-Flex[®] Collet, handles a wide range of tap sizes to speed tap size changes.

■ Ideal for use with custom tool and work holder designs and for specialised machining applications.

Morse Taper - Jacobs® Taper Arbor

Material	AO		Overall	Length	Weight Ea.
Number	No.	Description	in	mm	gm
7300D	AO102	1 Morse x 2JT	3.59	91.3	56
7303	AO106	1 Morse x 6JT	3.72	94.5	113
7306	AO201	2 Morse x 1JT	3.94	100.0	113
7307	AO202	2 Morse x 2JT	4.16	105.6	141
7308D	AO203	2 Morse x 3JT	4.50	114.3	198
7309	AO204	2 Morse x 4JT	4.94	125.4	340
7311	AO206	2 Morse x 6JT	4.28	108.7	141
7314	AO302	3 Morse x 2JT	4.94	125.4	283
7315	AO303	3 Morse x 3JT	5.27	133.8	340
7316D	AO304	3 Morse x 4JT	5.70	144.9	481
7317D	AO305	3 Morse x 5JT	5.94	150.8	652
7318	AO306	3 Morse x 6JT	5.06	128.6	311
7322D	AO404	4 Morse x 4JT	6.69	169.9	850
7324D	AO406	4 Morse x 6JT	6.03	153.2	595
7327D	AO503	5 Morse x 3JT	7.50	190.5	1502
7328D	AO504	5 Morse x 4JT	7.94	201.6	1644





Threaded Shank to Morse Taper

				Dimer	nsions		
Material	AO		Overall L	ength (L)	Threaded	Extension	Weight Ea.
Number	No.	Description	in	mm	in	mm	gm
7345D	A0261	2 Morse 3/8" - 24	3.69	93.7	0.56	14.3	113
7346D	A0264	2 Morse 1/2" - 20	4.06	103.2	0.56	14.3	141
7347D	A0268	2 Morse 5/8" - 16	4.19	106.4	0.69	17.5	141

Drill Sleeves and Extension Sockets

Archer precision machine tool accessories for maximum flexibility in tooling setups.

Archer® Series 600 and 700

Drill Sleeves - Morse Taper



	noroo rapor					
Serie	es 600			Dimer	nsions	
Material	Part	Morse T	aper No.	Overall L	ength (L)	Weight Ea.
Number	No.	Outside	Inside	in	mm	gm
30422D	621	2	1	3.62	92	56
30423D	632	3	2	4.38	111	141
30425D	643	4	3	5.50	140	368

Archer[®] Series 800

FEATURES:

- Extend tool lengths and application distances while adapting for increases or decreases in applied tool Morse taper sizes.
- Externally precision ground with hardened tang.
- Outside and inside Morse taper sizes are 1 through 5.

	Extensior	Sockets -	Morse Tap	er							
	Serie	s 800					Weight				
	Material	Part	Morse Ta	aper No.	Overall L	ength (L)	Leng	th (A)	Diame	ter (D)	Ea.
	Number	No.	Outside	Inside	in	mm	in	mm	in	mm	gm
	30445	821	2	1	6.30	160	2.99	76	0.80	20	255
	30448D	831	3	1	6.89	175	2.99	76	0.79	20	396
l I	30449D	832	3	2	7.64	194	3.58	91	1.18	30	652
	30640D	842	4	2	8.46	215	3.58	91	1.18	30	1162
A	30452	843	4	3	9.45	240	4.41	112	1.42	36	1190
D	30641	853	5	3	10.35	263	4.41	112	1.42	36	2834
>	30455D	854	5	4	11.81	300	5.39	137	1.89	48	2891

Hand-Tite[®] Keyless Drill Chucks

Patented keyless design, with 10mm and 13mm capacities, produces greater bit gripping force than conventional keyed chucks.

FEATURES:

- Split Bite Jaw: Increases grip over standard bite chucks by providing more contact with the bit.
 Superior Gripping Force: Provides high mechanical advantage to convert hand tightening torque into superior
- But gripping force.
 Hammerlock: Positive locking mechanism prevents loosening in hammer and other high vibration applications.
 Anti-lock Nut: Prevents chuck from locking open.
 Versatility: Models available to fit 10mm (3/8") and 13mm (1/2") variable speed corded and cordless portable
- drills
- Precision Operation: Meet or exceed stringent DIN run-out and dimensional specifications.
 Ergonomic Design: Material and surface finish combinations result in increased comfort and performance.
 Rugged Construction: Constructed of high performance material to maximise durability and performance.

Hand-Tite [®] Keyless Dril	I Chucks			
	Canacity Banga	Dime	anaiana	

		Capacity Range					Dimensions				Boss/Body		Wgt
Material		Minir	num	Maxii	mum	Mount	Overall	Length	Sleev	e Dia.	Clear	ance	Each
Number	Features	in	mm	in	mm	Thread	in	mm	in	mm	in	mm	gm
10mm Ca	oacity (3/8")												
30354	Hard Nose, Black Finish	0.040	1.00	0.375	10	3/8-24	2.00	54.60	1.67	42.70	0.126	3.00	184
13mm Ca	pacity (1/2")												
31038D	Hard Nose, Black Finish	0.062	2.00	0.500	13	1/2-20	2.90	73.70	1.68	42.70	0.082	2.08	340
31037D	Hard Nose, Black Finish	0.062	2.00	0.500	13	3/8-24	2.90	73.70	1.68	42.70	0.082	2.08	340

Jacobs[®] Professional Duty Chucks

Industrial quality drill chuck gives precision performance for the tradesman or serious home craftsman.

FEATURES: Industrial quality.

30602

- Through-hardened jaws provide hard, durable gripping surfaces.
 One-piece sleeve eliminates crack between driving teeth often found in other designs.

Fluted sleeve finish

Each chuck 100% inspected for performance and precision.





		Capacity Range						Dimensions						Wgt
Material	Model/	Minimum Maximum				Mount	Kev	Closed	Length	n Open Length		Sleeve Dia.		Each
Number	Part No.	in	mm	in	mm		No.	in	mm	in	mm	in	mm	gm
32936	6013S	0.06	1.5	0.512	13	1/2-20		2.545	64.64	3.01	76.45	1.89	48.1	1417
Multi-Cra	ft [®] Drill C	huck												
3/8" Capa	city													
30247D		0.062	1.5	0.375	10.0	3/8-24	KG1	2.312	58.725	1.850	46.990	1.22	31.1	141
1/2" Capa	city													

0.078 2.0 0.500 13.0 1/2-20 KK 2.855 72.517 2.250 57.150 1.61 41.0



Special Purpose Chucks





- Easy conversion-integral hex mount locks the Adapt-A-Drive chuck into the screwdriver bit socket.
 Ideal for use in starting screw holes for use in hard-to-reach spaces.

Adapt-A-Drive® Chuck

		С	apacit	y Rang	е				Sle	eve	Wgt
Material	Part	Minir	num	Maximum		Mount	Kev	Sleeve	Diam		Each
Number	No.	in	mm	in	mm	Thread	No.	Finish	in	mm	gm
30248D		0.028	0.7	0.250	6.5	.250-Hex	KG1	Ground-Matte Band	1.13	28.6	99

FEATURES:

For special applications on either portable air operated or stationary machine tools.
 Resist chemical corrosion and reduce potential for hazardous sparking.

Stainless Steel Chucks

		Capacity Range						Dimensions						Wgt
Material	Part	Minimum Maximum				Mount	Kev	Closed	Length	Open I	Length	Sleeve	e Dia.	Each
Number	No.	in	mm	in	mm	Thread	No.	in	mm	in	mm	in	mm	gm
6626	1M	0(1)	0	0.250	6	1 JT(2)	K1M	1.92	49	1.54	39	1.12	28	141
6628	1BM 3/8	0(1)	0	0.250	6	3/8-24	K1M	1.95	50	1.57	40	1.12	28	141

(1) Minimum capacity will hold a No. 70 (.028in/.711mm) drill.

(2) Jacobs® Taper

Drain Chuck



FΕ	AT	UR	ES:	

Specifically designed for use with flexible coil spring tools. Allows coil spring to pass through chuck. Chuck may be hand tightened to secure coil spring at desired length transmitting tool rotation to shaft.
 Ideal for soil pipe and sewer cleaning tools.

- 1000110													
		Capacity Range				Dimensions						Wgt	
Material	Part	Minir	num	Maximum		Mount	Closed	Length	Open I	_ength	Sleev	e Dia.	Each
Number	No.	in	mm	in	mm	Style	in	mm	in	mm	in	mm	gm
30726	DC4595	0.25	6.4	0.500	13	13/16-20	2.49	63.2	2.49	63.2	1.70	43.2	128

Chuck Keys and Accessories

Comprehensive selection of Jacobs® precision crafted keys meet any need. Choice of models with nickel thumb grips, "T" handles plus self ejecting keys.



FEATURES:

- Nickel thumb grip styles increase leverage and user comfort.
 Soft steel handles limit the potential for dangerous fracturing under excessive load.
 Self-ejecting models with spring-loaded ejectors ensure key disengagement after tightening.

Chuck Keys





Chuck Ke	ys			
Material	Part		Pilot Size	
Number	No.	Product Description	in	Used On
3637D	K0* (1)	КО	1/8	0 Series
3641	K1* (1)	K1 key	5/32	1 Series
3649D	K2* (3)	K2 key	1/4	2 Series
13700D	K3* (3)	K3 key	5/16	3, 34 Series & 14N
3655D	K4* (3)	K3 key	3/8	36, 16, 18N
3657	K5 (1)	К5	7/16	20N
3659D	K7* (3)	K7 key	7/32	7 Series
30827		KG key	13/64	1/4" & 3/8" Chucks
30052C	KK (1)	KK key	9/32	DC8, SM8, 74K, 22BA, 23BA, 24BA, 26BA, 29-33, 30246, 30598, 30602, 31052
14273C	KG1 (2)	KG1	1/4	1/4" & 3/8" Multi Craft Black Handle
3605C	KGA (1)	KGA	1/4	1/4" & 3/8" Multi Craft
902744M	S2	S2	-	3/8" & 1/2" Din Chucks
(1) T Hon		ndla (2) Thumh Handla		

(1) - T-Handle (2) - L-Handle (3) - Thumb Handle

Material Number	Description	Barcode	Material Number	Description	Barcode
032282C	10MM PLAIN BEARING CHUCK 3/8-24	95456322820	3655D	K3 KEY	95456036550
032288C	10MM PLAIN BEARING CHUCK 3/8-24	95456322882	3657	K5 KEY	95456036574
006287C	13MM PLAIN BEARING CHUCK 1/2-20	95456062870	3659D	K7 KEY	95456036598
13700D	CHUCK KEY K3 5/16 PILOT	82171002878	6200	4MM PLAIN BEARING CHUCK 0JT	95456062009
14273C	KG1	95456142732	6204D	4MM PLAIN BEARING CHUCK 5/16-24	95456062047
14442	13MM PLAIN BEARING CHUCK 2JT	95456144422	6206D	6.5MM PLAIN BEARING CHUCK 1JT	95456062061
14445	13MM PLAIN BEARING CHUCK 33JT	95456144453	6208D	6.5MM PLAIN BEARING CHUCK 3/8-24	95456062085
14451	13MM PLAIN BEARING CHUCK 3JT	95456144514	6214D	10MM PLAIN BEARING CHUCK 2JT	95456062146
14865	20MM PLAIN BEARING CHUCK 3JT	95456148659	6219D	10MM PLAIN BEARING CHUCK 3/8-24	95456062191
14946	13MM PLAIN BEARING CHUCK 3/8-24	95456149465	6223	16MM PLAIN BEARING CHUCK 3JT	95456062238
14947	13MM PLAIN BEARING CHUCK 1/2-20	95456149472	6232D	16MM PLAIN BEARING CHUCK 5/8-16	95456062320
30052C	CHUCK KEY 9/32 KK	95456300521	6255D	6.5MM PLAIN BEARING CHUCK 3/8-24	95456062559
30209	6.5MM BALL BEARING CHUCK 2JT	95456302099	6279D	13MM PLAIN BEARING CHUCK 33JT	95456062795
30215	10MM BALL BEARING CHUCK 2JT	95456302150	6281D	13MM PLAIN BEARING CHUCK 33JT	95456062818
30221D	13MM BALL BEARING CHUCK 3JT	95456302211	6283D	13MM PLAIN BEARING CHUCK 3/8-24	95456062832
30227	16MM BALL BEARING CHUCK 3JT	95456302273	6289D	13MM PLAIN BEARING CHUCK 5/8-16	5456062894
30233	19MM BALL BEARING CHUCK 4JT	95456302334	6295D	34-06 INDUSTRIAL CHUCK (6JT MOUNT) 6295	95456062955
30239D	25MM BALL BEARING CHUCK 5JT	95456302396	6309D	20MM PLAIN BEARING CHUCK 3JT	95456063099
30247D	CHUCK, MULTICRAFT, KEYED 10MM 3/8-24	95456302471	6316D	CHUCK, PLAIN BEARING, 20.3MM, 3/4-16	95456063167
30248D	CHUCK & KEY1/4 ADPT A DR CD	95456302488	6626	6MM STAINLESS STEEL CHUCK 1JT	95456066267
30354	CHUCK, HAND TITE 10MM KEYLESS, 3/8-24	95456303546	6628	6MM STAINLESS STEEL CHUCK 3/8-24	95456066281
30422D	DRILL SLEEVES-MORSE TAPER 2MT OUTSIDE		7300D	ARBOR 1MORSE * 2JT	95456073005
	& 1MT INSIDE	95456304222	7303	ARBOR 1MORSE * 6JT	95456073036
30423D	DRILL SLEEVES-MORSE TAPER 3MT OUTSIDE		7306	ARBOR 2MORSE * 1JT	95456073067
	& 2MT INSIDE	95456304239	7307	ARBOR 2MORSE * 2JT	95456073074
30425D	DRILL SLEEVES-MORSE TAPER 4MT OUTSIDE		7308D	ARBOR 2MORSE * 3JT	95456073081
	& 3MT INSIDE	95456304253	7309	ARBOR 2MORSE * 4JT	95456073098
30445	SOCKET 2MORSE OUTSIDE & 1MORSE INSIDE	95456304451	7311	ARBOR 2MORSE * 6JT	95456073111
30448D	SOCKET 3MORSE OUTSIDE & 1MORSE INSIDE	95456304482	7314	ARBOR 3MORSE *2JT	95456073142
30449D	SOCKET 3MORSE OUTSIDE & 2MORSE INSIDE	95456304499	7315	ARBOR 3MORSE * 3JT	95456073159
30452	SOCKET 4MORSE OUTSIDE & 3MORSE INSIDE	95456304529	7316D	ARBOR 3MORSE * 4JT	95456073166
30455D	SOCKET 5MORSE OUTSIDE & 4MORSE INSIDE	95456304550	7317D	ARBOR 3MORSE * 5JT	95456073173
30602	CHUCK, MULTICRAFT, KEYED 10MM 1/2-20	95456306028	7318	ARBOR 3MORSE * 6JT	95456073180
30640D	SOCKET 4MORSE OUTSIDE & 2MORSE INSIDE	95456306400	7322D	ARBOR 4MORSE * 4JT	95456073227
30641	SOCKET 5MORSE OUTSIDE & 3MORSE INSIDE	95456306417	7324D	ARBOR 4MORSE * 6JT	95456073241
30726	13MM DRAIN CHUCK 13/16-20	95456307261	7327D	ARBOR 5MORSE * 3JT	95456073272
30827	KG KEY	95456308275	7328D	ARBOR 5MORSE * 4JT	95456073289
31037D	CHUCK, HAND TITE 13MM KEYLESS, 3/8-26	95456310377	7345D	ARBORS 2MORSE*3/8-24	95456073456
31038D	CHUCK, HAND TITE 13MM KEYLESS, 1/2-20	95456310384	7346D	ARBORS 2MORSE*1/2-24	95456073463
31121D	6.5MM INDUSTRIAL KEYLESS CHUCK 1JT	95456311213	7340D 7347D	ARBORS 2MORSE*5/8-16	95456073470
32936	CHUCK, SOFTGRIP, 13MM, 1/2-20	95456329362	8859D	10MM PLAIN BEARING CHUCK 1/2-20	95456088597 95456088597
32950 33351D	CHUCK, SOFTGHIP, TSIMIN, 1/2-20 CHUCK, PLAIN BEARING 16MM, 1/2-20	95456329562	902744M	CHUCK KEY 3/8 + 1/2 S2	95456027442
33363D	13MM INDUSTRIAL KEYLSS CHUCK 1/2-20	95456333635	902744101 9679	8.0MM INDUSTRIAL KEYLESS CHUCK 2JS*	95456096790
33366	13MM INDUSTRIAL KEYLSS CHUCK 1/2-20	95456333666	9679 9680	10MM INDUSTRIAL KEYLESS CHUCK 33JT	
33300	16MM INDUSTRIAL KEYLSS CHUCK 6JT			10MM INDUSTRIAL KEYLESS CHUCK 3331	95456096806
		95456333703	9681 9682D		95456096813
3605C	KGA	95456036055	9682D	13MM INDUSTRIAL KEYLESS CHUCK 33JT	95456096820
3637D	K0 KEY	95456036376	9683	13MM INDUSTRIAL KEYLESS CHUCK 2JT	95456096837
3641	K1 KEY	95456036413	9684		95456096844
3649D	K2 KEY	95456036499	9685D	16MM INDUSTRIAL KEYLESS CHUCK 6JT	95456096851

Jacobs Chuck



LUFKT

Ever since the first Lufkin[®] wood rule was produced in 1869, the Lufkin brand has been synonymous with high quality and unmatched accuracy. Today, Lufkin wood rules, power tapes, engineering and surveying tapes, specialty tapes and measuring wheels comprise one of the widest selections of measuring products available from any manufacturer.

12011000

Power & Surveying Tapes
Measuring Wheels
Rules
Laser Levels All Lufkin brand pocket tapes up to and including 10m, manufactured at the ISO 9001 certified Albury NSW plant, are 100% inspected for accuracy against a Bench Standard, calibrated and traceable to an approved National Standard. To meet the Lufkin Quality Standards, the tapes must pass a number of stringent tests including, Falling Sand Test, Drop Test, Blade Retraction Test, End Hook Test, Paint Adhesion Test, Chemical Solvent Rub Test & Salt Spray Environmental Test. This ensures that Lufkin measuring tapes will continue to perform in the most demanding work environments, day in and day out.



Pocket Tapes Selection Guide

			MET	RIC				90° 90° CASE			
			ON	LY	IN	IPERIA	L	SHAPE	IN MEASUREME	ENT	
	Material No.	Metric	Metric Imperial	90° Case Shape	Left or Right Handed Use	Rubber Grip	Case length included in measurement	Blade Colour Yellow White	Tape Length (m) 3 5 6 8 9 10	Blade Width (mm) 6 10 13 19 25 30	Australian Made
	UW148VSI	•		•				•	•	•	•
3	UW148VME		•	•				•	•	•	•
Ultimate."	UW138SI12	•		•				•	•	•	•
ltim	UW148SI10	•		•				•	•	•	•
	UW138ME12		•	•				•	•	•	•
	UW148ME10		•	•				•	•	•	•
Env Board	ELW148VSI	٠		٠	٠			٠	٠	•	•
Ezy Read	ELW148SI10	•		•	٠			•	•	•	•
	MR46M	•		•	•		•	•	•	•	•
Multi Deed	MR49M	•		•	•		•	•	•	•	•
Multi Read	MR46M10	•		•	•		•	•	•	•	•
	MR49M10	٠		•	٠		•	٠	•	•	•
	FL48VSI	•		•				•	•	•	•
	FL48VME		•	•				•	•	•	•
×™	FL35SI12	•		•				•	•	•	•
Fluorolok	FL38SI12	•		•				•	•	•	•
01 <u>-</u>	100192 / FL48SI10	•		•				•	•	•	•
	FL38ME12		•	•				•	•	•	•
	FL48ME10		•	•				•	•	•	•
	PS35	•			٠	٠		•	•	•	•
Ultra	PS48	•			•	•		•	•	•	•
	PS410	•			•	•		•	•	•	•
	Y3SI	•		•				•	•	•	•
	Y835SI	•		•				•	•	•	•
	Y838SI	•		•				•	•	•	•
	Y848SI	•		•				•	•	•	•
	Y3ME		•	•				•	•	•	•
	Y835ME		•	•				•	•	•	•
	Y838ME		•	•				•	•	•	•
ž	Y848ME		•	•				•	•	•	•
Unilok	Y3SI12	•		•				•	•	•	•
5	Y833SI	•		•				•	•	•	•
	Y835SI25	•		•				•	•	•	•
	Y838SIBLK	•		•				•	•	•	•
	Y848SI18	•		•				•	•	•	•
	Y3ME12		•	•				•	•	•	•
	Y835MEBLK		•	•				•	•	•	•
	Y838MEBLK		•	•				•	•	•	•
			•	•				•	•	•	•
	Y848MEBLK		•								-
	Y848MEBLK XL410MAU	•	•	•		•		•	•	•	•
wer		•	•	•		•		•	•	•	•
Power	XL410MAU	•									
(L Powei	XL410MAU XL410ME			•		•		•	•	•	•
XL Powei	XL410MAU XL410ME XL410M8		•	•		•		•	•	•	•
Autolock	XL410MAU XL410ME XL410M8 XL410ME8	•	•	•		• • •		•	•	•	•
Autolock BigBoss	XL410MAU XL410ME XL410M8 XL410ME8 AL825M	•	•	•		• • • •		•	• • •	• • • •	•
Autolock BigBoss Artisan	XL410MAU XL410ME XL410M8 XL410ME8 AL825M LBB830	•	•	•		• • • •		• • • • • • • • • • • • • • • • • • • •	• • •	• • • •	•
Autolock BigBoss Artisan Executive Artisan	XL410MAU XL410ME XL410M8 XL410ME8 AL825M LB8830 C106PM W606PM	•	•	•		• • • •		• • • *YC	• • • 6.5 2	• • • •	•
Autolock BigBoss Artisan Executive Artisan Tree Tape	XL410MAU XL410ME XL410M8 XL410ME8 AL825M LBB830 C106PM	•	•	•		• • • •		• • • *YC	• • • 6.5	• • • •	•

*YC: Yellow Clad and Chrome Clad[®]



Ultimate Tapes





Material Number	Description mm/in Length/Width	APN/UPC	Shelf Pack
Carded			
UW148VSI	8m x 25mm	■ 261467	4
UW148VME	8m/26' x 25mm	■ 261405	4
Bulk Display I	Packs		
UW138SI12	8m x 19mm	■ 261337	12★
UW148SI10	8m x 25mm	■ 261450	10★
UW138ME12	8m/26' x 19mm	■ 261276	12★
UW148ME10	8m/26' x 25mm	261399	10★

Features

O a und a ut

- Accurate Measurement complies with AS 1290-4 1995. In an easy to read black and red print on an all new white tapeline.
- Strong A.B.S. plastic case, built-in shock absorber bumper & removable belt clip. Sliding end hook automatically adjusts for inside and outside measurements
- Positive non-slip blade lock Bright, distinctive colours, yellow, green or orange.



900 10 20 30 40 50 60 70 80 90 1000 10	30 0 10 20 30 40 50 60 70 80 90 10 00 10 3F 37 38 39 4
a alaa hadaa ha	նահանահանումների անություններին հետևություն

Ezy-Read Tapes



	Carded				
	ELW148VSI	8m x 25mm	■ 270001	6	
	Bulk Display	Pack			
MADE	ELW148SI10	8m x 25mm	93533812	10 ★	
	excellent defini	elineEach numeral on the tape is totally d ition and makes it difficult to misread the m souring applications where the tape is direc	easurement.		

- vertical measurements or measuring long objects or items. Compatible with either left or right handed operation. World leading printing technology giving even greater accuracy.

<<u>_</u>90°

Multiread Tapes





M	√ 90°	
---	--------------	--

	(
	N
	N
AUSTRALIAN MADE	E
Lufkin' A	N
	N

	Carded			
	MR46M	6m x 25mm	93291392	6
	MR49M	9m x 25mm	■ 270537	6
DÊ)	Bulk Display F	Packs		
U	MR46M10	6m x 25mm	93264303	10 ★
	MR49M10	9m x 25mm	■ 270568	10 ★

Features

- Centre scale includes the tape case, for inside measuring. Fits precisely between work edges Left or Right Handed Tape using separate outer scales, synchronised on one face of the tapeline.
 Sure toggle lock button and overcentre lock-shoe
 Small 3 inch compact tape case in two 6 metre versions
 Extended tape mouth - White Blade, Hi-viz case
 Available in Compact tape case to the tapeline of the Spran (4" wide blade and information

- Available in 6 metre or 9 metre Metric, all with 25mm/1" wide blade and informative, interactive packaging



Fluorolok



	Material	Description	APN/UPC	Shelf
	Number	Length/Width		Pack
١.	Carded			
	FL48VSI	8m x 25mm	■ 316952	4
	FL48VME	8m/26' x 25mm	■ 316907	4
	Bulk Display I	Pack		
	FL35SI12	5m x 19mm	■ 001728	12*
DÈ	FL38SI12	8m x 19mm	■ 001827	12★
2	100192	8m x 25mm (FL48SI10)	93533799	10★
	FL38ME12	8m/26' x 19mm	■ 001803	12*
1	FL48ME10	8m/26' x 25mm	93533805	10*
1				

· Sure toggle lock button and over centre lock-shoe

Extended tape mouth, Hi-Viz caseYellow blade graduated in mm on both edges

- · Bright coloured case that stands out in the tool box
- Removable belt clip
- · Manufactured in Australia to comply with Australians standards AS 1290-4-1995

900 10 20 30 40 50 60 70 80 90 **1**000 10

30 0 10 20 40 50 60 70 80 90 10 00 10 30 3F 37 38 39 նունականականակում։

***** THESE PACKS CANNOT BE BROKEN

Ultra Tapes





\sim	PS48
TRALIAN MADÊ	PS410

PRO SEI

Carded, in Bulk Display Pack

	PS35	5m x 19mm	■ 003081	4★
	PS48	8m x 25mm	■ 003098	4★
ADE	PS410	10m x 25mm	■ 003104	4★

- ULTRA-Grip[™] absorbs impact & improve grip
- ULTRA-Compact[™] size designed to fit comfortably in your hand
- ULTRA-Lock[™] non slip toggle lock removes blade creep ensuring accurate measurements
- ULTRA-Hook™ Patented 4 rivet end hook lasts 10 times longer than ordinary end hooks

ULTRA-Read™ graphics are easy to use and read in vertical or horizontal applications, and compatible with either left or right hand operation. The ULTRA-Read™ easy to read print layout features white blade, deep blue font colour, and Red font graduations every 100mm, providing the ultimate in "easy read" graphics for both indoor and outdoor applications.

 000
 10

 10
 10

 10
 10

 10
 10

 10
 10

 10
 10

 10
 10

***** THESE PACKS CANNOT BE BROKEN



Unilok Tapes



	Material Number	Description Length/Width	APN/UPC	Shelf Pack
	Carded			
	Y3SI	3m x 13mm	▲ 93290999	6
	Y835SI	5m x 19mm	▲ 93290951	6
	Y838SI	8m x 19mm	▲ 93290937	6
	Y848SI	8m x 25mm	▲ 93290913	6
MADE	Y3ME	3m/10' x 13mm	▲ 93290982	6
1	Y835ME	5m/16' x 19mm	▲ 93290944	6
	Y838ME	8m/26' x 19mm	▲ 93290920	6
1	Y848ME	8m/26' x 25mm	▲ 93290906	4

Bulk Display Pack

Y3SI12	3m x 13mm	▲ 93291101	24★
Y833SI	3m x 19mm	▲ 93291088	25★
Y835SI25	5m x 19mm	▲ 93291064	25 ★
Y838SIBLK	8m x 19mm	▲ 93291057	25 ★
Y848SI18	8m x 25mm	▲ 93291033	18★
Y3ME12	3m/10' x 13mm	▲ 93291095	24★
Y835MEBLK	5m/16' x 19mm	▲ 93291343	25 ★
Y838MEBLK	8m/26' x 19mm	▲ 93291040	25 ★
Y848MEBLK	8m/26' x 25mm	▲ 93291026	18★

High Impact Resistant Black case with yellow blade
Built in shock absorbing bumper
Graduated in mm on both edges, red markings every 100mm
Removable belt clip
Monufacturad in Australia to security with the security of the sec

Manufactured in Australia to comply with Australian standards AS 1290-4-1995



XL Power Tapes





Jana	

	XL410MAU	10m x 25mm
	XL410ME	10m/33' x 25mm
AN MADE	Bulk Display I	Pack
	XL410M8	10m x 25mm
	XL410ME8	10m/33' x 25mm

XL410ME8	10m/33' x 25mm	93533836

High impact resistant, bright orange case
White blade graduated in mm on both edges, red markings every 100mm
Built in shock absorbing bumper
Removable belt clip

Manufactured in Australia to comply with Australian standards AS 1290-4-1995

900 10 20 30 40 50 60 70 80 90 1000 10 3F 37 38 39 900 10 20 30 40 50 60 70 80 90 1000 10 3F 37 38 39 4

***** THESE PACKS CANNOT BE BROKEN

2

2

8* 8*

▲ 93291385

▲ 93291378







Prices Herein Do Not Include GST Product depictions are not to scale.

Measuring Wheels

Lufkin measuring wheels are calibrated to the digital indicator for accuracy. Their flexibility makes them useful on horizontal, vertical, even curved surfaces. Moulded rubber tyres resist corrosion while the tough plastic wheels withstand heavy use for a long service life. Telescoping handle height is comfortable for most users.





Combination Square



Material Number	Description mm/in	APN/UPC	Shelf Pack
LCS6	Stainless Steel 150mm/6"	■ 031886	6
LCS12	Stainless Steel 300mm/12"	■ 031862	6

• Brass Knurl Nut and Scriber Head.

Sturdy zinc sock.

Metric inch graduations.

Rafter Framing and Carpenters Squares

	N062 NRS24	Carpenters Square 200mm x 300mm on one side 8" x 12" on other side Carpenters Square 600mm x 400mm	● 062185 ■ 901950	24
N062	LRS24	Rafter Square 600mm x 400mm	■ 031879	1
NRS24	 Made of high gra Thermo bonded yellow backgrou Made in U.S.A. 			
Folding Rules				
LFSME	LFSME	1m/39" 4 - fold Yellow (Square)	■ 032104	8
LFSME	LFSSI	1m 4 - fold Yellow (Square)	■ 032111	8
	LFBME	1m/39" White (Bevelled)	■ 103217	8
LFBS	LFBSI	1m White (Bevelled)	■ 032135	8
California and a second a second				
Stainless Steel Rules				
	LSR150	150mm/6" x 15mm x 1mm	■ 103224	10
LSR300 AVAILABLE	LSR300	300mm/12" x 23mm x 1mm	■ 322663	20
LSR300 AVAILABLE	LSR600	600mm/24" x 28mm x 1mm	■ 322779	10

LSR600

Rustless Steel, deeply etched for easy reading
Upper edge subdivided mm and 1/2mm; lower edge subdivided 1/8", 1/32" and 1/64"

```
Aluminium Metre Stick
                                                                LAR1000
                                                                                  1000mm x 35mm x 2mm - Yellow
                                                                                                                             ■ 032517
                                                                                                                                               1
                                                                     10
                                                                   34
                                                                                       77
                                                                                           33
                                                                                                                                   2
                                                                 INCOME OF A DECO
                                                                                                                                            mbfluil
            Lufkin
                                                                                                                                   M & N & W

    Made in USA

Digital Calipers
                                                                LDC6
                                                                                                                             031923
                                                                                  150mm/6"
                                                                                                                                              10

    Premium Quality

                                                               • Large, Clearly Visible Display

    Measures Internal, External, Depth & Step

    Converts Metric to Inches with the Press of a Button

    Zero Setting at any position

Hardened to Ensure Accuracy is Maintained
Reading to 0.01mm & 0.001"
```

Spirit Levels



	Material Number	Description	Vial	APN/UPC	Shelf Pack
	Lufkin Pro Sei	ries Range			
	L60V60	60cm - Level	3	■ 110024	1
Ľ	L60V80	80cm - Level	3	■ 110048	1
	L60V120	120cm - Level with hand grips/holes	3	4003019285983	1
	L60V200	200cm - Level with hand grips/holes	3	■ 110123	1
	LLBO	120cm Orange Bag		■ 111007	1
	Lufkin Level V	/ith Carry Bag			
I	L60V120S	120cm Ribbed Box Section Level with hand grips/holes and orange carry bag	3	■ 110079	10
	Magnetic Torp	edo Level			
	PTM520	90mm x 250mm	3	■ 003258	5
	• 3 Vial - Horizon	tal, verical and 45 degree			

- Magnetic measuring surface
- Multi-purpose level for everyday use
 Plastic (ABS) construction
 Lifetime guarantee against leakage or fading of vial

Lufkin Big Boss Spirit Levels

PTM520

	'	Lu	ikin ^{Bar}		
				OVERS BUBB	ZE LE
0 🕡		(here)	C		0
0		0000	Lufkin	No. of Concession, Name	6 .

LBBL60	600mm with protective carry bag	3	■ 004569	20
LBBL120	1200mm with protective carry bag	3	■ 004576	10
LBBL200	2000mm with protective carry bag	3	■ 004552	6

Over-size centre bubble ensures clear and easy reading Dual line on bubble for 1° slope feature. Great for setting/measuring run off

Double milled surface ensures accuracy

3 Vials 1 x 180° and 2 x 90°

Highly accurate with 0.5mm/m accuracy

- The hanging hole has a "no slide" feature which protects the face of the level and prevents sliding Dual colour rubber grips for control and comfort
- Rubber end caps protect the level against damage from bumps and drops
- Includes nylon carry bag to protect the level

SOLA[®] Inclinometer Levels



NAM13	Inclinometer to fit into Magnetic Level 13cm x 13cm	1	9002719001089	1
NAM50	Inclinometer (NAM13) On Magnetic Level - 50cm	1	9002719001102	1

Bricklayer's Line



LBL50W	White 50m x No. 8	■ 031824	▲12
LBL50P	Pink 50m x No. 8	■ 031817	▲12
LBL50L	Lime 50m x No. 8	■ 103187	▲12
LBL100W	White 100m x No. 8	■ 031855	▲12
LBL100P	Pink 100m x No. 8	■ 131845	▲12
LBL100L	Lime 100m x No. 8	■ 031831	▲12

▲ Shelf Pack of 12 not mandatory, however, order 12 to receive display carton.



nters Pencils						
IE IS		Material Number	Description mm/in	APN/UPC	Shelf Pack	
ti lii liii	a site	CP1	Medium Bulk (Red Pencil)	• 134820	72 ★	
THE A		CP2H	Hard Bulk (Green Pencil)	■ 031626	72 ★	
	NEW	LP1SX4	Medium (Red) - 4 Pack plus sharpener	■ 004736	12	
	NEW PRODUCT	LP1X8	Medium (Red) - 8 Pack	■ 004729	6	
			OUSE BRANDING AVAILA TOOL GROUP REPRESEN		R DE	
de/Caution/Warnir	ig Tapes					
			E / CAUTION TAPES			
		BC100	Yellow CAUTION 100m x 75mm	■ 126070	24	
GAUTION BC100		BRW100	BRW100 Barricade 100m x 75mm - Red and White			
	BRW100	BYB100	Barricade 100m x 75mm - Yellow and Black	■ 003722	6	
BYB100 ng Tape						
	-	FT100HV	100m Glo-Orange x 25mm	■ 031756	12	
	Lufkin	FT100HP	100m Glo-Pink x 25mm	■ 031732	12	
		FT100HR	100m Glo-Red x 25mm	■ 031749	12	
		FT100HG	100m Glo-Lime x 25mm	■ 103170	12	
		FT100Y	100m Yellow x 25mm	■ 101794	12	
		FT100B	100m Blue x 25mm	■ 031701	12	
		FT100W	100m White x 25mm	■ 131784	12	
/est						
/est		SV01	Hi-Viz Safety Vest	122010	1	

Chalk Reels &	Chalks								
LCR30	LCRC30	Chalk Reels							
Lufkin about the second secon	T	LCR30	Chalk Reel, Aluminium, 30m	■ 031190	6				
	Lurkin	 Contractors Gra Easy fill refill. Use as a plumb 	ade marks perfect line every time. o bob.						
	LCRC30	Chalk & Reel Combo, Aluminium 30m line, 112gm chalk	■ 031220	6					
		 30m contractor grade reel. Perfect chalk line everytime with hundreds of applications. Easy-fill reel. Use as a plumb bob. 							
LCR30M	and the second	LCR30M	Chalk & Reel Combo, ABS with rubber surround/grip. Reel 30m	■ 003579	6				
Lufkin	Chalk Powder		mbo, with 30m Chalk line. onstruction with rubber surround/comfort g atio.	rip.					
	🔺 🚣	LCRD112	Chalk Powder 112g Red	■ 031282	10				
		LCBL112	Chalk Powder 112g Blue	■ 031114	10				
		LCRD224	Chalk Powder 224g Red	■ 031299	10				
		LCBL224	Chalk Powder 224g Blue	■ 031176	10				
		LCWT224	Chalk Powder 224g White	■ 031107	10				

Construction Aprons





Nail Bags

Nail Bags				
	Material Number	Description mm/in	APN/UPC	Shelf Pack
Concession of the local division of the loca	TNB0973	Nail Bag - 3 Pocket	9313413000088	1
		versed End Gussets. g Belt with Adjustable Buckle. avy Duty		
	TNB0972	Nail Bag - 2 Pocket	9313413000071	1
	 Two Nail/Faste Reinforced Rei 50mm Webbing Side Release E Made from Hei Suede Leather 	versed End Gussets. g Belt with Adjustable Buckle. avy Duty		
	TNB1002	Nail Bag (Rounded Botto 2 Pocket	m) - 9313413000118	1
	Corners.	I with Rounded Bottom g Belt with Adjustable Buckle. avy Duty		
Double Saw Cover				
	PDSC113	Double Saw Cover	9313413000255	1
	Saws, Inserts to Adjustable Buc • Made from Hea	r Rip, Hand or Panel o Protect Saw Teeth, kle & Leather Strap. wy Duty, Non Corroding, Suede Leather.		
Chisel Roll - 9 Pocket				
THE REAL PROPERTY AND A DECIMAL OF A DECIMAL	PCR1149	Chisel Roll - 9 Pocket	9313413000262	1
	Chisels, Adjust Strap for Faster	avy Duty, Non Corroding, 🛛 🦯		
Electricians Tool Pouch				
	IELC127	Electricians Tool Pouch	9313413000286	1
	Loops, Wire Sv Tape, Heavy Di	Belt with Adjustable Buckle.		
Complete Scaffold Belt - Heavy Duty				
	PSBHD	Complete Scaffold Belt - Duty	Heavy 9313413000484	1
	 Riveted to ensult Designed and restored to suit Australia 	nanufactured by an		

Rigger's Belt APN/UPC Material Number Description mm/in Shelf Pack IRST200 9313413000293 **Rigger's Belt** 1 • Safety Holsters for Podger Spanner, Tape, Torpedo Level and Shifting Spanner, Cast Iron Plated Buckle. Made from Full Grain Solid Black Hide Leather. Hammer Holsters PHHS111 Swing Loop Hammer Holster 9313413000019 1 Wire Swing Loop holds Hammer Vertical when Holster is Tilted, 60mm Belt Slots. PHHS111 • Made from Solid Hide Leather. 9313413004079 THH111L High Hang Hammer Holster • Wire Fixed Loop sits High on Belt. THH111L 60mm Belt Slots. Made from Solid Hide Leather. Tape Holsters PTH0010 Tape Measure Holster, for 5-8m Tapes 9313413000101 1 PTH0011 9313413000996 Tape Measure Holster, for 8-10m Tapes · All are reinforced with Nickel rivets an clips. PTH0010 Made of Black belting leather and have added feature of a tape retention strap. PTH011 is deeper, to accommodate PTH0011 larger tapes. **Moulded Plier Holster** 9313413000057 PPH0307 Moulded Plier Holster 1 Moulded Front fits up to 260mm Combination Pliers. 60mm Belt Slots. • Made from Solid Hide Leather. **Chisel Holster** PCH0109 9313413000026 **Chisel Holster** 1 • Fits up to a 50mm Chisel. 60mm Belt Slots. Made from Solid Hide Leather. Spanner Holsters 9313413001238 IRST123 Shifting Spanner Holster 1 · Leather Strap with Press Stud. · 60mm Wide Belt Loop. Made from Solid Hide Leather. 9313413001207 IRST120 Podger Spanner Holster 1 · Leather Strap with Press Stud. 60mm Wide Belt Loop. • Made from Solid Hide Leather.



Leather Belt				
	Material Number	Description mm/in	APN/UPC	Shelf Pack
	IRST124	50mm Leather Belt	9313413001245	1
Lafking	Plated Buckle	o to 1.17m/46", Cast Iron e. Did Hide Leather.		
Vebbing Belt				
	PWB0050	50mm Webbing Belt	9313413004031	1
	Release Buck	r Holster and Pouches. eavy Duty		
ide Release Buckle				
	PSR0050	50mm Side Release Buckle	9313413004123	1
	Fits all Parker	r 50mm Webbing Belts.		
xe Head Cover				
4	TAHC133	Axe Head Cover	9313413004147	1
	Leather Inser Adjustable Bu	nd Hatchet Heads, t to Protect Cutting Edge, uckle & Leather Strap. Did Hide Leather.		
nee Protectors				
	LKPF	Orange/Hi-Viz	9319929225755	1
		serts.		
	LKPN	Navy/Blue	9319929227773	1
		serts.		
	LPPB	Professional	9319929330053	1
	 Black/Blue St Single strap. Lightweight. Non-marking. Upper shin pr Clam shell pa 	otection.		
Tathla -	LPHD	Pro 2 Black/Maroon Strap	9319929330022	1
	• Extra Heavy [Duty. Slip resistant. Ion marking. Lightweight.		

Auto & Laser Levels

0

4

Ø

0

Lufkin





Auto/Optical Levels
Laser Levels
Distance Measurer
Tripods
Accessories

Lufkin

Lufkin has a comprehensive range of premium quality laser and optical levels for indoor and outdoor use. The range includes levelling equipment suitable for both professional and DIY applications, comprising cross-line, rotary, manual and automatic laser levels.



Laser wavelength: 650nm
 Laser class: Class II/III



Dual Beam Rotary Laser & Detector



Material Number	Description mm/in		APN/UPC	Shelf Pack	
LR502	Dual Beam Rotary Laser & Detector		■ 111809	1	
 Includes: Laser, detector, DC adaptor input and padded carry case Designed for builders, plasterers and contractors and can be used for levelling, vertical alignment, plumbing and squaring Cabinets & shelves, doors and windows, carpentry, sliding door installation, marking elevation, remodelling, masonry, foundations, 			al levelling in both s ole speed 360° rota o beam up for vertit daptor input and low tor can modes (short a e laser line (indoor y orange for easy v	ation, 0 to cal alignn w battery and long) applicatio	150rpm nent projects level to create a ons)

sites

Rain and dust proof.
Fits standard tripod with 5/8" thread

Cabinets & shelves doors and windows carpentry, sliding door installation, marking elevation, remodelling, masonry, foundations, floors, aligning 90°, joint and edges, landscaping, drainage work, plumbing, walls and partitions, fencing

Self Levelling Rotary Laser and Detector



Auto Levelling Rotary Laser and Detector

		LR600 • Includes: Laser. de	Auto Levelling Rotary Laser Detector etector, remote, bracket, case,		or and remote cont	rol are av	ailable for	
Lathin		batteries, charger Electronic levelling warning when bey Able to project rot laser plumb beam Slope scanning at Adjustable rotating Accuracy calibrati Rainproof and dus Timed power-off fi	remote bright I • Laser V • Laser (• Accura • Auto-le • Workin • Power Ni-MH	ote-controlled long distance operating in				
Accessories and D	etectors							
		LLTP1	Laser Tilt Plate		■ 002558	1		
LS6	LLTP1	• Turns most laser	 Precision tilt plate with micrometer Turns most laser levels into gradient levels Coarse graduations in 5° and fine adjustment down to 1/10 of 1° 					
	STATE OF THE OWNER	LS6	Laser Detector with Clamp		■ 111823	1		
5000		For use with LR56 Range 150m Includes Clamp	02, LSL160,LSL250, LDAL310S. /	Also comp	patible with other F	lotary Las	er Levels	
LRD120	LPD50	LS6BRACKET	Bracket to suit LS6 Detecto	r	■ 003906	1		
	PRODUCT	LRD120	Detector for Rotary Lasers			1		
4		LPD50	Detector for Pulse Lasers			1		
		LPD50	Delector for Pulse Lasers			I		
		01/04			- 100010	4		
	Luftin	SV01 Vest:	Hi-Viz Safety Vest		■ 122010	1		
	SV01	 Durable, washab Bright orange Hi- Easy to use veloce 						

Accessories and Detectors

TRIFH 🕋 TRIDH	PRO SERIES	Material Number	Description mm/in	APN/UPC	Shelf Pack
	CELING NEW	LSP1	Extendable/Sectioned Laser Support Pole		
	1	SR4MS4	Survey Rod, 4m, 4 section - with Bullseye	■ 111793	10
	- 4	TRIDH	Tripod, Quick Clamp Dome Head - 5/8" Thread 1065mm collapsed 1700mm fully extended	■ 111762	1
TRIS130	LSP1 * Laser not included	TRIFH	Tripod, Quick Clamp Flat Head - 5/8" Thread 1065mm collapsed 1700mm fully extended	■ 111786	1
- AA 👖	PRODUCT	TRIS130	Tripod - small 1/4" Thread		1
	CDAMCA	alle and the address of the	CLARKE LAR		

SR4MS4

Leff Kill Applicat	ion Chart								
Highly Recommended ●● Suitable ●	LAL20x & 24x	LLM45	LCL3	LLS5	LCL4	LR500	LR502	LR510	LR600
General surveying, up to house lot size	••				•	•	•	••	••
Levels for Slab preparation	••				•	•	•	••	••
Determining water drainage	•				•	•	•	••	••
Site preparation	••				•	•	•		••
Kitchen cupboards	•		•		•	•	•	•	
Placement of paving				•	•	•	•	•	•
Wall and floor tiling			•	••	••				
Hanging pictures and posters correctly			•		••	•	•	•	•
Placing wall friezes			•		••	•	•	•	•
Two tone painting lines			•		••	•	•	•	•
Curtain track levels			•		••	•	•	•	•
Placing picture rails			•		••	•	•	•	•
Window and door frames			•		••	•	•	•	•
General Surveying, areas up to 50m	••				•	•	•	••	••
General Surveying, areas up to 200m	•							••	••
Adjustable for both X & Y Grades						•	•		•
Automatic setup, place and switch on			•		••			••	••
Fitted with Scan Mode for indoor use							•		
Measurement of Distances		••							
Operation only requires 1 person		••	••	••	••	•	••	••	••
Detectors/Tripods/Tilt Plate									
LSP1 - Pole			•		••	•	•	•	
LS6 Detector						•	•	•	•
LRD120 Detector						•	•	•	•
LPD50 Detector					••				
TRIFH Tripod	•				•	•	•	•	•
TRIDH Tripod	•						•		•
TRIS130 Tripod			•		•	•			
LLTP1 Tilt Plate					•	•	••	•	••




1111

Files & Rasps
Circular Saw Blades
Handsaws
Hacksaws

In 1864, the Nicholson File Company became the first successful manufacturer of machine-made files. Today, Nicholson® is the most recognized brand of files in the world. Over the years, the Nicholson product line has increased in scope and size, and now includes files, rasps and handsaws, all manufactured to uncompromising standards of quality.

Files

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

File Terminology

Length is measured exclusive of tang, from point to heel. Desired stroke length, type of material and its size will determine length required.



Kinds of Teeth



Single set of parallel, diagonal rows of teeth. singlecut

files are often used with light pressure to produce a smooth surface finish or to put a keen edge on knives, shears or saws.

Two sets of diagonal rows of teeth. The second set of teeth is cut in the opposite diagonal direction and on top of the first set. The first set of teeth is known as the overcut while the second is called the upcut. The upcut is finer than the overcut. The double-cut file is used with heavier pressure than the single-cut and removes material faster from the workplace.

RASP-CUT

Teeth arranged in curved contours across the file face. The curved-cut file is normally used in automotive body shops for smoothing body panels.

vicholson iles & Rasp



Work to be accomplished, roughing or finishing, will determine type of teeth and coarseness for each application. Most files are available with three grades of cut: bastard-cut, second-cut and smooth cut.

The degree of coarseness is greater in longer files, but differences between bastard, second-cut and smooth are proportionate.

THE RIGHT FILE FOR THE JOB

HAND FILE:	For finishing flat surfaces.
ROUND FILE:	For circular openings and concave surfaces.
HALF ROUND FILE:	For flat, concave and convex surfaces.
HANDY FILE:	For tool sharpening and general filing.
MAGICUT FILE:	For use on aluminium, brass, bronze, copper, hard plastics, stainless steel.
SQUARE FILE:	For filing slots, key seats and general surface filing.
HALF ROUND WOOD RASP:	For use on wood and soft metals.
CHAINSAW FILE:	For sharpening round, hooded chainsaw teeth.
WOODCRAFT RASP:	For use on wood, leather and soft metals.
DOUBLE ENDER FILE:	For sharpening saws with 60° angle.
FLAT FILE:	For general work on iron, steel etc.
WARDING FILE:	Locksmith's file for ward notches in keys and narrow places.
CANTSAW FILE:	For sharpening circular saw blades.
BODIFILE FILE:	For automotive panel filing.
MILL FILE:	For draw filing in machine shops, fine finishing and tool sharpening. Also used to file large circular saw blades.
TAPER FILES:	For sharpening hand saws.
SWISS PATTERN FILES:	For exact filing of extremely fine cuts. Suitable for toolmakers, watchmakers and jewellers.



Care of the file

The teeth of the file should be protected when the file is not in use by hanging it in a rack or keeping it in a drawer with divisions.

Files should always be kept clear of water or grease since this impairs the filing action. It is advisable to wrap the file in a cloth for protection when it is carried in a tool box.

The file teeth should be kept clean at all times by using a file card to clear the grooves between the teeth or a wire file brush.

Files and Rasps

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

						· · · · · ·		
e mm/"	Material Number	Barcode	Shelf Pack		Size mm/"	Material Number	Barcode	Shelf Pack
antsaw (F	Regular)		-		Flat Second	d Cut cont.		
00/8	T01387	037103013873	12★		250/10	T03698	037103036988	6*
Chainsaw I	File —		_		300/12	03797N	037103242778	6*
150 x 3.2	02144N	037103221735	6★		350/14	T03896	037103038968	6*
200 x 4.0 Pack of 3	02228B	037103232953	4★		150/6	903501AU	9337103035013	3
200 x 4.8 Pack of 3	02229B	037103232960	4★		200/8	903600AU	9337103036003	3
200 x 5.6	02230B	037103232977	4*		250/10	903699AU	9337103036997	3
Pack of 3 200 x 6.4	02147N	037103221698	6*		300/12	903798AU	9337103002046	3
200 x 4.0	901716AU	9337103901714	3		Flat Smoot	h 💻		-
200 x 4.8	901765AU	9337103017651	3		150/6	03533N	037103242655	12*
200 x 5.6	901888AU	9337103901882	3		200/8	T03632	037103036322	12*
200 x 6.4	901971AU	9337103019716	3		250/10	03731N	037103242730	6*
150 x 3.2	901590AU	9337103015909	3		300/12	03830N	037103242785	6★
Flat Alumir					350/14	T03929	037103039293	12★
300/12	00070N	037103000705	6★		250/10	903732AU	9337103037321	3
Flat Bastar			_	*****	Farmers Ov No handle i			D
150/6	03467N	037103242631	12★		250/10	T06668	037103066688	12*
200/8	03566N	037103242679	12★		350/14	18155N	037103219558	3
250/10	03665N	037103242716	6*		Half Round	Bastard	-	
300/12	03764N	037103242761	6*		100/4	04695N	037103218513	12*
350/14	T03863	037103038630	6*		150/6	04795NN	037103231734	12*
150/6	903468AU	9337103034689	3		200/8	04896NN	037103229250	12*
200/8	903567AU	9337103035679	3		250/10	04995N	037103218803	6★
250/10	903666AU	9337103036669	3		300/12	05094N	037103218650	6★
	903765AU	9337103037659	3		350/14	05194N	037103218926	6★
300/12					150/6	904796AU	9337103047962	3
300/12 Flat Secon	d Cut 📧	and the second se						
	d Cut	037103034014	12*		200/8	904897AU	9337103048976	3
Flat Secon			12* 12*		200/8 250/10	904897AU 904996AU	9337103048976 9337103049966	3 3

★ UNCARDED – **★** SHELF PACKS CANNOT BE BROKEN, HANDLES NOT INCLUDED

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

Size mm/"	Material Number	Barcode	Shelf Pack	
Half Round	Second Cut		-	
100/4	04729N	037103218407	12*	
150/6	04828NN	037103232250	12*	
200/8	04927NN	037103232267	12*	
250/10	05026N	037103218612	6★	
300/12	05125N	037103218841	6★	
350/14	05225N	037103218933	6★	
150/6	904829AU	9337103048297	3	
200/8	904928AU	9337103049287	3	
250/10	905027AU	9337103050276	3	
Half Round	Smooth		Sec.	******
100/4	04762N	037103218414	12*	
150/6	04861N	037103218445	12★	
200/8	04960N	037103218728	12★	
250/10	05059N	037103218827	6★	
300/12	05158N	037103218889	6★	
Hand Basta	rd 1SE	X	-	******
150/6	05738N	037103241467	12★	
200/8	05853N	037103241498	12★	
250/10	05968N	037103241528	6★	
300/12	06084N	037103241559	6★	
Hand Secor	nd Cut 1SE	X	-	*******
150/6	05771N	037103241474	12★	
200/8	05886N	037103241504	12★	
250/10	06001N	037103241535	6★	
300/12	06117N	037103241566	6★	
Hand Smoo	th 1SE	X	-	firmin
150/6	05804N	037103241481	12*	
200/8	05919N	037103241511	12*	
250/10	06034N	037103241542	6★	
300/12	T06150	037103061508	6★	

Size mm/"	Material Number	Barcode	Shelf Pack	
Handy File 1 No handle ii				
200/8	06601N	037103242846	3	
Long Angle Fine Cut 2S	E	SAFE EDGES	-	
300/12	07851N	037103241610	6*	
	t All Purpose Stainless Stee		-	
250/10	07917N	037103242976	6*	
300/12	07941N	037103242983	6*	
250/10	907918AU	9337103079185	3	
00/12	907942AU	9337103079420	3	
Millsaw File	S (Regular) 2SE	QUARE EDGE Bastard		
150/6	08354N	037103243027	12*	
200/8	08497N	037103243065	12★	
250/10	T08642	037103086426	12*	
300/12	08737N	037103243164	6★	
350/14	08832N	037103243195	6★	
150/6	908355AU	9337103083557	3	
200/8	908498AU	9337103084981	3	
250/10	908643AU	9337103086435	3	
300/12	908738AU	9337103087388	3	
Millsaw File	S 2SE Second (QUARE EDGE Cut		
250/10	T08673	037103086730	12★	
300/12	08768N	037103243171	6*	
250/10	908674AU	9337103086749	3	
Millsaw File	S (Regular) 2SE	QUARE EDGE Smooth		
300/12	T08799	037103087997	6*	

* UNCARDED - * SHELF PACKS CANNOT BE BROKEN, HANDLES NOT INCLUDED

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

ze mm/"	Material Number	Barcode	Shelf Pack		Size mm/"	Material Number	Barcode	Shelf Pack
Millsaw File	s (Regular) 1F	RE Bastard		18	Round Smo	ooth		
200/8	T09099	037103090997	12*		150/6	11781N	037103231994	12*
250/10	T09179	037103091796	12*		200/8	11969	037103117816	12*
300/12	T09227	037103092274	12*		250/10	12084	037103120847	12*
200/8	909100AU	9337103091002	3		300/12	12199	037103121998	6★
250/10	909180AU	9337103091804	3		Square Bas	tard		
300/12	909228AU	9337103092283	3		150/6	12967	037103129673	12*
Round Bast	ard				200/8	13081	037103130815	12*
100/4	11526N	037103231901	12*		250/10	T13196	037103131966	12*
125/5	11637	037103116376	12*		300/12	13310	037103133106	6*
150/6	11716	037103117168	12*		150/6	912968AU	9337103129682	3
200/8	11904	037103119049	12★		200/8	913082AU	9337103130824	3
250/10	12019	037103120199	12★		250/10	913197AU	9337103131975	3
300/12	12134	037103121349	6★		Square Sec	ond Cut	-	_
100/4	911526AU	9337103115265	3		150/6	13000N	037103130006	12*
150/6	911717AU	9337103117177	3		200/8	13114	037103131140	12*
200/8	911905AU	9337103119058	3		250/10	13229	037103132291	12*
250/10	912020AU	9337103120207	3		300/12	13343	037103133434	6*
300/12	912135AU	9337103121358	3		Square Smo	ooth		_
Round Seco	ond Cut				150/6	13033	037103130334	12*
100/4	11559N	037103100009	12*		200/8	13147	037103131478	12*
150/6	11748N	037103231987	12*		250/10	13262	037103132628	12*
200/8	11936	037103119360	12*		Taper - Slim			_
250/10	12051	037103120519	12*		100/4	14106M	037103142511	12*
300/12	12166	037103121660	6*		112/4 1/2	14139M	037103162625	12*
150/6	911749AU	9337103117498	3		125/5	14162M	037103142528	12*
200/8	911937AU	9337103119379	3		150/6	14224M	037103142535	12*
250/10	912052AU	9337103120528	3		175/7	14255M	037103142610	12*
					200/8	14290M	037103142894	12★

cont'd page 76

★ UNCARDED – ★ SHELF PACKS CANNOT BE BROKEN, HANDLES NOT INCLUDED

Nicholson Files & Rasps

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

Size mm/"	Material Number	Barcode	Shelf Pack		Size mm/"	Material Number	Barcode		Shelf Pack	
Taper - Slim	i cont.		_	\triangleright	Rasp - Cabi Half Round			ishininit ()	_	
100/4	914107 AU	9337103141073	3		200/8	17615N	037103219	9572	12*	
125/5	914163AU	9337103141639	3		250/10	17683N	037103219		6*	
150/6	914225AU	9337103142254	3		300/12	17751N	037103219		6*	
175/7	914256AU	9337103142568	3		200/8	917616AU	933710317		3	
200/8	914291AU	9337103142919	3		250/10	917684AU	933710317		3	
Taper - Extr	a Slim		_	\triangleright	Wood Rasp					ر بنغنی .
100/4	14547M	037103142580	12*		Round Bast			Contraction of the local division of the loc		
150/6	14665M	037103144034	12*		200/8	19394N	037103219	633	12★	
100/4	914548AU	9337103145484	3		250/10	19427N	037103219	657	6*	
150/6	914666AU	9337103146665	3		300/12	19460N	037103219	9664	6★	
Three Squa	re Second Cut			\rightarrow	350/14	19493N	037103219	9732	6*	
150/6	15958N	9337103218308	12*		200/8	919395AU	933710319	3959	3	
200/8	16069N	9337103218278	12*		250/10	919428AU	933710319	4284	3	
250/10	T16180N	037103218339	12*		300/12	919461AU	933710319	4611	3	
Warding Ba	stard	-		*****	Horse Rasp	- Magicut 📗			-	******
100/4	16507	037103165077	12*		350/14	18130N	037013219	9534	6★	#*****
150/6	16663	037103166630	12*		Horse Rasp Without Tan	- a #Winner				
200/8	16761N	037103167613	12*		No handle i	ncluded				
100/4	916508AU	9337103165086	3		350/14	17903N	037103217	998	6★	
150/6	916664AU	9337103166649	3		Contact Poi No handle i		-			
200/8	916762AU	9337103167622	3		133/5 1/4	921905AU	933710321	9055	12*	
Warding Se	cond Cut 🛁	-	-	########	133/5 1/4	921985AU	933710302		3	
100/4	16540N	037103165404	12*							
150/6	T16696	037103166968	12*		File Hand		Incerto			
200/8	16794N	9337103167943	12*		21474H	Handle, with 2		106000	6	1
150/6	916697AU	9337103166977	3		214/48	File Handle	eatures	186232	6	
Warding Sn	nooth	-	-	########		PRODUCT .	Interchangeab fit most popula	r files		-
100/4	16573	9337103165734	12*			•	Rubber-coated comfort and co Rear taper, with	ontrol	-	
150/6	16729	9337103167295	12*		-		increase push Patent pending	force		
200/8	16827	9337103168278	12*			★ UNCARD	ED – ★ SHELF	F PACKS CA	ANNOT E	BE BROKEN,
										T INCLUDED



File & Rasps Sets

THE THE	1 1
	r
Nchubar	ľ
	• {

Material Number	Description	Size mm/in	APN/UPC	Shelf Pack
NFS310	3 Piece File Set with zippered Storage Case	250mm/10"	■ 003043	1
NFS510	5 Piece File Set with zippered Storage Case	250mm/10"	■ 003050	1

3Pc 10" Set (NFS310) includes: Flat bastard, half round 2nd cut, round bastard 5Pc 10" Set (NFS510) includes: Flat bastard, half round 2nd cut, round bastard, millsaw bastard, or unce 0 and at square 2nd cut



NFS38	3 Piece File Set with zippered Storage Case	200mm/8"	■ 003074	1
NFS58	5 Piece File Set with zippered Storage Case	200mm/8"	■ 003067	1
2nd cut, round b	38) includes: Flat bastard, half round astard			

5Pc 8" Set (NFS58) includes: Flat bastard, half round 2nd cut, round bastard, millsaw bastard, square 2nd cut

ALL DE RETENT	PRODUCT
white Life ed 19520	
ABD ME DE NOTO	

WCSET3CMN	Wood Chuck Combination Chisel and Wood Rasp 3 Piece Set		● 219961	6
• 0 in 1 Indudee. (Chical Flat Wood Boon Llaff Dound)	Maad Daan		

3 in 1 Includes: Chisel, Flat Wood Rasp, Half Round Wood Rasp 1 each of: WC12CM, WC34CM, WC1CM Oversized, impact resistant co-mould handle for years of hard use Steel strike plate to protect against breakage or mushrooming Forged steel to retain rasp and chisel sharpness Edge teeth for removal or material in confined areas

- :
- •

Precision File Set

NPFS6	6 Piece Precision File Set	■ 921163	6
Carbon S • Comfort C • Set conta	ured from Hardened & Tempered Steel Grip Handle ins - Flat Parallel, Flat Tapered, Square, Half Round, Triangular		

Nicholson Files & Rasps

Hand File Brush					
NEW	21458	10" File and Rasp Cleaner		• 214584	10
PRODUCT	Fine but strongWooden handle	nd files, ensuring longer life and mucl steel bristles with hang up hole idividually stickered and barcoded	h improved perforn	nance of the file	
Chainsaw Sharpening Kit					
- Lesser	NW14	Nicholson Wizz 14000RPM		■ 220501	6
Ncheson Contraction	12V-DC includes	6.4/ 1/4 Stone Include		justment ng Angle Guide	
Nebolson	Replacement	Grinding Stones			
and the second sec	NWG417	5 per pack	4.0/ 5/32	■ 220549	10

5 per pack

5 per pack

4.8/3/16

5.5/7/32

■ 220563

220587

10

10

NWG418

NWG419



Plumb

Plumb®

Plumb

20 oz.

From its beginnings in a small Philadelphia blacksmith shop in 1856 to its rise to become the most popular brand of hammers in the world, the Plumb® story has always been one of superior product quality and durability. Today, that tradition continues with high quality Plumb hatchets, and fiberglass, solid steel and hickory-handled hammers.

- Hammers
 Pry Bars
 Chisels
 Bricklayer's Tools
- Axes

QUALITY STRIKING TOOLS

Since 1856 the quality of Plumb[®] tools has been recognised and preferred by tool users throughout the world. The special analysis steel used to make Plumb tools is forged to close tolerances and heat treated to build in the toughness necessary to withstand impact. Extra care is then taken in hardening and tempering to make each part of the tool ready for the specific job it has to do. You can be sure Plumb tools have the toughness, durability and keenness to do the job. Plumb tools are engineered for balance and exacting care is taken to assure the head is 'hung' on the handle at the right angle. This built-in balance gives Plumb tools extra driving power. They swing easy – hit hard.



arrived at a design which is both aesthetically pleasing and functionally correct. With its smart resilient cushion grip, as fitted to fiberglass handles, this line has the look of a winner.

ALL APN AND UPC CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER 9337103 & 037103.

Carpenters Hammer

	PRO SERIES	Material Number	Description gm/oz	APN/UPC	Shelf Pack
-	Plank	11400N	Pro Series Fibreglass Curve Claw Hammer - 566/20	● 226884	4
		 Plumb Permabond[®] bonding for superior head to handle strength Unique bevelled claw edges for superior nail gripping in all positions Ridges moulded into the handle to improve gripping force Oversized Striking Area for improved efficiency and accuracy in striking Co-moulded grip with pliable outer material for improved comfort Contoured handle end for improved grip and less slip during striking 			

· Virtually unbreakable fibreglass handle

- · Solid fibreglass core covered with a moulded nylon jacket resists
- breakage due to overstrike
- · Factory balanced for maximum striking power
- Upgrade/Replacement of the Plumb 11400, which is no longer available

Premium Hickory Curve Claw Ha	ammer				
	11435	566/20	● 114051	6	
(Lund)	 High lustre, full p Octagon-shaped Quality, red hicko Permabond cons Factory balanced 	pole ory handle struction between head and handle			
Solid Steel Curved Claw Hamme	ers				
E	SS20C	566/20	• 184399	4	
SS20C	 Strong, durable, 2 piece co-mould Patent pending t 1 piece forged so More comfortable 	hnology built into handle long lasting ded grip			
	SS20CN	With Magnetic Nail Starter 566/20	• 226662	4	
SS20CN	 Patent pending a shock and minim 1 piece forged so 	uring magnetic nail starter anti-vibration shock absorbing technology absorbs ises muscle fatigue Jid steel construction for increased durability onomically designed handle for increased comfort volished finish			

Plumb

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Ball Pein Hammers



Material Number	Description gm/oz	APN/UPC	Shelf Pack
Fibreglass Har	dle (cushion grip-permabond)		
11426	450/16	• 114266	4
11428	680/24	• 114280	4
T11429	910/32	● 114297	4

• Rust Resistant, Forged Black Head Polished Poles & Peins

Leader - Hickory Handle (permabond)



Leauer - Hickor	y handle (permabolid)			
11494	113/4	• 114945	6	
11496	225/8	• 114969	6	
11497	340/12	114976	6	
T11498	450/16	• 114983	6	
11499	566/20	• 114990	6	
T11520	680/24	• 115201	6	
11521	910/32	• 115218	6	
11522	1132/40	• 115225	6	

- Polished Poles & Peins
- Ground Black Head

Brick Hammers



Solid Steel Cu	ishion Grip		
SS20BHN	567/20	• 228277	6
SS24BHN	680/24	• 228284	4
Fibreglass Ha	andle - Cushion Grip		
T11421	680/24	• 114211	4
Sharp cutting bCushion grip fo			

· Designed for the professional

Prospector's Pick



11423	450/16	• 114235	4
Fibreglass hand	le with comfortable cushion grip		
· Permabond cons	struction between head and handle		

Club Hammer				
	PCH3	1360/48	■ 114220	6
Plank	 Club Hammer (a Fibreglass shaft Comfortable rub 			

Rubber Mallets

NEW	PRM16	450/16	■ 114084	10
PRODUCT	PRM24	680/24	■ 114077	6
Pand Second	PRM32	910/32	■ 114060	6
	 Premium qualit 	v Plumb brand		

Premium quality Plumb brand

Rubber mallets in 3 sizes: 450gm/16oz, 680gm/24oz & 910gm/32oz
Solid fibreglass handle with comfortable rubber cushion grip

Plumb

				ľ
Special Purpose Axe				
Made in Sweden	Material Number	Description gm/oz		Shelf Pack
	Tasmanian F	Pattern Axe (hickory handle)		
	ATR45C32	2.0kg/4.5lbs 813mm/32"	• 117991	4
	Made in SweHickory hand			
Pry/Wrecking Bars				
11889	Action/Pry E	Bar		
	11889	356mm/14" x 35mm/1 3/8"	● 118899	4
	Wrecking Ba	ars		
	PWB24	24"/610 x 30 x 16mm	■ 002282	6
	 Heat treated f 16mm x 30mr and comfort Polished tips t Beveled claw end, both end The ends hav according to t 	n cross section thickness for strength for performance and chisel end, and slotted gooseneck		

The Steel is εqu (Manganese), which is railway grade steel

Wood Chisels & Sets



Individuals			
PWC6	Wood Chisel - 6mm	■ 119201	6
PWC12	Wood Chisel - 12mm	■ 119218	6
PWC19	Wood Chisel - 19mm	■ 119225	6
PWC25	Wood Chisel - 25mm	■ 119232	6
PWC32	Wood Chisel - 32mm	■ 119249	6
PWC38	Wood Chisel - 38mm	■ 119256	6
Sets			



F

PCST4	Wood Chisel Set, 4 Pc, with Tang through handles, in Zip Bag

- High peformance chrome vanadium blades
- Non slip rubber handle Robust nylon storage/carry case

•

Tang thru design Contains 12mm, 19mm, 25mm & 32mm chisels •

PCSET5	Wood Chisel Set, 5 Pc	■ 003388	4
 tempered, chro Co-moulded Co built in Metal S Individual piece blade end cove 	es have a protective plastic r n, 19mm, 25mm chisels, Honing		

Prices Herein Do Not Include GST Product depictions are not to scale.

■ 003371

6

Plumb

Plumb

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Jape V7Image A Gauging TrowImage A Gauging TrowImage A Gauging Trow129E V7129E V7129E V7129E V712129E V7129E V7121212129E V7129E V7121212129E V7167E V66°6060167E V66°6°801500810766°167E V61381180 x 120mm Plastic Handle8015008301206°1010 M10100101001010000010307AU103CAUPlastic Handle8015008307301307AU130RVood Handle8015008307301	Bricklayer's Tools				
Instantion Instantion </td <th></th> <td></td> <td>Description mm/in</td> <td>APN/UPC</td> <td></td>			Description mm/in	APN/UPC	
Cauging Torregard Cauging Torregard Torregard Torregard Statut 		London Patter	n Trowels		
129EV7129EV77"80150081296812Pointing Tool167EV66"6061Finishing Tool61T3811280 x 120mm80150083102061310PR280 x 120mm Plastic Handle80150083102061307AU9atic Handle8015008310301307AU9atic Handle8015008310301307AU9atic Handle8015008310301307AU9atic Handle8015008310301307AU9atic Handle8015008310301307AU9atic Handle8015008310301307AU9atic Handle8015008310301307AU111307AU111307AU111307AU11307AU11307AU11307AU11307AU13	162EN12	162EN12	12" Wide	8015008162621	6
ISER I <thi< th=""> <thi< th=""> <thi< th=""> <thi< th=""></thi<></thi<></thi<></thi<>		Gauging Trow	el		
167EV66"80150081674666167EV66"6"Fisishing Trous138111280 x 120mm Plastic Handle8015008310206310PR280 x 120mm Plastic Handle8015008310206Aluminium Harting307AUPlastic Handle8015008307361307AU91astic Handle8015008307361307AU130RVood Handle8015008310301130R5mall Tools5mall Tools1130R12"150121/2"1150121/2"1/2"80150087151241150343/4"801500871512412	129EV7	129EV7	7"	8015008129686	12
167EV6Finishing TroveT38111280 x 120mm Plastic Handle8015008381126310PR280 x 120mm Plastic Handle8015008310206Aluminum Hartic8015008307361307AU9lastic Handle8015008307361Bed Sponge Trowel3130RWood Handle8015008310301Small Tools51115011/2"801500871512115013/4"8015008715121	141 -	Pointing Trowe	els		
T3811280 x 120mm80150083811216310PR280 x 120mm Plastic Handle8015008310206Aluminium Hastic Handle8015008307361307AUPlastic Handle8015008307361307AUPlastic Handle8015008307361307AUNood Handle8015008307361308Vood Handle80150083130013081/2"13091/2"1 <t< td=""><th>167EV6</th><td>167EV6</td><td>6"</td><td>8015008167466</td><td>6</td></t<>	167EV6	167EV6	6"	8015008167466	6
NormNormNormNormNorm310PR280 x 120mm Plastic Handle8015008310206Aluminum HartAluminum Hart507AU91307AUPlastic Handle80150083073616Aluminum Hart111307AUNood Handle8015008313001308Nood Handle80150083130013081/2"113091/2"13093/4"80150087151241	193-53	Finishing Trow	vels		
310PR Aluminium Haus 307AU Plastic Handle 8015008307336 1 307AU Plastic Handle 8015008307336 1 Red Sponge Trowel 3130R Wood Handle 8015008313030 1 Small Tools 715012 1/2" 8015008715124 1 71501 3/4" 8015008715346 12	T38111	T38111	280 x 120mm	8015008381121	6
Aluminium Hause307AUPlastic Handle80150083073361307AUPlastic Handle80150083073361Red Sponge Uber Trowel130RWood Handle8015008313031Small Tools7150121/2"801500871512417150343/4"801500871534612	310PR	310PR	280 x 120mm Plastic Handle	8015008310220	6
307AU Red Sponge - Irowel 130R Wood Handle 8015008313030 1 130R Small Tools 1 71501 1/2" 8015008715124 1 12 3/4" 8015008715346 12		Aluminium Ha	wk		
Red Sponge Frowel 3130R Wood Handle 8015008313030 1 Small Tools 715012 1/2" 8015008715124 1 71501 715034 3/4" 8015008715346 12	30741	307AU	Plastic Handle	8015008307336	1
130R Small Tools 71501 1/2" 715034 3/4"	307 A0	Red Sponge F	Rubber Trowel		
Small Tools 8015008715124 1 71501 1/2" 8015008715124 1 715034 3/4" 8015008715346 12		3130R	Wood Handle	8015008313030	1
71501 715034 3/4" 8015008715346 12	3130R	Small Tools			
71501		715012	1/2"	8015008715124	1
71501 1" 8015008715018 12	71501	715034	3/4"	8015008715346	12
		71501	1"	8015008715018	12

Please Note: Some of the Plumb branded products will move to the Crescent Brand during 2012.

We Are

Moving!



BR Porter

G

S SHOOD Y

63



 Manual Cutters
 Hydraulic Cutters
 Pneumatic Cutters

0

Since 1880, H. K. Porter[®] has been the preeminent brand in industrial cutters with a worldwide reputation for quality, strength and durability. The extensive line of products includes manual cutters, hydraulic cutters, pneumaticcutters and accessories, designed to handle everything from light wires and brushes to heavy steel rods and bars.

MH

CUTTER SELECTION

(1) What is the material to be cut?

(2) What size is the material to be cut?

Capacities of all hand-operated cutters are shown opposite each catalogue listing. Power tool capacities are shown in power tool selector. Do not exceed listed capacities.

(3) How hard is the material to be cut?

Maximum hardness rating	of materials to be cut is shown under each hand and power tool listing.
HARD METALS:	Up to Brinell 400, Rockwell C42
MEDIUM HARD METALS:	Up to Brinell 300, Rockwell C31
SOFT METALS:	Up to Brinell 200, Rockwell C15. Many of the materials illustrated here are
	made in varying degrees of hardness.

(4) Will few or many cuts be made in a day?

This is an additional consideration in choosing a cutter. HKP manufactures inexpensive hand cutters for light duty work, heavy duty hand cutters for tough jobs, and hydraulic and air cutters for exceptionally tough materials and production cutting.

(5) How fast do you want to cut?

Is your application an occasional cut, or is it a fast, continuous industrial production application? Choose the cutter to fit the job.

WARNING:

- Always wear safety glasses when cutting.
- Cut in a safe area. Consider the safety of others.
- The harder the material being cut, the more it will fly.
- Use tools correctly! See Engineering Information section.
- Use the correct tool!
- Maintain tools, power supplies and hoses in safe working condition.





BARS, FLAT	CABLE, RUBBER COVERED	PIPE, PVC	WIRE, COPPER
		EFE	
BARS, ROUND	CABLE, SOFT, LARGE	PLASTICS, FIBER	WIRE, MESH
			0
BARS, SQUARE	CABLE, STEEL	ROD REINFORCING	WIRE ROPE
000 000 8			
BOLTS, RODS, SCREWS, RIVETS	CHAIN	ROD STRAIGHTENER	WIRE, SOLID
			CHILLIO
CABLE (ACAR)	CHAIN, HARD ALLOY	STRAPPING STEEL	WIRE, SPRING
CABLE (ACSR)	EHS GUY STRAND	TIRE CHAINS	WIRE, STAINLESS STEEL
<i>€777777777777777777777777777777777777</i>		Deserve	
CABLE ALUMINIUM	METALS, HARD	TRUCK TIRE BEADS	WROUGHT IRON
CABLE, COMMUNICATIONS	METALS, MEDIUM HARD	WIRE, BOX BINDING	
CABLE, COPPER	METALS, SOFT	WIRE, ELECTRIC	
	\sim		
CABLE, LEAD COVERED	NAILS, COTTER PINS	WIRE, FENCE	
	(P d)		
CABLE, POWER	NUT SPLITTING	WIRE, GUY	
	N		

PADLOCK HASPS

WIRE, HOT

CABLE, PRESTRESSED



Centre Cut Bolt Cutters



Material Number	Description mm/in	APN/UPC	Shelf Pack
General Pur	pose – Series 2000		
1490AC	356/14	• 040978	1
0090AC	457/18	• 040985	1
0190AC	610/24	• 040992	1

Drop-forged jaws with centre-cut blades. Heat treated

- for wear resistance and long cutting life
- Maximum hardness of material to be cut: Brinell 300/Rockwell C31 Cuts soft, and medium hard materials
- Toggle joints turn 50 lbs. hand pressure to
- 4000 lbs. of cutting pressure

Rebar Cutter and Bender



Multi Purpose Cutter

PWC9	Mini Bolt Cutter 216mm/8 1/2"	• 925756	10
 Centre cut blade Cuts mild steel t Cuts hard steel Never use any H wire, or cable 	to 5/32" diameter		

JAW DESIGNS

There are six basic cutting jaw designs, engineered to give long, trouble-free life and the most efficient cutting of materials for which they are designed.





Keep cutting edges aligned

under the most demanding

Heavy Duty

applications.

Straps

All Purpose Jaws

Slightly rounded cutting edges broaden cutting applications.



Clipper

For smooth flush

cuts, close to

workpiece

Cut Jaws

Sheer Type Jaws

> Cut coarse or fine cable with minimum distortion of strands.

SAFETY DO'S AND DON'TS



Short-Nosed Jaws

For hard alloy chain and padlock hasps.



Angular Style Jaws

Cutting edges offset 30º for finish cutting. Keeps hands clear of work

The first safety rule is wear your gloves and safety glasses at all times!

DO	wear safety shoes.	DO	remember that the hardness of the stock being cut is as important as
DO	remove oil or grease from your hands, from tools and from the floor and area where you will be working.	DO	its size. use all tools as recommended.
DO	keep your cutting tools in good repair. Tighten bolts, lubricate and	DON'T	exceed listed tool capacity.
DO	inspect hoses and connections before using. remember that metal flies when cut. The harder the metal, the	DON'T	attempt to use a cutting tool, hand or power, until you fully understand its use.
	farther it will fly.	DON'T	forget that metals may fly and cause injury.
DO	warn those in the area when you intend to use a cutter. Protect your fellow workers from flying metal, too.	DON'T	cut diagonally.
DO	keep cutter jaws at right angles to the piece being cut.	DON'T	twist or pry with the blades while you are cutting.
		DON'T	use cutters for any applications except those listed in this catalogue.

TIPS TO EASIER, SAFER CUTTING

a. It is less strenuous, when heavy cutting is involved, to hold one handle of the tool on the ground with foot pressure. This permits most of the cutting force to be applied to the upper handle, making the cutting position less awkward and employing the added factor of body weight. This allows more power to be transferred to the cutting edges.

- Use the right cutting tool for the type, size and hardness of the metal you b. are cutting.
- Keep cutter jaws at right angles to piece being cut. Cutting diagonally may C. twist jaws out of line or chip cutting edges.
- d. Don't twist or pry with tool while cutting.
- Don't take a full cut on a material when hardness is unknown. Test first with e. a slow pressure to see if material is being cut. Remember, the size of the metal you are cutting is not as important as its hardness.
- Don't exceed cutter capacity marked on the jaw of tool or rated in the f. catalogue.
 - Do keep jaw bolts tight and joints oiled at all times.
- h. Do maintain the original jaw bevel angles when sharpening.

SAFETY PRECAUTIONS

g.

HARD METALS MAY SNAP OFF OR FLY THROUGH THE AIR WHEN CUT.

ALWAYS WEAR SAFETY GLASSES AND WARN WORKERS NEARBY TO PREVENT INJURY FROM FLYING METAL. ONE WAY TO PREVENT INJURY FROM FLYING METAL IS TO WRAP A BURLAP BAG, WIPING CLOTH OR RAG AROUND THE CUTTING JAWS SO METAL PIECES CANNOT FLY.

TRADESMANS TOOL KITS

0

TRADESMANS TOOL KITS

Plum

CAUTION

Carpenters
Plumbers
Electricians
Mechanics

Apex Tool Group prides itself on offering tool kits that can deliver top performance and productivity for the trade professional, whilst at the same time providing maximum value. The range of Tradesmans Kits comprises a Plumbers, Electricians & Carpenters Kit as well as a range of GearWrench Mechanics Kits. The kits are equally suited to apprentices as they are to seasoned tradesmen and offer premium branded products designed to withstand the rigorous demands of a busy workplace and keep performing day in and day out.





3600

The Apprentice Kits from Cooper Tools represent great value for money, from reputable brands that you can trust. Each kit has a range of specially selected tools to suit the Apprentice Electrician, Carpenter or Plumber, and are available at two different price points and importantly qualify for government support for the apprentice under the TFYT program. Cooper Apprentice kits are without doubt the most comprehensive kits on the market, offering "Market Leading" products preferred by the tradesman, such as Crescent Linesman's Pliers, Wiss Aviation Snips and Lufkin Measuring tapes, to name but a few.

The premium brands offered in the NEW Cooper Apprentice kits include Crescent, HK Porter, Lufkin, Nicholson, Plumb, Weller and Wiss. With the six Apprentice kits offered by Cooper, apprentices can be confident they are making a wise choice, knowing they are buying tools from a reputable supplier, backed by a quality guarantee and after sales service second to none.

Carpenters Tool Kit - Large Kit



Material No	Description	APN/UPC	Shelf Pk
CTKAC1N	116 piece kit	■ 002169	1

- 116 piece kit
- Includes Lufkin Cross Line Laser Level Kit
- **Includes Safety Products**
- More than \$400 of extra value



Carpenters Tool Kit - Smaller Kit

CRESCENT Lufkin®

HCHOL894



CTKAC400

■ 002886

1

- 88 piece kit
- · Comprising 5 leading brands, products chosen for Carpenters

88 piece kit

More than \$200 of additional value

Material No.	Description	Qty
CTC31P	CRESCENT 31 POCKET TOOL CARRIER	1
CDB15MX	CRESCENT 15 PIECE MIXED DRILL BIT SET	1
508CVN	CRESCENT 200MM COMBINATION PLIERS	1
CDBS6	CRESCENT 6 PIECE SPADE DRILL BIT SET	1
NCG1	CRESCENT CAULKING GUN ABS	1
CS31	CRESCENT PRO SERIES 31 PIECE SCREWDRIVER SET	1
LCS12	LUFKIN 300MM COMBINATION SQUARE	1
LBB830	LUFKIN BIG BOSS WIDE BLADE, 8M TAPE	1
CP1	LUFKIN CARPENTERS PENCIL	12
NHS550	NICHOLSON 550MM 8 POINT HANDSAW	1
917616AU	NICHOLSON 8" HALF ROUND CABINET RASP	1
NHSK9	NICHOLSON 9 PIECE HOLESAW KIT	1
NPSHZ	NICHOLSON COMFORT GRIP HACKSAW	1
PWC25	PLUMB 25MM WOOD CHISEL	1
11889	PLUMB ACTION/PRY BAR	1
SS20C	PLUMB SOLID STEEL CURVED CLAW HAMMER	1
TLSG1	SAFETY GLASSES - CLEAR	1
T020348	SAFETY VEST	1
M3RAU	WISS AVIATION STRAIGHT CUT SNIP	1
NT3QC	WISS METAL TRIMMING KNIFE	1

TRADESMANS KITS

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Electricians Tool Kit - Large Kit

(C) CRESCENT Lufkin Plumb Weller

weller Wiss



Material No	Description	APN/UPC	Shelf Pk
CTKAE2N	74 piece kit	■ 002176	1

- 74 piece kit
- Includes market leading 3800CTV Crescent Linesman's Plier
- Includes Safety Products
- More than \$400 of extra value

Material No.	Description	QTY
5428HV	CRESCENT 1000V DIAGONAL CUTTERS	1
3800CHV	CRESCENT 1000V LINESMANS PLIERS	1
6547HV	CRESCENT 1000V LONG NOSE PLIER	1
WB6100	CRESCENT CABLE TIES	1
CCC42	CRESCENT CONDUIT CUTTERS	1
CCT8	CRESCENT CRIMPERS - COPPER LUGS	1
R410CV	CRESCENT CURVED JAW MULTI PLIERS	1
CDB15MX	CRESCENT 15PC MIXED DRILL BIT SET	1
CHKLM8	CRESCENT HEX KEY SET	1
CS7-1000V	CRESCENT INSULATED SCREWDRIVER SET	1
AC8NKWMP	CRESCENT RAPID SLIDE WRENCH	1
CDBS6	CRESCENT SPADE BITS	1
CVS600V	CRESCENT VOLTAGE DETECTOR	1
CWS1	CRESCENT WIRE STRIPPERS	1
TLEM1	EAR MUFFS	1
0890CSJ	HK PORTER HEAVY DUTY CABLE CUTTERS	1
LBB830	LUFKIN BIG BOSS TAPE - 8m	1
LCR30M	LUFKIN CHALK & REEL COMBO	1
CET2P	LUFKIN ELECTRICIAN'S TOOL BELT	1
LPHD	LUFKIN PRO KNEE PADS	1
SV01	LUFKIN SAFETY VEST	1
BIGX60	LUFKIN SOLA BIG X 60cm LEVEL	1
LSD1	LUFKIN STUD DETECTOR	1
NDWS	NICHOLSON DRY WALL SAW	1
NHS550	NICHOLSON HAND SAW - 550mm	1
NHSK9	NICHOLSON HOLE SAW KIT - 9PC	1
NPSHZ	NICHOLSON PRO SERIES HACK SAW	1
TB224	PLASTIC TOOLBOX	1
PWC25	PLUMB 25mm WOOD CHISEL	1
PCH3	PLUMB CLUB HAMMER	1
SS20C	PLUMB SOLID STEEL CLAW HAMMER	1
TLSG1	SAFETY GLASSES	1
ML200	WELLER BUTANE MAGNA LITE BLOW TORCH	1
M3RAU	WISS STRAIGHT CUT AVIATION SNIPS	1

Electricians Tool Kit - Smaller Kit

©CRESCEN<u>T</u> Lufkin®

Plumb

HKP

Wiss[°]

CTKAE400 55piece kit

■ 002879

1

- 55 piece kit
- Comprising 7 leading brands, products chosen for Electricians
- More than \$250 of additional value



Material No.	Description	Qty
5428HV	CRESCENT 1000V 8" DIAGONAL CUTTER	1
3800CHV	CRESCENT 1000V UNIVERSAL PLIER	1
CVS600V	CRESCENT 12V-600V VOLTAGE DETECTOR	1
CDB15MX	CRESCENT 15 PIECE MIXED DRILL BIT SET	1
CTC31P	CRESCENT 31 POCKET TOOL CARRIER	1
CCC42	CRESCENT 42MM CONDUIT CUTTER WITH INSERT	1
CDBS6	CRESCENT 6 PIECE SPADE DRILL BIT SET	1
CCT8	CRESCENT CRIMPING TOOL 22-8 AWG	1
CET2P	CRESCENT ELECTRICIANS 11 POCKET TOOL BAG	1
CWS1	CRESCENT SELF ADJUST WIRE STRIPPER	1
0890CSJ	HK PORTER 9 1/2" ELECTRICAL CABLE CUTTER	1
LBB830	LUFKIN BIG BOSS WIDE BLADE 8M TAPE	1
LSD1	LUFKIN STUD DETECTOR PENCIL	1
NHSK9	NICHOLSON 9 PCE HOLESAW KIT	1
NDWS	NICHOLSON WALL BOARD SAW	1
PWC25	PLUMB 25MM WOOD CHISEL	1
SS20C	PLUMB SOLID STEEL 20 OZ CURVED CLAW HAMMER	1
TLSG1	SAFETY GLASSES - CLEAR	1
SD8SET	WELLER 8 PIECE 1000V SCREWDRIVER SET	1
WB6100	WELLER CABLE TIE BLACK 150MM X 3.6MM QTY 100	1
NT3QC	WISS TRIMMING KNIFE	1

Plumbers Tool Kit - Large Kit

.					4
	Material No	Description	APN/UPC	Shelf Pk	
	CTKAP1N	103 piece kit	■ 002152	1	
	 103 piece ki 	t			
•	 Includes ma 	rket leading Wiss S	Snips		

- 103 piece kit
- Includes market leading Wiss Snips
- Includes Safety Products
- More than \$350 of extra value



Material No.	Description	QTY
C10CV	CRESCENT 250mm LOCKING PLIER	1
508CVN	CRESCENT 200mm COMBINATION PLIER	1
V8CAW300	CRESCENT ADJUSTABLE WRENCH	1
NCG1	CRESCENT CAULKING GUN	1
R410CV	CRESCENT CURVED JAW MULTI PLIERS	1
CDB15MX	CRESCENT DRILL KIT	1
CHKLM8	CRESCENT HEX KEY SET - METRIC	1
CHKL18	CRESCENT HEX KEY SET - IMPERIAL	1
CPW450	CRESCENT PIPE WRENCH - 450mm	1
CPSHR1B	CRESCENT POP RIVET GUN	1
CS13	CRESCENT SCREWDRIVER SET - 13PC	1
CDBS6	CRESCENT SPADE BITS	1
83132	GEARWRENCH SUPERBRITE TORCH	1
CWA20P	CRESCENT TOOL APRON 20 POCKET	1
TLEM1	EAR MUFFS	1
LBB830	LUFKIN BIG BOSS TAPE - 8m	1
LCR30M	LUFKIN CHALK & REEL COMBO	1
CP1	LUFKIN PENCILS	12
PTM520	LUFKIN PLASTIC TORPEDO LEVEL (REPLACE WITH NEW YELLOW ONE)	1
SV01	LUFKIN SAFETY VEST	1
BIGX60	LUFKIN SOLA BIG X 600mm LEVEL	1
LSR300	LUFKIN STAINLESS STEEL RULE - 300mm	1
NMHF6	NICHOLSON HACK SAW MINI	1
NHS550	NICHOLSON HAND SAW - 450mm	1
NHSK9	NICHOLSON HOLE SAW KIT - 9PC	1
NDWS	NICHOLSON MULTI-PURPOSE JAB SAW	1
NPSHZ	NICHOLSON PRO SERIES HACK SAW	1
NT3OC	NICHOLSON TRIMMING KNIFE	1
TB224	PLASTIC TOOLBOX	1
PWC25	PLUMB 25mm WOOD CHISEL	1
PCH3	PLUMB CLUB HAMMER	1
SS20C	PLUMB SOLID STEEL CLAW HAMMER	1
TLSG1	SAFETY GLASSES	1
T086749	WISS LEATHER POUCH FOR SNIPS	1
M1RAU	WISS LEFT CUT AVIATION SNIPS	1
WRPCLG	WISS RATCHETING PIPE CUTTER - LARGE	1
WRPCSM	WISS RATCHETING PIPE CUTTER - SMALL	1
M2RAU	WISS RIGHT CUT AVIATION SNIPS	1
M3RAU	WISS STRAIGHT CUT AVIATION SNIPS	1

Plumbers Tool Kit - Smaller Kit

CRESCENT <u>Lufkin</u>® Plumb Wiss'



CTKAP400	117 piece kit	■ 002893	1

- 117 piece kit
- Comprising 5 leading brands, products chosen for Plumbers
- More than \$300 of additional value

Material No.	Description	Qty
R410CV	CRESCENT 10" MULTI PLIER	1
CDB15MX	CRESCENT 15 PIECE MIXED DRILL BIT SET	1
V8CAW300	CRESCENT 300MM ADJUSTABLE WRENCH	1
CTC31P	CRESCENT 31 POCKET TOOL CARIER	1
CSD52MP	CRESCENT 52 PIECE SCREWDRIVER SET	1
CDBS6	CRESCENT 6 PIECE SPADE DRILL BIT SET	1
NCG1	CRESCENT CAULKING GUN ABS	1
CHKLM8	CRESCENT HEX KEY SET BALL LONG	1
CPW450	CRESCENT PIPE WRENCH 450MM	1
CPSHR1B	CRESCENT PRO SERIES RIVETER CAP 4.8MM	1
LBB830	LUFKIN BIG BOSS WIDE BLADE 8M TAPE	1
CP1	LUFKIN CARPENTERS PENCIL	12
LCRC30	LUFKIN CHALK REEL WITH CHALK COMBO	1
NHSK9	NICHOLSON 9 PCE HOLESAW KIT	1
NPSHZ	NICHOLSON COMFORT GRIP HACKSAW	1
PWC25	PLUMB 25MM WOOD CHISEL	1
SS20C	PLUMB SOLID STEEL 20 OZ CURVED CLAW HAMMER	1
M1RAU	WISS LEFT CUT AVIATION SNIP	1
M2RAU	WISS RIGHT CUT AVIATION SNIP	1
M3RAU	WISS STRAIGHT CUT AVIATION SNIP	1
WRPCMD	WISS RATCHET PIPE CUTTER 6-23MM	1

Cooper Tools reserves the right to change or substitute products or contents of the Apprentice Kits.

GearWrench® Tool Sets feature carefully designed sets to fully equip you with the tools necessary to conquer the service and repair challenges in today's Automotive, Heavy Duty/Diesel, Machinery and Aviation fields.

Each tool set features innovations in speed, access and design; hallmarks that have established the GearWrench[®] brand as a leader in quality, professional hand tools.

GearWrench® Tool Sets

GEARWRENCH



GEARWRENCH



GEARWRENCH



Each Tool Set also includes storage for sockets, wrenches, screwdrivers, and other tools to help promote efficient tool organisation.

For full specifications/sizes of the tools in each set, please refer to dedicated GearWrench® catalogue available from our website www.apextoolgroup.com.au.

Material Number	Description	APN/UPC	Shelf Pack
83090	Auto Introductory Set SAE/METRIC	099575830907	1

Set Includes:

1/4" Drive Sockets, 1/4" Drive Tools, 3/8" Drive Sockets, 3/8" Drive Tools, Combination Wrenches, Screwdrivers and Pliers, Hex Keys, Punches and Chisels, General Purpose Tools, KD^{\odot} Specialty Tools, & 19" Tool Storage.

83091 Career Builder Starter 099575830914 Set	i 1
--	-----

Set Includes:

1/4" Drive Sockets, 3/8" Drive Sockets, 1/2" Drive Sockets, 1/4", 3/8", 1/2" Drive Tools, Combination Wrenches, Screwdrivers and Pliers, Hex Keys, Flies, Punches & Chisels, General Purpose Tools, KD[®] Specialty Tools.

83092 Career Build

Career Builder Diesel Add-on Tool Set

099575830921

.

1

rtadesma Kits

Set Includes:

1/2" Drive Sockets, 1/2" Drive Tools, Combination Wrenches, Flare Nut Wrenches, General Purpose Tools, & KD[®] Specialty Tools.

Tool Sets

GearWrench



Material Number	Description	APN/UPC	Shelf Pack
83093	Career Builder Auto Body Add-on Tool Set	099575830938	1

Set Includes:

General Body Tools, Torx[®] Bit Sockets & KD[®] Specialty Tools.



83094	Career Builder HVAC Add-on Tool Set	099575830945	1
Set Includes:			

Wrenches, Cutting Tools, General HVAC Tools & KD® Specialty Tools.

GEARWRENCH



83095	Intermediate Auto Tool Set	099575830952

Set Includes:

1/4" Drive Sockets, 3/8" Drive Sockets, 1/2" Drive Sockets, 1/4", 3/8", 1/2" Drive Sockets, Combination Wrenches, Screwdrivers and Pliers, Hex Keys, Punch & Chisels, Torx® Bit Sockets, General Purpose Tools & KD® Specialty Tools.

1

TRADESMANS KITS

Tool Sets

GEARWRENCH



GEARWRENCH



GEARWRENCH



Material Number	Description	APN/UPC	Shelf Pack
83097	Intermediate Auto Body Tool Set	099575830976	1

Set Includes:

1/4" Drive Sockets, 3/8" Drive Sockets, 1/2" Drive Sockets, 1/4", 3/8", 1/2" Drive Sockets, Screwdrivers and Pliers, Hex Keys, Punch & Chisels, Hex and Torx[®] Bit Sockets, General Body Tools & KD[®] Specialty Tools.

83096 Intermediate Diesel Tool 0 Set	099575830969 1	
---	----------------	--

Set Includes:

1/4" Drive Sockets, 3/8" Drive Sockets, 1/2" Drive Sockets, 1/4", 3/8", 1/2" Drive Sockets, Combination Wrenches, Screwdrivers and Pliers, Hex Keys, Punch & Chisel, Torx® Bit Sockets, General Purpose Tools & KD® Specialty Tools.

83098	Intermediate Aviation Tool Set	099575830983	1

Set Includes:

1/4" Drive Sockets, 1/4" Drive Tools, 3/8" Drive Sockets, 3/8" Drive Tools, Hex Keys, Screwdrivers and Pliers, Cutting Tools, Files, Punches & Chisels, General Purpose Tools & KD[®] Specialty Tools.



Velep®

 Soldering Guns & Irons
 Table Top & Micro Torches

Well

Weller

Weller® has been the leading brand in professional-quality soldering equipment since 1945. In addition to its famous irons and soldering guns, Weller is also recognized as a leader in advanced electronic rework and repair equipment and irons for sophisticated industrial applications, as well as numerous products for DIYers and hobbyists.

BENEFITS:

1. Iron is ready to use from new. No tip preparation by the purchaser required.

2. Good thermal conductivity with corrosion protection for longer life.

Heats up quickly. Rugged long life element.
 Minimal deterioration over long periods.
 User comfort even after long periods of use.

6. The right iron available for the right job to give the best results.



Weller products have been serving the scientifc, industrial and do-it-yourself markets since 1945. The Australian plant at Albury/ Wodonga manufactures a full range of soldering and desoldering tools and aids that are designed to comply with Australian standards and the requirements of local conditions. Industry demands that soldering tools are extremely efficient with minimal maintenance. The technology gained in meeting these requirements has been incorporated throughout the consumer products as well.

Marksman Soldering Irons (Line Voltage)

All irons blister packaged on hang-up card. SP250D also with stand. SP15D & SP25DAU - Nickel Plated. SP40DAU, SP80DAU, SP120DAU, SP175DAU & SP250D Iron plated.

7. Safe to use.

	Material Number	Description Watt / Volt / Hertz	APN/UPC	Shelf Pack
SP15D (15 watt)	SP15D	15 Watt / 240 Volt / 50 Hertz	■ 473686	3
Weller		Pencil grip. Light duty soldering iron. 210mm long. 400°C tip temperature. Replaceable screw-in tip. Recommended Use: Electronic or transistor kit work. Printed circuit board work where a fine tip is required.		
SP25DAU (25 watt)	SP25DAU	25 Watt / 240 Volt / 50 Hertz	■ 475901	3
Wiler		Pencil grip. 210mm long. 400°C tip temperature. Replaceable screw-in tip. Recommended Use: Light home and hobby iron suitable for printed circuit board work, light electrical soldering. SP25DK for Woodburning.		
SP40DAU (40 watt)	SP40DAU	40 Watt / 240 Volt / 50 Hertz	■ 475925	3
Weller		Pencil grip. Weighs only 56g. 209mm long. Replaceable 6.35mm (diameter) tip. Recommended Use: Suitable for general home soldering of electrical wiring and connections.		
SP80DAU (80 watt)	SP80DAU	80 Watt / 240 Volt / 50 Hertz	■ 475932	3
Wider		Pencil grip. Weighs only 113g. 238mm long. Replaceable 9.52mm (diameter) tip. Recommended Use: Medium wattage iron for electrical soldering. Suitable for light alloy or metal soldering. SPG80D for leadlight soldering.		
SP120DAU (120 watt)	SP120DAU	120 Watt / 240 Volt / 50 Hertz	■ 474539	3
Webr		Medium duty soldering iron. Weighs only 283g. 289mm long. Replaceable 12.70mm (diameter) tip. Recommended Use: Heavy electrical connections and light sheetmetal work.		
SP175DAU (175 watt)	SP175DAU	175 Watt / 240 Volt / 50 Hertz	■ 474676	3
		Heavy duty soldering iron. Weighs 435g. 317mm long. Replaceable 15.87mm (diameter) tip. Recommended Use: Suitable for very heavy cable and medium gauge sheetmetal. eg.: guttering.		
SP200DAU (250 watt)	SP200DAU	250 Watt / 240 Volt / 50 Hertz		3
FEATURES:		Heavy duty soldering iron. Weighs 510g. 350mm long. Replaceable 20mm (diameter) tip. Recommended Use: Heavy sheetmetal assembly. • Includes stand.		
1. Pre-tinned tip. 2. Electroplated copper tips.				
3. Ceramic filled element. 4. Stainess Steel metal components. 5. Stay cool handle material and design. 6. A grade of lowertoge sizes and life.				
 A range of 10 wattage sizes and kits. Fully approved by Electrical Authority. 				17

Weller

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

	Material			
	Number	Description	APN/UPC	Shelf Pack
The second se	Hobby Irons			
	WHK30AU	30 Watt / 230 V - Woodburning & Hobby Kit	■ 002114	6
WHK30AU	pattern transfer 30 Watt short b Set contains 6 Tips, Iron Stand	cluding 12 tips, ideal for wood burning, scu s, hot knife cutting, embossing and brandin arrel Woodburning Iron Woodburning tips, Hot Knife Tip with Blade d and complete Project Book c presentation case	ig	
	SPG80DAU	80 Watt - Lead Light Iron with 🔬	■ 474546	3
	WLC80D	80 Watt - Leadlight Station & Pencil, with Cushion Grip	■ 329402	1
	Temperature	Controlled Irons - Magnastat®		
SPG80DAU WLC80D	W60D	60 Watt - (Temp. controlled)	■ 474089	3
	W100D	100 Watt - (Temp. controlled) 🛕	■ 474263	3
Weiter	T0056107599	W201D 200 Watt (Temp controlled)	4003019029563	
	 Magnastat Cor 			
	Therma-Boos	st Soldering Tool		
	TB100AU	30W-130W/230V	■ 002121	5
W100D TB100AU		igger gives added bursts of power when ne rma-Boost heat tool, six multiple use tips, s		
Woodburning Tips				
		Tips (for SPW25DK)		
	MT5	Conical (2 per card)	■ 303020	1
	MT8	Chisel (2 per card)	■ 478063	1
	MT9	Knife edge (2 per card)	■ 478070	1
Tips for Marksman Irons				
	MT05AU	Tip 2mm/3/32 Spade - SP15D 2 Per Card	■ 472795	1
	MT10	Tip 6mm/1/4 Chisel - SP40D 2 Per Card	■ 473617	1
	MTG30	Tip 13mm/1/2 Chisel - SP120D	• 477903	1
	MTG40	Tip 16mm/5/8 Chisel - SP175D	478672	1
	MT50	Tip 19mm/3/4 Chisel - SP250D	■ 480156	1
Tips for SP25D Marksman Iron				
	MT1	Tip 4mm/5/32 Cone 2 Per Card	• 472175	1
	MT2	Tip 4mm/5/32 S/driver 36•50 2 Per Card	■ 472412	1
	МТЗ	Tip 4mm/5/32 Chisel 2 Per Card	• 472502	1
Iron Plated Tips for Marksman Irons				
	MTG20	Straight Tip 10mm/3/8 S/driver - SP80D	● 476593	1
		Otymi what Tim Common /1 /4 O /alwin your	476601	1
	MTG21 MTG22	Straight Tip 6mm/1/4 S/driver - SP80D Beading Tip	■ 300869	1

 Soldering Tips - PT Series available (refer Cooper Tools Electronic Catalogue)

Magnastat Controlled Station



Electronically Controlled Stations



- WES51D 339661 Soldering Station 1 An economical soldering station with High-End Performance. Ideal for continuous production soldering. Analogue temperature control Temperature lockout Automatic shut off Slim comfortable pencil - reduced operator fatigue • Temperature range 150°C-450°C • Max. power output 50W Assembled in Australia Soldering station consists of: WES51DPU 230V Power Unit • PES51 50 Watt 24V Pencil PH50 Holder • ETA tip Soldering Tips - ET Series available (refer Cooper Tools Electronic Catalogue) WESD51DAU Soldering Station - Digital **339678** 10 Ideal for production, rework and repair of through hole SMT boards, some ground planes and multi-layer boards. • Digital microprocessor temperature control with LED display Wireless temperature lockout tool · Automatic shut off Tip temperature offset °C-°F switchable Temperature range 150°C-450°C Max. power output 50W Assembled in Australia Soldering station consists of: WESD51DPU 230V Power Unit • PES51 50 Watt 24V Pencil PH50 Holder • ETA tip • Soldering Tips - ET Series available (refer Cooper Tools Electronic Catalogue) **Optional Accessories** PES51 50 Watt Soldering Iron • 191540 6 50 watt Soldering Iron to suit WES51D and WESD51D. Use ET Series Tips. PH50 stand NOT included. Magnastat Tool 40W 25V ■ 475055 TC201 10 Magnastat tool 40W 25V, suits WTCPS/T TC201B Magnastat Tool 42W 24V **325183** 10 Magnastat tool 42W 24V, suits WTCPTD TCP50M Magnastat Tool 40W 50V 329501 10 Portable Soldering Iron WPSI12V 12 Volt Portable Soldering Iron 329471 1 42 Watt Battery Powered, with temperature control
 - Powered by a 12 Volt, 7.2 amp hour sealed lead
 - acidity battery Fitted with an automotive cigarette lighter plug for
 - direct connection to other 12 Volt power sources 21 types of PT series tips available in 315°C,
 - 371°C & 427°C
 - Battery life of 2-8 hours dependant on usage
 - · Fluoro yellow carry pack with high visability
 - reflective strip, carry strap & soldering tool stand 3 stage automative battery charger included

Weller[®]

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Weller Portasol



Material Number	Description	APN/UPC	Shelf Pack						
P1C	Port. Cord/1 refill gas pow. Soldering tool Carded	• 593368	6						
 Does not require cords, batteries or cartridges Patented soldering tool has a catalytic converter that provides a 									

- powerful yet safe flameless combustion Refills with butane fuel Weller® BR2000
- Tank holds gas for 90 minute operation
- Ideal for a wide variety of soldering and desoldering jobs at work or at
- home Develops 850°F/454°C



P1KC	Port, Cord/1 refill gas pow. Soldering tool Carded	• 593382

- Safety cut off switch when cap replaced
- Flint-spark ignitor in cap
- Packed in a rugged plastic case

TIPS FOR P1C and P1KC

- Adjustable temperature control regulates the power (the equivalent of 10-60 watts) to quickly heat the tip
- Kit contains Portasol® P1 soldering tool, 3/32"/2.4mm ironplated soldering tip, hot knife accessory, hot blower accessory, blow torch accessory, cleaning sponge and safety stand

4

T1 T2 тз T4 T5 T6 17

Butane Soldering



T1AU	1.0mm (1/32") Soldering Tip	• 593412	5
T2AU	2.4mm (3/32") Soldering Tip	• 593429	5
T3AU	3.2mm (1/8") Soldering Tip	• 593436	5
T4AU	4.8mm (3/16") Soldering Tip	• 593443	5
T5AU	Blow Torch Tip	• 593450	5
T6AU	Hot Blower Tip	• 593467	5
T7AU	Hot Knife Tip	• 593399	5

PSI100K	Butane Powered Soldering Iron	tane Powered Soldering Iron • 060976 6									
 Torch flame fa Equivalent to Tip includes: PSI-6, PSI-8, Refer to Electron 	hot blow and cutting tip cility 0 to 60 Watts.										
P2KC	Butane Powered Soldering Iron		• 169372	1							
Multi-purpose Heat tool • Soldering Iron • Blow Torch • Hot Air Tool • Hot Knife Piezo Ignition, Cordless and totally portable. Refills in 20 secs with standard quality butane lighter fuel. • Adjustable temperature control 15-75 watts • Anti-static • Catalytic combustion provides safe flameless combustion • Iron plated tips • Kit includes tips PPT12, PPT10, PPT9, PPT5. TIPS FOR P2KC											
PPT5	Double Flat Tip 1.0mm		5099681780054	1							
PPT6	Double Flat Tip 2.4mm		5099681780061	1							
PPT7 Double Flat Tip 3.2mm 5099681780078 1											





TIPS FOR P2K	c		
PPT5	Double Flat Tip 1.0mm	5099681780054	1
PPT6	Double Flat Tip 2.4mm	5099681780061	1
PPT7	Double Flat Tip 3.2mm	5099681780078	1
PPT8	Double Flat Tip 4.8mm	5099681780085	1
РРТ9	Hot Blower Tip	5099681780092	1
PPT10	Hot Knife Tip	5099681780108	1

Pyropens					
		Material Number	Description	APN/UPC	Shelf Pack
the second se		WPA2	Piezo ignition (self) lighting	• 590435	1
		Kit includes: • 1 x WPT-2 solde • 1 x WHC-52 hot • Metal kit box See Cooper Tools			
1		WSTA3	Soldering, hot blow and torch flame facilities	• 472281	1
		Kit includes: • 1 x soldering tip • 1 x hot blow tip • Torch ejector tigl • Metal Kit box. See Cooper Tools			
		WSTA6	Jnr pocket size with auto ignition	• 146571	1
	Weller' o'verserese	• 1 x WPT-01 tip	et clip ering and hot blow applications Electronic Catalogue for Tool Selection		
C.	ax.	WSTA5	Jumbo, (self igniting)	■ 370701	1
	Nikrone	 1 x 72-01-02 tip 1 x hot blow tip Torch ejector wit Metal Kit box. 	rature range 250°-500°C h tightening bar Electronic Catalogue for Tool Selection.		
Soldering Stands					
		PH1260	suits SP15D, SP25D, SP40D	■ 474010	1
	and is	PH12100	suits W100D, SP80D	■ 474027	1
		PH1201	Tool Stand for TCP, TC, EP and SP irons	■ 476496	6
PH1201	PH50	PH50	Tool Stand for PES50 and PES51	● 161093	6
ual Heat Battery Powe	ered Cordless Sold	ering Tool			
	PRO SERIES	BP860MPA	Pro Series Battery Soldering Iron	■ 000707	5
214	THERE	 solder, Tip wrei Medium Duty - Dual Heat give temperatures - Long lasting irc Solders up to 1 charge Heating element 	hch LED 8 to 11 Watts Soldering Tool s two different working ldea 454°C and 510°C avail no plated conical shape tip Perfe	l for field work wh able	ates your work in lo ere electricity is no ity soldering jobs cessary
	E	BP10	Conical Soldering Tip	• 221544	1
		BP11	Chisel Soldering Tip	• 221568	1
low Torch	•				
	Weller	ML100	Butane Powered Magna Lite Blow Torch	● 212559	8
Weller		first aid, labora Piezo electroni Blue LED light Adjustable flam Refillable with	Weller BR200 butane revents accidental ignition		g locks, camping,
	Weller	ML200	Butane Powered Magna Lite Table Top Torch	• 212290	4
		 Applications in camping, boati Waterproof Pie Adjustable flam Flame lock-on 	torch for industrial maintenance, tool and clude soldering, brazing, heat shrink tubin ng, labs and more zo electronic ignition system for fast and r e height and length, and level of heat out allows hands-free operation es continuous use	g, frozen locks, fu eliable ignition ev	sing rope ends, ery time

Weller

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Magna-Lite Butane Soldering Iron





Material Number	Description	APN/UPC	Shelf Pack	
ML500MP	Magna-Lite Butane Soldering Iron	• 220912	4	
tubing, electrica repair	Il, electronics, field service 30 n Also is re ignition for fast, reliable Refil	perature adjustable ninute run time operates as a toro moved ls with standard bu 00)	ch when s	soldering tip
ML501	Conical Tip - 1.6mm	• 220929	6	
ML502	Chisel Tip - 2.4mm	• 220933	6	
ML503	Hot Knife	• 220905	6	

Butane Gas



BR200 Butane Gas Refiller 200gms **473600** 12 NB: Butane Gas: The WELLER BR200 is suitable for WPA2, WSTA3, WSTA6, WSTA5, P1C, P1KC, PP1K, PS1100K, P2KC, ML100, ML200, ML500MP 3 Graduated Tips

473853

10

50

- •
- Filtered Gas won't clog your tips

Solder



r	
-	

60/40 Alloy Rosin Core 1.6mm



RC40AU



ØŸ,



US/

111

1.7

MT

Wiss® products have been earning their reputation for craftsmanship and long life since 1848. One result: Wiss has been the market leading "call-out brand" for aviation snips for over 50 years. The wide product line includes scissors, industrial shears, utility knives, siding and HVAC tools... all with famous Wiss quality built in.

LE

Aviation & Tinners's Snips
HVAC Tools Scissors & Shears
Utility Knives

SNIPS

Since 1848, Wiss has manufactured a quality line of cutting tools. Wiss scissors and shears are extremely popular in the garment and dressmaking field and are found in household sewing baskets everywhere. Snips are utilised for industrial cutting and DIY applications, and the Metalmaster range of compound action snips has become a favourite with metal-working craftsmen.



The Wiss line of Metalmaster® compound action snips is the most complete line on the market. Metalmaster snips are one of the most advanced metal cutting tools available today.

Originally developed for cutting the extremely tough alloys used in the aircraft industry, (hence the nickname Aviation Snips). Metalmaster snips have become the favourite of most craftsmen who work with metal.

Wiss Metalmaster snips are widely used by home craftsmen and professional metal workers in gutter and flashing work, fabrication of heating and cooling ducts and for aluminum siding installation. Wiss Metalmaster snips are indispensable to homeowners and maintenance specialists and to industrial workers in the appliance, aircraft, automotive, electrical and construction industries. It is the versatility of Wiss Metalmaster snips, in addition to their superior cutting qualities, that has made them so popular.

Wiss Metalmaster snips cut with half the effort required of conventional snips and handle even the biggest jobs. They cut acute angles, complex patterns and perfect circles of even small diameter in galvanized steel up to 18 gauge (.049"). The M5R is recommended for 16 gauge (.065")

The jaws of Wiss Metalmaster snips are made of extra tough and wear-resistant special molybdenum steel to provide the extra service demanded by the compound lever action and to withstand the severe strain of cutting heavy stock or tight curves. The M-4-1 Pipe and Duct Snips have been specifically developed for the heating and air conditioning industry. They also feature the compound lever action, but have in addition a ball bearing jaw action that automatically adjusts the blade clearance to ensure a squarer, cleaner cut. They cut flat sheet metal without distortion to cut edges.

Wiss also manufactures a comprehensive range of tinners' snips. These are available in a variety of patterns which enable cuts to be made right, left or straight. They are investment cast and have polished jaws for smooth action, combined with cleaner cutting.

SNIPS SELECTION CHART

To find the proper snips for your requirements, check the chart below. Simply find your requirements in the listing. The applicable snips are indicated in the chart.

	Metalmaster M-1R, M-2R and M-3R	M-6R & M-7R	M-8R & M-9R	M-41R	Tinners Strips A19N, V19N	MPC-3	BXN	Metalmaster M-5R	Metalmaster Special Series M1R-S1 and M2R-S1	Industrial Snips W Series	M300	M400	W12, W14L	Pipe Cutters	WRPC Series	HVAC Range
Do-it Yourselfer	•	٠	٠	•	٠	٠	٠			•	٠	٠	٠	٠	٠	•
Roofer	•	٠	٠	٠						•						
Mechanic	•	•	•		•					•						
Autobody Worker	•	•	•							•						
Plumber	•	٠	٠							•				٠	٠	•
Heating and Cooling Specialist	٠	•	٠	٠						٠						٠
Electrician	٠	•	٠		٠		•			٠						
Vocational Teacher	•	•	٠	٠	٠			٠		٠	•	٠	٠			
Maintenance Worker	•	٠	٠		٠					٠				٠	٠	٠
WISS SNIPS FOR SPECIAL J	OBS															
Notching and Nibbling Heavy Stock								•		•						
Cutting Curves	•	٠							•							
Double Cut-Snips				٠												
Cutting Titanium Inconel, Inconel X, a	nd Stainless S	teel							•							

Metalmaster® compound action snips



Handles colour-coded for ease of identification


Aviation Snips



Material Number	Description mm/in	Size mm/inch	APN/UPC	Shelf Pack

M1RAU M2RAU M3RAU WLP

M1RAU	Cuts left - red grips	248/9 3/4	■ 580124	6
M2RAU	Cuts right - green grips	248/9 3/4	■ 580186	6
M3RAU	Cuts straight & slight curves L&R yellow grips	248/9 3/4	■ 580216	6
WLP	Leather pouch suitable for Wiss snips		■ 703004	1

(For Hard Metals - eg stainless steel)



M6RAU

M7RAŬ

M8R

M9R

M4R

M1RS1	Cuts left - blue grips	248/9 3/4	● 580139	6
M2RS1	Cuts right - blue grips	248/9 3/4	● 580191	6

Bulldog Snips

Aviation Snips

M5R	Bulldog for notching, red grips	248/9 3/4	● 580252	6

Metalmaster Off-Set Snips

9	M6RAU	Cuts left - red grips	233/9 1/4	• 583376	6
	M7RAU	Cuts right - green grips	233/9 1/4	• 583383	6

Metalmaster Compound Action Right Angle Blade Snips

M8R	Cuts straight to left - red grips	216/8 1/2	● 224552	6
M9R	Cuts straight to right - green grips	216/8 1/2	● 224576	6

Pipe & Duct Snips

	M4R	Yellow grips	216/8 1/2	● 240989	3	
--	-----	--------------	-----------	----------	---	--

Wiss

PR0 H

ALL APN ■ AND UPC ● CODE NUMB	ERS SHOWN ARE PE	RECEDED BY THE MANUFACTURER	APN OR UPC I.D.	NUMBER 933	(103 & •
Aviation Snips (continued)					
8	Material Number	Description mm/in	Size mm/inch	APN/UPC	Shelf Pack
	Metal-Wizz H	lousehold Cutters			
V	MPC3	Multipurpose, yellow grips	230/9	• 580221	6
	MultiMaster	Snips			
	M300	Compound action, long blade snips	Blade 80mm	● 126481	6
7	MultiMaster	Compound Action Offset Snips	5		
Sour	M400	Compound Action Offset Snips	Blade 75mm	• 224606	6
Parts for Compound Action S	nips				
(O)	P406	Spring for M-1R, M-3R, M-5R, Per card of 3	M-6R	● 580924	10
	P407	Spring for M-2R, M-7R Per card of 3		● 580931	10
nip					
	W12L	Lightweight Aluminium Snip	305/12	• 239983	4
	W14L	Lightweight Aluminium Snip	355/14	• 239976	4
	in light gauge rubber and roo • Half the weigh • Sleek new hea	e, for long, straight and curved cuts metal, flash, vinyl siding, gutter, net, ofing materials t of comparable forged snips ad design reduces cutting effort by flow of materials while cutting		nt drop forged bla ade tip good for g for snipping	
Pattern Snips					
	A9N	Straight Pattern Snip	312mm/12 1/2"	• 213938	6
	gauge stock) • For plumbing, trades	nd wide curves (when trimming light heating, air conditioning and roofing ually hand edged for maximum cutting	 Flat face gui Blades of fin sharp edge, Rust resistar 		aight line ot drop-fo
	V19N	Duckbill Combination Pattern Snip	325mm/13"	• 213990	6
	light stock Popular with h 	ely tight curves left, right or straight in ome craftsman and professionals	sharp edge l • Rust resistar		

Blades individually hand edged for maximum cutting efficiency

· Cushion handle for comfort and better grip

Ratcheting Pipe Cutters



WRPCSM	Ratcheting Pipe Cutter - Small Cuts Pipe 3mm to 13mm	121mm/4 3/4"	● 222428	3
WRPCMD	Ratcheting Pipe Cutter - Medium Cuts Pipe 6mm to 23mm	159mm/6 1/4"	● 222435	3
WRPCLG	Ratcheting Pipe Cutter - Large Cuts Pipe 8mm to 29mm	178mm/7"	● 222442	3
Cut broos conno	r aluminium DVC and other thin	haaamanta		

Cut brass, copper, aluminium, PVC and other thin walled conduit materials
Adjustable ratcheting mechanism provides increased convenience and less effort
360° ratcheting design allows pipe cutting in tight and hard to reach places
Ideal for corners, floor/ceiling joists, crawl spaces and

- basements Durable metal cutting head and lightweight nylon/ fibreglass handle Replaceable cutting wheel in handle (large & medium models only) Limited Lifetime Guarantee

Wiss



Shelf

Pack

3

3

3

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Description mm/in

HVAC (Heating, Ventilitation & Air Conditioning) Tools

Material

Number

- HVAC tools are traditional tools for the sheet metal tradesman
- Made from quality steel for long life
- Treated industrial finish helps prevent rust



	Hand Seamers							
WUCT	WS3	Hand Seamer	76mm / 3"	• 240026	3			
WUCT	WS4	Hand Seamer, Offset Handle	76mm / 3"	• 240033	3			
WUCT	WS6	Hand Seamer, Straight Handle	152mm / 6"	• 239990	2			

· Vibro polished tool heads

Size

mm/inch

• Iconic Wiss design grips, renowned for all weather comfort and grip

APN/UPC

· Produce uniform bends with fewer strokes & reduces metal bucking & bowing between folds

• Offset handle (WS4 Model) provides better access in certain applications



WC3S	3-Blade Crimper	31mm / 1 1/4" depth	● 239914	;
WC5S	5-Blade Crimper	31mm / 1 1.4" depth	● 239891	:
WC5L	5-Blade Crimper	44mm / 1 5.8" depth	• 239921	;

· Crimps up to 22 & 24 gauge sheet metal

· Joins corrugated, round or square sheet metal pipes of same size. Makes longer crimps for tighter fitting pipe

connections.

Multi-Blade Crimpers

Shallower crimps reduce obstruction to flow

Hand Notcher

Y	WHN1	Hand Notcher	• 239969	4	

• Produces true 30° V-shaped cut in sheet metal. Ideal for making notches at corners & take-off tabs · Added "Power" from small handle span in closed position

Folding Tools



WF12	Folding Tool	304mm / 12"	• 239945	4
WF18	Folding Tool	457mm / 18"	• 239952	4
WF24	Folding Tool	609mm / 24"	• 239938	4

· Primarily used for folding drive cleat & S-Cleat channels in sheet metal up to 24 gauge. Less crease marks than seamers. Site holes ensure uniform depth and 180° bends

- Folds depths of 9.55mm/3/8" & 25mm/1"
- · Constructed of heavy 16 gauge steel for channel strength, prevents channels from widening, keeping folds accurate

Cable Tie Tensioning Tool

WT1	Cable Tie Tensioning Tool		• 240019	6	
Used to install	& tighten heavy and light duty nylon	ties when securing	flexible duct to tal	ke-off col	lars

· Easy to operate cut-off mechanism that allows one hand operation to trim excess strap

Comfortable cushion grip handles & internal handle stop





ROL

Trimming Knives & Blades





- · Safety string cutter with recessed blade

TRIMMING KNIFE BLADES

RWK14V	Heavy Duty Blades - 19mm (Card of 5)	● 151445	10
RWK14D	Heavy Duty Blades - 19mm (Dispenser of 100)	● 151773	1
WSB10	Safety Knife Blades - 19mm (Dispenser of 10)	■ 002992	24

SNAP BLADE KNIVES & BLADES

WSBK9	Snap Blade Knife, Blade width 9mm	■ 003005	12
WSB9MM	9mm Blades - 10 Pack	■ 003012	24
WSBK18	Snap Blade Knife, Blade width 18mm	■ 003036	12
WSB18MM	18mm Blades - 10 Pack	■ 003029	24

Durable Metal-allov body construction

- · Ergonomic handle design, with rubber grip inserts for maximum comfort and usability
- Blades are made from high grade steel which are extremely sharp and stay sharp for longer

• Blade snapping tool located at the back of the handle

• Choice of 9mm (WSBK9) or 18mm (WSBK18) blade width models, and replacement blades to suit

 Knives are in hang sell packs, plus in display boxes of 12's. Blades are in hang sell packs plus inner boxes of 24

· High grade SK5 steel

Protective storage case



WSBK18

110











WSB18MM



Shears & Scissors

As with other Wiss products, the manufacture of shears and scissors begins with the finest quality cutlery steel. This combined with an extensive knowledge of metallurgy, the dedication and experience of skilled craftsmen, and the implementation of the strictest quality control procedures have established Wiss shears and scissors as the standard of excellence in the industry. Many progressive and innovative developments – Quick-Clip, Speed Cutters, Serrated Blade Shears, Contura-Lite premium Lightweight Shears – have helped to ensure that all Wiss customers are provided with cutting tools that will cut easier, quicker, better and help do a more professional job... every time. Wiss shears and scissors receive the same attention to detail and quality given to the world-famous range of Wiss metal cutting snips. Knife-edge blades ensure an easy cut. All blades cut down to the tip of the point. Products especially designed for particular uses ensure effortless cutting. Needlecraft Scissors, Thread Clips and the wide range of Pinking and Scalloping Shears have been created to meet many requirements including those brought about by the extensive use of modern man-made materials.

modern man-made materials.

2	Material Number	Description mm/in	Size mm/inch	APN/UPC	Shelf Pack
W22N	W20	Shears, Heavy Duty, Industrial	250/10 1/4	• 240132	6
W20	W22N	Shears, Heavy Duty, Industrial	311/12 1/4	• 240200	6
WZU C	W20LH	Industrial & prof. shears (LH)	250/10 1/4	• 240187	6
27N, 28N, 29N	W20W	Uphol. & carpet shears, Heavy Duty	250/10 1/4	● 240194	6
10	W22W	Uphol. & carpet shears	311/12 1/4	• 240231	6
W1226	27N	Dressmaker's & ind. shears, Bent, Inlaid	182/7 1/2	• 223326	6
428N	28N	Dressmaker's & ind. shears, Bent, Inlaid	206/8 1/8	● 223340	6
	29N	Dressmaker's & ind. shears, Bent, Inlaid	235/9 1/4	● 223395	6
in	W1226	Shears Industrial, Knife Edge	311/12 1/4	• 240224	6
AA TC1	428N	Dressmaker's shears, Bent	206/8 1/8	• 223357	6
	T4388	Household	206/8 1/8	● 581044	6
	TC1	Thread clip	121/4 3/4	• 580153	6
- P	AA	Professional Pinking shears	270/10 5/8	• 580009	6
1DS	1DSN	Shear, Inlaid	216/8 1/2	• 580108	6

Home and Craft Scissors



 Spring-loaded blades for reduced fatigue on repeated of 	uts
 Soft-touch co-moulded handles for maximum comfort 	
 420 Stainless blades provide maximum corrosion resist 	land

- Wire cutter notch for easy cutting of light-gauge wire
- · Safety-latch locks blades closed for storage
- Heavy-duty design is perfect for shop, garden and craft jobs
 Lightweight 9" shears presented in attractive retail packaging



Xcelite[®]

 Presision Nutdrivers & Screwdrivers
 Pliers & Cutters
 Tool Kits

Originating from a tiny metalworking company in 1921, the Xcelite® brand of precision hand tools has been a favorite of service technicians for over 75 years. It is now known throughout the electronics industry for its full line of high quality precision screwdrivers, nutdrivers, pliers, cutters, interchangeable-blade sets, specialized tools and kits.



Knives				
	Material Number	Description mm/in	APN/UPC	Shelf Pack
	XN100	Light Duty Knife Designed for light duty cutting on paper, soft & light materials or wood	● 487681	6
	XN200	Medium Duty Knife Designed for heavy paper & medium density materials	● 487698	6
Xcelite	K22V	Electrician Pocket Knife Both a knife & a screwdriver. Screwdriver blade with sharp edge for scraping insulation	● 484246	6
Light & Medium Duty Knife Set				
	XNS100	XN100 & XN200 + 10 Blades	• 487742	6
2 E	Designed for a Contains 10 as	wide range of cutting operations.		

- Contains 10 assorted blades.
- XN100 designed for light duty cutting on paper, soft and lightweight materials.
- XN200 designed for heavy paper and medium density materials.

	Material Number	Description		Fits Knife ogue Nu		APN/UPC	Shelf Pack
			Light Duty	Medium Duty	Carving		
0	XNB101	5-Standard Blades General duty for cutting carving and correcting stencils.	XN100			● 487759	6
-	XNB103	5-Fine Pointed Blades For most detailed cutting and stripping.	XN100			● 487766	6
	XNB103B	Bulk 100 Fine pointed blades. For most detailed cutting and stripping.	XN100			● 488473	1
-	XNB105	5-Stencil Blades For scoring and etching as well as stencil cutting.	XN100			● 487773	6
12	XNB201	5-Chisel Blades Rough shaping de-burring and chiselling.		XN200	XN300	● 487780	6
]	XNB203	5-General Purpose Blades For most cutting requirements.			XN300	● 487797	6
-	XNB205	5-Pointed Blades For close corner cuts on templates, mats, gaskets, also trimming, stripping and de- burring.		XN200	XN300	● 487803	6

Screwdrivers



Material	Description	APN/UPC	Shelf
Number	mm/in		Pack
XP600	6 piece Precision Slotted & Phillips [®] Screwdriver Set	• 157713	1

Precision Slotted and Phillips® Screwdriver Set, ESD Safe

- ESD safe to provide protection to ESD sensitive items
- Chrome-molybdenum vanadium steel blades provide superior strength
 Fast turning swivel caps provides optimum control for precise centreing
 Black oxide tips for longer wear life
 No-roll handle design keeps drivers from rolling off uneven surfaces
 Storage case provides a home and keeps drivers safe
 Dhilling is a registered trademark of the Dhilling Care.

- Phillips® is a registered trademark of The Phillips Screw Co.

114

Xcelite[®]

ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Allen Sets



99PS40BP

Nut Drive



Wire Stripper and Cutter



• 12 x Allen Hex Screw Bits

99SPC

Plastic Roll Case

• Slotted Screwdriver 3/16"

• 2 x Torx Screwdriver Blades

• Phillips #0, #1

PC Repair Kit

Screwdriver Set



Case & Tool Set

TCMB100ME Attaché Tool Case with To

Ideal for repairs on PC's. Contains 12 anti-static

chip tools, protects chips from ESD damage.

Tool fits securely in a convenient pouch

Personal Computer (PC) Tool Kit

■ 491527 1

• 490940

Antistatic 3 Prong Chip Remover/Extractor

• Hex Nut Driver 3/16", 1/4"

Antistatic Chip Tweezers

Antistatic Chip Extractor

Antistatic Chip Inserter

Regular Handle

6

- Size: 17 3/4" x 12 5/8" x 5 3/4"/ 451mm x 321mm x 146mm
- Carefully selected, 53 individual hand tools
 Contains 3-panel hinged tool pallet in lid, additional pallet in bottom
- Covered with super tough, black polyethylene
 Disk looking black polyethylene
- Rich looking black anodized aluminium hardware

115

Material Number	Page No.
A9N	
AA	
AC10NKWMP AC210CVS	
AC210CVS	
AC212CVS	
AC212VS	
AC215VS	
AC218VS	
AC224VS AC24CVS	
AC24VS	-
AC26CVS	-
AC26VS	
AC28CVS AC28VS	-
AC6NKWMP	
AC8NKWMP	
AL825M	
AM-3MM-AU	
AN-08-AU AT210VS	
AT210VS	
AT24VS	-
AT26VS	
AT28VS	
ATR45C32 BC100	
BC100 BP10	
BP11	
BP860MPA	102
BR200	
BRW100 BYB100	
C106PM	
C106TPM	
C10CV	
C10CVC	
C10SV C11CCSV	
C11CCV	
C20CH	
C5CV	
C6CCSV	
C6CCV	
C6NV	
C7CV	
C7CVC	
C7SV C8SMV	
C9NV	
C9W	
CB4	38
CCC42	
CCG2 CCSS18MP	
CCT10	
ССТ8	
CCTB22P	33
CDB15MX	
CDBS6	
CET2P	
CFT30	
CHC500	
CHC75	
CHKI8 CHKI9	
CHKI9	
CHKLM8	
CHKM8	
СНКМ9	
CHKT8	26
СНКТ81	
	20
CHKT81 CHV410	20 20 20

Material Number	Page No.
CJ14	
CJ18	
CJ24 CJ30	
CJ6Y	
CJ7Y	11
CJ8MP	11
CJ8Y	11
CL100	25
CLP2SET	. –
CLP3SET CLP3SETC	
CLP5SET	
CLPR1	17
CMBD7P	23
CMGP10	20
CMGP12	20
CMT14 CP1	
CP1 CP2H	61 61
CP8MEM	
CP8SI	
CP8SIM	31
CPR120	
CPS12	
CPSD7 CPSHR1B	23
CPW450	
CRCC1	24
CRCT10	24
CS10	27
CS12	27
CS13 CS31	21 21
CS6	
CS7-1000V	21
CSD10	23
CSD2	23
CSD30V	23
CSD33V CSD36V	23 23
CSD4	
CSD41V	23
CSD44	21
CSD44V	
	23 23
CSD52MF	
	23
CSD6	
CSDIND10	
	23
	23 23
	23
	23
	23
	23
CSDS5	
	23
CSDSET10 CSET2V	
CSET2VL	
CSG3	
CSG4	
CSH60	
CSPH CT14	
	23
	23
	23
	23 23
	23
	23
	14
•	

Material Number	Page No.
CTK148MP	14
CTK25EU	
	14
CTK70MP	
CTKAC1N CTKAC400	90 90
CTKAE2N	91
CTKAE400	91
CTKAP1N	92
CTKAP400 CTKM8	92 26
• • • • • • • • • • • • • • • • • • • •	20
CTPC20	24
CTPC25	24
CTT	36
CVS600V CWA20P	
CWA20F	26
CWS1	25
DJ7YMP	11
DJ8JMP	11
DR23H ELW148SI10	20 53
ELW148VSI	
EX-250-2-AU	
	9
EX-250-6-AU	-
	9 9
EX-257-2-AU	9
EX-257-6-AU	9
EX-370-2-AU	9
	9
EX-370-AU EX-375-AU	9 9
EX-376-2-AU	9
EX-376-4-AU	9
EX-376-5-AU	9
EX-376-6-AU EX-377-3-AU	9 9
	9
EX-500-B-2-AU	9
EX-501-2-AU	9
EX-503-AU	9
EX-507-3-AU EX-508-15-AU	9 q
EX-508-3-AU	9
EX-508-4-AU	
EX-508-5-AU	-
FC12 FH10	
FH14	
FL35SI12	
FL38ME12	
FL38SI12 FL48ME10	
FL48VME	
FL48VSI	
FM030CME	57
FM060CME	
FM100CME FN12	-
FN15	
FR28SMP	
FT100B	
FT100HG	
FT100HP FT100HR	
FT100HV	
FT100W	61
FT100Y	
FT15 GT28CN	
HR15	
HS618	
HTS-1-AU	-
HTS-2-AU HTS-3-AU	
HTS-4-AU	-

Material Number	Page No.
HTS-5-AU	8
HTS-6-AU	8
HTY30MM	
HTY30MME	
HYF30M	
HYF30ME	
HYT50CM	
HYT50MME	
IELC127	
IRST120	
IRST123	
IRST124	
IRST200	
J19LMMP	
K22V	
KC100	
KC150	36
KC200	
KP1002	
KP1503	
KP2004	
KP2004 KP20048	
KP20048 KW20	
KW30	
KW40	
KW40 KW48	
L60V120	
L60V120 L60V120S	
L60V200	
L60V60	
L60V80	
LAL20X	
LAL20XKT	
LAL24X	
LAR1000	
LB10	20
LBB830	
LBBL120	
LBBL200	
LBBL60	
LBL100L	60
LBL100P	
LBL100W	
LBL50L	
LBL50P	
LBL50W	
LCBL112	
LCBL224	
LCL3	
LCL4	
LCR30	
LCR30M	
LCRC30	
LCRD112	
LCRD224	
LCS12	
LCS6	
LCWT224	
LDC6	
LED125TA	
LED130TA	
LFBME	
LFBSI	
LFSME	
LFSSI	
LKPF	65
LKPN	
LLBO	
LLM45	
LLS5	
LLTP1	
LP1SX4	
LP1X8	
LPD50	
LPHD	
LPPB	65
LR500	68
LR502	
LR510	69

Material Number	Page No.
LR600	69
LRD120	
LRS24	
LS6 LS6BRACKET	
LSD1	
LSP1	
LSR1000	59
LSR150	
LSR300	
M-1500-P-AU	
M-15-SC-AU	
M1RAU	
M1RS1	
M2RAU M2RS1	
M300	
M3RAU	
M400	108
M-490-4-AU	
M-490-6-AU M4R	
M4R	
M6RAU	107
M7RAU	
M-838-AU	8
M8R M9R	
MET-1401C-AU	
ML100	102
ML200	
ML500MP	
ML501 ML502	
ML503	
MPC3	
MPC3	
MR46M MR46M10	
MR40M10	
MR49M10	53
MT05AU	
MT1 MT10	
MT10	
MT3	
MT5	
MT50	
MT8 MT9	
MTG20	
MTG21	99
MTG22	
MTG30 MTG40	
MW1000	
N047	
N048	
N049	
N062 N157AU	
N25D	
N40D	26
N80D	
N9YCMP NAM13	
NAM50	
NCG1	
NDWS	
NFS310	
NFS38 NFS510	
NFS58	
NGG60D	
	28
NGGS10	
NHS550	30
	30 29

NL526ME 31 NL526SI 31 NMG4 29 NMG5 29 NMF6 30 NWW1 31 NP12 38 NPFS6 77 NPSHZ 30 NR524 59 NS30ME 31 NT35SI 31 NT3QC 110 NT3QC12 NW1624 29 NWB1624 29 NWB1624 29 NWB1624 29 NWB1824 29 NWB2324 29 NWB2340 29 NWB2524 29 NWB2524 29 NWB3030 29 NWB3030 29 NWG417 77 NWG418 77	Material Number	Page No.
NL526SI 31 NMG4	NL526ME	
NMG45 29 NMG5 29 NMHF6 30 NWW1 31 NP12 38 NPFS6 77 NPSHZ 30 NR524 59 NS30ME 31 NT35SI 31 NT3QC 110 NT3QC12 110 NT410SI 31 NW1642 29 NWB1624 29 NWB1624 29 NWB1824 29 NWB2324 29 NWB2324 29 NWB2340 29 NWB3060 29 NWB3060 29 NWG419 77 <t< td=""><td>NL526SI</td><td></td></t<>	NL526SI	
NMG5 29 NMHF6 30 NMW1 31 NP12 38 NPFS6 77 NPSHZ 30 NRS24 59 NS30ME 31 NT35SI 31 NT3QC 110 NT3QC12 110 NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1624 29 NWB1840 29 NWB2324 29 NWB2340 29 NWB3030 29 NWB3030 29 NWG417 77 NG418 77 NWG418 77 NWG419 77 PLC 101 PLKC <td></td> <td></td>		
NMHF6		
NMW1 31 NP12 38 NPFS6 77 NPSHZ 30 NR324 59 NS30ME 31 NT35SI 31 NT3QC12 110 NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1624 29 NWB1840 29 NWB1840 29 NWB2340 29 NWB2340 29 NWB254 29 NWB254 29 NWB3060 29 NWB3060 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCS113		
NP12 38 NPFS6 77 NPSHZ 30 NR524 59 NS30ME 31 NT35SI 31 NT3QC 110 NT402 12 NT3QC 110 NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1624 29 NWB1840 29 NWB224 29 NWB2324 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB3060 29 NW6417 77 NWG418 77 NWG418 77 NWG418 77 PVCC 101 P2KC 101 P2KC 101 P2KC 101 P2KC 101 PCH12		
NPSHZ 30 NRS24 59 NS30ME 31 NT35SI 31 NT3QC 110 NT3QC12 110 NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1624 29 NWB1824 29 NWB2324 29 NWB2524 29 NWB2524 29 NWB3030 29 NWB3060 29 NWB3060 29 NWB417 77 NWG418 77 NWG418 77 NWG418 77 PI2D 39 P1C 101 P1KC 101 P2KC 101 P406 108 PA07 108 PA13 81 PCR12.33 81 PCR12.34 62 PCS13 63 PES51 </td <td></td> <td></td>		
NRS24 59 NS30ME 31 NT35SI 31 NT3QC 110 NT3QC12 110 NT410SI 31 NW14 77 NW30D 29 NWB1624 29 NWB1640 29 NWB1824 29 NWB2124 29 NWB2324 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB3030 29 NWB3040 29 NWB2540 29 NWB2541 29 NWB2542 29 NWB3030 29 NWB3040 29 NWG417 77 NWG418 77 NWG418 77 PSKC 101 PA06 108 PA17 108 PC12 38 PCR123 81 <	NPFS6	77
NS30ME 31 NT35SI 31 NT3QC 110 NT3QC12 110 NT4IOSI 31 NW14 77 NW30D 26 NWB1624 29 NWB1624 29 NWB1824 29 NWB1824 29 NWB2124 29 NWB2324 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2340 29 NWB2340 29 NWB2340 29 NWB2340 29 NWB2340 29 NWB2340 29 NWB2417 77 NWG418 77 NWG419 77 P12D 39 P14C 101 P2KC 101 P406 108 P407 108 PC12 38 PCR123 81 <td< td=""><td></td><td></td></td<>		
NT35SI 31 NT3QC 110 NT3QC12 110 NT3QC12 110 NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1640 29 NWB1824 29 NWB1840 29 NWB2324 29 NWB2340 29 NWB2524 29 NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 PIC 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCN13 81 PCR143 81 PCR12 38 PCS13 63 PCS251 102 PH1200 102 PH12100 102 PH1260 102 PH		
NT3QC 110 NT3QC12 110 NT3QC12 110 NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1624 29 NWB1824 29 NWB1840 29 NWB2324 29 NWB2340 29 NWB2524 29 NWB3060 29 NWB3060 29 NWB3060 29 NWG417 77 NWG418 77 PIC 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA123 81 PCS14 82 PCS113 63 PCSET5 82 PCS14 82 PDSC113 63 PES51 100 PH1200 102 PH12100 102 PH		
NT410SI 31 NW14 77 NW30D 26 NWB1624 29 NWB1640 29 NWB1840 29 NWB1840 29 NWB224 29 NWB2324 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB3060 29 NWG417 77 NWG418 77 PLC 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCST4 82 PCST4 82 PCST4 82 PCST4 82 PDSC113 63 PCS551 100 PH1200 102 PH126		
NW14 77 NW30D 26 NWB1624 29 NWB1640 29 NWB1824 29 NWB1860 29 NWB2124 29 NWB2340 29 NWB2524 29 NWB3060 29 NWB2524 29 NWB3030 29 NWB3060 29 NWB3060 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1200 102 PH12		
NW30D 26 NWB1624 29 NWB1824 29 NWB1840 29 NWB1840 29 NWB1840 29 NWB2124 29 NWB2324 29 NWB2524 29 NWB2524 29 NWB3030 29 NWB3040 29 NWB2524 29 NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 NWG419 77 NWG410 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PC31234 62 PCH3 81 PCS13 63 PES51 100 PH1201 102 PH1201 102 PH1200 102		
NWB1624 29 NWB1640 29 NWB1824 29 NWB1860 29 NWB2124 29 NWB2324 29 NWB2524 29 NWB2524 29 NWB2524 29 NWB2524 29 NWB2524 29 NWB2524 29 NWB3030 29 NWB3060 29 NWG418 77 Pl2D 39 P1C 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH3 81 PCR149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1210 102 PH1260 102 <td< td=""><td></td><td></td></td<>		
NWB1640 29 NWB1824 29 NWB1860 29 NWB2124 29 NWB2324 29 NWB2524 29 NWB2524 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB2540 29 NWB3030 29 NWB3060 29 NWG417 77 PUC 101 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH3 81 PCR143 81 PCR12 38 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1210 102 PH1260 102 PH		
NWB1840 29 NWB1860 29 NWB2124 29 NWB2340 29 NWB2540 29 NWB2540 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P1C 101 P1KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1200 102 PH1210 102 PH1210 102 PH1252 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 <t< td=""><td>NWB1640</td><td></td></t<>	NWB1640	
NWB1860 29 NWB2124 29 NWB2324 29 NWB2540 29 NWB2540 29 NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P2KT 38 PCH12 38 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1260 102 PH1261	NWB1824	29
NWB2124 29 NWB2324 29 NWB2524 29 NWB2524 29 NWB2524 29 NWB2524 29 NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P407 108 P407 108 PC12 38 PCA1234 62 PCH3 81 PCR149 63 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1200 102 PH12100 102 PH1260 102 PH50 102 PH18111 64 PNB0992 62 PNB1254 62 PNB1298 62 P		
NWB2324 29 NWB2524 29 NWB2540 29 NWB3060 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1200 102 PH1201 102 PH1200 102 PH1201 102 PH1200 102 PH1200 102 PH1200 102 PH1260 62 PNB		
NWB2340 29 NWB2524 29 NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH019 64 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1201 102 PH1201 102 PH1200 102 PH1201 102 PH1201 102 PH1201 102 PH1200 102 PH1260 102 PNB		
NWB2524 29 NWB2540 29 NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1201 102 PH1201 102 PH1200 102 PH1201 102 PH1201 102 PH1201 102 PH1200 102 PH1260 102 PN		
NWB3030 29 NWB3060 29 NWG417 77 NWG418 77 P12 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCST4 82 PCST4 82 PDSC113 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1200 102 PH12100 102 PH1260 102 PNB1252 62 PN	NWB2524	
NWB3060 29 NWG417 77 NWG418 77 P12D 39 P1C 101 P1KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH3 81 PCR149 63 PCST4 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1210 102 PH1210 102 PH55 102 PH50 102 PH51252 62 PNB1254 62 PNB12		
NWG417 77 NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1210 102 PH1260 102 PH50 102 PH1260 102 PNB1254 62 PNB1		
NWG418 77 NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 P407 38 PCA1234 62 PCH3 81 PCR1149 63 PCST4 82 POST13 63 PES51 100 PH1201 102 PH12100 102 PH1260 102 PNB0992 62 PNB1252 62 PNB1254 62 PNB1298 62		
NWG419 77 P12D 39 P1C 101 P1KC 101 P2KC 101 P407 108 P407 108 P407 38 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCR1149 63 PCST4 82 PCST4 82 PDSC113 100 PH1201 102 PH12100 102 PH1260 102 PH55 100 PH1254 62 PNB1252 62 PNB1254 62 PNB1254 62 PNB1298 62 PPH0307 64 PPT10 101 PPT5 101 PPT6 101 PPT7 101 PPT8 101 PPT9 101 PRM24		
P1C 101 P1KC 101 P2KC 101 P406 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH201 102 PH1201 102 PH1201 102 PH1201 102 PH1201 102 PH1260 102 PH50 102 PH50 102 PH1260 102 PH50 102 PH50 102 PH1260 102 PH50 102 PH1260 102 PNB1252 62 PNB1254 62 PNB1255 101 PPT6 101 PPT7 101 PT7		
P1KC 101 P2KC 101 P406 108 P407 108 P407 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1200 102 PH1201 102 PH1200 102 PH1201 102 PH125 62 PNB1252 62 PNB1254 62 PNB1255 101 PPT5 101	P12D	
P2KC 101 P406 108 P407 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1200 102 PH1200 102 PH1260 102 PH50 102 PH1260 102 PH50 102 PH5125 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1255 101 PPT5 101 PPT5 101 PPT6 101 PPT9 101 PRM2 81 PS120V </td <td></td> <td></td>		
P406 108 P407 108 P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH12100 102 PH55 102 PH50 102 PH51 102 PH52 62 PNB1252 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1298 62 PPH0307 64 PPT10 101 PPT5 101 PPT6 101 PPT9 101 PRM2 81 PRM2 81 PS120V 115 PS20509C 19 PS35		
P407 108 PA103AM 62 PC12 38 PCA1234 62 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1260 102 PH55 102 PH50 102 PH52 62 PNB0992 62 PNB1254 62 PNB1254 62 PNB1296 62 PNB1298 62 PNB1007 64 PPT0 101		
PC12 38 PCA1234 62 PCH0109 64 PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1200 102 PH1260 102 PH55 102 PH50 102 PH1260 102 PH50 102 PH1260 102 PH1260 102 PH1260 102 PH1260 102 PH1260 102 PH1260 102 PNB0992 62 PNB1252 62 PNB1254 62 PNB1298 62 PH0307 64 PPT10 101 PPT5 101 PPT6 101 PPT7 101 PRM2 81 PRM2 81 PRM2 81 PRM32 <td></td> <td></td>		
PCA1234	PA103AM.	62
PCH0109		
PCH3 81 PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH1210 102 PH1201 102 PH1210 102 PH1260 102 PH50 102 PHS125 62 PNB0992 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT10 101 PPT5 101 PPT6 101 PPT7 101 PPT8 101 PPT9 101 PRM24 81 PRM22 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS44 54 PS48 <td></td> <td></td>		
PCR1149 63 PCSET5 82 PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH12100 102 PH50 102 PH50 102 PH50 102 PH50 102 PH50 102 PH51 62 PNB1252 62 PNB1254 62 PNB1298 62 PPH0307 64 PPT10 101 PPT5 101 PPT6 101 PPT7 101 PPT9 101 PRM24 81 PRM24 81 PRM24 81 PS20509C 19 PS35 54 PS410 54 PS48 54 PS48 54 PS48 54 PSBHD 63		
PCST4 82 PDSC113 63 PES51 100 PH1201 102 PH12100 102 PH50 102 PHHS111 64 PNB0992 62 PNB1252 62 PNB1254 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT5 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM24 81 PRM32 81 PS120V 115 PS35 54 PS410 54 PS429C 19 PS6549C 19 PSBHD 63		
PDSC113 63 PES51 100 PH1201 102 PH12100 102 PH1260 102 PH550 102 PHHS0 102 PHB992 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT5 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM24 81 PRM32 81 PS120V 115 PS35 54 PS410 54 PS42 19 PS6549C 19 PSBHD 63		
PES51 100 PH1201 102 PH12100 102 PH1260 102 PH50 102 PH55 102 PHB992 62 PNB0994 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT5 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM24 81 PRM32 81 PS120V 115 PS35 54 PS410 54 PS42 19 PS6549C 19 PSBHD 63		
PH1201 102 PH12100 102 PH1260 102 PH50 102 PH50 102 PHHS111 64 PNB0992 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1297 64 PPT0 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM24 81 PRM24 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS49C 19 PS6549C 19 PSBHD 63		
PH12100 102 PH1260 102 PH50 102 PH50 102 PH50 102 PHHS111 64 PNB0992 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT0 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM24 81 PRM32 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS4 54 PS4 54 PS48 54 PS49C 19 PS6549C 19 PSBHD 63		
PH50 102 PHHS111 64 PNB0992 62 PNB1252 62 PNB1254 62 PNB1254 62 PNB1254 62 PNB1298 62 PPH0307 64 PPT0 101 PPT5 101 PPT6 101 PPT9 101 PPT9 101 PRM24 81 PRM24 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS48 54 PS48 19 PS6549C 19 PSBHD 63		
PHHS111		
PNB0992 62 PNB0994 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT5 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM16 81 PRM24 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS429C 19 PS6549C 19 PSBHD 63		
PNB0994 62 PNB1252 62 PNB1254 62 PNB1296 62 PNB1298 62 PPH0307 64 PPT5 101 PPT5 101 PPT7 101 PPT8 101 PRM16 81 PRM24 81 PS120V 115 PS35 54 PS410 54 PS42 19 PS459C 19 PS6549C 19 PSBHD 63		
PNB1252 62 PNB1254 62 PNB1296 62 PPH0307 64 PPT0 101 PPT5 101 PPT7 101 PPT8 101 PPT9 101 PRM16 81 PRM22 81 PS120V 115 PS35 54 PS410 54 PS42 19 PS42 19 PS6549C 19 PSBHD 63		
PNB1296		
PNB1298		
PPH0307 64 PPT10 101 PPT5 101 PPT6 101 PPT7 101 PPT9 101 PPT9 101 PRM16 81 PRM24 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS6549C 19 PSBHD 63		
PPT10		
PPT5 101 PPT6 101 PPT7 101 PPT8 101 PPT9 101 PRM16 81 PRM24 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS5429C 19 PS6549C 19 PSBHD 63		
PPT7 101 PPT8 101 PPT9 101 PRM16 81 PRM24 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS48 54 PS6549C 19 PSBHD 63		
PPT8 101 PPT9 101 PRM16 81 PRM24 81 PRM32 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS4529C 19 PS6549C 19 PSBHD 63		
PPT9 101 PRM16 81 PRM24 81 PRM32 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS48 54 PS6549C 19 PSBHD 63		
PRM16 81 PRM24 81 PRM32 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS429C 19 PS6549C 19 PSBHD 63		
PRM24 81 PRM32 81 PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS429C 19 PS6549C 19 PSBHD 63		
PS120V 115 PS20509C 19 PS35 54 PS410 54 PS48 54 PS5429C 19 PS6549C 19 PSBHD 63		
PS20509C 19 PS35 54 PS410 54 PS48 54 PS5429C 19 PS6549C 19 PSBHD 63		
PS35 54 PS410 54 PS48 54 PS5429C 19 PS6549C 19 PSBHD 63		
PS410		
PS48		
PS6549C19 PSBHD63		
PSBHD63		

Material Number	Page No.
PSFM060CME	
PSFM100CME	
PSI100K	
PSMW10M PSMW16M	58 58
PSR0050	
PTH0010	
PTH0011	64
PTM520	
PWB0050	
PWB24 PWC12	
PWC19	
PWC25	
PWC32	82
PWC38	82
PWC6	
PWC9	
PWC9 QR-308-AU	
R200SET3	
R210CV	
R212CV	
R216CV	
R410CV	
	11
RC40AU RCJ6YMP	
RCJ8YMP	
RJ19HXMP	11
	11
RWK14D	
RWK14V	
SD8SET SP120DAU	
SP12D	
SP15D	98
	98
SP25DAU SP40DAU	
SP80DAU	
SPG80DAU	99
SR4MS4	
SS20BHN	• • •
SS20C SS20CN	
SS24BH	
SV01	
SZ-31-A-AU	
SZ-34-AU	
SZ-7-AU T0056107599	7 99
T0038107599	
T03401	
T03500	73
T03632	73
T03698	
T03863 T03896	
T03929	
T06150	
T06601	
T06668	
T08642	
T08673 T08799	
T09099	
T09179	
T09227	
T11421	
T11429 T11498	
T11498	
T11520	
T13196	
T16180N	
T16696	/6

Material Number	Page No.
	20
T1AU	
T2AU T38111	
T3AU	
T4388	
T4AU	101
T5AU	101
	101
T7AU TAHC133	101
TB100AU	
TC1	111
TC201	100
TC201B TC7	100
	115
TCP50M	
TG4N	
THC12	
THH111L TN10	64
TNB0972	
TNB0973	
TNB1002	63
	70
TRIFH TRIS130	70 70
TW-4-AU	7
TW-5-AU	7
TWB-6-AU	7
TWB-7-AU TWB-8-AU	/ 7
TWD-1-AU	
TWD-2-AU	7
TWD-3-AU	7
-	7
TWD-5-AU TWD-6-AU	7 7
TWE-5-AU	7
TZ2V	27
UW138ME12	53
	53 53
UW148SI10	
UW148VME	53
UW148VSI	
V19N	
W100D W1226	
W12L	
W14L	108
W20	
W20LH W20W	
W22N	
W22W	
W606PM	
W60D	
W812 W8TA	
W912	
WA350	32
WB12100	
WB12100HD WB1225	
WB1225 WB12500	
WB14100	
WB1425	
WB15100	
WB1525 WB18100HD	
WB22100HD	
WB4100	
WB425	
WB4500 WB5100HD	
WB6100	
L	

Material	Page
Number	No.
WB625 WB6500	
WB8100	
WB825	
WB8500	
WC3S WC5L	
WC5S	
WCSET3CMN	
WDS	
WES51D WESD51DAU	
WEZSNIP	111
WF12	
WF18 WF24	
WHCS2	
WHK30AU	
WHN1 WK500V	
WKAR1	
WLC80D	
WLP WN12100	
WN1225	
WN14100	
WN1425 WN4100	
WN425	
WN6100	
WN625 WN8100	
WN825	
WPA2	102
WPSI12V WRPCLG	
WRPCLG	
WRPCMD	
WRPCMD WRPCSM	
WRPCSM	
WS15H	
WS19H WS3	
WS4	
WS6	
WSB10 WSB18MM	
WSB9MM	
WSBK18	
WSBK9 WSTA3	
WSTA5	
WSTA6	
WT1 WT1	
WTCPTD	
XL410M8	
XL410MAU XL410ME	
XL410ME8	
XL70	
XN100 XN200	
XNB101	
XNB103	
XNB103B XNB105	
XNB201	
XNB203	
XNB205 XNS100	
XP600	
Y3ME	
Y3ME12 Y3SI	
Y3SI12	55
Y613ME	
Y833SI	55

Material Number	Page No.
Y835ME	
Y835MEBLK	
Y835SI	
Y835SI25 Y838ME	55
Y838MEBLK	
Y838SIBLK	
Y838SIC	
Y848ME Y848MEBLK	
Y848SI	
Y848SI18	55
	73
0090AC 0190AC	87
02147N	73
	73
	73
02230B 032282C	
	40
	73
	73
	73
03599N 03665N	
	73
03764N	73
	73
	73
	73 74
	74
	73
	74
	74 73
	73
04960N	74
	73
	74 74
	73
05125N	74
0513RBJN 05158N	
	74
	74
	74 74
	74 74
05886N	
	87
	74
	74 74
	74
06084N	74
06117N	
06601N 0690TN	74 87
07851N	
	74
	74
	74 74
	74 74
	74
08832N	74
0890CSJ	
0890CSJ 100010VN	
100012VN	
100012VN 100018AU 10008VN	

Material Number	Page No.
100192	
101SV 1038MR	
11400N	
11423	81
11426 11428	
11435	
11494	
11496 11497	-
11497	81
11499 11521	
11522	
11526N	
11559N 11637	
11716	
11748N 11781N	-
11889	
11904	75
11936 11969	
12019	75
12051	
12084 12134	-
12166	
12199 1238MS	
12967	
129EV7	
12P 13000N	
13033	
13081 13114	-
13147	
13229 13262	
13310	-
13343	
13700D 14106M	
14139M	-
14162M 14224M	
14255M	-
14273C	
14290M 14442	-
14445	
14451	
14547M 14665M	
14865	-
1490AC 14946	
14947	
14DN	
15958N 16069N	
162EN12	83
16507 16540N	
16573	
16663	
16729 16761N	
16794N	
167EV6	
16827 170-1/4-AU	
17615N	76
17683N 17751N	
17903N	39
17903N	76

Material Number	Page No.
18130N	
18130N 18155N	
18155N 18155N	
185-0X-AU	
185-10X-AU	
185-1X-AU 185-2X-AU	
185-3X-AU	
185-5MM-AU	6
185-5X-AU 185-6X-AU	
185-8X-AU	•
193610CVSMN	
19394N	
19427N 19460N	
19493N	
1DSN	
20LHN 212-1/4A-AU	
212-1/4A-AU	
212-10A-AU	7
212-10-AU	
212-2-AU 212-3/8A-AU	
212-4-AU	
212-5/16A-AU	7
212-6-AU 212-8-AU	
212-8-AU 21458	
21474H	
214R	
218R 22WN	
27N	
28N	
29N	
30052C 30209	
30215	
30221D	
30227 30233	
30239D	
30247D	
30248D 30354	
30422D	
30423D	
30425D 30445	
30445 30448D	
30449D	
30452	
30455D 30602	
30640D	
30641	
30726 307AU	
307AU	
30P	
31037D	
31038D 310PR	
31121D	
3130R	
315-10MM-AU 31PZ	
31PZ 326-0X-AU	
326-1X-AU	5
326-6X-AU	
32936 33351D	
33363D	
33366	
33370 3532R	
3605C	

Material Page Number No.	1
0007D 40	1
3637D49 3641	
3649D49	
3655D49	
3657	l
3659D49 3800CHV18	
3800CTP	
3800CTV18	
413MM115	I
414R	
41P	
42P22	
4316IR22	
4316R	
440-1-ACR1X-AU5 440-22-ACR2-RX-AU5	
440-22X-AU 5	
440-2-ACR2I-AU5	
440-2-ACR2-RI-AU 5	I
440-2-ACR2X-AU 5 440-2I-AU 5	
440-2X-AU 5	
440-32X-AU5	
440-3-ACR3-RX-AU5	
440-3BNX-AU5	
440-3X-AU5 440-4X-AU5	
440-TX-10X-AU	
440-TX-15X-AU6	
440-TX-20X-AU6	
440-TX-25X-AU6	
440-TX-27-H-AU6 440-TX-27X-AU6	
440-TX-30-H-AU	
440-TX-30X-AU6	
440-TX-40X-AU 6	
440-TX-50X-AU 6 445-20X-AU 5	
445-3X-AU 5	
445-4X-AU 5	
445-5X-AU 5	l
446-0X-AU5 446-23T-AU5	
446-21-AU 5	
480-2I-AU 5	
480-2X-AU 5	l
480-3X-AU 5 480-4X-AU 5	
480-TX-40X-AU	
480-TX-55X-AU6	
491-AX-AU5	
491-B-PZDX-AU6	
491-BX-AU5 492-ACR2X-AU5	
492-AX-AU	
492-BX-AU5	
492X-AU5	
493-ACR3X-AU5	
493-B-PZDX-AU6 493-BX-AU5	
493-CX-AU 5	
49-A-TX-15-AU6	
49-A-TX-20-AU	l
49-A-TX-40-AU 6 49-B-TX-30-AU	
49-TX-20-AU6	
49-TX-30-AU6	
508CMG19	
508CVN19	
52PZ	
5427CVN19	
542-8CV 18	
5428CVN19	
5428HV18 5626	
614R22	
61B39	
	-

Material Number	Page No.
61IP	22
61P 6200	
5200 5204D	
6206D	
6208D	
6214D	
6219D 6223	
6232D	
6255D	45
6279D	
6281D 62826	
52832	
62839	
6283D	
6289D	
6295D 62IP	
62P	
6309D	
6316D	
6316IR 6316R	
63P	
6546CVSMLN	
6547CMG	
654-7CV	
6547CVN 6547HV	
56	
6626	
6628	
71501 715012	
715034	
72-7CV	
727CVN	
728CMG 72-8CV	
72-8CV 728CVN	
72-9CV	
72-9CV	
7300D 7303.	
7306	
7307	
7308D	
7309	
7311 7314	
7315	
7316D	
7317D	
7318 7322D	
7324D	
7327D	
7328D	
7345D 7346D	
7347D	
7427CMG	19
7776CVN	
7777CVN 80975	
814MR	
33090	
83091	
33092 33093	
33094	
33095	94
83096	
83097 83098	
338MR	
8516MR	
858PT-AU	8

Number	Pag No
8859D	4
901590AU	
901716AU	73
901765AU	73
901888AU	
901971AU	73
902744M.	
903468AU	
903501AU	73
903567AU 903600AU	7:
903600AU 903666AU	
903699AU	
903732AU	
903765AU	73
903798AU	73
904796AU	73
904829AU	
904897AU	73
904928AU	
904996AU	
905027AU	74
905095AU	
907918AU	74
907942AU	74
908355AU	74
908498AU	74
908643AU	74
908674AU	74
908738AU	74
909100AU	
909180AU	
909228AU	
911526AU	
911717AU 911749AU	
911905AU	
911937AU	
912020AU	
912052AU	
912135AU	
912968AU	
913082AU	
913197AU	75
914107AU	76
914163AU	76
914225AU	76
914256AU	76
914291AU	76
914548AU	
914666AU	70
916508AU	70
916664AU	
916697AU	
917616AU	
917684AU	
919395AU	
919428AU	
919461AU	7(
921905AU	
921985AU	
9679	
9680	
9681	
	4
99PS40BP	
	A118
	/BP115
99851MN	۸11؛ ۱۱۰
00000	
99SPC	

HARDWARE PRICE LIST EXCLUDING G.S.T. RR 02/2012

The prices shown are recommended and exclusive of G.S.T. Net prices can be derived by applying your appropriate discount, unless otherwise authorised by Apex Tool Group Pty. Limited, Albury NSW and are subject to change without notice. All orders are subject to acceptance by the factory in Albury. Orders are accepted only on the basis of prices ruling on the date of shipment, unless otherwise agreed.

Credit Claim

Claims for shortages, breakages, etc., must be made within 14 days on receipt of goods.

All orders will be shipped CPT Carriage Paid to destination, or as negotiated.

Small Order Charge

For orders of less than \$100.00 excluding GST an order processing charge of \$10.00 + GST will apply. Back orders and spare parts are exempt from this condition.

Finish

We reserve the right to furnish, without notice, whatever finish is available regardless of catalogue descriptions.

Trading Terms

Payment received within 30 days of the last day of the month in which the invoice was raised. Cash Discounts 2% for Payment received within 10 days of the last day of the month in which the invoice was raised.

Minimum Annual Spend

To maintain an account with Apex Tool Group Pty. Limited, a minimum annual spend of \$5,000 excluding GST, is required each year. Should sales fall below this amount in any one calendar year, you will be given the opportunity to discuss your situation with Apex Tool Group and to increase your sales over the following 6 month period. Should this not occur, your account will be closed at Apex's discretion.

Rebates

All rebates are dependent on the recipients account being conducted as per our Terms and Conditions.

Freight

Chargeable freight to the customer will be prepaid and charged on our invoice.

Shelf Packs

All orders must be for standard packs as indicated. Where indicated Shelf Packs may be broken, at a 5% surcharge.

Product Returns

All returns of Apex Tool Group products should be to the factory, via our specified carrier.

Apex Tool Group Pty. Limited 519 Nurigong Street Albury NSW 2640

Goods Returned Under Warranty

Postal or freight charges via our specified carrier both to the factory and on return will be for the account of Apex Tool Group.

Goods Returned for Repair

Postal or freight charges to the factory will be for customers account and return charges will be for account of Apex Tool Group.

Goods Returned for Credit

Any Apex Tool Group product may only be returned with written permission of Apex Tool Group Albury. All products must be new, of current design and in a resaleable condition. Credit will then be issued at the original purchase price, less a 15% handling service fee.

Apex Tool Group Pty. Limited A.B.N. 50 002 965 826 PO Box 366, 519 Nurigong Street Albury NSW 2640 Australia (02) 6058 0300, 6021 5511, Fax 6021 7403 Sales (02) 6021 6666

Stock Adjustment Policy

All requests to return merchandise must be approved by the Apex Tool Group National Divisional Sales Manager. An offsetting order of equivalent value must accompany the request for stock adjustment. An offsetting order must be for standard price listed items at current prices and standard terms (no promotions, specials, dating orders, contract items or merchandisers).

Proof of purchase must be established on all items.

Apex Tool Group will not accept the return of a product as part of a stock adjustment return which was not originally purchased from Apex Tool Group. The price shown on the Request for Return must coincide with the price list in effect at the time of original supply. The inclusion of a copy of the original Apex Tool Group invoice on which the item was shipped, will expedite the processing of the adjustment. Inventory adjustments will be credited at the actual cost paid by the distributor as determined by proof of purchase, going back one year. A 15% handling service fee will be assessed.

After authorisation is received, all returns must be shipped to the Albury factory, freight prepaid.

All returned products must be of current design and finish, in current production, and must be in a restockable condition upon receipt at the Albury factory. Any returned products which are not in a restockable condition will not be accepted and the distributor will be notified for disposition.

Returns will not be allowed for special made to order items.

Individually packed items must be in the original factory-sealed package when returned.

Guarantee/Warranty

Apex Tool Group quality products are Guaranteed against any defect in material or workmanship. Electronic products however, have a limited Warranty of one year from date of purchase. Damage caused by abuse, improper use or excessive wear is not covered by this warranty.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Claims should be returned, with proof of purchase, to the place of purchase or returned prepaid to the address below. Repaired or replacement goods will be returned at our cost.

Apex Tool Group Pty Limited

(ABN 50 002 965 826) 519 Nurigong Street, Albury NSW 2640, AUSTRALIA PH: (02) 60580300 apextoolaus@apextoolgroup.com

Recommended Prices

The price set out or referred to herein is a recommended price only and there is no obligation to comply with the recommendation.

PRICES HEREIN DO NOT INCLUDE G.S.T.

APEX TOOL GROUP - CUSTOMER SUPPORT

Sales Phone: 02 6021 6666 Sales Fax: 1800 021 940 Sales E-Mail: alburysales@apextoolgroup.com

REGIONAL SALES TEAM & AGENTS

NSW

STEPHEN BRADLEY **Regional Manager** Mobile: 0457 750 475 stephen.bradley@apextoolgroup.com PHIL CROWE Sales Supervisor Phone: 02 4735 2298 02 4735 2296 Fax: Mobile: 0418 474 949 phil.crowe@apextoolgroup.com GEOFF NELSON Sales Supervisor Phone: 02 4920 8936 02 4920 8936 Fax: Mobile: 0418 478 086 geoff.nelson@apextoolgroup.com

HEAD OFFICE Apex Tool Group

519 Nurigong Street PO Box 366 ALBURY NSW 2640 Phone: 02 6058 0300 Email: apextoolaus@apextoolgroup.com Web: www.apextoolgroup.com.au

ALBURY NSW 2640 Fax: 02 6021 7403

PAUL GROSS

Sales Supervisor Mobile: 0408 666 478 paul.gross@apextoolgroup.com

QLD

ASHLEY PRICE Regional Manager Phone: 07 3801 2601 07 3209 7088 Fax: Mobile: 0418 475 804 ashley.price@apextoolgroup.com

WARWICK STONE Sales Supervisor Phone: 07 3264 5258 07 3264 5258 Fax: Mobile: 0417 028 088 warwick.stone@apextoolgroup.com PETER HANNAN Sales Supervisor Phone: 07 3324 8847 07 3324 8847 Fax: Mobile: 0419 282 426 peter.hannan@apextoolgroup.com North QLD **RAYMOND CHRISTENSEN**

IAN BROWN

Fax:

Sales Supervisor

Phone: 02 9648 1990

Mobile: 0417 028 221

02 9648 1990

ian.brown2@apextoolgroup.com

TAMBAR PTY LTD Phone: 07 4774 5124 07 4774 5292 Fax: Mobile: 0418 771 098 sales@tambar.com.au

VIC

DON BYASS **Regional Sales Manager** Mobile: 0418 476 655 don.byass@apextoolgroup.com

LISA COTTON Sales Supervisor Mobile: 0419 293 611 lisa.cotton@apextoolgroup.com

MICHAEL MANNING Sales Supervisor

Mobile: 0448 063 489 michael.manning@apextoolgroup .com

BRIAN KIDD

Key Accounts / Sales Supervisor Mobile: 0419 289 557 brian.kidd@apextoolgroup.com

Sales Supervisor Mobile: 0418 471 297

WA

APEX TOOL GROUP 52 Clavering Rd BAYSWATER WA 6053 Phone: 08 9370 3377 Fax: 08 9272 3903 apextoolwa@apextoolgroup.com **BRETT RAPONI** Regional Manager Phone: 08 9370 3377 Fax: 08 9272 3903 Mobile: 0419 293 909 brett.raponi@apextoolgroup.com **GRAHAM DOOLAN** Sales Supervisor

NT

Fax:

GREG MELVILLE

Phone: 08 8947 1250

greg@tha-nt.com.au

08 8984 4461

Phone: 08 9370 3377 Fax: 08 9272 3903 Mobile: 0418 476 179 graham.doolan@apextoolgroup.com

TERRITORY HARDWARE AGENCIES

GILLIAN BRAIN

Sales Supervisor Phone: 08 9370 3377 Fax: 08 9272 3903 Mobile: 0438 681 704 gillian.brain@apextoolgroup.com

SA

TAS

Fax:

LEW PRETORIUS

1 & J PRETORIUS PTY I TD

03 6344 7220

Phone: 03 6344 2686

Mobile: 0438 131 669

lewp@precons.com ivanp@precons.com

CHRIS HERMAN Regional Manager Mobile: 0419 295 033 chris.herman@apextoolgroup.com KATINA STOTT Sales Supervisor Mobile: 0419 291 763 katina.stott@apextoolgroup.com

ELECTRONIC

MICHAEL NAISSEN

Phone: 02 6058 0300

02 6021 7403

Product Engineer / Professional Tools

michael.naissen@apextoolgroup.com

BUSINESS DEVELOPMENT

PATRICK McINTOSH Manager Business Development 02 6336 0273 Fax: Mobile: 0418 673 361

JEFFREY BECKER Manager Business Development & Key Accounts Phone: 03 9852 0400

Mobile: 0417 520 400 patrick.mcintosh@apextoolgroup.com jeff.becker@apextoolgroup.com

TOOLWARE SALES LIMITED 3 Stonedon Drive, East Tamaki, Auckland Phone: (+649) 579 8080 Fax: (+649) 579 1166 info@toolware.co.nz

FI.II ARSHAD DAUD

Fax:

MIDLINK MARKETING 19 Ackland Street, Vatuwaqa, SUVA, FIJ Phone: (+679) 338 6300 (+679) 338 6290 Fax: Mobile: (+679) 992 9227 midlink@connect.com.fi

	DISCOUNT STRUCTURE		
١,	NICHOLSON FILES	%	
	ALL OTHER PRODUCT LINES	%	



QUALITY POLICY STATEMENT

Management at Apex Tool Group recognises quality is paramount to its continuing commitment to customer satisfaction. Apex Tool Group is proud of its reputation as a vertically integrated Manufacturer and Distributor of Quality Products, including tools and hardware. Apex Tool Group aligns its corporate goals of maximizing customer service through a commitment to providing quality products and technical backup, with an assurance to the end user that its products will perform to their designed application, will continue to function for a reasonable period and will represent fair value.

It is Apex Tool Group's objective, that when the name Apex Tool Group is attached to one of its products, its customers can expect a high level of quality and after sales service, which is recognized as the standard in the industry.

Apex Tool Group's strategy of continuous improvement will enable it to achieve this objective and provide its customers with the 'best value delivered' the same time every time.

Apex Tool Group will review and adhere to documented procedures and standards and will ensure the integrity of its systems by maintaining accreditation to the International Quality Management Systems Standard ISO 9001:2008.

Apex Tool Group management and all its employees are committed to this policy.

Proudly Manufactured in Australia

APEX



QAREX.

x







Apex Tool Group Pty Limited 519 Nurigong Street, Albury NSW 2640, AUSTRALIA Tel: Sales (02) 6021 6666 Fax: Sales 1800 021 940 alburysales@apextoolgroup.com



apextoolgroup.com.au

Weller