


| ANSUZEHMA Grade 2 Certified. Compatible With Kwiker's S-Pin Keying Systems. B-Pin, Front Removable Cylinder (gylinder fromoval tool required): Lifetime Mechanical Warrany. Lifetime Finish Warrany. Lifetime Mechanical Warrany. Lifetim | KNOB LOCKS | | Kuari | kcot | 12 locks per case |
|--|---|-----------------------------------|---|--|---|
| $\begin{array}{cccc} COPA (G) \\ US-3, 5, 26D \\ US-3, 5, 26D \\ US-3, 5, 70B, 11P, 15, 15A, 25B, 26D \\ (T40H also LG3) \\ (T40H also L$ | ANSI/BHMA Grade Compatible With Ky Keying Systems. 6-Pin, Front Remov (cylinder removal to Lifetime Mechanica | wikset's vable Cy pol requi | ied. Signatu 5-Pin linder red) | ire Series | |
| Function:740Entry Design:CACirca CircaSPECIFICATIONSPoilshed Brass Latch:GVAL6-way adjustable"BACKSET:6/WAL-djustable latch for 2-3/8", 2-3/4" with Square Face/Round Face/Drive-in.See page 160 for details on 6/WAL latch.6-way adjustable"STRIKE:RCS, SCS "Selection may be limited.BUMCUARDFunctional problematic for set state from origine.PRIL RESISTANCE Cylinder uses too stell balls in set additional problematic for set state from origine.DOR THICKNESS: (W-81208 (KW-88260) FINSHES:Stellor may be limited.BUMCUARDFunctional problematic for set state from driving.PRIL RESISTANCE Cylinder uses too stell balls in set additional problematic for set state.DOR THICKNESS: (W-81208 (KW-88260) FINSHES:US-3 (605E) Polished Brass-Lifetime US-3 (605E) Polished Brass-Lifetime US-3 (605E)New TechNOLOGY undersite adjust lock.PRIL RESISTANCE (Fir NOWELF) Lock is relevable by using the observer the tool in test attack from of second that the tool in test attack from | US-3, 5, 26D | (73 | US-3, 5, 15A, 2 (SmartKey of CIRCA (CA) 10B, 11P, 15, 15A, 26, 26D | 26, 26D only) LAUREL US-3, 5, 10B, 11P, 1 | US-3, 5, 10B, 11P, 15, 15A, 26D (740H also LO3) (740H also LO3) |
| RUSE: 2-3/8 RUMPCUARD" Fill RESISTANCE Patented side locking bar technology Cyrinder uses two steel balis technology replaces a traditional pin 8 tumber Cyrinder uses two steel balis technology design for yorks and pins are used against lock Cyrinder uses two steel balis technology Uncking bar technology EV FLANK: KEY TECHNOLOGY Cyrinder uses two steel balis technology Uncking bar radional pin 8 tumber Cyrinder uses two steel balis technology Uncking bar radional pin 8 tumber Cyrinder uses two steel balis technology Uncking bar radional pin 8 tumber Cyrinder uses two steel balis technology Users 10 tar receivable against lock Cyrinder uses two steel balis technology Users 10 tar radional pin 8 tumber Cyrinder uses two steel balis technology Users 10 tar radional pin 8 tumber Cyrinder uses two steel balis technology Users 10 tar radional pin 8 tumber Cyrinder uses two steel balis technology Users 10 tar radional pin 8 tumber Cyrinder uses two steel balis technology Users 10 tar radional pin 8 tumber Cyrinder uses two steel balis technology Users 10 tar radional pin 8 tumber Cyrinder uses two steel balis technology Stee page 172 for "How to re-key a SmartKey cylinde | Function: 740 Design: CA Finish: US-3 Latch: 6WAL | Entry Circa Polish 6-way | adjustable | *BACKSET: *STRIKE: | 1-3/8" to 1-3/4". 6WAL-Adjustable latch for 2-3/8", 2-3/4" with Square Face/Round Face/Drive-in. RCS, SCS *Selection may be limited. |
| BUMPGUARD" Contraction | See page 160 for detai | | AL IAICN. | ROSE: | 2-5/8" |
| PASSAGE/HALL/CLOSET720Both knobs always free.PRIVACY/BED/BATH730Both knobs locked or unlocked by turnbutton inside. Outside knob unlocked by emergency key. (KW-81087)PRIVACY/BATHROOM730Same function as 730 above. Inside knob polished chrome.ENTRY740Both knobs locked or unlocked by key outside and turnbutton inside.ENTRY (Being Discontinued)741Outside knob locked or unlocked by key outside or turnbutton inside. Inside always free.CLASSROOM744Outside locked or unlocked by key outside. Inside always free.1/2 DUMMY788For doors where only a pull is required. Surface mounted. | BUMPGUARD [™] SN Patented side locking bar techno replaces a traditional pin & tumbi design to protect against lock bumping. NEW TECHNOLOGY Locking bar, racks and pins are made out of stainless steel for increased strength and durability. | lagy logy | Cylinder uses two steel balls inserted into the front of the key face to resist attack from drilling. KEY IT YOURSELF Lock is rekeyable by using the included learn tool in less than 30 seconds without removing the lock from the door. | KEY BLANK: FINISHES: | designs. KW-81208 (KW-88260) US-LO3 (605E) Polished Brass-Lifetime US-3 (605) Polished Brass US-5 (609) Antique Brass *US-10B (613) Oil Rubbed Bronze US-11P Venetian Bronze US-15 (619) Satin Nickel US-15A (620) Antique Nickel US-26 (625) Polished Chrome US-26D (626) Satin Chrome |
| key. (KW-81087)PRIVACY/BATHROOM730Same function as 730 above. Inside knob polished chrome.ENTRY740Both knobs locked or unlocked by key outside and turnbutton inside.ENTRY (Being Discontinued)741Outside knob locked or unlocked by key outside or turnbutton inside. Inside always free.CLASSROOM744Outside locked or unlocked by key outside. Inside always free. (ABBEY only)STOREROOM/VESTIBULE750Outside unlocked only while key is turned. Inside always free.1/2 DUMMY788For doors where only a pull is required. Surface mounted. | | | | | |
| ENTRY740Both knobs locked or unlocked by key outside and turnbutton inside.ENTRY (Being Discontinued)741Outside knob locked or unlocked by key outside or turnbutton inside. Inside always free.CLASSROOM744Outside locked or unlocked by key outside. Inside always free. (ABBEY only)STOREROOM/VESTIBULE750Outside unlocked only while key is turned. Inside always free.1/2 DUMMY788For doors where only a pull is required. Surface mounted. | PRIVACY/BED/BATH | 730 | | ed by turnbutton insic | e. Outside knob unlocked by emergency |
| ENTRY (Being Discontinued)741Outside knob locked or unlocked by key outside or turnbutton inside. Inside always free.CLASSROOM744Outside locked or unlocked by key outside. Inside always free. (ABBEY only)STOREROOM/VESTIBULE750Outside unlocked only while key is turned. Inside always free.1/2 DUMMY788For doors where only a pull is required. Surface mounted. | PRIVACY/BATHROOM | 730 | Same function as 730 above | . Inside knob polishe | d chrome. |
| CLASSROOM744Outside locked or unlocked by key outside. Inside always free. (ABBEY only)STOREROOM/VESTIBULE750Outside unlocked only while key is turned. Inside always free.1/2 DUMMY788For doors where only a pull is required. Surface mounted. | ENTRY | 740 | Both knobs locked or unlocked | ed by key outside and | turnbutton inside. |
| STOREROOM/VESTIBULE 750 Outside unlocked only while key is turned. Inside always free.1/2 DUMMY 788 For doors where only a pull is required. Surface mounted. | ENTRY (Being Discontinued) | 741 | Outside knob locked or unloc | ked by key outside o | r turnbutton inside. Inside always free. |
| 1/2 DUMMY 788 For doors where only a pull is required. Surface mounted. | CLASSROOM | 744 | Outside locked or unlocked b | y key outside. Inside | always free. (ABBEY only) |
| | STOREROOM/VESTIBULE | 750 | Outside unlocked only while | key is turned. Inside | always free. |
| | 1/2 DUMMY | 788 | For doors where only a pull is | s required. Surface m | ounted. |



| HALIFAX LEVER | R | | Kwikse | Dummy-20 locks per case Balance-12 locks per case |
|---|---|---|---|--|
| ANSI/BHMA Grad Exposed screws of Alignment post for Functions 154, 15 4.13.9 ADA requir Lifetime Mechanic | on the in r easy ir 55 satisfy rement. cal Warr | tified. Iterior lever. Install. Install. Install. Install. | Signature Series | |
| Lifetime Finish Wa | arranty. | | F AX (HFL SQT) US-11P, 15 | HALIFAX (HFL RDT) |
| Function | <u>No.</u> | <u>Operation</u> | 00-111,10 | US-11P, 15 |
| PASSAGE/HALL/CLOSET | 154 | Both levers always free. | | |
| PRIVACY/BED/BATH | 155 | key. (KW-81087) | - | Outside lever unlocked by emergency |
| KEYED ENTRY LEVER | 156 | Both levers locked or unloc inside. | ked by key outside or lock | by push button/unlock by turning lever |
| 1/2 DUMMY | 157 | For doors where only a pull | is required. Surface mount | ted. |
| To Order, Sp | necify: | l | | SPECIFICATIONS |
| Function #: | - | Keyed Entry | | .: 1-3/8" to 1-3/4" |
| | | Halifax Round Rose | BACKSET: | 6WAL-Adjustable latch for 2-3/8", 2-3/4" with Square Face/Round Face/Drive-in. |
| 0 | US-15 | Satin Nickel | STRIKE: | 2-1/4" full lip strike. |
| Latch: | 6WAL | 6-way Adjustable | BORE: | 2-1/8" x 1" |
| | | 1/0 | ROSE: | 2-5/8" 5 pip SmortKov oply |
| Inclusier | | ge 160 tching | CYLINDER: KEY BLANK: | 5-pin SmartKey only. KW-81063 |
| | | bolts | FINISHES: | US-11P Venetian Bronze |
| | acad | | | US-15 Satin Nickel |
| TOUCHPAD ELE SmartCode™ Lev | | | Kwiks | jet. |
| SmartCode[™] Lev One touch locking Installs in minutes Requires 4 "AA" a Residential 1-Year Residential Lifetim Electronic Ke Four customic increased sec Back-Lit keyp | vers convent with just lkaline b r Electric r Electric | iience. It a screwdriver. batteries (not included). cal warranty. h & Mechanical warranty. Entry System ccess codes for Outs w/Tu ncreased Visibility. | Signature Se | 911TNL JS-11P, 15 Inside View |
| SmartCode[™] Lev One touch locking Installs in minutes Requires 4 "AA" a Residential 1-Year Residential Lifetim Electronic Ke Four customizincreased sec Back-Lit keyp Customizable After 30 Secc Fits Standard SmartCode[™] | vers convent with justification r Electric the Finish eyless zable ac curity. bad for lit e Autom onds for l Doors Lever I Utility/S | tience. ta a screwdriver. batteries (not included). cal warranty. ta & Mechanical warranty. Entry System ccess codes for Outs w/Tu ncreased Visibility. atic Door Locking Peace Of Mind. (1 3/8"-1 3/4"). deal for - Small/ Storage Room, | Signature Se side View stin Lever To Order, Function: Design: | 911TNL JS-11P, 15 Inside View W/Tustin Lever Specify: 911 Keyed Entry TNL Tustin Lever |
| SmartCode [™] Lev • One touch locking • Installs in minutes • Requires 4 "AA" a • Residential 1-Year • Residential Lifetim Electronic Ke • Four customizincreased sec • Back-Lit keyp • Customizable After 30 Secc • Fits Standard • SmartCode [™] Home Office, Interior Garag SI DOOR THICKNESS: 1 BACKSET: # BORE: 2 BOLT THROW: 1 CYLINDER: 5 FINISHES: 4 | vers conventive with justification in Electric the Finish eyless zable active curity. bad for lit e Autom bads for d Doors Lever I Utility/S ge/Slide PECIFIC 1-3/8" to Adjustab 2-1/8" x 1/2" | iience. It a screwdriver. batteries (not included). cal warranty. the Mechanical warranty. Entry System Crease codes for Outs w/Tu Increased Visibility. atic Door Locking Peace Of Mind. (1 3/8"-1 3/4"). deal for - Small/ Storage Room, Door. CATIONS 1-3/4" automatic adjustment le to 2-3/8" or 2-3/4" RCAL 1" | Signature Se side View stin Lever To Order, Function: Design: | 911TNL JS-11P, 15 Inside View W/Tustin Lever Specify: 911 Keyed Entry |





980S SERIES DEADBOLTS

- ANSI/BHMA Grade 1 Certified.
- Titanium Alloy Throwbolt Core.
- Ultra-Strike Door Jamb Brace.
- Solid Steel Latch Face.
- Anti-Pick 6-pin Cylinder.
- Lifetime Mechanical Warranty.

780 SERIES DEADBOLTS

ANSI/BHMA Grade 2 Certified.

Compatible with Kwikset's 5 Pin

 Lifetime Mechanical Warranty. Lifetime Finish Warranty.

SmartKey available on 780 US-3, 11P and 15.

See previous page for information on the

SmartKev.

Keying Systems.

 Maximum Security, Heavy Gauge Strike with Extra Long 3" Screws.

Lifetime Finish Warranty.

Kwikset

Signature Series

12 locks per case.

Interior turnpiece meets 4.13.9 ADA requirements

980S Single Cylinder

US-L03, 11P, 15

985S Double Cylinder US-L03, 11P, 15, 514

Single Cylinder: Deadbolt operated by

Double Cylinder: Deadbolt operated by

Single Cylinder

Adjustable * 2-3/8" or 2-3/4" adjustable deadbolt Round Corner

Venetian Bronze

key outside or thumbturn inside.





<u>No.</u>

980S

985S

Description

key both sides.

RCAL

To Order, Specify:

Function: 980S

Finish: US-11P

*Latch:

SPECIFICATIONS

DOOR THICKNESS: 1-3/4" BACKSET:

STRIKE: BORE: CYLINDER: **KEY BLANK:** FINISHES:

Adjustable for 2-3/8", 2-3/4" with round corner face 1-1/4" x 3-5/8" round corner 2-1/8" or 1-1/2" x 1" 6-pin, includes 3 anti-pick pins KW-81208 (KW-88260) US-LO3 (605E) Polished Brass-Lifetime US-11P Venetian Bronze US-15 (619) Satin Nickel US-514 Iron Black

latch. Kwikset



12 locks per case.

Interior turnpiece meets 4.13.9 ADA requirements

780 Single Cylinder US-LO3, 3, 5, 11P, 15, 15A, 26, 26D

785 Double Cylinder US-LO3, 3, 5, 11P, 15, 15A, 26D

- <u>No.</u> **Description**
- 780 Single Cylinder: Deadbolt operated by key outside or thumbturn inside.
- 785 Double Cylinder: Deadbolt operated by key both sides.

To Order, Specify:

| | <i>,</i> | 2 |
|------------|-----------|------------------------------------|
| Function: | 780 | Single Cylinder |
| Finish: | US-3 | Polished Brass |
| *Latch: | SCAL | Adjustable Latch |
| | | stable deadbolt latch is standard. |
| Specify R | CAL for R | ound Corner Adjustable Latch. |
| Specify SC | CAL for S | quare Corner Adjustable Latch. |
| Specify RI | FAL for R | ound Face Adjustable Latch. |
| | | |

DOOR THICKNESS: 1-3/8" to 1-3/4" BACKSET: BORE:

Adjustable for 2-3/8", 2-3/4" 2-1/8" or 1-1/2" x 1" CYLINDER: 6-pin. 5 pin SmartKey available on 780 US-3, 11P and 15. KW-81208 (KW-88260) **KEY BLANK:** US-LO3 (605E) Polished Brass-Lifetime FINISHES: Polished Brass US-3 (605) US-5 (609) Antique Brass Venetian Bronze **US-11P** US-15 (619) Satin Nickel US-15A (620) Antique Nickel **Polished Chrome** US-26 (625) US-26D (626) Satin Chrome

SPECIFICATIONS

®ZIPELOCK COMPANY 158 v3







TOUCHPAD ELECTRONIC DEADBOLT

Powerbolt Deadbolts

- 1" projection deadbolt latch with 1/4" diameter hardened steel free-turning roller.
- Easy to Install, Easy to Program, Easy to Use.
- Requires 4 "AA" alkaline batteries (not included).
- 1-Year Electronic warranty.
- Lifetime Mechanical warranty.
- Lifetime Finish warranty.

Electronic Keyless Entry System

- Simply enter your personalized access code for convenient, quick and carefree entry.
- You may also program a temporary second code for a neighbor, cleaning crew, etc.
- Alarm sounds after 3 consecutive incorrect codes are entered.
- Easy-one touch locking.
- Heavy duty security deadbolt and strike plate resist break-ins.
- No wiring necessary (add 4 Alkaline "AA" batteries).
- Low battery indicator.
- Fits standard preparation on new doors.
- Easily replaces existing door hardware.

TOUCHPAD ELECTRONIC DEADBOLT

SmartCode[™] Deadbolts

- Lock your door with a touch of a button.
- Installs in minutes with just a screwdriver.
- Requires 4 "AA" alkaline batteries (not included).
- 1 Year Electronic warranty.
- Lifetime Finish & Mechanical warranty.

Electronic Keyless Entry System

- Two customizable codes one code for family, one code for temporary access.
- Back-Lit keypad for Increased Visibility. One touch locking with a motorized
- deadbolt. Fits Standard Doors (1 3/8"-1 3/4").
- SmartCode[™] Deadbolt replaces any deadbolt for Keyless Entry convenience.

To Order, Specify:

Single Cylinder Function: 909 Satin Nickel Finish: **US-15** Cylinder: SMT SmartKey[®]



2 locks per case.

SPECIFICATIONS DOOR THICKNESS: 1-3/8" to 2" BACKSET: BORE: BOLT THROW: CYLINDER: FINISHES:

Adjustable 2-3/8" to 2-3/4" RCAL 2-1/8" x 1" 1" 5 Pin SmartKey® only US-LO3 Bright Brass - Lifetime Venetian Bronze **US-11P US-15** Satin Nickel

To Order, Specify:

Single Cylinder Function: 907 Satin Nickel Finish: **US-15** Cylinder: SMT SmartKey

Stock No. 907

Operation Single Cylinder Deadbolt-

Deadbolt latch retracted by entering security code outside and extended by pushing lock button outside. Deadbolt latch extended and retracted by T-Turn on inside. Using key outside will retract deadbolt latch if needed.



2 locks per case.

909 Series US-LO3,11P, 15

Stock No. **Operation** 909

Single Cylinder Deadbolt-

Deadbolt latch retracted by entering security code outside and extended by pushing lock button outside. Deadbolt latch extended and retracted by T-Turn on inside. Using key outside will retract deadbolt latch if needed.

SPECIFICATIONS

DOOR THICKNESS: 1-3/8" to 1-3/4" automatic adjustment BACKSET: Adjustable to 2-3/8" or 2-3/4" RCAL BORE: 2-1/8" x 1" **BOLT THROW:** 1" CYLINDER: 5 Pin SmartKey® only US-LO3 Bright Brass - Lifetime FINISHES: **US-11P** Venetian Bronze **US-15** Satin Nickel

> 159_{v2} (PL-8)

®ZIPE LOCK COMPANY.




907 Series US-LO3,11P, 15



160√3 (PL-8)

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH - SUPPLIES LIMITED - PLEASE INQUIRE.









HANDLE PACK CONTAINS: Handle, keys, latches, strikes, outside deadbolt, screw pack. **INTERIOR PACK CONTAINS:** 1 knob or lever, 1 thumbturn for deadlock, screw pack.

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH - SUPPLIES LIMITED - PLEASE INQUIRE.




SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH - SUPPLIES LIMITED - PLEASE INQUIRE.

163_{v2} (PL-8)




164v3 HANDLE PACK CONTAINS: Handle, keys, latches, strikes, outside deadbolt

(PL-8) INTERIOR PACK CONTAINS: 1 knob or lever, 1 thumbturn for deadlock, inside sex bolt for handle bottom. SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH - SUPPLIES LIMITED - PLEASE INQUIRE.




HANDLE PACK CONTAINS: Handle, keys, latches, strikes, outside deadbolt/rose. INTERIOR PACK CONTAINS: 1 knob or lever, 1 thumbturn for deadlock, deadlock screws. SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH - SUPPLIES LIMITED - PLEASE INQUIRE. **165**_{v2} (PL-8)



166 v2 (PL-8)

SUPER SPECIAL PRICING AVAILABLE ON ITEMS MARKED WITH - SUPPLIES LIMITED - PLEASE INQUIRE.



167_{v2} (PL-8)

KEYING KITS, PINS, KEYING ACCESSORIES (Continued)





KW-83260 SmartKey® (SMT) Reset Cradle

The SmartKey Reset Cradle is a tool used to repair a SmartKey cylinder that has been programmed incorrectly. This can occur if the cylinder will not turn in either direction. Simple and easy to use. Simply remove the lock from the door, remove the Smarkey cylinder plug, insert into the reset cradle and the cradle will reset the cylinder to learn a new key. A must have for landlords or where there is a high possibility of lost keys.

See page 172 for "How to re-key a SmartKey cylinder".



Steel learning tool for SmartKey[®] cylinders.

KW-83283 Red plastic learning tool for SmartKey® cylinders.

Closed

CYLINDERS

REPLACEMENT CYLINDERS

| <u>For:</u> | Stock No. |
|---|--------------|
| 740 (Hancock) Entry Locksets | KW-13752 |
| 740 (Abbey) Entry Locksets | KW-7750A |
| 740 (Circa) Entry Locksets | KW-13753 |
| 780 Single Cylinder Deadbolt | KW-87765 |
| 785 Double Cylinder Deadbolt (Interior) | KW-87767 |
| 785 Double Cylinder Deadbolt (Exterior) | KW-87766 |
| Specify finish: US-3 or 26D (some also | LO3, 5, 15A) |

KNOB CYLINDER COVERS

| NICE OF EINDER COVERC | |
|--|-------------|
| For: | Stock No. |
| Abbey Design | KW-8501-11 |
| Circa Design | KW-8501-15 |
| Cortez, Roman, Hancock Design | KW-8501-01* |
| 780 Single Cylinder Deadbolt | KW-81327 |
| 785 Double Cylinder Deadbolt | KW-81328 |
| Specify finish: US-3 , 5, 26D (*also U | S-LO3) |

KNOB CYLINDERS WITH OPTIONAL KEYWAYS

For:Stock No.Schlage KeywayKW-8497-75Master KeywayKW-8497-77Weslock KeywayKW-8497-78Weiser KeywayKW-8497-76Specify finish: US-3 or 26D

LEVERS & LAUREL KNOB CYLINDERS WITH OPTIONAL KEYWAYS (Special order)

| For: Schlage Keyway | <u>Stock No.</u> KW-81355 |
|-----------------------------|------------------------------|
| Weiser Keyway | KW-81354 |
| Specify finish: US-3 or 26D | |

DEADBOLT CYLINDERS WITH OPTIONAL KEYWAYS

| NET MATO | |
|-----------------------------|------------|
| <u>For:</u> | Stock No. |
| Schlage Keyway | KW-8486-75 |
| Weiser Keyway | KW-8486-76 |
| Master Keyway | KW-8486-77 |
| Weslock Keyway | KW-8486-78 |
| Specify finish: US-3 or 26D | |
| | |

REKEYING TOOLS

| <u>For:</u> | Stock No. |
|---------------------|-------------|
| Schlage Keyway | KW-8485-75 |
| Weiser Keyway | KW-8485-76 |
| Master Keyway | *KW-8485-77 |
| Weslock Keyway | *KW-8485-78 |
| *Being Discontinued | |




KW-1850 US-3

Replacement cylinder for Kwikset 400 Series Knob Locks. (Not Eclipse or Polo)

168_{v3} (PL-8)

•ZIPF LOCK COMPANY



©ZIPE LOCK COMPANY

KWIKSET LATCHES 50 5" Deadlatch 6-Way Face Plate Kit 6-Way Core 6-Way Back plate 6-Way Collar 20 Fixed UL Deadlatch SCAL f 660/66




Kvrikset

| | Description Fixed Latches— | Stock No. | Factory No. |
|-----------|---|-----------------|-------------|
| | 5" Deadlatch | ZL-159 | 83014 |
| | 5" Deadbolt (Kwikset Security) | ZL-631 | 82730 |
| | 5 Deadboil (Nwiksel Security) | 22-031 | 02130 |
| | 6-Way Adjustable Latches— | | |
| | 6-Way Core Plain Latch | ZL-613 | 81847 |
| ; | 6-Way Plain Latch Collar | ZL-613C | 81829 |
| ð) | 6-Way Plain Latch Service Kit | ZL-613FP | 81845 |
| 1 | , | | |
| \geq | 6-Way Core Deadlatch | ZL-616 | 81846 |
| | 6-Way Deadlatch Collar | ZL-616C | 81828 |
| > | 6-Way Deadlatch Service Kit | ZL-616FP | 81844 |
| 5) | o way Deadlaten Gervice Kit | | 01044 |
| | 6-Way Back Plate | ZL-613BP | 81827 |
| | | | |
| | U.L. Listed Fixed Latches— | | |
| | 2-3/8" U.L. Latch | ZL-627 | 84296 |
| | 660-665 Series Deadbolt Latches (600 Se | eries Handleset | s)— |
| | SCAL - Adjustable Square Corner Latch | ZL-618 | 81308 |
| | RCAL - Adjustable Round Corner Latch | ZL-618RC | 81305 |
| | RFAL - Adjustable Drive-in Latch | ZL-619 | 81306 |
| | | 22 010 | 01000 |
| ~ | 780-785 Series Deadbolt Latches (500 Se | eries Handleset | s)— |
| | SCAL - Adjustable Square Corner Latch | ZL-497 | 86084 |
| 0) | RCAL - Adjustable Round Corner Latch | ZL-497RC | 86085 |
| | RFAL - Adjustable Round Face Latch | ZL-498 | 84505 |
| | RIAL - Aujustable Round I ace Laten | 22-490 | 04303 |
| for 65 | 980-980S Series Deadbolt Latches (800 S | Series Handlese | ets)— |
| | SCAL - Adjustable Square Corner Latch | ZL-623 | 81254 |
| | RCAL - Adjustable Round Corner Latch | ZL-623RC | 81253 |
| | RFAL - Adjustable Round Face Latch | ZL-624 | 81255 |
| | Please specify finish when o | ordering latche | S. |
| | · ···································· | | |
| | | | |
| | | | |
| Ŕ | NO- | | |
| 11 | and the second se | | |
| | · | | |
| R | CAL for | | |

980/980S


170 v2

SIPF LOCK COMPANY





Kvrikset




KW-138 Installation Kit

All-In-One Boring Jig-Unique design for drilling wood, fiberglass and metal* doors. Drills 2-1/8" and 1-1/2" standard door prep. For 2-3/8" and 2-3/4" backsets *Wood edge boring only

KW-89900

All-In-One Boring Jig (used in KW-138) Jig with wood arm guide. Unique design for drilling wood, fiberglass and metal* doors. Drills 2-1/8" and 1-1/2" standard door prep. Tool free backset adjustment. *Wood edge boring only



| *Part No. | Description |
|--------------|--|
| KW-89900 | Jig with wood arm guide. (See below) |
| KW-89901 | In-line guide arm for wood doors. |
| KW-89902 | In-line guide arm for metal doors. |
| KW-89903 | 1" DEWALT [®] spade bit. |
| KW-89904 | 2-1/8" multi-spur bit. |
| KW-89905 | 1-1/2" multi-spur bit. |
| KW-89906 | 2-1/8" metal hole saw bit. |
| KW-89907 | Hole saw madrel. |
| KW-89908 | Snap rings. |
| KW-89909 | Full lip strike Mortise tool. |
| KW-89910 | Full lip round corner strike blades. |
| KW-89911 | Full lip square corner strike blades. |
| KW-89912 | Latch mortise tool. |
| KW-89913 | Latch round corner blades. |
| KW-89914 | Latch square corner blades. |
| KW-89915 | Maximum security strike mortise tool. |
| KW-89916 | Maximum security round corner blades. |
| KW-89917 | Maximum security square corner blades. |
| KW-89918 | Quick bit changer. |
| KW-89919 | Strike locator. |
| KW-89920 | Strike locator tip. |
| KW-89921 | Kit box. |
| KW-89922 | Jig bushing. |
| KW-89923 | 1-1/2" adaptor ring. |
| KW-89924 | 663 Boring Depth stop guide. |
| KW-89925 | Aluminum template measuring guide. |
| • | numbers are stocked items. Balance |
| special orde | er. |

HOW TO RE-KEY A SMARTKEY® CYLINDER IN 3 SIMPLE STEPS.

RE-KEY TECHNOLOGY EASILY RE-KEY IN 3 SIMPLE STEPS: Insert functioning key & turn 1/4 turn clockwise. Insert & remove the SmartKey learn tool. Remove functioning key. Insert new key and turn 1/2 turn counter-clockwise. Your lock is now re-keyed! You must have your functioning key & your SmartKey tool for the system to work. SmartKey Tool Functioning Key

KW-83260

SmartKey® (SMT) Reset Cradle The SmartKey Reset Cradle is a tool used to repair a SmartKey® cylinder that has been programmed incorrectly. See page 168 for more details.



®7IPE LOCK COMPANY