



Schumacher®

Battery Chargers & Accessories



QUALITY PRODUCTS SINCE 1947



Schumacher®

A legend of racing.

A tradition of winning.

The legend. The name is synonymous with racing. Surrounded by the best, most dedicated team possible, Don Schumacher rocked the racing world with his first Funny Car Nationals win at Indy in 1970. In 1974, when the dust had settled, "The Shoe" retired as a five-time NHRA National Event Champion and an IHRA and AHRA World Champion. 25 years later, Don's son Tony won his first NHRA Winston Championship. He then went on to set numerous track records, became the first driver to exceed 330 miles per hour, and hold five of the fastest speeds in NHRA history. The legend continues...

The tradition. The name is synonymous with winning. Whether it's capturing a National Championship or celebrating over 60 years as a successful company, the Schumacher family is passionate about winning. And nowhere is that passion more alive than in the technological innovation, complete selection, unsurpassed performance and uncompromising customer service provided by Schumacher Electric Corporation... the # 1 name in battery chargers around the world. The tradition continues...

The culture. The name is synonymous with excellence and experience. Don Schumacher hung up his helmet and disbanded his Stardust Funny Car Team in '74 – at the top of his game – to focus his drive and energy on Schumacher Electric. Thanks to his competitive nature and his passion to keep that winning tradition alive, Don once again surrounded himself with the best possible team to develop, design, build and market the best possible equipment for professional and do-it-yourself mechanics, fleet owners, outdoor enthusiasts and today's modern

families. That passion has evolved into a culture of excellence that continues to thrive and grow after more than 30 years. As a result, we offer the broadest, most versatile range of state-of-the-art battery chargers available today.



Hand-held, Continuous-rate Chargers

- SpeedCharge™ High-frequency/Switch Mode Technology
- Traditional Technology
- Farm & Ranch® Line
- Ship 'N Shore® for Deep-Cycle Batteries

Hand-held, Continuous-rate Chargers with Engine Start

- SpeedCharge™ Hybrid Electronic Technology
- Traditional Technology
- Farm & Ranch® Line
- Ship 'N Shore® for Deep-Cycle Batteries

Wheel Chargers, Continuous-rate Chargers with Engine Start

- Traditional Technology
- Farm & Ranch® Line

12 Volt Accessories

Jump Starters and DC Power Sources

Power Inverters

Battery Testers

Charge 'N Ride® for Children's Ride-on Vehicles

We also manufacture four types of custom transformers for home, offices, or industrial use. Each are designed to meet UL, CSA, or IEC standards:

- Audio transformers
- Power transformers
- Ferro-resonant transformers
- Inductors

The team. Our winning tradition would not be possible without your trust, your satisfaction, your loyalty ... and the trust, satisfaction and loyalty of our customers – the most vital members of our team – the best. *The best quality...* right down to our easy-to-read product faceplates, packaging and operating instructions. *The best selection...* including a complete line of affordably-priced chargers to fit any budget. *The best performance...* backed by the most comprehensive warranty program in the industry. *The best service...* optimized by the perfect product mix, the right merchandising, and non-stop support of your sales efforts by an expert team of service professionals.

Don, Tony and everyone at Schumacher Electric continue to settle for nothing less than the best. Why should you? Contact Team Schumacher to learn more about how, together, it's a win-win situation.



1.800.621.5485
www.batterychargers.com

Contents

Icons, Glossary of Terms and Warranty Information	4
SpeedCharge™ High-Frequency and Hybrid Battery Chargers/Maintainers/Testers	5
Ship 'N Shore® Battery Chargers	8
Traditional Chargers Trickle/Slow/Maintainers	11
Metal Hand-Held Portable Models	12
Traditional Starter/Chargers	14
Specialty Chargers	16
Wheel-Style Starter/Chargers	18
Signature Series	21
Farm & Ranch® Battery Chargers & Wheel-Style Starter/Chargers	23
Battery Testers	26
Portable Jump Starters & DC Power Sources	27
12 Volt Accessories Socket Adaptors, Connectors and Cords	32
Fans	33
Lights	34
DC to AC Power Inverters	35
Mobile Office Accessories	37
Merchandising Support	39

Welcome to the Schumacher Catalog

All the information you need to answer your customers' questions is right here in this attractive, user-friendly catalog. The information is easy to find and easy to understand. We've included detailed product specifications to help you answer the tough questions, as well as application icons to let you know the best use of a product at a glance. There is a glossary of frequently-used terms in addition to information on how we're merchandising our products, so you can display them for maximum exposure and sales. Call your sales representative for further information.

User/Application Icons

You'll notice each Schumacher charger has one or more of the following icons next to it. These icons will give you an instant idea of which user and/or application category each product fits best.



Auto (Do-It-Yourselfers, Home Mechanics: Automobile Batteries)



Snowmobile (Snowmobilers, ATV Owners: Snow-mobile, ATV and Other Small RV-type Batteries)



Fleet (Fleet Owners and Operators, Car Dealers: for Constant and High-Volume Charging/Starting Operations where Time and Power are Important Factors; Extreme Summer/Winter Weather Applications)



Light Truck (Do-It-Yourselfers, Home Mechanics, Farmers, Ranchers: Light Truck Batteries)



RV (RV Owners and Users; Large RV Batteries)



Marine (Boating Enthusiasts, Sport Fishing: Deep-Cycle Batteries)



Airplane (Small Airplane Owners and Users with Multi-Volt Systems)



Farm/Ranch (Farmers, Ranchers: Automobile, Light Truck, Large Truck, Tractor and Farm Machinery Batteries)



Large Trucks (Commercial Users and Operators; such as Construction, Truck Dealers and Emergency Operations; Large Truck Batteries; Extreme Summer/Winter Weather Applications)



Motorcycle (Motorcyclists: Motorcycle, ATV and Personal Water Craft Batteries)



Pro (Professional Mechanics, Repair Shops, Fleet Owners and Operators, Industrial: for a Wide Variety of Batteries and Vehicles, High-Volume Charging and Starting Operations, Emergency Starts; Extreme Summer/ Winter Weather Applications)



Garden (Home Owners, Gardeners, Small Plot Farmers, Landscapers: Home and Professional Lawn Mowers, Garden Vehicle Batteries)

12v

12 Volt Batteries

6/12v

6/12 Volt Batteries

12/24v

12/24 Volt Battery Systems

18/24v

18/24 Volt Battery Systems

36v

36 Volt Battery Systems

Glossary of Terms

Microprocessor:

The microprocessor is the heart of multi-stage charging algorithm that is built into the electronic chargers. Microprocessor based charging technology is used to achieve an extremely versatile charging algorithm, which also includes a user friendly set of controls and an easy to read display. The versatility allows many different batteries types to be charged. The microprocessor controls the current and voltage to the battery, reducing charge times but at the same time maximizes battery capacity.

Fully Automatic: User turns power on, charger shuts off automatically when battery is charged. Advanced circuit design monitors battery and provides current when battery loses power. Offers walk away convenience; requires minimal attention once it is hooked-up.

Float-Mode Monitoring: Charger holds battery voltage to approximately 13.2 volts to guard against self-discharge, by monitoring charge level and supplying power. Charging is minimal using only a few tenths of an amp. Helps extend battery life.

Manual: User turns charger on and off by themselves. Requires frequent monitoring to be sure battery is not over-charged. Output current normally drops to half the rate as battery approaches fully charged.

Trickle Charging: with 1 to 3 amps for charging small batteries in 2 to 12 hours*. Keeps large batteries topped off or warm in winter for easier starts.

Medium Charging: with 4 to 8 amps charges a battery in 6 to 8 hours*.

Fast Charging: with 10 to 20 amps charges a battery in 3 to 5 hours*. The higher the amperage the less time it takes to charge.

Rapid Charging: with 30 amps and higher charges a battery in 1/2 to 3 hours*.

Engine Start: with 50 to 300 amps. Supplies a battery with sufficient power to crank an engine within minutes. Higher amperages mean greater starting power.

* Charge time is based on a medium-sized battery having a 50% charge level before charging.

The Schumacher Limited Warranty Program

Schumacher customers and retailers have come to know and trust Schumacher products for their durability and reliability.

That's due in part to our comprehensive warranty program – a pledge to build the best, most defect-free products available on the market today.

Ask your Schumacher representative for details on specific product warranties, or call 1-800-621-5485.

SpeedCharge™ HIGH-FREQUENCY/HYBRID ELECTRONIC CHARGERS/MAINTAINERS/TESTERS

Schumacher SpeedCharge high-frequency and hybrid electronic chargers are 2 to 3 times faster than traditional chargers. Designed as charger/starter/maintainers, some have true engine boost capabilities and built-in charging system testers. Users choose the desired charge rate and battery types such as regular automotive, AGM, deep-cycle and gel cell.

All Schumacher SpeedCharge battery chargers have these same great features:



Attractive, eye-catching packaging in bilingual English/Spanish broadens the market appeal.

- **Multi-Stage, Fully Automatic Charging** – Microprocessor provides voltage and current control to maximise charging efficiency and minimize charging time
- **Reverse-Hookup Protection** – that checks the polarity of the connected battery and only starts charging if correctly connected.
- **Float-Mode Monitoring** – to help maintain a battery at its peak level.
- **Rugged, High-Impact Cases** – that are rust-proof and corrosion resistant.

These devices comply with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) These devices may not cause harmful interference, and (2) these devices must accept any interference received, including interference that may cause undesired operation.

SpeedCharge™ ELECTRONIC CHARGERS/MAINTAINERS

SC-200A 2 amp 12V, 4 amp 6V Trickle Charger

Fully Automatic Electronic

This compact charger offers efficient SpeedCharge technology and the convenience of multiple battery connectors. Charges small motorcycle, ATV, snowmobile and lawn tractor batteries. Maintains small and large, stored or antique/classic-car batteries. For 6 and 12 volt batteries.

- **2 amp trickle charge rate** – for 12 volt batteries.
- **4 amp trickle charge rate** – for 6 volt batteries.
- **Reverse-hookup protection.**
- **Versatile Quick-Disconnect Harness with 3 Connectors** – 12V-accessory plug for in-car charging or charging portable power jump starters – charges them faster than provided charger. Or, ring connectors for permanent connection. Great for hard-to-reach motorcycle batteries.
- **Molded plastic case.**



5 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70849-4	7-1/8"	4-7/8"	5"	2	4.3 LBS.	10-1/4"	7-1/2"	5-3/4"	0.26

SC-300A 3 amp 12V Trickle Charger

Fully Automatic Electronic

Same great features as the SC-200A:

- **3 amp charge for 12 volt batteries.**



5 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70854-8	7-1/8"	4-7/8"	5"	2	4.3 LBS.	10-1/4"	7-1/2"	5-3/4"	0.26

SC-600A
6 amp 4 amp 2 amp
Fully Automatic Microprocessor Controlled

- **6 Amp Fast Charge** – charger monitors battery condition and adjusts charge rate downward to prevent battery damage; for car, small truck, motorcycle, lawn tractor lead-acid and AGM batteries.
- **4 Amp Medium Charge** – self-adjusting charge rate ideal for everyday charging needs and keeping your battery in peak condition.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **6 Volt** – for antique cars and small farm tractor batteries.
- **50 Amp Clamps** – for top and side-mounted battery posts.
- **Electronic Push Button Controls** – easy-to-feel switches for selection of *Charge Rate* or *Battery Type*. Choose between 6 or 12 volt batteries.
- **Sturdy, Built-In Handle** – serves as convenient cord wrap and for easy portability.

CUL Listed:
Model SCF-600A


UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	MASTER CARTON DIMENSIONS	MASTER CARTON DIMENSIONS	MASTER CARTON
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	CUBIC FEET
0-26666-70804-3	10-1/2"	3-1/2"	8-3/8"	2	6 LBS.	11"	8-3/4"	7-1/2"	0.42

5 YEAR LIMITED WARRANTY

SC-1000A
10 amp 6 amp 2 amp
Fully Automatic Microprocessor Controlled

- **10 Amp Fast Charge** – charger monitors battery condition and adjusts charge rate downward to prevent battery damage; for car, light truck, marine, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **6 Amp Medium Charge** – self-adjusting charge rate for everyday charging needs and keeping your battery in peak condition.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **50 Amp Clamps** – for top and side-mounted battery posts.
- **Electronic Push Button Controls** – easy-to-feel switches for selection of *Charge Rate* or *Battery Type*. Choose from regular automotive, deep-cycle, AGM or gel cell batteries.
- **Sturdy, Built-In Handle** – serves as convenient cord wrap and for easy portability.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	MASTER CARTON DIMENSIONS	MASTER CARTON DIMENSIONS	MASTER CARTON
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	CUBIC FEET
0-26666-70842-5	11-1/2"	3-1/4"	8-1/4"	2	6.2 LBS.	11-3/4"	7"	8-1/2"	0.41

5 YEAR LIMITED WARRANTY

SC-1200A
12 amp 8 amp 2 amp
Fully Automatic Microprocessor Controlled

- **12 Amp Fast Charge** – charger monitors battery condition and adjusts charge rate downward to prevent battery damage; for car, light truck, marine, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **8 Amp Medium Charge** – self-adjusting charge rate for everyday charging needs and keeping your battery in peak condition.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **50 Amp Clamps** – for top and side-mounted battery posts.
- **Electronic Push Button Controls** – easy-to-feel switches for selection of *Display Mode*, *Charge Rate* or *Battery Type*. Choose from regular automotive (low maintenance or maintenance-free), deep-cycle, AGM or gel cell batteries.
- **Retractable Handle** – for easy portability and storage.

CUL Listed:
Model SCF-1200A


UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	MASTER CARTON DIMENSIONS	MASTER CARTON DIMENSIONS	MASTER CARTON
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	CUBIC FEET
0-26666-70806-7	12-3/8"	3-7/8"	8-3/8"	2	11 LBS.	8"	13"	8-3/4"	0.53

5 YEAR LIMITED WARRANTY

SpeedCharge™ HYBRID ELECTRONIC CHARGERS/MAINTAINERS/TESTERS/ENGINE STARTERS

SC-6500A 65 amp 20 ◀▶ 10 amp 2 amp with Engine Start

Fully Automatic Microprocessor Controlled

- **65 Amp Engine Start** – for emergency starting.
- **10 ▶ 20 Amp Fast Charge** – self-adjusting, variable charge rates for everyday charging needs and maintaining your battery in peak condition. Charges and automatically desulfates and restores car, truck, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **125 Amp, Sure-Grip Clamps** – for top and side-mounted battery posts.
- **Electronic Touch-Pad Controls** – easy-to-select switches for *Digital Display, Battery Type* or *Charge/Start*. Choose from 12V regular automotive, 12V deep-cycle, 12V AGM or gel cell batteries.
- **Built-in Digital Voltmeter/Tester** – helps diagnose problems.
- **Retractable Handle** – for easy portability. Cord wrap on back.



**FAST & RELIABLE
EASY-TO-USE!**



5 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70880-7	10-1/4"	12-1/4"	5-1/2"	2	23 LBS.	10-1/2"	12-3/8"	11-3/8"	0.86

SC-8000A 80 amp 30 ◀▶ 12 amp 2 amp with Engine Start

Fully Automatic Microprocessor Controlled

- **80 Amp Engine Start** – for emergency starting.
- **12 ▶ 30 Amp Fast Charge** – self-adjusting, variable charge rates for everyday charging needs and maintaining your battery in peak condition. Charges and automatically desulfates and restores car, truck, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **125 Amp, Sure-Grip Clamps** – for top and side-mounted battery posts.
- **Electronic Touch-Pad Controls** – easy-to-select switches for *Digital Display, Battery Type* or *Charge/Start*. Choose from 12V regular automotive, 12V deep-cycle, 12V AGM or gel cell and 6V regular batteries.
- **Built-in Digital Voltmeter/Tester** – helps diagnose problems.
- **Retractable Handle** – for easy portability. Cord wrap on back.



**FAST & RELIABLE
EASY-TO-USE!**



5 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70877-7	10-1/4"	12-1/4"	5-1/2"	2	26 LBS.	10-1/2"	12-3/8"	11-3/8"	0.86

SC-12000A 120 amp 40 ◀▶ 15 amp 2 amp with Engine Start

Fully Automatic Microprocessor Controlled

- **120 Amp Engine Start** – for emergency starting.
- **15 ▶ 40 Amp Fast Charge** – self-adjusting, variable charge rates for everyday charging needs and maintaining your battery in peak condition. Charges and automatically desulfates and restores car, truck, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **125 Amp, Sure-Grip Clamps** – for top and side-mounted battery posts.
- **Electronic Touch-Pad Controls** – easy-to-select switches for *Digital Display, Battery Type* or *Charge/Start*. Choose from 12V regular automotive, 12V deep-cycle, 12V AGM or gel cell and 6V regular batteries.
- **Built-in Digital Voltmeter/Tester** – helps diagnose problems.
- **Retractable Handle** – for easy portability. Cord wrap on back.



**FAST & RELIABLE
EASY-TO-USE!**



5 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70878-4	10-1/4"	12-1/4"	5-1/2"	2	31 LBS.	10-1/2"	12-3/8"	11-3/8"	0.86

Ship 'N Shore® BATTERY CHARGERS

Designed especially for marine applications

Our Ship 'N Shore line of battery chargers continues to grow. We've introduced two of our high-frequency SpeedCharge® chargers to this line, as well as a dual-bank charger for those needs where more than one battery needs charging at the same time. As always, we've developed exciting, attention-grabbing packaging that expresses the uniqueness of these chargers, targeted at this rapidly growing market. Get "on-board" with Schumacher.



Ship 'N Shore ELECTRONIC BATTERY CHARGERS

SSC-1000A 10 amp 6 amp 2 amp

Fully Automatic Microprocessor Controlled

- **10 Amp Fast Charge** – charger monitors battery condition and adjusts charge rate to prevent battery damage; for car, truck, marine, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **6 Amp Medium Charge** – self-adjusting charge rate for everyday charging needs and keeping your battery in peak condition.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **50 Amp Clamps** – for top and side-mounted battery posts.
- **Electronic Push Button Controls** – easy-to-feel switches for selection of *Display Mode*, *Charge Rate* or *Battery Type*. Choose from regular automotive (low maintenance or maintenance-free), deep-cycle, AGM or gel cell batteries.
- **Retractable Handle** – for easy portability and storage.



CUL Listed:
Model SSF-1000A



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70805-0	12-3/8"	3-7/8"	8-3/8"	2	11.5 LBS.	8"	13"	8-3/4"	0.53

SSC-1500A 15 amp 10 amp 2 amp

Fully Automatic Microprocessor Controlled

- **15 Amp Fast Charge** – charger monitors battery condition and adjusts charge rate to prevent battery damage; for car, truck, marine, RV, farm equipment, AGM, gel cell and deep-cycle batteries.
- **10 Amp Fast Charge** – self-adjusting charge rate for everyday charging needs and keeping your battery in peak condition.
- **2 Amp Slow Charge** – for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.
- **75 Amp Clamps** – for top and side-mounted battery posts.
- **Electronic Push Button Controls** – easy-to-feel switches for selection of *Display Mode*, *Charge Rate* or *Battery Type*. Choose from regular automotive (low maintenance or maintenance-free), deep-cycle, AGM or gel cell batteries.
- **Retractable Handle** – for easy portability and storage.



CUL Listed:
Model SCF-600A



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70807-4	12-3/8"	3-7/8"	8-3/8"	2	11.5 LBS.	8"	13"	8-3/4"	0.53

5 YEAR LIMITED WARRANTY

5 YEAR LIMITED WARRANTY

Ship 'N Shore® TRADITIONAL BATTERY CHARGERS

SS-51A-PE 10 amp

Fully Automatic

This Ship 'N Shore model is a state-of-the-art charger for boats and RVs with deep-cycle batteries. Circuit-controlled, fully automatic. Never worry about overcharging. Use it for onshore charging needs. Can also be switched to manual mode for special uses. For conventional 12 volt batteries.

- **10 amp fast charge** – for everyday charging needs. Charges a deep-cycle battery in 7 to 11 hours; an automotive battery in 3 to 5 hours.
- **Fully automatic** – will not overcharge batteries.
- **Manual Operation.**
- **Maintains charge.**
- **LED** – Full Charge indicator.
- **Reverse hookup safeguard.**
- **Convenient carrying handle.**

CUL Listed: Model SF-51A-PE



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70491-5	10-1/8"	6-3/8"	7-5/8"	2	17 LBS.	13-1/4"	10"-3/4"	8-1/2"	0.69

SS-120A-PE 12 amp

Fully Automatic Microprocessor Controlled

This Ship 'N Shore is the next step up for deep-cycle, marine and marine starting batteries. Charges and maintains most Marine Group 24 to 30, 12 volt wet-cell batteries.

- **Fully Automatic** – Automatically maintains the battery when fully charged. Resumes continuous charging when battery becomes discharged.
- **12 amp charge** – 20% faster than a 10 amp
- **Charges up to 16 volts** – suitable for Delco Voyager® and similar eye-type batteries.
- **Manual Operation.**
- **Microprocessor Controlled** – Provides a 3-step charging system that includes float-mode maintaining and desulfation mode.
- **LEDs** – Power On, Reverse Hook-up, and Charging or Desulfation, Charged and Maintaining.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70705-3	10-1/8"	6-3/8"	7-5/8"	2	21 LBS.	13-1/4"	10-3/4"	8-1/2"	0.69

SS-210A Single 20 amp Dual 10 amp

Fully Automatic Microprocessor Controlled

This Dual Bank Ship 'N Shore model is the perfect answer for multiple marine capabilities. With two sets of output cords, this unit can charge 2 separate 12 volt batteries at the same time at a "true" 10 amp charge rate or a single 12 volt battery at a "true" 20 amp charge rate. Ignition protected, non-sparking, battery connection leads make it safe to recharge, even on board.

- **Microprocessor Controlled, Fully Automatic, Multi-Stage Charging System with Float-Mode Monitoring** – Charges and then maintains the battery when fully charged. Resumes continuous charging when battery becomes discharged.
- **TRUE 10 amp Charge** – for a single 12 volt battery or two 12 volt batteries in a two-battery, 24 volt system.
- **TRUE 20 amp Charge** – for single 12 volt battery.
- **Dedicated Microprocessor** – for each independently controlled bank.
- **Electrically Independent Outputs** – handle 12 or 24 volt systems.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70767-1	13"	9-7/8"	9-3/8"	1	21 LBS.	13-1/4"	10-1/2"	10-1/2"	0.84

Fully Automatic Microprocessor Controlled

Microprocessor Controlled Battery Charger that boasts the latest, state-of-the-art, microprocessor technology with Programmed Variable Charging, along with a 120 amp engine start. Charges batteries faster and better than any similar sized chargers on the market and dramatically reduces the number of components, while increasing reliability and dependability.

Also Available: SS-1220A (2/10/10<>20), SS-1210A (2/6/6<>10)

- 2 amp trickle charge rate – charges in 2 to 12 hours.
- Automatic Programmed Variable Charge – with battery monitoring
- Built-in digital voltmeter/tester
- Correct Connection Protection & Battery connected indicator
- Seven segment digital display
- Touch pad operation
- All steel, “sure grip” clamps – for top and side mount battery posts
- Anti-spark protection



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70921-7	10-1/2"	7-3/8"	12-3/8"	2	31.8 LBS.	12-1/2"	10-3/4"	15-1/8"	1.2

SS-15A3-OB 15 amp On-Board, 3-Bank

Fully Automatic Microprocessor Controlled

A true, Three Bank, On-Board, 15 Amp Marine Charger that permanently mounts to your boat. Its weather proof, water tight seal ensures that there will be no leakage and is safe to store on-board, all year round. The charger works with regular and deep cycle batteries, including flooded, AGM and gel cell. This smart charger automatically remembers the last battery type selected.

Single and Dual Banks also available

- Six-Foot Input & Output Cables
- LED Indicators
- Short Circuit & Reverse Polarity Protection
- UL Listed



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70916-3	14"	10-1/8"	3-5/8"	2	14.3 LBS.	14-1/4"	10-1/4"	7-1/2"	0.63

Traditional **CHARGERS** TRICKLE / SLOW / MAINTAINERS

The best friend your battery can have

Schumacher's low amperage chargers are an ideal way to maintain a battery's charge for people who don't use their vehicle everyday, who go short distances, or do a lot of stop-and-go driving. They can also be used to charge small batteries for ATVs, motorcycles, snowmobiles and lawn tractors, or batteries that have a long storage time. In cold climates, they're indispensable for keeping batteries warm overnight and ready for starting. Proof positive that no job is too small for Schumacher.

SE-1 1 amp Plug-In Wall Charger

Manual Operation

Economical 1-amp charger plugs into a wall electrical outlet. Convenient 12-foot power cord reach. Charges small 12 volt batteries and keeps larger batteries warm in cold temperatures.

- 1 amp wall plug-in trickle charger.
- Reverse-hookup protection.
- Display carton can be shelved or peg-hooked.

*Add 1-1/2 inches to height measurement for hanging tab style carton



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	CARTON DEPTH	CARTON HEIGHT	MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH			
0-26666-70699-5	4-1/2"	2-1/2"	4-1/2"*	4	6.5 LBS.	6"	5-1/2"	9-1/2"	0.18

MC-1 1 amp Trickle Charger

Manual Operation

A must for motorcycle owners. Has a quick-disconnect harness with ring connector. Hook the harness up once. No need to take the battery out again to charge it. For 6 and 12 volt batteries.

- 1 amp trickle charge rate – charges in 2 to 12 hours.
- Reverse-hookup protection.
- Quick-Disconnect Harness – Snap either connector into place in seconds – Use the 50 amp clamps or permanently attach the ring connectors...great for hard-to-reach motorcycle batteries.
- Molded plastic case. CUL Listed: Model MCF-1



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	CARTON DEPTH	CARTON HEIGHT	MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH			
0-26666-31310-0	6-5/8"	3-3/8"	5-3/16"*	2	4 LBS.	7"	3-3/4"	10-1/2"	0.19

SEM-1562A 1.5 amp BatteryCompanion® Charger/Maintainer

Fully Automatic

Unique automatic battery charger maintains both 6 and 12 volt batteries keeping them at full charge using float-mode monitoring. Perfect for charging small batteries. Great for maintaining small and large batteries kept in storage – motorcycles, classic cars, RVs, boats.

- 1.5 amp charger and maintainer.
- LEDs indicate: Charging, Charged and Trouble.
- Automatically switches from Full Charge to Float-Mode Monitoring.
- Quick-Disconnect Harness – Snap either connector into place in seconds – Use the 50 amp clamps or permanently attach the ring connectors...great for hard-to-reach motorcycle batteries.
- Reverse-hookup protection.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	CARTON DEPTH	CARTON HEIGHT	MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH			
0-26666-70717-6	6-5/8"	5"	5-3/8"	2	5 LBS.	10-1/2"	7-1/8"	5-7/8"	0.25

Traditional **CHARGERS** TRICKLE / SLOW / MAINTAINERS

SE-1-12S 1.5 amp Battery Charger/Maintainer

Fully Automatic

Keeps 12 volt batteries charged. Fully automatic. Turns on and off as needed. Allows safe charging of RV, deep-cycle or most batteries that may have a long storage period. "On-Board" feature allows mounting of charger next to battery on collectibles, street rods and other infrequently used vehicles. Hardware and mounting brackets are included.

- **1.5 amp trickle charge rate** – charges in 2 to 12 hours.
- **LED lights** – indicate *Power On* and *Charged*.
- **Reverse-hookup protection.**
- **Molded plastic case.**
- **Short leads for safety** – won't get tangled in moving engine parts.

CUL Listed: Model SF-1-12S



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70501-1	8"	2"	8-5/8"	2	5 LBS.	8-7/8"	8-1/4"	3-7/8"	0.17

2 YEAR LIMITED WARRANTY

Traditional **CHARGERS** METAL HAND-HELD PORTABLE MODELS

Designed to handle even the toughest of jobs

Schumacher makes a wide variety of metal hand-held portable chargers to meet a wide variety of needs.

For cars, light trucks, motorcycles, RVs, for garden and farm use, and even for marine batteries (including low maintenance, maintenance-free and deep-cycle batteries). There are chargers for 6, 12, 24 volts and our specialty charger up to 72 volts...a variety of charge rates including trickle/slow charge and maintenance rates. Plus, models with single and dual-rate outputs, manual, and fully automatic operation. With Schumacher, you always get great variety, great value, and a great product.

- **All steel cases** – coated with baked enamel finishes.
- **Deep ventilation louvers for better cooling** – higher performance and longer life.
- **Circuit breaker** – protects against overloads and reverse-hookups.
- **Easy-to-read, color-coded meters.**
- **6-foot output cables and grounded power cord** – for a 12-foot reach.
- **Solid-state circuitry.**
- **Super-grip clamps** – for top and side-mount battery posts.
- **2-year limited warranty.**

SE-82-6

6 amp 2 amp

Manual Operation

Designed for the economy-minded user. Two charging rates. Charges 12 volt batteries.

- **6 amp medium charge rate** – for most everyday needs. Charges in 6 to 8 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.

CUL Listed: Model SF-82-6



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-05826-1	8-3/4"	4-5/8"	8-3/4"	2	15 LBS.	9-1/8"	9-1/8"	10"	0.49

2 YEAR LIMITED WARRANTY

Traditional CHARGERS METAL HAND-HELD PORTABLE MODELS

SE-1010-2 10 amp 2 amp

Manual Operation

This is the versatile dual-rate manual charger for 12 volt batteries. Has a trickle charge for those overnight jobs and a 10 amp rate for faster, regular charging.

- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.

CUL Listed: Model SF-1010-2



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-10102-8	11-1/8"	5-3/8"	10-3/8"	4	45 LBS.	21-1/4"	11-5/8"	11-5/8"	1.67

SE-40MAP 10 amp

Fully Automatic/Manual

Hook it up. Make the settings. Then plug it in and forget about it. Fully automatic means never having to worry about an overcharge. Plus, it has a manual setting for special applications. Great all-around charger for everyday 6 and 12 volt charging needs.

- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **Fully automatic** – will not overcharge batteries.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-00404-6	11-1/8"	5-3/8"	10-3/8"	4	43 LBS.	21-1/4"	11-5/8"	11-5/8"	1.67

SE-520MA 10 amp 2 amp

Fully Automatic/Manual

This economical 12 volt charger can be used two ways: manual or fully automatic. No overcharging worries when in fully automatic mode.

- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **LED light** – signals *Fully Charged*.
- **Fully automatic** – will not overcharge batteries.

CUL Listed: Model SF-50MA-2



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70626-1	11-1/8"	5-3/8"	10-3/8"	2	20 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

Traditional **STARTER/CHARGERS** METAL HAND-HELD PORTABLE MODELS

Same great battery chargers with the added boost for engine cranking

These dual-rate chargers with battery boost are designed to start an engine with a low battery. These chargers boast a variety of consumer-friendly and professional charging rates, including trickle/slow and maintenance.

SE-1052 50 amp 10 amp 2 amp with Engine Start

Manual Operation

Starter/charger for the economy-minded user. Slow charges, too. For 12 volt batteries.

- **50 amp engine start** – for emergency starting.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **3-function power switch.**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-51052-3	11-1/8"	5-3/8"	10-3/8"	4	43 LBS.	21-1/4"	11-5/8"	11-5/8"	1.67

SE-1250 50 amp 30 amp 10 amp with Engine Start

Manual Operation

Great starter/charger for 12 volt batteries. Charge at a fast rate, or assist a battery in cranking an engine.

- **50 amp engine start** – for emergency starting.
- **30 amp boost for quick starts.**
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **3-function power switch.**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-51250-3	11-1/8"	5-3/8"	10-3/8"	2	25 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

SE-5212A 50 amp 10 amp 2 amp with Engine Start

Fully Automatic

Here's a 12 volt starter/charger that gives you a lot of quality features for the money. It's fully automatic and has LED lights to keep you informed of charger's operation.

- **50 amp engine start** – for emergency starting.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2 LED lights** – signal Power On and Fully Charged.
- **Fully automatic** – will not overcharge batteries.

CUL Listed: Model SF-1252MA (LED lights not included.)



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70625-4	11-1/8"	5-3/8"	10-3/8"	2	21 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

2 YEAR LIMITED WARRANTY

2 YEAR LIMITED WARRANTY

2 YEAR LIMITED WARRANTY

Traditional **STARTER/CHARGERS** METAL HAND-HELD PORTABLE MODELS

SE-1275A 75 amp 12 amp 2 amp with Engine Start

Fully Automatic

A perfect choice for 12 volt and deep-cycle batteries. This starter/charger is fully automatic. Plus, many more features.

- **75 amp engine start** – for emergency starting.
- **12 amp fast charge** – charges a battery in 2 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2 LED lights** – signal *Power On* and *Fully Charged*.
- **Fully automatic** – will not overcharge batteries.

CUL Listed: Model SF-1275A



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70583-7	11-1/8"	5-3/8"	10-3/8"	2	25 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

SE-1510MA 100 amp 15 amp 2 amp with Engine Start

Fully Automatic/Manual

Ideal for car, SUV, light truck, farm equipment, boat, deep cycle, RV, motorcycle, ATV, snowmobile and lawn tractor batteries.

- **100 amp engine start** – for emergency starting.
- **15 amp fast charge** – charges a battery in 2 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2 LED lights** – signal *Check Battery* and *Fully Charged*.
- **Fully automatic** – will not overcharge batteries.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70583-7	11-1/8"	5-3/8"	10-3/8"	2	25 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

SE-125A 125 amp 15 amp 2 amp with Engine Start

Fully Automatic/Manual

This high-output, portable starter/charger has both manual operation and fully automatic. Great for professional mechanics and do-it-yourselfers. For 6 and 12 volt batteries.

- **125 amp engine start** – for emergency starting.
- **15 amp fast charge** – for when time is of the essence. Charges a battery in 2 to 4 hours.
- **2 LED lights** – signal *Fully Charged* and *Reverse-Hookup*.
- **Fully automatic** – will not overcharge batteries.
- **6-function rotary switch**.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70499-1	11-3/4"	5-5/8"	10-3/4"	1	18 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

Traditional STARTER/CHARGERS METAL HAND-HELD PORTABLE MODELS

SE-2151MA 100 amp 15 amp 2 amp

Fully Automatic/Manual

SportsPower™ promotional battery charger for pickup truck, SUV and van market. Comes as a 4-pack, Master Pack with quick-open, zip-tray that makes setup and displaying a piece of cake, or take our 72 count pallet for a quick and easy aisle setup. For 6 and 12 volt batteries.

- **100 amp engine start** – for emergency starting.
- **15 amp fast charge** – charges a battery in 2 to 4 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2 LED lights** – signal *Full Charge* and *Check Battery*.
- **Fully automatic** – will not overcharge batteries.



CUL Listed: Model SF-2151MA



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70673-5	11-1/8"	5-3/8"	10-3/8"	2	32 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83
0-26666-70673-5	11-1/8"	5-3/8"	10-3/8"	4	64 LBS.	22-1/4"	11-1/2"	11"	1.62

2 YEAR LIMITED WARRANTY

Specialty CHARGERS

SE-70MA 10 amp Deep-Cycle Battery Charger

Fully Automatic/Manual

This is a 12 and 24 volt charger for deep-cycle batteries. Operates in automatic or manual mode.

- **10 amp fast charge** – for everyday charging needs. Charges a deep-cycle battery in 7 to 11 hours; an automotive battery in 3 to 5 hours.
- **Fully automatic** – brings a deep-cycle battery to full charge, will not overcharge batteries.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-07024-9	11-1/8"	5-3/8"	10-3/8"	2	30 LBS.	11-1/2"	10-5/8"	11-5/8"	0.83

2 YEAR LIMITED WARRANTY

CR-100A

Charge 'N Ride

Replaces the existing original equipment Ride-On Vehicle battery chargers. Charge 'N Ride can fully charge the vehicle's battery in 3 to 5 hours, depending on the battery's condition and discharge level.

- **60 or 90 minute quick charge** – gets them riding in a hurry.
- **3 battery connectors** – which covers about 80% of the 12 volt or two 6 volt Ride-On Vehicles on the market.*
- **Convenient** – recharge the battery at lunch or nap time.
- **Works on a wide variety of Ride-On Vehicles** – including Fisher Price®, Power Wheels® and Peg-Pérego™.
- **Maintainer** – keeps the battery at a full charge when not in use.
- **Microprocessor controlled** – providing automatic sensing and monitoring for worry-free operation and long battery life.
- **LED lights** – indicate charging status.

*Vehicles prior to 1999 may have different connectors.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70772-5	9-7/8"	5-7/8"	10"	2	18.00 LBS.	10-1/2"	11-1/2"	12-3/8"	0.86

2 YEAR LIMITED WARRANTY

Specialty CHARGERS

SE-1072 10 amp 5 amp Multiple Battery Charger

Manual Operation

For low-rider cars, fleet and industrial operations, where charging several batteries is a daily routine and where portability is a must. Charge up to 12 batteries in a series all at once – 72 volts total. Dual-rate output. Has overload and short-circuit protection via fuse.

- 10 or 5 amp rate.
- Includes 5 jumpers – for connecting batteries in series.
- Charge up to six 12 volt or twelve 6 volt batteries.
- Rotary switch settings – for 12, 24 36, 48, 60, 72 volt and off position.



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-51072-1	13"	12"	10-5/8"	1	29 LBS.	13"	12"	10-5/8"	0.96

CS-810A 10 amp Professional Charging Station

Fully Automatic Independently Processor Controlled

Here's a work-free way to charge multiple batteries at one time. Eight independent 10 amp fast charge outlets that automatically bring each battery to a full charge. Then it monitors all batteries and supplies periodic current to keep them fully charged. Works with 12 volt automotive, heavy-duty and deep-cycle/marine batteries.

- 3-function LED status light for each outlet keeps you informed – RED for *Charging*, GREEN for *Fully Charged* and FLASHING RED and GREEN for *Check Battery* for improper connection or possible shorted cell.
- Eight detachable 6-foot cords with 75 amp, color-coded clamps – help eliminate sparks or shorts due to tangled wires.
- One-way direction plug – stops polarity guessing.
- Fan-cooled – for dependability and peak performance.
- Space-saving design – fits easily on shelf or bench.
- Master On/Off switch.



1 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70551-6	24"	17"	15-1/2"	1	66 LBS.	24"	17"	15-1/2"	3.66

Heavy-duty, powerful and durable – for the do-it-yourselfer and professional mechanic. All Schumacher Wheel-Style Chargers have tough all-steel cases, coated with baked enamel finishes. Most are equipped with timers and cooling fans. All have deeply-louvered ventilation for high performance and long life. Models are available for fleet, farm and industrial use with a variety of amp outputs, including high-output rates for starting most vehicles and a rate for slow charging. There are units for 6 and 12 volt battery systems, as well as 18 and 24 volt models. Some units offer testing capabilities. Other features may include:

- **Timer-controlled or manual operation** – for charging versatility.
- **2-1/4 hour timers with “Hold” positions** – for continuous charging.
- **Clear-view, impact-resistant, color-coded meters.**
- **Thermal breaker** – protects against overloads and reverse-hookups.
- **Rotary timer switches.**
- **Easy-roll, wide-track wheels.**
- **Heavy-duty 6 or 8 gauge wire** – 6-foot reach.
- **300 amp super-grip clamps** – for top and side-mount battery posts.
- **Solid-state circuitry.**
- **Stud-mounted, heavy-duty silicon diode rectifiers.**
- **Chargers have 3-year limited warranty** – 5-year warranty on transformers and rectifiers.
- **Transformer cooling fan** – for longer life.



SE-1555A **150 amp 55 amp 20 amp 2 amp**

Fully Automatic Microprocessor Controlled or Timer Controlled Operation

This Advanced Technology Battery Charger utilizes a microprocessor to control both the voltage and current going to the battery to provide maximum power and the precise control needed to charge the various types of batteries on the market today; including AGM, GEL, Sealed Lead Acid, Deep Cycle, Spiral-Cell and Standard Automotive batteries. Reducing charge times while maximizing battery life.

- **150 Amp Engine Start** – for quick starting.
- **55 Amp Rapid Charge** – for larger batteries
- **20 Amp Fast Charge** – for regular charging needs
- **2 Amp Trickle Charge** – for charging small batteries and warming large ones.
- **Float-Mode Monitoring** – keeps battery at optimum charge level by providing just enough power to keep the battery maintained at the proper voltage. Starts automatically after charging in all charge rates.
- **Battery and Alternator Tester** – helps diagnose electrical system problems and battery state.
- **Reverse Hook-Up Protection** – charger will not operate if clamps are reversed on battery terminals.
- **LED lights** – indicate when the battery is fully charged and monitors the reverse hook-up protection



Wheel-Style STARTER/CHARGERS

SE-2352 200 amp 35 amp 2 amp

Manual Operation

Designed for economy-minded do-it-yourselfers, professional mechanics and fleet operations. Use for both slow and fast charge applications. High-output engine start will assist batteries in cranking most engines under severe summer/winter weather conditions. For 12 volt batteries.

- **200 amp engine start** – for emergency starting.
- **35 amp rapid charge** – charges in 1 to 1-1/2 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.

CUL Listed: Model SF-2001 has 2.25-Hour Timer (not shown)



3 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70675-9	13-3/4"	13-1/2"	20"	1	31 LBS.	13-3/4"	13-1/2"	20"	2.09

SE-4020 200 amp 40 amp 10 amp

Manual Operation

Our most popular wheel charger. Designed for D-I-Y'ers or professional mechanics. Manual operation puts user in control. High-output engine start assists batteries in cranking most engines under severe conditions. For 6 and 12 volt batteries. Fan cooled.

- **200 amp 12 volt/100 amp 6 volt engine start** – for emergency starting.
- **40 amp rapid charge** – charges in 1/2 to 1 hour.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **1 Amp, 12 Volt Slow/Trickle Charge Rate** – for small batteries also maintains batteries.
- **2 rotary switches** – for ease-of-use and accuracy.
- **"Hold" position on timer switch** – for continuous charging.

UL Rating: 10 amp and 40 amp continuous, 200 amp start. Discharge Rating: 12/50 amp.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-04020-4	13-3/4"	13-1/2"	20"	1	39 LBS.	13-3/4"	13-1/2"	20"	2.09



3 YEAR LIMITED WARRANTY

SE-4022 200 amp 40 amp 10 amp 2 amp

Manual Operation

This charger gives fleet operations, D-I-Y'ers and professionals a wide range of charging rates, an engine start rate and the ability to analyze electrical and starting system problems. For 6 and 12 volt batteries. Fan cooled.

- **200 amp 12 volt/100 amp 6 volt engine start** – for emergency starting.
- **40 amp rapid charge** – charges in 1/2 to 1 hour.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **Multi-function tester.**
- **Two rotary switches.**
- **"Hold" position on timer switch** – for continuous charging.
- **Voltmeter for battery testing.**

UL Rating: 2/10 amp and 40 amp continuous, 200 amp start. Discharge Rating: 3/12/50 amp.
CUL Listed: Model SF-4022



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-04022-8	13-3/4"	13-1/2"	20"	1	39 LBS.	13-3/4"	13-1/2"	20"	2.09



3 YEAR LIMITED WARRANTY

Wheel-Style STARTER/CHARGERS

SE-6030 300 amp 60 amp 30 amp

Manual Operation

Just like the SE-8050, but without testing capabilities, this heavy-duty model is also ideal for big fleet operations and industrial use. Perfect for situations that need a lot of power (including diesel engines). Two fast charge settings. Very high-output engine start assists batteries in cranking most engines under severe weather conditions. For 6 and 12 volt batteries. Fan cooled.

- **300 amp 12 volt/200 amp 6 volt engine start** – for emergency starting.
- **60 amp rapid charge** – charges a battery in 1/2 to 1 hour.
- **30 amp rapid charge** – for very fast charging. Charges in 1 to 2 hours.
- **“Hold” position** – for continuous charging.
- **Durable construction with tubular handle.**

UL Rating: 30 amp and 60 amp continuous, 300 amp start. Discharge Rating: 40/80 amp.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-06030-1	13-3/4"	13-1/2"	20"	1	54 LBS.	13-3/4"	13-1/2"	20"	2.09

3 YEAR LIMITED WARRANTY

SE-8050 300 amp 60 amp 30 amp

Manual Operation

Heavy-duty model for big fleet operations and industrial use. Ideal for repair shops that need a lot of power and the ability to test batteries and alternators. Two rapid charge settings. Very high-output engine start assists batteries in cranking most engines under severe weather conditions. For 6 and 12 volt batteries. Fan cooled.

- **300 amp 12 volt/200 amp 6 volt engine start** – for emergency starting.
- **60 amp rapid charge** – charges a battery in 1/2 to 1 hour.
- **30 amp rapid charge for very fast charging** – charges in 1 to 2 hours.
- **“Hold” position** – for continuous charging.
- **On-board battery load tester** – tests 50 amps on a 6 volt system, 100 amps on a 12 volt system.
- **Durable construction with tubular handle.**

UL Rating: 30 amp and 60 amp continuous; 300 amp start. Discharge Rating: 40/80 amp. CUL Listed: Model SF-8050



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-08050-7	13-3/4"	13-1/2"	20"	1	54 LBS.	13-3/4"	13-1/2"	20"	2.0

3 YEAR LIMITED WARRANTY

SE-3000 200 amp 80 amp 60 amp 44 amp 30 amp

Manual Operation

This is the charger for heavy-duty fleet and industrial use. Charges a variety of batteries: 6, 12, 18 and 24 volt. With this charger, the user no longer needs to separately charge 18 and 24 volt batteries. Full power engine start available in each volt range. Fan cooled.

- **200 amp 12 or 24 volt/180 amp 6 volt engine start** – for emergency starting under severe conditions.
- **80 amp rate** – for 6 volt battery systems.
- **60 amp rate** – for 12 volt battery systems.
- **44 amp rate** – for 18 volt battery systems.
- **30 amp rate** – for 24 volt battery systems.
- **Single rotary switch** – addresses all volt ranges.
- **“Hold” position on timer switch** – for continuous charging.

UL Rating: 80/60/44/30 amp. Discharge Rating: 35/60/70/100 amp. CUL Listed: Model SF-3000



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-03000-7	14-1/4"	13-3/4"	26"	1	54 LBS.	14-1/4"	13-3/4"	26"	2.95

3 YEAR LIMITED WARRANTY

Signature Series™ BATTERY CHARGERS

Personally endorsed by Don Schumacher



Schumacher's Signature Series combines the rugged durability of polypropylene with the latest high-tech features and design. Here are chargers with real working power that can tackle the toughest jobs in the roughest weather. All Signature Series chargers come with reverse-hookup safeguard and super-grip clamps for top and side-mount battery posts. To give them power on the selling floor, we've designed packaging with bold, eye-catching color and dramatic product photos that make Signature Series chargers easy to recognize and quick to sell. One side panel is in Spanish to help broaden your market; on the back, there's a helpful selection guide. Plus, Don Schumacher's personal endorsement of the unbeatable quality and technology that goes into the Signature Series.

Don Schumacher

82-6-PE **6 amp 2 amp**

Manual Operation

Designed with price in mind. Dual charge rate for 12 volt batteries.

- **6 amp medium charge rate** – for most everyday needs. Charges in 6 to 8 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **Convenient carrying handle.**



5 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70826-5	10-1/8"	6-3/8"	7-5/8"	4	27 LBS.	13-3/8"	10-1/2"	16"	1.3

Signature Series™ BATTERY CHARGERS

520A-PE

10 amp 2 amp

Fully Automatic

This charger gives you extra versatility with both slow and fast charging rates. It's fully automatic to protect against overcharging.

- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2 LED lights** – signal *Power On* and *Fully Charged*.
- **Automatic shut off** – will not overcharge batteries.
- **Convenient carrying handle.**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70589-9	10-1/8"	6-3/8"	7-5/8"	4	45 LBS.	13-3/8"	10-1/2"	16"	1.3

5 YEAR LIMITED WARRANTY

1050-PE

50 amp 10 amp 2 amp with Engine Start

Manual Operation

Starts vehicles with 50 amp engine start. Charges both large and small batteries.

- **50 amp engine start** – for emergency starting.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **Convenient carrying handle.**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70580-6	10-1/8"	6-3/8"	7-5/8"	4	43 LBS.	13-1/4"	10-1/2"	8-1/2"	0.69

5 YEAR LIMITED WARRANTY

5216A-PE

50 amp 10 amp 2 amp with Engine Start

Fully Automatic

A great multi-use starter/charger with amp rates for fast emergency starts, regular charging needs and trickle charging small batteries. For 6 and 12 volt batteries.

- **50 amp engine start** – for emergency starting.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2 LED lights** – signal *Power On* and *Fully Charged*.
- **Automatic shut off** – will not overcharge batteries.
- **Convenient carrying handle.**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70654-4	10-1/8"	6-3/8"	7-5/8"	2	20 LBS.	13-1/4"	10-1/2"	8-1/2"	0.69

5 YEAR LIMITED WARRANTY

Farm & Ranch® BATTERY CHARGERS

Special features for your rural customers

Schumacher has created an expanded line of battery chargers with special features and packaging that appeal to your rural customers. Schumacher now has five Farm and Ranch models of battery chargers that can handle any and all charging needs of farmers and ranchers alike – from trickle charging to immediate engine starts.

- **Back-lit, easy-to-read, impact-resistant meters** – for work convenience before dawn and after dusk.
- **Bright, attractive packaging and product faceplates** – feature an eye-catching Farm & Ranch logo and traditional agricultural colors.
- **Both 6 and 12 volt charging** – with most models.
- **Circuit breaker** – protects against overloads and reverse hookups.
- **Solid-state circuitry.**
- **Heavy-duty steel case with deep ventilation louvers and baked-enamel finishes** – plus sturdy clamps, heavy-gauge cables and power cords for long service life, even in rough work environments.
- **6-foot output cables and grounded power cord** – for a 12-foot reach.
- **Super-grip clamps** – for top and side-mount battery posts.



SE-3002 6amp 2amp

Manual Operation

This best-selling dual-rate charger is designed for the economy-minded user. Charges both 6 and 12 volt batteries and has two charging rates.

- **6 amp medium rate** – for most everyday charging needs. Charges in 6 to 8 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **Back-lit, impact-resistant, color-coded meter** – for easy viewing day or night.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-03002-1	8-3/4"	4-5/8"	8-3/4"	2	15 LBS.	9-1/8"	9"-1/8"	10"	0.49

SE-3004MA 10amp

Fully Automatic/Manual

Fully automatic means never worrying about an overcharge. This all-around charger accommodates everyday 6 and 12 volt charging needs.

- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **Control circuitry for fully automatic charging** – brings battery to full charge, then shuts off. Starts again if battery condition starts to drop off from non-use.
- **Back-lit, impact-resistant, color-coded meter** – for easy viewing day or night.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-03004-5	11-1/8"	5-3/8"	10-3/8"	4	43 LBS.	21-1/4"	11"-5/8"	11-5/8"	1.67

2 YEAR LIMITED WARRANTY

2 YEAR LIMITED WARRANTY

Farm & Ranch® BATTERY CHARGERS

SE-3005MA 50 amp 10 amp 2 amp with Engine Start

Fully Automatic/Manual

For users who want the features of a starter/charger with the added convenience of circuit-controlled fully automatic operation. Just hook it up, make the setting and forget about it – charger knows when to stop. For 12 volt batteries.

- **50 amp engine start** – for emergency starting.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **Control circuit for fully automatic charging** – brings battery to full charge, then shuts off. Starts again if battery condition starts to drop off from non-use.
- **Back-lit, impact-resistant, color-coded meter** – for easy viewing day or night.
- **3-function rate switch.**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-03005-2	11-1/8"	5-3/8"	10-3/8"	2	21 LBS.	11-1/2"	10"-5/8"	11-5/8"	0.83

2 YEAR LIMITED WARRANTY

SE-3010

200 amp 30 amp 10 amp with Engine Start

Manual Operation

A must for heavy-duty work. High-output, portability and 6 and 12 volt capabilities make this a popular all-steel, bench-style charger. 200 amp engine start means you can start an engine in the dead of winter.

- **200 amp engine start** – for emergency starting.
- **30 amp charge** – for very fast charging. Charges in 1 to 3 hours.
- **10 amp fast charge** – for everyday charging needs. Charges in 3 to 5 hours.
- **5-function volt/rate selector.**
- **Back-lit, impact-resistant, color-coded meter** – for easy viewing day or night.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70534-9	13"	12"	10-5/8"	1	26 LBS.	13"	12"	10-5/8"	0.96

2 YEAR LIMITED WARRANTY

Farm & Ranch® WHEEL-STYLE STARTER/CHARGER

SE-3612 200 amp 40 amp 2 amp

Manual Operation

This versatile wheel-style starter/charger is great for both slow and fast applications on 6 and 12 volt batteries. High-output engine start will assist batteries in cranking most engines under severe summer/winter weather conditions.

- **200 amp engine start** – for emergency starting.
- **40 amp rapid charge** – charges in 1/2 to 1 hour.
- **2 amp trickle charge** – charges a small 12 volt battery in 2 to 12 hours.
- **2-1/4 hour timer with "Hold" position** – for continuous charging.
- **Stud-mounted, heavy-duty silicon diode rectifiers.**
- **Back-lit, impact-resistant, color-coded meter** – for easy viewing day or night.
- **Easy-roll, wide-track wheels.**
- **Cooling fan** – for longer life.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70535-6	13-3/4"	13-1/2"	20"	1	39 LBS.	13-3/4"	13-1/2"	20"	2.09

3 YEAR LIMITED WARRANTY

Battery Chargers

Helping you choose the *BEST* product for your needs

Family Category	Product Number	Description	Manual/Automatic	Good	Better	Best
Storage & Maintainer	SE-1	1 amp Plug-In Wall Charger	M	•		
	MC-1	1 amp Trickle Charger	M		•	
	SEM-1562A	1.5 amp Battery Charger/Maintainer	A			•
	SE-1-12S	1.5 amp Battery Charger/Maintainer	A			•
Power Sports	SC-300A	3 amp 12V Trickle Charger	A		•	
	SC-200A	2 amp 6 & 12V Trickle Charger	A			•
	SE-2151MA	100/15/2 amp w/Engine Start Automatic (Sports Power)	M/A			•
Economy/Small Vehicle	SE-82-6	6/2 amp Manual	M	•		
	SC-600A	6/4/2 amp Microprocessor Controlled	M			•
Large Vehicle/SUV	SE-1010-2	10/2 amp Manual	A	•		
	SE-40MAP	10 amp Automatic/Manual	M/A	•		
	SE-1052	50/10/2 amp w/Engine Start-Manual	M		•	
	SE-1250	50/30/10 amp w/Engine Start-Manual	M		•	
	SE-520MA	10/2 amp Automatic/Manual	A		•	
	SE-5212A	50/10/2 amp w/Engine Start-Automatic	A			•
	SC-1000A	10/6/2 amp Microprocessor Controlled	M/A			•
	SC-1200A	12/8/2 amp Microprocessor Controlled	M/A			•
Multi Purpose	SE-1275A	75/12/2 amp w/Engine Start	A	•		
	SE-1510MA	100/15/2 amp w/Engine Start-Automatic/Manual	M/A			•
	SE-125A	125/15/2 amp w/Engine Start	A			•
	SC-6500A	65/20/10/2 amp w/Engine Start Microprocessor Hybrid	M/A	•		
	SC-8000A	80/30/12/2 amp w/Engine Start Microprocessor Hybrid	M/A		•	
	SC-12000A	120/40/15/2 amp w/Engine Start Microprocessor Hybrid	M/A			•
Marine	SS-51A-PE	10 amp Automatic	A	•		
	SS-120A-PE	12 amp Automatic	A		•	
	SS-210A	20 amp Single/10 amp Dual	A			•
	SSC-1000A	10/6/2 amp Microprocessor Controlled	A		•	
	SSC-1500A	15/10/2 amp Microprocessor Controlled	A			•
Farm/Ranch	SE-3002	6/2 amp Manual	M	•		
	SE-3004MA	10 amp Automatic/Manual	M/A		•	
	SE-3005MA	50/10/2 amp Automatic/Manual	M/A			•
	SE-3612	200/100/40/2 amp Manual Wheel Charger	M			•
Standard Wheel	SE-2352	200/35/2 Manual Wheel Charger	M	•		
	SE-4020	200/100/40/10 Manual Wheel Charger	M	•		
	SE-4022	200/100/40/10/2 Manual Wheel Charger	M	•		
	SE-6030	300/200/60/30 Manual Wheel Charger	M		•	
	SE-8050	300/200/60/30 Manual Wheel Charger w/Tester	M			•
	SE-3000	200/180/80/60/44/30 amp Manual Wheel Charger	M			•
Specialty	CR-100A	Charge 'N Ride for Kid's Ride-On Vehicles-Microprocessor Controlled	A			•
	SE-1072	10/5 amp Manual Series Charger (Includes 5 Jumpers)	M			•
	VTV-20	Vehicle to Vehicle Car Starter	A			•
	SE-70MA	10 Amp Deep Cycle Automatic/Manual	M/A			•
SS (Signature Series)	82-6-PE	6/2 amp Manual	M	•		
	1050-PE	50/10/2 amp w/Engine Start-Manual	A	•		
	520A-PE	10/2 amp Automatic	M		•	
	5216A-PE	50/10/2 amp w/Engine Start-Automatic	A			•

Battery Testers

BT-25

Automotive Power Alert

Constantly check your car's power system from the comfort of the driver's seat. Stick this monitor on the dash board as your third eye to make sure your electric system is in good condition and pre-alert you to go to a repair center when needed.

- Detects charging input voltage – within 0.1V variance.
- Detects problems in advance of irregularities with the alternator.
- Alerts you if your battery drops below 12.0 V – giving you approximately one more hour of run time (depending on the system's wattage).
- Plugs into a 12 volt automotive receptacle (cigarette lighter).



UPC CODE	BLISTER WIDTH	CARD DEPTH	DIMENSIONS HEIGHT	CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DEPTH	DIMENSIONS HEIGHT	MASTER CARTON CUBIC FEET
0-26666-70824-1	4-7/8"	1-1/4"	9-5/8"	10	2.5 LBS.	5-3/4"	12-5/8"	5-3/4"	0.24

BT-50

Digital Voltmeter

Handy voltmeter makes checking battery and charging system volts easy. Reads voltages from 4.99 up to 19.99 volts. Works on both 6 and 12 volt batteries.

- Reverse-hookup protection.
- Over voltage protection.
- Checks charging system and battery voltages.
- Four-place LCD readout.
- OCV table on front of tester.



UPC CODE	CLAMSHELL WIDTH	DIMENSIONS DEPTH	HEIGHT	CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DEPTH	DIMENSIONS HEIGHT	MASTER CARTON CUBIC FEET
0-26666-70814-2	4-1/4"	1-1/2"	8-1/4"	10	5 LBS.	10-1/2"	12"-1/2"	5-3/8"	0.40

BT-100

100 amp Battery Load Tester

For everyday do-it-yourself use. Easy to operate. Test load, battery condition, starter motor draw and complete charging system diagnosis. Works on 6 and 12 volt batteries.

- 100 amp load test – for 6 volt batteries up to 1000 CCA.
- 50 amp load test – for 12 volt batteries up to 1000 CCA.
- Top mounted rocker switch – for easier operation.
- Super-grip battery clamps – heavy-duty and color-coded.
- Easy-to-read meter – accurate and shock resistant.
- Baked enamel, steel case – ventilated to keep cool.
- Rubber insulated carrying handle – for comfort and safety.



UPC CODE	CARTON WIDTH	DIMENSIONS DEPTH	HEIGHT	CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DEPTH	DIMENSIONS HEIGHT	MASTER CARTON CUBIC FEET
0-26666-00100-7	6-5/8"	3-1/2"	14"	4	16.2 LBS.	15"	14"	15"	1

SEC-100

Battery Analyzer

The Schumacher Speed Test Battery Analyzer utilizes state-of-the-art electronic battery test technology to quickly, accurately and safely evaluate the condition of lead-acid starting batteries.

- CCA range 200-1200
- Operating voltage range 8 to 16 volts
- An easy-to-read digital display and user prompts to ensure simple and accurate operation
- Field proven, high-quality design for long life
- Research based diagnostic algorithm provides accurate assessment of the battery and recommended action to the user



UPC CODE	CLAMSHELL WIDTH	DIMENSIONS DEPTH	HEIGHT	CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DEPTH	DIMENSIONS HEIGHT	MASTER CARTON CUBIC FEET
0-26666-70918-7	8-1/4"	5-3/4"	1-1/2"	4	2.9 LBS.	9"	9"	6"	0.28

6 MONTH LIMITED WARRANTY

6 MONTH LIMITED WARRANTY

6 MONTH LIMITED WARRANTY

1 YEAR LIMITED WARRANTY

Portable Power Sources

Power where it's needed when it's needed – on demand!

Schumacher's line of portable power sources are powerful and versatile. With features and capabilities, like built-in air compressors or convenient docking stations for recharging, these power sources meet every need. A powerful, sealed, lead-acid battery drives the power to operate virtually anything from cellular phones and camcorders to electric coolers and bilge pumps. Every Schumacher power source comes with a one-year limited warranty* (90 days on battery). All models, except for the IPD-1000 and IPD-1800, have trilingual packaging broadening their market appeal.

Jump starting uses

- Starting power for 12 volt batteries in cars, sport-utility vehicles, pick-up or light trucks, RVs, snowmobiles ATVs and lawn equipment. Especially convenient for apartment dwellers and condo owners. Jump starts a car in seconds!
- Emergency starting power for 12 volt farm and ranch equipment.

Businesses

- | | | | |
|-----------------|--------------------|-------------------|----------------|
| • Tow Trucks | • Service Stations | • Car Dealerships | • Fleet Owners |
| • Hotels/Motels | • Camp Grounds | • Parking Lots | • Corporations |

Power source uses

- **12 volt DC, with cigarette-lighter plug** – electric coolers, lights, cell phones, computers, camcorders, TVs, depth finders, fans, bilge pumps, air compressors and car vacuums.
- **110 volt AC, with an inverter** – computers and printers, radios, TVs, VCRs, small power tools, pumps and kitchen blenders.

Outdoors and recreational

- Camping
- Boating
- Picnics
- Fishing

Home

- Hunting
- Emergency Lighting
- Electrical tools for outdoor repairs

IP-75

Instant Power

Don't let the smallest of our power source units mislead you by its size. Its 7 ampere hour battery has power enough to handle most jobs. Compact, lightweight and easily transportable, it's perfect for on-the-go action and still has a lot of the same features as its bigger brothers.

- **12-Volt DC Power Source**
- **Easy to read battery status LEDs** – tell when internal battery is at Full Power, 75% Charged or 50% or Less and needs charging.
- **Built-in charger** – for automatic charging of internal battery
- **Charging and Charged LED indicators** – indicates charging status of internal battery.
- **18" cable** – stays flexible in cold temperatures.
- **Storage mounts for clamps** – keep clamps safe for longer life.



1 YEAR LIMITED WARRANTY*

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70765-7	10-1/2"	6-3/8"	8-1/2"	1	10 LBS.	6-3/4"	9-1/2"	11-3/8"	0.44

IP-95C

Instant Power with Air Compressor

Compact, lightweight and easily transportable, this 9 ampere hour battery is great for on-the-go action! Jump Starter, Air Compressor and DC Power Source.

- **260 PSI Air Compressor**
- **12-Volt DC Power Source and 5-Volt USB Devices.**
- **ON/OFF jump start switch** – for added safety
- **Easy to read battery status LEDs** – tell when internal battery is at Full Power, 75% Charged or 50% or Less and needs charging.
- **Built-in charger** – for automatic charging of internal battery
- **Charging and Charged LED indicators** – indicates charging status of internal battery.
- **18" cable** – stays flexible in cold temperatures.



1 YEAR LIMITED WARRANTY*

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70908-8	10-3/4"	8-1/8"	9-11/16"	1	12 LBS.	11-1/8"	8-3/4"	10-3/4"	0.61

Portable Power Sources

IP-125

Instant Power

The size of this power source unit has nothing to do with its capabilities. With its 12 ampere hour battery this baby packs some power. Compact, lightweight and easily transportable it's great for on-the-go action. Plus, it still retains most of the same features as its larger brothers.

- **12-Volt DC Power Source**
- **Easy-to-read battery status LEDs** – tell when internal battery is at *Full Power*, *75% Charged* or *50% or Less*. A simple push of the button instantly turns on the LEDs.
- **#8 gauge, 18" cable** – stays flexible in the coldest temperatures.
- **Built-in charger** – for automatic charging of internal battery
- **Charging and Charged LED indicator** – to help easily monitor the charging of the internal battery.
- **Storage mounts on the back of unit** – keep clamps in place for safety when not in use.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	CARTON DIMENSIONS	HEIGHT	MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70733-6	10-3/4"	8-1/8"	9-11/16"	1	14 LBS.	11-1/8"	8-3/4"	10-3/4"	0.61

IP-1825FL

Instant Power with Adjustable Work Light

This mid-sized portable power unit has a maintenance-free, 18 ampere hour battery. A sleeker design makes it easier to store in a boat, automobile or home.

- **12-Volt DC Power Source**
- **#6 gauge, 28" cable** – stays flexible in the cold temperatures.
- **Convenient, built-in charger transformer** – for automatic charging of internal battery. Just connect an extension cord to the plug in the back to recharge. Charging LED will glow.
- **Easy-to-read battery status LEDs** – tell when internal battery is at *Full Power*, *75% Charged* or *50% or Less*.
- **Charging and Charged LED indicator** – to help easily monitor the charging of the internal battery.
- **Durable, rust and corrosion-proof, polypropylene case** – resists fuels and solvents.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	CARTON DIMENSIONS	HEIGHT	MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70731-2	12-1/2"	8"	11-5/8"	1	18.5 LBS.	12-5/8"	8-1/8"	11-3/4"	0.70

IP-1850FL

Instant Power with Adjustable Work Light

This versatile unit has a maintenance-free, 18 ampere hour battery. Its extra wide base provides maximum stability and safety.

- **12-Volt DC Power Source**
- **Jump Starter On/Off switch** – completely shuts off internal battery at clamps for added safety eliminating accidental shorting of clamps and battery drain.
- **Convenient, built-in charger transformer** – for automatic charging of internal battery. Just connect an extension cord to the plug in the back to recharge. Charging LED will glow.
- **Easy-to-read battery status LEDs** – tell when internal battery is at *Full Power*, *75% Charged* or *50% or Less*.
- **Charging and Charged LED indicator** – to help easily monitor the charging of the internal battery.
- **#4 gauge, 28" cable** – stays flexible in the coldest of temperatures.
- **Reverse hookup protection** – safeguards car battery, computer and Instant Power from damage if the cables are connected to the wrong terminals. An audible alarm warning sounds when clamps are reversed or touched together.
- **Durable, rust and corrosion-proof** – resists fuels and solvents.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS	CARTON DIMENSIONS	HEIGHT	MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70732-9	12-1/2"	8"	11-5/8"	1	21 LBS.	12-5/8"	8-1/8"	11-3/4"	0.70

1 YEAR LIMITED WARRANTY*

1 YEAR LIMITED WARRANTY*

1 YEAR LIMITED WARRANTY*

Portable Power Sources

IP-1875C Instant Power with Air Compressor

Now, get all the power you need where you need it along with the added convenience of a hi-pressure air compressor. The 18 ampere hour battery will handle most anything you throw at it and the compressor will never leave you flat. This unit is a must have for people who are on the go.

- **12-Volt DC Power Source**
- **Jump start power On/Off switch** – completely shuts off internal battery at clamps for added safety, eliminating accidental shorting of clamps and battery drain.
- **Built-in charger** – for automatic charging of internal battery
- **Handy hi-pressure air compressor** – for filling up all your hi-pressure inflating needs, from basketballs to car tires.
- **Easy-to-read battery status LEDs** – tell when internal battery is at *Full Power*, *75% Charged* or *50% or Less* and needs to be recharged.
- **#4 gauge, 28" cables** – stays flexible in the coldest temperatures.
- **Reverse hookup protection** – safeguards car battery, computer and Instant Power from damage if the cables are connected to the wrong terminals. An audible alarm warning sounds when clamps are reversed or touched together.
- **Charging and Charged light** – indicates charging of internal battery.
- **Storage mounts for clamps** – keep clamps safe for longer life.
- **Spotlight** – adjustable, high-intensity beam.



1 YEAR LIMITED WARRANTY*

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70766-4	13-1/2"	7-7/8"	11-5/8"	1	24 LBS.	14"	8-1/2"	12-3/8"	0.86

IPD-1000 Instant Power Jump Starter with Docking Station Recharging Cradle and Work Light

Power where it's needed when it's needed – on demand! More powerful and versatile than ever. Convenient docking station meets every portable power need. The 9 ampere hour, sealed, lead-acid battery has the power to operate virtually anything from cellular phones and camcorders to electric coolers and bilge pumps.

- **12-Volt DC Power Source**
- **Docking station** – cradle provides constant charging for long battery life.
- **Built-in circuit** – for automatic recharging of internal battery.
- **#8 gauge, 26" cables** – cold-weather-flex cables with built-in storage features.
- **12 volt, DC accessory port** – with overload and short-circuit protection.
- **9 ampere hour battery**



1 YEAR LIMITED WARRANTY*

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70875-3	8-1/4"	7"	10-1/4"	1	10.5 LBS.	8-3/4"	7-1/4"	11"	.41

IPD-1800 Instant Power with Docking Station and Work Light

This versatile, multi-purpose portable power jump starter and DC power source is an absolute must for anyone with heavy-duty needs! Perfect for trucks, SUVs, vans and cars.

- **18 ampere hour battery**
- **Docking Station Charger for ease of use**
- **Correct Connection Protection** – audible alarm issues warning to safeguard car battery and jump starter from damage if the cables are connected to the wrong terminals.
- **Built-in halogen light** – for emergency illumination.
- **Easy-to-read battery status LEDs** – displays internal battery charge condition at *100%*, *75% or 50% or Less* and requires charging. *Charging* and *Charged* LEDs in the docking station.
- **#4 gauge, 26" cables** – stay flexible in cold temperatures.
- **Convenient, built-in circuit for automatic charging of internal battery** – store in docking station to keep battery charged. When away, use the supplied external recharging pack.



1 YEAR LIMITED WARRANTY*

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70831-9	15"	9-3/4"	12-1/4"	1	22.3 LBS.	16"	10-1/4"	13-3/4"	1.31

Portable Power Sources

PP-18400CI

Portable Power with Air Compressor, Inverter and Work Light

Schumacher Portable Power with air compressor, 400W DC to AC inverter and work light.

- **12-Volt DC Power Source**
- **400W Inverter** – provides AC power when you need it.
- **Handy air compressor** – for meeting your inflating needs, from basketballs to car tires.
- **Charging, Charged and battery status LEDs** – indicates status of internal battery.
- **Digital Display**
- **ON/OFF jump start switch** – eliminates accidental clamp shorting.
- **Reverse hookup protection** – safeguards car battery, computer and Instant Power from damage if the cables are connected to the wrong terminals. An audible alarm warning sounds when clamps are reversed or touched together.
- **12 volt accessory port** – with overload and short-circuit protection.
- **External Charger** – for automatic charging of internal battery.
- **18 ampere hour battery**



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT				WIDTH	DEPTH	HEIGHT	
0-26666-70879-1	16"	13-1/4"	12-1/2"	1	26 LBS.	16"	13-1/4"	12-1/2"		1

EC-4000-USB

Emergency Car Starter and DC Power Source

Use E-CHARGE™ Emergency Car Starter to start a vehicle with a discharged battery. Simply plug it into the disabled vehicle's 12V accessory outlet, turn it on and the power starts transferring to the vehicle's battery. Simple and easy to use and there is no need to go under the hood – keeps you safe inside your car. E-CHARGE is a must-have for people who don't want to be stranded with a discharged battery.

- **USB Port** – use E-CHARGE as a DC power source to charge/run your digital camera, cell phone, PDA, MP3 or any device chargeable through a USB port.
- **12V Port** – Use E-CHARGE to power 12V DC devices.
- **Power On/Off switch** – completely shuts off internal battery eliminating accidental shorting and battery drain.
- **Easy-to-read battery status LEDs** – indicates *Car Battery Charging* and *Internal Battery Charging*.
- **4-Ah lead-acid battery** – charges a vehicle's battery in 15 – 20 minutes. Powerful enough to use on cars, small trucks, ATVs, motorcycles, snowmobiles and boats.
- **Charges a vehicle's battery safely from inside the vehicle** – no need to lift the hood and attach battery clamps.
- **Easy to recharge internal battery** – can be charged while driving using the 12 volt DC plug or at home with the provided AC charger.
- **Compact design** – allows for easy in-car storage so help is always close at hand.
- **Built-in compartment** – neatly keeps 12V accessory plug and cord stored away.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT				WIDTH	DEPTH	HEIGHT	
0-26666-70881-4	10-1/2"	5"	5-1/2"	2	11.48 LBS.	8-1/4"	5-3/4"	11"		0.31

VTV-20

Vehicle-to-Vehicle Car Starter

The Vehicle-to-Vehicle Emergency Car Starter energizes a vehicle's battery quickly and safely – without the use of under-the-hood jumper cables. Simply hook it up through the DC 12V power outlets and after 5 to 10 minutes time the disabled vehicle will be ready to start. So easy, anyone can use it.

- **2 LEDs** – indicate the status of the GOOD and DISCHARGED vehicle batteries.
- **Completely automatic** – no buttons, dials or switches to worry about.
- **Microprocessor-based** – electronic-system protection ensures starting the vehicle is quick and safe.
- **Under-voltage shutdown** – protects from completely depleting the good vehicle's battery.
- **Over-temperature and short-circuit protection** – ensures safe operation.
- **Long reach** – 20-foot, 14 AWG cable.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER WIDTH	CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT				WIDTH	DEPTH	HEIGHT	
0-26666-70899-9	13"	10"	3"	2	5 LBS.	13-1/2"	10-1/2"	4-1/2"		1

1 YEAR LIMITED WARRANTY*

1 YEAR LIMITED WARRANTY*

1 YEAR LIMITED WARRANTY*

Portable Power Sources

Compare product features at a glance

Feature	IP-75	IP-95C	IP-125	IP-1825FL	IP-1850FL	IP-1875C	IPD-1000	IPD-1800	PP-18400CI
Internal Battery – Sealed, Lead-Acid	7-Ampere Hour	9-Ampere Hour	12-Ampere Hour	18-Ampere Hour	18-Ampere Hour	18-Ampere Hour	9-Ampere Hour	18-Ampere Hour	18-Ampere Hour
Internal Battery Charger with Automatic Charging/Float-Mode Monitoring	0.6 Amp	0.6 Amp	0.6 Amp	0.6 Amp	0.6 Amp	0.6 Amp	0.6 Amp	0.6 Amp	0.6 Amp
Jump Start Power On/Off Switch	No	Yes	No	No	Yes	Yes	No	Yes	Yes
Charging and Charged LEDs	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Easy-to-Read Battery Status LEDs	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Reverse-Hookup Protection	No	Yes	No	No	Yes	Yes	No	Yes	Yes
Circuit Breaker	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Storage Mounts for Clamps	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
All-Weather Flexible Cables	#8 Gauge	#8 Gauge	#8 Gauge	#6 Gauge	#4 Gauge	#4 Gauge	#8 Gauge	#4 Gauge	#4 Gauge
12-Volt Accessory Power Outlet	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Air Compressor	No	Yes	No	No	No	Yes	No	No	Yes
Light	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
Case Weight	10 lbs.	12 lbs.	12 lbs.	18 lbs.	20 lbs	23.5 lbs	10.5 lbs	22.3 lbs	24.1 lbs



12 Volt Accessories CONVERTERS, SOCKET ADAPTORS AND CONNECTORS

PC-6

AC to DC Power Converter

- Converts 120 volt AC household power to 12 volt DC power.
- Use for 12V Travel Coolers, 12V Lights and other accessories.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14401-8	8-7/8"	7"	12"	2	3.5 LBS.	11-1/16"	9-7/8"	13-7/16"	0.84

SAC-107

DC to DC Converter

- Ideal for CD & Mini Disc players, MP3s, Video Games, Portable TVs, Flashlights, Radios and more!
- Power-On LED.
- 6 Adapter plugs—fits most devices.
- Converts Car Accessory port to 1.5, 2, 3, 4.5, 6, 9 or 12-volt.
- Reversible polarity allows use of both positive or negative center pin products.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14107-9	9-11/16"	5-1/8"	2-3/4"	2	.9 LBS.	9-11/16"	5-1/8"	2-3/4"	0.08

SAC-104

12 Volt Fused Dual Socket Adaptor

- Plugs into 12 volt power receptacle.
- Instantly doubles any DC outlet.
- Convenient 90° swivel for easy accessibility.
- Great for Cell Phones, CD Players, Computers, MP3 Players, Scanners, Faxes, Handheld Lights, Fans, Radios TV, Gaming Systems and more.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14104-8	5-1/2"	1-1/2"	9"	6	2.3 LBS.	9-1/2"	6-3/8"	9-1/2"	0.33

SAC-105

12 Volt Fused Triple Socket Adaptor

- Plugs into 12 volt power receptacle.
- Instantly triples any DC outlet.
- Long adaptor plug for added convenience.
- Great for Cell Phones, CD Players, Computers, MP3 Players, Scanners, Faxes, Handheld Lights, Fans, Radios TV, Gaming Systems and more.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14105-5	6-1/8"	1-1/2"	8-1/2"	6	2.8 LBS.	8-3/4"	6-3/4"	9-1/16"	0.30

SAC-106

12 Volt Fused Triple Socket Adaptor

- Plugs into 12 volt power receptacle.
- Instantly triples any DC outlet.
- Convenient 90° swivel for easy accessibility.
- Great for Cell Phones, CD Players, Computers, MP3 Players, Scanners, Faxes, Handheld Lights, Fans, Radios TV, Gaming Systems and more.




UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14106-2	6-1/8"	1-1/2"	8-7/16"	6	3.3 LBS.	8-3/4"	6-3/4"	9-1/16"	0.30

12 Volt Accessories SOCKET ADAPTORS, CONNECTORS, CORDS AND FANS

SAC-101

12 Volt Fused Dual Socket Adaptor

- Plugs into 12 volt power receptacle.
- Instantly doubles any DC outlet.
- Includes protective covers.
- Great for Cell Phones, CD Players, Computers, MP3 Players, Scanners and Faxes.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14101-7	4-1/4"	1-1/4"	9-3/4"	6	2.2 LBS.	7-7/8"	4-3/4"	10-1/4"	0.22

SAC-102

12 Volt Fused DC Extension Cord

- Plugs into 12 volt power receptacle.
- 6-foot coiled cord.
- Protective end cap included.
- Great for Cell Phones, CD Players, Computers, MP3 Players, Scanners, Faxes, Handheld Lights, Fans, Radios.




UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14102-4	5-3/4"	1-1/4"	10-1/4"	6	2.4 LBS.	8-3/8"	7"	10-3/4"	0.34

SAC-103

12 Volt Socket with Battery Clamps

- Provides a 12 volt DC power outlet by clamping to your 12 volt battery posts.
- Includes protective cover.
- Great for Cell Phones, CD Players, Computers, MP3 Players, Scanners, Faxes, Handheld lights, Fans, Radios and more.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14103-1	4-1/2"	1-3/8"	9-7/8"	6	1.9 LBS.	7-7/8"	4-3/4"	10-1/4"	0.22

SAC-109

12 Volt DC Male-to-Male Connector

- Extendable cord allows flexible connection.
- 4-foot straight cord.
- Durable plugs keep connection secure.




UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14109-3	5-7/8"	1-1/16"	10-3/8"	6	2.4 LBS.	6-3/4"	6-3/4"	10-11/16"	0.28

SAC-401

12 Volt Oscillating Fan

- Plugs into 12 volt power receptacle for ventilation where you need it.
- 5-foot electrical cord with cigarette lighter plug.
- Includes mounting hardware and instructions.
- ON/OFF switch.
- Great for cars, boats, trucks, buses, RVs and airplanes.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14401-8	8-7/8"	7"	12"	2	3.5 LBS.	11-1/16"	9-7/8"	13-7/16"	0.84

SAC-404

12 Volt Portable Fan

- Plugs into 12 volt power receptacle for ventilation where you need it.
- 5-foot electrical cord with cigarette lighter plug.
- Mountable with built-in heavy-duty clamp.
- Oscillating switch.
- Great for cars, boats, trucks, buses, RVs and airplanes.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14404-9	9"	6-7/8"	12"	2	4 LBS.	12-1/4"	9-7/8"	13-7/16"	0.93

12 Volt Accessories LIGHTS

SAC-503

12 Volt Portable Halogen Spotlight

- Magnetic strip holds to metal surface.
- Pistol grip with convenient On/Off switch.
- Security lighting in case of break-down or emergency.
- 5-foot cord with Power Source Plug Adapter.
- Hardened plastic construction for durability.
- Bright halogen beam illumination for best visibility.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14503-9	6-3/4"	3-3/8"	11-1/2"	2	1.9 LBS.	7-1/8"	7-1/2"	11-7/8"	0.36

SAC-505

12 Volt Flexible Porta-Light

- Plugs into a 12 volt power receptacle to provide portable light anytime.
- On/Off switch.
- 12-1/2 inches long end to end.
- Flexible neck allows light to be aimed where needed.
- Great for Jump Starters, DC Power Sources, as a map or reading light.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14505-3	4-3/4"	1-5/8"	9-3/4"	12	4 LBS.	13-3/4"	5-1/2"	10-1/8"	0.44

SAC-519

Extra-Long 12 Volt Flexible Porta-Light

- Convenient 23 inch long. Flexible neck allows light to be aimed where needed.
- Plugs into a 12 volt power receptacle to provide portable light anytime.
- On/Off switch.
- Great for Jump Starters, DC Power Sources, as a map or reading light.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14519-0	4-7/8"	1-3/4"	14-3/4"	6	4 LBS.	5-1/2"	7-1/2"	15-1/4"	0.36

SAC-514

15 Watt Fluorescent Work Light

- 12-foot cord with 12 volt DC plug and battery clip
- Illumination for emergencies and repairs.
- Plugs into 12 volt power receptacle.
- 12-foot cord allows maneuverability.
- Extra bright light.
- Includes hook and stand.



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14514-5	4-1/4"	1-7/8"	25-3/4"	2	2.3 LBS.	4-9/16"	3-3/8"	26-1/16"	0.23

DC to AC Power Inverters

Convert power instantly wherever and whenever you need it

Schumacher's commitment to providing an array of power products to fit every need continues. With ten different inverters that are built to last, there is now no excuse not to have 115V AC power at your fingertips – anywhere you have a 12 volt DC power source. Converts 12V DC power to 110V AC household power.



PI-70 & PI-75 Power Inverters

- **150-watt peak surge power.**
- **No installation required** – keep one with your laptop.
- **Ideal for running** laptop computers, cell phones, lights, small power tools, 8" TVs, fans, mini stereos/CD players and radios in cars, trucks, boats, SUVs and RVs.
- **Flexible neck** – for tight spaces. (PI-75 ONLY)



PI-70
70 Watt



PI-75
75 Watt
Flexible Neck

2 YEAR LIMITED WARRANTY

	UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
		WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
PI-70	0-26666-70825-8	5"	2"	10-1/2"	4	2 LBS.	6-3/4"	10-3/4"	5-3/4"	.24
PI-75	0-26666-70787-9	5"	2"	11"	4	2 LBS.	7"	11-1/2"	5-1/2"	.26

PI-140 140 Watt Power Inverter

- **280 Peak watts**
- **Single 110V AC Household Outlet**
- **LED Correct-Connection Indicator**
- **Surge Protection**-protects against damaging current fluctuations
- **Built-In, High Speed Cooling Fan**
- **Ideal for Laptop Computers, Video Games, Radios, etc.**



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70893-7	8"	11"	2-3/8"	2	1.4 LBS.	11-1/2"	8-1/4"	3-3/4"	.21

PI-100SL 100 Watt Pocket-Size Power Inverter

- **200 Peak Watts/100 Continuous Watts**
- **Converts 12V DC Power to 110V AC Household Electrical Power**
- **Low Profile**
- **Pocket-Size 100 Watt Inverter**
- **Ideal for Laptop Computers, Cell Phones, Video Games, Radios, PDAs, CDs and Portable MP3 players**
- **Built-in USB Power Port**
- **Includes Vehicle / Airline Adapter**
- **Overload Protection**



2 YEAR LIMITED WARRANTY

UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-70892-0	8-3/8"	10-3/8"	2-3/8"	2	2.1 LBS.	10-7/8"	9"	3-7/8"	.22

DC to AC Power Inverters

PI-200 & PI-400 Power Inverters

- **Built-In, High-Speed Cooling Fan** – helps keep the unit cool.
- **On/Off Switch and LED Indicator.**
- **12 Volt Cigarette Lighter/Accessory Plug** – or clamps to battery.
- **Ideal for running** computers, cell phones, lights, power tools, TVs, VCRs, stereos, radios and CD players in cars, trucks, boats, SUVs and RVs.



PI-200
400 Peak Watt/
200 Continuous Watt



PI-400
800 Peak Watt/
400 Continuous Watt

	UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
		WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
PI-200	0-26666-70725-1	7-3/4"	9"	3-1/4"	4	7 LBS.	10-1/2"	9-3/4"	8"	.47
PI-400	0-26666-70788-6	8-1/4"	10-3/4"	3-1/4"	4	10.5 LBS.	10-1/2"	11-1/2"	8-3/4"	.61

PI-750 & PI-1000 Power Inverters

- **Built-In, High-Speed Cooling Fan** – helps keep the unit cool.
- **On/Off Switch and LED Indicator.**
- **Heavy Duty Clamps** – connect directly to vehicle battery.
- **Ideal for running** computers, faxes, cell phones, lights, power tools, TVs, VCRs, stereos, radios, CD players, blenders and portable vacuums in cars, trucks, boats, SUVs and RVs.



PI-750
1500 Peak Watt/
750 Continuous Watt



PI-1000
2000 Peak Watt/
1000 Continuous Watt

	UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
		WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
PI-750	0-26666-70789-3	11"	12-1/4"	3-1/2"	2	8 LBS.	11-1/4"	12-3/4"	6-1/4"	.52
PI-1000	0-26666-70783-1	12"	7"	10"	1	8 LBS.	12"	7"	10"	.49

PID-410 & PID-760 Power Inverters with Digital Display

- **Power Inverter Digital Display** indicates Voltage In, Voltage Out, Power Out
- **Connect with 12V Plug or Clamps**
- **Two, 110V AC Household Outlets**
- **Built-In, High Speed Cooling Fan**
- **Thermal Protection**
- **Surge Protection**
- **Low Battery Alarm**



PID-410
820 Peak Watt/
410 Continuous Watt



PID-760
1520 Peak Watt/
760 Continuous Watt

	UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
		WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
PID-410	0-26666-70888-3	9-3/8"	11-3/8"	3-3/4"	2	4.9 LBS.	10-1/4"	6-1/4"	12"	.44
PID-760	0-26666-70894-4	10"	3-1/2"	13"	2	6.21 LBS.	10-5/8"	6-7/8"	13-3/4"	.58

2
YEAR LIMITED
WARRANTY

2
YEAR LIMITED
WARRANTY

2
YEAR LIMITED
WARRANTY

Mobile Office ACCESSORIES

MO-LB-150C Passenger Bag

The NEW, fully powered Mobile Passenger Bag offers a practical, yet affordable solution to working in remote locations. The case comes standard with a Schumacher Electric 150 watt power inverter to keep your electronics fully powered while working on the road, and offers 10 storage compartments with reinforced padded walls for durability.

- 10 storage compartments for laptops, files and more
- Durable Ballistic Nylon and Denier Material
- Shoulder Strap included
- Pocket for PDA, Cell Phone or iPods
- 150 continuous watt power inverter
- USB port
- Low battery alarm and cut-off high battery voltage shutdown



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14111-6	20-1/2"	6-1/2"	14"	3	21.3 LBS.	20-1/2"	22-1/2"	14"	3.73

MO-DB-100SL Auto Exec Desk

The Auto Exec mDesk, with a built-in Schumacher Electric power inverter, is the first of its kind! A fully compact workstation designed to work comfortably and efficiently inside your vehicle.

- Laptop compartment
- Hanging file storage
- Convenient work surface
- 100 continuous watt power inverter (200 watt peak)
- USB port
- Vehicle and airline adapter cable
- Ideal for laptops, cell phones, video games, PDA's and more



UPC CODE	CARTON DIMENSIONS			CASE PACK	CASE WEIGHT	MASTER CARTON DIMENSIONS			MASTER CARTON CUBIC FEET
	WIDTH	DEPTH	HEIGHT			WIDTH	DEPTH	HEIGHT	
0-26666-14112-3	22-1/2"	5-3/4"	17-3/4"	3	41.4 LBS.	22-1/2"	17-3/8"	17-3/4"	4

DC to AC Power Inverters

Compare the features of our Power Inverters at a glance

Feature	PI-70	PI-75	PI-140	PI-200	PI-400	PI-750	PI-1000	PI-100SL	PID-410	PID-760
Maximum Continuous Power	60W	70W	140W	200W	400W	750W	1000W	100W	410W	760W
Peak Power	150W	150W	280W	400W	800W	1500W	2000W	200W	820W	1520W
No Load Amp Draw	< 0.2 amps	< 0.2 amps	<0.2 amps	< 0.3 amps	< 0.4 amps	< 0.6 amps	< 0.6 amps	<0.3 amps	<0.4 amps	<0.6 amps
AC Outlets	1	1	1	1	2	2	3	1	2	2
Replaceable Fuse	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No	No
12 Volt DC Plug	Attached	Attached	Yes	Attached	Detachable	No	No	Detachable	Detachable	No
Battery Clamps	No	No	No	No	Detachable	Detachable	Detachable	No	Detachable	Detachable
Input Voltage Range	10 - 15 vdc	10 - 15 vdc	10.5 - 15.5 vdc	10 - 15 vdc	10 - 15 vdc	10 - 15 vdc	10 - 15 vdc	10.5 - 15 vdc	11 - 15 vdc	11 - 15 vdc
Output Voltage	110 - 120 vac	110 - 120 vac	110 - 125 vac	110 - 125 vac	110 - 125 vac	110 - 125 vac	110 - 120 vac	110 - 125 vac	110 - 125 vac	110 - 125 vac
Low Battery Alarm	No	No	No	Yes	Yes	Yes	Yes	No	Yes	Yes
Low Battery Shutdown	10.2 - 10.8 vdc	10.2 - 10.8 vdc	9.9 - 10.8 vdc	9.7 - 10.3 vdc	9.7 - 10.3 vdc	9.7 - 10.3 vdc	9.2 - 9.8 vdc	10.3 - 10.7 vdc	10.3 - 10.7 vdc	10.3 - 10.7 vdc
Inverter Weight	0.4 lbs	0.45 lbs	0.35 lbs	1.6 lbs	2.5 lbs	3.5 lbs	7 lbs	0.45 lbs	1.40 lbs	2.10 lbs
Individual Carton Dimensions (W x H x D)	5" x 2" x 10.5"	5" x 2" x 11"	8" x 11" x 2.37"	7.75" x 9" x 3.25"	8.25" x 10.75" x 3.25"	11" x 12.25" x 3.5"	12" x 7" x 10"	8.37" x 10.37" x 2.37"	9.37" x 11.37" x 3.75"	9.87" x 13" x 3.5"
Case Pack	4	4	2	4	4	2	1	2	2	2
Case Weight	2 lbs	2 lbs	1.35 lbs	7 lbs	10.5 lbs	8 lbs	8 lbs	2.10 lbs	4.85 lbs	6.20 lbs
Master Carton Dimensions (W x H x D)	6.75" x 10.75" x 5.75"	7" x 11.5" x 5.5"	11.62" x 8.75" x 3.25"	10.5" x 9.75" x 8"	10.5" x 11.5" x 8.75"	11.25" x 12.75" x 6.25"	12" x 7" x 10"	10.75" x 9" x 4.12"	10.12" x 6.12" x 12"	10.62" x 6.75" x 14"
Cube Size	0.24	0.25	0.2	0.47	0.61	0.51	0.48	0.24	0.44	0.59
UPC Code	0-26666-70825-8	0-26666-70787-9	0-26666-70893-7	0-26666-70725-1	0-26666-70788-6	0-26666-70789-3	0-26666-70783-1	0-26666-70892-0	0-26666-70888-3	0-26666-70894-4

Merchandising Support

Dynamic displays and powerful packaging attract customers

Schumacher's commitment to graphics and knowledge-driven design helps draw more customers to your displays and increase sales. Whether it's our contemporary, eye-catching and informative packaging, or the bold, concise, clearly marked product appearance and space saving displays, Schumacher is dedicated to improving your profitability.



Faceplate detail

Bilingual English/Spanish Color-coded packaging

Red = Manual Models

Green = Automatic Models

Yellow = Starter/Charger Models

Teal = Deep-Cycle Models

Purple = Trickle Charger Models



Part # 1000 Vertical Space-Saver Display:

Display up to 6 hand-held charger faceplates with meters and switches and 1 wheel charger in just one square foot of floor space. You choose the products. (When ordering you must also indicate model numbers of products you wish to display).



Schumacher Electric offers a wide array of merchandise.

We manufacture high quality, expertly engineered products from
High Frequency Battery Chargers and Traditional Battery Chargers
to Portable Power Sources.

We provide Battery Testers, Inverters and 12 Volt Accessories.

Always dedicated to giving you the products and services you
need from The Name You Can Trust.



801 Business Center Drive
Mount Prospect, IL 60056-2179
Phone: (847) 385-1600
Fax: (847) 298-1698
Toll-free: (800) 621-5485
www.batterychargers.com
E-mail: chargers@schumacherelectric.com