
# STANLEY

# PRODUCT CATALOG HAND TOOLS & STORAGE



# **HAND TOOLS & STORAGE**

TRADITION, PRODUCTIVITY, INNOVATION,

STANLEY

These words are everything you know STANLEY® Tools represents. They encompass all that we strive to incorporate into each product. That is why every year our engineers and research team go above and beyond to collect consumer feedback, conduct quality testing and use their own vast knowledge of hand tools to improve our broad line of products. With that information put to work in the lab, we bring you our professional STANLEY® and STANLEY® FATMAX® product lines with industry-leading innovations. We work to continually design products with superior features that will see you through to the end of your job and beyond.



#### TABLE OF CONTENTS



MEASURING TOOLS	2-9
LAYOUT TOOLS	10-23
ELECTRONIC TOOLS	24-35
KNIVES & BLADES	36-59
SAWS	60-73
HAMMERS	74-87
DEMOLITION	88-101
CHISELS & NAIL SETS	102-109
FASTENING & CLAMPING	110-129
SCREWDRIVERS	130-143
FINISHING TOOLS	144-159
SNIPS, PLIERS & ADJUSTABLE WRENCHES	160-177
MECHANICS TOOLS	178-193
TOOL STORAGE	194-211

# **STANLEY**



FATMAX®	4-5
POWERLOCK®	6-7
LEVERLOCK®	7
STANLEY®	7-8
LONG TAPES	8-9

# STANLEY FATMAX.

#### **AUTO-LOCK TAPE RULES**

Throughout its long history of manufacturing, STANLEY® has been driven by an unwavering committment to quality, innovation and precision. These principles led to the design and manufacture of the Auto-Lock tape rule. With a blade that automatically locks at the length to which it is extended to the customizable hook system, STANLEY® continues to deliver innovations that matter.







#### STANLEY® FATMAX® TAPE RULES



#### **Auto-Lock Tape Rules**

- 11 ft blade standout\*
- BladeArmor<sup>™</sup> coating for 10X\*\* blade life
- Auto-lock mode for blade control and long life
- Detachable hook allows user to work efficiently in different conditions



- \*based on maximum performance
- \*\*compared to Stanley tape 30-455



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
FMHT33316	Yellow/Black	16 ft	1-1/4 in	11 ft	3	12	076174333169
FMHT33338	Yellow/Black	25 ft	1-1/4 in	11 ft	3	12	076174333381
FMHT33348	Yellow/Black	30 ft	1-1/4 in	11 ft	3	12	076174333480



#### **Magnetic Tape Rules**

- BladeArmor® coating for 10X\*\* blade life
- Tru-Zero<sup>™</sup> magnetic hook for accurate inside and outside measurements
- 11 ft blade standout\*

\*based on maximum performance
\*\*compared to Stanley tape 30-455



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
FMHT33865	Yellow/Black	25 ft	1-1/4 in	11 ft	4	24	076174338652
FMHT33866	Yellow/Black	8m / 26 ft	1-1/4 in	11 ft	4	24	076174338669



#### Tape Rules

- 11 ft blade standout
- BladeArmor® coating for 10X\* blade life
- Mylar® polyester film coated blade for superior protection

\*compared to Stanley tape 30-455



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
33-716	Yellow/Black	16 ft	1-1/4 in	11 ft	4	24	076174337167
33-725	Yellow/Black	25f t	1-1/4 in	11 ft	4	24	076174337259
33-726	Yellow/Black	8m / 26 ft	1-1/4 in	11 ft	4	24	076174337266
33-730	Yellow/Black	30 ft	1-1/4 in	11 ft	4	24	076174337303
33-735	Yellow/Black	35 ft	1-1/4 in	11 ft	4	24	076174337358
33-740	Yellow/Black	40 ft	1-1/4 in	11 ft	4	24	076174337402



#### STANLEY

#### **Keychain Tape Rule**

- $\bullet$  Tru-Zero  $^{\text{TM}}$  hook for accurate inside and outside measurements
- Key ring for easy portability and convenience

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
FMHT33706	Yellow/Black	6 ft	1/2 in	6	36	076174337068

 $Mylar^{\circledast} \ is \ a \ registered \ trademark \ of \ DuPont \ Teijin \ Films$ 

#### **STANLEY® POWERLOCK® TAPE RULES**



#### **PowerLock® Classic Tape Rules**

- Tru-Zero™ hook for accurate inside and outside measurements
- Mylar® polyester film coated blade for superior protection
- High-impact Chrome ABS case for durability



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
33-116	Chrome	16 ft	3/4 in	_	4	24	076174331165
33-158	Chrome	5m / 16 ft	3/4 in	_	6	36	076174331585
33-425	Chrome	25 ft	1 in	7 ft	4	24	076174334258
33-428	Chrome	8m / 26 ft	1 in	7 ft	4	24	076174334289
33-430	Chrome	30 ft	1 in	7 ft	4	24	076174334302
33-835	Chrome	35 ft	1 in	7 ft	4	24	076174338355



#### **PowerLock® Metal Case Tape Rules**

- Cast metal case for durability
- Mylar® polyester film coated blade for superior protection
- Tru-Zero<sup>™</sup> hook for accurate inside and outside measurements

SKU#	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
33-212	Chrome	12 ft	1/2 in	6	36	076174332124
33-215	Chrome	3.5m / 12 ft	1/2 in	6	36	076174332155
33-312	Chrome	12 ft	3/4 in	6	36	076174333121
33-272	Chrome	12 ft Tape Rule  Decimal Scale	1/2 in	6	36	076174332728



#### PowerLock® Pocket Tape Rule

- Polymer-coated blade for long life
- High-impact Chrome ABS case for durability
- Back of blade provides scale for measuring up to 3' diameters

SKU #	CASE COLOR BLADE LENGTH		BLADE WIDTH	BOX QTY	CTN QTY	UPC
33-115	Chrome	10 ft	1/4 in	6	36	07617433158



#### PowerLock® Keychain Tape Rule

- Polymer-coated blade withstands abrasion
- Durable key ring makes it easy to take anywhere
- Convenient and lightweight

SKU #	CASE COLOR	CASE COLOR BLADE LENGTH		BOX QTY	CTN QTY	UPC
39-130	Chrome	3 ft	1/4 in	6	72	076174391305

Mylar® is a registered trademark of DuPont Teijin Films



#### **PowerLock® Stainless Steel Tape Rules**

- Nylon-coated blade for long life
- Double-sided stainless steel blade for versatility
- Tru-Zero™ hook for accurate inside and outside measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
STHT33456	Chrome	5m / 16 ft Tape Rule	3/4 in	_	6	36	076174334562
STHT33457	Chrome	8m / 26 ft Tape Rule	1 in	7 ft	4	24	076174334579

#### STANLEY® LEVERLOCK® TAPE RULES



#### **LeverLock® Tape Rules**

- Blade locks automatically Squeeze bottom lever to retract blade
- Wear resistant blade markings for 1.5X\* blade durability
- Write-on label for repeated use with carpenter pencil

<sup>\*</sup>based on Stanley 39-140

SKU #	CASE COLOR	END HOOK	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
STHT30810	Yellow/Black		12 ft	1/2 in	6	36	076174308105
STHT30812	Yellow/Black	1	16 ft	3/4 in	6	36	076174308129
STHT30825	Yellow/Black		25 ft	1 in	4	24	076174308259
STHT33281	Yellow/Black	Magnetic	25 ft Fractional Read	1 in	4	24	076174332810
STHT30758	Yellow/Black	_	25 ft Center Read	1 in	6	_	076174307580
STHT30759	Yellow/Black	_	25 ft Engineer's Scale	1 in	6	_	076174307597
STHT30830	Yellow/Black	_	30'	1 in	4	24	076174308303

#### **STANLEY® TAPE RULES**



#### **Hi-Visibility Tape Rules**

- Polymer-coated blade for long life
- Tru-Zero<sup>™</sup> hook for accurate inside and outside measurements
- Comfortable rubber grip

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
30-305	Hi-Visibility Green	25 ft	1 in	4	24	076174303056

 $\mathsf{Mylar}^{\circledast}$  is a registered trademark of DuPont Teijin Films



#### **Tape Rules**

- Polymer-coated blade for long life
- Tru-Zero<sup>™</sup> hook for accurate inside and outside measurements
- Tough ABS case

SKU#	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
30-485	Yellow	12 ft	1/2 in	6	36	076174304855
30-495	Yellow	16 ft	3/4 in	6	36	076174304954
30-496	Yellow	5m / 16 ft cm Graduation	3/4 in	6	36	076174304961
30-455	Yellow	25 ft	1 in	6	24	076174304558
30-454	Yellow	25 ft Fractional Read	1 in	6	24	076174304541
30-456	Yellow	8m / 26 ft cm Graduation	1 in	6	24	076174304565
30-464	Yellow	30 ft	1 in	6	24	076174304640



#### **Chrome Tape Rules**


- Chrome plated case for durability
- Tru-Zero<sup>™</sup> magnetic hook for accurate inside and outside measurements


SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CTN QTY	UPC
STHT30159	Chrome	25 ft	1 in	7 ft	4	24	076174301595
STHT30160	Chrome	30 ft	1 in	7 ft	6	24	076174301601
STHT30161	Chrome	35 ft	1 in	7 ft	4	24	076174301618
STHT30656	Chrome	8m / 26 ft	1 in	7 ft	6	36	076174306569

#### **STANLEY® FATMAX® LONG TAPE RULES**



#### **Steel Long Tape Rule**





 Steel roller cage helps protect case and blade from damage during rewind



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-130	Yellow/Black	100 ft	3/8 in	6	24	076174341300



# STANLEY FATMAX

#### **Fiberglass Long Tape Rule**

- 3:1 gear ratio for fast rewind
- 3/4" wide blade with 64 fiberglass strands for 2X\* blade strength
- Double-sided blade with fractional inch and decimal foot scales for versatility

\*than the Stanley® Long Tape 34-790

SKU #	CASE COLOR BLADE LENGTH		BLADE WIDTH	ADE WIDTH BOX QTY		UPC
34-812	Yellow	100 ft	3/4 in	2	8	076174348125



#### **Steel Long Tape Rules**

- 3/8" wide steel blade for durability
- Polymer-coated blade withstands abrasion for long life
- Integrated belt hook for hands-free use and convenient transportation

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-103	Yellow	50 ft	3/8 in	6	24	076174341034
34-106	Yellow	100 ft	3/8 in	6	24	076174341065



#### **PowerWinder® Fiberglass Long Tape Rules**

- 3:1 gear ratio for fast rewind
- 1/2" wide blade for easy readability
- Double-sided blade with fractional inch and decimal foot scales for versatility

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CTN QTY	UPC
34-760	Yellow	100 ft	1/2 in	2	8	076174347609
34-762	Yellow	300 ft	1/2 in	2	8	076174347623
34-774	Yellow	60m / 200 ft	1/2 in	2	8	076174347746
34-776	Yellow	100m / 300 ft	1/2 in	2	8	076174347760



#### **Open Reel Fiberglass Long Tape Rules**

- 1/2" wide blade for easy readability
- Double-sided blade with fractional inch and decimal foot scales for versatility

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH BOX QTY		CTN QTY	UPC
34-790	Yellow	100 ft	1/2 in	2	8	076174347906
34-793	Yellow	200 ft	1/2 in	2	6	076174347937

# STANLEY









#### **Heavy-Duty Box Beam Levels**

- Fold-out rafter hook for convenient job-site storage\*
- Removable end cap for flush and accurate markings
- Enlarged vial housing for bright lit vials
- Magnified center block vial for easy readability
- Block plumb vials for accuracy of 0.0005"/in.

\* on select models

SKU #	ТҮРЕ	MAGNETIC	HAND GRIPS	LENGTH	BOX QTY	CTN QTY	UPC
FMHT42355	Box Beam	N	1	1 24 in Non-Mag (Hook)		3	076174423556
FMHT42491	Box Beam	Y	1	32 in Mag (Hook)	_	3	076174424911
FMHT42400	Box Beam	N	2	48 in Non-Mag (Hook)	_	3	076174424003
FMHT42493	Box Beam	N	2	58 in Non-Mag	_	3	076174424935
FMHT42401	Box Beam	N	2	72 in Non-Mag	_	3	076174424010
FMHT42407	Box Beam	Y	2	78 in маg	_	2	076174424072
FMHT42408	Box Beam	N	2	96 in Non-Mag	_	1	076174424089

#### **STANLEY® LEVELS**



#### **Box Beam Levels**

- Center block vial for durability and accuracy of 0.0005 "/in
- Large, 12mm plumb tubular vials for accuracy of 0.001 "/in
- MaxEdge<sup>™</sup> bridged center vial for continuous marking edge and durability
- Shock absorbing end caps for durability and long life

SKU #	ТҮРЕ	MAGNETIC	HAND GRIPS	LEI	LENGTH		CTN QTY	UPC
STHT42496	Box Beam	N	1	24 in	610 mm		3	076174424966
STHT42497	Box Beam	Y	1	24 in	610 mm		3	076174424973
STHT42504	Box Beam	N	2	48 in	1219 mm		3	076174425048
STHT42505	Box Beam	Y	2	48 in	1219 mm		3	076174425055
STHT42507	Box Beam	N	1	36 in	90 cm	_	3	076174425079
STHT42508	Box Beam	Y	1	36 in	90 cm	_	3	076174425086
STHT42506	Box Beam	N	2	72 in	180 cm	_	3	076174425062



#### I-Beam 180 Degree Levels

- 0.0015"/in level accuracy
- Shock absorbing end caps hold up to heavy use
- 360° vials set into frame never need adjustment
- Top read window for easy reading from above

SKU#	ТҮРЕ	MAGNETIC	HAND GRIPS	LENGTH		BOX QTY	CTN QTY	UPC
42-324	I-Beam	N	0	24 in	60 cm	-	6	076174423242
42-328	I-Beam	N	2	48 in	120 cm	1	3	076174423280



#### **Foamcast I-Beam Levels**

- High impact ABS plastic for durability and shock resistance
- Top read center vial for easy reading from above
- Bottom measuring scale for added utility

SKU#	ТҮРЕ	MAGNETIC	HAND GRIPS	LENGTH		BOX QTY	CARTON QTY	UPC
42-466	I-Beam	N	0	12 in	30 cm		10	076174424669
42-468	I-Beam	N	2	24 in	60 cm		6	076174424683
42-470	I-Beam	N	6	48 in	120 cm	_	6	076174424706

#### **Aluminum I-Beam Levels**



- 0.0015"/in level accuracy
- Shock absorbing end caps hold up to heavy use
- Top read window for easy reading from above

SKU #	TYPE	MAGNETIC	HAND GRIPS	LEN	GTH	BOX QTY	CTN QTY	UPC
STHT42409	I-Beam	N	1	24 in	60 cm	_	3	076174424096
STHT42411	I-Beam	Y	1	24 in	60 cm		3	076174424119
STHT42420	I-Beam	N	2	48 in	120 cm	_	3	076174424201
STHT42421	I-Beam	Y	2	48 in	120 cm	_	3	076174424218
STHT42425	I-Beam	Y	2	78 in	198 cm	_	3	076174424256

#### **STANLEY® TORPEDO LEVELS**



#### **Magnetic Torpedo Level**

- Heavy-duty cast aluminum frame for durability
- Top read window for easy reading from above
- Pipe groove enables use on rounded surfaces
- Magnetic for use on metallic surfaces

SKU #	ТҮРЕ	MAGNETIC	LENGTH		BOX QTY	CTN QTY	UPC
42-465	Torpedo	Υ	9 in	229 mm	6	36	076174424652



#### **Torpedo Level**


- High-impact plastic for durability
- Top read window for easy reading from above
- Tinted 360° vial for visibility
- Magnetic for use on metallic surfaces

SKU #	ТҮРЕ	COLOR	MAGNETIC	LENGTH		BOX QTY	CTN QTY	UPC
42-291	Torpedo	Black	Υ	8 in	203 mm	_	36	076174422917
42-294	Torpedo	Orange	N	8 in	203 mm	ı	36	076174422948



# STANLEY FATMAX


#### **Extruded Torpedo Level**




- Plumb block vial and 45° vial for multiple leveling applications and accuracy of 0.0005"/in
- Extruded aluminum body for strength and lightweight
- Over-molded rubber end caps for shock resistance and to help protect work surface

SKU #	ТҮРЕ	MAGNETIC	LENGTH		BOX QTY	CTN QTY	UPC
FMHT42437	Torpedo	Υ	9 in	228 mm	6	12	076174424379

#### **Cast Torpedo Level**






- 180° rotating vial for duplicating precise angles
- Die-cast aluminum body for strength and long life
- Rare earth magnets for holding power

	SKU #	ТҮРЕ	MAGNETIC	LENGTH		BOX QTY	CTN QTY	UPC
Γ	FMHT43610	Torpedo	Υ	9 in	228 mm	6	12	076174436105

## STANLEY FATMAX

#### **Torpedo Level**



- Die-cast aluminum body for durability
- Magnified center vial for visibility
- Pipe groove with rare earth magnets for holding power on rounded surfaces

SKU #	ТҮРЕ	MAGNETIC	LENGTH		BOX QTY	CTN QTY	UPC
43-605	Torpedo	Υ	9 in	229 mm	6	12	076174436051

## STANLEY FATMAX







#### **Post Level**

- Folds flat to help prevent breakage and for easy storage
- Storage for small bits, blades and line level
- Magnetic to adhere to metal surfaces

SKU#	ТҮРЕ	VIALS	LENGTH		BOX QTY	CTN QTY	UPC
47-720	Post	3	5.86 in	149 mm	4	16	076174477207



#### **Line Levels**

- Special hooks allow level to slide freely
- Flat bottom for surface leveling
- High-visibility yellow color for easy identification in your toolbox

SKU #	ТҮРЕ	COLOR	VIALS	LEN	GTH	BOX QTY	CTN QTY	UPC
42-193	High-Visibility Plastic Line	Yellow	1	3 in	76 mm	6	72	076174421934
42-287	Aluminum Line	Silver	1	3 in	76 mm	6	72	076174422870

#### STANLEY® FATMAX® CHALK AND REELS



# STANLEY FATMAX

#### **Chalk Reel**

- 3:1 gear ratio for 3X faster rewind\*
- Stainless steel interlocking hook for joining lines
- High impact ABS case with rubber grips for durability and easy holding
- 4 oz. chalk capacity
- \*than standard 1:1 chalk line.

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-140L	FatMax® Chalk Line Reel	100 ft	30 m		6	076174471403
47-681	FatMax® Chalk Line Reel, Blue Chalk - 4 oz., & Fine Tip Marker	100 ft	30 m	_	6	076174476811





#### Chalk

- High grade, waterproof chalk to be used with chalk reels
- Oval shaped bottle helps prevent bottle from rolling of surfaces
- Tethered pop-top cap for easy pouring

SKU#	CONTAINS	WEIGHT	BOX QTY	CTN QTY	UPC
47-821	FatMax® Red Chalk	8 oz		12	076174478211
47-822	FatMax®Black Chalk	8 oz	-	12	076174478228
47-827	FatMax <sup>®</sup> Black Chalk	5 lbs	_	4	076174478273
47-828	FatMax® Red Chalk	5 lbs	_	4	076174478280



# STANLEY FATMAX

#### **Chalk Reel**

- 6:1 gear ratio for 6X faster rewind\*
- 2X\* stronger line for durability\*
- Helical gears for smooth rewind

\*than standard 1:1 47-099

SKU #	CONTAINS	LEN	GTH	BOX QTY	CTN QTY	UPC
FMHT47345	Chalk Reel	100 ft	30 m	_	6	076174473452



#### Compact Chalk Reel Kit

- 3:1 gear ratio for 3X faster rewind\*
- 50% smaller reel allows for easy handling and transport\*
- Braided line for strength and clean, accurate lines

\*than standard 1:1 47-099

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
STHT47147	Compact Chalk Reel	30 ft	10 m	6	24	076174471472
STHT47244L	Compact Chalk Reel, Blue Chalk 4 oz	30 ft	10 m	_	12	076174472448



#### 100' POWERWINDER® Chalk Line Reels

- ChalkView<sup>™</sup> case for seeing amount of chalk in case
- 3:1 gear ratio for 3X faster rewind\*
- Crank handle will not spin when pulling out string

\*than standard 1:1 chalk line

SKU#	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-460	PowerWinder® Chalk Line Reel	100 ft	30 m	6	24	076174474602



#### **Chalk Line Reel**

- Stainless steel hook for durability and long life
- Rubber sealed screw cap helps distribute uniform chalk line
- Handle folds into case for easy storage

SKU #	CONTAINS	LEN	GTH	BOX QTY	CTN QTY	UPC
47-099	Chalk Line Reel	100 ft	30 m	2	24	076174470994
47-117L	Chalk Line Reel, Blue Chalk - 4 oz		30 m	2	24	076174471175



#### **Chalk Line Reel**

- High impact ABS plastic for durability and shock resistance
- On board hook storage for convenience
- Stainless steel hook for durability and long life

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-440	Chalk Line Reel	100 ft	30 m		24	076174474404
47-442	Chalk Line Reel, Blue Chalk - 4 oz	100 ft	30 m	_	5	076174474428
47-443	Chalk Line Reel, Blue Chalk - 4 oz & Plastic Line Level	100 ft	30 m	_	5	076174474435



#### 100' Replacement Chalk Line

- 100' twisted cotton line
- Designed for use with most chalk reels

SKU #	CONTAINS	LENGTH		BOX QTY	CTN QTY	UPC
47-101	100 ft line	100 ft	30 m	6	36	076174471014



#### **Chalk Refills**

- High grade chalk to be used with chalk reels
- Oval shaped bottle helps prevent bottle from rolling off surfaces
- Tethered pop-top cap for easy pouring

SKU #	COLOR	WEIGHT	PERMANENCE	APPLICATION	BOX QTY	CTN QTY	UPC
47-803	Blue	8 oz	Temporary	Roofing, Siding, Paneling & Interior Layouts	_	12	076174478037
47-804	Red	8 oz	Permanent	Exterior Layout, Concrete, Roofing, Steel or Metal	_	12	076174478044
47-806	47-806 White 8 oz Temporary		Roofing, Siding, Paneling & Interior Layouts	_	12	076174478068	
47-808	47-808 Black 8 oz Maximum		Long-Term Applications	_	12	076174478082	
47-502 Blue 5 lbs Temporary		Roofing, Siding, Paneling & Interior Layouts	_	4	076174475029		
47-505 Red 5 lbs Permanent		Exterior Layout, Concrete, Roofing, Steel or Metal	-	4	076174475050		
47-919 Red 2.5 lbs Permanent		Exterior Layout, Concrete, Roofing, Steel or Metal	_	6	076174479195		

#### **STANLEY® LAYOUT ACCESSORIES**



#### Mason's Line

- High-quality black and white twisted polyester line
- 250-foot length and 18-pound test

SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
47-119	250 ft	76.2 m	6	24	076174471199



#### **Brass Plumb Bobs**

- Polished lacquer, solid brass construction for durability and rust resistance
- Replaceable, hardened steel tip for long life
- Screw top for easily attaching string to center of plumb
- Includes extra tip

SKU #	WEIGHT		LEN	GTH	BOX QTY	CTN QTY	UPC	
47-973	8 oz 0.5 lbs		8.7 in	221 mm	6	36	076174479737	
47-974	16 oz 1.0 lbs		8.7 in 221 mm		6	36	076174479744	

#### FATMAX® CHISEL TIP MARKER



#### **Chisel Tip Marker**

- Ability to write on wet and oily surfaces
- Tip allows for two distinctive lines; broad and fine
- Non-slip barrel for easy removal of cap



SKU #	COLOR	BOX QTY	CTN QTY	UPC
47-314	Black		16	076174473148

#### **STANLEY® FINE TIP MARKER**



#### **Fine Tip Marker**

- Fast drying water resistant ink
- Permanent on most surfaces

SKU#	COLOR	BOX QTY	CTN QTY	UPC
47-316	Black	4	24	076174473162




#### **Carpenter Pencils**

- Rectangular #2 graphite core for clear marking
- Constructed of linden wood for strength

SKU #	TYPE PENCIL TIP		LEAD COLOR	BOX QTY	CTN QTY	UPC
47-350	Multi-Pack	Fine	Black	30	180	076174473506


#### **STANLEY® SQUARES**



#### 24" Carpenter Square

- High quality hardened steel for durability and long life
- Embossed graduations and figures for readability
- Buffed finish with clear laquer for rust resistance

SKU #	TYPE	FINISH	BODY / TONGUE		FACE	/ BACK	CTN QTY	UPC
45-910	English	Buffed	24" x 2"	16" x 1-1/2"	1/16", 1/8"	1/16", 1/10", 1/12"	6	076174459104
45-300	English	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"	6	076174453003
45-500	English	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"	6	076174455007
45-912	English	Buffed	12" x 1-1/2"	8" x 1"	1/16"	1/16"	6	076174459128



#### 24" Carpenter Square

- Aircraft grade aluminum for durability and maintaining accuracy
- Yellow painted embossed graduations for readability in most light conditions
- Black finish surface treated for corrosion resistance

SKU #	ТҮРЕ	FINISH		NGTH TONGUE	GRADUATION FACE / BACK		BOX QTY	CTN QTY	UPC
45-011	English	Black	24" x 2"	16" x 1-1/2"	1/16", 1/8"	1/16", 1/10", 1/12"		3	076174450118



#### 8" T-Bevel

- Stainless steel blade for durability
- Built-in blade lock for transferring angles
- Plastic handle for comfortable grip

SKU #	BLADE LENGTH		HANDLE	LENGTH	BOX QTY	CTN QTY	UPC
46-825	8 in	203 mm	5-1/2 in	140 mm	6	36	076174468250



#### Adjustable Quick Square® Layout Tool

- Heavy-duty aluminum construction for durability
- Black body with yellow graduations for readability
- Adjustable arm for repeating angles and cuts

	SKU #	FINISH	BASE LI	ENGTH	RULE LENGTH		GRADUATION	BOX QTY	CTN QTY	UPC
ĺ	46-053	Black	10-3/4 in	273 mm	6-3/4 in	171 mm	1/8 in	_	6	076174460537



#### **Adjustable Quick Square® Layout Tool**

- Aluminum construction for durability
- Exclusive movable locking arm for fast, accurate and repeatable measurements
- Buffed finish with black graduations for easy readability
- Multipurpose design can be used as a power saw guide, protractor, rafter square, or combination square


	SKU #	FINISH	BASE L	ENGTH	RULE L	ENGTH	GRADUATION	BOX QTY	CTN QTY	UPC
Ī	46-050	Buffed	10-3/4 in	273 mm	6 in	152 mm	1/8"	_	6	076174460506



#### 7" Layout Square

- Heavy-duty aluminum construction for durability
- Black body with yellow graduations for readability
- Works as layout square, protractor or saw guide for versatility

SKU #	FINISH	BASE L	ENGTH	RULE LENGTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-071	Black	10-1/4 in	260 mm	6-7/8 in	175 mm	1/8"	1	6	076174460711



#### 7" Rafter Square

- Aluminum construction for durability
- Works as rafter square, protractor or saw guide for versatility

SKU #	FINISH	BASE L	ENGTH	RULE LENGTH		GRADUATION	BOX QTY	CTN QTY	UPC
46-067	Buffed	10-1/4 in	260 mm	6-3/4 in	171 mm	1/8"	_	3	076174460674



#### Square

- Molded in, wrapping graduations readability and accuracy
- ABS plastic body with large base helps provide better grip on materials
- Works as layout square, protractor or saw guide for versatility

SKU #	FINISH	BASE L	ENGTH	RULE L	RULE LENGTH		CTN QTY	UPC
STHT46010	Yellow	1-1/8 in	10 1/4 mm	7 in	178 mm	_	3	076174460100
STHT46011	Yellow	1-1/8 in	16 3/4 mm	12 in	305 mm	_	4	076174460117



#### **Hi-Visibility Square**

- ABS plastic body for heavy duty use
- Works as rafter square, try square protractor or saw guide for versatility

SKU #	FINISH	BASE L	ENGTH	RULE L	ENGTH	GRADUATION	BOX QTY	CTN QTY	UPC
46-060	Yellow	10-1/4 in	260 mm	6-7/8 in	175 mm	1/8"	_	6	076174460605



#### 8" Try/Miter Square

- Aluminum body with plastic handle for lightweight and durability
- Embossed blade with 1/16" graduations
- Ideal for laying out 45° and 90° angles

SKU #	BLADE	LENGTH	BLADE	WIDTH	HANDLE	LENGTH	HANDLE	WIDTH	BLADE GRADUATION	BOX QTY	CTN QTY	UPC
46-502	8 in	203 mm	1-1/2 in	38 mm	5-1/8 in	130 mm	5-1/8 in	41 mm	1/16"	6	60	076174465020



#### **Combination Square**

- Die-cast metal handle with brass hardware for durability
- Etched stainless steel blades for corrosion resistance
- Built-in scriber for easy surface marking

SKU #	TYPE	LEN	GTH	WII	OTH	GRADUATION	BOX QTY	CTN QTY	UPC
46-131	English	16 in	406 mm	1 in	25 mm	1/32", 1/16", 1/8"	_	3	076174463231
46-123	English	12 in	305 mm	1in	25 mm	1/32", 1/16", 1/8"	_	3	076174461237



#### 12" Combination Square

- Die-cast metal handle for durability
- Embossed hard chrome blade is coated for corrosion resistance
- 360° vial for visibility

SKU #	TYPE	LEN	IGTH	WIE	OTH	GRADUATION	BOX QTY	CTN QTY	UPC
46-222	English	12 in	305 mm	1 in	25 mm	1/32", 1/16", 1/8"	_	6	076174462227



#### 12" Combination Square

- ABS plastic handle for lightweight and durability
- Embossed hard chrome blade is coated for corrosion resistance
- Vial is easy to read

I	SKU #	TYPE	LEN	IGTH	WIE	OTH	GRADUATION	BOX QTY	CTN QTY	UPC
ı	46-012	English	12 in	305 mm	1 in	25 mm	1/32", 1/16", 1/8"		6	076174460124



#### **Magnetic Stud Finder**

- Magnet works by locating steel nails and screws used to hold drywall to studs
- Notched base for convenient marking

SKU #	LENGTH	WIDTH	HEIGHT	BOX QTY	CTN QTY	UPC
47-400	1-3/8 in	1-3/8 in	1-1/4 in	6	36	076174474008

# **STANLEY**



# ELECTRONIC TOOLS

LASER DISTANCE MEASURERS	26-29
LASER LEVELS	30-33
STUD SENSORS	34-35

# **STANLEY**

#### **TLM99s LASER DISTANCE MEASURER**

The TLM99s Bluetooth® Smart Laser distance measurer offers highly advanced capabilities in an easy-to-use compact design. Measurements ranging up to 100' and an accuracy of 3/32" give this affordable LDM its high professional grade

tolerance. Featuring state of the art electronics, the TLM99s is the first STANLEY® LDM to feature Bluetooth® connectivity and its very own app\*. The TLM99s also offers an area, volume and continuous measurement mode to make estimates and appraisals quick, easy and efficient. \*available on both Google Play for Android and App Store on iTunes. 100 ft range Measures distance, calculates area and volume for easy job estimates STANLEY Bluetooth® Technology allows you to sync your TLM99s directly to most smart phones, tablets and computers Floor Plan Download the free **Bluetooth** STANLEY® Floor Plan app

Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

#### **STANLEY® LASER DISTANCE MEASURERS**



#### 100' Laser Distance Measurer with Bluetooth®

- Range 100' / Accuracy +/- 3/32"
- Measures distance, calculates area and volume for quick and easy job estimates
- Addition/subtraction function for convenient way to compute on the job without a calculator or manual math
- Continuous measurement to help find target distance fast
- Integrated Bluetooth® connection links directly to Stanley measuring and layout Apps on smartphones and tablets
- Links directly with STANLEY® Floor Plan App

SKU # DESCRIPTION		BATTERIES	BOX QTY	CTN QTY	UPC
STHT77343 TLM99s - 100 ft (30 m) LDM		2 AAA	2	10	076174773439



#### 100' Laser Distance Measurer

- Range 100' / Accuracy +/- 3/32"
- Measures distance, calculates area and volume for quick and easy job estimates
- Addition/subtraction function for convenient way to compute on the job without a calculator or manual math
- Continuous measurement to help find target distance fast

SKU # DESCRIPTION		BATTERIES	BOX QTY	CTN QTY	UPC
STHT77138X	TLM99 - 100 ft (30 m) LDM	2 AAA	2	10	076174771381



#### 65' Laser Distance Measurer

- Range 65' / Accuracy +/- 1/8"
- Simple 2-button design for intuitive point and click measuring
- Measures distance, calculates area and volume for quick and easy job estimates
- Continuous measurement to help find target distance fast

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77032 TLM65 - 65 ft (20 m) LDM		2 AAA	4	16	076174770322



#### 165' Laser Distance Measurer

- Range 165' / Accuracy +/- 1/16"
- Indirect measurement using pythagoras measures height when point A and/or point B is not accessible for linear measurement
- Measures distance, calculates area and volume for quick and easy job estimates
- Continuous measurement to help find target distance fast
- Unit stores last 5 measurements taken for reference

SKU # DESCRIPTION		BATTERIES	BOX QTY	CTN QTY	UPC
STHT77139 TLM165 - 165 ft (50 m) LDM		2 AAA	2	8	076174771398



#### 330' Laser Distance Measurer

- Range 330' (100m) / Accuracy +/- 1/32" (1mm)
- Measures distance, calculates area & volume
- Automatic calculations make job estimates quick & easy
- Integrated digital leveling of inclination sensor identifies position for accurate measurements
- Continuous measurement finds distance from target quickly & easily
- Indirect measurement using pythagoras measures height even when point A and/or point B is not accessible for linear measurement
- Unit stores last 20 measurements taken for reference
- Backlit, 2 line display provides visibility in all working conditions

SKU # DESCRIPTION		BATTERIES	BOX QTY	CTN QTY	UPC
STHT77140	TLM330 - 330 ft (100 m) LDM	2 AAA		10	076174771404



#### **Ultrasonic Distance Estimator**

- Measures distance up to 40' at 0.5% accuracy
- Toggle between linear, area, and volume modes
- Displays last 3 measurements

SKU #	MEASURING DISTANCE	BATTERIES	LENGTH	BOX QTY	CTN QTY	UPC
77-018	40 ft	9V	10"	2	8	076174770186



# STANLEY® LDM COMPARISON CHART

LDM COMPARISON		M65 77032	TLN STHT7			M99s Г77343		M165 F77139	TLM: STHT7							
RANGE	65 ft	20 m	100 ft	30 m	100 ft	30 m	165 ft	50 m	330 ft	100 m						
ACCURACY	1/	8 in	3/32	2 in	3/	3/32 in 1/16 in		1/16 in		2 in						
CALCULATE AREA & VOLUME	Υ	'ES	YE	ES .	,	/ES	Y	/ES	YI	ES						
TRACKING FUNCTION	١	'ES	YE	S	YES		YES		١	/ES	YI	ES				
CALCULATOR +/-		VO	YE	ES .	,	/ES	\ \ \	/ES	YI	ES						
BLUETOOTH ENABLED	ı	VO	N	0	,	YES		YES		YES		YES		NO	N	0
MEMORY		VO	N	0		NO	YES		YI	ES						
BACKLIT LCD	1	VO	N	0		NO	Y	/ES	YI	ES						
PYTHAGORAS 1	1	VO.	N	0		NO	١	/ES	YI	ES						
PYTHAGORAS 2		VO	N	0		NO	١	/ES	YI	ES						
PYTHAGORAS 3	1	VO	N	0		NO		NO	YI	ES						
CORNER STAND-OFF	1	VO.	N	0		NO	١	/ES	YI	ES						
INCLINATION SENSOR		VO	N	0		NO		NO	YI	ES						
TRIANGULAR AREA		VO	N	0		NO	NO		YI	ES						
INDIRECT HORIZONTAL MEASUREMENT		VO OV	N	0		NO		NO	YI	ES						
HEIGHT TRACKING			N	0		NO		NO	YI	ES						

# **STANLEY**

#### **CROSS 90™ LASER LEVEL**

Leveling and squaring applications are made easy with the STANLEY® Cross 90™ Laser. DIYers and tradesmen alike can effortlessly complete projects with bright vertical and horizontal lines and an additional 90 degree vertical line for additional reference.











Over-molded

mounting slots and 1/4" thread







#### **STANLEY® LASER LEVELS**



#### **CROSS 90™ Cross Line Laser**

- Self-leveling cross lines project bright horizontal and vertical lines onto flat surfaces for common leveling and alignment applications
- 90° vertical line for additional reference point for multiple applications
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77341	STANLEY CROSS 90	100 ft	2 AA	2	12	076174773415



#### **Manual Wall Laser**

- Raised bubble vials help improve visibility in most working environments
- 360° rotating wall attachment projects laser at any angle

SKU # DESCRIPTION		BATTERIES	BOX QTY	CTN QTY	UPC
STHT77148	STHT77148 MANUAL WALL LASER		2	6	076174771480



#### **Self-Leveling Wall Laser**

- Self-leveling for quick and precise leveling
- AnglePro<sup>™</sup> automatic reference lines for projection of lines at any angle
- 90° locking positions project horizontally or vertically

SKU # DESCRIPTION		BATTERIES	BOX QTY	CTN QTY	UPC
STHT77149	STHT77149 Self-Leveling Wall Laser		2	6	076174771497



#### **CUBIX™** Cross Line Laser

- Range 40' / Accuracy +/- 5/16"
- Self-leveling cross lines project bright horizontal and vertical lines onto flat surfaces for common leveling and alignment applications
- QuickLink™ bracket and mounting system links into multiple product mounting slots and 1/4" thread
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77340	STANLEY CUBIX	100 ft	2 AA	2	12	076174773408



#### 3 Spot Beam Laser

- Range 100' / Accuracy +/- 1/8"
- Projects 3 bright self-leveling beams, up, down and horizontal for accurate plumb and hortizontal point transfer
- Projects down beam with raised clearance for dot visibility and alignment for wall track layout
- QuickLink<sup>™</sup> bracket and mounting system links into multiple product mounting slots and 1/4" thread
- Locking pendulum for setting angled lines and to help prevent damage to internal components

SKU #	DESCRIPTION	INDOOR VISIBILITY RANGE	BATTERIES	BOX QTY	CTN QTY	UPC
STHT77342	STANLEY SPL3	100 ft	2 AA	2	6	076174773422



## STANLEY® LASER LEVEL COMPARISON CHART

LASER LEVEL COMPARISON	CUBIX STHT77340	SPL3 STHT77341	CROSS90 STHT77342	SCL-D FMHT77321	SLP5	SLL360
INDOOR VISIBILITY RANGE	51 ft	100 ft	50 ft	50 ft	100 ft	50 ft
RANGE WITH DETECTOR	Х	Х	Х	165 ft	165 ft	Х
ACCURACY	5/16"	1/8"	3/16"	1/8"	1/8"	5/32"
POWER SUPPLY	2 AA Batteries	2 AA Batteries	2 AA Batteries	3 AA Batteries	3 AA Batteries	3 AA Batteries
LASER CLASS	II	II	II	II	=	II
NUMBER OF SPOTS	0	3	0	2	5	0
NUMBER OF LINES	2	2	3	2	1	2*
LEVELING TYPE	Self Leveling	Self Leveling	Self Leveling	Self Leveling	Self Leveling	Self Leveling
SELF-LEVELING RANGE	4	4	4	4	4	4
IP RATING	50	50	50	IP54	IP54	IP54
INCLUDES	2 AA Batteries QuickLinkBracket	2 AA Batteries QuickLink- Bracket	2 AA Batteries QuickLinkBracket	3 AA Batteries Mini Tripod laser glasses magnetic bracket grade rod attachment 1/4" bracket	3 AA Batteries target card kit bag	wall mount bracket, tripod, batteries kit bag

<sup>\*</sup>SLL360 contains 360 horizontal line

#### STANLEY® FATMAX® STUD SENSORS



# STANLEY FATMAX

#### **Stud Sensor**

- Wood and metal stud detection identifies studs up to 1-1/2" below surface material
- Deep metal scan senses metal up to 3" below surface material
- Marking channel allows for easy rotation of center
- OnePass™ center find technology locates stud's center

SKU #	SKU # DESCRIPTION		BOX QTY	CTN QTY	UPC
FMHT77407	STUD SENSOR 300	9V	2	8	076174774078



#### **Stud Sensor**

- Detects wood and metal studs up to 3/4" deep
- Visual indicators on face for easy readability
- LED display indicates stud edge

SKU #	SCAN DEPTH	BATTERIES	BOX QTY	CTN QTY	UPC
77-050	3/4"	9V	6	36	076174770506



#### **High-Visibility Stud Sensor**

- Detects wood and metal studs up to 3/4" deep
- Stud center find accuracy marks both edges of stud (1/8" for wood, 1/4" for metal)
- High-visibility green for easy identification in your toolbox

SKU #	DESCRIPTION	BATTERIES	BOX QTY	CTN QTY	UPC
77-075	High-Visibility Stud Sensor	9V	6	18	076174770759



#### **Edge Finding Stud Sensor**

- Wood and metal stud detection identifies studs up to 3/4" below surface material
- AC detection identifies live wires up to 2" deep
- Sequential LEDs and audible beeps indicate what is below the surface

SKU #	SKU # DESCRIPTION		BOX QTY	CTN QTY	UPC
STHT77403	STUD SENSOR 100	9V	4	24	076174771107



#### **Edge Finding Stud Sensor**

- Wood and metal stud detection identifies studs up to 1-1/2" below surface material
- AC detection identifies live wires up to 2" deep
- Sequential LEDs and audible beeps indicate what is below the surface

SKU #	U # DESCRIPTION		BOX QTY	CTN QTY	UPC
STHT77404	STHT77404 STUD SENSOR 150		2	12	076174771152



#### **Center Finding Stud Sensor**

- Wood and metal stud detection identifies studs up to 3/4" below surface material
- AC detection identifies live wires up to 2" deep
- OnePass<sup>™</sup> center find technology locates stud's center

SKU #	SKU # DESCRIPTION		BOX QTY	CTN QTY	UPC
STHT7740	STHT77406 STUD SENSOR 200		2	12	076174777208

#### **STANLEY® STUD SENSORS COMPARISON CHART**

STUD SENSORS COMPARISON	STUD SCAN DEPTH	AUDIO INDICATOR	AC WARNING	LCD SCREEN	AC SCAN	METAL MODE	LIVE WIRE TRACKING MODE
Pro Stud Sensor 500 and Laser Line Level	1/2", 1", 1-1/2"	Υ	Υ	Y Backlit	Υ	N	N
FatMax® Stud Sensor 400	1/2", 1", 1-1/2"	Y	Y	Y	Y	Y	Υ
Stanley® Stud Sensor 200™	3/4"	Υ	Υ	Υ	Υ	N	N
IntelliSensor® Pro Stud Sensor	1/2", 1", 1-1/2"	Υ	Υ	Υ	Υ	N	N
Stanley® Stud Sensor 150™	1/2", 1", 1-1/2"	Υ	Υ	N	Υ	N	N
Stanley® Stud Sensor 100™	3/4"	Y	Y	N	N	N	N
Stanley® Stud Sensor 50™	3/4"	N	N	N	N	N	N



# **STANLEY**



RETRACTABLE BLADE KNIVES	38-42
FIXED BLADE KNIVES	43-44
SPECIALTY & POCKET KNIVES	44-47
SAFETY & HOBBY KNIVES	48-49
SNAP-OFF KNIVES	50-51
REPLACEMENT BLADES	52-58
SELECTION GUIDE	59

KNIVES & BLADES



# RETRACTABLE TWIN BLADE KNIFE

The STANLEY® FATMAX® twin blade design allows users to easily alternate between two blades, eliminating the need to carry two separate knives. With interlocking blade slides and storage for up to five blades, this utility knife will become an indispensible tool in any toolbox.





#### STANLEY® FATMAX® RETRACTABLE KNIVES

## STANLEY FATMAX

#### Twin Blade Knife



- Twin blade design allows user to alternate between two blades and carry one knife
- Interlocking blade slides allows only one blade to be extended at a time
- Easy blade storage holds up to 9 blades for fast blade changes

SKU #	LENG	iTH	BOX QTY	CTN QTY	UPC
10-789	6-7/8 in	175 mm	6	24	076174107890

# STANLEY FATMAX

#### **Retractable Twin Blade Knife**

- Twin blade design allows ability to alternate between two blades and carry one knife
- Interlocking blade slides allows only one blade to be extended at a time
- Swing out blade storage for fast blade changes



SKU #	LENGTH	FOLDED	LENGTH OPEN		BOX QTY	CTN QTY	UPC
FMHT10238	4 in	100 mm	6.25 in	159 mm	6	24	076174102383

# STANLEY FATMAX

#### **Retractable Utility Knife**

- Push button for easy blade changes
- Easy access blade storage for fast blade changes
- Ergonomic design and soft touch slider for comfort



SKU #	LEN	STH	BOX QTY	CTN QTY	UPC
10-778	6-5/8 in	168 mm	6	36	076174107784

## STANLEY FATMAX

#### **Retractable Folding Twin Blade Knife**

- Twin blade design allows ability to alternate between two blades and carry one knife
- Interlocking blade slides allows only one blade to be extended at a time
- Folds for safe and convenient storage



	SKU #	LENGTH FOLDED		LENGTH OPEN		BOX QTY	CTN QTY	UPC
I	FMHT10502	4-2/5 in	111 mm	6-4/5 in	174 mm	6	36	076174105025

# **STANLEY® RETRACTABLE KNIVES**



### **InstantFeed™ Retractable Knife**

- Auto-loading knife automatically loads a new blade
- Intuitive design allows for standard blade change
- Die-cast design with soft grip handle for comfort

SKU	#	LENGTH		BOX QTY	CTN QTY	UPC
STHT10	237	6-1/4 in	159 mm	4	24	076174102376



### InstantChange™ Retractable Knife

- Push button for easy blade changes
- Blade storage on handle for convenience
- Ergonomical design and soft touch slider for comfort
- Integrated string cutter



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-788	6-5/8 in	168 mm	6	36	076174107883



### **Dynagrip® Retractable Utility Knife**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure

SKU #	DESCRIPTION	LEN	GTH	BOX QTY	CTN QTY	UPC
10-779	Standard	5-3/8 in	137 mm	6	36	076174107791



### **Dynagrip® Retractable Utility Knife**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure

SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-779G	High-Visibility	8 in	203 mm	6	36	076174761863



# **Quick Change Retractable Utility Knife**

- Change blades quickly no screwdriver required
- 3-position retractable blade for flexibility
- Integrated string cutter



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-499	6-3/8 in	162 mm	6	36	076174104998



# **Swivel-Lock® Retractable Utility Knife**

- Aluminum construction is lightweight
- Interlock nose helps prevent knife from spreading under pressure
- Swivels open with push of a button for fast and easy blade changes

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-989	7 in	178 mm	6	72	076174109894



### **Ergonomic All-Metal Retractable Utility Knife**

- All-metal construction for durability
- Thumb screw for easy, tool free blade changes
- Interlock nose helps prevent knife from spreading under pressure

SKU#	LENGTH		BOX QTY	CTN QTY	UPC
10-707	7-1/4 in	184 mm	6	36	076174107074



### All-Metal Retractable Utility Knives

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure



SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-079	Standard	5-7/8 in	150 mm	6	36	076174100792
10-379W	Orange	5-7/8 in	150 mm	4	24	076174103793



### **All-Metal Retractable Utility Knives**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure



SKU #	DESCRIPTION	LENGTH		BOX QTY	CTN QTY	UPC
10-179	High-Visibility	5-7/8 in	150 mm	6	36	076174101799



### Classic 99® Retractable Utility Knife

- 3-position retractable blade for flexibility
- Blade storage in handle for convenience
- Interlocking nose helps prevent knife from spreading under pressure



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-099	6 in	152 mm	6	36	076174100990



### Homeowner's Retractable Utility Knife

- Lightweight, economical knife ideal for homeowners
- 3-position retractable blade for flexibility
- Interlocking nose helps prevent knife from spreading under pressure
- Blade storage on handle for convenience



SKU#	LENGTH		BOX QTY	CTN QTY	UPC
10-175	6-1/8 in	156 mm	6	36	076174101751



#### **Junior Classic Utility Knife**

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlocking nose helps prevent knife from spreading under pressure



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-016	5 in	127 mm	8	48	076174100167

# **STANLEY® FIXED BLADE KNIVES**

# STANLEY FATIMAX

STARLEY RESERVE

### **Fixed Blade Utility Knife**

- Slim nose design
- Thumb screw for easy, tool free blade changes
- Soft touch grips for comfort and control
- Blade storage on handle for convenience

I	SKU #	LENGTH		BOX QTY	CTN QTY	UPC
	10-780	6-1/4 in	160 mm	6	36	076174107807



### Swivel-Lock® Fixed Blade Knife

- All-metal construction for durability
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure

SKU #	LEN	LENGTH		СТИ ОТУ	UPC
10-399	6 in	152 mm	6	36	076174103991



### **Ergonomic All-Metal Fixed Blade Utility Knife**

- All-metal construction for durability
- Thumb screw for easy, tool free blade changes
- Interlock nose helps prevent knife from spreading under pressure



SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-705	5-1/2 in	140 mm	6	36	076174107050





# Classic 199® Fixed Blade Utility Knife

- All-metal construction for durability
- Interlock nose helps prevent knife from spreading under pressure
- Designed for heavy-duty use
- Blade storage on handle for convenience



SKU#	LENGTH		BOX QTY	CTN QTY	UPC
10-209	5-3/8 in	137 mm	6	36	076174102093



### 299® Fixed Blade Interlock® Utility Knife

- Contoured handle with slip-resistant grip
- Blade storage in handle for convenience
- Interlock nose helps prevent knife from spreading under pressure



SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-299	5-3/8 in	137 mm	6	36	076174102994

# **SPECIALTY & POCKET KNIVES**



### **Retractable Carpet Knife**

- Retractable blade for controlling depth of cut
- Angled handle for accessing tight spaces
- Stores up to 10 regular .015" blades



SKU #	LEN	GTH	BOX QTY	СТИ QТҮ	UPC
10-525	6-1/2 in	158 mm	6	36	076174105254

#### STANLEY FATMAX

#### **Hook Knife**



- Taper ground cutlery steel blade
- Slip-resistant rubber grip for comfort
- Designed to cut and trim flooring, roofing materials, sod, and turf

I	SKU#	‡ LENGTH		BOX QTY	CTN QTY	UPC
I	10-510	5-1/2 in	140 mm	6	36	076174105100



### **Linoleum Flooring Knife**

- Taper ground cutlery steel blade
- Designed for cutting and trimming vinyl or linoleum floor covering, plastics, and carpeting

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-509	4-1/2 in	127 mm	6	72	076174105094



# SportUtility™ Outdoorsman Knife

- Cutlery grade stainless steel sport blade for long life
- Alternate between 3" folding sport blade and retractable utility blade
- Includes carrying pouch and 10 pack blade dispenser

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-804	6-3/8 in	162 mm	2	6	076174108040



### **Folding Fixed Blade Utility Knife**

- All-metal construction for durability
- One handed operation for easy opening/closing
- Slide button for easy, tool free blade changes

SKU #	POINTS ON BLADE	LEN	LENGTH		CTN QTY	UPC
10-855	5-3/4 in	5-3/4 in	146 mm	4	16	076174108552



# **QuickSlide™ Utility Knife**

- Easy blade change and slide operation for quick and easy loading
- Integrated carabiner and bottle opener for added versatility
- slim and compact design



SKU #	LENGTH		BOX QTY	CTN QTY	UPC
STHT10828	4-3/4 in	121 mm	4	24	076174108286



### QuickSlide<sup>™</sup> Pocket Knife

- All-metal, die-cast construction for durability
- Push tab for tool free blade changes
- Belt clip for easy carrying

SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-810	5-3/4 in	146 mm	6	36	076174108101



### QuickSlide<sup>™</sup> 2 Knife

- All-metal, die-cast construction for durability
- Push tab for tool free blade changes
- Belt clip for easy carrying



SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-812	4-1/4 in 108 mm		4	24	076174108125



# **QuickSlide™ Sport Utility Knife**

- Zinc blade slider for durability
- Alternate between 3" folding sport blade and retractable utility blade
- Locking mechanism does not allow both blades to be open

SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-813	4-5/8 in	118 mm	2	6	076174108132



### **Folding Pocket Knife**


- Powder coated epoxy handle for durability
- Stainless steel blade for corrosion resistance
- Blade lock for safe storage




SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-049	4-1/4 in	105 mm	6	72	076174100495

### STANLEY

# **Fixed Blade Folding Utility Knife**









SKU #	LENGTH	FOLDED	LENGTI	H OPEN	BOX QTY	CTN QTY	UPC
FMHT10827	4-3/20 in	105 mm	6 1/5 in	157 mm	4	16	076174108279



# **Fixed Blade Folding Utility Knife**

- One handed operation for easy opening/closing
- Slide button for easy, tool free blade changes

ı	SKU #	LENGTH	FOLDED	LENGT	H OPEN	BOX QTY	CTN QTY	UPC
ı	STHT10169	4 in	100 mm	6 in	151mm	6	36	076174101690



### **Fixed Blade Folding Utility Knife**

- Aluminum handle with belt clip for durability
- Quick change blade mechanism
- One handed operation

SKU #	LENGTH FOLDED		LENGT	H OPEN	BOX QTY	CTN QTY	UPC
10-036	4-1/4 in	108 mm	6-1/4 in	159 mm	4	16	076174100365



# **STANLEY® SAFETY & HOBBY KNIVES**

# STANLEY FATMAX

### **Safety Knife**

- Blade automatically retracts when contact with cutting surface is lost
- Swing out blade storage for fast blade changes
- Integrated shrink wrap cutter for added versatility



SKU#	LENGTH		BOX QTY	CTN QTY	UPC
FMHT10242	6-3/5 in	168 mm	6	36	076174102420



### **Folding Safety Knife**

- Blade automatically retracts when slider is released
- Folds for safe and convenient storage
- Tape splitter for added versatility

SKU#	LENGTH	FOLDED	LENGT	H OPEN	BOX QTY	CTN QTY	UPC
STHT10243	4 in	100 mm	6-2/5 in	162 mm	4	24	076174102437



### **Safety Wrap Cutter**

- Replaceable blade for long life
- U-shape handle design for easy pull cutting
- Full length knuckle guard helps protect hands when in use

SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
STHT10244	7-3/20 in	182 mm	6	36	076174102444



### **Safety Knife**

- Spring loaded blade retracts automatically when slide button is released
- · Stainless steel barrel for durability
- Ergonomically designed handle for comfort

SKU #	LEN	GTH	BOX QTY	СТИ QТҮ	UPC
STHT10193	6-1/2 in	165 mm	4	24	076174101935



### **Self-Retracting Safety Utility Knife**

- Spring loaded blade retracts automatically when slide button is released
- Interlock nose helps prevent knife from spreading under pressure
- Designed for opening cartons



SKU #	LEN	GTH	BOX QTY	CTN QTY	UPC
10-189C	5-7/8 in	150 mm	6	36	076174101898



### **Retractable Folding Pocket Knife**

- Folds for safe and convenient storage
- Push button for fast and easy blades changes
- Retractable blade with variable cutting depths for flexibility

SKU #	SKU # LENGTH FOLDED		LENGT	H OPEN	BOX QTY	CTN QTY	UPC
10-823	3-1/2 in	89 mm	6 in	151 mm	6	36	076174108231



# **Hobby Knife**

- Lightweight aluminum handle
- Positive lock in metal barrel
- Designed for precision cutting, trimming and carving

SKU #	LENGTH		BOX QTY	CTN QTY	UPC
10-401	5 in	127 mm	5	50	076174104011



### **Rotary Cutter**

- Lightweight aluminum handle
- Positive lock in metal barrel
- Designed for precision cutting, trimming and carving

I	SKU #	LENGTH 474 45		BOX QTY	CRN QTY	UPC
	STHT10194	6-3/4 in	171.45 mm	4	24	076174101942

# STANLEY® FATMAX® SNAP-OFF KNIVES

#### STANLEY FATMAX


### **Snap-Off Knife**


- Die cast, all-metal construction stands up to the most extreme job site conditions
- Blade knob to lock blade in place for heavy-duty applications
- Diamond shaped texturing provides a sure grip
- Textured die cast finish for positive slip-resistant grip
- Stainless steel 4 blade cartridge

SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
10-817	25 mm	7	8-1/4 in	210 mm	6	36	076174108170

# STANLEY FATMAX

### **Snap-Off Knife**





• Auto locking blade slider



SKU #	SIZE	POINTS PER BLADE	LEN	GTH	BOX QTY	CTN QTY	UPC
10-411	9 mm	13	3-1/2 in 89 mm		6	36	076174104110
10-421	18 mm	8	6-1/4 in	160 mm	6	36	076174104219
10-431	25 mm	7	5-1/4 in	133 mm	6	36	076174104318

# STANLEY FATMAX

### **Snap-Off Knife**



- Stainless steel blade channel for durability
- Bi-material slider for comfortable soft grip
- Thumb dial clamps down on blade to help minimize blade movement

SKU#	SIZE	POINTS PER BLADE	STORAGE CAPACITY	LEN	LENGTH		CTN QTY	UPC
10-481	18 mm	8	6	7 in	179 mm	6	36	076174104813
10-486	25 mm	7	4	8-3/8 in	213 mm	6	36	076174104868



### **DynaGrip® Snap-Off Knife**

- Quickpoint snap-off blades provide fresh, sharp cutting edge
- Removable blade snapper in cap of knife
- Clamping dial locks blade in place

SKU #	SIZE	POINTS PER BLADE	LEN	LENGTH		CTN QTY	UPC
10-409	9 mm	13	6 in	151 mm	12	72	076174104097
10-418	18 mm	8	6-1/2 in	165 mm	6	72	076174104189
10-425	25 mm	7	7 in	180 mm	6	72	076174104257



# **Snap-Off Knife**

- Push knob for easy, tool-free blade changes
- Removable blade snapper helps provide fresh, sharp cutting edge
- Soft touch grip for comfort and control

SKU #	LEN	IGTH .	BOX QTY	CTN QTY	UPC	
STHT10186	6-3/10 in	160 mm	4	24	076174101867	
STHT10187	7-1/2 in	190.5 mm	4	24	076174101874	



### **Quick-Point™ Knives**

- Quickpoint snap-off blades provide fresh, sharp cutting edge
- Removable blade snapper in cap of knife
- Designed for light-duty use

SKU #	SKU # SIZE POINTS PER BLADE		LENC	LENGTH		CTN QTY	UPC
10-150	9 mm	13	5-1/8 in	130 mm	6	72	076174101508
10-151	18 mm	8	6-1/8 in	160 mm	6	72	076174101515



### **Snap-Off Knife Set**

- Quickpoint snap-off blades provide fresh, sharp cutting edge
- Removable blade snapper in cap of knife
- Designed for light-duty use

SKU #	SIZE	POINTS PER BLADE	LEN	LENGTH		CTN QTY	UPC
10-202	9 mm / 18 mm	13 / 8	6 in	151 mm	6	36	076174102024



#### **Retractable Pocket Cutter**

- Quickpoint snap-off blades provide fresh, sharp cutting edge
- Designed for light-duty use


	SKU #	SIZE	POINTS PER BLADE	LENGTH		BOX QTY	CTN QTY	UPC
ĺ	10-143P	18 mm	8	6	152	30	180	076174101430



### **Scoring Knife**

- Creates fine scoring line for precise breaking of plastics
- Soft, slip resistance grip for comfort
- Blade storage in handle for convenience


SKU #	SIZE	POINTS ON BLADE	LENC	LENGTH		CTN QTY	UPC
STHT10192	5-3/4 in	2	5-3/4 in	146 mm	4	24	076174101928



# STANLEY FATMAX

### **Carbide Heavy-Duty Utility Blades**

- World's longest lasting blade stays sharp 5X longer\*
- Laser deposited Carbide edge delivers long lasting blade for the jobsite
- Steel body allows flexibility to help prevent breaking





					THICKNESS			
SKU #		# OF BLADES	LEN	LENGTH		BOX QTY	CTN QTY	UPC
11-800	)	5	2-7/16 in	62 mm	.61	10	200	076174118001
11-800	G	2	2-7/16 in	62 mm	.61	10	200	076174765335
11-800	L	50	2-7/16 in	62 mm	.61	4	24	076174765304
11-800	T	10	2-7/16 in	62 mm	.61	10	100	076174765298

# STANLEY FATMAX

### **Utility Blades**

- Heat treated for 20% stronger\* blade
- Induction hardened edges for 75% longer\* lasting blade life
- Blade edge remains 35% sharper\*





SKU #	# OF BLADES	LENGTH IN/MM		THICKNESS	BOX QTY	CTN QTY	UPC
11-700	5	2-7/16 in 62 mm		.024	10	100	076174117004
11-700A	100	2-7/16 in	62 mm	.024	6	36	076174760590
11-700L	50	2-7/16 in	62 mm	.024	6	36	076174760583
11-700T	10	2-7/16 in	62 mm	.024	10	100	076174760576



### **Drywall Utility Blades**

- One blade cuts over a mile of drywall in carefully conducted lab tests
- Designed for cutting and scoring drywall, ceiling tile, wallboard and similar materials
- DRYWALL is laser etched on blade to help prevent mixing with standard blades



SKU #	# OF BLADES	LENGTH IN/MM		THICKNESS	BOX QTY	CTN QTY	UPC
11-937	5	2-7/16 in	62 mm	.024	10	100	076174119374
11-937L	50	2-7/16 in	62 mm	.024	6	24	076174783513



# 1991® Extra Heavy-Duty Utility Blades

- Cuts thick, dense sheet materials
- Fits fixed blades only



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-931	5	2-7/16 in 62 mm		.035	10	200	076174004939
11-931A	100	2-7/16 in	62 mm	.035	1	10	076174119312
11-931D	70	2-7/16 in	62 mm	.035	6	24	076174729405



# 1992® Heavy-Duty Utility Blades

- Precision honed edge for consistent and long cutting life
- Designed for general purpose cutting
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-921	5	2-7/16 in	62 mm	.024	10	200	076174119213
11-921A	100	2-7/16 in	62 mm	.024	4	24	076174119923
11-921B	400	2-7/16 in	62 mm	.024	1	10	076174114928
11-921G	5	2-7/16 in	62 mm	.024	10	60	076174119213
11-921L	50	2-7/16 in	62 mm	.024	6	24	076174729078
11-921W	10	2-7/16 in	62 mm	.024	7	42	076174795905
11-921Z	500	2-7/16 in	62 mm	.024	4	240	076174767551

Olfa® is a registered trademark.



### **Round-Point Utility Blade**

- Round points help reduce the risk of accidental cuts
- Designed for cutting open cartons
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-987	5	2-13/64 in	56 mm	.024	10	200	076174119879
11-988	100	2-13/64 in	56 mm	.024	6	24	076174119886



## 1991® Regular-Duty Utility Blade

- Designed for cutting light sheet materials, paper and cardboard
- Fits most standard utility knives



	SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
I	11-911	5	2 in	51 mm	.017	10	200	076174119114
ĺ	11-911A	100	2 in	51 mm	.017	6	24	076174119916



# **Roofing Utility Blades**

- 75% stronger\* for long cutting life
- Designed for cutting shingles, felt paper, Tyvek®, foamboard, insulation, shingles, and other building materials
- ROOF is laser etched on blade to help prevent mixing with standard blades

<sup>\*</sup>than Stanley's 11-983 hook blades

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-939	5	1-7/8 in	48 mm	.031	10	100	076174119398
11-939A	70	1-7/8 in	48 mm	.031	6	36	076174781618



### **Regular Hook Blades**

- Curved cutting edge helps prevent damage to materials beneath
- Designed for cutting roofing, tile, carpet, fabric, and sheet materials
- Fits most Stanley utility knives



ı	SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
	11-961	5	2-1/16 in	53 mm	.024	10	200	076174119619
I	11-961A	100	2-1/16 in	53 mm	.024	6	24	076174119961



# 1996<sup>™</sup> Large Hook Blades

- Large hook for cutting thick materials
- Designed for cutting roofing, tile, carpet, fabric and sheet materials
- Fits most standard utility knives



SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-983	5	1-7/8 in 48 mm		.024	10	200	076174119831
11-983L	50	1-7/8 in	48 mm	.024	4	24	076174783506
11-983A	100	1-7/8 in	48 mm	.024	4	24	076174005349
11-984	100	1-7/8 in	48 mm	.024	4	24	076174119848

#### STANLEY FATMAX

# **Snap-Off Blades**

- Induction hardened edges for 50% longer\* lasting blade life
- Designed for cutting drywall, styrofoam, insulation, foam backed and reinforced carpet, linoleum, cork, tarp paper and house wrap



\*based on average values compared with Stanley snap-off blades

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LEN	GTH	THICKNESS	BOX QTY	CTN QTY	UPC
11-718	18 mm	5	8	4-1/4 in	108 mm	.020	10	50	076174117189
11-718L	18 mm	50	8	4-1/4 in	108 mm	.020	4	24	076174760606
11-718T	18 mm	10	8	4-1/4 in	108 mm	.020	10	50	076174760545
11-725	25 mm	5	7	5-1/2 in	140 mm	.027	6	36	076174117257
11-725L	25 mm	50	7	5-1/2 in	140 mm	.027	2	24	076174760613
11-725T	25 mm	10	7	5-1/2 in	140 mm	.027	4	48	076174760552



# **QUICKPOINT® Snap-Off Blade**

- Replacement blade with 13 cutting points
- Fits most 9mm snap-off blade knives

SKU #	# OF BLADES	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-300	3	3-1/2 in	89 mm	.017	10	50	076174113006

Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.



# **Super Heavy-Duty Quick-Point™ Blades**

- Replacement blade with 7 cutting points
- Fits most 25mm snap-off knives

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LENGTH		THICKNESS	BOX QTY	CTN QTY	UPC
11-325	25 mm	5	7	5-1/2 in	140 mm	.027	6	36	076174760385
11-325T	25 mm	10	7	5-1/2 in	140 mm	.027	4	48	076174113259



# **Quick-Point™ Blades**

- Replacement blade with 8 cutting points
- Fits most 18mm snap-off knives

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LEN	GТН	THICKNESS	BOX QTY	сти оту	UPC
11-301	18 mm	3	8	4-1/4 in	108 mm	.020	10	50	076174113013
11-301L	18 mm	50	8	4-1/4 in	108 mm	.020	.020 4		076174799231
11-301T	18 mm	10	8	4-1/4 in	108 mm	.020	10	100	076174799248



# **Snap-Off Hook Blades**

- Replacement blade with 4 cutting points
- Designed for cutting asphalt shingles, roofing felt, and tar paper

SKU #	SIZE	# OF BLADES	POINTS ON BLADE	LEN	GTH	THICKNESS	BOX QTY	CTN QTY	UPC
11-618	18 mm	5	4	4-1/8 in	105 mm	.065	10	50	076174116182
11-618L	18 mm	20	4	4-1/8 in	105 mm	.065	5	25	076174760620
11-625	25 mm	5	4	5-1/4 in	132 mm	.065	6	36	076174116250
11-625L	25 mm	20	4	5-1/4 in	132 mm	.065	2	24	076174760637
11-625T	25 mm	10	4	5-1/4 in	132 mm	.065	4	48	076174760538



# **Carpet Knife Blades**

- High carbon steel blade with double cutting edge
- Fits most carpet knives



SKU #	DESCRIPTION	# OF BLADES	LENG	тн	THICKNESS	BOX QTY	СТИ ОТУ	UPC
11-525	Standard Carpet Blade	5	2-1/4 in	2-1/4 in 55 mm		10	100	076174115253
11-530	Heavy-Duty Carpet Blade	100	2-1/4 in	2-1/4 in 55 mm		100	1000	076174115307



### **Single-Edge Razor Blades**

- Steel backed, high-carbon steel blade for strength
- Includes blade dispenser for safe storage of blades
- Fits most standard razor blade tools

SKU #	# OF BLADES	LEN	GTH	THICKNESS	BOX QTY	CTN QTY	UPC
28-510	10	1-1/2 in	38 mm	.009	10	100	076174285109



### **Single-Edge Razor Blades**

- Steel backed, high-carbon steel blade for strength
- Fits most standard razor blade tools

SKU#	# OF BLADES	LEN	GTH	THICKNESS	BOX QTY	CTN QTY	UPC
11-515	100	1-1/2 in	38mm	.009 in	10	100	076174285109



### **Replacement Cutter**

• For use with FMHT10042 and STHT10044 knives

SKU#	# OF BLADES	LENG	тн	THICKNESS	BOX QTY	CTN QTY	UPC			
STHT10245	1	1/3 in	8.5 mm	1/64 in	6	36	076174102451			





• Sheepfoot-style blade made of cutlery stainless steel



SKU #	FITS	# OF BLADES	LENG	TH	THICKNESS	BOX QTY	CTN QTY	UPC			
11-040	10-049 Utility Knife	1	2-9/16 in	65 mm	.040 in	10	60	076174110401			



### **Utility Replacement Blade**

• Utility blade made of cutlery stainless steel



I	SKU #	FITS	# OF BLADES	LENC	TH	THICKNESS	BOX QTY	CTN QTY	UPC			
	11-041	10-049 Utility Knife	1	2-9/16 in	65 mm	.040	10	100	076174110418			

Olfa® is a registered trademark.



# **Hobby Knife Blades**

• Designed for free angle cutting



I	SKU#	FITS	# OF BLADES	LENG	iTH	THICKNESS	BOX QTY	CTN QTY	UPC			
	11-411	10-401 Hobby Knife	3	1-9/16 in	40 mm	0.02	10	60	076174114119			

### **Glass and Tile Blade**

• Includes blade case for safe storage of blades



SKU #	# OF BLADES	LEN	IGTH	BOX QTY	CTN QTY	UPC
28-223	5	7-2/10 in	183 mm	5	30	76174282238



# **Rotary Blade**

• Designed for free angle cutting

SKU#	FITS	# OF BLADES	LENG	TH	THICKNESS	BOX QTY	CTN QTY	UPC
STHT11942	STHT10194	10	1-3/4 in	44 mm	0.3	10	200	076174119428




		FE	ATUR	ES							BLA	DES							
KN	IFE AND BLADE SELECTION GUIDE	Quick Change	Blade Storage	ing	FatMax <sup>®</sup> 11-700	No. 1992 Drywall 11-937	No. 1991 Paper 11-938	No. 1996 Roofing 11-939	Carton, Rnd Pnt 11-987	Carpet 11-525	Carpet Hvy Dty 11-530	1991®, Reg Dty 11-911	1992®, Hvy Dty 11-921	Extra Hvy Dty 11-931	Safety 11-917	Safety 11-914	Sm Hook 11-961	1996™ Lg Hook 11-983	
	KNIVES	Quick	Blade	Clamping	FatMa	No. 19	No. 19	No. 19	Cartor	Carpe	Carpe	1991®	1992®	Extra	Safety	Safety	Sm Ho	″1996™	
	FatMax 10-789	х	Х		х	Х	х	Х	Х			Х	х	х			х	х	
	FatMax® Retractable 10-778	Х	Х	Х	Х	Х	Х	Х	Х			Х	Х	х			Х	Х	
	InstantChange™ 10-788	Х	Х		Х	Х	Х	Х	Х			Х	Х	Х			Х	Х	
	Dynagrip® 10-779		Х			Х	Х		Х			Х	Х				Х	Х	
RETRACTABLE	Quick Change 10-499	Х	Х			Х	Х		Х			Х	Х				Х	Х	
ACT/	Swivel-Lock® 10-989	Х	X			X	Х		X			X	X				X	Х	
ZETR	Ergonomic All-Metal Retractable Utility Knife 10-707  Retractable Utility 10-079	Х	X			X	X		X			X	X				X	X	
	High Visibility 10-179		X			x	X X		X			X	X				X	X	
	Classic 99® 10-099					X	X		х х			Х	Х				X	x	
	Homeowner's 10-175		X			X	х		X			X	X				x	X	
	Junior Classic Utility Knife 10-016	H	х			х	х		х			х	Х				X	Х	
	FatMax® Fixed Blade Utility Knife 10-780	х	Х	х	х	Х	Х	Х	Х			Х	Х	х			Х	Х	
ADE.	Swivel-Lock® 10-399	х	Х			Х	х	Х	Х			Х	Х	х			х	Х	
BL/	Ergonomic All-Metal Fixed Blade Utility Knife 10-705	х	Х			х	х	х	х			х	х	х			х	Х	
FIXED BLADE	Classic 199® 10-209		х			х	х	х	х			х	х	х			х	х	
	299® Fixed Blade Interlock 10-299		Х			Х	х	Х	Х			х	х	х			х	Х	
	Retractable Carpet Knife 10-525	х	х	х						х	х								
IALT	FatMax® Hook 10-510																		
SPECIALTY	Linoleum Flooring Knife 10-509																		
0,	Sport Utility™ Outdoorsman™ 10-804	х				Х	х		Х			Х	Х				х	х	
SAFETY	Self-Retracting Safety 10-189C		Х			Х	Х		Х			Х	Х	Х		Х	Х	Х	
8	Folding Safety Knife 10-784														Х				
ᇤ	Folding Fixed Blade Utility Knife 10-855	Х				Х	Х		Х			Х	Х				Х	Х	
CRA	QuickSlide™ 10-810	Х				Х	Х		Х			Х	Х				Х	Х	
BBY/	QuickSlide2 Knife 10-812	Х										Х	Х						
1/H0	QuickSlide™ Sport Utility Knife 10-813  Folding Pocket Knife 10-049	Х				Х	Х			11	-040 8	X 2. 11 (	X )41				Х	Х	
POCKET/HOBBY/CRA	Metal Mitey-Knife® 10-239		Х							- 11	11-		J4 I						
<u>8</u>	No. 1 Hobby Knife Light Duty 10-401		^								11-								
	FatMax Snap-Off Knife 10-817		х	x 11-325, 11-725, 11-625, H Series															
	FatMax® Snap-Off Knife 9mm 10-475		Х	Х							-300,								
	FatMax® Snap-Off Knife 18mm 10-481		Х	х					11-3		-718,			eries					
	FatMax® Snap-Off Knife 25mm 10-486		х	х							-725,								
-OFF	FatMax® 18mm Snap-Off Knife 10-421								11-3	01, 11	-718,	11-61	8, L S	eries					
SNAP-OFF	25mm Dynagrip® 10-425										-725,								
S	18mm Quick-Point™ 10-151								11-3	01, 11	-718,	11-61	8, L S	_ Series					
	9mm Quick-Point™ 10-150									11	-300,	A Seri	es						
18mm Standard Snap-Off 10-280									11-3	01, 11	-718,	11-61	8, L S	eries					
	18mm Quick-Point™ Cutter 10-143P								11-3	01, 11	-718,	11-61	8, L S	eries					





### **PREMIUM SAWS**

STANLEY<sup>®</sup> continues to innovate and develop new and long-lasting saws. The STANLEY<sup>®</sup> FATMAX<sup>®</sup> saws have BladeArmor<sup>™</sup> coating for 2X rust protection, 6X abrasion resistance and 50% less friction\* making these saws great for cutting a variety of materials.













Induction hardened teeth for long life



### STANLEY® FATMAX® SAWS

# STANLEY FATMAX

# **Aggressive Cut Saw**



- Triple ground tooth technology is 4X sharper\* for fast cuts
- Induction hardened teeth for long life
- BladeArmor® coating helps reduce friction while cutting

\*compared to traditional toothed saws


SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-046	15 in	381 mm	12	11	ı	4	076174200461
20-047	20 in	508 mm	12	11	-	4	076174200478
FMHT20218	26 in	660 mm	12	11	_	2	076174202182



### **Aggressive Cut Saw**

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Thick ergonomically designed grip resists slipping and adds comfort

\*compared to traditional toothed saws





### **STANLEY® SAWS**



# **SHARPTOOTH®** Saws

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Ergonomic, one-piece handle for comfort

\*compared to traditional toothed saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-526	15 in	381 mm	12	11	_	4	076174205268
20-527	20 in	508 mm	12	11	-	4	076174205275



### **General Purpose Saw**

- Resharpenable, machine set teeth
- Contoured sturdy handle designed for comfort and control
- Blade cuts on both forward and reverse strokes for fast cuts



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-726	26 in	660 mm	8	8	ı	6	076174157260



# Heavy-Duty SharpTooth® Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth stay sharp up to 5X longer\*
- Hardwood handle for durability



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-085	15 in	381 mm	9	8	_	4	076174150858
15-087	20 in	508 mm	9	8	1	2	076174150872
15-088	20 in	508 mm	12	11	_	2	076174150889



### Finish Cut SHARPTOOTH® Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Hardwood handle for traditional performance

\*compared to traditional toothed saws



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-065	26 in	660 mm	12	11		2	076174200652

<sup>\*</sup>compared to traditional toothed saws



### **Aggressive Cut Saw**

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Back of saw can be used to mark 45° and 90° angles
- Hardwood handle for traditional performance

\*compared to traditional toothed saws



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-334	15 in	381 mm	9	8	_	4	076174153347
15-335	20 in	508 mm	9	8	_	4	076174153354



### SHARPTOOTH® Tool Box Saw

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Back of saw can be used to mark 45° and 90° angles
- Contoured, sturdy handle design for comfort and control

\*compared to traditional toothed saws



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-579	15 in	381 mm	9	8	_	4	076174155792



# **General Purpose SHARPTOOTH® Saws**

- Fast cuts on push and pull strokes
- Precision-ground, razor-sharp teeth
- Molded plastic handle provides comfortable grip
- Back of saw can be used to mark 45° and 90° angles
- Induction hardened teeth for long life



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-028L	15 in	381 mm	9	8	_	4	076174200287
20-029L	20 in	508 mm	9	8	ı	4	076174200294



# **SHARPTOOTH® Smooth Cut Saw**

- SHARPTOOTH® saw technology uses 3 cutting surfaces to cut 50% faster\*
- Induction hardened teeth for long life
- Designed for use in tight spaces

\*compared to traditional toothed saws



SKU #	BLADE I	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-221	10 in	254 mm	12	11	_	6	076174202212

# **STANLEY® FATMAX® SPECIALTY SAWS**

# STANLEY FATMAX

#### **Compass Saw**

- Heat treated, triple ground teeth for fast cuts
- Solid, one-piece bi-material handle for durability and comfort
- Designed for cutting curves in wood, plywood or plasterboard



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-205	12 in	305 mm	12	11	4	24	076174172058

#### STANLEY FATMAX

#### **Pull Saws**

- Flexible blade for easy flush cuts
- Designed for cutting dowels, drywall, limbs, branches, shims, trim and molding
- Quick change blade to handle assembly



SKU#	DESCRIPTION	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-500	Single Edge Pull Saw	9 in	229 mm	15	14	4	24	076174205008
20-501	Double Edge Pull Saw	9-1/2 in	241 mm	8 & 15	7 & 14	4	24	076174205015
20-509	Single Edge Pull Saw Replacement Blade	9 in	229 mm	15	14	4	24	076174205091
20-516	Double Edge Pull Saw Replacement Blade	9-1/2 in	241 mm	8 & 15	7 & 14	4	24	076174205169

# STANLEY FATMAX

#### Mini Flush Cut Pull Saw

- Flexible blade for easy flush cuts
- Extra fine teeth for fast cuts on the pulls stroke
- Designed for cutting dowels and fine woodworking



	SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
ĺ	20-331	4-3/4 in	121 mm	23	22	6	36	076174203318

# STANLEY FATMAX

### 10" Reversing Back Saw

- Reversible blade with push button for left or right handed cuts
- Offset handle for easy flush cuts and to help protect knuckles
- Induction hardened teeth for long life



SKU #	U # BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-252K	10 in	254 mm	15	14		8	076174152524

# STANLEY FATMAX

### **Finish Cut Flooring Saw**

- Induction hardened teeth for long life
- Solid, one-piece bi-material handle for durability and comfort
- Designed for cutting laminated flooring, floorboards, and tongue and groove product



SKU#	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-204T	12 in	305 mm	14	13	4	24	076174172041

# STANLEY FATMAX

#### 12" PVC Saw

- Unique tooth form helps reduce burring for smooth cuts
- Solid, one-piece bi-material handle for durability and comfort
- Designed for cutting PVC and plastic



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-206	12 in	305 mm	14	13	4	24	076174172065

### **FATMAX® COPING SAWS**



### **Coping Saws**

- Hardened, tempered blade for controlled cutting action
- Ergonomic handle with cushion grip for comfort
- Designed for cutting intricate patterns

SKU #	BLADE LENGTH		FRAME DEPTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-104	6-3/8 in	162 mm	4-3/4 in	16	15	6	6	076174151046
15-106	6-3/8 in	162 mm	6-3/4 in	16	15	6	6	076174151060
15-106A	6-3/8 in	162 mm	6-3/4 in	16	15	6	6	076174151061

# **Coping Saw Blades**

- Strong, flexible and long lasting
- 6-1/2" blade with 10 teeth per inch

USA W	
	•
USA	9

SKU #	# OF BLADES	LEN	GTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-058	4	6-1/2 in	165 mm	11	10	10	50	076174150582
15-059	4	6-1/2 in	165 mm	21	20	10	50	076174150599
15-061	4	6-1/2 in	165 mm	16	15	10	50	076174150612

# STANLEY® FATMAX® JAB SAWS

# STANLEY FATMAX

### **Folding Jab Saw**

- Triple ground teeth for fast cuts
- Folds for safe and easy storage
- Bi-material handle for comfort



# STANLEY FATMAX

#### **Jab Saw**

- Pointed blade for starting plunge cuts
- Curved handle with ribbed cushion grip for comfort
- Triple ground teeth cut 50% faster than traditional tooth saws



SKU #	BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-556	6 in	152 mm	9	8	6	36	076174205565

### **STANLEY® JAB SAWS**



### **Jab Saw**

- Pointed blade for starting plunge cuts
- Hardened blade for a long cutting life
- Curved handle with ribbed cushion grip for comfort

SKU#	BLADE I	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-556	6 in	152 mm	9	8	6	36	076174155563



#### **Wood Handle Jab Saw**

- Pointed blade for starting plunge cuts
- Reinforced blade to handle connection for durability
- Hardwood handle for durability

SKU#	# BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-206	6 in	152 mm	9	8	_	6	076174152067

# STANLEY® FATMAX® HIGH TENSION SAW

# STANLEY FATMAX

### **High-Tension Hacksaw**

- One-piece body designed for tension up to 330 lbs
- Blade can be positioned at 45° or 90° cutting angles
- Removable file for finishing surfaces after cutting



SKU #	DEPTH O	F THROAT	BLADE I	LENGTH	BOX QTY	CTN QTY	UPC
20-531	4-3/4 in	121 mm	12 in	305 mm	2	4	076174205312

# STANLEY® HACKSAWS



#### **Solid Frame Hacksaw**

- All-metal frame designed for tension up to 225 lbs
- 90° and 180° adjustable blade angles allow for flush cuts
- Full grip handle helps protect knuckles

SKU #	DEPTH OF 1	HROAT	BLADE	LENGTH	BOX QTY	CARTON QTY	UPC
STHT20138	4-3/8 in	110 mm	12 in	305 mm		6	076174201383



### **Solid Frame Hacksaw**

- All-metal frame designed for tension up to 225 lbs
- 90° and 180° adjustable blade angles allow for flush cuts
- Bi-material handle for comfort and control

SKU #	DEPTH OF 1	HROAT	BLADE	LENGTH	BOX QTY	CARTON QTY	UPC
STHT20139L	4-3/8 in	110 mm	12 in	305 mm		4	076174201390



### **High-Tension Hacksaw**

- Fully adjustable tension holds up to 32,000 psi delivering fast, accurate cuts and long blade life
- Integrated blade storage in frame for added convenience
- Designed for cutting metal and plastic pipes and bars

SKU #	DEPTH OF THROAT		BLADE	LENGTH	BOX QTY	CTN QTY	UPC
15-113	3-7/8 in	98 mm	12 in	305 mm	2	12	076174151138



# **High-Tension Hacksaw**

- Stores up to 8 blades in frame
- 45° for flush cuts
- Large comfortable tensioning knob

	SKU #	DESCRIPTION	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
Γ	STHT20140	High-Tension Hacksaw	4 in	102 mm	12 in	305 mm	4	8	076174200362



# High-Tension Hacksaw and Metal Mini-Hack®

- Rugged design for heavy-duty use
- Designed for cutting metal and plastic
- Quick-release, blade-changing mechanism in handle maintains tension setting

SKU #	DESCRIPTION	DEPTH OF THROAT		BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-036M	20-036M High-Tension Hacksaw		102 mm	12 in	305 mm	4	8	076174200362



# **High-Tension Low-Profile Hacksaw**

- Heavy-duty, lightweight aluminum I-beam frame for strength and durability
- Unique arc shaped frame shape for accessing tight areas
- Tension knob for easy blade adjustments

SKI	U#	DEPTH OF THROAT		BLADE	LENGTH	BOX QTY	CTN QTY	UPC
20-0	001K	4 in	102 mm	12 in	305 mm	_	4	076174200010



# 12" Composite Hacksaw

- Steel I-beam frame construction for durability
- High tension blade for straight, accurate cuts
- Easy open lever for fast and easy blade changes

SKU #	DEPTH OF THROAT		BLADE	LENGTH	BOX QTY	CTN QTY	UPC
15-892K	4 in	102 mm	12 in	305 mm	_	6	076174158922



# Mini-Hack® Utility Saw

- Aluminum construction for lightweight and durability
- Handle covers blade to help protect hand
- Designed to be used in hard to reach places

SKU #	BLADE	LENGTH	BOX QTY	CTN QTY	UPC
15-809	10 in	254 mm	6	36	076174158090



### Mini-Hack® Hacksaw

- Handle covers blade to help protect hand
- Designed to cut metal and plastic in hard to reach places
- Structurally designed for maximum strength and durability

SKU #	BLADE	LENGTH	BOX QTY	CTN QTY	UPC
20-807	10 in	254 mm	6	36	076174208078

# STANLEY FATMAX

#### **Multi-Saw**



- Tension knob for quick and easy blade changes
- Ergonomic, bi-material handle for comfort
- Designed for cutting wood or metal in confined spaces

SKU #	NUMBER OF BLADES		BLADE LENGTH		POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
20-220	,	1 Reciprocal	5 in	127 mm	11	10	6	36	076174202205
	2	1 Hack	10 in	254 mm	25	24	O	30	0/01/4202205

# **STANLEY® SAW BLADES**



# **High Speed Steel Hacksaw Blades**

- Designed for cutting most metals including unhardened tool steel and stainless steel
- Ground tooth design for improved cutting performance versus traditional hacksaw blades

SKU #	# OF BLADES	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-802A	1	10 in	254 mm	33	32	10	100	076174000078
15-804A	1	10 in	254 mm	25	24	10	100	076174000085
15-808A	1	10 in	254 mm	19	18	10	100	076174000092
15-822A	1	12 in	305 mm	33	32	10	100	076174000108
15-824A	1	12 in	305 mm	25	24	10	100	076174000115
15-828A	1	12 in	305 mm	19	18	10	100	076174000122



#### **Carbide Grit Hacksaw Blades**

- Tungsten carbide particles enable blade to cut on both forward and reverse strokes
- Designed for thin straight cuts in ceramic, hardened steel and masonry
- Fits standard hacksaw frames

SKU #	DESCRIPTION	BLADE I	LENGTH	BOX QTY	CTN QTY	UPC
15-410	Rod Saw Blade	10 in	254 mm	10	100	076174154108
15-412	Hacksaw Blade	12 in	305 mm	10	100	076174154122



#### **Carbon Steel Hacksaw Blade**

- High-carbon steel cutting edge for performance
- Designed for cutting mild steel, cast iron, aluminum and copper

SKU #	# OF BLADES	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-902A	2	10 in	254 mm	33	32	10	100	076174159905
15-904A	2	10 in	254 mm	25	24	10	100	076174159912
15-904W	2	10 in	254 mm	25	24	6	48	076174159912
15-908A	2	10 in	254 mm	19	18	10	100	076174159929
15-922A	2	12 in	305 mm	33	32	10	100	076174159936
15-924A	2	12 in	305 mm	25	24	10	100	076174159943
15-924W	2	12 in	305 mm	25	24	6	48	076174159943
15-928A	2	12 in	305 mm	19	18	10	100	076174159950



#### **Bi-Metal Hacksaw Blades**

- Carbon steel backs for flexibility
- High speed steel cutting edge for performance
- Designed for cutting most metals including unhardened tool steel and stainless steel

SKU #	# OF BLAI	DES	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15-612	10		12 in	305 mm	19	18	5	50	076174156126
15-613	10		12 in	305 mm	25	24	5	50	076174156133
15-614	10		12 in	305 mm	33	32	5	50	076174156140
15-628	1		10 in	254 mm	25	24	10	100	076174156287
15-630	1		12 in	305 mm	33	32	10	100	076174156300
15-631	1		12 in	305 mm	25	24	10	100	076174156317
15-632	1		12 in	305 mm	19	18	10	100	076174156324
		1	10 in	254 mm	19	18			
20-067	Assorted 4 pack	2	10 in	254 mm	5	24	5	30	076174200676
		1	10 in	254 mm	33	32			
	1		12 in	305 mm	19	18			
20-069	Assorted 4 pack	2	12 in	305 mm	25	24	4	24	076174200690
	. pack	1	12 in	305 mm	33	32			

# **STANLEY® SAWS**



#### 3-in-1 Saw

- Ergonomic nylon handle for strength to support different blade positions
- Integrated blade storage in the handle for convenient storage
- Designed for cutting wood, particle board, wall board, metal and plastic
- Universal blade cuts on the pull stroke and is less likely to jam or bend

SKU #	# BLA	OF DES	USE	BLADE	RIADELENGTH		BLADE LENGTH		TEETH PER IN.	BOX QTY	CTN QTY	UPC
		1	Universal - tree limbs, 2x4's, plastic pipes	10 in	254 mm	12	11					
20-092	3	1	Compass - wood patterns & shapes	8 in	203 mm	10	9	2	8	076174200928		
		1	Metal pipes & rods	6 in	152 mm	25	24					



#### **Nest-of-Saws**

- Ergonomic nylon handle for strength
- Integrated blade storage in the handle for convenient storage
- Perfect for curves, circles and trimwork



SKU #	# OF	BLADES	USE	BLADE I	BLADE LENGTH POINTS PER IN.		TEETH PER IN.	BOX QTY	CTN QTY	UPC
		1	Multipurpose for tight spaces	10 in	254 mm	12	11			
15-090	3	1	Non-hardened Keyhole for wood	10 in	203 mm	10	9	_	6	076174150902
		1	Metal	6 in	152 mm	25	24			



### **Folding Pocket Saw**

- Folds for safe, easy storage
- Accepts standard sabre and reciprocating saw blades
- Blade storage in handle for fast and easy blade changes



ı	SKU #	BLADE LENGTH POINTS PER IN.		TEETH PER IN.	BOX QTY	CTN QTY	UPC	
I	15-333	8 in	203 mm	10	9	_	6	076174153330



### 4-Way Keyhole Saw

- Pistol grip handle for cutting in hard to reach places
- Cuts wood, nails, composition board, BX cable and conduit
- Designed for cutting curves, circles and irregular shapes



SKU #	# OF	BLADES	USE	BLADE L	ENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
15 275	,	1	WOOD	7 in	178 mm	10	9		_	076174152753
15-275	_	1	METAL	7 in	178 mm	25	24	_	"	0/01/4132/33

# FATMAX® SAW

# STANLEY FATMAX

#### Y Fine Finish Back Saw

- Solid, one-piece bi-material handle for durability and comfort
- Designed for precise cutting including dovetails, miters and tenons
- Premium steel blade provides greater strength for longer life



SKU #	BLADE	LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CTN QTY	UPC
17-202	14 in	356 mm	14	13	4	24	076174172027



### **Clamping Miter Box**

- Cuts miters on 45° and 90° angles, face angle 45° and 22-1/2° angles
- Cam pins lock into honeycomb base to hold material securely for accurate cuts
- Holes in base for fastening to work bench



SKU #	DESCRIPTION	BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-112	Miter Box	_	_		6	076174201123
20-600	Miter Box with Saw	14 in	356 mm	-	6	076174206005



#### Miter Box with Saw

- 90°, 45° and 22-1/2° miter slots
- Holes in base for fastening to a workbench
- Designed for use with back or panel saws



SKU #	DESCRIPTION	BLADE	LENGTH	BOX QTY	CTN QTY	UPC
19-800	Miter Box with Saw	14 in	356 mm	_	6	076174198003



# **Clamping Miter Box with Saw**

- Ergonomic, slip-resistant grip for comfort
- Induction hardened teeth stay sharp up to 5X larger then standard teeth
- Precision design for smooth, accurate cuts in wood

SKU #	DESCRIPTION	BLADE LENGTH		BOX QTY	CTN QTY	UPC
20-800	Miter Box with Saw	22 in	560 mm	_	2	076174208009



# STANLEY. FATMAX.

### **ANTI-VIBE® HAMMERS**

STANLEY® Anti-Vibe® Technology isolates vibrations to the hammers head, minimizing the strain on your arm. Pounds nails, not arms. The steel core adds durability, shock resistance, and over-strike protection, while the FATMAX® composite handle with head to handle assembly futher reduces vibration in the handle.



# STANLEY® FATMAX® TWO-PIECE STEEL ANTI-VIBE® HAMMERS



# STANLEY FATMAX

### Two-Piece Steel Anti-Vibe® Hammers

- Two-piece steel hammer design helps reduce vibrations
- Anti-Vibe® handle grip for comfort and control
- Shock absorbing collar helps isolate vibrations to the hammer head
- Steel over-strike protection helps prevent damage to hammer body
- Magnetic nail starter for one-handed nail placement

SKU#	CLAW	FACE	OVERALI	. LENGTH	HEAD WEIGHT		BOX QTY	CTN QTY	UPC
FMHT51244	Rip	Checkered	16 1/4 in	412 mm	17 oz	481.94 g	2	1	076174512441
FMHT51249	Rip	Smooth	14 1/4 in	361 mm	14 oz	396.89 g	2	1	076174512496

# **HAMMER SELECTION GUIDE**





			-	ГҮРЕ		FAC	E				WEIG	HT OL	JNCES	5		
HAMMERS	Handle	Unique Feature	Framing	Rip	Curve	Checkered	Smooth	7	13	14	16	17	20	22	24	28
FatMax Anti-Vibe®	Two-Piece Steel	Absorbs Vibration	х	Х		Х	х				х		х	Х		х
FatMax® Graphite	Jacketed Graphite	Increased Durability versus Previous Model	х	х		Х								Х		
FatMax® Over-strike	Hickory	Protection	Х	Х		Х								Х		
FatMax® Hickory	Hickory	Magnetic Nail Starter	х	Х		Х								Х		
FatMax® Anti-Vibe® Hammer	One-Piece Steel	Larger Strike Face	Х	Х	х	Х	Х				х		Х	Χ		
One-Piece Steel	One-Piece Steel	_		Х	х		Х				х		Х			
Jacketed Graphite	Jacketed Graphite	_		Х	х		Х				х		Х			
Jacketed Fiberglass	Jacketed Fiberglass	Absorbs Vibration		Х	х		Х	Х			х		Х			
Wood	Wood	_		Χ	Х		Х	Χ	Х		Х					

TYPE	DESCRIPTION
Framing Hammers	Used for Framing and Heavy-Duty Construction
Rip Claw Hammers	Used for Heavy-Duty Carpentry
Curve Claw Hammers	Used for Light-Duty Carpentry

				HANDLE		
SPECIALTY HAMMERS	DESCRIPTION	Anti-Vibe®	Jacketed Graphite	Jacketed Fiberglass	Hickory	CompoCast®
Ball Pein	Striking chisels and punches, riveting and shaping or bending metal		Х		Х	
Engineer	Striking wood, metal or stone	Х		Х		Х
Blacksmith	Striking unhardened metals	Х		Х		Х
Drilling	Striking chisels and punches, star drills and unhardened nails in confined spaces	Х		Х		Х
Drywall	Installing drywall or gypsum board	Х				
Brick	Cutting/setting brick, stone and masonry	Х				Х
Carpenter's	Cutting/splitting wood, driving stakes and unhardened nails	Х				
Shingler's	Installing shingles and other roofing material	Х				
Tack	Holding and driving tacks and brads				Х	
Soft-Face	Soft face helps minimize marring and surface damage				Х	Х
Rubber Mallet	Rubber head face helps minimize marring and surface damage				Х	
Compo-Cast®	Dead blow function eliminates bounceback when striking hardened surface and helps prevent marring					х

## STANLEY® FATMAX® STEEL ANTI-VIBE® HAMMERS



#### Steel Anti-Vibe® Hammers Oversized Strike Face

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- 20% larger\* strike face for improved striking accuracy
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue

<sup>\*</sup> vs. Stanley's previous Anti-Vibe hammers

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD W	/EIGHT	BOX QTY	CTN QTY	UPC
NAILING HAMM	ERS								
51-162	Curve	Smooth	13-1/2 in	343 mm	16 oz	454 g		4	076174511628
51-163	Rip	Smooth	13-1/2 in	343 mm	16 oz	454 g	_	4	076174511635
51-165	Rip	Smooth	13-1/2 in	343 mm	20 oz	567 g	_	4	076174511659
FRAMING HAMI	<b>MERS</b>								
51-177	Rip	Smooth	16 in	406 mm	22 oz	624 g	_	2	076174511772
51-167	Rip	Checkered	16 in	406 mm	22 oz	624 g		2	076174511673
51-169	Rip	Checkered	16 in	406 mm	28 oz	794 g	_	2	076174511697

## STANLEY® FATMAX® FRAMING HAMMERS



## **Graphite Checkered**

## **Face Framing Hammers**

- Forged, heat-treated head for durability
- Jacketed graphic handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- Magnetic nail starter for one-handed nailing

SKU#	CLAW	HANDLE	OVERALI	OVERALL LENGTH		HEAD WEIGHT		CTN QTY	UPC
51-021	Rip	Axe	18 in	457 mm	22 oz	624 g	2	12	076174510218
51-000	Rip	Straight	18 in	457 mm	22 oz	624 g	2	12	076174510003



#### **Checkered Face**

#### **Over-strike Framing Hammers**

- Traditional, high-quality hickory long handle for extended reach
- · Forged and heat-treated head for durability
- Rim temper helps reduce incidences of chipping or spalling
- Magnetic nail starter for one-handed nailing
- Over-strike steel protection plate helps prevent handle damage

SKU #	CLAW	HANDLE	OVERALL	OVERALL LENGTH		HEAD WEIGHT		CTN QTY	UPC
51-403	Rip	Axe	18 in	457 mm	22 oz	624 g	2	12	076174514032



## **Hickory Checkered Face Framing Hammers**

- Traditional, high-quality hickory long handle for extended reach
- Forged and heat-treated head for durability
- Rim temper helps reduce incidences of chipping or spalling
- Magnetic nail starter for one-handed nailing

SKU #	CLAW	HANDLE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-402	Rip	Axe	18 in	457 mm	22 oz	624 g	2	12	076174514025

## **STANLEY® NAILING HAMMERS**



## **One-Piece Nailing Hammer**

- One-piece, forged high-carbon steel for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Ergonomically balanced for efficient nail driving
- Comfort grip helps reduce vibrations and reduce slipping

SKU #	CLAW	OVERALL LENGTH		HEAD V	VEIGHT	BOX QTY	CTN QTY	UPC
STHT51238	Rip	12 3/4 in	323 mm	16 oz	453.6 g	1	2	076174512380
STHT51246	Rip	13 1/2 in	342 mm	20 oz	566.9 g	1	2	076174512460



#### **One-Piece Steel Nailing Hammers**

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Slip-resistant handle for secure grip and comfort

SKU#	CLAW	FACE	OVERALL	OVERALL LENGTH		VEIGHT	BOX QTY	CTN QTY	UPC
51-126	Curve	Smooth	13 in	330 mm	16 oz	454 g	_	4	076174511260
51-127	Rip	Smooth	13 in	330 mm	16 oz	454 g	-	2	076174511277
51-129	Rip	Smooth	14 in	356 mm	20 oz	567 g	_	4	076174511291

\*Than traditional hammers



# **Gray Fiberglass Nailing Claw Hammers**

- Fiberglass core adds strength and helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- Ergonomic comfort grip for secure grip

SKU#	CLAW	FACE	OVERALL LENGTH		HEAD W	HEAD WEIGHT		CTN QTY	UPC
51-625	Curve	Smooth	13 in	330 mm	16 oz	454 g	4	24	076174516258
51-627	Rip	Smooth	13 in	330 mm	20 oz	567 g	4	24	076174516272



## **Yellow Fiberglass Nailing Hammers**

- Head designed for high efficiency nail driving
- Rubber grip for comfort and control
- High-visibility yellow color for easy identification in toolbox

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD V	HEAD WEIGHT		CTN QTY	UPC
51-112	Curve	Smooth	12 in	305 mm	7 oz	198 g	_	4	076174511123
51-621	Curve	Smooth	13 in	330 mm	16 oz	454 g	_	4	076174516210
51-622	Rip	Smooth	13 in	330 mm	16 oz	454 g	_	4	076174516227
51-624	Rip	Smooth	13 in	330 mm	20 oz	567 g	4	24	076174516241



## **Wood Nailing Hammers**

- Wood handle
- Forged, high carbon steel head for durability
- Rim temper helps reduce incidences of chipping or spalling

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-613	Curve	Smooth	11-1/2 in	292 mm	7 oz	198 g	_	6	076174516135
51-106	Curve	Smooth	13-1/4 in	337 mm	13 oz	369 g	_	4	076174511062
51-616	Curve	Smooth	13-1/4 in	337 mm	16 oz	454 g		6	076174516166
51-716	Rip	Smooth	13-1/4 in	337 mm	16oz	454 g	_	6	076174517163

## STANLEY® FATMAX® NAILING HAMMERS



#### **Graphite Nailing Hammers**

- Jacketed fiberglass handle helps reduce vibrations
- 70% larger\* strike face for improved striking accuracy
- Rim temper helps reduce incidences of chipping or spalling
- Ergonomic comfort grip to help reduce slippage

<sup>\*</sup> vs. Stanley's previous nailing hammers

SKU #	CLAW	FACE	OVERAL	OVERALL LENGTH		HEAD WEIGHT		CTN QTY	UPC
51-505	Curve	Smooth	13 in	330 mm	16 oz	454 g	2	8	076174515053
51-508	Rip	Smooth	13 in	330 mm	20 oz	567 g	_	4	076174515084

## STANLEY® FATMAX® SPECIALTY HAMMERS



### Anti-Vibe® Drilling Hammer - 3 lbs

- Vibration dampening particulate in handle dampens vibrations better than solid core handles
- Anti-Vibe® handle grip helps reduce vibration occurance
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERA	OVERALL LENGTH		IGHT	BOX QTY	CTN QTY	UPC
FMHT5600	11 in	279 mm	3 lbs	1360 g	1	2	076174560060



## Anti-Vibe® Engineer Hammer - 4 lbs

- Vibration dampening particulate in handle dampens vibrations better than solid core handles
- Anti-Vibe® handle grip helps reduce vibration occurance
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERALL LENGTH		HEAD WE	IGHT	BOX QTY	CTN QTY	UPC
FMHT56009	14-1/2 in	279 mm	4 lbs 1814 g		1	2	076174560084




#### Anti-Vibe® Blacksmith Hammer – 4 lbs

- Vibration dampening particulate in handle dampens vibration better than solid core handles
- Anti-Vibe® handle grip helps reduce vibrations
- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
FMHT56008	11 in	279 mm	4 lbs 1814 g		1	2	076174560091

# STANLEY FATMAX

### Anti-Vibe® Sledge Hammer





- Bullet nose strikeface provides 50% more power versus traditional heads
- Shatterproof fiberglass handle provides better durability versus wood handles



SKU #	OVERALL LENGTH		HEAD WE	HEAD WEIGHT		CTN QTY	UPC
FMHT56010	35 in	889 mm	6 lbs	2721 kg	1	2	076174560107
FMHT56011	35 in	889 mm	8 lbs	3628 kg	1	2	076174560114
FMHT56019	35 in	889 mm	10 lbs	4535 kg	1	2	076174560190



## Anti-Vibe® Engineer Hammer – 3 lbs

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- Ideal for striking wood, metal, or stone

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-004	15 in	381mm	3 lbs	1.36kg		4	076174560046



#### Anti-Vibe® Drilling Hammer – 3 lbs

- Ideal for striking chisels, punches, start drills and unhardened metals
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- Rim temper helps reduce incidences of chipping or spalling
- Forged, one-piece steel construciton for strength and durability

I	SKU #	SKU # OVERALL LENGTH		HEAD W	HEAD WEIGHT		CTN QTY	UPC
	<b>56-001</b> 11 in 280 mm		3 lbs 1.36 kg		_	4	076174560015	



#### Anti-Vibe® Blacksmith Hammer - 2 lbs

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- Ideal for striking unhardened metals

	SKU #			HEAD WEIGHT		BOX QTY	CTN QTY	UPC
ſ	56-003	14 in	356 mm	2 lbs	.90 kg	_	4	076174560039

#### **STANLEY® SPECIALTY HAMMERS**



#### **Engineer Hammers – Jacketed Fiberglass**

- Jacketed fiberglass handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- High-visibility yellow color for easy identification in toolbox
- Ideal for striking wood, metal, or stone

SKU #	SKU # OVERALL LENGTH		HEAD W	HEAD WEIGHT		CTN QTY	UPC
56-202	13-3/4 in	349 mm	2.5 lbs	1.13 kg	_	4	076174562026
56-204	14 in	356 mm	4.0 lbs	1.81 kg	_	4	076174562040



## **Drilling Hammers – Jacketed Fiberglass**

- Jacketed fiberglass handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- High-visibility yellow color for easy identification in toolbox
- Ideal for striking chisels, punches, start drills, and unhardened metals

SKU #	OVERALI	LENGTH	HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-705	10-3/4 in	273 mm	3 lbs	1.36 kg	_	4	076174567052



## **Blacksmith Hammers – Jacketed Fiberglass**

- Jacketed fiberglass handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- High-visibility yellow color for easy identification in toolbox
- Ideal for striking unhardened metals

SKU #	SKU # OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
56-218	13-3/4 in	349 mm	2.5 lbs	1.13 kg	4	4	076174562187
56-220	14 in	356 mm	4 lbs	1.81 kg	_	4	076174562200



## **Anti-Vibe® Drywall Hammer**

- Ideal for installing drywall or gypsum board
- Anti-Vibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability
- Precision balanced

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
54-015	14-1/2 in	368 mm	14 oz	1814 g	1	2	076174560084



#### Anti-Vibe® Brick Hammer - 20 oz

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- · Ideal for cutting and setting brick, stone or masonry

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
54-022	11 in	280 mm	20 oz	567 g	4	24	076174540222



## Anti-Vibe® Shingler's Hammer with Blade - 15 oz

- Forged, one-piece steel construction for strength and durability
- Rim temper helps reduce incidences of chipping or spalling
- Anti-Vibe® technology designed to reduce vibrations and arm fatigue
- Ideal for installing shingles and other roofing materials

SKU #	# OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
54-028	12-3/4 in	324 mm	15 oz	425 kg	2	12	076174540284



#### **Jacketed Graphite Ball Pein Hammers**

- Jacketed graphite handle helps reduce vibrations
- Rim temper helps reduce incidences of chipping or spalling
- Ideal for striking chisels and punches or riveting, shaping and bending metal

SKU #	OVERALL	. LENGTH	HEAD WEIGHT		BOX QTY	CTN QTY	UPC
54-716	12-3/4 in	324 mm	16 oz	454 g	_	4	076174547160



#### **Wood Ball Pein Hammers**

- Hickory handle for durability
- Rim temper helps reduce incidences of chipping or spalling
- Ideal for striking chisels and punches or riveting, shaping and bending metal

SKU #	OVERALL LENGTH		HEAD W	EIGHT	BOX QTY	CTN QTY	UPC
54-008	8 12-3/8 in 314 mm		8 oz	227 g	_	6	076174540086
54-012	13 in 330 mm		12 oz	340 g	_	6	076174540123
54-016	14 in 356 mm 16 oz		454 g	_	6	076174540161	
54-024	15-1/4 in	387 mm	24 oz	680 g	_	6	076174540246
54-032	15-7/8 in	403 mm	32 oz	907 g	_	4	076174540321
54-040	16-3/8 in	416 mm	40 oz	1134 g	_	4	076174540406



## Magnetic Tack Hammer – 5 oz

- Hickory handle for durability
- Magnetic tip for holding and driving tacks and brads
- Polished face

SI	KU#	OVERALL LENGTH		HEAD V	VEIGHT	BOX QTY	CTN QTY	UPC
54	1-304	10-1/4 in	260 mm	5 oz	142 g	6	24	076174543049



#### **Soft-Face Hammers**

- Hickory handle for durability
- Replaceable, soft plastic faces helps minimize marring and surface damage
- Ideal for fine finished surfaces

SKU #	OVERALL LENGTH		HEAD W	/EIGHT	BOX QTY	CTN QTY	UPC
57-594	12 in	305 mm	8 oz	227 g	6	24	076174575941



#### **Rubber Mallets**

- Wood Handle
- Rubber head helps minimize marring and surface damage

SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
51-104	13-1/2 in	343 mm	16 oz	454 g	2	4	076174511048
57-522	13-1/2 in	343 mm	18 oz	510 g	ı	5	076174575224

## STANLEY® COMPO-CAST® HAMMERS



#### **Compo-Cast® Standard Head Soft-Face Hammers**

- Uni-Cast™ construction of non-ferrous materials eliminates sparking
- Dead blow function helps eliminate bounceback when striking hardened surfaces
- Steel reinforced handle for strength and overstrike protection



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-530	10-1/8 in	257 mm	10 oz 284 g		1	4	076174575309
57-531	11-1/4 in	286 mm	18 oz	510 g	-	4	076174575316
57-532	12-7/8 in	327 mm	21 oz	595 g	_	4	076174575323
57-533	14-1/4 in	362 mm	42 oz	1191 g	_	4	076174575330
57-534	15-1/4 in	387 mm	52 oz	1474 g		2	076174575347



## **Compo-Cast® Slimline Head Soft-Face Hammers**

- Uni-Cast<sup>™</sup> construction of non-ferrous materials eliminates sparking
- Dead blow function helps eliminate bounceback when striking hardened surfaces
- Steel reinforced handle for strength and overstrike protection
- Slim body for assembly and repair applications



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-541	10-9/16 in	268 mm	14 oz 397 g		_	4	076174575415
57-542	12-1/8 in	308 mm	18 oz	510 g	1	2	076174575422



#### Compo-Cast® Soft-Face Sledgehammers

- Uni-Cast<sup>™</sup> construction of non-ferrous materials eliminates sparking
- Dead blow function helps eliminate bounceback when striking hardened surfaces
- Steel reinforced handle for strength and overstrike protection
- Flat area on head allows upright storage



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX QTY	CTN QTY	UPC
57-550	19-5/8 in	498 mm	5.0 lbs	2.26 g	2	2	076174575507
57-551	29-7/8 in	759 mm	8.0 lbs	3.62 g	ı	2	076174575514
57-552	29-7/8 in	759 mm	10.5 lbs	4.76 g	_	2	076174575521
57-554	36-1/8 in	918 mm	11.5 lbs	5.21 g	2	2	076174575545

# **STANLEY**



90-91

92-94

95

96-97

97

98-100

100-101

PUNCHES

# **STANLEY**

## **WONDER BAR®**

STANLEY® has elevated demolition tools from crude implements to precision-engineered tools that are essential and indispensible. The world-famous Wonder Bar® is one of the most popular flat bars on the market, useful for almost any prying, nail pulling, wood-splitting or levering job you are likely to encounter.





#### **Wonder Bars®**

- High-visibility, powder-coated finish
- Contoured for pulling nails, prying and lifting

SKU #	OVERALL LENGTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-515	12-3/4 in	324 mm	1.3 lbs	.59 kg	2	24	076174555158



#### 5-1/2" Mini Wonder Bar®

- Forged, high-carbon steel for strength and durability
- Contoured bar for pulling nails, prying and lifting
- Tear drop nail puller for easy nail removal

SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
STHT55046	5-1/2 in	140 mm	2-2/5 in	61 mm	.15 lbs	.07 kg	6	36	076174550467



#### Wonder Bar®

- Forged, high-carbon steel for strength and durability
- Beveled nail slot at both ends for versatility
- Contoured for pulling nails, prying and lifting
- Beveled nail slot at both ends

I	SKU #	OVERALL LENGTH		WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
	55-045	7-1/2 in	191 mm	7/8 in	22 mm	.24 lbs	.11 kg	6	36	076174550450



#### Super Wonder Bar®

- Forged, high-carbon steel for strength and durability
- Arched center for swing during nail pulling no need for wood block
- Polished and beveled cutting edges
- Extended tongue for grip and access in hard to reach areas

SKU #	OVERALL	. LENGTH	WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-525	15-1/2 in	394 mm	1-3/4 in	44 mm	1.75 lbs	.80 kg	_	4	076174555257



## Wonder Bar® X21 Pry Bar

- Spring steel construction for strength and durability
- Precision ground edges for prying and pulling
- Wide prying edge for better leverage
- Ideal for pulling nails, lifting or prying

SKU#	OVERALL	. LENGTH	ENGTH WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-526	21 in	533 mm	3-1/3 in	81 mm	.35 lbs	.16 kg	4		076174555264



## **Spring Steel Wonder Bar®**

- Spring steel construction for strength and durability
- Precision ground edges for prying and pulling
- Wide prying edge for better leverage

SKU#	OVERALI	OVERALL LENGTH		WIDTH		WEIGHT		CTN QTY	UPC
55-516	12-4/5 in	325.12 mm	2-1/2 in	63.5 mm	1.31 lbs	.59 kg	4	16	076174555165

## **STANLEY® ENTRY TOOLS**



## 3 Piece Pry Bar Set

- Stamped, one-piece steel construction for strength and durability
- Three bar sizes for versatility and multiple light-duty applications
- Tear drop nail pullers for easy nail removal

SKU #	OVERALL	. LENGTH	WID	WIDTH		GHT	BOX QTY	CTN QTY	UPC
STHT55135	12-2/5 in	315 mm	4-9/16 in	124 mm	.80 lbs	.36 kg	4	24	07617455138



## 9" Scraper Bar

- One-piece steel construction for strength and durability
- Multi-level design for easy nail pulling
- Precision sharpened ends for scraping away materials
- Tear drop nail puller for easy nail removal

SKU #	OVERALL	OVERALL LENGTH		WIDTH		GHT	BOX QTY	CTN QTY	UPC
STHT55530	10-1/2 in	266.7 mm	3-1/5 in	81.3 mm	.35 lbs	.16 kg	4	24	076174555301



## **FUBAR® Forcible Entry Tool**

- Forged, one-piece steel construction for durability
- Heat treated and tempered striking face helps prevent chipping
- 8-in-1 tool designed by responders for vehicle extraction and extreme demolition
- Demolition Head
- Gas Shut-Off Feature
- Spanner Wrench
- Pry Bar
- Hydrant Wrench
- Board Jaw (Lumber)
- Board Jaw (Square Hydrant Nuts)
- Nail Slot

SKU #	OVERALL LENGTH		WEI	WEIGHT		CTN QTY	UPC
55-121	18 in	457 mm	6 lbs	2.7 kg	_	4	076174551211
55-122	30 in	762 mm	11 lbs	5 kg	_	2	076174551228



#### **FUBAR® Functional Utility Bar**

- Forged, one-piece steel for durability
- 4-in-1 tool for prying, splitting, board bending and striking jobs
- Heat treated and tempered striking face helps prevent chipping
- Board grabbing jaw sized for 2X lumber
- Beveled nail slot for pulling and prying nails
- Textured grip for excellent comfort and control

SKU #	OVERALL LENGTH		BLADE WIDTH		WEI	GHT	BOX QTY	CTN QTY	UPC
55-119	15 in	381 mm	1 in	25 mm	2.5 lbs	1.1 kg	_	2	076174551198
55-099	18 in	457 mm	1-1/2 in	.38 mm	4 lbs	1.8 kg	-	2	076174550993
55-120	30 in	762 mm	2 in	.51 mm	9 lbs	4 kg		1	076174551204

## **STANLEY® FATMAX® ENTRY TOOLS**

# STANLEY FATMAX

### **Spring Steel Wrecking Bars**



- Slotted claw and beveled ends for functionality and performance
- 25%\* wider prying edge for better leverage
- Ideal for heavy demolition work

<sup>\*</sup>compared to 55-102 FATMAX Wrecking Bar

SKU #	LEN	GTH	BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-503	24 in	610 mm	2-1/4 in	57 mm	4 lbs	1.8 kg	_	2	076174555035
55-504	36 in	914 mm	2-1/4 in	57 mm	6 lbs	2.7 kg	_	2	076174555042
FMHT55521	42 in	1067 mm	2-1/4 in	57 mm	7 lbs	3.2 kg	_	2	076174555219



#### **Wrecking Bars**

- High-carbon steel construction for strength
- Tri-lobe design for secure grip and ease of use
- Slotted claw and beveled ends for functionality and performance
- Ideal for heavy demolition work

SKU #	LENGTH		BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-101	14 in	343 mm	1in	25 mm	1.7 lbs	.77 kg	_	4	076174551013
55-102	24 in	597 mm	1-3/4 in	44 mm	5.7 lbs	2.5 kg	_	4	076174551020
55-104	36 in	889 mm	1-3/4 in	44 mm	8.4 lbs	3.8 kg	_	4	076174551044



#### **Utility Bar**

- Slotted claw for functionality
- Ground, beveled ends for performance
- Flat striking face for heavy-duty demolition work

SKU #	LEN	IGTH	BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
55-004	17-7/8 in	477 mm	1-1/8 in	29 mm	1.93 lbs	.875 kg	2	16	076174550047

## **STANLEY® DEMOLITION BARS**



#### **Demolition Bar**

- Three striking surfaces for ripping, cutting and prying
- Bi-material grip for comfort and to help reduce slipping
- Wide, beveled end for prying and nail pulling

SKU #	OVERALL LENGTH		WEI	GHT	BOX QTY	CTN QTY	UPC
STHT55134	11-1/2 in	292 mm	2.21 lbs	1 kg	2	6	076174555103



## **Forged Hexagonal Steel Ripping Bars**

- High-carbon steel construction for strength
- Slotted claw and beveled ends for functionality and performance
- Ideal for basic demolition work

SKU #	LEN	LENGTH		BLADE WIDTH		WEIGHT		CTN QTY	UPC
55-118	18 in	457 mm	1 in	25 mm	2 in	907 mm	6	6	076174551181
55-124	24 in	597 mm	1-1/4 in	32 mm	3.7 in	1.68 mm	6	6	076174551242
55-130	30 in	762 mm	1-1/4 in	32 mm	4.5 in	2.04 mm	6	6	076174551303
55-136	36 in	914 mm	1-1/4 in	32 mm	5.3 in	2.40 mm	6	6	076174551365



#### **Combination Nail Claw and Chisel – 15**"

- High-carbon steel construction for strength
- 90° offset claw for prying leverage
- Bevel sharpened ripping chisel for basic demolition work

SKU #	LEN	NGTH BLADE WIDTH		WIDTH	WEI	GHT	BOX QTY	CTN QTY	UPC
55-040	15 in	381mm	1 in	25mm	1.5 lbs	.68 kg	5	25	076174550405

## **STANLEY® MOLDING BAR**



## **Precision Molding Bar**

- Forged, high-carbon alloy steel for strength and durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Polished flat surface and beveled claws for precision
- Tempered to help reduce chipping
- Ideal for reducing material damage when prying molding and trim

SKU	#	LENGTH		WEIG	BOX QTY	CTN QTY	UPC	
55-1	16	8 in	203 mm	.5 lbs	.23 kg	2	6	076174551167
55-1	17	10 in	254 mm	.7 lbs	.32 kg	2	6	076174551174

## STANLEY® FATMAX® MOLDING BAR



### 10" Molding bar





- Forged, high-carbon spring steel for strength and durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Polished flat surface and beveled claws for precise penetration
- Ergonomic grip for comfort

SKU #	SKU # LENGTH		WEIG	SHT	BOX QTY	CTN QTY	UPC
55-510	10 in	363 mm	0.86 lbs	.396 kg	2	2	076174551341



## **Precision Molding Bars**






- Polished, beveled claws for precise pulling and prying
- Tempered to help reduce chipping


SKU #	SKU # LENGTH		BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
STHT55144	8 in	203 mm	2-1/2 in	63.5 mm	.5 lbs	.23 kg	2	6	076174551440
FMHT55137	10 in	254 mm	2-4/5 in	71.1 mm	.86 lbs	.39 kg	2	6	076174555103

## STANLEY® FATMAX® CLAW BARS

# STANLEY FATMAX

#### **Precision Claw Bars**





- Polished, beveled claws for precise penetration
- Tempered to help reduce chipping
- Ideal for precision nail pulling and prying

SKU #	SKU #         LENGTH           55-126         10 in         254 mm           FMHT55138         12 in         305 mm           55-123         14 in         356 mm		WEI	WEIGHT			UPC
55-126			.67 lbs	67 lbs .3 kg		6	076174551266
FMHT55138			1.06 lbs	.48 kg	2	6	076174551389
55-123			1.3 lbs	.59 kg	2	6	076174551235

## **STANLEY® CLAW BARS**



#### **Precision Claw Bars**

- Ideal for precision nail pulling and prying
- Polished, beveled claws for precise penetration
- Flat striking face allows claw to be driven under deeply embedded nails
- Forged, high-carbon alloy steel for long life
- Tempered to help reduce chipping

SKU #	LENGTH		WEI	WEIGHT			UPC
55-113	8 in	203 mm	.5 lbs	.23 kg	2	6	076174551136
55-114	10 in	254 mm	.7 lbs	.32 kg	2	6	076174551143
55-115	12 in	305 mm	1 lbs	.45 kg	2	6	076174551150



## Offset Pattern Ripping Chisel - 17"

- High-carbon steel construction for strength and durability
- Slotted claw and beveled ends for functionality and performance
- Offset ripping bar allows for side pulling and ripping

	SKU #	LENGTH		BLADE WIDTH		WEIGHT		BOX QTY	CTN QTY	UPC
ı	55-818	17 in	432 mm	1 in	25 mm	1.9 lbs	.86 kg	5	5	076174558180



#### **Nail Claw**

- Heat treated for durability
- Extracting claw with beveled nail slot for prying and nail pulling
- Ergonomic comfort grip helps reduce slipping

SKU #	LENGTH		WEI	WEIGHT			UPC
55-033	10-1/4 in 260 mm		1.1 lbs	.23 kg	6	36	076174550337



#### **Nail Puller**

- Heat treated for durability
- Double end puller with 90° and 30° offset claws
- Full sharpened claw tips for prying and nail pulling

SKU #	SKU # LENGTH		WEI	GHT	BOX QTY	CTN QTY	UPC
55-035	11 in	279 mm	1.2 lbs	.54 kg	5	25	076174550351

## **STANLEY® SPECIALTY TOOLS**



#### **Board Bender Deck Tool**

- High-carbon steel construction for strength and durability
- Cushioned handle designed for kneeling to free both hands for nailing
- Ideal for straightening decking and joists

SKU #	J# LENGTH		WEIG	WEIGHT			UPC
93-310	26 in	660 mm	5 lbs	2.27 kg		2	076174933109





#### **Panel Carry**

• Provides balance for easy carrying of plywood and drywall


SKU #	COLOR	LEN	LENGTH		PANEL WIDTH		WEIGHT		CTN QTY	UPC
93-300	Orange	14-1/2 in	368 mm	6-1/2 in	165 mm	.6 lbs	.27 kg	6	6	076174993000
93-301	Yellow	14-1/2 in	368 mm	6-1/2 in	165 mm	.6 lbs	.27 kg	6	6	076174933017

## STANLEY® FATMAX® COLD CHISELS

#### STANLEY FATMAX

#### **Cold Chisel**





- Ergonomic, bi-material handle helps reduce vibrations and protect from overstrike
- Ideal for cutting and shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
FMHT16398	FMHT16398 Wrought Iron, Cast-Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts and Rivets		305 mm	3/4 in	19 mm	3	18	076174163988
16-332	Wrought Iron, Cast-Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts and Rivets	12 in	305 mm	1 in	25 mm	3	18	076174163322

# STANLEY FATMAX

#### **Brick Set**



- Forged, one-piece steel construction for strength
- 1" heat-treated tip allows for sharpening
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle/guard helps reduce vibrations and protect from overstrike
- Ideal for cutting brick and masonry

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-327	Brick and Masonry	8-1/2 in	216 mm	3 in	76 mm	3	18	076174163278
16-328		8-1/2 in	216 mm	4 in	102 mm	3	18	076174163285

## STANLEY FATMAX

#### **Concrete Chisel**




- Forged, one-piece steel construction for strength
- Bull point cuts fast and lasts long
- Hardened, quenched and tempered for long life and durability
- Ergonomic, bi-material handle/guard helps reduce vibrations and protect from overstrike
- Ideal for cutting through and breaking up concrete

SKU #	SKU # APPLICATION		LENGTH		BLADE WIDTH		CTN QTY	UPC
16-329	Concrete	12 in	305 mm	3/4 in	19 mm	3	18	076174163292

# STANLEY FATMAX


STANLEY

#### Floor Chisel










• Ideal for cutting, prying, or ripping of hardwood flooring and nails


SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-331	Hardwood Flooring and Nails	11 in	279 mm	3 in	76 mm	3	18	076174163315

# STANLEY FATMAX

#### **Mason Chisel**







• Ideal for cutting and splitting hard stone, brick and concrete



SKU#	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-334	Hard Stone, Brick and Concrete	8-1/2 in	216 mm	2-3/4 in	70 mm	3	18	076174163346

## **STANLEY® COLD CHISELS**



#### **Cold Chisel**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for cutting and shaping wrought iron, cast iron, steel, brass, bronze, copper, aluminum, bolts, nuts, and rivets

SKU #	APPLICATION	LEN	GTH	BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-286		5-9/16 in	141 mm	3/8 in	10 mm	3	24	076174162868
16-287		6 in	152 mm	1/2 in	13 mm	3	24	076174162875
16-288	Wrought Iron, Cast-Iron,	6-3/4 in	171 mm	5/8 in	16 mm	3	24	076174162882
16-289	Steel, Brass, Bronze, Copper, Aluminum, Bolts,	6-7/8 in	175 mm	3/4 in	19 mm	3	24	076174162899
16-290	Nuts and Rivets	8 in	203 mm	7/8 in	22 mm	3	24	076174162905
16-291		12 in	305 mm	1 in	25 mm	3	24	076174162912
16-292 (Flat)		12 in	305 mm	1-1/4 in	32 mm	3	24	076174162929

## STANLEY® BRICK SETS AND CHISELS



#### **Brick Set**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for cutting and splitting brick and concrete

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-296	Driek and Consusta	8-1/2 in	216 mm	3 in	76 mm	3	24	076174162967
16-297	Brick and Concrete	8-1/2 in	216 mm	4 in	102 mm	3	24	076174162974



#### **Mason Chisel**

- Forged, one-piece steel construction for strength
- · Hardened, quenched and tempered for long life and durability
- Ideal for cutting and splitting hard stone, brick and concrete

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-294	Hard Stone, Brick and Concrete	8-1/2 in	216 mm	1-3/4 in	44 mm	3	24	076174162943
16-295		8-1/2 in	216 mm	2-3/4 in	70 mm	3	24	076174162950



#### **Floor Chisel**

- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Designed with offset blade and short bite for leverage
- Ideal for cutting, prying or ripping hardwood flooring and nails

SKU #	APPLICATION	LENGTH		BLADE WIDTH		BOX QTY	CTN QTY	UPC
16-293	Hardwood Flooring and Nails	11 in	280 mm	3 in	76 mm	3	24	076174162936

## STANLEY® PUNCHES



#### **Center Punch**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for marking metal or making indentations for starting drill holes

SKU #	APPLICATION	LENGTH		POINT DIAM.		BOX QTY	CTN QTY	UPC
16-227	Marking Metal	4 in	102 mm	1/4 in	6 mm	3	24	076174162271



#### **Starter Punch**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for starting drill holes

SKU #	APPLICATION	LENGTH		POINT DIAMETER		BOX QTY	CTN QTY	UPC
16-229	Starting Drill Holes	5-1/2 in	140 mm	3/32 in	2 mm	3	24	076174162295



#### Pin Punches

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for starting drill holes

SKU#	APPLICATION	LEN	LENGTH		POINT DIAMETER		CTN QTY	UPC
16-230		6 in	152 mm	1/16 in	2 mm	3	24	076174162301
16-231		6 in	152 mm	1/8 in	3 mm	3	24	076174162318
16-233	Starting Drill Holes	6 in	152 mm	3/16 in	5 mm	3	24	076174162332
16-234		6 in	152 mm	1/4 in	6 mm	3	24	076174162349
16-235		6 in	152 mm	5/16 in	8 mm	3	24	076174162356



#### **Prick Punch**

- Forged, one-piece steel construction for strength and durability
- Hardened, quenched and tempered for long life
- Ideal for marking metal

SKU#	APPLICATION	LENGTH		POINT DIAMETER		BOX QTY	CTN QTY	UPC
16-236	Marking Metal	5-1/2 in	140 mm	3/8 in	10 mm	3	24	076174162363



#### **Cold Chisel and Punch Kits**


- Forged, one-piece steel construction for strength
- Hardened, quenched and tempered for long life and durability
- Ideal for starting drill holes, marking metal, and cutting and splitting hard stone, brick, and concrete

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
16-298	3-Piece Cold Chisel Kit	3	24	076174162981
16-226	6-Piece Punch Kit	3	24	076174162264
16-299	12-Piece Punch & Chisel Kit	3	12	076174162998

# STANLEY

CHISELS & NAIL SETS









## Thru-Tang™ Wood Chisels

- 50%\* stronger with steel Thru-Tang™ shaft and steel striking cap for use with steel hammer
- Blade guard protects working edges of blade when not in use and can be mounted to wall for storage

\*compared to 16-300 Stanley Wood Chisel Set

SKU #	BLADE	WIDTH	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
16-973	1/4 in	6 mm	9 in	228 mm	2	24	076174169737
16-974	3/8 in	10 mm	9 in	228 mm	2	24	076174169744
16-975	1/2 in	12 mm	9 in	228 mm	2	24	076174169751
16-976	5/8 in	16 mm	9 in	228 mm	2	24	076174169768
16-977	3/4 in	18 mm	9 in	228 mm	2	24	076174169775
16-978	1 in	25 mm	9 in	228 mm	2	24	076174169782
16-979	1-1/4 in	32 mm	9 in	228 mm	2	24	076174169799
16-980	1-1/2 in	38 mm	9 in	228 mm	2	24	076174169805
16-981	2 in	50 mm	9 in	228 mm	2	24	076174169812



#### STANLEY FATMAX


# Thru-Tang™ Wood Chisel Sets

- Hardened, tempered high-chrome carbon alloy steel blade for edge retention
- Ergonomically designed, bi-material grip for comfort and shatter resistance
- 50%\* stronger with steel Thru-Tang™ shaft and steel striking cap for use with steel hammer
- Blade guard protects working edges of blade when not and use and can be mounted to wall for storage

SKU #	BLADE	WIDTH	WIDTH OVERALL LENGTH		CTN QTY	UPC
FATMAX® (	FATMAX® CHISEL SETS CONTAINS		BOX QTY	CTN QTY	UPC	
FMHT16983	4 Pieces	16-975 – Ch 16-977 – Ch	16-973 – Chisel 1/4 in 16-975 – Chisel 1/2 in 16-977 – Chisel 3/4 in 16-978 – Chisel 1 in		4	076174169836
16-970	3 Pieces	16-975 – Chisel 1/2 in 16-977 – Chisel 3/4 in 16-978 – Chisel 1 in		1	6	076174169706
16-971	6 Pieces	16-973 – Chisel 1/4 in 16-975 – Chisel 1/2 in 16-977 – Chisel 3/4 in 16-978 – Chisel 1 in 16-979 – Chisel 1-1/4 in 16-980 – Chisel 1-1/2 in		1	6	076174169713

# STANLEY FATMAX

## 1" Folding Pocket Chisel



- Hardwood handle for comfort and impact resistance
- Micro-precision ground for superior sharpness
- Leather pouch included for convenient storage



SKU #	BLADE WIDTH		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
FMHT16145	1 in	25 mm	9 in	228 mm	1	4	076174161458

<sup>\*</sup> Compared to 16-300 Stanley Wood Chisel Set

## **STANLEY® WOOD CHISELS**



#### **Wood Chisels**

- Hardened, tempered chrome carbon steel construction for edge retention
- Ergonomically designed, bi-material handle for comfort and impact resistance
- Short series blade for strength and control
- Blade guard protects working edges of blade when not in use and can be mounted to wall for storage

SKU #	BLADE \	WIDTH	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
16-304	1/4 in	6 mm	9 in	228 mm	2	24	076174163049
16-308	1/2 in	12 mm	9 in	228 mm	2	24	076174163087
16-312	3/4 in	18 mm	9 in	228 mm	2	24	076174163124
16-316	1 in	25 mm	9 in	228 mm	2	24	076174163162
16-320	1-1/4 in	32 mm	9 in	228 mm	2	24	076174163209
16-324	1-1/2 in	38 mm	9 in	228 mm	2	24	076174163247
CHIS	EL SETS		CONTAINS		BOX QTY	CTN QTY	UPC
16-300	3 Pieces	16-308 – Chisel 1/2 in 16-312 – Chisel 3/4 in 16-316 – Chisel 1 in			2	12	076174163001



### **3-Piece Wood Chisel Set**

- Forged, lacquered steel blades for rust resistance and long life
- Polypropylene handles for durability and comfort
- Fully precision ground short series blades for strength and control

SKU #	CONTAINS		BLADE WIDTH OVERALL LENGTH		BOX QTY	CTN QTY	UPC		
	16-153 – Chisel 1/2 in	1/2 in	12 mm	7-3/4 in	199 mm				
16-150	16-150 3 Pieces	16-155 – Chisel 3/4 in	3/4 in	18 mm	7-3/4 in	199 mm	5	30	076174161502
	16-157 – Chisel 1in	1 in	25 mm	7-3/4 in	199 mm	]			





# **Sweetheart® 750 Series Socket Chisels**

- Classic 750 series design
- High-carbon chrome steel construction with tapered beveled sides
- Hornbeam wood handle for durability
- Long, thin blade design ideal for woodworkers

SKU #	BLADE	WIDTH	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
16-781	1/8 in	4 mm	8.43 in	214 mm	3	18	076174167818
16-782	1/4 in	6 mm	8.66 in	220 mm	3	18	076174167825
16-784	3/8 in	10 mm	8.86 in	225 mm	3	18	076174167849
16-785	1/2 in	12 mm	9.09 in	231 mm	3	18	076174167856
16-786	5/8 in	16 mm	9.33 in	237 mm	3	18	076174167863
16-787	3/4 in	18 mm	9.53 in	242 mm	3	18	076174167870
16-788	1 in	25 mm	9.96 in	253 mm	3	18	076174167887
16-789	1-1/4 in	32 mm	10.35 in	263 mm	3	18	076174167894
SWEETHEART™	CHISEL SETS						
16-791	4 Pieces	16-785 – Sweet 16-787 – Sweet	heart® Chisel – 1/4 heart® Chisel – 1/2 heart® Chisel – 3/4 heart® Chisel – 1 ii	in I in	1	5	076174167913
16-793	8 Pieces	16-781 – Sweetheart® Chisel – 1/8 in 16-782 – Sweetheart® Chisel – 1/4 in 16-784 – Sweetheart® Chisel – 3/8 in 16-785 – Sweetheart® Chisel – 1/2 in 16-786 – Sweetheart® Chisel – 5/8 in 16-787 – Sweetheart® Chisel – 3/4 in 16-788 – Sweetheart® Chisel – 1 in 16-789 – Sweetheart® Chisel – 1-1/4 in			1	3	076174169731



# STANLEY® BAILEY® CHISEL SETS





#### **5-Piece Chisel Set**

- High quality, carbon chrome steel construction for edge retention
- Hardwood handle for comfort and impact resistance
- Micro-precision ground for superior sharpness
- Leather pouch included for convenient storage

SKU #	CONTAINS		BOX QTY	CTN QTY	UPC
16-401	5 Pieces	16-975 — Bailey <sup>®</sup> Chisel 1/4 in 16-977 — Bailey <sup>®</sup> Chisel 1/2 in 16-978 — Bailey <sup>®</sup> Chisel 3/4 in 16-979 — Bailey <sup>®</sup> Chisel 1/4 in 16-980 — Bailey <sup>®</sup> Chisel 1-1/4 in	2	2	076174164015

## **STANLEY® NAIL SETS**



### **Cushion Grip Nail Sets**

- Fully hardened, precision milled steel for long life
- Square head helps prevent rolling when set down
- Ideal for setting unhardened nails below surface of wood

SKU #	OVERALL	LENGTH	TIP SIZE		BOX QTY	CTN QTY	UPC
58-911	5 in	127 mm	1/32 in	0.80 mm	6	36	076174589115
58-912	5 in	127 mm	2/32 in	1.52 mm	6	36	076174589122
58-913	5 in	127 mm	3/32 in	2.29 mm	6	36	076174589139
NAIL SET		CONT	AINS	BOX QTY	CTN QTY	UPC	
58-930	3 Pieces	58-911 — Nail Setter 1/32 in 58-912 — Nail Setter 2/32 in 58-913 — Nail Setter 3/32 in			6	36	076174589306



#### **Square Head Nail Set**

- Long length for setting nails in hard-to-reach areas
- Fully hardened, precision-milled steel for long life
- Square head prevents rolling when set down

SKU #	OVERALI	LENGTH TIP SIZE		SIZE	BOX QTY	CTN QTY	UPC
58-111	4 in	101 mm	1/32 in	0.80 mm	6	72	076174581119
58-112	4 in	101 mm	2/32 in	1.52 mm	6	72	076174581126
58-113	4 in	101 mm	3/32 in	2.29 mm	6	72	076174581133
58-114	4 in	101 mm	4/32 in	3.17 mm	6	72	076174581140
NAIL SET		CON	TAINS	BOX QTY	CTN QTY	UPC	
58-230	3 Pieces	58-111 — Nail Setter 1/32 in 58-112 — Nail Setter 2/32 in 58-113 — Nail Setter 3/32 in			6	72	076174582307



## **Self-Centering Nail Set**

- Nickel plated for durability
- Sets 4D and 6D finishing nails
- Designed to reduce marring of wood surfaces

SKU #	OVERAL	OVERALL LENGTH		FACE DIAMETER		CTN QTY	UPC
58-011	3-5/32 in	80 mm	9/16 in	14 mm	6	36	076174580112



## **Self-Centering Screw Hole Punch**

- Nickel plated for durability
- Ideal for self-centering of hinges and catches

SKU #	OVERALL LENGTH		FACE DIAM.		BOX QTY	CTN QTY	UPC
58-013	3-1/16 in	78 mm	3/8 in	9.5 mm	6	36	076174580136

# **STANLEY**



STAPLERS & BRAD NAILERS	112-115
HAMMER TACKERS	115
STAPLES & BRAD NAILS	116-119
BRAD NAILS	120
GLUE GUNS	120-121
GLUE STICKS	121-122
RIVETERS	123
RIVETS & PLATES	124-125
FASTENING SELECTION GUIDES	126-127
CLAMPS & VISES	128-129







#### **All-Steel Heavy-Duty Staple Gun**

- Chrome plated all-steel construction for durability
- Bottom loading allows for quick and easy reloading
- Anti-jam mechanism helps save time on the job
- Used for everyday stapling needs around the jobsite, home or office

SKU#	BODY COLOR	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
TR110	Chrome	7 in	181 mm	_	6	076174060553



### **Heavy-Duty Staple Gun/Brad Nailer**

- High/Low setting for stapling or nailing hard or soft materials
- Heavy-duty aircraft aluminum construction for lighweight and durability
- Easy squeeze handle helps reduce hand fatigue
- Retractable wire guide for accurate staple placement

SKU#	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
TR250	Gray/Black 7 in		178 mm	_	6	076174050073



#### Heavy-Duty Staple Gun with High/Low Setting

- High/Low setting for stapling hard or soft materials
- Anti-jam mechanism helps save time on the job
- Easy squeeze handle helps reduce hand fatigue
- Heavy-duty aircraft aluminum construction for lighweight and durability

SKU #	BODY COLOR	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
TR150HL	Yellow/Black	Yellow/Black 7 in		_	6	076174058420



## **Heavy-Duty Staple Gun**

- Anti-jam mechanism helps save time on the job
- Easy squeeze handle helps reduce hand fatigue
- Heavy-duty aircraft aluminum construction for lighweight and durability

SKU #	BODY COLOR	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
TR150	Yellow/Black	7 in	178 mm		6	076174058574

#### STANLEY® LIGHT-DUTY STAPLE GUNS



## All-Steel Light-Duty Staple Gun

- Perfect for everyday stapling needs around the home or office
- Lightweight with convenient handle lock for safe storage
- Quick jam-clear mechanism saves time and hassle
- Chrome-plated steel construction for durability

SKU #	BODY COLOR	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
TR45	Chrome	6 in	152 mm	_	8	045731131470
TR45K	Chrome	6 in	152 mm	_	4	045731132545
TR45C4	Chrome	6 in	152 mm	_	4	045731131470



## **Light-Duty Staple Gun**

- Soft grip handle for comfort
- Easy squeeze mechanism
- Built-in staple remover for added convenience
- Large window on bottom of stapler for indicating when staples need to be reloaded

SKU #	BODY COLOR	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
TR40	Gray	5-1/2 in	140 mm		6	076174060621



## **All-Plastic Light-Duty Staple Gun**

- Large window on stapler for indicating when staples need to be reloaded
- Used for screen repairs, light upholstery, craft projects, office, home, and school tacking

SKU#	BODY COLOR	OVERALL LENGTH		BOX QTY	CRTN QTY	UPC
TR35	Yellow/Black	5-1/2 in	140 mm	_	6	076174060614

## STANLEY® HEAVY-DUTY CABLE TACKER



## 2-in-1 Heavy-Duty Cable Tacker

- Accepts both round crown and flat narrow crown staples
- Integrated wire guide for accurate staple placement
- High/Low setting for hard and soft materials
- Heavy-duty aircraft aluminum construction for lighweight and durability

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
CT10X	Gray/Black	7-1/8 in	181 mm	3	12	076174051001

## **STANLEY® ELECTRIC STAPLERS & BRAD NAILERS**



#### **Electric Brad Nailer**

- Soft grip handle and cap for comfort
- Power adjustment dial provides varriable settings
- Jam-clear mechanism helps save time on the job
- Low-brad indicator window for ability to see when to reload

SKU #	BODY COLOR	OVERALL	OVERALL LENGTH		CTN QTY	UPC
TRE650	Gray/Black	10-1/2 in	267 mm	_	2	076174050059



#### **Electric Stapler/Brad Nailer**

- · Heavy-duty design for powerful driving
- Power adjustment dial provides varriable settings
- Flat nose for flush stapling and nailing
- Anti-jam mechanism saves time on the job

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
TRE550	TRE550 Gray/Black		184 mm	_	4	076174058581

## **STANLEY® HAMMER TACKERS**



## **Heavy-Duty Hammer Tacker**

- Heavy-duty steel construction for durability
- Rubber grip absorbs shock and helps protect hand
- Loads two full sticks of heavy-duty staples

SKU #	WEIGHT LBS.	CAPAC- ITY	FASTENER TYPE	FASTENER LENGTH	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
PHT150C	2.13	84	Heavy Duty Staples	1/4 in - 3/8 in (6 mm-10 mm)	12 in	305 mm		6	045731046439

## STANLEY

#### **Hammer Tacker**



- Driver mechanism delivers more than 500,000 cycles for long life
- Ergonomic grip helps minimize fatigue and helps maximize comfort
- Chrome-plated steel construction for corrosion resistance and durability
- Loads two full sticks of heavy-duty staples

SKU #	WEIGHT LBS.	CAPACITY	FASTENER TYPE			OVERALL LENGTH		CTN QTY	UPC
PHT2500	2.64	2 Sticks	Heavy Duty Staples	5/16 in - 1/2 in (8 mm-12 mm)	13-1/2 in	342 mm	1	6	076174058369

Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.

## **STANLEY® HEAVY-DUTY STAPLES**



## **TRA700 Series Heavy-Duty Staples**

• Ideal for insulation, carpet underlayment, and roofing felt

SKU #	LEG LE	NGTH	CROWN	WIDTH	PACK SIZE	BOX QTY	CTN QTY	UPC
TRA704T	1/4 in	6 mm	27/64 in	11 mm	1000	7	56	076174054194
STHT71833	1/4 in	6 mm	27/64 in	11 mm	1250	_	15	076174718331
TRA704-5C	5/16 in	8 mm	27/64 in	11 mm	5000	_	9	045731059675
TRA705T	5/16 in	8 mm	27/64 in	11 mm	1000	6	48	076174054279
TRA705-5C	5/16 in	8 mm	27/64 in	11 mm	5000	_	8	076174058260
STHT71834	5/16 in	8 mm	27/64 in	11 mm	1250	_	15	076174718348
TRA706T	3/8 in	10 mm	27/64 in	11 mm	1000	5	40	076174054286
TRA706-5C	3/8 in	10 mm	27/64 in	11 mm	5000	_	7	045731043636
STHT71836	3/8 in	10 mm	27/64 in	11 mm	1250	_	15	076174718362
TRA708T	1/2 in	13 mm	27/64 in	11 mm	1000	4	32	076174054293
STHT71837	1/2 in	13 mm	27/64 in	11 mm	1250	_	15	076174718379
TRA708-5C	1/2 in	14 mm	27/64 in	11 mm	5000		5	045731059699
TRA709T	9/16 in	14 mm	27/64 in	11 mm	1000	4	32	076174054309
STHT71838	9/16 in	14 mm	27/64 in	11 mm	1250	_	15	076174718386



## **Heavy-Duty Staple & Brad Assortments**

- 5/8" 18 GA brad nails (SWKBN625)
- 1/4" heavy-duty staples (TRA704)
- 5/16" heavy-duty staples (TRA705)
- 3/8" heavy-duty staples (TRA706)
- 1/2" heavy-duty staples (TRA708)
- 9/16" heavy-duty staples (TRA709)

SKU #	PIECE COUNT	CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRA700BN	2,500	27/64 in	11 mm	2500	5	20	076174057270
TRA700BN35	3,000	27/64 in	11 mm	3500	5	20	076174057287

Arrow, T50 and JT-21 are trademarks of Arrow Fastener Co., Inc.



## TRA700SST Series Heavy-Duty Stainless Steel Staples

- Stainless steel construction for corrosion rust resistance
- Ideal for high moisture environments

SKU #	LEG LENGTH		CROWN	WIDTH	PACK SIZE	BOX QTY	CTN QTY	UPC
TRA704SST	1/4 in	6 mm	27/64 in	11 mm	1000	7	56	076174058505
TRA706SST	3/8 in	10 mm	27/64 in	11 mm	1000	5	40	076174058529
TRA708SST	1/2 in	13 mm	27/64 in	11 mm	1000	4	32	076174058536

#### **STANLEY® LIGHT-DUTY STAPLES**



## **TRA200 Light-Duty Staple Assortments**

- 500 pieces 1/4" light-duty staples
- 500 pieces 5/16" light-duty staples
- 500 pieces 3/8" light-duty staples

SKU #	LEG LENGTH		CROWN	CROWN WIDTH		BOX QTY	CTN QTY	UPC
TRA200BN	_	_	29/64 in	11 mm	1500	5	20	076174057263



## **Light-Duty Wide Crown Staples**

• Ideal for light-duty household and crafting stapling jobs

SKU#	LEG LE	NGTH	CROWN	WIDTH	PACK SIZE	BOX QTY	CTN QTY	UPC
TRA204T	1/4 in	6 mm	29/64 in	12 mm	1000	7	56	076174053883
TRA204TCS	1/4 in	6 mm	29/64 in	12 mm	1500	5	30	076174054880
TRA205TC	5/16 in	8 mm	29/64 in	12 mm	1000	6	48	076174053890
TRA205TCS	5/16 in	8 mm	29/64 in	12 mm	1500	5	30	076174054897
TRA206T	3/8 in	10 mm	29/64 in	12 mm	1000	5	40	076174054101
TRA206TCS	3/8 in	10 mm	29/64 in	12 mm	1500	5	20	076174054927
STHT72404	1/4 in	6 mm	29/64 in	12 mm	1000	6	24	076174724042
STHT72405	5/16 in	8 mm	29/64 in	12 mm	1000	6	24	076174724059
STHT72406	3/8 in	10 mm	29/64 in	12 mm	1000	6	24	076174724066

## **STANLEY® SPECIALTY FASTENERS**



## **Heavy-Duty Round Crown Cable Staples**

- Fits wires up to 1/4" in diameter
- Galvanized for corrosion resistance
- For use on low voltage wiring only

SKU #	LEG LEI	NGTH	CROWN WIDTH		GAUGE	PACK SIZE	BOX QTY	CTN QTY	UPC
СТ106Т	3/8 in	10 mm	5/16 in	8 mm	23	1000	6	48	076174058475
CT107T	7/16 in	11 mm	5/16 in	8 mm	23	1000	6	48	076174058482
CT108T	1/2 in	13 mm	5/16 in	8 mm	23	1000	4	32	076174058499
CT109T	9/16 in	14 mm	5/16 in	8 mm	23	1000	4	32	076174051698



## **Heavy-Duty Flat Narrow Crown Staples**

- Fits wires up to 1/4" in diameter
- Galvanized for corrosion resistance
- For use on low voltage wiring only

SK	(U #	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
СТЗ	306T	3/8 in	10 mm	5/16 in 8 mm		1000	5	40	076174051612
СТЗ	308T	1/2 in	13 mm	5/16 in	8 mm	1000	4	32	076174058468



#### **Office Staples**

• Standard staples for everyday fastening

SKU#	LEG LE	NGTH	CROWN WIDTH		GAUGE	PACK SIZE	BOX QTY	CTN QTY	UPC
TR0400T	1/2 in	13mm	5/16 in	8mm	23	5000	4	32	076174051728



## **Heavy-Duty Wide Crown Staples**

- Reclosable packaging for easy storage
- Ideal for carpet underlayment

SKU#	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRC604T	1/4 in	6 mm	1/2 in	13 mm	1000	7	56	076174054361
TRC606T	3/8 in	10 mm	1/2 in	13 mm	1000	5	40	076174054385
TRC606-5C	3/8 in	10 mm	1/2 in	13 mm	5000	_	12	076174058338



#### **Heavy-Duty PowerCrown® Staples**

- Reclosable packaging for easy storage
- Ideal for insulation, carpet underlayment, and roofing felt

SKU#	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
TRB504T	1/4 in	6 mm	15/32 in	12 mm	1000	6	48	076174054316
TRB506T	3/8 in	10 mm	15/32 in	12 mm	1000	4	32	076174054330

## **STANLEY® STAPLER KITS**



## **Holiday Light Hanging Kit**

- Flexible hinge for mounting on houses, doorways, decks, molding and fences
- Hanger hook allows for easy wire installation and removal
- Weather resistant for year round hanging outside the house
- Neutral color for discrete organization of wires inside

SKU #	ТҮРЕ	LEG LENGTH		CROWN WIDTH		PACK SIZE	BOX QTY	CTN QTY	UPC
STHT72589	Kit	3/8 in	10 mm	29/64 in	12 mm	100		1	076174725896
STHT72590	Clips	_	_	-	-	-	1	1	076174725902

## **STANLEY® 18 GAUGE BRAD NAILS**



#### 18-Gauge Brad Nails

- Reclosable packaging for easy storage
- Ideal for craft, hobby and finish carpentry projects

SKU#	BRAD L	.ENGTH	GAUGE	PACK SIZE	BOX QTY	CTN QTY	UPC
SWKBN050	1/2 in	13 mm	18	1000	5	20	076174038719
SWKBN075	3/4 in	19 mm	18	1000	ı	10	077914035077
SWKBN625S	5/8 in	15.875 mm	18	1000	5	20	077914038283
SWKWBN100 (White)	1 in	25 mm	18	1000	_	10	077914058390
SWKBBN100 (Brown)	1 in	25 mm	18	1000		10	077914058406
SWKBN1187	1-3/16 in	30 mm	18	1000	-	10	077914038733
SWKBN1250	1-1/4 in	32 mm	18	1000	_	10	076174058413

## **STANLEY® GLUE GUNS**



## Trigger-Feed Standard Dual-Melt Glue Gun

- Heats up fast and bonds within 60 seconds
- Dual temperature high/low switch
- Trigger feed mechanism for glue flow control
- Uses dual temperature or hot melt .45" glue sticks

SKU#	OPERATING TEMP. (F)		OVERALL LENGTH		WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR25-2	410° HI	275° LO	6-1/2 in	165 mm	80	120	2	8	045731132316



## Trigger-Feed Standard Hot-Melt Glue Gun

- Heats up fast and bonds within 60 seconds
- Trigger feed mechanism for glue flow control
- Uses .45" glue sticks

SKU#	OPERATING	TEMP. (F)	OVERALL LENGTH		WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR20	410° HI	_	6-1/2 in	165 mm	30	120	3	18	045731132309
GR20K	410° HI	-	6-1/2 in	165 mm	30	120	2	8	045731132392



#### Mini Hot-Melt Glue Gun

- Small, portable size ideal for crafting projects
- Trigger feed mechanism for glue flow control
- Uses standard .28" mini hot melt sticks

ĺ	SKU#	OPERATING TEMP. (F)		OVERALL LENGTH		WATTS	VOLTS	BOX QTY	CTN QTY	UPC
	GR10	385° HI	_	4-1/4 in	105 mm	15	120	3	18	045731132293

## **STANLEY® ALL-PURPOSE GLUE GUN KITS**



#### **DualMelt™ Glue Gun Kit**

- High and low temperature gluing in one glue gun for versatility
- Heats up fast and bonds within 60 seconds
- Uses dual temperature or hot melt .45" glue sticks

SKU#	CONTAINS	OPERATIN	IG TEMP. (F)	OVERALI	LENGTH	WATTS	VOLTS	BOX QTY	CTN QTY	UPC
STHT72317	1 GR25-2 Dual Melt Glue Gun, 10 All-Purpose Glue Sticks, 10 Super Strength Glue Sticks, 10 Wood Glue Sticks	410° HI	275° LO	6 1/2 in	165 mm	80	120	_	6	076174723175



#### **DualMelt Pro™ Glue Gun Kit**

- Auto shut off after 15 minutes of non-use for safety and long life
- Temperature switch for high and low temperature applications
- Uses standard .45" glue sticks

SKU#	CONTAINS	OPERATIN	IG TEMP. (F)	OVERALI	L LENGTH	WATTS	VOLTS	BOX QTY	CTN QTY	UPC
GR100	1, DualMelt Pro™ Glue Gun 1, Spreader Tip 1, Extender Tip 6, Dual Temp Glue Sticks — 4" x 0.45" 6, Glue Sticks — 4" x 0.45" 5, Super Strength Glue Sticks — 4" x 0.45"	410° HI	275° LO	8-1/2 in	216 mm	80	120	l	5	045731132385

## **STANLEY® GLUE STICKS**



#### **DualMelt™ Standard Glue Sticks**

- Dual temperature glue sticks for all-purpose bonding
- For use in hot melt, low temperature and dual temperature glue guns
- 4" x .45" standard glue stick

SKU#	LENGTH		DIAN	DIAMETER		PACK SIZE	BOX QTY	CTN QTY	UPC
GS15DT	4 in	101 mm	0.45 in	11 mm	30-60	6	5	60	045731131494
GS20DT	4 in	101 mm	0.45 in	11 mm	30-60	24	5	60	045731131418
GS25DT	10 in	254 mm	0.45 in	11 mm	30-60	12	_	5	045731132125



#### **Dual-Melt Mini Glue Sticks**

- Dual temperature glue sticks for all-purpose bonding
- For use in hot melt, low temperature and dual temperature mini glue guns
- 4" x .28" mini glue stick

SKU #	LENGTH		DIAMETER		SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS10DT	4 in	101mm	0.28 in	7mm	30-60	24	5	60	045731131401



## **All-Purpose Standard Clear Glue Sticks**

- Dual temperature glue sticks for all-purpose bonding
- 4" x .45" standard glue stick

SKU#	LEN	GTH	DIAN	IETER	SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS230S	4 in	101 mm	0.45 in	11 mm	25-30	6		30	045731028121



## **Standard Woodworking Glue Sticks**

- Hot melt glue sticks for woodworking
- For use in hot melt glue guns
- 4" x .45" standard glue stick

SKU#	LENGTH		DIAM	DIAMETER		PACK SIZE	BOX QTY	CTN QTY	UPC
GS260	4 in	101 mm	0.45 in	11 mm	50-60	6	5	60	045731041243
GS264BK	4 in	101 mm	0.45 in	11 mm	50-60	30	5	60	045731047290



#### Formula II Super Strength Standard Glue Sticks

- Hot melt glue sticks for bonding ceramic, rubber, leather, metal, acrylic, and fiberglass
- For use in hot melt glue guns
- 4" x .45" standard glue stick

SKU#	LENGTH		DIAMETER		SET TIME (SECS.)	PACK SIZE	BOX QTY	CTN QTY	UPC
GS500	4 in	101 mm	0.45 in	11 mm	25-30	6	5	60	045731060022

## **STANLEY® RIVETERS**



#### **Contractor Grade Riveter**

- Rugged, professional-grade die-cast metal construction for long life
- Extended handles for easy squeezing
- Designed for use with stainless steel rivets for more applications
- Interchangeable nose pieces for the ability to secure multiple rivet sizes

SKU#	BODY COLOR	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
MR100CG	Silver/Yellow	11-1/8 in	283 mm	_	4	045731124533



#### **Swivel Head Riveter**

- 360° swivel head adjusts for use at any angle, including overhead
- Die-cast metal construction for long life
- Interchangeable nose pieces for use with steel and aluminum rivets from 3/32" to 3/16"

SKU#	BODY COLOR	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
MR77C	Yellow/Black	11-1/8 in	283 mm		5	045731132422



#### **Right Angle Riveter**

- All-steel construction for long-lasting durability
- Interchangeable nose pieces and wrench are conveniently stored in handle
- Long handle makes riveter easy to squeeze

SKU #	BODY COLOR	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
MR55C5	Silver/Black	10 in	254 mm	_	5	045731089177



#### **Medium-Duty Riveter**

- Spring-loaded handle ejects rivet stem automatically
- Extended handles for easy squeezing
- Slim-nose design fits in hard to reach areas

SKU #	BODY COLOR	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
MR33C	Yellow/Black	10 in	254 mm	_	5	045731132415

## **STANLEY® RIVETS AND PLATES**



#### **Aluminum Rivets**

- Aluminum construction for rust resistance
- Reclosable packaging for convenient storage

SKU#	HOLE DI	AMETER	GRIPPIN	G RANGE	PACK SIZE	BOX QTY	CTN QTY	UPC
PAA42-1B	1/8 in	3 mm	1/8 in	3.2 mm	100	5	100	045731028480
PAA42W-1B	1/8 in	3 mm	1/8 in	3.2 mm	100	5	100	045731028244
PAA44-1B	1/8 in	3 mm	1/4 in	6.4 mm	100	5	100	045731028442
PAA46-1B	1/8 in	3 mm	3/8 in	10 mm	100	5	100	045731028404
PAA48-1B	1/8 in	3 mm	1/2 in	12.7 mm	100	5	100	045731124106
PAA52-5B	5/32 in	4 mm	1/8 in	3.2 mm	50	5	100	076174054781
PAA54-5B	5/32 in	4 mm	1/4 in	6.4 mm	50	5	100	076174054798
PAA58-5B	5/32 in	4 mm	1/2 in	12.7 mm	50	5	100	076174054903
PAA610-5B	3/16 in	5 mm	5/8 in	15.87 mm	10	5	100	045731124144
PAA62-5B	3/16 in	5 mm	1/8 in	3.2 mm	50	5	100	045731124038
PAA64-5B	3/16 in	5 mm	1/4 in	6.4 mm	50	5	100	045731124045
PAA66-5B	3/16 in	5 mm	3/8 in	10 mm	50	5	100	045731124229
PAA68-5B	3/16 in	5 mm	1/2 in	12.7mm	50	5	100	045731124137



#### **Steel Rivets**

- Steel construction for strength and durability
- Reclosable packaging for convenient storage

SKU#	HOLE D	IAMETER	GRIPPING RANGE		PACK SIZE	BOX QTY	CTN QTY	UPC
PSS42-1B	1/8 in	3mm	1/8 in 3.2 mm		100	5	100	045731028602
PSS44-1B	1/8 in	3mm	1/4 in	6.4 mm	100	5	100	045731028565
PSS48-1B	1/8 in	3mm	1/2 in	12.7 mm	100	5	100	045731124113



#### **Stainless Steel Rivets**

- Stainless steel construction for strength and durability
- Reclosable packaging for convenient storage

SKU#	HOLE DI	AMETER	GRIPPING RANGE		PACK SIZE	BOX QTY	CTN QTY	UPC
PTT42	1/8 in	3.2mm	1/8 in	3.2 mm	25	10	100	076174054910
PTT44	1/8 in	3.2mm	1/4 in	6.4 mm	20	10	100	045731130886
PTT48	1/8 in	3.2mm	1/2 in	12.7 mm	15	10	100	076174055030



## **Steel Back-Up Plates**

- 1/8" diameter
- Steel construction for strength and durability
- Reclosable packaging for convenient storage

SKU#	INNER DI	INNER DIAMETER		BOX QTY	CTN QTY	UPC
PBS4	1/8 in	3.2 mm	40	10	100	045731028725



## **Aluminum Back-Up Plates**

- 3/16" diameter
- Aluminum construction for rust resistance
- Reclosable packaging for convenient storage

	SKU#	INNER DIAMETER		PACK SIZE	BOX QTY	CTN QTY	UPC
Ī	PBA6	3/16 in	4.8 mm	30	10	100	045731028640



#### **Blind Rivet Kit**

- General purpose riveter with blow molded storage case for added convenience
- Spring-loaded handle ejects rivet stem automatically
- Extended handles for easy squeezing
- Slim-nose design fits in hard to reach areas

SKU#	CONTAINS	BOX QTY	CTN QTY	UPC
STHT72179	20 rivets of PSS42, PSS44, PSS46		4	076174721799



#### **Rivet Pack Assortment**

- 120 assorted steel and aluminum rivets
- For use with all blind riveters
- Reclosable packaging for convenient storage

SKU#	CONTAINS	QUANTITY	BOX QTY	CTN QTY	UPC	
	PSS42 – Steel Rivets 1/8" x 1/8"	25				
	PSS44 – Steel Rivets 1/8" x 1/4"	20				
R120	PSS46 – Steel Rivets 1/8" x 3/8"		045731053759			
KIZU	PAA42W – Aluminum Rivets 1/8" x 1/8"	25	_	)	045/31053/59	
	PAA44 – Aluminum Rivets 1/8" x 1/4"	20				
	PAA46 – Aluminum Rivets 1/8" x 3/8"	15				

## **CONSUMER FASTENING SELECTION GUIDES**

					TEN TYPE	
STAPLERS	DURABILITY	EASY SQUEEZE	HI/LO POWER SETTING	STAPLES	BRADS	DESK STAPLES
Electric Staplers						
Electric Stapler / Brad Nailer TRE550	xxxxx	N/A	х	х	х	
Manual Staplers						
Heavy-Duty Staple Gun / Brad Nailer TR250	xxxxx	xxxxx	х	х	х	
Heavy-Duty Staple Gun with High/Low Setting TR150HL	xxxx	xxxxx	х	х		
Heavy-Duty Staple Gun TR150	xxx	XXXXX	х	х		
Heavy-Duty Staple Gun/ Cable Tacker CT10X	xxx	xxx	х	х		
All Steel Light-Duty Chrome-Plated Staple Gun TR45	xx	xxx		х		
All Plastic Light-Duty Staple Gun Kit TR45K	xx	xxx		х		
Brad Nailers						
Electric Brad Nailer TRE650	xxxx	N/A	х		х	
Hammer Tackers						
Heavy-Duty Hammer Tacker PHT250C	xxxxx	N/A		х		
Hammer Tacker PHT150C	xxx	N/A		Х		
Other Staplers						
Plier Stapler TR65	xxx	XXX				х

GLUE	GR100	GR90C	GR25	GR20	GR15	GR10
DUAL-MELT STANDARD GLUE STICKS						
GS10DT					Х	
GS15DT	х		х	х	х	х
GS20DT	х		Х	Х	Х	х
GS25DT	х		Х	Х	Х	Х
ALL-PURPOSE STANDARD CLEAR GLUE STICKS						
GS040					Х	х
GS230	Х	х	х	х	х	
STANDARD WOODWORKING GLUE						
GS260	х	Х	Х	Х	Х	х
FORMULA II SUPER STRENGTH STANDARD GLUE STICKS						
GS500	Х	х	х	х	х	х

SIZE		,				
PSS42	RIVET	SIZE	MR100CG	MR77C	MR55C5	MR33C
PSS44	STEEL RIVETS					
PSS46	PSS42	1/8" X 1/8"	х	х	х	х
PSS48	PSS44	1/8" X 1/4"	Х	Х	Х	Х
STAINLESS STEEL RIVET           PTT42         1/8" X 1/8"         x         x         x           PTT44         1/8" X 1/2"         x         x         x           PTT48         1/8" X 1/2"         x         x         x           PTT52         5/32" X 1/8"         x         x         x         x           PTT54         5/32" X 1/4"         x	PSS46	1/8" X 3/8"	х	х	х	х
PTT42	PSS48	1/8" X 1/2"	х	х	х	х
PTT44	STAINLESS STEEL RIVET					
PTT48	PTT42	1/8" X 1/8"	х		х	х
PTT52	PTT44	1/8" X 1/4"	х		х	
PTT54 5/32" X 1/4"	PTT48	1/8" X 1/2"	х		х	
PTT64 3/16" X 1/4"  ALUMINUM RIVETS  PAA42 1/8" X 1/8"	PTT52	5/32" X 1/8"	Х			
ALUMINUM RIVETS  PAA42  1/8" X 1/8"	PTT54	5/32" X 1/4"	х		х	
PAA42         1/8" X 1/8"         x         x         x         x           PAA42W         1/8" X 1/8"         x         x         x         x         x           PAA44         1/8" X 1/4"         x         x         x         x         x           PAA46         1/8" X 3/8"         x         x         x         x         x           PAA48         1/8" X 1/2"         x	PTT64	3/16" X 1/4"				
PAA42W         1/8" X 1/8" white         x	ALUMINUM RIVETS					
PAA42W white x x x x x x x x x x x x x x x x x x x	PAA42	1/8" X 1/8"	х	х	х	х
PAA46         1/8" X 3/8"         x	PAA42W		х	х	х	х
PAA48         1/8" X 1/2"         x         x         x         x           PAA52         5/32" X 1/8"         x         x         x         x         x           PAA54         5/32" X 1/4"         x         x         x         x         x           PAA58         5/32" X 1/2"         x         x         x         x         x           PAA610         3/16" X 5/8"         x         x         x         x         x           PAA62         3/16" X 1/8"         x         x         x         x         x           PAA64         3/16" X 1/4"         x         x         x         x         x           PAA66         3/16" X 3/8"         x         x         x         x         x           RIVET PACK         RIVET PACK         X         X         x         x         x         x         x         x	PAA44	1/8" X 1/4"	х	х	х	х
PAA52         5/32" X 1/8"         x	PAA46	1/8" X 3/8"	х	х	х	х
PAA54         5/32" X 1/4"         x         x         x         x           PAA58         5/32" X 1/2"         x         x         x         x         x           PAA610         3/16" X 5/8"         x         x         x         x         x           PAA62         3/16" X 1/8"         x         x         x         x         x           PAA64         3/16" X 1/4"         x         x         x         x         x           PAA66         3/16" X 3/8"         x         x         x         x           PAA68         3/16" X 1/2"         x         x         x         x           RIVET PACK	PAA48	1/8" X 1/2"	х	х	х	х
PAA58         5/32" X 1/2"         x         x         x         x           PAA610         3/16" X 5/8"         x         x         x         x         x           PAA62         3/16" X 1/8"         x         x         x         x         x           PAA64         3/16" X 1/4"         x         x         x         x         x           PAA66         3/16" X 3/8"         x         x         x         x         x           PAA68         3/16" X 1/2"         x         x         x         x         x           RIVET PACK	PAA52	5/32" X 1/8"	Х	Х	Х	Х
PAA610         3/16" X 5/8"         x         x         x         x           PAA62         3/16" X 1/8"         x         x         x         x           PAA64         3/16" X 1/4"         x         x         x         x           PAA66         3/16" X 3/8"         x         x         x         x           PAA68         3/16" X 1/2"         x         x         x         x           RIVET PACK           x         x         x         x         x	PAA54	5/32" X 1/4"	х	х	х	х
PAA62         3/16" X 1/8"         x         x         x         x           PAA64         3/16" X 1/4"         x         x         x         x           PAA66         3/16" X 3/8"         x         x         x         x           PAA68         3/16" X 1/2"         x         x         x         x           RIVET PACK	PAA58	5/32" X 1/2"	х	х	х	х
PAA64         3/16" X 1/4"         x         x         x         x           PAA66         3/16" X 3/8"         x         x         x         x           PAA68         3/16" X 1/2"         x         x         x         x           RIVET PACK	PAA610	3/16" X 5/8"	х	х	х	х
PAA66         3/16" X 3/8"         x         x         x         x           PAA68         3/16" X 1/2"         x         x         x         x           RIVET PACK <t< th=""><th>PAA62</th><th>3/16" X 1/8"</th><th>х</th><th>х</th><th>х</th><th>х</th></t<>	PAA62	3/16" X 1/8"	х	х	х	х
PAA68 3/16" X 1/2" x x x x x RIVET PACK	PAA64	3/16" X 1/4"	х	х	х	х
RIVET PACK	PAA66	3/16" X 3/8"	х	х	х	х
	PAA68	3/16" X 1/2"	х	х	х	х
R120 Assortment x x x x	RIVET PACK					
	R120	Assortment	х	х	х	х

RIVETERS / GLUE GUNS	DURABILITY	FEATURE
RIVETERS		
Contractor Grade Riveter MR100CG	XXXXX	Heavy-Duty
Swivel Head Riveter MR77C	XXXX	Swivel Head
Right-Angle Riveter MR55CS	XXX	Right Angled
Medium-Duty Riveter MR33C	XXX	Right Angled
GLUE GUNS		
DualMelt Pro™ Glue Gun Kit GR100	xxxxx	High & Low Settings
Trigger-Feed Dual-Melt Glue Gun GR25	XXX	High & Low Settings
Mini Dual-Temp Glue Gun GR15	XXX	High & Low Settings
Trigger Feed Hot-Melt Glue Gun GR20	хх	High Setting
Mini Hot-Melt Glue Gun GR10	XX	High Setting

STAPLES	SIZE	TR250	TR150HL	TR150	Т ст10х	TR45	TR45K	TRE650	PHT250C	PHT150C	TR65
HEAVY-DUTY STAPLES	MR77C	INZJU	IVIDUIL	11(150	CITOX	11143	IN4JK	INEUJU	11112300	11111300	נטאו
TRA704T	1/4"	х	х	х	х					х	Х
TRA705VT	5/16"	X	X	x	X				Х	X	X
TRA706T	3/8"	X	X	X	X				X	X	X
TRA708T	1/2"	X	x	X	X				X	^	^
TRA709T	9/16"	X	X	X	X				^		
HEAVY-DUTY STAINLESS-STE				^							
TRA704SST	1/4"	X	х	х	l x					х	х
TRA705SST	5/16"	X	X	X	X				х	X	X
TRA70555T	3/8"	X	x	X	X				X	X	X
TRA708SST	1/2"	X	X		X				X	^	^
TRA709SST	9/16"	X	X	X X	X						
HEAVY-DUTY MONEL NARRO				^							
TRA704MT	1/4"		l v	х	l x					х	v
TRA705MT	5/16"	X X	X X	X	X				х	X	X X
TRA705MT	3/8"										
TRA708MT	1/2"	X	X	X	X				X	Х	Х
		Х	X	X	X				Х		
TRA709MT LIGHT-DUTY STAPLES	9/16"	Х	Х	Х	Х						
	1/4"					v					
TRA204T TRA205T	5/16"					X	X				
						X	X				
TRA206T	3/8"					Х	Х				
TRS105T	5/16"										
CABLE STAPLES	2 (2 !!										
CT106T	3/8"				Х						
CT107T	7/16"				Х						
CT108T	1/2"				Х						
CT109T	9/16"				Х						
STAPLES											
SWKBN050	1/2"	Х	Х								
SWKBN562	9/16"	Х	Х								
SWKBN625	5/8"	Х	Х						Х		
SWKBN075	3/4"							Х	Х		
SWKBBN075	3/4"								х		
SWKBBN100	1"							Х	Х		
SWKWBN100	1"							х	Х		
SWKBN1187	1-3/16"							Х	Х		
SWKBN1250	1-1/4"							Х	Х		
CABLE STAPLES											
SWKBN562	9/16"	Х	х								
SWKBN625	5/8"	Х	Х						Х		
SWKBN050	1/2"	Х	Х								
SWKBN562	9/16"	х	Х								
SWKBN625	5/8"	х	х						х		
SWKBN050	1/2"	х	Х								
SWKBN562	9/16"	Х	х								
SWKBN625	5/8"	х	Х						х		
HEAVY-DUTY FLAT NARROW											
CT305T	5/16"										
CT306T	3/8"				St	anley® CT10X	and Arrow® T-	25®			
CT308T	1/2"										
TRO400	Stnd. Office Staple										Х
HEAVY-DUTY POWERCROWN	I <sup>®</sup> STAPLES										
TRB504T	1/4"										
	5/16"										
TRB505T	3/10				Е	Bostitch® Pow	erCrown® Too	ls			
	3/8"										
TRB505T											
TRB505T TRB506T	3/8"										
TRB505T TRB506T TRB508T	3/8" 1/2" 9/16"										
TRB505T TRB506T TRB508T TRB509T	3/8" 1/2" 9/16"										
TRB505T TRB506T TRB508T TRB509T HEAVY-DUTY WIDE CROWN TRC604T	3/8" 1/2" 9/16" STAPLES										
TRB505T TRB506T TRB508T TRB509T HEAVY-DUTY WIDE CROWN TRC604T TRC605T	3/8" 1/2" 9/16"  STAPLES 1/4" 5/16"			Ace <sup>®</sup> , Bla	ack & Decker®	, Craftsman®	and Duo Fast	Wide Crown®	products		
TRB505T TRB506T TRB508T TRB509T HEAVY-DUTY WIDE CROWN TRC604T	3/8" 1/2" 9/16" STAPLES 1/4"			Ace <sup>®</sup> , Bla	ack & Decker®	, Craftsman®	and Duo Fast	Wide Crown®	products		







#### 2" x 4" Clamp

- Provides versatility: 2"x 4"s are easily accessible and can be modified to any length
- Both clamp heads insert & reposition anywhere easily along 2"x 4"
- 400 lb. clamping force with up to 850 lbs when bolted to 2"x 4"
- Clamps stand upright on two feet allowing projects to be lifted off the work surface
- Eliminates the need to carry around pipe clamps or bar clamps

SKU #	THROA	T DEPTH	BOX QTY	CTN QTY	UPC
STHT83166	2 in	1/16 mm		4	076174831665

## **STANLEY® VISE**



## **Quick Vise**

- One-handed operation to quickly open and close vise
- Removable, non-marring rubber pads help protect work surface
- Screw threads tighten to work surface for easy vise repositioning
- Steel jaw construction for durability and long life

SKU#	JAW CAPACITY	JAW WIDTH	BOX QTY	CTN QTY	UPC
STHT83179	4-1/2 in	3-1/4 in	2	4	076174831795



## MaxSteel® Multi-Angle Vise

- Swivel ball design for infinite lockable positioning
- Integral screw clamp for attaching to most work surfaces
- Removable jaw pads help protect surfaces from marring and damage

SKU #	JAW V	VIDTH	BOX QTY	CTN QTY	UPC
83-069M	2-7/8 in 73 mm		2	4	076174830699



# **STANLEY**





## **FATMAX® CHROME PLATED SCREWDRIVER SETS**



## STANLEY FATMAX

#### **Screwdriver Set**

Color coded handles for easy screwdriver selection

SKU #		INCLUDES	BOX QTY	CTN QTY	UPC
FMHT62516	6 Pieces	Phillips®: 1 x 3", Slotted Cabinet: 3/16" X 3", Phillips® 2 x 4", Slotted 1/4" x 4", Phillips®:3 x 6", Slotted 5/16" x 6"	-	4	076174625165

#### STANLEY FATMAX

#### **Screwdriver Set**



- Chrome plated bars for corrosion resistance
- Magnetic black oxide tips for secure grip on fasteners
- Ergonomic quad lobe handle design for torque and comfortable hold
- Color coded handles for easy screwdriver selection

SKU #		INCLUDES	BOX QTY	CTN QTY	UPC
62-502	11 Pieces	Standard: 1/4" Stubby, 1/4" x 4", 5/16" x 6"  Cabinet: 1/8" x 3", 3/16" x 3"Phillips®: 0pt x 2-3/8", 2pt Stubby,  1pt x 3", 2pt x 4", 3pt x 6"  Hybrid Offset: 1/4" Slotted, 2pt Phillips®	_	4	076174625028

## **FATMAX® CHROME PLATED SCREWDRIVERS**

## STANLEY Pocket



	SKU #	TIP SIZE BLADE LENGTH		BLADE DIAMETER OVERA		OVERALL	OVERALL LENGTH BOX QTY		CTN QTY	UPC		
	62-551	1/8 in	3 mm	3 in	75 mm	1/8 in	3 mm	6-1/2 in	165 mm	6	36	076174625516
Ī	62-556	0	pt	2-3/8 in	60 mm	1/8 in	3 mm	5-1/2 in	146 mm	6	36	076174625561



## STANLEY Stubby

• Designed for close-quarter driving

SKU #	# TIP WIDTH BLADE LENGTH BLADE DIAMETE		IAMETER	OVERALL LENGTH BOX (		BOX QTY	CTN QTY	UPC			
62-552	1/4 in	6.5 mm	1-3/4 in	44 mm	1/4 in	6.5 mm	4 in	100 mm	6	36	076174625523
62-560	2 in	6.5 mm	1-3/4 in	44 mm	1/4 in	6.5 mm	4 in	100 mm	6	36	076174625608

## STANLEY Standard Tip



SKU #	SKU # TIP WIDTH BLADE LENGTH BLADE		BLADE D	DIAMETER OVERALL LENGTH		BOX QTY	CTN QTY	UPC			
62-553	1/4 in	6.5 mm	4 in	100	1/4 in	6.5 mm	9 in	225 mm	6	36	076174625530
62-555	5/16 in	8 mm	6 in	150	9/32 in	7 mm	11 in	280 mm	6	36	076174625554

## STANLEY Cabinet Tip



SKU #	TIP \	WIDTH	BLADE I	ENGTH	BLADE D	BLADE DIAMETER OVERALL LENGTH		LENGTH	BOX QTY	CTN QTY	UPC
62-554	3/16 in	4.76 mm	3 in	76 mm	3/16 in	4.76 mm	9 in	225 mm	6	36	076174625547

## STANLEY Phillips® Tip



SKU #	SIZE	BLADE	LENGTH	BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
62-559	1	3 in	75 mm	3/16 in	5	7-1/2 in	190 mm	6	36	076174625592
62-561	2	4 in	100 mm	1/4 in	6.5	9 in	225 mm	6	36	076174625615
62-562	3	6 in	150 mm	5/16 in	8	11 in	280 mm	6	36	076174625622

## STANLEY Star Tip



SKU #	SIZE	BLADE	LENGTH	BLADE DIAMETER		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
62-563	T10	3 in	75 mm	3/16 in	5 mm	7-1/2 in	190 mm	6	36	076174625639
62-564	T15	3 in	75 mm	3/16 in	5 mm	7-1/2 in	190 mm	6	36	076174625646
62-565	T20	4 in	100 mm	3/16 in	5 mm	9 in	225 mm	6	36	076174625653
62-566	T25	4 in	100 mm	3/16 in	5 mm	9 in	225 mm	6	36	076174625660



## **Cushion Grip Screwdriver Sets**

- Chrome plated bars for rust resistance
- Cushion grip bi-material handle for comfort and torque
- Smooth domed end for fast spinning action

SKU #		INCLUDES	BOX QTY	CTN QTY	UPC
62-000	2 Pieces	Standard: 1/4" Stubby, Phillips®: 2pt Stubby	4	24	076174620009
65-243	2 Pieces	Standard: 1/4" x 4" Standard Tip Phillips® : 2pt x 4" Phillips® Tip	4	16	076174652437
STHT66511	8 Pieces	Standard: 1/4" x 1-1/2", 1/4" x 4", 5/16" x 6", 3/8" x 8", Phillips®: #2 x 1-1/2", #1 x 3", #2 x 4", #3 x 6"	ı	2	076174665116
91-541	8 Pieces	Standard: 1/8" x 6", 3/16" x 4", 1/4" x 4", 5/16" x 6" Phillips® : 0pt x 4", 1pt x 4", 2pt x 6", 3pt x 6"	_	6	076174915419
STHT66513	11 Pieces	3/16" x 3", 1/4" x 4", 5/16" x 6",1/4" x 1-3/4" 1/8" x 3", 0pt x 2-3/8", 1pt x 3", 2pt x 1-3/4", 2pt x 4", 3pt x 6", Z-Offset	2	4	076174665130

## **STANLEY® VINYL GRIP SCREWDRIVERS**



#### **Vinyl Grip Screwdriver Set**

- Plated bars for corrosion resistance
- Cold forged tips for durability
- Oversized cushion grip for torque



SKU #		INCLUDES	BOX QTY	CTN QTY	UPC
66-565	6 Pieces (Chrome-Plated Tips)	Standard: 1/4" x 4", 5/16" x 6" Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 1pt x 3", 2pt x 4"	_	6	076174665659

 $\label{phillips} \mbox{Phillips Screw Co.}$ 



## 8-Piece Vinyl Grip Screwdriver Set

- Alloy steel bar for durability
- Chrome plated bars for corrosion resistance
- Black oxide precision formed tips for secure fit into fasteners
- Vinyl grip handle for use in electrical applications



SKU#		INCLUDES	BOX QTY	CTN QTY	UPC
66-568	8 Pieces	1/4" x 1-1/2", 1/4" x 4", 5/16" x 6", 3/8" x 8", Phillips®: #2 x 1-1/2", #1 x 3", #2 x 4", #3 x 6"	8	-	076174665684



## **Vinyl Grip Stubby**



	SKU#	TIP	SIZE	BLADE L	ENGTH	BLADE D	AMETER	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
Γ	66-088	1/4 in	6.5 mm	1-1/2 in	38 mm	1/4 in	6.5 mm	3-5/8 in	86 mm	6	36	076174660883
	65-905	2	pt	1-1/2 in	38 mm	1/4 in	6.5 mm	3-5/8 in	86 mm	6	36	076174659054



## **Vinyl Grip Standard Tip**



SKU #	TIP W	/IDTH	BLADE	LENGTH	BLADE DI	AMETER	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
66-089	3/16 in	5 mm	3 in	76 mm	3/16 in	5 mm	6-3/4 in	173 mm	6	36	076174660890
66-090	1/4 in	6.5 mm	4 in	102 mm	1/4 in	6.5 mm	8-1/4 in	213 mm	6	36	076174660906
66-091	5/16 in	8 mm	6 in	152 mm	5/16 in	8 mm	11 in	279 mm	6	24	076174660913
66-092	3/8 in	10 mm	8 in	203 mm	3/8 in	10 mm	13-5/8 in	340 mm	6	24	076174660920



## **Vinyl Grip Cabinet Tip**



SKU #	TIP W	IDTH	BLADE I	LENGTH	BLADE DI	AMETER	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
66-096	3/16 in	5 mm	3 in	76 mm	3/16 in	5 mm	6-3/4 in	173 mm	6	36	076174660968
66-097	3/16 in	5 mm	6 in	152 mm	3/16 in	5 mm	9-3/4 in	249 mm	6	36	076174660975
66-098	3/16 in	5 mm	8 in	203 mm	3/16 in	5 mm	11-3/4 in	300 mm	6	24	076174660982



## Vinyl Grip Phillips® Tip



SKU #	POINT SIZE	BLADE	LENGTH	BLADE D	IAMETER	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
65-901	1	3 in	76 mm	3/16 in	5 mm	6-3/4 in	173 mm	6	36	076174659016
65-902	2	4 in	102 mm	1/4 in	6.5 mm	8-5/8 in	213 mm	6	36	076174659023
65-903	3	6 in	152 mm	5/16 in	8 mm	11 in	279 mm	6	36	076174659030



## **Vinyl Grip Square Blade**



SKU #	TIP WIDTH		BLADE	LENGTH	BLADE D	AMETER	OVERALL	. LENGTH	BOX QTY	CTN QTY	UPC
66-093	1/4 in	6.5 mm	4 in	102 mm	1/4 in	6.5 mm	8-3/8 in	213 mm	6	36	076174660937
66-094	5/16 in	8 mm	6 in	152 mm	5/16 in	8 mm	11 in	279 mm	6	24	076174660944
66-095	3/8 in	10 mm	8 in	203 mm	3/8 in	10 mm	13-3/8 in	340 mm	6	24	076174660951

## STANLEY® COLORCODED SCREWDRIVERS



## **Standard Tip**



SKU #	TIP \	NIDTH	BLADE	LENGTH	BLADE D	IAMETER	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
60-006	1/4 in	6.5 mm	6 in	152 mm	1/4 in	6.5 mm	9-7/8 in	251 mm	6	36	076174600063



## **Cabinet Tip**



SKU #	TIP W	IDTH	BLADE	LENGTH	BLADE D	BLADE DIAMETER		OVERALL LENGTH		CTN QTY	UPC
60-003	3/16 in	5 mm	3 in	76 mm	3/16 in	5 mm	6-7/8 in	175 mm	6	36	076174600032



## Phillips® Tip



SKU #	POINT SIZE	BLADE	LENGTH	BLADE DIAMETER		OVERALL	OVERALL LENGTH		CTN QTY	UPC
60-001	1	4 in	102 mm	3/16 in	5 mm	7-7/8 in	201 mm	6	36	076174600018
60-002	2	4 in	102 mm	1/4 in	6.5 mm	7-7/8 in	201 mm	6	36	076174600025



## **Star Tip**



SKU #	TIP	BLADE	LENGTH	BLADE D	IAMETER	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
60-010	T10	3-1/4 in	83 mm	3/16 in	5 mm	7-1/8 in	180 mm	6	36	076174600100
60-011	T15	3-1/4 in	83 mm	3/16 in	5 mm	7-1/8 in	180 mm	6	36	076174600117
60-012	T20	3-1/4 in	83 mm	3/16 in	5 mm	7-1/8 in	180 mm	6	36	076174600124
60-013	T25	3-1/4 in	83 mm	3/16 in	5mm	7-1/8 in	180 mm	6	36	076174600131



## **Square Tip**



SKU #	POINT SIZE	BLADE	LENGTH	BLADE DIA	AMETER	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
60-015	1	4 in	102 mm	3/16 in	5 mm	7-7/8 in	201 mm	6	36	076174600155
60-016	2	5 in	127 mm	3/16 in	5 mm	8-7/8 in	225 mm	6	36	076174600162



#### **Basic Screwdrivers**

- Heat treated alloy steel bars hold up to repeated use
- Nickel plated bar for corrosion resistance
- Ergonomically designed handle with slip resistant texture for comfortable hold



SKU #		INCLUDES	BOX QTY	CTN QTY	UPC
60-020	2-Piece Set	Standard: 1/4" x 4" Phillips®: 2pt x 4"	4	24	076174600209
60-060	6-Piece Set	Standard: 1/4" x 4", 1/4" x 6", Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 1pt x 4", 2pt x 4"	I	6	076174600605
60-081	8-Piece Set	Standard: 1/4" x 4", 1/4" Stubby Cabinet: 3/16" x 3" Phillips®: 1pt x 4", 2pt x 4", 2pt Stubby Hybrid Offset (2 pc)	ı	6	076174600810
60-100	10-Piece Set	Standard: 1/8" x 2", 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: Opt x 2", 1pt x 4", 2pt x 4", 2pt Stubby	1	6	076174601008
60-112K	10-Piece Set w/ Tape Rule	Standard: 1/8" x 2", 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 0pt x 2", 1pt x 4", 2pt x 4", 2pt Stubby 12' Tape Rule		6	076174601121
60-220	20-Piece Set Standard: (2) 1/4" x 4", 1/4" x 6", 1/4" Stubby		_	6	076174602203

## STANLEY® SCREWDRIVER SETS



#### **100 PLUS Screwdriver Set**

- Acetate handle stands up to heavy-duty industrial use
- Chrome-plated to resist corrosion
- Black oxide Phillips® tips provide corrosion resistance and precise fit



SKU #		INCLUDES	BOX QTY	CTN QTY	UPC
66-150	5-Piece 100 PLUS Standard: 1/4" x 1-1/2", 1/4" x 4", 5/16" x 6", 3/8" x 8", 1/2" x 12"		1	1	076174661507
66-520	18-Piece 100 PLUS	Standard: 1/4"x 1-1/2", 1/8"x 2", 1/4"x 4", 3/16"x 3", 5/16"x 6", 3/8"x 8", 3/8"x 10", 3/16"x 3", 3/16"x 6", 3/16, 8", Phillips® #2 x 1 1/2", #0 x3",#1 x 3", #1 x 10", #2 x 10", #3 x 6", #4 x 8"	-	I	076174007682



#### **Nut Driver Sets**

- One-piece steel construction for long life
- Nickel plated bars for corrosion resistance
- Hex shank for torque when used with a wrench

SKU #		INCLUDES		CTN QTY	UPC
62-541	6 Pieces	3/16", 1/4", 5/16" 3/8", 7/16", 1/2"	_	6	076174625417
62-546	7 Pieces	5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm	_	6	076174625462



## Hi-Speed™ Ratcheting Screwdriver

- 4:1 gear ratio for 4X faster driving than traditional screwdriver
- Store 12 bits in handle for fast bit changes
- Ratcheting mechanism with forward and reverse driving

SKU #	KU # INCLUDES OVERALL LENGTH		BOX QTY	CTN QTY	UPC	
FMHT69236	Slotted: 3/16", 1/4", 5/16", Phillips®: P1, P2, P3, Square: SQ1, SQ2, SQ3, Star: T10, T15, T25	11-3/4 in	298.45 mm	4	24	076174692365



## 6-Piece Multi-Bit Racheting Screwdriver Set

- Ratcheting mechanism with forward, reverse and locked positions
- Quick release magnetic bit holder for fast bit changes



SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
69-189	Phillips®: P1, P2, 1/8", 1/4", Square: SQ1, SQ2	8 in	203.2 mm	4	24	076174691894



## 29-Piece Multi-bit Ratcheting Screwdriver Set

- Nickel plated bar for corrosion resistance
- Bi-material handle for comfort and control
- Ratcheting mechanism with forward, reverse and locked positions


SKU #	INCLUDES		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
54-925	15 Bits	Standard: (2) 1/4", (1) 9/32" Phillips®: (2) 1pt, (2) 2pt, (1) 3pt Star: (1) T10, (1) T15, (1) T20, (1) T25, (1) T27 Hex: (1) 1/8", (1) 5/32"	8-3/4 in	222 mm	2	12	076174549256
	12 Drive Sockets	5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"					
	(1) Handle, (1) Adapter						



## 25-Piece Pistol Grip Ratcheting Screwdriver Set

- Ratcheting mechanism with forward and reverse driving
- Handle locks into 3 different positions straight, pistol grip and T-handle
- Includes storage case

I	SKU#	INCLUDES	BOX QTY	CTN QTY	UPC
	STHT63025	Standard 1/4", 3/16", 5/16" Phillips® PH 1, PH2, PH3, STAR T10, T15, T20, Hex: 1/8", 3/16", 1/4", Square: SQ1, SQ2, SQ3, Nut Driver: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", Adapter Bar, Pistol Grip screwdriver	4	2	076174630251





## 20-Piece Multi-bit Ratcheting Screwdriver Set

- Bit storage in handle for quick and easy access
- Ergonomically designed handle for comfort and control
- Ratcheting mechanism with forward, reverse and locked positions

SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
62-574	6 Nutdrivers 14 Screwdriver Bits Storage Rack	10.5 in	266.7 mm	2	12	076174625745



#### 10-Piece Multi-bit Ratcheting Screwdriver

- Ratcheting mechanism with forward, reverse and locked positions
- Bit storage in two locations in the handle for quick access
- Includes storage rack



SKU #	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
68-010	Standard: 3/16", 1/4" Phillips®: 1pt, 2pt, Star: T15, T20 Pozi: 1p, 2pt, Square: 1pt, 2pt Storage Rack	10.5 in	266.7 mm	2	8	076174680102



## **Stubby Multi-bit**

- Small size for tight spaces and easy storage
- Ratcheting mechanism with forward, reverse and locked positions
- Rubber grip for comfort

ĺ	SKU #	ТҮРЕ	INCLUDES	OVERALL LENGTH		BOX QTY	CTN QTY	UPC
	66-358	Ratcheting	Standard: 1/8", 3/16", 1/4" Phillips®: 1pt, (2) 2pt	4.5 in	114.3 mm	3	12	076174663587

## STANLEY® HI-VISIBILITY SCREWDRIVERS



#### 22-in-1 Screwdriver

- Changes from stubby into full length screwdriver for versatility
- Five double sided interchangeable bits and integrated nut driver in the bar
- Plated bar for corrosion resistance

SKU #	INCLUDES		OVERALL LENGTH		BOX QTY	CTN QTY	UPC
66-355	22-in-1	Phillips®: 1pt, 2pt, 3pt, 3/16" x 5mm, 1/4" x 6 mm, Square: 1pt, 2pt, 3pt, Star: 1/4' x 6 mm	9 in	228.6 mm	4	8	076174663556



#### **6-Piece Hi-Visibility Screwdriver Set**

- Bi-Material handle for comfort and control
- Nickel plated bars for corrosion resistance
- Hi-Vis green easy to spot on the jobsite



SKU #	INCLUDES		BOX QTY	CTN QTY	UPC
66-356	6-Piece	Phillips®: 1pt x 4", 2pt x 4", 3/16"x 3" Cabinet:1/4"x 4" Std., #2 Phillips® Stubby,1/4'' Stubby	_	6	076174663563

## **STANLEY® RUBBER GRIP SCREWDRIVERS**



## 9-Way Screwdriver

- Interchangeable bars for versatility
- Includes storage case

SKU #	INCLUDES	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
62-511	3 Phillips® Bars: 0pt, 1pt, 2pt 3 Standard Bars: 1/8", 3/16", 1/4" 1 Tack Puller, 1 Brad Awl 1 Hook Driver	7-3/4 in	200 mm	6	24	076174625110



## 6-Way Screwdriver

- Chrome plated bar for corrosion resistance
- Rubber grip for slip resitance and comfort

SKU #		INCLUDES	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
68-012	6 Bits	Standard: 1/4", 3/16" Phillips®: 1pt, 2pt Nut Driver: 1/4", 5/16"	7-3/4 in	197 mm	6	24	076174680126



#### 6 Way Screwdriver

- Alloy steel, nickel plated bar for long life
- Cushion grip handle for comfort
- Hardened tips for precise fit into screws

SKU #		INCLUDES OVERALL LENGTH BOX				CTN QTY	UPC
62-524	6-Piece	Standard:1/4", 3/16" Phillips® 1pt, 2pt, Nut Driver 1/4" 5/16"	10.7 in	271.78 mm	4	24	076174625240

## STANLEY® FIBERGLASS MULTI-BIT SCREWDRIVERS



## **Fiberglass Multi-bit Screwdriver**

- Fiberglass composite shaft
- Bit storage in handle
- Magnetic tips for secure grip on fasteners

SKU #	SKU # INCLUDES			L LENGTH	BOX QTY	CTN QTY	UPC
68-107	4 Bits	Standard: 1/4", 3/16" Phillips®: 1pt, 2pt	6-1/2 in	152 mm	4	24	076174681079

#### **STANLEY® SCRATCH AWL**



#### **Scratch Awl**

- For starting holes for screws and nails
- Scribes lines on wood and metal

SKU #	OVERA	BOX QTY	CTN QTY	UPC	
69-122	6-1/16 in	154 mm	6	72	076174691221

## **STANLEY® POCKET SETS**



#### 4-in-1 Pocket Driver

- Magnetic bits attract and hold small screws
- Soft, bi-material handle for comfort and control
- Ideal for toy assembly, battery compartments, eyeglasses, electronics and cell phones

SKU #	INCLUDES	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
66-344	Standard: 5/32", 1/8" Phillips®: 1pt, 2pt	5-1/4 in	133 mm	8	48	076174663440



#### 6-Piece Jeweler's Precision Screwdriver Set

- Hardened, tempered steel blades help resist corrosion
- Plated, fluted shafts for secure grip
- Swivel head handles for precision
- Includes storage case for convenient storage

SKU #		INCLUDES	OVERALL	LENGTH	BOX QTY	CTN QTY	UPC
66-039	6 Pieces	Standard: 1.4mm, 1.8mm, 2.3mm, 3.0mm Phillips®: Opt, 1pt	6 in	152 mm	1	36	076174660395



#### **6-Piece Precision Screwdriver Set**

- Soft cushion grip handles for comfort
- Hardened bars with black oxide finish for corrosion resistance
- Includes plastic storage case for convenient storage

SKU #		INCLUDES	OVERAL	L LENGTH	BOX QTY	CTN QTY	UPC
66-052	6 Pieces	Standard: 1.4mm, 2.0mm, 2.4mm, 3.0mm Phillips®: 0pt, 1pt		102 mm	5	24	076174660524

# **STANLEY**



SWEETHEART® PLANES	146-147
BAILEY® PLANES	148
PLANES	149-150
PLANE ACCESSORIES	150
REPLACEMENT BLADE GUIDE	151
SURFORM® TOOLS & BLADES	152-154
SURFORM <sup>®</sup> BLADE CHART	155
FILES	156-158
FILE SETS & ACCESSORIES	159

## STANLEY

## SWEETHEART® PLANES

STANLEY® is proud of its long-standing commitment to manufacturing some of the world's best manufacturing tools, including its highly regarded and world-renowned hand planes. STANLEY® has a rich tradition and long history in this category, having produced high-quality hand planes since 1870. STANLEY® is paying tribute to its rich history with its traditional Sweetheart® planes. With solid cherry wood handles and knobs and the frog cast and one-piece base for stability, each plane is designed and built to deliver clean, precise cuts.







#### STANLEY® SWEETHEART® PLANES





#### No. 4 Sweetheart® Smoothing Bench Plane

- Lateral adjustment lock for cutting accuracy
- Precision ground casting for flatness
- A2 steel iron for edge retention

SKU #	TYPE	LENG	TH	WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-136	Bench	10-45/64 in	272 mm	2-1/2 in	64 mm	2 in	51 mm	1	6	076174121360





#### No. 62 Sweetheart® Low Angle Jack Plane

- One-piece base and frog cast for stability
- Precision ground casting for flatness
- A2 steel iron for edge retention
- Solid cherry wood handle and knob

SKU #	TYPE	LE	NGTH	WIDT	WIDTH		CUTTER WIDTH		CTN QTY	UPC
12-137	Jack	14 in	356 mm	2-13/32 in	61 mm	1-63/64 in	50 mm	1	6	076174121377





#### No. 9-1/2 Sweetheart® Block Plane

- Precision ground casting for flatness
- A2 steel iron for edge retention
- Solid brass hardware

SKU#	ТҮРЕ	LEN	GTH	WID	WIDTH		CUTTER WIDTH		CTN QTY	UPC
12-138	Block	6-1/2 in	165 mm	2-1/8 in	54 mm	1-5/8 in	41 mm	1	15	076174121384





### No. 60-1/2 Sweetheart® Low-Angle Block Plane

- Precision ground casting for flatness
- A2 steel iron for edge retention
- 12° low angle bed for cutting end grain
- Solid brass hardware

I	SKU #	TYPE	LEN	GTH	WID	TH	CUTTE	R WIDTH	BOX QTY	CTN QTY	UPC
	12-139	Block	6-1/2 in	6-1/2 in 165 mm		54 mm	1-5/8 in	41 mm	1	18	076174121391



#### No. 92 Sweetheart® Shoulder/Chisel Plane

- Precision ground casting for flatness
- A2 steel iron for edge retention
- Finger grips for added control
- Converts from shoulder plane to chisel plane for added versatility

	SKU #	ТҮРЕ	LEN	GTH	WIE	TH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
Ī	12-140	Shoulder/Chisel	6-7/64 in	155 mm	3/4 in	19 mm	3/4 in 19 mm		1	20	076174121407

## STANLEY® BAILEY® PLANES



## **Bailey® Bench Planes**

- Cast iron base with precision ground sides and bottom
- Machined frog seat for precise mouth adjustment
- Cutter adjusts for depth and alignment for precise control
- Hardened, tempered steel iron for edge retention

SKU #	ТҮРЕ	LEN	GTH	WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC
12-904	No. 4 Smoothing	9-3/4 in 248 mm		2-1/2 in	64 mm	2 in 51 mm		1	6	076174129045
12-905	No. 5 Jack	14 in	356 mm	2-1/2 in	64 mm	2 in	51 mm	1	6	076174129052



## **Bailey® Block Planes**

- Cast iron base with precision ground sides and bottom
- Cutter adjusts for depth and alignment for precise control
- Tempered chrome carbon steel for edge retention

SKU #	TYPE	LEN	GTH	WIE	TH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
12-920	Block	6-3/8 in	6-3/8 in 162 mm		51 mm	1-5/8 in 41 mm		1	6	076174129205
12-960	Low Angle Block	6-1/4 in	159 mm	1-1/4 in	32 mm	1-3/8 in	35 mm	1	6	076174129601

## STANLEY® PLANES



#### No. 4 Smoothing Bench Planes

- Cutter adjusts for depth and alignment for precise control
- Precision ground casting for flatness
- Hardened, tempered steel iron for edge retention
- High impact polymer handles and knobs are contoured and polished

SKU #	TYPE	LEN	GTH	WID	TH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
12-204	Smooth	9-3/4 in 248 mm		2-1/2 in	64 mm	2 in	2 in 51 mm		6	076174122046
12-404	Smooth	9-3/4 in 248 mm		2-1/2 in 64 mm		2 in 51 mm		4	4	076174124040



## **Adjustable Block Planes**

- Cutter adjusts for depth and alignment for precise control
- Cutter rests at a 21° angle, ideal for cross-grain planing
- Finger rest at front of plane for comfort and control
- Designed for small woodworking

SKU#	ТҮРЕ	LEN	GTH	WIE	OTH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC	
12-220	Block	7 in	178 mm	2 in 51 mm		1-5/8 in	1-5/8 in 41 mm		6	076174122206	
12-247	Block	6-5/8 in	168 mm	2 in	51 mm	1-5/8 in	41 mm	1	6	076174122473	



#### **Small Trimming Plane**

- All steel construction for durability
- Fully adjustable cutter can be easily sharpened
- Designed for trimming and fine finishing of wood surfaces

SKU #	TYPE	LENC	STH	WIDTH		CUTTER WIDTH		BOX QTY	CTN QTY	UPC	
12-101	Trimming	3-1/2 in	89 mm	1-1/8 in	29 mm	1 in	25 mm	4	12	076174121018	



## Stanley<sup>®</sup> RB5<sup>™</sup> Plane

- Dual blade positioning for regular planing or bullnosing into corners
- Quick and easy blade changes, no honing required
- Blade storage in handle for added convenience
- Compact size perfect for narrow work areas

SKU#	ТҮРЕ	LEN	GTH	WID	TH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
12-105	Block/Bullnose	6 in	152 mm	2 in	51 mm	2 in	51 mm	2	12	076174121056



#### **Bullnose Rabbet Plane**

- One-piece cast iron body and handle
- All working surfaces are machined for precision work
- Two cutter positions for both regular and bullnose work

SKU #	ТҮРЕ	LEN	GTH	WID	TH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
12-978	Bullnose Rabbet	10 in	254 mm	1-1/2 in	38 mm	1-1/2 in	1-1/2 in 38 mm		1	076174129786



#### SpokeShave – Flat Base

- Flat base for flat and convex surfaces
- Cutter adjusts for depth of cut and thickness of shavings
- Designed for curved work

SKU #	ТҮРЕ	LEI	NGTH	WID	TH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
12-951	Flat and Concave	10 in	254 mm	1-5/8 in	41 mm	2-1/8 in	54 mm	2	24	076174129519

## **ACCESSORIES**



#### **Sharpening System**

- Complete system with instructions for accurate and precise sharpening
- Compatible with standard chisel blades and plane irons from 1/4" to 2-3/4"

I	SKU#	CONTAINS	BOX QTY	CTN QTY	UPC
	16-050	Honing guide, Oilstone (8" X 2" aluminum oxide grit sharpening stone, double-sided with fine and medium grade) and White Oil	4	24	076174160505

## STANLEY® REPLACEMENT BLADES CHART

						REI	PLACEME	NT BLAD	DES					
PLANE SKU	12-141 A2 STEEL	12-142 A2 STEEL	12-143 A2 STEEL	12-144 A2 STEEL	12-134 HIGH-CARBON	12-313 HIGH-CARBON	12-508 HIGH-CARBON	12-504 HIGH-CARBON	12-330 HIGH-CARBON	12-378 HIGH-CARBON	12-337 HIGH-CARBON	12-332 HIGH-CARBON	12-333 HIGH-CARBON	12-350 HIGH-CARBON
12-136	х													
12-137		Х												
12-138			Х											
12-139			Х											
12-140				х										
12-904						х								
12-905						х								
12-920							Х							
12-960								Х						
12-204						Х								
12-404					Х									
12-220							Х							
12-247									Х					
12-105										Х				
12-975												Х		
12-978													Х	
12-951														Х

## STANLEY® SURFORM® TOOLS



#### **Surform® Plane Type – Regular Cut Blade**

- Die-cast alloy body holds up to heavy-duty use
- Designed for use on materials that would dull a traditional bench plane blade
- Blade is replaceable for added convenience
- High impact polymer handle holds up to heavy-duty use

SKU #	TYPE	CUT	LENC	STH	WID	HTC	CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-296	Plane	Regular	12-1/2 in	318 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	4	4	076174212969



#### Surform® Flat File - Regular Cut Blade

- Die-cast alloy body and high impact polymer handle holds up to heavy-duty use
- Designed for use as a rasp on wood plastic and soft metals
- Blade is replaceable for added convenience

SKU#	TYPE	CUT	LEN	STH	WID	TH	CUTTER WIDTH		BOX QTY	CTN QTY	UPC
21-295	Flat File	Regular	17-3/8 in	441 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	6	6	076174212952



#### **Surform® Round File**

- High impact polymer handle holds up to heavy-duty use
- Designed for enlarging holes and smoothing curved surfaces
- Blade is replaceable for added convenience

	SKU #	TYPE	CUT	LENC	TH	WID	WIDTH		CUTTER WIDTH		CTN QTY	UPC
Ī	21-297	Round	Round	15-3/4 in	400 mm	1-1/2 in	38 mm	5/8 in	16 mm	2	12	076174212976



#### 6" Surform® Pocket Plane

- Die-cast alloy body holds up to heavy-duty use
- Designed for end grain work, drywall, and smoothing edges of laminate
- Blade is replaceable for added convenience

I	SKU #	ТҮРЕ	CUT	LEN	GTH	WIE	WIDTH		CUTTER WIDTH		CTN QTY	UPC
	21-399	Pocket plane	Fine	5-5/8 in	143 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	4	24	076174213997



## Surform® Shaver

- Compact polypropylene handle for lightweight
- Curved blade for efficient stock removal
- Side cut teeth for shaving in corners
- Works on pull stroke

SKU#	TYPE	CUT	LEN	LENGTH		WIDTH		CUTTER WIDTH		CTN QTY	UPC
21-115	Shaver	Regular	7-1/4 in	184 mm	1-5/8 in	41 mm	1-5/8 in	41 mm	4	24	076174211153

## STANLEY® SURFORM® REPLACEMENT BLADES



## 10" Surform® Standard Cut Flat Replacement Blade

- All purpose blade for use on wood, vinyl, plaster, thermalite fiberglass and linoleum
- Teeth flush to blade edge for working into edges

SKU #	BLADES PER PACK	FITS TOOLS	LEN	LENGTH		CUTTER WIDTH		CRTN QTY	UPC
21-293	1	21-295, 21-296	10 in	254 mm	1-5/8 in	41 mm	4	24	076174212938



## 5-1/2" Surform® Pocket Fine Cut Replacement Blade

• Designed for fine finish on hardwoods, end grains and soft metals

SKU #	BLADES PER PACK	FITS TOOL	LENGTH		CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
21-398	1	21-399	5-1/2 in	140 mm	1-5/8 in	41 mm	4	24	076174213980



## 10" Surform® Half Round Regular

## **Cut Replacement Blade**

- Half round convex blade for fast stock removal and shaping curved surfaces
- Designed for work on fiberglass and removing filler for cars and boats

SKU #	BLADES PER PACK	FITS TOOLS	LENGTH		CUTTER	WIDTH	BOX QTY	CRTN QTY	UPC
21-299	1	21-295, 21-296	10 in	254 mm	1-1/2 in	38 mm	6	36	076174212990



## 10" Surform® Round Replacement Blade

• Designed for enlarging holes and smoothing curved surfaces

SKU #	BLADES PER PACK	FITS TOOL	LEN	GTH	CUTTER	WIDTH	BOX QTY	CTN QTY	UPC
21-291	1	21-297	10 in	254 mm	5/8 in	16 mm	6	36	076174212914



## 2-1/2" Surform® Shaver Replacement Blade

- Curved blade for efficient stock removal
- Works on the pull stroke

SKU#	BLADES PER PACK	FITS TOOL	LEN	LENGTH		WIDTH	BOX QTY	СТИ ОТҮ	UPC
21-515	1	21-115	2-1/2 in	64 mm	1-5/8 in	41 mm	6	36	076174215151

# STANLEY® SURFORM® TOOL AND BLADE CHART

SURFORM® TOOL AND BLADE						
CHART	STANDARD CUT 21-293	FINE CUT 21-393	HALF ROUND 21-299	ROUND 21-291	FINE CUT 21-398	CURVED 21-515
Hardwood	х	х	х	х	Х	Х
Softwood	х	Х	х	х	Х	х
End Grain		Х			Х	
Chipboard	х		х	х		х
Plywood	х		х	Х		х
Blockboard	Х		Х	X		х
Vinyl	x	х	х	x	X	х
Rubber	х		х	х		Х
Plaster	х	х	х	х	Х	х
Thermalite	х		Х	х		х
Chalk	х		х	X		х
Fiberglass	х		х	X		Х
Brass		Х			X	
Aluminum		Х			X	
Copper		Х			X	
Mild Steel		Х			X	
Plastic Laminates						Х
Plastic Fillers	Х	Х	Х	Х	X	х
Nylon	х		Х	Х		х
Vinyl Flooring	Х		Х	Х		Х
Fits Tool(s)	21-296, 21-295	21-296, 21-295	21-296, 21-295	21-297	21-399	21-115



# STANLEY® FILES



#### **Single-Cut Mill Bastard Files**

- Flat file tapered in width and thickness for general material removal
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	СИТ	LENGTH		BOX QTY	CTN QTY	UPC
22-170	Single	6 in	152 mm	6	36	076471221701
22-171	Single	8 in	203 mm	6	36	076174221718
22-172	Single	10 in	254 mm	6	36	076174221725
22-173	Single	12 in	305 mm	6	36	076174221732



#### **Double-Cut Flat Bastard Files**

- Flat file tapered in width and thickness for general material removal
- Double-cut mill pattern for moderate removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-174	Double	6 in	152 mm	6	36	076174221749
22-175	Double	8 in	203 mm	6	36	076174221756
22-176	Double	10 in	254 mm	6	36	076174221763



- Round file tapered in width and thickness for enlarging round holes or cutting scalloped edges
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-307	Single	6 in	152 mm	6	36	076174223071
22-098	Single	8 in	203 mm	6	36	076174220988
22-178	Single	10 in	254 mm	6	36	076174221787



- Triangle file gradually tapered in width and thickness for cutting angles less than 90°
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	ТҮРЕ	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-306	Slim Taper	Single	6 in	152 mm	6	36	076174223064
22-312	Extra Slim Taper	Single	6 in	152 mm	6	36	076174223125
22-313	Extra Extra Slim Taper	Single	6 in	152 mm	6	36	076174223132



#### **Half-Round Bastard Files**

- Half-round file tapered in width and thickness for filing inside of rings and round holes
- Double-cut mill pattern for moderate removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing

SKU #	СИТ	LENGTH		BOX QTY	СТИ QТҮ	UPC
22-308	Double	8 in	203 mm	6	36	076174223088
22-099	Double	10 in	254 mm	6	36	076174220995



# Half-Round Rasp File

- Half-round file tapered in width and thickness for filing round holes
- Rasp pattern for rapid removal of material
- Bastard teeth spacing for general purpose material removal

SKU#	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-017	Rasp	8 in	203 mm	6	36	076174220179

#### **Half-Round Chainsaw File**

- Round file for sharpening chainsaw
- Single-cut mill pattern for light removal of material

SKU #	СИТ	LENGTH		BOX QTY	CTN QTY	UPC
22-052	Single	13-4/5 in	351 mm	6	36	076174220520

#### **Chainsaw Files**

• Round file for sharpening chain saws

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
22-118	Single	6 in	152 mm	6	36	076174221183
22-121	Single	8 in	203 mm	6	36	076174221213
22-122	Single	8 in	203 mm	6	36	076174221220



#### **Laminate File**

- High-carbon steel for sharpness retention
- Designed for use on plastic laminate materials

SKU #	СИТ	LENGTH		BOX QTY	CTN QTY	UPC
22-055	Single	13-9/10 in	353 mm	6	36	076174220551



#### 4-in-1 Rasp & Double Cut File

- Half-round and flat files for filing both flat surfaces and round holes
- Double-cut and rasp mill patterns for moderate and rapid removal of material
- Bastard teeth spacing for general purpose material removal

SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
21-113	Double & Rasp	8 in	203 mm	3	18	076174211139



#### **Bi-Material File Handle**

- Bi-material for slip resistance and to help reduce vibrations
- Hanger opening for easy storage
- Designed to fit most files

SKU #	HANDLE COLOR	LENGTH		BOX QTY	CTN QTY	UPC
22-311	Yellow/Black	4-1/2 in	114 mm	6	36	076174223118



#### **Bastard Cut Mill Files with Handle**

- Single-cut mill pattern for light removal of material
- Flat file tapered in width and thickness for general material removal
- Bastard teeth spacing for general purpose tool sharpening and material smoothing
- Ergonomic, bi-material handle for slip resistance and to help reduce vibrations

SKU #	СИТ	LENGTH		BOX QTY	CTN QTY	UPC
22-018	Single	6 in	152 mm	2	12	076174220186
22-019	Single	8 in 203 mm		2	12	076174220193
22-020	Single	10 in	254 mm	2	12	076174220209
22-021	Single	12 in	305 mm	2	12	076174220216



# Single-Cut Handy File with Handle

- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general purpose tool sharpening and material smoothing
- Ergonomic slip-resistant handle

	SKU #	CUT	LENGTH		BOX QTY	CTN QTY	UPC
ĺ	21-106	Single	8 in	203 mm	3	12	076174211061

# **STANLEY® FILE SETS**



#### **File Sets**

- Multi-tool sets for most sharpening and material removal needs
- Round, flat and triangle files for filing flat, round and angles less than 90°
- Bi-material handle for slip resistance and to help reduce vibrations

SKU #	CONTAINS	BOX QTY	CTN QTY	UPC
22-319	4pc File Set - 6" Slim Taper, 6" Round, 6" Mill Bastard Files & 1 Interchangeable Handle	2	8	076174223194
22-314	5pc File Set - 8" Mill Bastard, 6" Round, 6" Slim Taper, 8" 4-in-1 Files & InterchangeableHandle	2	8	076174223149



#### 6-Piece Hobby File Set

- Needle files for small precision filing projects
- Smooth pattern for light removal of material
- 6-piece set includes flat parallel, flat tapered, half round, round, square and triangle files, all 4" long
- Includes storage rack

I	SKU#	CONTAINS	BOX QTY	CTN QTY	UPC
ı	22-316	6pc Set - Flat Parallel, Flat Tapered, Half-Round, Round, Square & Triangle Files, all 4" long	2	12	076174223163

# **STANLEY® FILE ACCESSORIES**



#### File Cleaner

- Ideal for cleaning file teeth
- Ergonomic wood handle for a secure grip

SKU #	LENG	TH	BOX QTY	CTN QTY	UPC
22-339	8 in	203 mm	2	16	076174223392



#### Wire Brush

- Ideal for removal of rust and paint
- Strong wire bristles
- Durable wood handle


SKU #	LENGTH		BOX QTY	CTN QTY	UPC
21-112	8 in	203 mm	4	16	076174211122





# SNIPS, PLIERS & ADJUSTABLE WRENCHES

AVIATION SNIPS	162-163
STRAIGHT PATTERN SNIPS	163-164
SNIPS & HVACTOOLS	164-165
PLIERS	166-171
PLIERS & SETS	166-167
BI-MATERIAL PLIERS	172-173
LOCKING PLIERS	174-175
CUTTERS	175
ADJUSTABLE WRENCHES	176-177



# STANLEY FATMAX

#### **Aviation Snips**

- Flush hardware helps prevent catching on materials while cutting
- Auto release mechanism provides for fast one-handed operation
- 1/4" blade markings for quick precise cut



SKU#	CUTTING DIRECTION	COLOR	COLOR LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73755	Left	Red	10 in	254 mm	.87 lbs	4	8	076174737554
FMHT73756	Straight	Yellow	10 in	254 mm	.87 lbs	4	8	076174737561
FMHT73557	Right	Green	10 in	254 mm	.87 lbs	4	8	076174735642
SKU#	DESCRIPTION		INCLUDED			BOX QTY	CTN QTY	UPC
FMHT73758	3 Piece Set -Straight / Left / Right	FMHT3755, FMHT3756, FMHT3557			4	8	076174735574	

# STANLEY FATMAX

### **Straight Cut Bulldog Aviation Snip**

- Flush hardware helps prevent catching on materials while cutting
- Auto release mechanism provides for fast one-handed operation
- 1/4" blade markings for quick precise cut



SKU#	CUTTING DIRECTION	LEN	GTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73562	Straight	9 in	229 mm	.84 lbs	4	8	076174735628



# **Aviation Offset Snips**


- Offset angled blades provide clearance between the handles and the cutting material
- Flush hardware helps prevent catching on materials while cutting
- Auto release mechanism provides for fast one-handed operation

SKU#	CUTTING DIRECTION	COLOR	LEN	GTH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73559	Left	Red	10 in	254 mm	.94 lbs	4	8	076174735598
FMHT73560	Right	Green	10 in	254 mm	.94 lbs	4	8	076174735604
FMHT73564	Straight	Grey	10.5 in	267 mm	.96 lbs	_	2	076174735642

# **FATMAX® STRAIGHT PATTERN SNIPS**



### Tin Snips






• 1/4" blade markings for quick precise cut



SKU#	CUTTING DIRECTION	LENG	STH	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73571	Straight	10 in	254 mm	1.51 lbs	4	8	076174735710
FMHT73992	Straight	12 in	305 mm	1.8 lbs	4	8	076174739923

# STANLEY FATMAX

# **Duckbill Tin Snip**



- Large handle rings for comfort
- Duckbill blade design makes tight left or right curves and straight curves easy



SKU#	CUTTING DIRECTION	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73993	Straight	10 in	254 mm	1.51 lbs	4	8	076174739930



#### **Multi-Purpose Snips**

- Laser etched blade marking scale helps to make quick and precise cuts
- Durable, fully-polished steel blades forged to stay sharp for long cutting life
- Dipped handles for a secure grip and comfort

SKU#	CUTTING DIRECTION	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73563	Straight	9 in	229 mm	.73 lbs	2	4	076174735635

# STANLEY FATMAX

#### 14" Lightweight Snips

- Slim head design makes cutting effort easy
- Large wide handles provides comfortable grip while cutting
- Easy and quick blade replacement
- 3-1/4" Cut length



SKU#	CUTTING DIRECTION	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73565	Straight	14 in	256 mm	1.43 lbs		2	076174735659

#### **SNIPS AND HVAC TOOLS**



# **Forged Handle Bolt Cutter**

- Cuts steel up to 1/4" diameter with a jaw opening of 1/2"
- Forged chrome molybdenum steel cutting blades for strength and durability
- 3-point pivot mechanism allows for cutting tough materials
- Durable forged handles provide strength and control

SKU#	SIZE IN.	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
14-376	18	19-1/2 in	495 mm	4.11 lbs	2	8	076174143768



#### **Cable Tie Tension Tool**

- Dipped handles for a secure grip and comfort
- Designed to install heavy and light-duty nylon cable ties
- Easy to operate cut-off mechanism trims excess cable strap

SKU#	LENG	LENGTH		BOX QTY	CTN QTY	UPC
FMHT73566	8 in	203 mm	.66 lbs		2	076174735666



#### **Duct Notcher Hand Tool**

- Slip-resistant, bi-material grip for comfort and control
- Cuts 30° v-shape in sheet metal
- Easy to operate notching mechanism gives clean cut

SKU#	LENGTH		WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73567	9 in 229 mm		.95 lbs	_	4	076174735673

# STANLEY FATMAX

#### **Snip Crimper**

- Slip-resistant, bi-material grip for comfort and control
- Crimps heavier gauge pipe up to 22-gauge galvanized steel
- Used to crimp round metal pipe, gutters, and downspouts to create a male fitting end

	SKU#	LENG	ГН	WEIGHT	BOX QTY	CTN QTY	UPC
Γ	FMHT73568	10 in 254 mm		.95 lbs	_	2	076174735680




# STANLEY Hand Seamer


- Used to bend and flatten sheet metal
- Non-slip cushion grips for comfort and control

SKU#	LENG	ГН	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73569	9 in	229 mm	1.33 lbs	_	2	076174735697

#### STANLEY FATMAX

# **Folding Tool**





• Fold 3/8" and 1" depths

• :	STANLEY	:	•
-----	---------	---	---

SKU#	LENG	ГН	WEIGHT	BOX QTY	CTN QTY	UPC
FMHT73570	12 in 305 mm		1.24 lbs	-	4	076174735703

#### **STANLEY® FATMAX® PLIERS**

# STANLEY.


#### Push-Lock™ Groove Joint Pliers


- Multi-purpose jaws designed to grasp flat and round objects
- Push-Lock™ technology allows for quick and easy adjustment in 17 positions
- Induction hardened jaws last longer and grip better than non-induction hardened jaws

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-647	8 in	200 mm	17	1-2/5 in	35.6 mm	4	24	076174846478
84-648	10 in	254 mm	17	2-3/8 in	60.2 mm	4	24	076174846485
84-649	12 in	300 mm	17	2-3/4 in	69.9 mm	4	24	076174846492
SKU	DESC	RIPTION		INCLUDES		BOX QTY	CTN QTY	UPC
84-554	3-Pi	ece Set		8", 10", 12"		_	4	076174845549

# STANLEY FATMAX

#### **Groove Joint Pliers**






- One-piece rivet design improves strength and eliminates retightening
- Drop-forged chrome vanadium steel is strong and durable


SKU	LEN	GTH	# OF POSITIO	NS	S JAW CAPACITY		JAW SHAPE	BOX QTY	CTN QTY	UPC
84-522	8 in	200 mm	6		1 in	13 mm	Curved	4	24	076174845528
84-553	10 in	250 mm	7	1	1-7/10 in	43.2 mm	Smooth Jaw	2	8	076174845532
84-804	10 in	250 mm	7	1	1-7/10 in	43.2 mm	Curved	4	24	076174848045
84-507	12 in	300 mm	8	2	2-1/10 in	53.3 mm	Curved	2	8	076174845075
84-493	16 in	400 mm	9	3	3-7/10 in	94 mm	Curved	2	8	076174844931
SKU	DESCRIPTION				INCLUDES			BOX QTY	CTN QTY	UPC
84-529		2-Piece Set			10", 12"			2	8	076174845297

8", 10", 12"

# STANLEY FATMAX

#### **Push-Lock™ Slip Joint Pliers**





• Induction hardened jaws last longer and grip better than non-induction hardened jaws

076174845389



3-Piece Set

SKU	LENGTH		# OF POSITIONS	JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-645	6 in	150 mm	3	1/2	12.7	4	24	076174846454
84-646	8 in	200 mm	3	5/8	15.9	4	24	076174846461

84-538

# STANLEY FATMAX

# **Slip Joint Pliers**

- Two-position, adjustable joint design used for grasping and turning
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- One-piece rivet design improves strength and eliminates retightening
- Forged chrome vanadium steel is strong and durable



	SKU	LENGTH		LENGTH # OF POSITIONS JAW CA		PACITY BOX QTY		CTN QTY	UPC
	84-801	6-1/2 in	165 mm	2	5/9	14.2	4	24	076174848014
ſ	84-524	8 in	200 mm	2	2/3	16.9	4	6	076174845242


# STANLEY FATMAX

# **Diagonal Cutting Pliers**

- Slim head design allows access into tight spaces
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Forged, high-quality carbon steel provides a durable cutting edge



SKU	LENGTH		BOX QTY	CTN QTY	UPC
89-858	6 in	150 mm	4	24	076174898583
89-859	7-1/2 in	190 mm	4	24	076174898590



# STANLEY FATMAX

#### **High-Leverage Angled Cutting Pliers**


- High-leverage pivot design uses less energy to cut than traditional cutting pliers
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Angled head design cuts flush against any surface
- Forged, high-quality carbon steel provides a durable cutting edge




SKU	LEN	GTH	BOX QTY	CTN QTY	UPC	
89-861	8 in	200 mm	4	24	076174898613	
89-862	10 in	250 mm	4	24	076174898620	

#### STANLEY

#### **High-Leverage Linesman Plier**










SKU	LENC	STH	BOX QTY	CTN QTY	UPC
89-865	9-1/2 in	240 mm	4	24	076174898651

#### STANLEY FATMAX

#### **Long Nose Pliers with Cutter**





 Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws



SKU	LENG	STH	BOX QTY	CTN QTY	UPC
89-869	6-1/2 in	165 mm	4	24	076174898699
89-870	8 in	200 mm	4	24	076174898705

# STANLEY



#### **End Cutting Pliers**

- Round head design is ideal for cutting wires and pulling nails
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Drop-forged, high-quality carbon steel provides a durable cutting edge

SKU	LENG	iTH	BOX QTY	CTN QTY	UPC
89-875	6-1/2 in	165 mm	4	24	076174898750

# STANLEY FATMAX







- Curved jaw design cuts coaxial and other soft cables up to 1/2" in diameter
- Induction hardened cutting jaws engineered to cut clean and stay sharp longer than non-induction hardened jaws
- Drop-forged, high-quality carbon steel provides a durable cutting edge


SKU	LENG	TH	BOX QTY	CTN QTY	UPC
89-874	8 in	200 mm	4	24	076174898743


# STANLEY FATMAX

#### **Bent Long Nose Plier with Cutter**











I	SKU	LENG	тн	BOX QTY	CTN QTY	UPC
	89-872	7-3/4 in	197 mm	4	24	076174898729

# STANLEY® PLIERS



#### **Groove Joint Pliers**

- Slip-resistant tongue and groove design used for grasping and turning
- Drop-forged steel is strong and durable

SKU	LENGTH		# OF POSITIONS	F POSITIONS JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-019	6 in	150 mm	5	7/10 in	17.8 mm	4	24	076174840193
84-109	8 in	200 mm	6	1 in	25.4 mm	4	24	076174841091
84-110	10 in	250 mm	7	1-7/10 in	43.2 mm	4	24	076174841107
84-111	12 in	300 mm	8	2-1/10 in	53.3 mm	4	24	076174841114
84-020	16 in	400 mm	9	3-7/10 in	94 mm	4	24	076174840209



# **Slip Joint Pliers**

- Adjustable joint design used for grasping and turning
- Oil-resistant dipped handle allows for a comfortable grip

SKU	LENGTH		# OF POSITIONS	JAW CA	PACITY	BOX QTY	CTN QTY	UPC
84-097	6 in	150 mm	2	1/2 in	12.7 mm	4	24	076174840971
84-098	8 in	200 mm	2	2/3 in	16.3 mm	4	24	076174840988



# **Diagonal Pliers**

- Fixed joint design used for cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		JAW CA	JAW CAPACITY		CTN QTY	UPC
84-104	5 in	125 mm	1/3 in	7.9 mm	4	24	076174841046
84-105	6 in	150 mm	4/9 in	11.2 mm	4	24	076174841053
84-108	7 in	175 mm	1/2 in	12.7 mm	4	24	076174841084



#### **Linesman Pliers**

- Fixed joint design used for grasping, bending, and cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-112	7 in	175 mm	2/3 in	16.3 mm	4	24	076174841121
84-113	8 in	200 mm	7/8 in	22.2 mm	4	24	076174841138



# **Long Nose Pliers**

- Fixed joint design used for bending, turning and cutting
- Long nose design for use in hard-to-reach areas

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-101	6 in	150 mm	1 in	25.4 mm	4	24	076174841015
84-102	8 in	200 mm	1-1/8 in	28.7 mm	4	24	076174841022



#### **Pliers Sets**

• Pliers set designed for grasping, bending, and cutting

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
84-212	2-Piece Set	Slip Joint Pliers	6 in	150 mm	4	12	076174842128
<b>04-212</b> 2-Fied	2-Fiece Set	Long Nose Pliers	6 in	150 mm	4	12	070174042120
<b>84-114</b> 3-Piece Set	Slip Joint Pliers	6 in	150 mm				
	Diagonal Pliers	6 in	150 mm	4	12	076174841145	
		Long Nose Pliers	6 in	150 mm			
		Diagonal Pliers	4 in	100 mm			
		End Cutting Pliers	4 in	100 mm			
04.070	6-Piece Set	Bent Nose Pliers	4 in	100 mm	2		076174940707
84-079	o-Piece Sei	Long Nose Pliers	5 in	125 mm	2	8	076174840797
		Flat Nose Pliers	5 in	125 mm			
		Groove Joint Pliers	5 in	125 mm			

# STANLEY® BI-MATERIAL PLIERS



#### **Bi-Material Groove Joint Pliers**

- Slip-resistant tongue and groove design used for grasping and turning
- Oil-resistant dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable

SKU	LENGTH		# OF POSITIONS	BOX QTY	CTN QTY	UPC
84-034	8 in	200 mm	6	4	24	076174840346
84-024	10 in	250 mm	7	4	24	076174840247
SKU	DESCRIPTION	INCLUDES		BOX QTY	CTN QTY	UPC
84-503	2-Piece Set	10", 12"		2	8	076174845037



# **Bi-Material Slip Joint Pliers**

• Two-position adjustable joint design used for grasping and turning

SKU	LENGTH		# OF POSITIONS	BOX QTY	CTN QTY	UPC
84-055	6 in	150 mm	2	4	24	076174840551
84-026	8 in	200 mm	2	4	24	076174840261



# **Bi-Material Diagonal Pliers**

- Fixed joint design used for cutting
- Individually sharpened blades cut soft and hard wire

SKU	LI	NGTH	BOX QTY	CTN QTY	UPC
84-027	6 in 150 mm		4	24	076174840278
84-028	7 in	175 mm	4	24	076174840285



#### **Bi-Material Linesman Pliers**

- Fixed joint design used for grasping, bending and cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		BOX QTY	CTN QTY	UPC
84-029	8 in	200 mm	4	24	076174840292



# **Bi-Material Long Nose Pliers**

- Fixed joint design used for bending, turning and cutting
- Long nose design for use in hard-to-reach areas

SKU	LENGTH		BOX QTY	CTN QTY	UPC
84-031W	6 in	150 mm	3	18	076174840315
84-032	8 in	200 mm	4	24	076174840322



#### **4-Piece Bi-Material Pliers Set**

- Pliers set designed for grasping, bending and cutting
- Slip-resistant bi-material handle for a comfortable grip
- Drop-forged steel is strong and durable

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
24.552	Slip Joint Pliers	6 in	150 mm			076474045507	
	Long Nose Pliers	6 in	150 mm	2			
84-558	<b>84-558</b> 4-Piece Set	Adjustable Wrench	6 in	150 mm	2	8	076174845587
		Groove Joint Pliers	Groove Joint Pliers 8 in 200 mm				



#### **Bi-Material Pliers Set**

- Pliers set designed for grasping, bending, and cutting
- Slip-resistant bi-material handle for a comfortable grip

SKU	DESCRIPTION	INCLUDES	LENGTH		BOX QTY	CTN QTY	UPC
	Slip Joint Pliers	6 in	150 mm				
84-056	<b>84-056</b> 3-Piece Set	Diagonal Pliers	6 in	150 mm	4	12	076174840568
		Long Nose Pliers	Nose Pliers 6 in 150 mm				

#### **LOCKING PLIERS**



#### **Curved Jaw Locking Pliers**

- Curved jaws designed for tightening, clamping and turning round objects such as piping or nuts
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-807	5-3/4 in	145 mm	1-1/8 in	28.7 mm	4	24	076174848076
84-808	7 in	180 mm	1-1/2 in	38.1 mm	4	24	076471848083
84-809	9 in	225 mm	1-3/4 in	44.5 mm	4	24	076174848090



#### **Straight Jaw Locking Pliers**

- Straight jaws ideal for tightening, clamping, twisting and turning flat objects such as sheet metal
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	LEN	LENGTH		JAW CAPACITY		CTN QTY	UPC
84-810	7-1/2 in	190 mm	1-1/3 in	33.3 mm	4	24	076174848106
84-811	9 in	230 mm	1-3/4 in	44.5 mm	4	24	076471848113



#### **Long Nose Locking Pliers**

- Long nose jaws reach into tight spaces; ideal for tightening, clamping, twisting and turning flat objects such as sheet metal
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	LENGTH		JAW CAPACITY		BOX QTY	CTN QTY	UPC
84-812	6-3/4 in	170 mm	2 in	50.8 mm	4	24	076174848120
84-813	8-1/2 in	215 mm	2-3/4 in	69.9 mm	4	24	076174848137



#### **C-Clamp Locking Pliers**

- Swivel pad jaws help distribute clamping pressure
- Turn screw adjustment
- Forged steel is strong and durable

SKU	LEN	GTH	JAW CAPA	ACITY IN. / MM	BOX QTY	CTN QTY	UPC
84-816	4-816 7 in 180 mm		2 in	50.8 mm	4	16	076174848168
84-815	11-1/4 in	285 mm	3-3/8 in	85.7 mm	4	24	076174848151



# **Locking Pliers Set**

- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- Adjustment screw provides the ideal holding pressure
- Built-in wire cutter

SKU	DESCRIPTION	INCLUDES	LEN	LENGTH		CTN QTY	UPC
		Straight Jaw Locking Pliers	9 in	225 mm			
94-960	3-Piece Set	Curved Jaw Locking Pliers	7-3/8 in	185 mm	2	8	076174949605
		Long Nose Locking Pliers	6-3/4 in	170 mm			

#### **CUTTERS**



#### Wire Stripper/Cutter/Crimper

- Cuts up to five sizes of bolts
- Oil-resistant dipped handle allows for a comfortable grip
- Meets ANSI specifications

SKU	CUTTING CAPACITY	CRIMPING CAPACITY	LEN	GTH	BOX QTY	CTN QTY	UPC
84-199	10 to 26 gauge stranded 8 to 22 gauge solid wire	10 to 26 gauge insulated terminals 10 to 22 gauge non-insulated terminals	8 in	200mm	_	6	076174841992



#### Wire Stripper/Cutter

- Adjustable slide stop and hole designed for bending and looping wire
- Oil-resistant dipped handle allows for a comfortable grip
- Meets ANSI specifications

SKU	CUTTING CAPACITY	LEN	IGTH	BOX QTY	CTN QTY	UPC
84-213	10 to 26 gauge solid wire	5 in	125 mm	5	50	076174842135

# **ADJUSTABLE WRENCHES**



#### **Straight Pipe Wrenches**

- Durable heavy-duty cast-iron housing
- Strong I-beam handle design withstands high torque
- Floating hook jaw design allows ratcheting function
- Durable drop-forged hook jaw for long life

SKU	JAW CAPACITY		LEN	IGTH	BOX QTY	CTN QTY	UPC
87-622	1-2/5 in	45.7 mm	10 in 250 mm		2	12	076174876222
87-624	2-2/5 in	71.1 mm	14 in	355 mm	2	8	076174876246

# STANLEY FATMAX


#### **Ratcheting Adjustable Wrenches**


- Ratcheting jaw function for quick/easy operation
- Knurled adjusting mechanism for quick and precise adjustment
- Wide-capacity jaw accommodates wide range of fasteners
- Laser-etched SAE and mm jaw scale for easy fastener size adjustment

SKU	LENG	STH	MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
95-794	6 in	152	3/4 in	19.1 mm	9/20 in	11.4 mm	2	12	076174957945
95-795	8 in in	200	13/14 in	23.6 mm	1/2 in	12.7 mm	2	12	076174957952
95-796	10 in	254	1-2/11 in	30 mm	3/5 in	15.2 mm	2	12	076174957969
95-797	12 in	305	1-3/8 in	34.8 mm	3/4 in	19.1 mm	2	12	076174957976



#### **Adjustable Wrenches**





- Specially designed profile allows tool to be used in confined spaces
- Built-in tension spring stabilizes movable jaw and reduces rattling



SKU	LEN	GTH	MAX JAW CAPACITY		HEAD V	HEAD WIDTH		CTN QTY	UPC
95-872	6 in	152 mm	15/16 in	23.8 mm	9/20 in	11.4 mm	4	24	076174958720
95-873	8 in	200 mm	1-1/8 in	28.6 mm	29/50 in	13.5 mm	4	24	076174958737
95-874	10 in	254 mm	1-3/8 in	34.8 mm	3/5 in	15.2 mm	4	24	076174958744
84-540	12 in	305 mm	1-7/10 in	43.2 mm	3/4 in	19.1 mm	2	8	076174845402
95-876	15 in	381 mm	1-9/10 in	48.3 mm	19/20 in	24.1 mm	2	8	076174958768
SKU	DESCR	IPTION		INCLUDES				CTN QTY	UPC
96-023	2-Pie	ce Set	8", 12"				_	4	076174960235
96-021	3-Pie	ce Set	8", 10", 12"			_	4	076174960211	



#### **Bi-Material Adjustable Wrenches**

- Tapered jaw design allows for work in limited space applications
- Slip-resistant, bi-material handle for a comfortable grip
- Wide-capacity jaw accepts a wide range of fastener sizes
- Knurled adjusting mechanism for quick and precise adjustment
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Built-in tension spring stabilizes movable jaw

SKU	LEN	GTH	MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
90-947	6 in	152 mm	13/14 in	26.3 mm	11/25 in	11.2 mm	2	12	076174909470
90-948	8 in	200 mm	1-1/4 in	32.3 mm	11/20 in	14 mm	2	12	076174909487
90-949	10 in	254 mm	1-21/50 in	36.1 mm	11/18 in	15.5 mm	2	12	076174909494
90-950	12 in	205 mm	1-13/20 in	41.9 mm	3/4 in	19.1 mm	2	12	076174909500



#### **Adjustable Wrenches**

- Adjustable jaw design allows tool to grip many fastener sizes
- Knurled adjusting mechanism for quick and precise adjustment
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Built-in tension spring stabilizes movable jaw

SKU	LENGTH MAX JAW CAPA		CAPACITY	Y HEAD WIDTH		BOX QTY	CTN QTY	UPC	
87-367	6 in	152 mm	1-1/20 in	26.7 mm	9/20 in	11.4 mm	4	24	076174873672
87-369	8 in	200 mm	1-1/20 in	26.7 mm	1/2 in	12.7 mm	4	24	076174873696
87-471	10 in	254 mm	1-2/11 in	30 mm	13/20 in	16.5 mm	4	24	076174874716
87-473	12 in	305 mm	1-3/8 in	34.9 mm	3/4 in	19.1 mm	4	24	076174874730



# **Locking Adjustable Wrench**

- Anti-slip mechanism locks the movable jaw and tightly grips onto fastener
- Wide locking handle allows for a sturdy and comfortable grip
- Built-in tension spring stabilizes movable jaw
- Polished chrome head and chrome-plated body for anti-corrosion protection

SKU	LEN	GТН	MAX JAW CAPACITY		HEAD WIDTH		BOX QTY	CTN QTY	UPC
85-610	10 in	254 mm	1-1/4 in	31.8	11/19 in	14.7 mm	2	12	076174856101

# STANLEY

# MECHANICS TOOLS





# **STANLEY® RATCHETS**



# **Pear Head Quick Release™ Ratchets**

- Pear head design for strength, durability and performance
- Quick-release mechanism to lock sockets onto the drive during operation and allow easy changeover
- Reversible mechanism for easy one-hand direction change
- Chrome vanadium steel forging for durability and high-torque performance

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
91-928	1/4" Drive Pear Head Quick Release™ Ratchet	2	8	076174919288
91-929	3/8" Drive Pear Head Quick Release™ Ratchet	3	12	076174919295
91-930	1/2" Drive Pear Head Quick Release™ Ratchet	1	6	076174919301



#### Round Head Quick Release™ Ratchet

- Forged from high-quality steel and finished in high-polish chrome
- Ratchet handles are ergonomically designed and have an easy-to-use, thumb-operated reverse-switch mechanism

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-892	1/2" Drive Round Head Quick Release™ Ratchet	4	8	076174858921



# Flex Ratchet and Round Head Quick Release™ Ratchets

- Quick release mechanism to lock sockets onto the drive during operation and allow for easy change over
- Reversible mechanism for one-hand direction change

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-710	1/2" Drive Flex Handle	4	8	076174857108
85-890	1/4" Drive Round Head Quick Release™ Ratchet	4	8	076174858907
85-891	3/8" Drive Round Head Quick Release™ Ratchet	4	8	076174858914



#### **Rotator Ratchet**

- Unique twist handle technology with 0 degree twist arc swing allows accessibility in tight spaces
- 60-tooth gear system for low ratcheting arc swing and high-torque ratcheting
- Reversible mechanism for forward and reverse transition


SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
89-962	3/8" Drive Rotator Ratchet	2	6	076174899627



#### **Extendable Flex Ratchet**

 Extendable handle technology allows for handle extension from 10" to 15" and 5 locking positions
 60-tooth gear system for low ratcheting arc swing and high-torque ratcheting
 Flexible locking head for operation in limited access areas

SKU#	DESCRIPTION	BOX QTY	CTN QTY	UPC
STMT72418	3/8" Drive Extendable Ratchet	2	8	076174724189



# STANLEY® SOCKET SETS



#### **16-Piece Socket and Ratchet Set**

- Ratchet design for high torque ratcheting and better accessibility
- Prevents fastener damage and allows high torque application
- Ratcheting hand driver with quick release magnetic bit holder

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
89-199	(1) 1/4" Pear Head Ratchet, (1) 1/4" Drive Extension Bar – 6", and (14) 1/4" Drive Deep Sockets	2	12	076174891997



#### **3-Piece Spark Plug Socket Set**

- Helps reduce fastener wear without contact on outer
   5% of fastener, so fasteners last longer
- Helps reduce slippage on frozen or rusted fasteners

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-721	3/8" Drive Spark Plug Sockets: 5/8", 3/4", 13/16"	_	1	076174857214



# 10-Piece 3/8" Drive Deep Socket Set (6pt) - SAE

- Ratchet design for high torque ratcheting and better accessibility
- Prevents fastener damage and allows high torque application
- Ratcheting hand driver with quick release magnetic bit holder

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-919	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	2	12	076174896374
89-637	5/16", 7/8", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"	2	12	076174896374



# 15-Piece 1/2" Drive Standard Socket Set (12 pt) - METRIC

- Ratchet design for high torque ratcheting and better accessibility
- Prevents fastener damage and allows high torque application
- Ratcheting hand driver with quick release magnetic bit holder

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
89-339	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm	2	8	076174893397



# 6-Piece 1/2" Drive Deep Socket Set (6 pt) - SAE

- Helps reduce fastener wear without contact on outer 5% of fastener, so fasteners last longer
- Helps reduce slippage on frozen or rusted fasteners

SKU#	CONTENTS	BOX QTY	CTN QTY	UPC
89-618W	9/16", 5/8", 11/16", 3/4", 7/8", 15/16"	2	12	076174896183



# 15-Piece 1/2" Drive Standard Socket Set (12pt) - SAE

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation

SKU#	CONTENTS	BOX QTY	CTN QTY	UPC
94-547	1/2" Drive Sockets SAE 5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 21/32", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1	2	8	076174945478



# Socket Sets (6pt) - SAE and METRIC

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation

SKU #	DESCRIPTION / CONTENTS	BOX QTY	CTN QTY	UPC
94-966	6-Piece 1/2" Drive Deep Socket Set (6 pt) – Metric 12mm, 13mm, 14mm, 15mm, 17mm, 19mm	2	6	076174949667
95-441	10-Piece 3/8" Drive Standard Socket Set (6 pt) – SAE 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	ı	4	076174954418
95-442	10-Piece 3/8" Drive Standard Socket Set (6 pt) – Metric 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	ı	4	076174954425
95-443	10-Piece 3/8" Drive Deep Socket Set (6 pt) – Metric 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	_	4	076174954432
95-444	10-Piece 1/2" Drive Standard Socket Set (6 pt) - SAE 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	_	4	076174954449
95-445	11-Piece 1/2" Drive Deep Socket Set (6 pt) - SAE 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1/2"	_	4	076174954456
95-446	11-Piece 1/2" Drive Deep Socket Set (6 pt) - Metric 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm	_	4	076174954463

# **STANLEY® IMPACT SOCKET SET**





SKU #	DESCRIPTION / CONTENTS	BOX QTY	CTN QTY	UPC
97-125	11-Piece 3/8" Drive Deep Impact Socket Set (6 pt)- SAE 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"		3	076174971255
97-126	11-Piece 3/8" Drive Deep Impact Socket Set (6 pt)- Metric 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm, 21mm, 22mm, 24mm	_	3	076174971262



#### **Socket Holders**

• Securely holds 16 sockets

SKU #	DRIVE SIZE	BOX QTY	CTN QTY	UPC
94-963	1/4 in	3	12	076174949636
94-964	3/8 in	3	12	076174949643
94-965	1/2 in	3	12	076174949650

# **STANLEY® DRIVE BIT SOCKET SETS**



#### 11-Piece Star Bit Socket Set

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque

SKU # CONTENTS		BOX QTY	CTN QTY	UPC
89-420	1/4" Drive: T8, T10, T15, T20, T25, T27; 3/8" Drive: T30, T40, T45, T50, T55	2	12	076174894202



#### **Hex Bit Socket Sets**

- Unique radius corner design that helps to provide 15% more torque than standard sockets
- Helps reduce fastener wear without contact with the outer 5% of the fastener

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-707	7-Piece 3/8" Hex Bit Socket Set (6 pt) – SAE 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"		12	076174857078
85-708	7-Piece 3/8" Hex Bit Socket Set (6 pt) – Metric 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 10mm	2	12	076174857085

# STANLEY® SOCKET SETS



#### **Socket Sets**

- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque

#### **20-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS		
(18), 1/4" Drive Sockets	(1), 1/4" Ratchet	
(1), 1/4" Drive Extension Bar – 3"	Blow Molded Carry Case	

SKU #	BOX QTY	CTN QTY	UPC
92-802	_	3	076174928020



#### **30-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS		
(27), 1/4" Drive Sockets	(1), 1/4"Pear Head Ratchet	
(1), 1/4" Drive Universal Joint	Blow Molded Carry Case	
(1), 1/4" Drive Extension Bar – 3"		

SKU #	BOX QTY	CTN QTY	UPC
92-804	_	3	076174928044



#### **60-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS		
(1), 3/8" Drive Pear Head Ratchet	(1), 3/8" Drive Extension Bar – 6"	
(23), 1/4" Drive Sockets	(1), 3/8" Drive F to 1/4" Drive M Adapter	
(19), 3/8" Drive Sockets	(1), 1/4" Drive Socket Driver Handle	
(1), 3/8" Drive Spark Plug Socket – 5/8"	(1), 1/4" Drive Bit Adapter	
(1), 1/4" Drive Extension Bar – 2"	(10), 1/4" Drive Specialty Bits	
(1), 3/8" Drive Extension Bar – 3"	Blow Molded Carry Case	

SKU #	BOX QTY	CTN QTY	UPC
STMT71650	1	2	076174716504







#### **Black Chrome Socket Sets**

- Black chrome finish for anti-corrosion protection and attractive appearance
- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation

#### **69-Piece Black Chrome Socket Set**

• Full Lifetime Warranty

CONTENTS		
(1), 1/4" Drive Pear Head Ratchet	(1), 3/8" Drive Spark Plug Socket – 13/16"	
(1), 3/8" Drive Pear Head Ratchet	(1), 1/4" Drive Extension Bar – 3"	
(30), 1/4" Drive Sockets	(1), 3/8" Drive Extension Bar – 6"	
(33), 3/8" Drive Sockets	Blow Molded Carry Case	
(1), 3/8" Drive Spark Plug Socket – 5/8"		

SKU#	BOX QTY	CTN QTY	UPC
92-824	_	2	076174928242

#### 99-Piece Black Chrome Socket Set

• Full Lifetime Warranty

CONTENTS		
(19), 1/4" Drive 6 pt Standard Sockets	(1), 3/8" Drive Pear Head Ratchet	
(14), 1/4" Drive 6 pt Deep Sockets	(1), 1/4" Drive Extension Bar – 3"	
(19), 3/8" Drive 6 pt Standard Sockets	(1), 3/8" Drive Extension Bar – 6"	
(17), 3/8" Drive 6 pt Deep Sockets	(1), 1/4" Drive Spinner Handle	
(3), 3/8" Drive 8 pt Deep Sockets	(10), Specialty Bits	
(1), 3/8" Drive 6 pt Spark Plug Sockets – 5/8"	(1) Bit Adapter	
(10), Combination Wrenches – SAE & Metric	Blow Molded Carry Case	
(1), 1/4" Drive Pear Head Ratchet		

SKU #	BOX QTY	CTN QTY	UPC
92-839	_	2	076174928396

#### 123-Piece Black Chrome Socket Set

• Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(20), 1/4" Drive Deep Sockets		
(1), 3/8" Drive Extension Bar – 3"	(10), Combination Wrenches		
(3), 3/8" Drive Spark Plug Sockets – 6 pt	(1), 1/4" Drive Spinner Handle		
(20), 3/8" Drive Sockets – 6 pt	(20) Specialty Bits		
(7), 3/8" Drive Deep Sockets – 6 pt	(1), 1/4" Bit Holder		
(1), 1/4" Drive Pear Head Ratchet	(16), Hex Keys – SAE & Metric		
(2), 1/4" Drive Extensions Bar – 3", 6"	Blow Molded Carry Case		
(20), 1/4" Drive Sockets – 6 pt			

SKU #	BOX QTY	CTN QTY	UPC
STMT72254	_	2	076174722543







#### **Socket Tool Sets**

- Durable stamped size markings for easy socket size identification
- Chrome vanadium steel construction for strength and durability
- Ratchet handle with rubber grip for comfort

#### **40-Piece Socket Set**

Full Lifetime Warranty

CONTENTS		
(1), 3/8" Drive Pear Head Ratchet	(1), 1/4" Drive Socket Driver Handle	
(15), 1/4" Drive Sockets	(1), 1/4" Drive Specialty Bit Holder	
(14), 3/8" Drive Sockets	(6), Specialty Bits	
(1), 3/8" Drive Extension Bar – 3"	Blow Molded Carry Case	
(1), 3/8" Drive F to 1/4" Drive M Adapter		

SKU #	BOX QTY	CTN QTY	UPC
STMT71648	_	2	076174716481

#### **70-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS			
(1), 1/4" Drive Pear Head Ratchet	(1), 3/8" Drive Spark Plug Socket – 5/8"		
(1), 3/8" Drive Pear Head Ratchet	(1), Slip Joint Pliers		
(20), 1/4" Drive Sockets – 6 pt	(1), Flat Head Screwdriver – 5mm		
(20), 1/4" Drive Deep Sockets – 6 pt	(1), Phillips® Screwdriver – 1 pt		
(15), 3/8" Drive Sockets – 6 pt	(1), Phillips® Screwdriver – 2 pt		
(7), 3/8" Drive Deep Sockets – 12 pt	Blow Molded Carry Case		
(1), 3/8" Drive Extension Bar – 3"			

SKU #	BOX QTY	CTN QTY	UPC
97-542		2	076174975420

#### **75-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS			
(1), 1/4" Drive Pear Head Ratchet	(7), 3/8" Drive Deep Sockets – 6 pt		
(1), 3/8" Drive Pear Head Ratchet	(1), 3/8" Drive Spark Plug Socket – 5/8"		
(20), 1/4" Drive Sockets – 6 pt	(2), 1/4" Drive Extension Bars – 3", 6"		
(20), 1/4" Drive Deep Sockets – 6 pt	(1), 3/8" Drive Extension Bar – 3"		
(22), 3/8" Drive Sockets – 6 pt	Blow Molded Carry Case		

SKU #	BOX QTY	CTN QTY	UPC
96-010	_	2	076174960105



#### **85-Piece Socket Set**

• Full Lifetime Warranty

CONTENTS			
(1), 3/8" Pear Head Ratchet	(20), 1/4" Drive Sockets – 6 pt		
(1), 3/8" Drive Extension Bar – 3"	(1), 1/4" Spinner Handle		
(7), 3/8" Deep Sockets – 6 pt	(10), 1/4" Drive Specialty Bits		
(20), 3/8" Drive Sockets – 6 pt	(1), 3/8" Spark Plug Socket		
(1), 1/4" Pear Head Ratchet	(1), 1/4" Bit Holder		
(2), 1/4" Drive Extensions – 3", 6"	Blow Molded Carry Case		
(20), 1/4" Drive Deep Sockets – 6 pt			

SKU#	BOX QTY	CTN QTY	UPC
STMT71651	_	2	076174716511



#### **123-Piece Chrome Socket Set**

Full Lifetime Warranty

CONTENTS			
(1), 3/8" Drive Pear Head Ratchet	(20), 1/4" Drive Deep Sockets		
(1), 3/8" Drive Extension Bar – 3"	(10), Combination Wrenches		
(3), 3/8" Drive Spark Plug Sockets – 6 pt	(1), 1/4" Drive Spinner Handle		
(20), 3/8" Drive Sockets – 6 pt	(20), Specialty Bits		
(7), 3/8" Drive Deep Sockets – 6 pt	(1), 1/4" Bit Holder		
(1), 1/4" Drive Pear Head Ratchet	(16), Hex Keys – SAE & Metric		
(2), 1/4" Drive Extensions Bar – 3", 6"	Blow Molded Carry Case		
(20), 1/4" Drive Sockets – 6 pt			

SKU #	BOX QTY	CTN QTY	UPC
STMT71652		2	076174716528



#### 145-Piece Socket Set

• Full Lifetime Warranty

CONTENTS				
(1), 3/8" Drive Pear Head Ratchet	(16), 1/4" Drive Deep Sockets – 6 pt			
(1), 3/8" Drive Extension Bar – 3"	(19), 1/4" Drive Sockets – 6 pt			
(1), 3/8" Drive Universal Joint	(1), 1/4" Bit Holder			
(3), 3/8" Spark Plug Sockets – 6 pt	(1), 1/4" Spinner Handle			
(7), 3/8" Drive Deep Sockets – 6 pt	(12), Combination Wrenches			
(20), 3/8" Drive Sockets – 6 pt	(16), Hex Keys – SAE & Metric			
(5), 3/8" Drive Sockets – 12 pt	(30), 1/4" Drive Specialty Bits			
(1), 1/4" Drive Pear Head Ratchet	(10), Nut Bits			
(1), 1/4" Drive Extension Bar – 6"	Blow Molded Carry Case			

SKU #	BOX QTY	CTN QTY	UPC
STMT71653	_	2	076174716535

Phillips is a registered trademark of Phillips Screw Co.



#### 170-Piece Socket Set

• Full Lifetime Warranty

CONTENTS		
(1), 1/4" Drive Pear Head Ratchet	(1), 1/4" Drive Bit Holder	
(1), 3/8" Drive Pear Head Ratchet	(1), 1/4" Drive Extension Bar – 3"	
(1), 1/2" Drive Pear Head Ratchet	(1), 3/8" Drive Extension Bar – 3"	
(16), 1/4" Sockets – 6 pt	(8), Combination Wrenches	
(12), 1/4" Deep Sockets – 6 pt	(55), Specialty Bits	
(18), 3/8" Drive Sockets – 6 pt	(26), Hex Keys	
(6), 3/8" Drive Deep Sockets – 6 pt	(12), Nut Bits	
(10), 12" Drive Sockets – 6 pt	Blow Molded Carry Case	
(1), 3/8" Drive Spark Plug Sockets – 5/8"		

SKU #	BOX QTY	CTN QTY	UPC
96-011	_	2	076174960112



# 150-Piece Socket Set • Full Lifetime Warranty

CONTENTS			
(1), 1/4" Drive Pear Head Ratchet	(1), Long Nose Pliers		
(1), 3/8 Drive Pear Head Ratchet	(1), Slip Joint Pliers		
(21), 1/4" Sockets - 6 pt	(1), Flat Head Screw Driver: 6.5mm		
(16), 3/8" Drive Sockets - 12 pt	(1), Flat Head Screw Driver: 5mm		
(10), 3/8" Drive Deep Sockets - 6 pt	(1), Phillips Screw Driver - 1 pt		
(1), 1/4" Drive Extension Bar - 3"	(1), Phillips Screw Driver - 2 pt		
(2), 3/8" Drive Extension Bars - 3", 6"	(14), Combination Wrenches		
(2), 3/8 Drive Spark Plug Sockets-5/8, 13/16	(55), Specialty Bits		
(1), 3/8" Drive M to 1/4"Drive F Adapter	(18), Hex Keys		
	Blow Molded Carry Case		

SKU #	BOX QTY	CTN QTY	UPC
97-543		2	076174975437



# 201-Piece Socket Set

• Full Lifetime Warranty

CONTENTS				
(10), 1/4" Drive Sockets – 6 pt SAE13, 1/4" Drive Sockets – 6 pt mm	(1), 3/8" Drive Pear Head Ratchet-Quick Release			
(10), 1/4" Drive Deep Sockets – 6 pt SAE	(1), 1/2" Drive Pear Head Ratchet-Quick Release			
(11), 1/4" Drive Deep Sockets – 6pt mm	(1), 1/4" Drive F X 3/8"M Adapter			
(9), 3/8" Drive Sockets – 6 pt SAE	(1), 3/8" Drive F X 1/4"M Adapter			
(14), 3/8" Drive Sockets – 6 pt mm	(1), 3/8" Drive F X 1/4"M Adapter			
(5), 3/8" Drive Deep Sockets – 6 pt SAE	(4), Combination SAE Wrenches			
(3), 3/8" Drive Deep Sockets – 6 pt mm	(4), Combination mm Wrenches			
(6), 1/2" Drive Sockets – 6 pt SAE	(28), Hex Keys			
(8), 1/2" Drive Sockets – 6 pt mm	(12), Nut Bits			
(1), 3/8" Drive Spark Plug Socket – 6 pt SAE	(55) Bits,			
(1), 1/4" Drive Pear Head Ratchet-Quick Release	Blow Molded Carry Case			

SKU#	BOX QTY	CTN QTY	UPC
STMT71654	_	2	076174716542

# **ACCESSORIES**



SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-704	1/4" Extension Bar Set	2	12	076174857047
85-705	1/2" Extension Bar Set	4	24	076174857054
85-706	1/2" Extension Bar Set	2	12	076174857061
85-711	2-Piece Universal Joint Kit	2	12	076174857115
85-727	3-Piece Universal Joint Kit	2	12	076174857276

# **STANLEY® COMBINATION WRENCH SETS**



#### 20-Piece Combination Wrench Set

- 20-Piece wrench set METRIC and SAE
- Chrome vanadium steel forging for durability and high torque
- Max-Drive<sup>™</sup> design of the box end allows for 15% more torque\* and helps reduce fastener rounding
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-783	SAE: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8" Metric: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm	_	2	076174857832



#### **Long Combination Wrench Set**

- Chrome vanadium steel forging for durability and high torque
- Full polish chrome plating for anti-corrosion protection and easy cleaning
- Wrenches are designed to meet or exceed ANSI specifications
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
87-244	1/4", 5/16", 3/8", 1/2", 9/16", 5/8", 11/16", 11/32"	2	6	076174872446
87-245	8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm	2	6	076174872453



#### 7-Piece Ratcheting Wrench Set

- Full polish chrome plating for anti-corrosion protection and easy cleaning
- Chrome vanadium steel forging for durability and high torque
- Wrenches are designed to meet or exceed ANSI specifications
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
94-542W	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	2	12	076174945423
94-543W	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm	2	12	076174945430



#### **6-Piece Combination Wrench Sets**

- Full polish chrome plating for anti-corrosion protection and easy cleaning
- Chrome vanadium steel forging for durability and high torque
- Max-Drive<sup>™</sup> design of the box end allows for 15% more torque\* and helps reduce fastener rounding
- 15 degree box end offset for knuckle clearance
- Full Lifetime Warranty

SKU #	CONTENTS	BOX QTY	CTN QTY	UPC
85-927	1/2", 3/8", 7/16", 1/2", 9/16", 5/8"	2	4	076174859270
85-928	10mm, 11mm, 12mm, 13mm, 14mm, 15mm	2	4	076174859287

<sup>\*</sup> Than standard wrenches

### **STANLEY® HEX KEYS**



# 22-Piece Long Arm SAE and METRIC Hex Key Set

- Strong steel hex keys with black oxide coating
- Durable plastic molded holders with garage storage hand holes
- Labeled holders for easy organization

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
85-753	22-Piece Hex Key Set	4	24	076174857535



### **Folding Hex Key Set**

- Durable composite construction
- Comfortable over-molded grips
- Compact self-storing tool
- Chrome vanadium steel hex keys fold out and lock into place

SKU #	SIZES	BOX QTY	CTN QTY	UPC
95-935	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm	4	8	076174959352
95-937	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	4	8	076174959376
95-961	T9, T10, T15, T20, T25, T27, T30, T40	4	8	076174959611



### **Folding Hex Key Set**

- Durable composite construction
- Rubber side inserts allow for a secure grip
- Chamfered edge helps guide the wrench for a smooth, easy entry into the hex key

SKU #	DESCRIPTION	BOX QTY	CTN QTY	UPC
STHT71800	8-Piece Metric Folding Hex Key Set	2	6	076174718003
STHT71801	9-Piece SAE Folding Hex Key Set	2	6	076174718010
STHT71802	8-Piece Folding Star Key Set	2	6	076174718027
STHT71839	2-Pack Folding Metric and SAE Hex Keys	4	8	076174718393



# STANLEY

TOOL



**TOOL BOXES** 196-201 202 **TOOL VEST** TOOL BAGS 202-203 **MOBILE WORK CENTERS** 204 **TOOL CHESTS ORGANIZERS** 206-208 STORAGE BINS 209 **SAWHORSES** 210-211

### STANLEY FATMAX.

### STRUCTURAL FOAM STORAGE

This 28" Structural Foam Box is an addition to the STANLEY® FATMAX® Heavy-Duty Professional toolbox line that is ideal for carrying both power tools and hand tools. Whether you're on the jobsite or at home we have you covered. With features like a tote tray and an integrated V-groove with ruler on lid to give the user the ability to hold and cut lumber and pipes, you are sure to get the job done.



Coated grip handle for easy transport to and from the jobsite



### STANLEY® FATMAX® TOOL BOXES



### STANLEY FATMAX

#### **Structural Foam Tool Boxes**

- Extra-large capacity designed for maximum volume utility
- All round water seal for ultimate protection of equipment inside
- Portable tote tray 3/4 length design to allow easy access to stored tools
- Large metal rust proof latches with padlock eye for optimal security

SKU #	STORAGE CAPACITY	WEIG LBS.	GHT / KG	LEN IN. /	GTH MM	WIDTH IN. / MM		HEIGHT IN. / MM		BOX QTY	CTN QTY	UPC
028001L	9.2 GAL	10.34	4.69	27.3	693	12.48	317	11.31	287	1	3	076174939446
023001W	5.8 GAL	7.04	3.19	22.62	574	12.09	307	10.53	267	1	2	076174947496



#### STANLEY FATMAX

### 18" Tool Box

- Structural foam construction with integrated seal for water resistance and durability
- Two cantilever drawers for multi-layer tool organization
- Removable dividers for customizable storage of tools

SKU #	WEIGHT LE	3S. / KG	LENGTH	IN. / MM	WIDTH	WIDTH IN. / MM		/IDTH IN. / MM HEIGHT IN. /		N. / MM	BOX QTY	CTN QTY	UPC
FMST18001	8.43	3.82	18	457.2	12.2	309.88	9.4	238.76	1	3	076174712193		



#### STANLEY FATMAX

### **Grey Metal Plastic Tool Boxes**

- Resin and metal construction for durability
- Portable tray for storage of hand tools and small parts
- V-groove with rule on top of lid for holding materials in place while cutting

SKU #	STORAGE CAPACITY	WEIG LBS. /		LENGTH WIDTH IN. / MM IN. / MM			HEIGHT IN. / MM		BOX QTY	CTN QTY	UPC	
023180R	9 GAL	7.7	3.49	23	584	11.5	292	11.6	294	1	3	076174956160
026180R	10.3 GAL	8.2	3.71	26	660	11.5	292	11.6	294	1	3	076174956177

### STANLEY FATMAX

### 19" Tool Box



- Resin and metal construction for durability
- Deep drawer for small parts organization or power tool storage
- V-groove with rule on top of lid for holding materials in place while cutting

ĺ	SKU #	WEIGHT	LBS./KG	LENGTH	LENGTH IN./MM		WIDTH IN./MM		HEIGHT IN./MM		CTN QTY	UPC
	FMST20061	5.28	2.39	19.6	497.84	11.5	292.1	8.7	220.98	1	4	076174703580



### STANLEY FATMAX

### 20" Tool Box

- Resin and metal construction for durability
- Deep drawer for small parts organization or power tool storage
- V-groove with rule on top of lid for holding materials in place while cutting

SKU #	WEIGHT	WEIGHT LBS./KG LENGTH IN./MM		WIDTH I	WIDTH IN./MM		HEIGHT IN./MM		CTN QTY	UPC	
FMST20261	7.89	3.57	21.6	548.64	11	279.40	13	330.20	1	2	076174703597

### **STANLEY® CLICK 'N CONNECT TOOL BOXES**



#### **CLICK 'N CONNECT Tool Box**

- Simple shape and proportions for easy access to both hand and power tools
- Two lid organizers accessible without opening the tool box for small parts storage
- Removable lid with side latches for easy connecting and detaching



SKU #	WEI	GHT	LE	LENGTH		DTH	HE	IGHT	CTN QTY	UPC
STST19950	4.02 lbs	1.82 kg	19.9 in	505.46 mm	12.3 in	312.42 mm	6.6 in	167.64 mm	1	076174719642



#### **CLICK 'N CONNECT 2-in-1 Tool Box**

- Simple shape and proportions for easy access to both hand and power tools
- Removable dividers for customizable storage for small parts and hand tools
- Removable lid with side latches for easy connecting and detaching



SKU #	WEI	GHT	LEI	NGTH	WIDTH		HEIGH	IT IN./MM	CTN QTY	UPC
STST19900	7.23 lbs	3.27 kg	19.9 in	505.46 mm	12.3 in	312.42 mm	9.6 in	243.84 mm	1	076174719628



### **CLICK 'N CONNECT Organizer**

- Lid structure helps prevent movement of small parts from one compartment to another
- Removable dividers for customizable storage for small parts and hand tools
- Removable lid with side latches for easy connecting and detaching



SKU #	WEI	GHT	LEI	NGTH	WIDTH		HEIGH	T IN./MM	CTN QTY	UPC
STST14440	3.16 lbs	1.43 kg	19.8 in	502.92 mm	11.5 in	292.10 mm	3.6 in	91.44 mm	1	076174719833

### STANLEY® TOOL BOXES



#### **Tool Boxes**

- Two lid organizers accessible without opening the tool box for small parts storage
- Portable tray for storage of hand tools and small parts
- One hand latch operation allows for opening when other hand is occupied

SKU #	WEI	GHT	LEI	LENGTH		WIDTH		IGHT	CTN QTY	UPC
STST16410	2.79 lbs	1.26 kg	15.5 in	393.70 mm	8.8 in	223.52 mm	6.4 in	162.56 mm	1	076174703283
STST19410	5.1 lbs	2.31 kg	19 in	482.60 mm	10.5 in	266.70 mm	9.3 in	236.22 mm	1	076174703290
STST24410	6.05 lbs	2.74 kg	23.5 in	596.90 mm	11 in	279.40 mm	10.14 in	257.56mm	1	076174703603



### 20" Tool Box

- Rubber shock-absorbing corners helps prevent damage to surroundings
- Full length handle for stability when carrying heavy loads
- Extra-large, heavy-duty metal latches with padlock eyes for secure storage of tools

	SKU#	CAPACITY	WEI	GHT	LE	NGTH	V	VIDTH	Н	IEIGHT	CTN QTY	UPC
I	020300R	8.1 GAL	5.95 lbs	2.69 kg	19.8 in	502.92 mm	10.8 in	274.32 mm	9.5 in	241.30 mm	1	076174922516



### **Professional Tool Box**

- Rubber shock-absorbing corners helps prevent damage to surroundings
- Long aluminum handle for stability when carrying heavy loads
- Large, heavy-duty, nickel plated, metal latches with padlock eyes for secure storage of tools



SKU #	CAPACITY	WEI	GHT	L	ENGTH	٧	VIDTH	ŀ	IEIGHT	CTN QTY	UPC
026301R	7.1 GAL	7.4 lbs	3.35 kg	24 in	609.60 mm	9.6 in	243.84 mm	9.8 in	248.92 mm	1	076174942347



### **Tool Boxes**

- Built in padlock eye for small locks for secure storage of tools
- Nickel plated metal latches for durability
- Tote tray



SKU #	WEI	GHT	LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST19005	3.94 lbs	1.78 kg	19.4 in	492.76 mm	9.6 in	243.84 mm	9.9 in	251.46 mm	1	076174928983
STST24113	6.95 lbs	3.15 kg	23.7 in	601.98 mm	11.5 in	292.10 mm	11.2 in	284.48 mm	1	076174920673



### **Tool Boxes**

- Built in padlock eye for small locks for secure storage of tools
- Nickel plated metal latches for durability
- Tote tray

SKU #	WEI	GHT	LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
016013R	2.75 lbs	1.24 kg	16 in	406.4 mm	7.2 in	182.88 mm	7.8 in	198.12 mm	1	076174920512
019151M	4.7 lbs	2.13 kg	18.25 in	463.55 mm	9.25 in	234.05 mm	9.75 in	247.65 mm	1	076174928983
0240135	12.2 lbs	5.53 kg	24 in	609.6 mm	11.4 in	289.56 mm	11 in	279.40 mm	1	076174920673



### **Tool Boxes**

- Two lid organizers accessible without opening the tool box for small parts storage
- Built in padlock eye for small locks for secure storage of tools
- Tote tray

SKU #	WEI	GHT	LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
016011R	2.79 lbs	1.26 kg	13.9 in	353.06 in	8.3 in	210.82 mm	5.2 in	132.08 mm	1	076174939767
STST13011	1.23 lbs	.55 kg	12.5 in	317.5 mm	7 in	177.8 mm	1.1 in	279.34 mm	1	076174933338



### 19" Metal Tool Box

- Auto-latch for one handed operation
- Long handle for easy carrying

Ī	SKU #	WEI	GHT	LEI	NGTH	W	WIDTH		IGHT	CTN QTY	UPC
	STST19500	9.32 lbs	4.22 kg	21.95 in	557.7 mm	11.62 in	295.14 mm	12.16 in	308.86 mm	1	076174755084



### 19" Metal Tool Box with 1 Drawer

- Auto-latch for one handed operation
- Long handle for easy carrying
- Top drawer slides backwards for easy access

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
STST19501	11.73 lbs	5.32 kg	21.95 in	557.7 mm	11.622 in	295.14 mm	12.16 in	308.86 mm	1	076174755091



### 19" Metal Tool Box with 2 Drawers

- Auto-latch for one handed operation
- Long handle for easy carrying
- Two drawers for easy access and tool organization
- Central locking mechanism for secure storage

	SKU#	WEI	GHT	LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
ĺ	STST19502	14.63 lbs	6.63 kg	21.957 in	557.7 mm	11.622 in	295.14 mm	12.16 in	308.86 mm	1	076174755107

### **STANLEY® FATMAX® TOOL VEST**



### STANLEY FATMAX

#### **Tool Vest**

- Tool compartments for easy storage and convenient access to tools
- Storage compartments for personal belongings such as mobile phone
- Mesh material allows air movement for comfort throughout the day
- Adjustable shoulder straps for secure fit
- Light reflective strip for visibility

SKU#	WEI	GHT	LENGTH		W	WIDTH		HEIGHT		UPC
FMST530201	2.1 lbs	.95 kg	17 in	431.80 mm	12 in	304.80 mm	3.5 in	88.90 mm	1	076174711813

### **FATMAX® TOOL BAGS**



### STANLEY FATMAX

### **Covered Tool Bag**

- 20" Tote with cover for easy access and secure transportation
- Multiple pockets for tool storage and organization
- · Long metal handle with soft grip
- Strong plastic frame for durability
- Water resistant plastic base

Sk	KU #	WEI	GHT	LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
FMST!	519100	2.79 lbs	1.26 kg	13.9 in	353.06 in	8.3 in	210.82 mm	5.2 in	132.08 mm	1	076174939767



#### STANLEY FATMAX

### **Technician Tool Bag**

- Open structure with rigid walls
- Removable, rubber grip handle and padded shoulder strap for carrying flexibility
- Multiple external pockets for additional storage

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
511150M	4.76 lbs	2.15 kg	11.5 in	292.10 mm	11.5 in	292.10 mm	15 in	381 mm	1	076174939521



### STANLEY FATMAX

### **Open Mouth Tool Bag**

- Central zipper for quick access and visibility to tools when open
- Injected polypropylene hard base helps protect from dirt and damp surfaces
- Multiple external pockets for additional storage

SKU #	WEI	GHT	LENGTH		W	WIDTH		IGHT	CTN QTY	UPC
518150M	3.85 lbs	1.74 kg	20 in	508 mm	10.5 in	266.7 mm	5 in	127 mm	1	076174939507



### STANLEY.

### Open Tote

- Open structure for quick access to tools
- Rubber gripped steel handle for comfort
- Multiple external compartments, saw pockets and level holder for additional storage

SKU#	WEI	GHT	LENGTH		W	IDTH	ŀ	HEIGHT	CTN QTY	UPC
518160M	5.7 lbs	2.58 kg	19 in	482.60 mm	10 in	254 mm	12 in	304.80 mm	1	076174939514



### STANLEY FATMAX

### 16" Open Mouth Bag

- Central zipper for quick access and visibility to tools when open
- Injected polypropylene hard base helps protect from dirt and damp surfaces
- Multiple external pockets for additional storage

I	SKU #	WEI	GHT	LEI	NGTH	W	IDTH	ŀ	IEIGHT	CTN QTY	UPC
	97-489	4.21 lbs	1.90 lg	16 in	406.40 mm	9 in	228.60 mm	11 in	279.40 mm	1	076174974898

### **STANLEY® TOOL BAG**



### 12" Tool Bag

- Central zipper for quick access and visibility to tools when open
- Multiple external pockets for additional storage
- Ideal for carrying hand tools and other small items

SKU #	WEI	GHT	LEI	NGTH	W	IDTH	HI	EIGHT	CTN QTY	UPC
STST70574	1.46 lbs	.66 kg	11.9 in	302.26 mm	5.1 in	129.54 mm	9.9 in	251.46 mm	1	076174705744

### **STANLEY® MOBILE WORK CENTERS**



### STANLEY FATMAX

#### NLEY 4-in-1 Mobile Work Center

- Tiered cantilever allows easy access to four storage areas
- Structural foam construction for durability
- 4 storage solutions in 1 tool box, small bins, portable tray, large bin
- Telescopic handle for easy maneuvering



SKU #	WEIG	SHT	LEI	NGTH	V	WIDTH		EIGHT	CTN QTY	UPC
020800R	23.63 lbs	10.71kg	21.6 in	548.64 mm	16.2 in	411.48 mm	24.8 in	629.92 mm	1	076174942101



#### 2-in-1 Mobile Work Center

- Innovative design with robust structure and large volume
- Telescopic handle for convenient maneuverability and folds down for storage
- Removable tray allows enough space for larger tools to be stored underneath



SKU #	WEI	GHT	LE	NGTH	W	IDTH	HE	IGHT	CTN QTY	UPC
STST18612	9.61 lbs	4.35 kg	18.5 in	469.9 mm	11 in	279.4 mm	22.7 in	576.58 mm	1	076174703566



#### 3-in-1 Mobile Work Center

- Detachable 18" tool box for flexible storage
- Large bottom bin for larger power and hand tools
- · Metal front and side latches for heavy duty use



SKU #	WEI	GHT	LEN	NGTH	WI	DTH	HE	IGHT	CTN QTY	UPC
STST18613	10.71 lbs	4.85 kg	18.5 in	469.9 mm	11 in	279.4 mm	24.8 in	629.92 mm	1	076174703573



#### **Mobile Work Center**

- · Large bin for power tools, levels or other large tools
- · Large wheels for easy mobility
- Portable tray in top compartment for storage of hand tools



SKU #	CAPACITY	WEI	GHT	LE	NGTH	V	/IDTH	Н	EIGHT	CTN QTY	UPC
018800R	13 GAL	8.68 lbs	3.93 kg	24.3 in	617.22 mm	17.7 in	449.58 mm	11.4 in	289.56 mm	1	076174944730

### **STANLEY® TOOL CHESTS**



### **50 Gallon Mobile Tool Chest**

- Large, heavy-duty, nickel plated latches for durability
- Integrated lock for secure tool storage (keys included)
- 50 gallon capacity for storing large tools and accessories



SKU #	CAPACITY	WEIG	GHT	LE	NGTH	W	IDTH	HE	IGHT	CTN QTY	UPC
037025H	50 GAL	31.75 lbs	14.4 kg	37 in	939.8 mm	23 in	584.2 mm	23 in	584.2 mm	1	076174932782



### 24 Gallon Mobile Tool Chest

- Large, heavy-duty metal latches with padlock eyes for secure tool storage
- Unique tote tray sits on pull out handle for additional work space
- 24 gallon capacity for storing large tools and accessories

SKU #	CAPACITY	WEIG	SHT	LE	NGTH	W	IDTH	HE	IGHT	CTN QTY	UPC
029025R	24 GAL	20.25 lbs	9.18 kg	29.88 in	758.95 mm	18.62 in	472.94 mm	19.13 in	485.9 mm	1	076174929782



#### **Contractor Chest**

- Remove portable tray for easy access to tools in bottom bin
- Removable organizer for storage of small parts
- V-groove on top of lid for holding materials in place while cutting



SKU #	CAPACITY	WEIG	НТ	LEN	GTH	WID	TH	HEI	GHT	CTN QTY	UPC
033026R	24 GAL	20.68 lbs	9.38 kg	37.05 in	941 mm	29.64 in	752 mm	19.30 in	490 mm	2	076174929782

### **STANLEY® ORGANIZERS**



### Y Organizers

- Clear, impact resistant lid keeps cups locked in place
- Removable cups for customizable storage of small parts
- Rust resistant, metal latches for secure storage



SKU#	WEI	GHT	LENGTH		WIDTH		HEIGHT		CTN QTY	UPC
FMST14820	4.85 lbs	2.19 kg	17.5 in	444.5 mm	14 in	355.6 mm	4.5 in	114.30 mm	1	076174975185
FMST14920	3.89 lbs	1.76 kg	17.5 in	444.5 mm	14 in	355.6 mm	2.9 in	73.66 mm	1	076174975178



### **Professional Organizers**

- Lid structure keeps cups locked in place
- Large, deep cups for storage of small parts
- High-impact, break resistant lid for durability

SKU #	WEI	GHT	LE	NGTH	WI	DTH	Н	EIGHT	CTN QTY	UPC
014710R	3.96 lbs	1.79 kg	16.5 in	419.10 mm	13.3 in	337.82 mm	4.2 in	106.68 mm	1	076174942033
014725R	2.96 lbs	1.34 kg	16.7 in	424.18 mm	13.3 in	337.82 mm	2.15 in	54.61 mm	1	076174942026



### SortMaster<sup>™</sup>Organizer

- Lid structure with interlocking ribs helps prevent movement of small parts from one compartment to another
- Removable dividers for customizable storage for small parts and hand tools
- Unique interior with open ended corners for accommodating angled tools

SKU #	WEI	GHT	LE	NGTH	W	IDTH	Н	EIGHT	CTN QTY	UPC
014027	2.57 lbs	1.16 kg	17 in	431.80 mm	13.1 in	332.74 mm	3.4 in 86.36 mm		1	076174947458



### SortMaster Light™

- Locking latches and carriage of up to 3 at once
- Removable dividers provide high customization for small parts and larger hand tools
- Special lid structure prevents movement of small parts
- Convenient ergonomic carriage of tools with an additional latch for double sided stacking

SKU#	WEI	GHT	LENGTH		WIDTH		HEI	GHT	CTN QTY	UPC
STST14021	0.84 lbs	0.38 kg	11.5 in	292.1 mm	8.5 in	215.9 mm	2.9 in	73.66 mm	1	076174707205



#### **SortMaster™ Junior**

- Innovative locking latches and carriage of 3 at once saves time
- Stacking option allows secured stacking of several organizers to save space and maintain organization
- Removable dividers provide high customization for small parts and larger hand tools
- Unique 90 degree angle in the main compartment design allows storage of hammers and angled tools or tape measurers comfortably together with the small parts in the other nearby compartments

SKU #	WE	IGHT	LEI	NGTH	W	WIDTH		IGHT	CTN QTY	UPC
STST14022	1.82 lbs	0.82 kg	14.8 in	375.92 mm	11.5 in	292.10 mm	2.7 in	68.58 mm	1	076174974836



### 3-in-1 Tool Organizer

- Innovative design allows access to all three storage bins for use as work station
- Versatile design allows for organization of hand tools, power tools and accessories
- Built in carrying handle

SKU #	WEI	IGHT	LEI	LENGTH		WIDTH		IGHT	CTN QTY	UPC
STST17700	5.89 lbs	2.67 kg	16.8 in	426.72 mm	9 in	228.60 mm	12.4 in	314.96 mm	1	076174719635



### 11 Compartment Organizer

- Constructed of transparent polypropylene for ability to see contents
- Removable dividers for customizable storage of small parts
- Round compartment edges for easy content removal

I	SKU #	WEIGH LENGTH		NGTH	١	WIDTH	HI	EIGHT	CTN QTY	UPC	
ı	014009R	0.30 lbs	0.13 kg	8.3 in	210.82 mm	4.5 in	114.30 mm	1.4 in	35.56 mm	1	076174928884



### 14" Organizer

- Constructed of transparent polypropylene for ability to see contents
- Removable dividers for customizable storage of small parts
- Round compartment edges for easy content removal

SKU #	WE	IGH	LE	NGT	V	VIDTH	Н	EIGHT	CTN QTY	UPC
014014R	1.1 lbs	0.49 kg	14 in	355.60 mm	9 in	228.60 mm	1.9 in	482.60 mm	1	076174928907



### **Portable Storage Tote Tray**

- Portable, multi-purpose tool storage unit for transporting both hand tools and power tools
- Tool racks help keep tools organized and accessible
- Reinforced, deep structure for durability

I	SKU#	WEIGHT LENGTH		NGTH	W	/IDTH	Н	EIGHT	CTN QTY	UPC	
	STST41001	2.03 lbs	0.92 kg	19.5 in	495.30 mm	13.2 in	335.28 mm	7.7 in	195.58 mm	1	076174723595

### **STANLEY® BINS**



### 8 Storage Bin Bonus Set with Hangers

- High-impact, polypropylene construction for durability
- Bins can be stacked or nested
- Includes 8 storage bins and 4 wall hangers

SKU#	WEI	GHT	LE	NGTH	W	WIDTH		EIGHT	CTN QTY	UPC
057208R	1.42 lbs	0.64 kg	6.5 in	238.76 mm	4.2 in	106.68 mm	13.5 in	342.90 mm	1	076174932751



### 4 Storage Bin Bonus Set with Hangers

- Wide mouth design for easy access to contents
- High-impact, polypropylene construction for durability
- Bins can be stacked or nested
- Includes 4 storage bins and 2 wall hangers

SKU #	WEI	GHT	LE	NGTH	W	IDTH	Н	EIGHT	CTN QTY	UPC
057304R	1.68 lbs	0.76 kg	9.4 in	238.76 mm	5.9 in	149.86 mm	12.6 in	320.04 mm	1	076174932768



### **Storage Bins**

- Wide mouth design for easy access to contents
- High-impact, polypropylene construction for durability
- Bins can be stacked or nested

	SKU#	WEIGHT		LENGTH		W	IDTH	Н	IEIGHT	CTN QTY	UPC
ĺ	056400L	0.86 lbs	0.39 kg	9.8 in	9.8 in 248.92 mm		157.48 mm	5.6 in 142.24 mm		1	076174939637
ĺ	056500L	1.67 lbs	0.75 kg	15.5 in	393.70 mm	10 in	254 mm	7.1 in	180.34 mm	1	076174939644

### STANLEY® FATMAX® SAWHORSE



### STANLEY FATMAX

### Adjustable Sawhorse

- Each leg adjusts separately, allowing the sawhorse to stand on uneven surfaces
- Rubber inserts for stability
- High-quality, sturdy polypropylene and aluminum legs
- Unique slide mechanism, providing for easy, smooth adjustment

SKU #	WEIGHT CAPACITY (PER PAIR)			LENGTH IN./MM			OTH MM		IGHT /MM	BOX QTY	CTN QTY	UPC
0110315	2500lb / 1150kg	10.99	10.99 4.98		838.20	27.5	698.50	2	50.80	1	2	076174975116

### **STANLEY® SAWHORSES**



### **Folding Sawhorse - Twin Pack**

- 31" height for comfortable working
- V-groove on top of sawhorse for holding materials in place while cutting
- Slide mechanism for easy smooth adjustments



SKU #	WEIGHT CAPACITY (PER PAIR)	WEIGHT LBS. / KG		LENGTH IN./MM			DTH MM		GHT /MM	BOX QTY	CTN QTY	UPC
060864R	1000lb / 455kg	12.78	5.79	25.2	640.08	4.2	106.68	22	558.80	1	2	076174956252



### Jr. Folding Sawhorse - Twin Pack

- Lightweight for easy transporting
- V-groove on top of sawhorse for holding materials in place while cutting
- Holds up to 800 lbs per pair

SKU #	WEIGHT CAPACITY (PER PAIR)	WEIGHT LBS. / KG		LENGTH IN./MM		WIDTH IN./MM		HEIGHT IN./MM		BOX QTY	CTN QTY	UPC
STST60952	800lb / 362kg	11.02	4.99	22.5	571.50	4.2	106.68	32.1	815.34	1	2	076174703559



### **Fold Up Sawhorse**

- Plastic construction with metal legs
- Folds up for easy carrying with one hand
- Holds up to 750 lbs per pair

SKU #	WEIGHT CAPACITY (PER PAIR)	WEIG LBS. /	GHT KG	LENGTH IN./MM			IDTH ./MM	HEIGHT IN./MM		BOX QTY	CTN QTY	UPC
STST11151	750lb / 340kg	9.35	4.24	40	1016	4.7	119.38	3.9	99.06	_	1	076174792010



### **Adjustable Sawhorse - Twin Pack**

- Sawhorse width and height are adjustable for flexibility
- Rubber feet and top tray for slip resistance
- Holds up to 1,000 lbs per pair (800 lbs when width is extended)

SKU #	WEIGHT CAPACITY (PER PAIR)	WEIG LBS.		LENGTH IN./MM		WIDTH IN./MM		HEIGHT IN./MM		BOX QTY	CTN QTY	UPC
STST60626	1000lb / 455kg *800lb / 360kg *(extended height position)	21.48	9.74	28.2	716.28	5.5	139.70	31.2	792.48	1	2	076174705591





## **STANLEY**

701 East Joppa Road, Towson, Maryland 21286 stanleytools.com