

Shelving & Storage

Adjustable Wall Mounted Shelving Systems

Standards and Brackets Quick Reference Guide 64

Pilaster Adjustable Shelving Systems

255 Mortise-Mount Pilaster Shelving System 65-66

233/237 Surface-Mount Pilaster Shelving System 67

Regular-Duty Adjustable Shelving Systems

70/170 Standards and Bracket System 68

71/170 Standards and Bracket System 68

80/180 Standards and Brackets System 69-70

160LL/179/181 Brackets 71

79/7980 Hangrail System 72

Heavy-Duty Adjustable Shelving Systems

82/182 Standards and Brackets System 73-74

79/7982 Hangrail System 74

83/183 Standards and Brackets System 75-76

161LL Lock Lever Bracket 76

Extra-Duty Adjustable Shelving System

85/185 Standards and Brackets System 77-78

Super-Duty Shelving System

87/187 Standards and Brackets System 79-80

1987 Galvanized Steel Shelves 79

87SS/187SS Stainless Steel Standards and Brackets System 81-82

1987SS Stainless Steel Shelves 81

186LL Stainless Steel Bracket 82

Built-in Shelving Accessories

335 Plastic Shelf Supports 83

338 Plastic Shelf Supports 83

345 Shelf Supports 83

346 Shelf Supports 83

348 Shelf Supports 83

Misc. Shelf Supports 83

Utility Shelving Brackets

204 L-Bracket 84

206 Folding L-Bracket 84

208 Ultimate L-Bracket 85

221 Utility L-Bracket 85

Decorative Shelving Brackets

88/ 888 Wood Shelf Anchor® 86

215 Slim-Line™ Shelf Bracket 86

216 Simplicity™ Shelf Bracket 86

217 Silhouette™ Shelf Bracket 86

200 Series Designer Shelf Brackets 87-88

Shelf Board

1980 5/8 in. Shelf Board 89

1990 3/4 in. Shelf Board 89

Knap & Vogt pioneered the development of the modern standards and bracket system of wall shelving, and we are still the leader in selection, quality and innovation. With one of the industry's widest selection of systems and component accessories, chances are we make a shelving system just right for you. To aid your selection process, we've created the following chart, which lists the vital characteristics of our standards and brackets systems, as well as available finishes and accessories. If you still have questions or need more details, please contact KV Customer Service.


Part	Description	Features					Finish Options										Pack Options								
		1 in. Center Adjustment	1-1/4 in. Center Adjustment	2 in. Center Adjustment	Single Track	Double Track	Lever Lock	Almond (ALM)	Anochrome (ANO)	Black (BLK)	Brass-look (BR)	Brown (BRN)	Clear (CL)	Stainless Steel (SS)	Galvanized Steel (GALV)	Titanium (TI)	White (WH)	Zinc (ZC)	Economy Zinc (E)	Standard Pack	Builders Pack (BP)	Bulk Pack (B)	Display Pack (DP)	Heavy Pack (H)	Warehouse Pack (WP)
70/170 Regular-Duty Adjustable Standard and Bracket System																									
70	Standard	•			•														•	•					
170 E	Bracket	•			•														•	•					
71/170 Regular-Duty Adjustable Standard and Bracket System																									
71	Narrow Faced Standard	•			•			•												•					
170 ANO	Bracket	•			•			•												•					
80/180 Regular-Duty Adjustable Standard and Bracket Systems																									
80	Standard	•			•		•	•	•		•				•	•				•	•				
180	Bracket	•			•		•	•	•	•					•	•				•	•			•	
181	Bracket	•			•			•												•					
160LL	Bracket	•			•	•		•												•					
179	Slanting Bracket	•			•			•		•										•					
80-88	Screws/Anchors						•	•	•	•	•				•	•				•		•			•
82/182 Heavy-Duty Adjustable Standard and Bracket Systems																									
82	Standard		•		•		•	•							•	•				•	•				
182	Bracket		•		•		•	•							•	•				•	•				
182BE	Bookend		•		•											•				•					
82DP Screw	Screws/Anchors																•						•		
182DP LCTR/JNR	Shelf Locater/Joiner		•		•						•												•		
182 DP LOCK	Bracket Lock Tab		•		•			•															•		
83/183 Oversized Heavy-Duty Adjustable Standard and Bracket Systems																									
83 ANO	Oversized Standard	•			•			•												•					
183	Handed Flange Bracket	•			•			•												•					
161LL	Bracket	•			•	•		•												•					
85/185 Extra-Duty Adjustable Standard and Bracket System																									
85	Standard	•			•			•								•				•					
185	Bracket	•			•			•								•				•					
106 ANO	Shelf Rest	•			•			•												•					
107 ANO	Hang Rod Clamp	•			•			•												•					
87/187 Super-Duty Adjustable Standard and Bracket System																									
87	Standard			•	•			•								•				•					
186LL	Bracket			•	•	•		•							•		•			•					
187LL	Bracket			•	•	•		•							•		•			•					
1987	Steel Shelves													•	•					•					

Mortise-Mount Pilaster Shelving System 255/256

- Holds up to 500 lbs. per shelf
- Mortise-Mount system
- 1/2" vertical slot adjustment
- BHMA Grade 1 compliant
- Wide selection of finishes & sizes
- Numbered slots for fast, accurate clip insertion
- Punched nail/screw holes
- Limited Lifetime Warranty
- Made in USA


255 Steel Standards

Number	255 Series Mortise-Mount Steel Pilaster Standards
Dimensions	5/8" Wide x 3/16" Deep x Selected Length
Material	23 Gauge High Strength Steel
Origin	Made in USA
Finishes	Almond (ALM), Brass-look (BR), Brown (BRN), White (WH), Zinc (ZC), Economy Zinc (E)



Pack Configurations	
Standard	12"-60" packed 100 standards per Carton. 72"-96" packed 50 standards per Carton.
Retail (P)	20 Standards per Carton


255 Steel Standards Standard Pack						
Size	Almond (ALM)	Brass-look (BR)	Brown (BRN)	Economy Zinc (E)	White (WH)	Zinc (ZC)
12 in.	255ALM 12	255BR 12	255BRN 12	255E 12	255WH 12	255ZC 12
18 in.	255ALM 18	255BR 18	255BRN 18	—	255WH 18	255ZC 18
24 in.	255ALM 24	255BR 24	255BRN 24	255E 24	255WH 24	255ZC 24
30 in.	255ALM 30	—	255BRN 30	—	255WH 30	255ZC 30
36 in.	255ALM 36	255BR 36	255BRN 36	255E 36	255WH 36	255ZC 36
42 in.	—	—	—	—	—	255ZC 42
48 in.	255ALM 48	255BR 48	255BRN 48	255E 48	255WH 48	255ZC 48
60 in.	255ALM 60	255BR 60	255BRN 60	255E 60	255WH 60	255ZC 60
72 in.	255ALM 72	255BR 72	255BRN 72	255E 72	255WH 72	255ZC 72
84 in.	255ALM 84	255BR 84	255BRN 84	255E 84	255WH 84	255ZC 84
96 in.	255ALM 96	255BR 96	255BRN 96	255E 96	255WH 96	255ZC 96



255 Steel Standards Retail Pack (P)					
Size	Almond (ALM)	Brass-look (BR)	Brown (BRN)	White (WH)	Zinc (ZC)
24 in.	—	PK255BR 24	—	PK255WH 24	PK255ZC 24
36 in.	PK255ALM 36	PK255BR 36	PK255BRN 36	PK255WH 36	PK255ZC 36
48 in.	PK255ALM 48	PK255BR 48	PK255BRN 48	PK255WH 48	PK255ZC 48
60 in.	PK255ALM 60	PK255BR 60	PK255BRN 60	PK255WH 60	PK255ZC 60
72 in.	PK255ALM 72	PK255BR 72	PK255BRN 72	PK255WH 72	PK255ZC 72

255 Aluminum Standards

Number	255Al Series Mortise-Mount Aluminum Pilaster Standards
Dimensions	5/8" Wide x 3/16" Deep x Selected Length
Material	17 Gauge Aluminum
Origin	Made in USA
Finishes	Brass-look (BR), Brown (BRN), Natural (AL), Walnut (WAL)



Pack Configurations	
Standard	12"-60" packed 100 standards per Carton. 72"-96" packed 50 standards per Carton.
Retail (P)	20 Standards per Carton

255 Aluminum Standards Standard Pack					255 Standards Retail Pack (P)	
Size	Natural (AL)	Brass-look (BR)	Brown (BRN)	Walnut (WAL)	Size	Walnut (WAL)
12 in.	255AL 12	255AL BR 12	255AL BRN 12	255AL WAL 12	36 in.	PK255AL WAL 36
18 in.	255AL 18	255AL BR 18	—	255AL WAL 18	48 in.	PK255AL WAL 48
24 in.	255AL 24	255AL BR 24	255AL BRN 24	255AL WAL 24	60 in.	PK255AL WAL 60
30 in.	255AL 30	255AL BR 30	—	255AL WAL 30	72 in.	PK255AL WAL 72
36 in.	255AL 36	255AL BR 36	255AL BRN 36	255AL WAL 36		
42 in.	255AL 42	—	—	—		
48 in.	255AL 48	255AL BR 48	255AL BRN 48	255AL WAL 48		
60 in.	255AL 60	255AL BR 60	255AL BRN 60	255AL WAL 60		
72 in.	255AL 72	255AL BR 72	255AL BRN 72	255AL WAL 72		
84 in.	255AL 84	255AL BR 84	255AL BRN 84	255AL WAL 84		
96 in.	255AL 96	255AL BR 96	255AL BRN 96	255AL WAL 96		

255/256 Mortise-Mount Pilaster Shelving System

ALM



AL NAT



BR



WAL



WH



ZC




256R



239



244




243



757



229



Number	256 Series Pilaster Support
Material	High Strength Steel, Aluminum (AL)
Origin	Made in USA
Finishes	Almond (ALM), Natural Aluminum (AL NAT), Brass-look (BR), Walnut (WAL), White (WH), Zinc (ZC)
Features	256 WAL for use with 255 BRN pilaster standards. Patent pending clip design

Pack Configurations	
Standard	100 Pieces per Carton
Bulk (B)	1000 Pieces per Carton
Barrel (BBL)	9000 Pieces per Fiber Barrel
Poly (P)	12 supports and 28 nails per Bag; 10 Bag per Carton
Warehouse (WP)	12 supports and 28 nails per Bag; 50 Bags per Carton

256 Shelf Supports Almond (ALM) Finish				
Standard	Bulk (B)	Barrel (BBL)	Poly (P)	Warehouse (WP)
256SALM	—	—	256S PALM	256S WPALM

256 Shelf Supports Brass-look (BR) Finish				
Standard	Bulk (B)	Barrel (BBL)	Poly (P)	Warehouse (WP)
256 BR	256B BR	256BBL BR	256P BR	256WP BR

256 Shelf Supports Walnut (WAL) Finish				
Standard	Bulk (B)	Barrel (BBL)	Poly (P)	Warehouse (WP)
256 WAL	256B WAL	256BBL WAL	256P WAL	256WP WAL

256 Shelf Supports White (WH) Finish				
Standard	Bulk (B)	Barrel (BBL)	Poly (P)	Warehouse (WP)
256S WH	—	—	256S P WH	256S WP WH

256 Shelf Supports ZINC (ZC) Finish				
Standard	Bulk (B)	Barrel (BBL)	Poly (P)	Warehouse (WP)
256 ZC	256B ZC	256BBL ZC	256P ZC	256WP ZC

256 Shelf Supports Natural Aluminum (AL NAT) Finish				
Standard	Bulk (B)	Barrel (BBL)	Poly (P)	Warehouse (WP)
256 AL NAT	256AL NAT	—	—	—

Number	256R ZC	Support with Rubber Cushion
	239 ZC	Shelf Support
	243 ZC	3" Shelf Bracket (non-handed)
	244 ANO	For Wire Shelves
	757 ANO	Flange For 1-1/16" OD Closet Rod
Origin	Made in USA	
Finishes	Anochrome (ANO), Zinc (ZC)	
Packed	100 Pieces per Carton	

Number	229 ANO Series Support Bracket
Finish	Anochrome (ANO)
Packed	25 per Carton


229 Bracket	
Size	Anochrome (ANO) Finish
4 in.	229 ANO 4
6 in.	229 ANO 6
8 in.	229 ANO 8
10 in.	229 ANO 10

Number	233 Surface-Mount Steel Pilaster Standards
Dimensions	13/16" Wide x 3/16" Deep x Selected Length
Material	23 Gauge High-Strength Steel
Origin	Made in USA
Finishes	Brass-look (BR), Steel (STL), Zinc (ZC)

Pack Configurations			
Standard	12"-60" packed 100 standards per Carton. 72"-96" packed 50 standards per Carton.		
Retail (P)	20 Standards per Carton		

233 Steel Standards Standard Pack				233 Steel Standards Poly Pack (P)	
Size	Brass-look (BR)	Steel (STL)	Zinc (ZC)	Size	Zinc (ZC)
12 in.	233 BR 12	233 STL 12	233 ZC 12	48 in.	PK233 ZC 48
18 in.	—	—	233 ZC 18	72 in.	PK233 ZC 72
24 in.	—	233 STL 24	233 ZC 24		
30 in.	—	—	233 ZC 30		
36 in.	233 BR 36	233 STL 36	233 ZC 36		
42 in.	—	—	233 ZC 42		
48 in.	233 BR 48	233 STL 48	233 ZC 48		
60 in.	233 BR 60	233 STL 60	233 ZC 60		
72 in.	233 BR 72	233 STL 72	233 ZC 72		
84 in.	—	233 STL 84	233 ZC 84		
96 in.	233 BR 96	233 STL 96	233 ZC 96		

- Holds up to 500 lbs. per shelf
- Surface-Mount System
- 1/2" vertical slot adjustability
- BHMA Grade 1 compliant
- Numbered slots for quick, accurate clip insertion
- Punched nail/screw & staple holes
- Limited lifetime warranty
- Made in USA



Number	237 ZC	Shelf support for 233 pilaster
	238 ANO	Shelf support with locator tab
	242 ANO	Wire shelf support
Origin	Made in USA	
Finishes	Anochrome (ANO), Zinc (ZC)	
Packed	100 Pieces per Carton	



Pack Configurations	
Standard	Approx. 650 Nails per Bag; 5 Bags per Carton

255 & 233 Nails	
Part	Finish
255-81N ALM	Almond (ALM)
255-81N BR	Brass-look (BR)
255-81N STB	Bronzed (STB)
255-81N WH	White (WH)
255-81N ZC	Zinc (ZC)

255 and 233 Nail Application Chart	
Nail	Use With:
255-81N ALM	255 ALM
255-81N BR	255BR, 233 BR, 255AL BR
255-81N STB	255BRN, 255AL BRN, 255 WAL
255-81N WH	255WH
255-81N-ZC	255ZC, 233ZC, 255E, 255AL



70/170 Regular-Duty Standards & Brackets System

- Holds up to 200 lbs. per pair*
- Regular-Duty System
- Single slot System
- 1" vertical slot adjustment
- BHMA Grade 2 compliant
- Limited lifetime warranty
- Made in USA



Number	70 Standards
Dimensions	5/8" Wide x 13/32" High, 1" Slot Adjustment
Material	16 Gauge Steel
Origin	Made in USA
Finish	Economy Zinc (E)

Pack Configurations	
Standard	10 Standards per Carton, Screws not Included, UPC applied
P70E Standards Economy Zinc (E)	
Size	Economy Zinc
24 in.	P70 E 24
36 in.	P70 E 36
48 in.	P70 E 48
72 in.	P70 E 72


Number	170E Brackets
	P170E Brackets
Material	16 Gauge Steel
Origin	Made in USA
Finish	Economy Zinc (E)

Pack Configurations		
Poly (P)	20 per Carton; UPC label Applied	
Standard	50 per Carton, No UPC	
170E Brackets Economy Zinc (E)		
Size	Standard	Poly
8 in.	170E 8	P170 E 8
10 in.	170E 10	P170 E 10
12 in.	170E 12	P170 E 12
48 in.	P70 E 48	

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

70/170 Regular-Duty Standards & Brackets System

- Holds up to 210 lbs. per pair*
- Regular-Duty System
- Single slot Design
- 1" vertical slot adjustment
- BHMA Grade 2 compliant
- Limited lifetime warranty
- Made in USA



Number	71 Narrow Face Standards
Dimensions	5/16" Wide x 13/32" Deep
Material	16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO)

Pack Configurations	
Standard	10 per Carton
71 Standards Standard Pack	
Size	Anochrome (ANO)
48 in.	71 ANO 48
60 in.	71 ANO 60
72 in.	71 ANO 72
84 in.	71 ANO 84
96 in.	71 ANO 96

Number	170 ANO Brackets
Material	16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO)

Pack Configurations	
Standard	10 per Carton
170 ANO Brackets	
Size	Anochrome (ANO)
10 in.	170 ANO 10
12 in.	170 ANO 12
14 in.	170 ANO 14

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Regular-Duty Standards & Brackets System 80/180

Number	80 Standards
Dimensions	5/8" Wide x 13/32" Deep x Selected Length
Material	16 Gauge Steel
Origin	Made in USA
Finishes	Almond (ALM) , Anochrome (ANO), Black (BLK), Brass Look (BR) Brown (BN), Titanium (TI), White (WH)

- Holds up to 320 lbs. per pair*
- Regular-Duty System
- Single slot design
- 1" vertical slot adjustability
- BHMA Grade 2 compliant
- Spring clip for stability & friction lock
- Shelf retaining lip on bracket
- 2 locking teeth
- Limited lifetime warranty
- Made in USA

Pack Configurations

Standard	10 Standards per Carton, w/UPC labels
Builders Pack (BP)	25 Standards per Carton, NO UPC labels

80 Standards Standard Pack

Size	Almond (ALM)	Anochrome (ANO)	Black (BLK)	Brown (BN)	Brass-look (BR)	Titanium (TI)	White (WH)
12 in.	80 ALM 12	80 ANO 12	80 BLK 12	80 BN 12	80 BR 12	80 TI 12	80 WH 12
18 in.	—	80 ANO 18	—	—	—	—	—
24 in.	80 ALM 24	80 ANO 24	80 BLK 24	80 BN 24	80 BR 24	80 TI 24	80 WH 24
36 in.	80 ALM 36	80 ANO 36	80 BLK 36	80 BN 36	80 BR 36	80 TI 36	80 WH 36
48 in.	80 ALM 48	80 ANO 48	80 BLK 48	80 BN 48	80 BR 48	80 TI 48	80 WH 48
60 in.	80 ALM 60	80 ANO 60	80 BLK 60	80 BN 60	80 BR 60	80 TI 60	80 WH 60
72 in.	80 ALM 72	80 ANO 72	80 BLK 72	80 BN 72	80 BR 72	80 TI 72	80 WH 72
84 in.	—	80 ANO 84	—	—	—	—	—
96 in.	—	80 ANO 96	80 BLK 96	—	80 BR 96	80 TI 96	80 WH 96

80 Standards Builders Pack (BP)

Size	BP ANO
24 in.	80BP ANO 24
36 in.	80BP ANO 36
48 in.	80BP ANO 48
60 in.	80BP ANO 60
72 in.	80BP ANO 72
84 in.	80BP ANO 84
96 in.	80BP ANO 96

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.



80/180 Regular-Duty Standards & Brackets System

Number	180 Brackets
Dimensions	5/8" Wide x 13/32" High x Selected Length
Material	14 & 16 Gauge Steel
Origin	Made in USA
Finishes	Almond (ALM), Anochrome (ANO), Black (BLK), Brass-look (BR), Brown (BN), Titanium (TI), White (WH)

Pack Configurations	
Standard	10 Brackets per Carton with UPC Labels Attached
Hefty Pack (HP)	40 Brackets per Display Carton, UPC Labels
Builders Pack (BP)	100 Brackets per Carton, No UPC Label

180 Brackets Standard Pack							
Size	Almond (ALM)	Anochrome (ANO)	Black (BLK)	Brown (BN)	Brass-look (BR)	Titanium (TI)	White (WH)
4 in.	—	180 ANO 4	180 BLK 4	—	—	—	180 WH 4
6 in.	180 ALM 6	180 ANO 6	180 BLK 6	180 BN 6	180 BR 6	180 TI 6	180 WH 6
8 in.	180 ALM 8	180 ANO 8	180 BLK 8	180 BN 8	180 BR 8	180 TI 8	180 WH 8
10 in.	180 ALM 10	180 ANO 10	180 BLK 10	180 BN 10	180 BR 10	180 TI 10	180 WH 10
12 in.	180 ALM 12	180 ANO 12	180 BLK 12	180 BN 12	180 BR 12	180 TI 12	180 WH 12
14 in.	180 ALM 14	180 ANO 14	180 BLK 14	—	180 BR 14	—	180 WH 14
16 in.	180 ALM 16	180 ANO 16	180 BLK 16	180 BN 16	180 BR 16	180 TI 16	180 WH 16
18 in.	—	180 ANO 18	—	—	—	—	180 WH 18
20 in.	—	180 ANO 20	—	—	—	—	180 WH 20

180 Brackets Hefty Pack (HP)							
Size	Almond (ALM)	Anochrome (ANO)	Black (BLK)	Brown (BN)	Brass-look (BR)	Titanium (TI)	White (WH)
6 in.	—	180 ANO 6	180 BLK 6	—	—	108HP TI 6	180 WH 6
8 in.	180HP ALM 8	180HP ANO 8	180HP BLK 8	180HP BN 8	180HP BR 8	180HP TI 8	180HP WH 8
10 in.	180HP ALM 10	180HP ANO 10	180HP BLK 10	180HP BN 10	180HP BR 10	180HP TI 10	180HP WH 10
12 in.	180HP ALM 12	180HP ANO 12	180HP BLK 12	180HP BN 12	180HP BR 12	180HP TI 12	180HP WH 12
16 in.	180HP ALM 16	180HP ANO 16	180HP BLK 16	180HP BN 16	180HP BR 16	180HP TI 16	180HP WH 16
18 in.	—	—	—	—	—	—	180HP WH 18

180 Brackets Builders Pack (BP)	
Size	Anochrome (ANO)
6 in.	180BP ANO 6
8 in.	180BP ANO 8
10 in.	180BP ANO 10
12 in.	180BP ANO 12
14 in.	180BP ANO 14
16 in.	180BP ANO 16
18 in.	180BP ANO 18

See next page for more bracket options.

ALM



ANO



BLK



BR



BN



TI



WH



Screws & Anchors



Dimensions	#6 Head, #8 body, 1-1/2" long
Finishes	Almond (ALM), Anochrome (ANO), Black (BLK), Brass-look (BR), Brown (BN), Titanium (TI), White (WH), Zinc (ZC)

Pack Configurations	
Bulk Pack (BP)	1000 Bulk screws per poly; 6000 per Carton
Display (DP)	20 Poly Bags per Carton; Each Poly Bag contains 6 Screws and 6 Screw Anchors
Standard Pack	50 Screws per Pack, No Anchors

Display Pack (DP)	
Part	Finish
80-88DP ALM	Almond (ALM)
80-88DP ANO	Anochrome (ANO)
80-88DP BLK	Black (BLK)
80-88DP BR	Brass-look (BR)
80-88DP BN	Brown (BN)
80-88DP TI	Titanium (TI)
80-88DP WH	White (WH)

Standard Pack	
Part	Finish
80-80 ALM	Almond (ALM)
80-80 BLK	Black (BLK)
80-80 BR	Brass-look (BR)
80-80 WH	White (WH)
80-80 ZC	Zinc (ZC)

Bulk Pack (BP)	
Part	Finish
200239-4 ALM	Almond (ALM)
200230-7 BLK	Black (BLK)
200231-0 BR	Brass-look (BR)
200241-1	Titanium (TI)
200235-2 WH	White (WH)
200234-9 ZC	Zinc (ZC)



Locking Teeth
(Side view)




Number	160LL Lock Lever Bracket
Material	14 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO), Brass-look (BR)

- 160LL Brackets for use with 1" adjustment standards
- 2 locking teeth
- Lever lock for extra secure mounting

Pack Configurations		
Standard	10 per Carton, No UPC Labels	
160LL Brackets		
Size	Anochrome (ANO)	Brass-look (BR)
6 in.	160LL ANO 6	—
8 in.	160LL ANO 8	160LL BR 8
10 in.	160LL ANO 10	160LL BR 10
12 in.	160LL ANO 12	160LL BR 12
14 in.	160LL ANO 14	—
16 in.	160LL ANO 16	160LL BR 16
18 in.	160LL ANO 18	—

160LL



Number	179 Adjustable Slant Brackets
Material	14 and 16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO), Brass-Look (BR)

- For use with 1" adjustment standards
- Spring clip for stability & friction locking
- 179 Brackets Adjust to 15°, 30°, 45°, and level

Pack Configurations	
Standard	10 per Carton
179 Brackets	
Size	Anochrome (ANO)
10 in.	179 ANO 10
12 in.	179 ANO 12
14 in.	179 ANO 14

179



Number	181 Lipless Brackets
Material	14 and 16 Gauge Steel
Origin	Made in USA
Finish	Anochrome (ANO)

- For use with 1 in. adjustment standards
- Lip-less version of 180 Bracket

Pack Configurations	
Standard	10 per Carton
181 Brackets	
Size	Anochrome (ANO)
8 in.	181 ANO 8
10 in.	181 ANO 10
12 in.	181 ANO 12
14 in.	181 ANO 14
16 in.	181 ANO 16

181



80/180 Regular-Duty Standards & Brackets System

- Holds up to 2700 lbs. per 80" Rail
- Holds up to 200 lbs. per Link
- Rail has screw holes every 8" for 16" and 24" stud centers
- Rigid profile design prevents twisting and bowing
- Mounts to most wall types and bare studs
- Anti-dislodge safety features

79 WH



79 TI



7980 TI



7980 WH



79/7980 Easy Installation Hang Rail for 80 Series Standards

Number	79 Easy Installation Hangrail
Material	Hardened Steel
Finishes	Titanium (TI), White (WH)

Pack Configurations		
Standard	10 per Carton	
79 Hangrail		
Size	Titanium (TI)	White (WH)
48 in.	79 TI 48	79 WH 48
80 in.	79 TI 80	79 WH 80

Number	7980 Standard Links
Material	Cast Aluminum
Finishes	Titanium (TI), White (WH)

Pack Configurations		
Standard	12 Pairs per Carton	
7980 Standard Links		
Titanium (TI)	White (WH)	
7980 TI	7980 WH	

101 PLAS



102



103



103-1/2



104



104-1/2



105



119 RUB



129 RUB



136



137



153



154



Accessories

Number	101 PLAS	Clear Plastic Back Rest
	102 PLAS	Clear Plastic Front Rest
	103 PLAS	Clear Plastic Front Rest
	103-1/2L PLAS	Clear Plastic Front Rest (left)
	103-1/2R PLAS	Clear Plastic Front Rest (right)
	104 PLAS	Clear Plastic Back Rest
	104-1/2 ANO	Anochrome (ANO) Steel Back Rest
	104-1/2 PLAS	Clear Plastic Back Rest
	119 RUB	Gray (GRY) Rubber Cushion Use with metal rests
Packed	129 RUB	Gray (GRY) Rubber Cushion Use with plastic rests
	100 per Carton.	

Number	104 ANO	Anochrome (ANO) Steel Back rest
	136 ANO	Socket-#80 Standard Bottom Socket
	137 ANO	Socket-#80 Standard Top Socket
	153 ANO	Standard Fastener-Floor Mount (Bolt & Nut Not Included)
	154 ANO	Shelf Fastener (Fastens Shelf To Bracket)
Origin	Made in USA	
Packed	100 per Carton.	

Number	82 Standards
Dimensions	1.05" Wide x .69" Deep x Selected Length
Material	14 Gauge Steel
Origin	Made in USA
Finishes	Almond (ALM), Black (BLK), Titanium (TI), White (WH)

Pack Configurations	
Standard	10 Brackets per Carton with UPC Labels
Builders Pack (BP)	10 Brackets per Carton, No UPC Label

82 Standards Standard Pack				
Size	Almond (ALM)	Black (BLK)	Titanium (TI)	White (WH)
16.5 in.	82 ALM 16.5	82 BLK 16.5	82 TI 16.5	82 WH 16.5
28 in.	82 ALM 28	82 BLK 28	82 TI 28	82 WH 28
39 in.	82 ALM 39	82 BLK 39	82 TI 39	82 WH 39
48 in.	82 ALM 48	82 BLK 48	82 TI 48	82 WH 48
63 in.	82 ALM 63	82 BLK 63	82 TI 63	82 WH 63
78 in.	82 ALM 78	82 BLK 78	82 TI 78	82 WH 78
94 in.	82 ALM 94	82 BLK 94	82 TI 94	82 WH 94

82 Standards Builders Pack			
Size	Almond (ALM)	Black (BLK)	White (WH)
16.5 in.	82BP ALM 16.5	82BP BLK 16.5	82BP WH 16.5
28 in.	82BP ALM 28	82BP BLK 28	82BP WH 28
39 in.	82BP ALM 39	82BP BLK 39	82BP WH 39
48 in.	82BP ALM 48	82BP BLK 48	82BP WH 48
63 in.	82BP ALM 63	82BP BLK 63	82BP WH 63
78 in.	82BP ALM 78	82BP BLK 78	82BP WH 78
94 in.	82BP ALM 94	82BP BLK 94	82BP WH 94

- Holds up to 450 lbs. per shelf*
- Heavy-Duty System
- Double slot design
- 1-1/4" vertical slot adjustment
- BHMA Grade 2 compliant
- European design
- Strength increasing ribs
- 4 locking teeth
- Formed shelf screw holes
- Limited lifetime warranty



* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Accessories

182BE

Number	182BE Bookend
Finish	White (WH)
Origin	Made in USA
Packed	10 Pairs per Carton

182BE Bookends Standard Pack	
Size	White (WH)
7 in.	182BE WH 7
9 in.	182BE WH 9
10.5 in.	182BE WH 10.5

82DP

Number	82DP SCREW ZC
Finish	Zinc (ZC)
Packed	20 bags per Carton (6 screws & 6 anchors per bag)


182DP LCTR/JNR

Number	182DP LCTR/JNR Shelf Locator Joiner
Finish	Clear Plastic (CL)
Packed	20 bags per Carton (4 locators & 8 screws per bag)

182DP LOCK

Number	182DP LOCK Bracket Lock
Finish	Black Rubber (BLK)
Packed	20 bags per Carton (6 locks per bag)

82/182 Heavy-Duty Standards & Brackets System



Number	182 Brackets
Material	16 Gauge Steel
Finishes	Almond (ALM), Black (BLK), Titanium (TI), White (WH)

Pack Configurations	
Standard	10 Brackets per Display Caront with UPC Labels Attached
Builders Pack (BP)	10 Brackets per Carton, No UPC Label

182 Brackets Standard Pack				
Size	Almond (ALM)	Black (BLK)	Titanium (TI)	White (WH)
5 in.	—	—	—	182 WH 5
7 in.	182 ALM 7	182 BLK 7	182 TI 7	182 WH 7
9 in.	182 ALM 9	182 BLK 9	182 TI 9	182 WH 9
10.5 in.	182 ALM 10.5	182 BLK 10.5	182 TI 10.5	182 WH 10.5
12.5 in.	182 ALM 12.5	182 BLK 12.5	182 TI 12.5	182 WH 12.5
14.5 in.	182 ALM 14.5	182 BLK 14.5	182 TI 14.5	182 WH 14.5
18.5 in.	182 ALM 18.5	182 BLK 18.5	182 TI 18.5	182 WH 18.5
24 in.	182 ALM 24	182 BLK 24	182 TI 24	182 WH 24

182 Brackets Builders Pack				
Size	Almond (ALM)	Black (BLK)	Titanium (TI)	White (WH)
5 in.	—	182BP BLK 5	—	182BP WH 5
7 in.	182BP ALM 7	182BP BLK 7	—	182BP WH 7
9 in.	182BP ALM 9	182BP BLK 9	182BP TI 9	182BP WH 9
10.5 in.	182BP ALM 10.5	182BP BLK 10.5	182BP TI 10.5	182BP WH 10.5
12.5 in.	182BP ALM 12.5	182BP BLK 12.5	182BP TI 12.5	182BP WH 12.5
14.5 in.	182BP ALM 14.5	182BP BLK 14.5	182BP TI 14.5	182BP WH 14.5
18.5 in.	182BP ALM 18.5	182BP BLK 18.5	182BP TI 18.5	182BP WH 18.5
24 in.	182BP ALM 24	182BP BLK 24	182BP TI 24	182BP WH 24

- Holds up to 2700 lbs. per 80" hang rail
- Holds up to 450 lbs. per link
- Rail has screw holes every 8" for 16" and 24" stud centers
- Rigid profile design prevents twisting and bowing
- Mounts to most wall types and bare studs
- Anti-dislodge safety features

79 WH



79 TI



7982 TI

7982 WH



79/7982 Easy Installation Hang Rail for 82 Series Standards

Number	79 Easy Installation Hangrail
Material	Hardened Steel
Finishes	Titanium (TI), White (WH)

Pack Configurations	
Standard	10 per Carton


79 Hangrail		
Size	Titanium (TI)	White (WH)
48 in.	79 TI 48	79 WH 48
80 in.	79 TI 80	79 WH 80

Number	7982 Standard Links
Material	Cast Aluminum
Finishes	Titanium (TI), White (WH)

Pack Configurations	
Standard	12 pairs per Carton

7980 Standard Links	
Titanium (TI)	White (WH)
7982 TI	7982 WH

- Holds up to 460 lbs. per pair*
- Heavy-Duty System
- Single slot design
- 1" vertical slot adjustability
- BHMA Grade 2 compliant
- Flanges on brackets make attachment of wooden shelves to brackets simple and convenient
- Double flange bracket for use in joining 2 shelves or for added support on long shelving runs
- May also be used with 85 standards for added support in long shelving runs
- Limited lifetime warranty
- Made in USA

83 ANO 



Number	83 Oversized Standards
Dimensions	3/4" Wide x 1/2" Deep x Selected Length
Material	16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO)

Pack Configurations	
Standard	10 per Carton, no UPC labels
Retail (P)	10 per Carton with UPC labels

83 Standards Standard Pack		83 Standard Retail Pack	
Size	Anochrome (ANO)	Size	Anochrome (ANO)
24 in.	83 ANO 24	24 in.	83P ANO 24
36 in.	83 ANO 36	36 in.	83P ANO 36
48 in.	83 ANO 48	48 in.	83P ANO 48
60 in.	83 ANO 60	60 in.	83P ANO 60
72 in.	83 ANO 72	72 in.	83P ANO 72
84 in.	83 ANO 84	96 in.	83P ANO 96
96 in.	83 ANO 96		

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

113



119 RUB



134



135



159



191, 192



Accessories

Number	113L ANO Left Hand Anochrome (ANO) Panel Clip
Number	113R ANO Right Hand Anochrome (ANO) Panel Clip
Finish	Anochrome (ANO)
Packed	50 per Carton. Left and Right Hand Clips Packed Separately
Features	For use in attaching display and wall panels, pictures, etc. in vertical position

Number	119 RUB Gray (GRY) rubber cushion for use with metal rests
Packed	100 per Carton.

Number	134 ANO Socket-#83 Standard Bottom Socket
Number	135 ANO Socket-#83 Standard Top Socket
Packed	100 per Carton.


Number	159LL Lock Lever Heavy-Duty Support Bracket
Finish	Anochrome (ANO)
Packed	10 per Carton
Features	Provides extra support for shelves with heavy loads.

Number	191 ANO Hang Rod Saddle
Number	192 ANO Hang Rod Saddle
Finish	Anochrome (ANO)
Packed	10 per Carton
Features	191 Bolts to 183 or 185 brackets to hold 1-1/16" O.D. tubing. Not for use with 183C. 192 Bolts to 183 or 185 brackets to hold 1-5/16" O.D. tubing. Not for use with 183C.


83/183 Heavy-Duty Oversized Standards & Brackets System

183R 



183L 



183C 



161LL

- 3 locking teeth
- Lever lock for extra secure mounting



Number	183R Right Flange Bracket 183L Left Flange Bracket 183C Center Flange Bracket
Material	16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO)

Pack Configurations

Standard	10 per Carton, no UPC labels
Retail (P)	10 per Carton with UPC labels

183 Brackets Standard Pack Anochrome (ANO) Finish

Size	Right	Left	Center
8 in.	183R ANO 8	183L ANO 8	183C ANO 8
10 in.	183R ANO 10	183L ANO 10	183C ANO 10
12 in.	183R ANO 12	183R ANO 12	183C ANO 12
14 in.	183R ANO 14	183L ANO 14	183C ANO 14
16 in.	183R ANO 16	183L ANO 16	183C ANO 16
18 in.	183R ANO 18	183L ANO 18	183C ANO 18
20 in.	183R ANO 20	183L ANO 20	183C ANO 20

183 Brackets Retail (P) Pack Anochrome (ANO) Finish

Size	Right	Left	Center
12 in.	183RP ANO 12	183LP ANO 12	183CP ANO 12
16 in.	183RP ANO 16	183LP ANO 16	183CP ANO 16
20 in.	183RP ANO 20	183LP ANO 20	183CP ANO 20

Number	161LL Lock Lever Bracket
Material	14 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO)

Pack Configurations

Standard	10 per Carton, No UPC Labels
----------	------------------------------

161LL Brackets

Size	Anochrome
14 in.	161LL ANO 14
16 in.	161LL ANO 16
18 in.	161LL ANO 18
20 in.	161LL ANO 20
22 in.	161LL ANO 22
24 in.	161LL ANO 24

Number	85 Standards
Dimensions	1-1/4" Wide x 1/2" High, 1" Slot Adjustment
Material	16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO), White (WH)

Pack Configurations

Standard	10 per Carton, no UPC labels
Retail (B)	10 per Carton with UPC labels

85 Standards Standard Pack

Size	Anochrome (ANO)	White (WH)
24 in.	85 ANO 24	85 WH 24
36 in.	85 ANO 36	85 WH 36
48 in.	85 ANO 48	85 WH 48
60 in.	85 ANO 60	85 WH 60
72 in.	85 ANO 72	85 WH 72
84 in.	85 ANO 84	85 WH 84
96 in.	85 ANO 96	85 WH 96

85 Standards Retail Pack

Size	Anochrome (ANO)
48 in.	85B ANO 48
72 in.	85B ANO 72
96 in.	85B ANO 96

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Recommended Fasteners

#10 flat-head wood screws for mounting 85 Standards

- Holds up to 680 lbs. per pair*
- Extra-Duty system
- Double slot design
- Adjustable in 1" increments
- BHMA Grade 2 compliant
- Shelf retaining lip on brackets
- 4 locking teeth & 2 support ears
- Limited lifetime warranty
- Made in USA



Accessories

Number	106 ANO Shelf Rest
Finish	Anochrome (ANO)
Packed	100 per Carton
Features	Used for joining two shelves at one bracket

Number	107 ANO Hang Rod Clamp
Finish	Anochrome (ANO)
Packed	20 per Carton
Features	Bolts to 183 and 185 Brackets to hold garment rods securely in position


Number	113L ANO Left Hand Anochrome (ANO) Panel Clip
Finish	Anochrome (ANO)
Packed	50 per Carton. Left and Right Hand Clips Packed Separately
Features	For use in attaching display and wall panels, pictures, etc. in vertical position

Number	129 RUB Gray (GRY) rubber cushion for use with plastic rests
Packed	100 per Carton.

Number	153 ANO Standard Fastener-Floor Mount (bolt & nut not included)
Finish	Anochrome (ANO)
Packed	100 per Carton

Number	159LL Lock Lever Heavy-Duty Support Bracket
Finish	Anochrome (ANO)
Packed	10 per Carton
Features	Provides extra support for shelves with heavy loads.

Number	191 ANO Hang Rod Saddle
Finish	Anochrome (ANO)
Packed	10 per Carton
Features	191 Bolts to 183 or 185 brackets to hold 1-1/16" O.D. tubing. Not for use with 183C. 192 Bolts to 183 or 185 brackets to hold 1-5/16" O.D. tubing. Not for use with 183C.



85/185 Heavy-Duty Oversized Standards & Brackets System

RoHS ANO



Number	185 Brackets
Material	14 & 16 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO), White (WH)

Pack Configurations

Standard	10 per Carton, no UPC labels
Retail (B)	10 per Carton with UPC labels

182 Brackets Standard Pack

Size	Anochrome (ANO)	White (WH)
8 in.	185 ANO 8	185 WH 8
10 in.	185 ANO 10	185 WH 10
12 in.	185 ANO 12	185 WH 12
14 in.	185 ANO 14	185 WH 14
16 in.	185 ANO 16	185 WH 16
18 in.	185 ANO 18	185 WH 18
20 in.	185 ANO 20	185 WH 20
22 in.	185 ANO 22	185 WH 22
24 in.	185 ANO 24	185 WH 24

185 Brackets Retail Pack

Size	Anochrome (ANO)
10 in.	185B ANO 10
12 in.	185B ANO 12
14 in.	185B ANO 14
16 in.	185B ANO 16
18 in.	185B ANO 18
20 in.	185B ANO 20
22 in.	185B ANO 22
24 in.	185B ANO 24

Note: 180 Anochrome (ANO) Brackets and all other KV 1" adjustable brackets can be used with #85 Double-Slotted Standard.

RoHS WH



Super-Duty Oversized Standards & Brackets System 87/187

Number	87 Standards
Dimensions	7/8" Wide x 11/16" Deep 2" Slot Adjustment
Material	12 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO), White (WH)

- Holds up to 1060 lbs. per pair*
- Super-Duty system
- Single slot design
- Adjustable in 2" slot increments
- BHMA Grade 2 compliant
- Lever lock for ease of installation, stability, & safety
- 186LL & 187LL brackets feature a unique cam lock that allows easy installation and secures brackets to the standard
- Shelving designed for use with 87 ANO and 187ANO Standards & Brackets
- Limited lifetime warranty
- Made in USA

Pack Configurations		
Standard	5 per Carton, no UPC labels	
87 Standards Standard Pack		
Size	Anochrome (ANO)	White (WH)
24 in.	87 ANO 24	87 WH 24
36 in.	87 ANO 36	87 WH 36
48 in.	87 ANO 48	87 WH 48
60 in.	87 ANO 60	87 WH 60
72 in.	87 ANO 72	87 WH 72
84 in.	87 ANO 84	87 WH 84
96 in.	87 ANO 96	87 WH 96

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Recommended Fasteners
87-10 flat-head wood screws for mounting 85 Standards


RoHS ANO

RoHS WH



Number	1987 GALV Galvanized Steel Shelving
Material	Galvanized steel
Origin	Made in USA
Finishes	Stainless Steel (SS) (304 SS w/brushed finish), Galvanized Steel (GALV)

1987 GALV



Pack Configurations	
Standard	10 per Carton
1987 Shelving Standard Pack	
Size	Galvanized Steel (GALV)
8 x 32 in.	1987 GALV 8X32
10 x 32 in.	1987 GALV 10X32
12 x 32 in.	1987 GALV 12X32
16 x 32 in.	1987 GALV 16X32
20 x 32 in.	1987 GALV 20X32

87/187 Super-Duty Oversized Standards & Brackets System

186LL

ANO



WH




187LL

ANO



WH



Unique cam lock lever allows for easy installation while securing bracket to standard.

Number	186LL Brackets 187LL Brackets
Material	12 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO), White (WH)


Pack Configurations

Standard 10 per Carton, no UPC labels

186LL Brackets Standard Pack			187LL Brackets Standard Pack		
Size	Anochrome (ANO)	White (WH)	Size	Anochrome (ANO)	White (WH)
8 in.	186LL ANO 8	186LL WH 8	12 in.	187LL ANO 12	187LL WH 12
10 in.	186LL ANO 10	186LL WH 10	14 in.	187LL ANO 14	187LL WH 14
			16 in.	187LL ANO 16	187LL WH 16
			18 in.	187LL ANO 18	187LL WH 18
			20 in.	187LL ANO 20	187LL WH 20
			22 in.	187LL ANO 22	187LL WH 22
			24 in.	187LL ANO 24	187LL WH 24

• Steel brackets do not work with 87SS stainless steel standards

Accessories



Number	87-10 WH SCREW
Sizes	#10 x 2-3/4"
Finish	White (WH)
Packed	100 per bag

Number	119 RUB Gray (GRY) rubber cushion for use with metal rests
Packed	100 per Carton.

Number	129 RUB Gray (GRY) rubber cushion for use with plastic rests
Packed	100 per Carton.

Number	210 ANO	Anochrome (ANO) End Rest
	210 WH	White (WH) End Rest
	211 ANO	Anochrome (ANO) Center Rest
	211 WH	White (WH) Center Rest
	212 ANO	Anochrome (ANO) Front Rest
	212 WH	White (WH) Front Rest
Finishes	Anochrome (ANO), White (WH), Rubber	
Packed	100 per Carton	
Features	Recommended for use with #186 and #187 brackets for anchoring shelf to bracket and joining two shelves on a single bracket. Screw included.	

Super-Duty Stainless Steel Standards & Brackets System 87SS/187SS

Number	87SS Standards
Dimensions	7/8" Wide x 11/16" Deep 2" Slot Adjustment
Material	14 Gauge 304 Grade Stainless Steel
Origin	Made in USA
Finishes	Stainless Steel (SS)

Pack Configurations	
Standard	5 per Carton, no UPC labels
82 Standards Standard Pack	
Size	Stainless Steel (SS)
24 in.	87 SS 24
36 in.	87 SS 36
48 in.	87 SS 48
60 in.	87 SS 60
72 in.	87 SS 72

- Holds up to 560 lbs. per pair*
- Super-Duty System
- Single slot design
- Adjustable in 2" slot increments
- BHMA Grade 2 compliant
- Lever lock for ease of installation, stability, & safety
- Shelves specifically designed for use with 87SS/187SS Standards & Brackets
- Shelves shipped with protective vinyl wrap
- Limited lifetime warranty
- Made in USA

* Standards & brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.


87SS



Number	1987 SS Stainless Steel Shelving
Material	14 Gauge 304 Grade Stainless Steel
Origin	Made in USA
Finishes	Stainless Steel (SS) (304 SS w/brushed finish)

Pack Configurations	
Standard	10 per Carton
1987SS Shelving Standard Pack	
Size	Stainless Steel (SS)
8 x 32 in.	1987 SS 8X32
10 x 32 in.	1987 SS 10X32
12 x 32 in.	1987 SS 12X32
16 x 32 in.	1987 SS 16X32
20 x 32 in.	1987 SS 20X32

1987 SS



87SS/187SS Super-Duty Stainless Steel Standards & Brackets System

186LL SS



187LL SS



Number	186LL SS Stainless Steel Locking Lever Brackets 187LL SS Stainless Steel Locking Lever Brackets
Material	14 Gauge 304 Grade Stainless Steel
Origin	Made in USA
Finishes	Stainless Steel (SS)

Pack Configurations			
Standard		10 per Carton, no UPC labels	
186LL SS Brackets Standard Pack		187LL SS Brackets Standard Pack	
Size	Stainless Steel (SS)	Size	Stainless Steel (SS)
8 in.	186LL SS 8	12 in.	187LL SS 12
10 in.	186LL SS 10	14 in.	187LL SS 14
		16 in.	187LL SS 16
		18 in.	187LL SS 18
		20 in.	187LL SS 20
		24 in.	187LL SS 24

• Stainless Steel brackets do not work with 87 steel standards

Supports for Built-In Shelving



Number	335 Series Plastic Shelf Support Pins
Dimensions	Pin Diameter: 1/4" Pin Length: 7/16" (11mm) Shelf Rest: 1/2" (13mm) Wide x 17/32" (14mm) Long
Finishes	Clear Plastic (CL), Plastic (PLAS), White (WH)

Number	338 Series Plastic Shelf Support Pins
Dimensions	Pin diameter: for 5mm holes Pin Length: 5/16" (8mm) Shelf Rest: 7/16" (11mm) Wide x 13/32" (10mm) Long
Finishes	Almond (ALM), Brown (BRN), Clear (CL), White (WH)

Pack Configurations	
Standard	100 Pieces per Carton
Poly (P)	12 Supports per Bag; 10 Bags per Carton
Warehouse Pack (WP)	12 supports per Bag, 50 Bags per Carton

335 Shelf Support			
Pack Configuration	Clear Plastic (CL)	Plastic (PLAS)	White (WH)
Standard pack	335 CL	335 PLAS	335 WH
Poly (P) Pack	335P CL	335P PLAS	335P WH
Warehouse (WP) Pack	335WP CL	—	335WP WH

338 Shelf Support				
Pack Configuration	Almond (ALM)	Brown (BRN)	Clear (CL)	White (WH)
Standard pack	338 ALM	338 BRN	338 CL	338 WH
Poly (P) Pack	—	—	338P CL	338P WH
Warehouse (WP) Pack	—	—	338WP CL	338WP WH


Number	345 Series Metal Shelf Pins
Dimensions	Pin Diameter: 4.7mm, For 5mm Hole (Use With 129 Rubber Cushion) Pin Length: 5/16" (8mm) Shelf Rest: 1/2" (13mm) Wide x 11/16" (17mm) Long
Finishes	Nickel Plated (NP), Brass-Look (BR), Walnut (WAL)

Number	346 Series Metal Shelf Pins
Dimensions	Pin Diameter: 1/4" (Use With 129 Rubber Cushion) Pin Length: 3/8" (9mm) Shelf Rest: 1/2" (13mm) Wide x 11/16" (17mm) Long
Finishes	Anochrome (ANO), Brass-Look (BR), Walnut (WAL)

Pack Configurations	
Standard	100 Pieces per Carton
Poly (P)	12 Supports per Bag; 10 Bags per Carton
Barrel (BBL)	9000 supports per Barrel

345 Shelf Support			
Pack Configuration	Nickel Plated (NP)	Brass-look (BR)	Walnut (WAL)
Standard pack	345 NP	345 BR	345 WAL
Poly (P) Pack	345P NP	345P BR	345P WAL

346 Shelf Support			
Pack Configuration	Anochrome (ANO)	Brass-look (BR)	Walnut (WAL)
Standard pack	346 ANO	346 BR	346 WAL
Poly (P) Pack	346P ANO	346P BR	346P WAL
Barrel (BBL) Pack	346BBL ANO	346BBL BR	—



Number	325 ANO Grommet 325 BR Grommet
Dimensions	Grommet Diameter: For 7.143mm Hole (9/32"), 1/4" Pin Diameter
Finishes	Anochrome (ANO), Brass-Look (BR)
Packed	1000 Per Bag, 4 Bags Per Carton

Number	326 ANO Grommet 326 BR Grommet
Dimensions	Grommet Diameter: For 5.556mm Hole (7/32"), 5mm Pin Diameter
Finishes	Anochrome (ANO), Brass-look (BR)
Packed	1000 per Bag, 4 Bags per Carton

Number	330 ANO Shelf Support 330 STB Shelf Support
Dimensions	Pin Diameter: For 5mm Hole (Approx. 13/64")
Finishes	Anochrome (ANO), Statuary Bronze (STB)
Packed	2000 per Bag, 4 Bags per Carton

Number	331 ANO Shelf Support 331 BR Shelf Support
Dimensions	Pin Diameter: For 1/4" Hole, Pin Length: 3/8" (9mm) Shelf Rest: 3/8" (9mm) Wide x 1/2" (13mm) Long
Finishes	Anochrome (ANO), Brass-look (BR)
Packed	Standard pack: 1000 per Bag, 4 Bags per Carton Warehouse pack: 12 Supports per Bag, 50 Bags per Carton

331 Shelf Support		
Pack Configuration	Anochrome (ANO)	Brass-look (BR)
Standard pack	331 ANO	331 BR
Warehouse pack (WP)	331WP ANO	331WP BR

Number	333 ZC Shelf Support 333 BR Shelf Support
Dimensions	Pin Diameter: 7/32", Use 15/64" Diameter Drill Pin Length: 1/2" (13mm) Shelf Rest: 9/16" (14mm) Wide x 7/16" (11mm) Long
Finishes	Zinc (ZC), Brass-look (BR)
Packed	1000 per Carton

Number	332 ANO Shelf Support 332 BR Shelf Support
Dimensions	Pin Diameter: For 5mm Hole, Pin Length: 5/16" (8mm) Shelf Rest: 5/16" (8mm) Wide x 7/16" (11mm) Long
Finishes	Anochrome (ANO), Brass-look (BR)
Packed	Standard Pack: 1000 per Bag, 4 Bags per Carton Warehouse pack: 12 Supports per Bag, 50 Bags per Carton

332 Shelf Support		
Pack Configuration	Anochrome (ANO)	Brass-look (BR)
Standard pack	332 ANO	332 BR
Warehouse pack (WP)	332WP ANO	332WP BR

Number	339 ALM Plastic Locking Shelf Support (for 3/4" shelves) 339 WH Plastic Locking Shelf Support (for 3/4" shelves)
Dimensions	Pin Diameter: For 5mm Holes; Pin Length: 1/4"
Finishes	Almond (ALM), White (WH)
Packed	100 per Bag, 25 Bags per Carton

Number	340 WH Plastic Locking Shelf Support (for 1" shelves)
Dimensions	Pin Diameter: For 5mm Holes; Pin Length: 1/4"
Finish	White (WH)
Packed	100 per Bag, 25 Bags per Carton

Number	348 ALM Vinyl Coated Shelf Support 348 BRN Vinyl Coated Shelf Support 348 WH Vinyl Coated Shelf Support
Dimensions	Pin diameter: for 5mm hole, use 13/64" Drill Pin Length: 5/16" (8mm) Shelf Rest: 1/2" (13mm) Wide x 11/16" (17mm) Long
Finishes	Almond (ALM), Brown (BRN), (White (WH)
Packed	1000 Pieces per Carton



Utility Shelving Brackets

Number	204 L-Bracket
Material	12 Gauge Steel
Origin	Made in USA
Finishes	Anochrome (ANO)

Pack Configurations

24 per Carton

204 Brackets

Size	Anochrome (ANO)
4 in.	204 ANO 4
6 in.	204 ANO 6
8 in.	204 ANO 8
10 in.	204 ANO 10
12 in.	204 ANO 12

- Heavy-Duty Bracket
- BHMA Grade 2 compliant
- Mounts directly to the wall



204

Number	206 Folding L-Bracket
Finishes	Zinc (ZC), White (WH)

Pack Configurations

Standard 10 per Display Carton with UPC Labels Applied

206 Folding L-Brackets

Size	Zinc (ZC)	White (WH)
12 in.	206 ZC 12	206 WH 12
16 in.	206 ZC 16	206 WH 16

- Holds up to 750 lbs. per pair*
- Extra-Duty Bracket
- BHMA Grade 2 compliant
- 4 Adjustable positions: 90°, 80°, 70°, and 0° (closed position)[†]
- Durable steel construction with spring-loaded release lever



206

ZC



WH

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.
[†] +/- 1 degree

Utility Shelving Brackets

Number	208 "Ultimate" L-Bracket
Finishes	Black (BLK), Titanium (TI), White (WH)

Pack Configurations			
Standard	10 per Display Carton with UPC labels		
208 Bracket			
Size	Black (BLK)	Titanium (TI)	White (WH)
300mm	208 BLK 300	208 TI 300	208 WH 300
400mm	208 BLK 400	208 TI 400	208 WH 400
500mm	208 BLK 500	208 TI 500	208 WH 500
550mm	208 BLK 550	208 TI 550	208 WH 550


*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

- Holds up to 1,200 lbs. per pair*
- Super-Duty Bracket
- BHMA Grade 2 compliant
- Mounts directly to wall
- Corrosion resistant epoxy coated finish
- 5mm steel bar and 3/4" Steel strut


208
BLK



TI



WH



Number	221 Utility Bracket
Finishes	Gray (GRY), White (WH)

Pack Configurations		
Standard	20 per Display Carton with UPC Labels	
221 Bracket		
Size	Gray (GRY)	White (WH)
5 x 6 in.	221 GRY 5x6	221 WH 5x6
6 x 8 in.	221 GRY 6x8	221 WH 6x8
8 x 10 in.	221 GRY 8x10	221 WH 8x10
10 x 12 in.	221 GRY 10x12	221 WH 10x12
12 x 14 in.	221 GRY 12x14	221 WH 12x14

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

- Holds up to 120 lbs. per pair*

221



WH

GRY

Decorative Shelving Brackets

- Regular-Duty Bracket
- 88 Anchors for use with 5/8" thick shelves (KV 1980)
- 888 Anchors for use with 3/4" thick shelves (KV 1990)
- An almost-invisible shelf support
- All hardware included



88
888
ALM
BLK
WH

Number	88 Wood Shelf Anchor® 888 Wood Shelf Anchor®
Finishes	Almond (ALM), Black (BLK), White (WH)

Pack Configurations			
Standard		5 per Carton	
88 Anchor Standard Pack			
Size	Almond (ALM)	Black (BLK)	White (WH)
24 in.	88 ALM 24	88 BLK 24	88 WH 24
36 in.	88 ALM 36	88 BLK 36	88 WH 36
48 in.	88 ALM 48	88 BLK 48	88 WH 48
888 Anchor Standard Pack			
Size	Black (BLK)	White (WH)	
24 in.	888 BLK 24	888 WH 24	
36 in.	888 BLK 36	888 WH 36	

- BHMA Grade 2 compliant
- Accented with decorative plastic trim that hides mounting hardware



215

Number	215 Slim-Line™ Shelf Bracket
Finishes	Black (BLK), White (WH)

Pack Configurations		
Special Pack (SP)	10 per Carton (all sizes) 8": 30 per Carton 10": 24 per Carton 12": 18 per Carton	
Standard	10": 24 per Carton 12": 18 per Carton	
215 Bracket Standard Pack		
Size	Black (BLK)	White (WH)
8 in.	215 BLK 8	215 WH 8
10 in.	215 BLK 10	215 WH 10
12 in.	215 BLK 12	215 WH 12
215SP Bracket Special Pack (SP)		
Size	Black (BLK)	White (WH)
8 in.	215SP BLK 8	215SP WH 8
10 in.	215SP BLK 10	215SP WH 10
12 in.	215SP BLK 12	215SP WH 12

- BHMA Grade 2 compliant
- Heavy-Duty steel
- Accented with decorative plastic trim that hides mounting hardware



216

Number	216 Simplicity™ Series Shelf Brackets
Finishes	White (WH)

Pack Configurations	
10 pair per Carton (all sizes)	
216 Bracket Standard Pack	
Size	White (WH)
8 in.	216P WH 8
10 in.	216P WH 10

- BHMA Grade 2 compliant
- Heavy-Duty Steel







217

Number	217 Silhouette™ Shelf Bracket
Finishes	Black (BLK), White (WH)

Pack Configurations		
Special Pack (SP)	10 per Carton (all sizes) 8": 30 per Carton 10": 24 per Carton 12": 18 per Carton	
Standard	10": 24 per Carton 12": 18 per Carton	
217 Bracket Standard Pack		
Size	Black (BLK)	White (WH)
8 in.	217 BLK 8	217 WH 8
10 in.	217 BLK 10	217 WH 10
12 in.	217 BLK 12	217 WH 12
217 Bracket Special Pack (SP)		
Size	Black (BLK)	White (WH)
8 in.	217SP BLK 8	217SP WH 8
10 in.	217SP BLK 10	217SP WH 10
12 in.	217SP BLK 12	217SP WH 12

Decorative Shelf Brackets 200 Series

200 Series Color Chart			
Antique Bronze [AB]		Satin Nickel [SN]	
Black [BLK]		White [WH]	

- Holds up to 50 lbs. per pair*
- Designer series decorative shelf brackets
- BHMA Grade 1 compliant
- Distinct, contemporary styles fit any decor
- Screw holes for easy mounting
- 6 in. size for 6 to 8 in. deep shelves
- 8 in. size for 8 to 12 in. deep shelves


Number	200C Decorative Brackets
Finishes	Antique Bronze (AB), Black (BLK), Satin Nickel (SN), White (WH)

Pack Configurations				
Standard		10 Carded Pieces per Carton		
200 C				
Size	Antique Bronze (AB)	Black (BLK)	Satin Nickel (SN)	White (WH)
6 in.	200C AB 6	200C BLK 6	200C SN 6	200C WH 6
8 in.	200C AB 8	200C BLK 8	200C SN 8	200C WH 8

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Concord

200C




Number	200M Decorative Brackets
Finishes	Antique Bronze (AB), Black (BLK), Satin Nickel (SN), White (WH)

Pack Configurations				
Standard		10 Carded Pieces per Carton		
200 M				
Size	Antique Bronze (AB)	Black (BLK)	Satin Nickel (SN)	White (WH)
6 in.	200M AB 6	200M BLK 6	200M SN 6	200M WH 6
8 in.	200M AB 8	200M BLK 8	200M SN 8	200M WH 8

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Manchester

200M



- Holds up to 100 lbs. per pair*
- Designer series decorative shelf brackets
- BHMA Grade 1 compliant
- Distinct, contemporary styles fit any decor
- Screw holes for easy mounting
- 6 in. size for 6 to 8 in. deep shelves
- 8 in. size for 8 to 12 in. deep shelves
- Cast zinc insets


Number	200OP Decorative Brackets
Finishes	Antique Bronze (AB), Black (BLK), Satin Nickel (SN), White (WH)

Pack Configurations				
Standard		10 Carded Pieces per Carton		
200OP				
Size	Antique Bronze (AB)	Black (BLK)	Satin Nickel (SN)	White (WH)
6 in.	200OP AB 6	200OP BLK 6	200OP SN 6	200OP WH 6
8 in.	200OP AB 8	200OP BLK 8	200OP SN 8	200OP WH 8

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Oak Park

200OP




Number	200S Decorative Brackets
Finishes	Antique Bronze (AB), Black (BLK), Satin Nickel (SN), White (WH)

Pack Configurations				
Standard		10 Carded Pieces per Carton		
200S				
Size	Antique Bronze (AB)	Black (BLK)	Satin Nickel (SN)	White (WH)
6 in.	200S AB 6	200S BLK 6	200S SN 6	200S WH 6
8 in.	200S AB 8	200S BLK 8	200S SN 8	200S WH 8

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.





Stockton

200S



200 Series Decorative Shelf Brackets

- Holds up to 200 lbs. per pair*
- Designer series decorative brackets
- BHMA Grade 2 compliant
- Distinct, contemporary styles fit any decor
- Screw holes for easy mounting
- 8 in. size for 8 to 12 in. deep shelves
- Cast zinc insets

200 Series Color Chart			
Antique Bronze [AB]			Satin Nickel [SN]
Black [BLK]			White [WH]

Baton Rouge

200BR



AB



BLK



SN



WH

Number	200BR Decorative Brackets
Finishes	Antique Bronze (AB), Black (BLK), Satin Nickel (SN), White (WH)

Pack Configurations	
Standard	10 Carded Pieces per Carton

200 BR				
Size	Antique Bronze (AB)	Black (BLK)	Satin Nickel (SN)	White (WH)
8 in.	200BR AB 8	200BR BLK 8	200BR SN 8	200BR WH 8

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

Charleston

200CH



AB



BLK



SN



WH

Number	200CH Decorative Brackets
Finishes	Antique Bronze (AB), Black (BLK), Satin Nickel (SN), White (WH)

Pack Configurations	
Standard	10 Carded Pieces per Carton

200 BR				
Size	Antique Bronze (AB)	Black (BLK)	Satin Nickel (SN)	White (WH)
86 in.	200CH AB 8	200CH BLK 8	200CH SN 8	200CH WH 8

*Brackets meet or exceed ANSI performance standards as established by BHMA testing requirements.

All Purpose Shelf Board

- Holds up to 200 lbs. when properly installed
- 5/8" thick, with square corners
- Scratch and stain resistant for long life
- Easy-to-clean surface

Number	1980 All-Purpose Shelf Board
Finishes	Black (BLK), Cherry (CHY), Espresso (ESP), Maple (MPL), Oak (OK), Walnut (W), White (WH)

Pack Configurations							
Standard	Packed 5 per Carton, with the following exceptions: 10"x60", 12"x60", 16"x48", 10"x72", 12"x72", 16"x60" packed 3 per Carton						
1980 Shelving Standard Pack							
Size	Black (BLK)	Cherry (CHY)	Espresso (ESP)	Maple (MPL)	Oak (OK)	Walnut (WAL)	White (WH)
6 x 24 in.	—	—	—	—	—	—	1980 WH 6X24
6 x 36 in.	—	—	—	—	—	—	1980 WH 6X36
6 x 48 in.	—	—	—	—	—	—	1980 WH 6X48
8 x 24 in.	1980 BLK 8X24	1980 CHY 8X24	1980 ESP 8X24	1980 MPL 8X24	1980 OK 8X24	1980 W 8X24	1980 WH 8X24
8 x 36 in.	1980 BLK 8X36	1980 CHY 8X36	1980 ESP 8X36	1980 MPL 8X36	1980 OK 8X36	1980 W 8X36	1980 WH 8X36
8 x 48 in.	—	1980 CHY 8X48	1980 ESP 8X48	—	1980 OK 8X48	1980 W 8X48	1980 WH 8X48
8 x 60 in.	—	—	—	—	—	—	1980 WH 8X60
10 x 24 in.	—	1980 CHY 10X24	1980 ESP 10X24	1980 MPL 10X24	1980 OK 10X24	1980 W 10X24	1980 WH 10X24
10 x 36 in.	1980 BLK 10X36	1980 CHY 10X36	1980 ESP 10X36	1980 MPL 10X36	1980 OK 10X36	1980 W 10X36	1980 WH 10X36
10 x 48 in.	1980 BLK 10X48	1980 CHY 10X48	1980 ESP 10X48	1980 MPL 10X48	1980 OK 10X48	1980 W 10X48	1980 WH 10X48
10 x 60 in.	—	—	—	—	1980 OK 10X60	—	1980 WH 10X60
10 x 72 in.	—	—	—	—	1980 OK 10X72	—	1980 WH 10X72
12 x 24 in.	—	1980 CHY 12X24	1980 ESP 12X24	—	1980 OK 12X24	1980 W 12X24	1980 WH 12X24
12 x 36 in.	1980 BLK 12X36	1980 CHY 12X36	1980 ESP 12X36	1980 MPL 12X36	1980 OK 12X36	1980 W 12X36	1980 WH 12X36
12 x 48 in.	1980 BLK 12X48	1980 CHY 12X48	1980 ESP 12X48	1980 MPL 12X48	1980 OK 12X48	1980 W 12X48	1980 WH 12X48
12 x 60 in.	—	—	—	—	1980 OK 12X60	—	1980 WH 12X60
12 x 72 in.	—	—	—	—	1980 OK 12X72	—	1980 WH 12X72
16 x 36 in.	—	—	—	—	—	—	1980 WH 16X36
16 x 48 in.	—	—	—	—	—	—	1980 WH 16X48
16 x 60 in.	—	—	—	—	—	—	1980 WH 16X60

1980



- Holds up to 300 lbs. when properly installed and used in combination
With KV double slot standards and brackets
- 3/4" thick with rounded front corners
- Scratch & stain resistant for long life
- Easy to clean surface

Number	1990 Heavy-Duty Designer Shelf Board
Finishes	Oak (OK), White (WH)

Pack Configurations		
Standard	4 per Carton 20"x36" packed 3 per Carton	
1980 Shelving Standard Pack		
Size	OK	WH
8 x 24 in.	1990 OK 8X24	1990 WH 8X24
8 x 36 in.	1990 OK 8X36	1990 WH 8X36
10 x 24 in.	1990 OK 10X24	1990 WH 10X24
10 x 36 in.	1990 OK 10X36	1990 WH 10X36
12 x 36 in.	1990 OK 12X24	1990 WH 12X36
12 x 48 in.	1990 OK 12X36	1990 WH 12X48
20 x 36 in.	1990 OK 20X36	1990 WH 20X36

1990

