



## XDV® Xtra Duty V-Belts

- **SHOCK RESISTANT ARAMID CORD**
- **SPECIALLY DESIGNED CLUTCHING FABRIC**
- **UNIQUE BLUE COVER**
- **ENGINEERED FOR MAXIMUM LIFE AND PERFORMANCE ON TOUGH LAWN AND GARDEN APPLICATIONS**

### Recommended Pulleys

Durapower FHP  
38X, 48X, 58X

Carlisle XDV V-Belts represent the pinnacle for premium FHP applications and provide exceptional service in the harshest environments. They're durable — even when subjected to temperature extremes, high humidity, moisture, grit, oil and grease. You can count on longer service life. The XDV Belt is designed for tough single belt drives, typical of lawnmowers, garden tillers, snow-blowers, garden tractors, etc. Features of the XDV include a premium base cushion for applications requiring a back-side idler. The cover fabric is designed specifically for optimum performance in clutching drives and the aramid cord protects against shock-loading while providing excellent length stability. The XDV is easily identified by its unique blue color and is backed by the exclusive Carlisle IRON-CLAD guarantee.



### Explanation Of Part Number

48X500

48X = Top Width of 1/2"  
and Depth of 9/32"  
500 = Length of 50"

## XDV® Xtra Duty V-Belts

| Part Number | Outside Length (inches) | Weight Per Belt (lbs.) |
|-------------|-------------------------|------------------------|
|-------------|-------------------------|------------------------|

### 38 Section — 3/8" Nominal Top Width

|        |      |     |
|--------|------|-----|
| 38X150 | 15.0 | 0.2 |
| 38X160 | 16.0 | 0.2 |
| 38X170 | 17.0 | 0.3 |
| 38X180 | 18.0 | 0.3 |
| 38X190 | 19.0 | 0.3 |
| 38X200 | 20.0 | 0.3 |
| 38X210 | 21.0 | 0.3 |
| 38X220 | 22.0 | 0.3 |
| 38X230 | 23.0 | 0.4 |
| 38X240 | 24.0 | 0.4 |
| 38X250 | 25.0 | 0.4 |
| 38X260 | 26.0 | 0.4 |
| 38X270 | 27.0 | 0.4 |
| 38X280 | 28.0 | 0.4 |
| 38X290 | 29.0 | 0.5 |
| 38X300 | 30.0 | 0.5 |
| 38X310 | 31.0 | 0.5 |
| 38X320 | 32.0 | 0.5 |
| 38X330 | 33.0 | 0.5 |
| 38X340 | 34.0 | 0.5 |
| 38X350 | 35.0 | 0.5 |
| 38X360 | 36.0 | 0.5 |
| 38X370 | 37.0 | 0.6 |
| 38X380 | 38.0 | 0.6 |
| 38X390 | 39.0 | 0.6 |
| 38X400 | 40.0 | 0.6 |
| 38X410 | 41.0 | 0.6 |
| 38X420 | 42.0 | 0.7 |
| 38X430 | 43.0 | 0.7 |
| 38X440 | 44.0 | 0.7 |
| 38X450 | 45.0 | 0.7 |
| 38X460 | 46.0 | 0.7 |
| 38X470 | 47.0 | 0.7 |
| 38X480 | 48.0 | 0.7 |
| 38X490 | 49.0 | 0.8 |
| 38X500 | 50.0 | 0.8 |
| 38X510 | 51.0 | 0.8 |
| 38X520 | 52.0 | 0.8 |
| 38X530 | 53.0 | 0.8 |
| 38X540 | 54.0 | 0.8 |
| 38X550 | 55.0 | 0.9 |
| 38X560 | 56.0 | 0.9 |
| 38X570 | 57.0 | 0.9 |
| 38X580 | 58.0 | 0.9 |
| 38X590 | 59.0 | 0.9 |
| 38X600 | 60.0 | 0.9 |
| 38X610 | 61.0 | 0.9 |
| 38X620 | 62.0 | 1.0 |
| 38X630 | 63.0 | 1.0 |
| 38X690 | 69.0 | 1.4 |
| 38X710 | 71.0 | 1.5 |
| 38X740 | 74.0 | 1.6 |

| Part Number | Outside Length (inches) | Weight Per Belt (lbs.) |
|-------------|-------------------------|------------------------|
|-------------|-------------------------|------------------------|

### 48 SECTION — 1/2" NOMINAL TOP WIDTH

|        |      |     |
|--------|------|-----|
| 48X170 | 17.0 | 0.4 |
| 48X180 | 18.0 | 0.5 |
| 48X190 | 19.0 | 0.5 |
| 48X200 | 20.0 | 0.5 |
| 48X210 | 21.0 | 0.6 |
| 48X220 | 22.0 | 0.6 |
| 48X230 | 23.0 | 0.6 |
| 48X240 | 24.0 | 0.6 |
| 48X250 | 25.0 | 0.7 |
| 48X260 | 26.0 | 0.7 |
| 48X270 | 27.0 | 0.7 |
| 48X280 | 28.0 | 0.7 |
| 48X290 | 29.0 | 0.8 |
| 48X300 | 30.0 | 0.8 |
| 48X310 | 31.0 | 0.8 |
| 48X320 | 32.0 | 0.8 |
| 48X330 | 33.0 | 0.9 |
| 48X340 | 34.0 | 0.9 |
| 48X350 | 35.0 | 0.9 |
| 48X360 | 36.0 | 0.9 |
| 48X370 | 37.0 | 1.0 |
| 48X380 | 38.0 | 1.0 |
| 48X390 | 39.0 | 1.0 |
| 48X400 | 40.0 | 1.0 |
| 48X410 | 41.0 | 1.0 |
| 48X420 | 42.0 | 1.0 |
| 48X430 | 43.0 | 1.0 |
| 48X440 | 44.0 | 1.2 |
| 48X450 | 45.0 | 1.2 |
| 48X460 | 46.0 | 1.2 |
| 48X470 | 47.0 | 1.3 |
| 48X480 | 48.0 | 1.3 |
| 48X490 | 49.0 | 1.3 |
| 48X500 | 50.0 | 1.3 |
| 48X510 | 51.0 | 1.3 |
| 48X520 | 52.0 | 1.4 |
| 48X530 | 53.0 | 1.4 |
| 48X540 | 54.0 | 1.4 |
| 48X550 | 55.0 | 1.4 |
| 48X560 | 56.0 | 1.5 |
| 48X570 | 57.0 | 1.5 |
| 48X580 | 58.0 | 1.5 |
| 48X590 | 59.0 | 1.5 |
| 48X600 | 60.0 | 1.6 |
| 48X610 | 61.0 | 1.6 |
| 48X620 | 62.0 | 1.6 |
| 48X630 | 63.0 | 1.7 |
| 48X640 | 64.0 | 1.7 |
| 48X650 | 65.0 | 1.7 |
| 48X660 | 66.0 | 1.7 |
| 48X670 | 67.0 | 1.8 |
| 48X680 | 68.0 | 1.8 |
| 48X690 | 69.0 | 1.8 |
| 48X700 | 70.0 | 1.8 |
| 48X710 | 71.0 | 1.9 |
| 48X720 | 72.0 | 1.9 |
| 48X730 | 73.0 | 1.9 |
| 48X740 | 74.0 | 1.9 |

## XDV® Xtra Duty V-Belts (continued)

| Part Number | Outside Length (inches) | Weight Per Belt (lbs.) |
|-------------|-------------------------|------------------------|
|-------------|-------------------------|------------------------|

### 48 SECTION — 1/2" NOMINAL TOP WIDTH

|         |       |     |
|---------|-------|-----|
| 48X750  | 75.0  | 2.0 |
| 48X760  | 76.0  | 2.0 |
| 48X770  | 77.0  | 2.0 |
| 48X780  | 78.0  | 2.1 |
| 48X790  | 79.0  | 2.1 |
| 48X800  | 80.0  | 0.4 |
| 48X810  | 81.0  | 0.4 |
| 48X820  | 82.0  | 0.4 |
| 48X830  | 83.0  | 0.4 |
| 48X840  | 84.0  | 0.4 |
| 48X850  | 85.0  | 0.4 |
| 48X860  | 86.0  | 0.5 |
| 48X870  | 87.0  | 0.5 |
| 48X880  | 88.0  | 0.5 |
| 48X890  | 89.0  | 0.5 |
| 48X900  | 90.0  | 0.5 |
| 48X910  | 91.0  | 0.5 |
| 48X920  | 92.0  | 0.5 |
| 48X930  | 93.0  | 0.5 |
| 48X940  | 94.0  | 0.5 |
| 48X950  | 95.0  | 0.5 |
| 48X960  | 96.0  | 0.5 |
| 48X970  | 97.0  | 0.5 |
| 48X980  | 98.0  | 0.5 |
| 48X990  | 99.0  | 0.5 |
| 48X1000 | 100.0 | 0.5 |
| 48X1050 | 105.0 | 0.7 |
| 48X1070 | 107.0 | 0.7 |
| 48X1140 | 114.0 | 0.8 |
| 48X1170 | 117.0 | 0.8 |

### 58 SECTION - 5/8" NOMINAL TOP WIDTH

|        |      |     |
|--------|------|-----|
| 58X230 | 23.0 | 0.9 |
| 58X240 | 24.0 | 1.0 |
| 58X250 | 25.0 | 1.0 |
| 58X260 | 26.0 | 1.0 |
| 58X270 | 27.0 | 1.1 |
| 58X280 | 28.0 | 1.1 |
| 58X290 | 29.0 | 1.2 |
| 58X300 | 30.0 | 1.2 |
| 58X310 | 31.0 | 1.2 |
| 58X320 | 32.0 | 1.3 |
| 58X330 | 33.0 | 1.3 |
| 58X340 | 34.0 | 1.4 |
| 58X350 | 35.0 | 1.4 |
| 58X360 | 36.0 | 1.4 |
| 58X370 | 37.0 | 1.5 |
| 58X380 | 38.0 | 1.5 |
| 58X390 | 39.0 | 1.6 |
| 58X400 | 40.0 | 1.6 |
| 58X410 | 41.0 | 1.6 |
| 58X420 | 42.0 | 1.7 |
| 58X430 | 43.0 | 1.7 |
| 58X440 | 44.0 | 1.8 |
| 58X450 | 45.0 | 1.8 |
| 58X460 | 46.0 | 1.8 |

| Part Number | Outside Length (inches) | Weight Per Belt (lbs.) |
|-------------|-------------------------|------------------------|
|-------------|-------------------------|------------------------|

### 58 SECTION - 5/8" NOMINAL TOP WIDTH

|         |       |     |
|---------|-------|-----|
| 58X470  | 47.0  | 1.9 |
| 58X480  | 48.0  | 1.9 |
| 58X490  | 49.0  | 1.9 |
| 58X500  | 50.0  | 2.0 |
| 58X510  | 51.0  | 2.0 |
| 58X520  | 52.0  | 2.1 |
| 58X530  | 53.0  | 2.1 |
| 58X540  | 54.0  | 2.1 |
| 58X550  | 55.0  | 2.1 |
| 58X560  | 56.0  | 2.1 |
| 58X570  | 57.0  | 2.3 |
| 58X580  | 58.0  | 2.3 |
| 58X590  | 59.0  | 2.4 |
| 58X600  | 60.0  | 2.4 |
| 58X610  | 61.0  | 2.4 |
| 58X620  | 62.0  | 2.5 |
| 58X630  | 63.0  | 2.5 |
| 58X640  | 64.0  | 2.6 |
| 58X650  | 65.0  | 2.6 |
| 58X660  | 66.0  | 2.6 |
| 58X670  | 67.0  | 2.7 |
| 58X680  | 68.0  | 2.7 |
| 58X690  | 69.0  | 2.7 |
| 58X700  | 70.0  | 2.8 |
| 58X710  | 71.0  | 2.8 |
| 58X720  | 72.0  | 2.9 |
| 58X730  | 73.0  | 2.9 |
| 58X740  | 74.0  | 3.0 |
| 58X750  | 75.0  | 3.0 |
| 58X760  | 76.0  | 3.0 |
| 58X770  | 77.0  | 3.1 |
| 58X780  | 78.0  | 3.1 |
| 58X790  | 79.0  | 3.2 |
| 58X800  | 80.0  | 0.6 |
| 58X810  | 81.0  | 0.6 |
| 58X820  | 82.0  | 0.7 |
| 58X830  | 83.0  | 0.7 |
| 58X840  | 84.0  | 0.7 |
| 58X850  | 85.0  | 0.7 |
| 58X860  | 86.0  | 0.7 |
| 58X870  | 87.0  | 0.7 |
| 58X880  | 88.0  | 0.7 |
| 58X890  | 89.0  | 0.7 |
| 58X900  | 90.0  | 0.7 |
| 58X910  | 91.0  | 0.7 |
| 58X920  | 92.0  | 0.7 |
| 58X930  | 93.0  | 0.7 |
| 58X940  | 94.0  | 0.8 |
| 58X950  | 95.0  | 0.8 |
| 58X960  | 96.0  | 0.8 |
| 58X970  | 97.0  | 0.8 |
| 58X980  | 98.0  | 0.8 |
| 58X990  | 99.0  | 0.8 |
| 58X1000 | 100.0 | 0.8 |
| 58X1030 | 103.0 | 0.8 |