



New Town™ 6032

60" x 32" x 20" | 1524 x 813 x 508 mm



Codes/Standards Applicable

- ANSI Z124.1.2
- CSA B45 Series

Whirlpool Bathtubs:

- UL1795
- ASME A112.19.7
- CSA C22.2 No. 218.2
- CSA B45.10

KEY BENEFITS

The dream bathroom you always wanted is now at hand. New Town Series will amaze you with their fresh trendy look. Pure contemporary lines at an affordable price... Who could resist?

STANDARD FEATURE(S)

Textured bottom
Minimalist inspired design
Podium installation
Available with all Advanta massage systems and options
Ample deck space for faucet installation


COMMON OPTIONS

Air push cover
Apron with access panel
[Chromatherapy](#)
Flexible main hose for Aerosens^R blower
Flexible main hose
Foam pillow
Hydrosens trim kit
Microjet trim kit
Thermax field-installed whirlpool heater
Waste and overflow


Water heater

Colors

Standard Acrylic Colors



Non-Standard Acrylic Colors



Colors shown are for reference purposes only and are subject to change without notice. Exact matches are not possible with your monitor display or printing method used.

Model Specifications, Options and Accessories

<input checked="" type="checkbox"/>	No	Model	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	105459-000	BATHTUB	59 7/8 X 32 X 20	85	30
<input type="checkbox"/>	105466-000	Apron with access panel (recommended for bathtubs equipped with systems)	N/A	N/A	N/A
<input type="checkbox"/>	105608-000	Apron without access panel			
Water Capacity: Minimum: 40 gal. Maximum: 48 gal.					

Whirlpool Systems

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	105459-091	10 MICROJETS (INCLUDING 4 BACKJETS)	59 7/8 X 32 X 20	120	30
<input type="checkbox"/>	105459-107	HYDROSENS™ (6 "SPA" JETS)			
<input type="checkbox"/>	OPT 20025	BACKMAX ^R (6 BACKJETS) Optional with Hydrosens	N/A	N/A	N/A

Air Systems

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	105459-108	AEROSENS ^R	59 7/8 X 32 X 20	110	30

Combined Systems

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	105459-109	COMBINED HYDROSENS™ AND AEROSENS ^R	59 7/8 X 32 X 20	145	30
<input type="checkbox"/>	OPT 20025	BACKMAX ^R (6 BACKJETS) Optional with combined Hydrosens and Aerosens	N/A	N/A	N/A

Common Options

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10053	Chromatherapy (factory-installed)	2 3/8	2.5	N/A
<input type="checkbox"/>	OPT 20137-001	Waste and overflow (included in product packaging) Available colors: White (001), Bone (004), Chrome (084), Polished Brass (085) and Brushed Nickel (105)	N/A	N/A	
<input type="checkbox"/>	OPT 20137-004				
<input type="checkbox"/>	OPT 20137-084				
<input type="checkbox"/>	OPT 20137-085				
<input type="checkbox"/>	OPT 20137-105				

Whirlpool Options


<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10095	Water heater (factory-installed) (1.5 kw, 120 volts)	9 X 5 X 3	2	N/A
<input type="checkbox"/>	OPT 10250-084	Microjet (091) trim kit (factory-installed) Available colors: Chrome (084), Polished Brass (085) and Brushed Nickel (105)	N/A	N/A	
<input type="checkbox"/>	OPT 10250-085				
<input type="checkbox"/>	OPT 10250-105				
<input type="checkbox"/>	OPT 20027-084	Hydrosens™ (107) & Combined Hydrosens™ and Aerosens ^R (109) trim kit (factory-installed) Including the 2 air control covers Available colors: Chrome (084), Polished Brass (085) and Brushed Nickel (105)	N/A	N/A	
<input type="checkbox"/>	OPT 20027-085				
<input type="checkbox"/>	OPT 20027-105				

Air System Options

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 20029-084	Air push cover for Aerosens ^R (108) (factory-installed) Available colors: Chrome (084), Polished Brass (085) and Brushed Nickel (105)	N/A	N/A	N/A
<input type="checkbox"/>	OPT 20029-085				
<input type="checkbox"/>	OPT 20029-105				

Accessories

✓	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)	
<input type="checkbox"/>	10004306-001	Foam pillow with 2 suction pads (sold separately) Available color: White (001)	N/A	1.5	0.3	
<input type="checkbox"/>	10004520-084	Air push cover for Aerosens ^R (108) (sold separately) Available colors: Chrome (084), Polished Brass (085) and Brushed Nickel (105)		N/A	N/A	
<input type="checkbox"/>	10004520-085			N/A	N/A	
<input type="checkbox"/>	10004520-105			N/A	N/A	
<input type="checkbox"/>	10006923	Flexible main hose for Aerosens ^R blower system (108) with air push (sold separately) Includes 9 ft (2.7m) hose, 2 clips and 1 nylon coupling flexible air switch hose		N/A	2.5	0.89
<input type="checkbox"/>	10012135-084	Waste and overflow (sold separately) Available colors: Chrome (084) and Polished Brass (085)		N/A	3	0.3
<input type="checkbox"/>	10012135-085		N/A	3	0.3	
<input type="checkbox"/>	10018639	Thermax field-installed whirlpool heater (sold separately) Accessory for whirlpool bathtubs: Cocoon 6636, Cocoon 6032, New Town 6030 (IFS), New Town 6032, New Town 6032 (IF), New Town 6032 (IFS) and Reverie Drop-in Single pack	14 1/4 X 9 1/2 X 10 1/4	2.7	0.14	
<input type="checkbox"/>	10019591-084	Hydrosens TM (107) & Combined Hydrosens TM and Aerosens ^R (109) trim kit (sold separately) Air control covers not included Available colors: Chrome (084), Polished Brass (085) and Brushed Nickel (105)	N/A	1	1	
<input type="checkbox"/>	10019591-085			1	1	
<input type="checkbox"/>	10019591-105			1	1	
<input type="checkbox"/>	10019708	Flexible main hose for Aerosens ^R blower with combined systems (109) (sold separately) Includes: 15 ft (4.57m) hose, 2 clips, 1 nylon coupling and 1 power cord	N/A	3	0.89	
<input type="checkbox"/>	10022491-001	Waste and overflow (sold separately) Available colors: White (001), Bone (004), Chrome (084), Polished Brass (085) and Brushed Nickel (105)	N/A	N/A	N/A	
<input type="checkbox"/>	10022491-004			N/A	N/A	
<input type="checkbox"/>	10022491-084			N/A	N/A	
<input type="checkbox"/>	10022491-085			N/A	N/A	
<input type="checkbox"/>	10022491-105			N/A	N/A	



Canada Alberta British Columbia Manitoba New Brunswick Newfoundland Nova Scotia Northwest Territories Ontario Prince Edward Island Quebec Saskatchewan Yukon Territory
United States Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming

COMBINED AEROSENS / HYDROSENS	
Blower: Requires a dedicated circuit protected by a Class A GFCI.	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Blower	1.4HP / 120V / 9.5A / 60Hz
Pump	1.5HP / 120V / 12.5A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

AEROSENS	
Blower: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
Blower	1.4 HP / 120V / 9.5A / 60Hz

CHROMATHERAPY	
Requires a dedicated circuit protected by a Class A GFCI.	

Here are the electrical specifications for all Advanta by MAAX bathtub therapeutic systems offered in the United States.

PLEASE NOTE THAT SOME SYSTEMS MAY NOT BE AVAILABLE ON THE PRODUCT YOU HAVE SELECTED.

Please refer to the *Common Options* and *Massage System(s)* sections for more details.

Installation Note

Install this product according to the *Installation Guide*.

All electrical wiring must be done per national/local electrical codes.

MICROJET WHIRLPOOL	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Pump	3/4HP / 120V / 7.5A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

HYDROSENS	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Pump	1.5HP / 120V / 12.5A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz