

Automotive







A Tradition of Excellence...

For Exceptional Performance.

Coleman Cable Inc. is a worldwide leader in the development, design, manufacture, marketing & distribution of wire and cable products. A Broad Range of Products, Innovative Solutions, Recognized Brands, and a Solid Service Platform are the foundation that Coleman Cable's Dedicated, Professional People build upon to create Customer Value. These characteristics, combined with strategic acquisitions, such as Copperfield, establish and strengthen Coleman Cable's leadership position as a one of the premier US-based manufacturers of electrical, electronic and assembled wire and cable products.

The **Coleman Cable Road Power**® brand is one of the most trusted names in the automotive aftermarket. End-users have come to know that Road Power means quality, performance, and reliability through a comprehensive line of booster cables, battery cables, and battery accessories.

Road Power has long been the leader in the evolution of the booster cable, responsible for many industry-first achievements including: the Polar-Glo™ Clamp, Glove-Box Booster, No-Tangle™ Twin Extrusion Cable, No-Shock Clamps, and TPE Jacket Insulation for both low and high temperature conditions. Our most recent accreditation Maximum Energy™ is the industry's first complete line of universal battery cables that are both lead-free and RoHS Compliant (Restriction of Hazardous Substance).

In today's highly competitive world, having a low price is simply just not enough! Work with Coleman Cable and take for granted the best selection of product, easy ordering, superior customer service, and shipments that arrive complete and on-time.



Table of Contents


No-Tangle™ Booster Cables		Primary Wire Bulk Spools	15
Light-Duty	3	Driman, Wiro Contor	4.5
Medium-Duty	3	Primary Wire Center	15
Heavy-Duty	3	RV/Mobile Home Cords	
Extra Heavy-Duty	4	RV Adapters and Accessories	16
Commercial Grade	4	Adapter Extension Cord Sets	16
Booster Cable Clamps	5	Power Supply Cords	16
Battery Accessories		Extension Cords	16
General Accessories	5-6	Work Lights	
Copper Lugs	6	Work Lights	47
Battery Frames and Trays	6	Work Light Repus Pools	17
Battery Hold-Downs	7	Work Light Bonus Packs	18
Battery Boxes	7	Fluorescent Lights	18
		TwistBrite™ LED Work Light	19
Battery Terminals		Cord Reels	19
Heavy Duty Top Post Universal	8	Rough Service Replacement Bulbs	19
Heavy Duty Side Post	8	Reflector Lights	19
Extra Heavy Duty (Truck) - Top Post	8	Halogen Lights/Replacement Parts	20
Lead Free Top Post	8	Vinyl Extension Cords	
Top Post Replacement Bolt and Nuts	8	Vinyl Extension Cords	0.1
Side Terminal Bolts	8	Vinyl Outdoor Extension Cords	21
Lawn and Garden	8	High Visibility/Low Temperature	22
Side Terminal Adapters	8	American Contractor®	22
Marine Terminals	9	Stripes [™] Outdoor Extension Cords Push-Lock® Extension Cords	23 24
Diagnostic Tools	9		
Maximum Energy™ Lead-Free	7	Generator Power Cords and Adapters	
Battery Cables	•	Generator Power Cords	25
Top Post	10-11	Twist-To-Lock Adapters	25
Side Terminal	11	Vinyl "Y" and "W" Adapters	26
Switch to Starter	12	Generator Power Cords and Adapters	26
Lawn and Garden	12	deficiator i ower oords and Adapters	20
Lawn and Gardon	12	Powerstation® Surge Protectors	3
Engine and Ground Straps	12	and Power Strips	27
Cable Savers™	13	Indoor Extension Cords	
Pottony Installation Vit	10	Cube Tap Extension Cords	28
Battery Installation Kit	13	Split Cube Tap Extension Cords	28
Primary Wire Individually Packaged	14	SlenderPlug® Cube Tap Extension Cords SlenderPlug®- Grounded Three-Outlet	28
Lachagoa	14	Trinector® Plug	28





No-Tangle™ Booster Cables

Light-Duty Booster Cables





CAT	WIRE	JACKET	LENGTH	PACKAGE	PACK	MASTER	MASTER
NO	GAUGE	COLOR	IN FT	Type	QTY	WT	PACK CUBE
08120	10	Black	12	Sleeve	6	18	.53



08467

Medium-Duty Booster Cables





Road Power® Medium-Duty Booster Cables feature dual-extruded wire to provide the user with easy, tangle-free operation. Cables are manufactured with either a PVC or T-Prene® jacket. While both jackets perform well in warm or cold climates, T-Prene provides additional oil, chemical, and water resistance.

Medium-Duty Booster Cables come standard with 200 AMP copper-plated steel clamps but can easily be upgraded to Polar-Glo™ Clamps. The Polar-Glo™ clamp's triple-polarity identification includes color-coding, indent stamping, and glow-in-the-dark labels. To ensure the highest levels of user-safety, all energized Polar-Glo™ Clamp surfaces are shielded to avoid short circuits and all conductive clamp surfaces are recessed to prevent accidental contact.

Medium-Duty Booster Cables are available in 8 gauge, either in 12 foot or16 foot lengths, and packaged in a variety of retail-style formats. Some boosters are UL Listed depending on specific model options.



08435

CAT NO	WIRE GAUGE	JACKET COLOR	LENGTH IN FT	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
08435* ~	8	Yellow	12	Sleeve	6	17	.50
08445* ~	8	Yellow	12	Box	4	11	.93
08471* ~	8	Yellow	12	Sleeve	6	18	.69
08465	8	Yellow	12	Box	6	24	1.65
08466	8	Yellow	16	Box	6	27	1.22
08467	8	Yellow	12	Bag	2	8	.93

^{*} Does not feature Polar-Glo™ clamps

Heavy-Duty Booster Cables





Road Power's® Heavy-Duty Booster Cables feature Polar-Glo™ Clamps and T*Prene® jacket insulation. This enhanced line of booster cables ensures the highest levels of user-safety and assures dependability in the most extreme climate conditions.

The Polar-Glo™ Clamp is ergonomically-designed so that it can be easily handled by everyone and it attaches itself firmly to both top and side post batteries. The clamps' triple-polarity identification includes color-coding, indent stamping, and glow-in-the-dark labels. In addition, all energized clamp surfaces are shielded to avoid short circuits and all conductive clamp surfaces are recessed to prevent accidental contact.

T*Prene® insulation was chosen for the wire jacketing material because it remains flexible even under the severest temperatures and is oil, chemical, and water resistant.

Heavy-Duty Booster Cables are made using 6 gauge wire and performs best with small or large automobiles. This line of booster cables is UL Listed, either in 12 foot or 16 foot lengths, and packaged in retail-style boxes designed for easy display.







[~] Not UL Listed



Extra Heavy-Duty Booster Cables





Road Power's® Extra Heavy-Duty Booster Cables feature Polar-Glo™ Clamps and T*Prene® jacket insulation. This enhanced line of booster cables ensures the highest levels of user-safety and assures dependability in the most extreme climate conditions.

The Polar-Glo[™] Clamp is ergonomically-designed so that it can be easily handled by everyone and it attaches itself firmly to both top and side post batteries. The clamps' triple-polarity identification includes color-coding, indent stamping, and glow-in-the-dark labels. In addition, all energized clamp surfaces are shielded to avoid short circuits and all conductive clamp surfaces are recessed to prevent accidental contact.

T*Prene® insulation was chosen for the wire jacketing material because it remains flexible even under the severest temperatures and is oil, chemical, and water resistant.

Extra Heavy-Duty Booster Cables are made using 4 gauge wire and performs best with any vehicle including cars, trucks, or SUVs. This line of booster cables is UL Listed, has several lengths to choose from, and packaged in retail-style boxes designed for easy display.

CAT NO	WIRE Gauge	JACKET Color	LENGTH IN FT	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
08665	4	Red	12	Box	2	33	.76
08666	4	Red	16	Box	2	41	.76
08660	4	Red	20	Box	2	16	.76
08662	4	Red	25	Box	2	20	.76



Commercial Grade Booster Cables



Road Power® Commercial Grade Booster Cables were engineered specifically for the needs of the professional mechanic and feature 500 AMP rated parrot-jaw clamps. Parrot Jaw clamps are manufactured from rugged zincplated steel with serrated copper-clad jaws and non-slip vinyl-coated grips. This family of booster cables is constructed with dual-extruded wire to provide the user with tangle-free operation. These booster cables are available in 4 or 2 gauge, in various lengths, and packaged in retail-style boxes designed both for display and storage.

CAT NO	WIRE GAUGE	JACKET COLOR	LENGTH In FT	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
08765	4	Black	12	Box	2	13	.93
08766	4	Black	16	Box	2	16	.93
08760	4	Black	20	Вох	2	18	.93
08860	2	Black	20	Box	2	24	.93
08862	2	Black	25	Вох	2	29	.93







Booster Cable Clamps

Rugged color-coded replacement clamps.

CAT NO	CLAMP Rating	CLAMP COLOR	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
Copper Plat	ed Steel					
150C-2	150 Amp	1 Red and 1 Black	Blister	6	3	.32
75C-2	50 Amp	1 Red and 1 Black	Blister	6	1	.05
50C-10	50 Amp	5 Red and 5 Black	Card	10	5	.37
Vinyl Coated	l Steel					
400C-2	500 Amp	1 Red and 1 Black	Blister	6	5	.45
08904	500 Amp	1 Red and 1 Black	Bag	12	13	.43
00304	Joo Amp	Trica and T black	Dag	12	10	.40









Accessories

Battery Accessories

CAT NO	DESCRIPTION	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
940	Computer Memory Saver	Clamshell	3	2	.11
941	Accessory Lead Kit	Clamshell	3	2	.11
964	Terminal Spreader	Clamshell	3	3	.12
965	Battery Terminal Lifter	Blister	6	3	.10
969	Terminal Cap Protector (TOP) – 2 Pack	Clamshell	6	1	.11
970	Rubber Battery Filter	Blister	6	3	.18
971	4 -Way Battery Tool	Blister	6	3	.21






Battery Accessories (continued)





CAT NO	DESCRIPTION	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
984	Deluxe Battery Carrier	Box	3	3	.54
985	Top Post Battery Carrier Strap – 18"	Blister	6	2	.06
986	Post & Terminal Cleaner (Metal)	Clamshell	6	1	.15
989	Anti-Corrosion Washers – 2 Pack	Blister	12	1	.04
991	Mini Battery Tester Ball Type	Blister	6	1	.07
992	Premium Hydrometer	Clamshell	4	2	.16
993	Professional Hydrometer	Clamshell	4	2	.23
994	Side Terminal Wrench	Blister	4	1	.04
995	Battery Filler Bottle	None	6	3	1.10
Copper Lug	s				
1809-2	4 & 6 Gauge, 2 Pack (1/4")	Blister	24	2	.14
1810-2	2 Gauge, 2 Pack (3/8")	Blister	24	2	.13
Battery Fran	nes & Trays				
973	Group 24 Frame	Blister	4	4	.25
979	Small Tray	Card	3	2	.23
981	Large Tray	Card	4	4	.32







Battery Accessories (continued)

CAT NO	DESCRIPTION	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
Battery Hold	d-Downs				
966-8	8" J Hooks, 2 Pack	Blister	4	1	.04
966-10	10" J Hooks - GM, 2 Pack	Blister	4	2	.05
966-12	12" J Hooks, 2 Pack	Blister	4	2	.05
967	10" L Hooks - FORD, 2 Pack	Blister	4	2	.05
974	Rubber	Blister	12	2	.38
975	Universal Crossbar	Blister	3	2	.25
976	E-Z Adjustable Hold Down	Clamshell	3	1	.11
977	Universal End Type 22NF &, 29NF	Blister	6	2	.05
978	Side End Type for 22C, 22F, 24F	Blister	6	2	.08
980	Battery Hold-Down Kit	Blister	4	1	.15
Battery Box	es				
300M	Group 24 Small	None	6	12	4.71
318L	Series 74/Marine Large	None	6	16	3.79







Battery Terminals

CAT NO	DESCRIPTION	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
Heavy Duty	Top Post Universal				
903-1	Single Pack	Blister	12	3	.09
903-10	Ten Pack	Card	10	29	.39
903-100	Bulk Pack	Bulk	100	26	.24
903B-1	Brass – Single Pack	Blister	12	2	.09
903C-2	Coated (Red/Black)	Blister	6	3	.06
982	Battery Post Shims	Blister	3	1	.02
Heavy Duty	Side Post				
905-1	Single Pack	Blister	6	2	.04
905-7	Seven Pack	Card	10	18	.26
905-100	Bulk Pack	Bulk	100	26	.19
Extra Heavy	Duty (Truck) - Top Post				
906-1	Single Pack	Blister	6	4	.07
906-50	Bulk Pack	Bulk	50	20	.15
Lead Free T	op Post Terminal				
909-1	Single Pack	Blister	6	1	.05
Universal Cl	narging Post				
922	Set (1 Positive/1 Negative)	Blister	6	3	.04
Side Post B	olts and Nuts				
923-2	Two Pack	Blister	6	6	1.56
923	Bulk Pack	Bulk	50	22	.05
Side Termin	al Bolts				
926-2	0EM Style, 2 Pack	Blister	6	1	.04
926	OEM Style	Bulk	25	3	.02
928	Extender Bolt w/Deisel Spacer	Blister	12	2	.09
Lawn and G	arden				
921	Bolt & Nut	Blister	20	2	.14
Side Termin	al Adapters				
925	Set (1 Positive/1 Negative)	Blister	6	6	.07





903B-1



905-1



906-1



909-1

















925









Battery Terminals (continued)

CAT NO	DESCRIPTION	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
Marine Term	ninals				
962-1	Single Pack	Blister	6	3	.04
962-2	Set (1 Positive/1 Negative)	Blister	6	4	.08
962B-1	Brass	Blister	6	5	.06
962C-2	Coated (Red/ Black)	Blister	6	4	.08
962-8	4 Sets (4 Positive/4 Negative)	Card	10	28	.40
962NB	Negative Post	Bulk	100	55	.26
962PB	Positive Post	Bulk	100	55	.26









Diagnostic Tools

Make sure your vehicle's battery and alternator are operating at peak performance by using these great new diagnostic tools from Road Power®. These units are small and lightweight making them very portable and results are easy to interpret.

CAT NO	DESCRIPTION	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
930	Battery Load Tester	Box	2	6.34	.23
931	Battery Alternator Tester	Clamshell	3	1.24	.23









Battery Cables

Maximum Energy™ Lead-Free

Rugged terminal ends are constructed from tin-plated brass that supplies superior starting power for car, truck or marine applications when compared to leaded counterparts. The cable jacket is manufactured from high temperature PVC designed to resist water, oil and chemicals. These lead-free battery cables feature full gauge stranded copper that extends through the entire length of the flattened lug – insuring complete capacity conductivity. These battery cables are RoHS (Removal of Hazardous Materials) compliant and provide the highest-level of corrosion protection while completely removing the dangerous threat of lead contamination.



Post ick	







CAT NO	DESCRIPTION	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
Top Post 2	Gauge				
15-2	15" 2 Gauge Top Post - Black	Clamshell	3	2	.11
Top Post 2	Gauge with Lead Wire				
25-2L	25" 2 Gauge Top Post with Lead - Black	Clamshell	3	3	.11
32-2L	32" 2 Gauge Top Post with Lead - Black	Clamshell	3	4	.11
42-2L	42" 2 Gauge Top Post with Lead - Black	Clamshell	3	4	.11
Top Post 4	Gauge				
10-4	10" 4 Gauge Top Post - Black	Clamshell	3	2	.11
10-4R	10" 4 Gauge Top Post - Red	Clamshell	3	2	.11
13-4	13" 4 Gauge Top Post - Black	Clamshell	3	2	.11
15-4	15" 4 Gauge Top Post - Black	Clamshell	3	2	.11
15-4R	15" 4 Gauge Top Post - Red	Clamshell	3	2	.11
17-4	17" 4 Gauge Top Post - Black	Clamshell	3	2	.11
19-4	19" 4 Gauge Top Post - Black	Clamshell	3	2	.11
19-4R	19" 4 Gauge Top Post - Red	Clamshell	3	2	.11
24-4	24" 4 Gauge Top Post - Black	Clamshell	3	2	.11
27-4R	27" 4 Gauge Top Post - Red	Clamshell	3	3	.11
31-4	31" 4 Gauge Top Post - Black	Clamshell	3	3	.11
31-4R	31" 4 Gauge Top Post - Red	Clamshell	3	3	.11
38-4	38" 4 Gauge Top Post - Black	Clamshell	3	3	.11
42-4	42" 4 Gauge Top Post - Black	Clamshell	3	3	.11
48-4	48" 4 Gauge Top Post - Black	Clamshell	3	3	.11
58-4	58" 4 Gauge Top Post - Black	Clamshell	3	4	.11
58-4R	58" 4 Gauge Top Post - Red	Clamshell	3	4	.11
Top Post 4	Gauge with Lead Wire				
25-4L	25" 4 Gauge Top Post w/Lead - Black	Clamshell	3	3	.11
25-4LR	25" 4 Gauge Top Post w/Lead - Red	Clamshell	3	3	.11
32-4L	32" 4 Gauge Top Post w/ Lead - Black	Clamshell	3	3	.11
32-4LR	32" 4 Gauge Top Post w/ Lead - Red	Clamshell	3	3	.11
38-4L	38" 4 Gauge Top Post w/Lead - Black	Clamshell	3	3	.11
38-4LR	38" 4 Gauge Top Post w/Lead - Red	Clamshell	3	3	.11
42-4L	42" 4 Gauge Top Post w/ Lead - Black	Clamshell	3	3	.11
42-4LR	42" 4 Gauge Top Post w/ Lead - Red	Clamshell	3	3	.11
48-4L	48" 4 Gauge Top Post w/ Lead - Black	Clamshell	3	3	.11
48-4LR	48" 4 Gauge Top Post w/ Lead - Red	Clamshell	3	3	.11
54-4L	54" 4 Gauge Top Post w/ Lead - Black	Clamshell	3	4	.11
54-4LR	54" 4 Gauge Top Post w/ Lead - Red	Clamshell	3	4	.11
65-4L	65" 4 Gauge Top Post w/ Lead - Black	Clamshell	3	4	.11
72-4L	72" 4 Gauge Top Post w/ Lead - Black	Clamshell	3	4	.11

Note: Bulk case quantities – 12, except cables 54" and longer are 6.

To order bulk quantities, add letter "K" to the end of the part number (i.e. 10-2K, 15-2K, 19-2K, etc.)





Maximum Energy™ Lead-Free (continued)

CAT NO	DESCRIPTION	PACKAGE Type	PACK QTY	MASTER WT	MASTER Pack cube
Top Post 6	Gauge				
10-6	10" 6 Gauge Top Post - Black	Clamshell	3	2	.11
13-6	13" 6 Gauge Top Post - Black	Clamshell	3	2	.11
15-6	15" 6 Gauge Top Post - Black	Clamshell	3	2	.11
19-6	19" 6 Gauge Top Post - Black	Clamshell	3	2	.11
24-6	24" 6 Gauge Top Post - Black	Clamshell	3	2	.11
34-6	24" 6 Gauge Top Post - Black	Clamshell	3	2	.11
Top Post 6	Gauge with Lead Wire				
25-6L	25" 6 Gauge Top Post w/ Lead - Black	Clamshell	3	2	.11
32-6L	32" 6 Gauge Top Post w/ Lead - Black	Clamshell	3	3	.11
38-6L	38" 6 Gauge Top Post w/ Lead - Black	Clamshell	3	2	.11
42-6L	42" 6 Gauge Top Post w/ Lead - Black	Clamshell	3	2	.11
51-6L	51" 6 Gauge Top Post w/ Lead - Black	Clamshell	3	3	.11
Top Post 6	Gauge with 2 Lead Wires				
38-62L	38" 6 Gauge Top Post w/ 2 Leads - Black	Clamshell	3	3	.11
48-62L	48" 6 Gauge Top Post w/ 2 Leads - Black	Clamshell	3	3	.11
58-62L	58" 6 Gauge Top Post w/ 2 Leads - Black	Clamshell	3	3	.11
Side Termin	al 4 Gauge with Lead Wire				
ST25-4	20" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	2	.11
ST25-4R	25" 4 Gauge Side Terminal w/ Lead - Red	Clamshell	3	2	.11
ST35-4	35" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	3	.11
ST40-4	40" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	3	.11
ST45-4	45" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	3	.11
ST45-4R	45" 4 Gauge Side Terminal w/ Lead - Red	Clamshell	3	3	.11
ST55-4	55" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	3	.11
ST65-4	65" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	4	.11
ST65-4R	65" 4 Gauge Side Terminal w/ Lead - Red	Clamshell	3	4	.11
ST78-4	78" 4 Gauge Side Terminal w/ Lead - Black	Clamshell	3	4	.11







Note: Bulk case quantities – 12, except cables 54" and longer are 6.

To order bulk quantities, add letter "K" to the end of the part number (i.e. 10-2K, 15-2K, 19-2K, etc.)









Maximum Energy™ Lead-Free (continued)

			-		-
CAT NO	DESCRIPTION	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
Switch to St	arter 4 Gauge				
SS19-4	19" 4 Gauge Switch to Starter - Black	Clamshell	3	1	.11
SS24-4	24" 4 Gauge Switch to Starter - Black	Clamshell	3	2	.11
SS32-4	32" 4 Gauge Switch to Starter - Black	Clamshell	3	2	.11
SS40-4	40" 4 Gauge Switch to Starter - Black	Clamshell	3	3	.11
SS45-4	45" 4 Gauge Switch to Starter - Black	Clamshell	3	3	.11
SS51-4	51" 4 Gauge Switch to Starter - Black	Clamshell	3	3	.11
SS58-4	58" 4 Gauge Switch to Starter - Black	Clamshell	3	3	.11
SS68-4	68" 4 Gauge Switch to Starter - Black	Clamshell	3	3	.11
Lawn & Gar	den 6 Gauge				
LG19-6	19" 6 Gauge Lawn & Garden - Black	Clamshell	3	2	.11
LG27-6	27" 6 Gauge Lawn & Garden - Black	Clamshell	3	2	.11
LG49-6	49" 6 Gauge Lawn & Garden - Black	Clamshell	3	3	.11

Note: Bulk case quantities – 12, except cables 54" and longer are 6.

To order bulk quantities, add letter "K" to the end of the part number (i.e. 10-2K, 15-2K, 19-2K, etc.)







Engine and Ground Straps

CAT NO	DESCRIPTION	PACKAGE TYPE	PACK QTY	MASTER WT	MASTER PACK CUBE
EG8	8" Lug to Lug Bonding Strap	Clamshell	3	2	.11
EG12	12" Lug to Lug Bonding Strap	Clamshell	3	2	.11
GS9-4	9" 4 Gauge Termincal to Lug	Clamshell	3	2	.11
GS13-4	13" 4 Gauge Termincal to Lug	Clamshell	3	2	.11
GS24-4	24" 4 Gauge Termincal to Lug	Clamshell	3	2	.11

Note: Bulk case quantities – 12, except cables 54" and longer are 6.

To order bulk quantities, add letter "K" to the end of the part number (i.e. 10-2K, 15-2K, 19-2K, etc.)



Engine Strap







Cable Savers[™]

When using a Road Power® Battery Cable Saver™, only the worn terminal-end of the old battery cable is replaced. Simply detach the defective cable from the battery and cut the cable near the corroded terminal. Strip the old cable and attach it to the Cable Saver. Finally, the Cable Saver's lead-free terminal is connected to the battery.

Battery Cable Savers are constructed with tin-plated brass terminals that supply maximum corrosion protection. The rugged jacket is manufactured from high temperature PVC designed to resist water, oil, and chemicals. These unique cables eliminate the need for the same model cable in many different lengths. Road Power Battery Cable Savers feature (3) three models: Top Post, Dual Lead, and Side Post.

CAT NO	DESCRIPTION	PACKAGE Type	MASTER PACK	MASTER WT	MASTER PACK CUBE
950	Top Post	Clamshell	3	3	.11
951	Dual Lead	Clamshell	3	3	.11
952	Side Post	Clamshell	3	3	.11







Battery Installation Kit

Contains Terminal Cleaner, Towelette, Plastic Bag, Felt Washers, Wire Brush, and Anti-Corrosion Spray.

CAT	DESCRIPTION	PACKAGE	PACK	MASTER	MASTER
NO		Type	QTY	WT	PACK CUBE
06329	Battery Installation Kit	Clamshell	4	3.42	.11















Primary Wire Individually Packaged

Engineered to handle the harsh environment of an automobile engine, the durable PVC outer-jacket resists water, oil, chemicals, and abrasion.














CAT NO	WIRE GAUGE	COLOR	LENGTH IN FT	PACK QTY	MASTER WT	MASTER PACK CUBE
10-1-11	10	Black	7	6	2	.11
10-1-12	10	Blue	7	6	2	.11
10-1-14	10	Yellow	7	6	2	.11
10-1-15	10	Green	7	6	2	.11
10-1-16	10	Red	7	6	2	.11
10-1-17	10	White	7	6	2	.11
12-1-11	12	Black	11	6	2	.11
12-1-12	12	Blue	11	6	2	.11
12-1-14	12	Yellow	11	6	2	.11
12-1-15	12	Green	11	6	2	.11
12-1-16	12	Red	11	6	2	.11
12-1-17	12	White	11	6	2	.11
14-1-11	14	Black	17	6	2	.11
14-1-12	14	Blue	17	6	2	.11
14-1-14	14	Yellow	17	6	2	.11
14-1-15	14	Green	17	6	2	.11
14-1-16	14	Red	17	6	2	.11
14-1-17	14	White	17	6	2	.11
16-1-11	16	Black	24	6	2	.11
16-1-12	16	Blue	24	6	2	.11
16-1-14	16	Yellow	24	6	2	.11
16-1-15	16	Green	24	6	2	.11
16-1-16	16	Red	24	6	2	.11
16-1-17	16	White	24	6	2	.11
18-1-11	18	Black	33	6	2	.11
18-1-12	18	Blue	33	6	2	.11
18-1-14	18	Yellow	33	6	2	.11
18-1-15	18	Green	33	6	2	.11
18-1-16	18	Red	33	6	2	.11
18-1-17	18	White	33	6	2	.11









Primary Wire Bulk Spools





CAT NO	DESCRIPTION	STRANDING	PACK QTY	MASTER WT	MASTER PACK CUBE
10-100-11	10 Gauge 100' Black	19/23	6	26	.28
10-100-12	10 Gauge 100' Blue	19/23	6	26	.28
10-100-14	10 Gauge 100' Yellow	19/23	6	26	.28
10-100-15	10 Gauge 100' Green	19/23	6	26	.28
10-100-16	10 Gauge 100' Red	19/23	6	26	.28
10-100-17	10 Gauge 100' White	19/23	6	26	.28
12-100-11	12 Gauge 100' Black	19/25	6	16	.21
12-100-12	12 Gauge 100' Blue	19/25	6	16	.21
12-100-14	12 Gauge 100' Yellow	19/25	6	16	.21
12-100-15	12 Gauge 100' Green	19/25	6	16	.21
12-100-16	12 Gauge 100' Red	19/25	6	16	.21
12-100-17	12 Gauge 100' White	19/25	6	16	.21
14-100-11	14 Gauge 100' Black	19/27	6	12	.21
14-100-12	14 Gauge 100' Blue	19/27	6	12	.21
14-100-14	14 Gauge 100' Yellow	19/27	6	12	.21
14-100-15	14 Gauge 100' Green	19/27	6	12	.21
14-100-16	14 Gauge 100' Red	19/27	6	12	.21
14-100-17	14 Gauge 100' White	19/27	6	12	.21
16-100-11*	16 Gauge 100' Black	19/29	6	9	.21
16-100-12*	16 Gauge 100' Blue	19/29	6	9	.21
16-100-14*	16 Gauge 100' Yellow	19/29	6	9	.21
16-100-15*	16 Gauge 100' Green	19/29	6	9	.21
16-100-16*	16 Gauge 100' Red	19/29	6	9	.21
16-100-17*	16 Gauge 100' White	19/29	6	9	.21
18-100-11*	18 Gauge 100' Black	16/30	6	7	.21
18-100-12*	18 Gauge 100' Blue	16/30	6	7	.21
18-100-14*	18 Gauge 100' Yellow	16/30	6	7	.21
18-100-15*	18 Gauge 100' Green	16/30	6	7	.21
18-100-16*	18 Gauge 100' Red	16/30	6	7	.21
18-100-17*	18 Gauge 100' White	16/30	6	7	.21

^{*} Imported



Primary Wire Center

Extensive inventory all on one rack. Holds 30 spools. CCI's Primary Wire Center gives your customers a full selection in a small amount of space. Simple to stock and easy to reload.

CAT NO	DESCRIPTION	PACK QTY	MASTER WT	MASTER PACK CUBE
09975-00-00*	Primary Wire Rack Only (NO SPOOLS)	1	25	2.71
09975-00-30	Primary Wire Rack with 30 Spools –	1	78	13.33
	6 Color 10, 12, 14, 16 and 18 Gauge			





RV/Mobile Home Cords

Includes power supply and extension cords that make any installation easy and safe. These are for use in campgrounds, motor parks and recreational areas. All cords and adapters are black.



00521



09524





CAT NO	CORD LENGTH	CORD TYPE & GAUGE	ATTACHMENT PLUG MALE	CORD CONNECTOR FEMALE	BULK PACK	RETAIL PACK
RV Adapters	& Acce	ssories				
09521	-	Adapter	5-15P	30A RV	100	4
09522	-	Adapter	30A RV	5-15R	100	4
09524	-	Right Angle Adapter	5-15P	30A RV	100	12
09523*	_	Replacement Plug	30A RV Plug		_	4
09543*	-	Replacement Plug	50A RV Plug		-	3
Adapter Exte	ension C	ord Sets				
09548	9 in.	14/3 STW	5-15P	30A RV Straight	50	_
09542	18 in.	14/3 STW	5-15P	30A RV	12	6
09544	18 in.	14/3 STW	30A RV	5-15R	12	6
09552	18 in.	10/3 STW	30A RV	50A 14-50R	50	4
09554	18 in.	10/3 STW	50A 14-50P	30A RV	50	4
09538	18 in.	10/3 STW	30A RV	50A Marine w/Boot	_	25
09539	25 ft.	10/3 STW	30A RV	50A Marine w/Boot	5	_
09553	12 in.	10/3 STW Twist-To-Lock	30A L5-30P	30A RV	50	3
		Generator Adapter				
30A & 50A F	RV Powe	r Supply Cords				
09575	18 in.	10/3 STW	30A RV	-	50	_
09572	18 in.	10/3 STW	_	30A RV	50	_
09525*	25 ft.	10/3 STW	30A RV	-	10	_
09529*	28 ft.	10/3 STW	30A RV	-	10	-
09519*	30 ft.	10/3 STW	30A RV	-	8	_
09532*	32 ft.	10/3 STW	30A RV	-	8	_
09535*	35 ft.	10/3 STW	30A RV	-	8	_
09516*	36 ft.	10/3 STW	30A RV	-	8	_
09541*	40 ft.	10/3 STW	30A RV	-	6	_
09546*	42 ft.	10/3 STW	30A RV	-	6	_
09531*	50 ft.	10/3 STW	30A RV	-	5	_
09547	17 in.	6/3 & 8/1 STW	50A 14-50P	-	25	_
09549	17 in.	6/3 & 8/1 STW	_	50A 14-50R	25	_
09527*	25 ft.	6/3 & 8/1 STW	50A 14-50P	-	3	_
09528*	28 ft.	6/3 & 8/1 STW	50A 14-50P	-	3	_
09530*	30 ft.	6/3 & 8/1 STW	50A 14-50P	-	3	_
09536*	36 ft.	6/3 & 8/1 STW	50A 14-50P	-	3	_
09560*	25 ft.	6/3 & 8/1 Flexible SEW 90C	50A 14-50P	-	3	_
09562*	30 ft.	6/3 & 8/1 Flexible SEW 90C	50A 14-50P	-	3	_
09561*	36 ft.	6/3 & 8/1 Flexible SEW 90C	50A 14-50P	-	3	_
09537*	40 ft.	6/3 & 8/1 Flexible SEW 90C	50A 14-50P	-	3	_
15A, 30A & 5	OA RV E	Extension Cord Sets	5			
09506	25 ft.	14/3 STW	5-15P	5-15R	12	_
09510	10 ft.	10/3 STW	30A RV	30A RV	20	_
09550	25 ft.	10/3 STW	30A RV	30A RV	10	2
09555	50 ft.	10/3 STW	30A RV	30A RV	5	_
	30 ft.	10/3 STW	30 RV	30 RV	_	2
09570*	JU 11.	. 0, 0 0				









Work Lights

Polar/Solar® Work Lights





Heavy-duty work lights featuring Coleman's exclusive T*Prene® insulated Polar/Solar® cord. Stays flexible under all temperature extremes to -67°F. Exclusive one-piece injection molded handle. Grounded, vinyl coated metal guard with switch and side outlet. 75 Watt maximum bulb. Oil and chemical resistant.

CAT NO	DESCRIPTION	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
05657	Metal Guard w/outlet	14/3	SJE0	Yellow	25	Sleeve	15A	6	6	2.06
05658	Metal Guard w/outlet	14/3	SJE0	Yellow	50	Sleeve	15A	6	30	2.06
05857	Metal Guard w/outlet	16/3	SJE0	Yellow	25	Sleeve	13A	6	13	1.43
05858	Metal Guard w/outlet	16/3	SJE0	Yellow	50	Sleeve	13A	6	23	1.91
Industrial W	ork Lights									
05337	Metal Guard*	18/3	SJE0	Yellow	25	Sleeve	10A	12	26	3.01
05338	Metal Guard*	18/3	SJE0	Yellow	50	Sleeve	10A	6	21	1.78


^{*} Note: These products do not have a switch or outlet.



Luma-Site® Work Lights



Luma-Site® Work Lights represent both durability and practicality. Lightweight construction makes handling them effortless, but don't let the lack of weight fool you! Constructed from tough PVC, these lights can stand the rigors of almost any work environment. All Luma-Site® Work Lights come standard with power switches and bulb cages for fast light bulb changes. 75 Watt bulb maximum.







Luma-Site® Work Light Replacement Parts

CAT NO	DESCRIPTION	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
Replacemen	nt Work Light Guard				
05905	White Polypropylene	Bulk	12	3	1.14
05906	Metal Swing-Open	Bulk	12	5	1.14
Work Light I	Repair Kit				
05912-97	Work Light replacement handle and socket, 3 wire	Poly Bag	12	7	.30
05896	Conductor handle with switch and side outlet. Metal guard with screw and nut.	Poly Bag	6	7	.20





LUMA-SITE® Luma-Site® Work Light Bonus Packs

CAT NO	DESCRIPTION	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
LED					
05954	30 LED work light with BONUS 3 LED flashlight	Clamshell	6	24	-
Fluorescent					
05955	13W fluorescent light w/ power outlet, magnet and 6' cord-plus BONUS 25' 16/3 Push-Lock™ extension cord	Clamshell	4	16	-







05955

Luma-Site® Fluorescent Lights



Engineered to provide maximum light, Luma-Site® Fluorescent Lights were created specifically for the professional. A compact casing ensures the light can be placed in the tightest of spots and a convenient on/off switch guarantees you will have glare-free light only when you are ready. The ergonomic design means the light will sit comfortably in your hand even after a continued period of time. Should you need to work using both hands, a collapsible swivel hook allows you to hang the light in virtually any direction.

CAT NO	WIRE GA/COND	WIRE TYPE	HANDLE COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	PACK QTY	MASTER WT	MASTER PACK
26 Watt with	Outlet	& Detacl	nable Ma	gnet - 2	Switche	s/2 Bulb	s/2 Hoo	ks	
05364	16/3	SJT	Black	25	Sleeve	13A	4	16	1.04
26 Watt with	Outlet								
05926	26 16/3	SJT	Black	10	Sleeve	13A	4	8	.64
13 Watt with	Outlet								
05929	16/3	SJT	Red	15	Sleeve	13A	6	13	.67
26 Watt with	o Outlet,	Wall Bra	cket and	d Detach	able Ma	gnet			
05999	16/3	SJT	Red	25	Sleeve	13A	6	21	1.60
13 Watt									
05930	18/2	SJT	Yellow	15	Sleeve	_	6	13	.69
05931	18/2	SJT	Yellow	25	Sleeve	_	6	18	.82
Angle Light	with Out	let							
05998	16/3	SJT	Red	2	Sleeve	13A	6	8	.64











LUMA-SITE®

TwistBrite™ LED Work Light



The TwistBrite™ LED work light includes a flexible neck allowing the light to be used in multiple positions. It also includes a PVC coated magnet on the base of the unit to adhere to metal surfaces without scratching. This work light is powered by an ultra bright 1 watt LED bulb with a 50,000 hour life.

CAT	DESCRIPTION	PACKAGE	PACK	MASTER	MASTER
NO		Type	QTY	WT	PACK CUBE
05952	1 Watt LED Work Light	Clamshell	4	5.53	-

Luma-Site® Cord Reels



Tired of tripping over extension cords? Luma-Site® Retractable Reels solve that problem and keep your work area organized. Luma-Site® Retractable Reels are available with a fluorescent light, incandescent light, U-Lock® power tool extension cord, or Trinector® three-outlet power block. Reel cases are constructed with extra-tuff ABS plastic or heavy-duty steel and mount easily for use in workshop, basement, or garage. Mounting hardware included.

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
Cord Reel w	ith Trine	ctor®							
04633	16/3	SJT	Black	30	Box	10A	4	36	1.95
Heavy Duty	Cord Re	el w/Ligh	nted Tri-S	Source®					
04820	12/3	SJTW	Yellow	50	Box	15A	1	18	.94
Trouble Ligh	t with M	etal Gua	rd and F	lastic Re	el w/Out	tlet			
05360	18/3	SVT	Black	20	Box	7A	4	15	1.14
Trouble Ligh	t with M	etal Gua	rd w/Ou	tlet					
05570	16/3	SJT	Black	30	Box	10A	4	36	1.94
Reel Light A	ccessori	es -							
Trouble Ligh	t with Pl	astic Gu	ard						
05302	18/2	SJT	Black	2	Sleeve	75W	12	14	1.24



04633

Luma-Site® Rough Service Replacement Bulbs

CAT NO	VOLT Rating	WATT RATING	DESCRIPTION	PACK QTY	MASTER WT	MASTER PACK CUBE
05902	130	75	Rough Service Incandescent Bulbs – 4 Pack	120	14	1.72
05903	130	100	Rough Service Incandescent Bulbs – 4 Pack	120	14	1.72

Luma-Site® Heavy Duty Reflector Lights



Versatile multi-use utility lamps with polished and vented aluminum reflectors. Each unit features a double ball universal joint, non-marring grips, and a clamp-on bracket, on/off push-through switch and rugged molded-on plug.

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	REFL. DIA. In inches	PACK QTY	MASTER WT	MASTER PACK CUBE
05922	18/2	SPT	Brown	6	Sleeve	60W	5.5	12	6	.67
05932	18/2	SPT	Brown	6	Sleeve	150W	8.5	12	11	.84
05936	Same	as Cat. No. (05932 but p	ackaged in a	a retail cartoi	1.		6	8	1.71
05939	18/2	SPT	Brown	6	Sleeve	150W	10.5	12	12	1.18
05946	18/2	SJT	Black	15	Sleeve	60W	5.5	12	17	.97
05956	18/2	SJT	Black	15	Sleeve	150W	8.5	12	17	1.09







Luma-Site® Halogen Work Lights

When the job must go on, rely on Coleman's Luma-Site® to light the way. For the times when the weather does not cooperate or the job goes on into the night, be prepared . . . make our Luma-Site® part of your everyday tool list. When the job is done, Coleman's halogen lights are easily transported from site-to-site and collapse for easy storage.

Floodlight Series








CAT NO	DESCRIPTION	PACK QTY	MASTER WT	MASTER PACK CUBE
07775	500W halogen light, adjustable pivot handle, handle held, yellow. *No tripod or telescoping post.	6	36	1.99
07776	Two 500 watt pivoting heads, separate on/off power switches for each fixture, yellow. Tripod base.	2	36	2.61
07777	500W halogen light, yellow, hand held base and tripod included.	3	3	2.41



Premium Series









CAT NO	DESCRIPTION	PACK QTY	MASTER WT	MASTER PACK CUBE
07765	500W halogen light, hand-held, padded handle, sled base, on/off switch, red.	6	38	.42
07766	500W1000W pivoting head, halogen light, tripod base, on/off switch, red, bulb storage compartment and 500W halogen bulb included.	2	41	3.49

Halogen Replacement Parts







CAT NO	DESCRIPTION	PACK QTY	MASTER WT	MASTER PACK CUBE
07818	Glass for part numbers 07775, 07776, and 07777	1	1	.04
07880	500W Halogen bulb	1	1	.04



Vinyl Extension Cords

These all-purpose cords resist moisture, abrasion, and prolonged exposure to sunlight for durability.

Vinyl Outdoor Extension Cords



Molded, water resistant connectors with reinforced blades make these cords suitable for outdoor use.



02307



02408



02589

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
Two Conduc	ctor								
02204	16/2	SJTW	Orange	10	Sleeve	13A	24	18	.61
02210	16/2	SJOW	Black	15	Sleeve	13A	24	19	.88
02207	16/2	SJTW	Orange	25	Sleeve	13A	12	16	.82
02208	16/2	SJTW	Orange	50	Sleeve	13A	12	32	1.31
02209	16/2	SJTW	Orange	100	Sleeve	10A	6	31	1.29
Three Cond	uctor								
02304	16/3	SJTW	Orange	10	Sleeve	13A	24	18	.75
02211	16/3	SJOW	Black	10	Sleeve	13A	24	19	.79
02305	16/3	SJTW	Orange	15	Sleeve	13A	18	24	.76
02306	16/3	SJTW	Black	15	Sleeve	13A	18	24	.75
02307	16/3	SJTW	Orange	25	Sleeve	13A	12	25	.76
02308	16/3	SJTW	Orange	50	Sleeve	13A	12	46	1.16
02309	16/3	SJTW	Orange	100	Sleeve	10A	6	45	1.19
02407	14/3	SJTW	Red	25	Sleeve	15A	12	35	.90
02408	14/3	SJTW	Red	50	Sleeve	15A	6	29	.82
02409	14/3	SJTW	Red	100	Sleeve	13A	6	60	1.41
Three Cond	uctor - I	Lighted	End						
02587	12/3	SJTW	Yellow	25	Sleeve	15A	12	40	1.21
02588	12/3	SJTW	Yellow	50	Sleeve	15A	6	40	1.41
02589	12/3	SJTW	Yellow	100	Sleeve	15A	4	52	1.41
02687	10/3	SJTW	Yellow	25	Sleeve	15A*	6	36	1.14
02688	10/3	SJTW	Yellow	50	Box	15A*	4	48	1.00
02689	10/3	SJTW	Yellow	100	Box	15A*	3	70	1.25
Three Cond	uctor La	arge Ca	p and Co	onducto	- 600 V	olt Rate	d		
02457	14/3	SJTW	Orange	100	Sleeve	15A	6	26	1.41
02458	14/3	SJTW	Orange	25	Box	15A	4	34	2.02
02459	14/3	SJTW	Orange	50	Box	13A	3	50	1.25
02557	12/3	SJTW	Orange	100	Sleeve	15A	6	34	2.38
02558	12/3	SJTW	Orange	50	Box	15A	4	45	2.02
02559	12/3	SJTW	Orange	100	Box	15A	3	65	1.25

^{*} Plug and receptacle rated 15A



HI Visibility - Lo Temp

02467

03268

High Visibility/Low Temperature



All Weather Cords Featuring Lighted End

High visibility, bright blue cord is easily identified on the jobsite. Coleman Cable's new vinyl compound provides super-flexibility at temperatures down to -45°F. Reinforced blades help prevent accidental bending or breaking and a heavy-duty strain relief protects electrical connections resulting in longer cord life. High Visibility/Low Temperature extension cords come standard with power indicator light in the receptacle to show that the power is on.

CAT NO	WIRE Ga/Cond	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
02367	16/3	SJTW	Blue	25	Sleeve	13A	12	19	.84
02368	16/3	SJTW	Blue	50	Sleeve	13A	12	38	1.37
02369	16/3	SJTW	Blue	100	Sleeve	10A	6	35	1.27
02467	14/3	SJTW	Blue	25	Sleeve	15A	6	13	.52
02468	14/3	SJTW	Blue	50	Sleeve	15A	6	26	1.16
02469	14/3	SJTW	Blue	100	Sleeve	13A	3	24	.78
02568	12/3	SJTW	Blue	50	Sleeve	15A	4	24	1.35
02569	12/3	SJTW	Blue	100	Sleeve	15A	4	24	1.41
Tri-Source®	Three-W	Vay Pov	ver Bloc	ĸ					
03267	14/3	SJTW	Blue	25	Sleeve	15A	6	14	.51
03268	14/3	SJTW	Blue	50	Sleeve	15A	6	27	.85
04168	12/3	SJTW	Blue	50	Sleeve	15A	6	40	1.14
04169	12/3	SJTW	Blue	100	Sleeve	15A	4	51	1.44



American Contractor®





American Contractor® cords are the all-purpose, portable outdoor cord that stays flexible even under the most extreme temperature conditions to -67°F. The rugged T*Prene® construction saves you money because it lasts longer. It provides superior resistance to abrasion, ozone, oil, grease, and chemicals. Plus, the outer jacket is flame retardant and water resistant. All American Contractor® Extension Cords come standard with a power indicator light in the receptacle to show that the power is on.



CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH In FT	PACKAGE Type	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
01294	16/3	SJEOW	Yellow	10	Sleeve	13A	24	18	.59
01297	16/3	SJEOW	Yellow	25	Sleeve	13A	6	15	.64
01298	16/3	SJEOW	Yellow	50	Sleeve	13A	12	38	1.41
01299	16/3	SJEOW	Yellow	100	Sleeve	10A	6	37	1.57
01497	14/3	SJEOW	Yellow	25	Sleeve	15A	6	13	.64
01498	14/3	SJEOW	Yellow	50	Sleeve	15A	6	25	1.14
01499	14/3	SJEOW	Yellow	100	Sleeve	13A	6	49	1.41
01697	12/3	SJEOW	Yellow	25	Sleeve	15A	6	20	.64
01698	12/3	SJEOW	Yellow	50	Sleeve	15A	6	39	1.41
01699	12/3	SJEOW	Yellow	100	Box	15A	2	24	1.51
01798	10/3	SJEOW	Yellow	50	Box	15A*	2	24	1.51
01799	10/3	SJEOW	Yellow	100	Box	15A*	3	63	1.25
Tri-Source®	Three-W	ay Pow	er Bloci	ĸ					
03492	12/3	SEOW	Yellow	2	Sleeve	15A	6	5	.64
03497	12/3	SJEOW	Yellow	25	Sleeve	15A	6	21	1.14
03498	12/3	SJEOW	Yellow	50	Sleeve	15A	6	39	1.41
03499	12/3	SJEOW	Yellow	100	Box	15A	2	25	2.02
Quadnector	Quadnector [®] Four-Way Power Block**								
04492	12/3	SJEOW	Yellow	6	Sleeve	15A	4	6	.64

^{*} Plug and receptacle rated 15A

^{**} Rated for indoor use only





Stripes[™] Outdoor Extension Cords



Increase safety awareness and help to prevent jobsite loss or theft with neon STRIPES™ outdoor extension cords. Each extension cord features a dominant color and an extruded colored stripe that runs the length of the cord. All STRIPES™ extension cords have a power indicator light in the receptacle to show that the power is on.



CAT NO	WIRE GA/COND	WIRE TYPE	NEON COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
02548-88-54	12/3	SJTW	Lime Green/Red	50	Sleeve	15A	8	53	1.41
02548-88-22	12/3	SJTW	Yellow Purple	50	Sleeve	15A	8	53	1.41
02548-88-52	12/3	SJTW	Dark Green/Yellow	50	Sleeve	15A	8	53	1.41
02548-88-64	12/3	SJTW	Blue/Red	50	Sleeve	15A	8	53	1.41
02548-88-41	12/3	SJTW	Red/White	50	Sleeve	15A	8	53	1.41
02548-88-77	12/3	SJTW	Pink/Lime Green	50	Sleeve	15A	8	53	1.41
02548-88-NV	12/3	SJTW	Silver/Blue	50	Sleeve	15A	8	53	1.41
02548-88-3V	12/3	SJTW	Orange/Blue	50	Sleeve	15A	8	53	1.41
02548-88-P1	12/3	SJTW	Purple/White	50	Sleeve	15A	8	53	1.41
02508-06-41	12/3	SJTW	Red/White/Blue	50	Sleeve	15A	6	53	1.41
02549-88-54	12/3	SJTW	Lime Green/Red	100	Sleeve	15A	4	52	1.41
02549-88-22	12/3	SJTW	Yellow/Purple	100	Sleeve	15A	4	52	1.41
02549-88-52	12/3	SJTW	Dark Green/Yellow	100	Sleeve	15A	4	52	1.41
02549-88-64	12/3	SJTW	Blue/Red	100	Sleeve	15A	4	52	1.41
02549-88-41	12/3	SJTW	Red/White	100	Sleeve	15A	4	52	1.41
02549-88-77	12/3	SJTW	Pink/Lime Green	100	Sleeve	15A	4	52	1.41
02549-88-NV	12/3	SJTW	Silver/Blue	100	Sleeve	15A	4	52	1.41
02549-88-3V	12/3	SJTW	Orange/Blue	100	Sleeve	15A	4	52	1.41
02549-88-P1	12/3	SJTW	Purple/White	100	Sleeve	15A	4	52	1.41
02509-06-41	12/3	SJTW	Red/White/Blue	100	Sleeve	15A	4	52	1.41
02648-00-54	10/3	SJTW	Lime Green/Red	50	Disk	15A	4	46	1.41
02648-00-64	10/3	SJTW	Blue/Red	50	Disk	15A	4	46	1.41
02649-00-54	10/3	SJTW	Lime Green/Red	100	Disk	15A	3	68	1.41
02649-00-64	10/3	SJTW	Blue/Red	100	Disk	15A	3	68	1.41







Push-Lock® Extension Cords



These cords use a patented Push-Lock® mechanism which stays connected till you want the cords disengaged. These are ideal for lawn and power tool application. They have a lighted receptacle to indicate power is on.



02419

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
01221	16/3	SJTW	Black/Yellow	17	Blister	13A	5	1.52	.99
02330	16/3	SJTW	Yellow/ Green	70	Sleeve	10 A	4	22	.47
02418	14/3	SJTW	Yellow/Blue	45	Box	15 A	4	21	.83
02419	14/3	SJTW	Yellow/Blue	90	Box	13 A	3	29	1.04
02518	12/3	SJTW	Yellow/Black	45	Box	15 A	4	27	1.18
02519	12/3	SJTW	Yellow/Black	90	Box	15 A	3	40	1.37



02519



TO LOCK a plug to your new Push-Lock® extension cord, depress the oval button on the receptacle and insert blades and ground pin of tool plug. You will hear the locking mechanism engage.



TO UNLOCK, depress oval button and grasp the tool cord by the plug or strain relief and gently pull. Never pull by the cord!



GREAT FOR:

CIRCULAR SAWS



HAMMER DRILL



ANGLE GRINDER



AIR COMPRESSORS



SMALL DRILL



WET/DRY VAC



LAWN Mowers





Generator Power Cords and Adapters

Generator Power Cords





CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
Temporary power c work exclusively wi	ineered to								
01910*	12/3	SJTW	Yellow	25	Card	15A	12	44.5	2.20
	Temporary power cord with three 15 amp receptacles and one male 5-20P plug engineered to work exclusively with generators or other equipment rated to or less than 15 amps.								
01911	10/3	SJTW	Yellow	25	Card	15A	6	36.5	1.41
Temporary power cord with three 15 amp receptacles and one male L5-30P plug engineered to work exclusively with generators or other equipment rated to or less than 15 amps.									
01912	10/3	SJTW	Yellow	25	Card	15A	6	35.6	1.41

^{*} UL Listed

Twist-To-Lock Adapters





CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH In FT	PACKAGE Type	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
Adapters									
Standard 15A U-Gro	Standard 15A U-Ground plug (NEMA 5-15P), Twist-To-Lock 20A receptacle (NEMA L5-20R)								
09020	12/3	STW	Yellow	9 inches	Sleeve	_	10	5	.29
Twist-To-Lock 20A	plug (NEMA	L5-20P), Sta	andard 15A U-	-Ground recep	tacle (NEMA 5	5-1 <i>5R</i>)			
09021	12/3	STW	Yellow	9 inches	Sleeve	-	10	6	.24
"Y" Adapter									
Twist-To-Lock 20A	plug (NEMA	L5-20P), tw	o Twist-To-Lo	ck 20A recepta	acle (NEMA L	5-20R)			
09022	12/3	STW	Yellow	20 inches	Sleeve	20A	10	14	1.07
"W" Adapter	r								
Twist-To-Lock 20A	plug (NEMA	L5-20P), thr	ee Twist-To-L	ock 20A recep	otacle (NEMA	L5-20R)			
09023	12/3	STW	Yellow	20 inches	Sleeve	20A	10	16	1.04
Tri-Source®	Adapte	r							
Twist-To-Lock 20A	plug (NEMA	L5-20P), Sta	andard 15A U	-Ground Tri-So	urce® recept	acle (NEMA 5	-15R)		
09084	12/3	STW	Yellow	24 inches	Sleeve	20A	10	15	.54









Vinyl "Y" and "W" Adapters

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	PACK QTY	MASTER WT	MASTER PACK CUBE
15A "Y" Ada	pter								
09018	12/3	STW	Yellow	2	Sleeve	15A	12	20	1.96
15A "W" Ada	apter								
09019	12/3	STW	Yellow	2	Sleeve	15A	12	25	1.09

Generator Power Cords and Adapters

CAT NO	DESCRIPTION	LENGTH IN FT	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE	NEMA PLUG	NEMA CONNECTOR
01914	10/3 STOW "Y" L5-30P to (2) Lighted L5-20R	3	Box	4	11	0.777	L5-30P	(2) L5-20R
01915	10/3 STOW "Y" L5-30P to (2) Lighted 5-20R	3	Box	4	11	0.777	L5-30P	(2) 5-20R
01923	12/4 STOW "Y" L14-20P to 12/3 (2) Lighted L5-20R	3	Вох	4	12	0.777	L14-20P	(2) L5-20R
01924	12/4 STOW "Y" L14-20P to 12/3 (2) Lighted 5-20R	3	Box	4	12	0.777	L14-20P	(2) 5-20R
01933	10/4 STOW "Y" L14-30P to 10/3 (2) Lighted L5-20R	3	Вох	4	11	0.777	L14-30P	(2) L5-20R
01934	10/4 STOW "Y" L14-30P to 10/3 (2) Lighted 5-20R	3	Box	4	11	0.777	L14-30P	(2) 5-20R
02618	10/3 SJTOW 5-20P to Lighted 5-20R	50	Disk	2	22	0.848	5-20P	5-20R
02619	10/3 SJTOW 5-20P to Lighted 5-20R	100	Disk	2	45	1.2	5-20P	5-20R
02861	10/3 STOW "Y" L5-30P GFCI to (2) Lighted L5-20R	3	Вох	2	6	0.424	L5-30P	(2) L5-20R
02862	10/3 STOW "Y" L5-30P GFCI to (2) Lighted 5-20R	3	Box	2	6	0.424	L5-30P	(2) 5-20R
09058	10/3 SJTOW L5-20P to Lighted L5-20R	50	Disk	2	22	1.66	L5-20P	L5-20R
09059	10/3 SJTOW L5-20P to Lighted L5-20R	100	Disk	2	45	2.33	L5-20P	L5-20R
09084	12/3 STW L5-20P to Lighted Tri-Source® 5-15R	2	Sleeve	6	10	0.389	L5-20P	(3) 5-15R



09018











CCI's Hand-Pack boxes provide immediate Counter/Shelf displays.





PowerStation® Surge Protectors and Power Strips

Workshop

These Workshop strips, power centers and surge protectors are built to take abuse. Most products feature a built-in cord wrap and hang hole that make it easy to store when not in use.

CAT NO	LENGTH IN FT	COLOR	PACKAGE Type	PACK QTY	MASTER WT	MASTER Pack cube
6 Outlet Stri	ip - NEW!					
04666	8 Ft.	Blk/Yellow	Sleeve	6	8.5	.4
4 Outlet GF	CI Block - N	EW!				
04644	6 Ft.	Blk/Yellow	Box	4	12.1	.65
6 Outlet Me	tal Strip					
04654	6 Ft.	Blk/Yellow	Box	6	12	.63
6 Outlet Me	tal Strip					
04657	15 Ft.	Blk/Yellow	Box	6	28	.7
8 Outlet Me	tal Power C	enter				
04655	6 Ft.	Blk/Yellow	Box	6	15	.82
8 Outlet Me	tal Surge Ce	enter, 750 Jo	oules			
04656	6 Ft.	Blk/Yellow	Box	12	33	1.8



04644

04666

Surge Protectors

Surges and spikes are increases in voltage in an electrical line. These fluctuations can gradually, or even instantaneously, destroy sensitive electronics. Protector your investment with a surge protector.

CAT NO	JOULES	LENGTH In FT	COLOR	WARRANTY	PACKAGE Type	PACK QTY	MASTER WT	MASTER PACK CUBE
6 Outlet Sur	ge Prot	ector						
04617	150	4	lvory	-	Sleeve	24	20.5	1.1
6 Outlet Sur	ge Prot	ector						
04610	450	4	White	\$5,000/1 Yr	Sleeve	12	10.4	5.4
6 Outlet Me	tal Surg	e Prote						
04628	750	12	lvory	\$5,000/1 Yr	Box	12	34.2	1.49



04628

Power Strips

(Note: these products are not surge protectors and will not protect against power surges.)

CAT NO	LENGTH IN FT	COLOR	PACKAGE Type	PACK QTY	MASTER WT	MASTER Pack cube
6 Outlet Stri	р					
04616	4 Ft.	lvory	Sleeve	12	10.2	.61
6 Outlet Stri	p Side Entry	with Safety	Outlet Cover	s - NEW!		
04674	2.5 Ft.	White	Blister	12	10.5	.96
6 Outlet Stri	p with Long	er Cord				
04658	15 Ft.	lvory	Box	12	26	1.17







0940



Indoor Extension Cords

Cube Tap Extension Cords



Plug and three-outlet polarized connector for convenient use. Each connector has a safety cover or slide covers permanently attached.

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE TYPE	125V Rating	MASTER PACK	MASTER WT	MASTER PACK CUBE
Cube Taps									
09401	16/2	SPT-2	Brown	6	Sleeve	13A	48	15	.67
09402	16/2	SPT-2	Brown	9	Sleeve	13A	36	16	.69
09403	16/2	SPT-2	Brown	12	Sleeve	13A	36	20	.68
09404	16/2	SPT-2	Brown	15	Sleeve	13A	24	16	.50
09405	16/2	SPT-2	Brown	20	Sleeve	13A	24	19	.70
09411	16/2	SPT-2	White	6	Sleeve	13A	48	15	.67
09412	16/2	SPT-2	White	9	Sleeve	13A	36	16	.69
09413	16/2	SPT-2	White	12	Sleeve	13A	36	20	.68
09414	16/2	SPT-2	White	15	Sleeve	13A	24	16	.50
09415	16/2	SPT-2	White	20	Sleeve	13A	24	19	.70
03520-01	16/3	SPT-2	White	8	Sleeve	13A	24	15	.44
03520-07	16/3	SPT-2	Brown	8	Sleeve	13A	24	15	.44
Remote Cor	Remote Control Cord								
09345	16/2	SPT-2	White	15	Sleeve	10A	24	26	.66

Split Cube Tap Extension Cords



Cord splits in 2 directions - 6 feet each.

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	MASTER PACK	MASTER WT	MASTER PACK CUBE
09406	16/2	SPT-2	Green	12	Clamshell	13A	24	15	1.06
09408	16/2	SPT-2	Brown	12	Clamshell	13A	24	15	1.06
09418	16/2	SPT-2	White	12	Clamshell	13A	24	15	1.06

SlenderPlug® Cube Tap Extension Cords



Plug design allows you to move furniture closer to the wall and helps prevent cord and plug damage. SlenderPlug® cube taps feature an electro-luminescent lighted plug.

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	MASTER PACK	MASTER WT	MASTER PACK CUBE
09407	16/2	SPT-2	Brown	7	Sleeve	13A	24	9	.44
09409	16/2	SPT-2	Brown	11	Sleeve	13A	24	15	.44
09417	16/2	SPT-2	White	7	Sleeve	13A	24	9	.44
09419	16/2	SPT-2	White	11	Sleeve	13A	24	15	.44

SlenderPlug® - Grounded 3 Outlet Trinector® Plug



Plug design allows you to move furniture closer to the wall and helps prevent cord and plug damage. The Trinector® receptacle has 3 grounded outlets.

CAT NO	WIRE GA/COND	WIRE TYPE	COLOR	LENGTH IN FT	PACKAGE Type	125V Rating	MASTER PACK	MASTER WT	MASTER PACK CUBE
03507	16/3	SPT-2	Beige	6	Sleeve	13A	24	13	.45
03508	16/3	SPT-2	Beige	12	Sleeve	13A	24	18	.64
03517	16/3	SPT-2	White	6	Sleeve	13A	24	13	.50
03518	16/3	SPT-2	White	12	Sleeve	13A	24	18	.64
03519	14/3	SJT	White	6	Sleeve	15A	18	17	.64



0940



03507



Industry-leading brands, Diverse product lines.





Road Power®

Coleman Cable's nationally-recognized Road Power® brand of automotive products features a wide range of items – from booster cables to battery cables, to RV accessories. All products come in eye-catching Road Power packaging designed for maximum impact. Extensive product offerings, technical expertise, a dedicated effort for customer service and an on-going commitment to provide product innovation are some of the reasons for Coleman Cable's leadership in the automotive aftermarket industry. For the best value and quality in the industry, turn to Road Power brand from Coleman Cable Inc.



Maximum Energy™

Road Power's Maximum Energy™ brand of RoHS Compliant battery cables are free of lead and other hazardous materials. Besides eliminating the threat of lead contamination, these lead-free battery cables provide superior starting power for car, truck, and marine applications when compared to leaded counterparts. Tin-plated brass terminals supply the highest-level of corrosion protection while full gauge stranded copper extends through the entire length of the flattened lug ends, insuring complete capacity conductivity.

LUMA-SITE®

Luma-Site®

Have light and power when and where you need it by using Luma-Site® Work Lights and Retractable Reels. With so many different models, there is one available for just about every job. Engineered to bring power and light to any application, Luma-Site Work Lights & Retractable Reels are constructed from tough materials to stand up to even the harshest work environments. Ergonomically designed heavy-duty handles fit naturally into the palm of your hand for ease of use. Whether being used in the workshop, basement, or garage, Luma-Site Work Lights are the perfect compliment to our Road Power® automotive line.



Exceptional Performance

is reflected in everything we do.

Coleman Cable Inc. customers know they can rely on us to consistently deliver a broad range of wire and cable products and innovative solutions backed by recognized brands. These characteristics combined with a solid service platform and dedicated professional people, create a dynamic customer value that's exclusive to Coleman Cable.

Broad Range of Products -

We provide one of the most extensive and diverse lines of electrical, electronic and assembled products in the industry. Through research, development and strategic acquisitions, such as Copperfield, we continue to enhance our product mix to meet customer needs.

Innovative Solutions -

From custom cables for industrial, aerospace or military applications to the latest in electronic cables for security systems, you'll find Coleman Cable at the forefront of product and technology innovation.

Recognized Brands -

Seoprene®, Royal®, Baron™, Road Power®, Signal®, Copperfield®, Excelene™ and Polar/Solar® all are leaders in their respective markets. Our distributors know that when they provide these leading brands to their customers, they receive instant acceptance and credibility in the marketplace.

Solid Service Platform -

We utilize more than 2 million sq ft of strategically located, state-of-the-art, ISO-certified manufacturing and distribution facilities. This national footprint and extensive investment in service systems powers us to deliver more than 70,000 SKUs with a better than 97% first-fill rate.

Dedicated Professional People -

We deliver strong performance because our people deliver strong performance every day. We've built a culture that puts customer needs first, making us easy to do business with and placing us at the top of our customers' list of suppliers.

Customer Value -

A Broad Range of Products, Innovative Solutions, Recognized Brands, and a Solid Service Platform are the foundation that Coleman Cable's Dedicated, Professional People build upon to create Customer Value.





