


Estwing®

AMERICA'S FIRST AND FINEST SOLID STEEL STRIKING TOOLS SINCE 1923



FULL LINE TOOL CATALOG



ESTWING TOOLS NOW WITH THE WORLD'S BEST SHOCK REDUCTION GRIPS

CATALOG NO. 03.2011



Since 1923, the Estwing family has taken pride in designing and manufacturing the world's most durable, comfortable and attractive striking tools. All claw hammers, axes, specialty tools and pry bars are manufactured to the highest possible standards and offer a true value to both tradesmen and craftsmen alike.

Today Estwing's shock reduction grip provides our customers with the best available grip for reducing vibrations caused by impact. Plus, this grip offers the utmost in both comfort and durability. This patented Estwing innovation is sure to be the standard for ergonomically correct hammers for decades to come. All of our nylon vinyl grip tools are now being made with this revolutionary material.

Comfort, durability and dependability are the foundation of our proud tradition. We hope you will put this proud tradition to work for you!

AMERICAN MADE



Committed to American Workers Since 1923



TABLE OF CONTENTS



NAIL HAMMERS 5-10



AXES & WOOD
SPLITTING TOOLS 11-13



BRICKLAYER
HAMMERS 14-15



SPECIALTY
TOOLS 16-19



DRYWALL
HAMMERS 20-21



HATCHETS &
ROOFING TOOLS 22-25



PRY BARS 26-29



GEOLOGICAL
TOOLS 30-37



CHISELS, PUNCHES
& NAIL SETS 38-40



SOFT FACE
HAMMERS 41-43



INTERNATIONAL
HAMMERS 44-47



SURE STRIKE
HAMMERS 48-54


MERCHANDISERS 55

Proper Tool Use and Safety Instructions:


Always use the correct tool for the job!




Tools can be made to chip if struck against another tool or hard object with possible eye or other bodily injury. Always wear safety goggles when using striking or struck tools. Bystanders shall also wear safety goggles.




Nail hammers are for driving and withdrawing common and finishing nails only.




Axes and wood splitting tools are intended for felling trees, trimming trees, splitting wood, notching timbers and driving wooden or plastic stakes.




Drilling hammers are intended to be used for striking chisels, punches, star drills, spikes and hardened nails.




The striking face of the ball peen hammer is used for striking punches and chisels. The ball peen end is used for riveting, shaping and straightening unhardened metals.




Drywall hammers are used for scoring and installing drywall.




Shingler's hammers are used for installing and trimming composition and fiberglass shingles.




Shingler's hatchets are used for installing wood composition and fiberglass shingles.




Bricklayer hammers are used for setting or splitting bricks, masonry tile and chipping mortar.



Carpenter's Hatchets are an all-purpose tool for carpenters, with a striking head, an axe edge and a notch for pulling.



Pry bars are designed for pulling, prying and straightening.



Picks are used for prying rocks from the ground.





NAIL HAMMERS



- CLAW HAMMERS
- RIP HAMMERS
- FRAMING HAMMERS
- BUILDER SERIES FRAMING HAMMERS
- HAMMERTOOTH™
- CLAW HAMMER (ENGLISH PATTERN)





NYLON VINYL SHOCK REDUCTION GRIP

Claw Hammers



Unsurpassed Balance & Temper
Head & Handle Forged in 1 Piece - Fully Polished

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12C	0 34139 62261 1	12 oz / 336 g	11" / 279 mm	2	48	63 lbs / 28.4 kg
Smooth Face	E3-16C	0 34139 62361 8	16 oz / 448 g	13" / 330 mm	2	24	44 lbs / 19.8 kg
Smooth Face	E3-20C	0 34139 62461 5	20 oz / 560 g	13.5" / 343 mm	4	24	48 lbs / 21.6 kg

Rip Hammers



Molded on Shock Reduction Grip

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12S	0 34139 62301 4	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
Smooth Face	E3-16S	0 34139 62381 6	16 oz / 448 g	13" / 330 mm	4	24	44 lbs / 19.8 kg
Smooth Face	E3-20S	0 34139 62501 8	20 oz / 560 g	13.5" / 343 mm	4	24	48 lbs / 21.6 kg

Framing Hammers



Shock Reduction Grip
Reduces Shock Up to 70%

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-20SM	0 34139 62521 6	20 oz / 560 g	13.5" / 343 mm	4	24	55 lbs / 24.9 kg
Milled Face	E3-22CMR	0 34139 62581 0	22 oz / 616 g	13.5" / 343 mm	4	24	58 lbs / 26.3 kg
Smooth Face	E3-22CR	0 34139 62601 5	22 oz / 616 g	13.5" / 343 mm	4	24	58 lbs / 26.3 kg
Milled Face	E3-22CM	0 34139 62561 2	22 oz / 616 g	16" / 406 mm	4	20	42 lbs / 18.9 kg
Smooth Face	E3-22C	0 34139 62541 4	22 oz / 616 g	16" / 406 mm	4	20	42 lbs / 18.9 kg
Milled Face	E3-22SMR	0 34139 62681 7	22 oz / 616 g	13.5" / 343 mm	4	24	54 lbs / 24.4 kg
Smooth Face	E3-22SR	0 34139 62701 2	22 oz / 616 g	13.5" / 343 mm	4	24	54 lbs / 24.4 kg
Milled Face	E3-22SM	0 34139 62661 9	22 oz / 616 g	16" / 406 mm	4	20	46 lbs / 20.7 kg
Smooth Face	E3-22S	0 34139 62641 1	22 oz / 616 g	16" / 406 mm	4	20	46 lbs / 20.7 kg
Milled Face	E3-24SM	0 34139 62821 7	24 oz / 672 g	16" / 406 mm	4	20	50 lbs / 22.5 kg
Smooth Face	E3-24S	0 34139 62801 9	24 oz / 672 g	16" / 406 mm	4	20	50 lbs / 22.5 kg
Milled Face	E3-28SM	0 34139 62901 6	28 oz / 784 g	16" / 406 mm	4	20	52 lbs / 23.4 kg
Smooth Face	E3-28S	0 34139 62881 1	28 oz / 784 g	16" / 406 mm	2	20	52 lbs / 23.4 kg
Milled Face	E3-30SM	0 34139 62941 2	30 oz / 840 g	16" / 406 mm	4	20	56 lbs / 25.2 kg
Smooth Face	E3-30S	0 34139 62921 4	30 oz / 840 g	16" / 406 mm	4	20	56 lbs / 25.2 kg




Builder Series Framing Hammers

with larger face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-25S	0 34139 62826 2	25 oz / 700 g	18" / 457 mm	4	20	46 lbs / 20.7 kg
Milled Face	E3-25SM	0 34139 62831 6	25 oz / 700 g	18" / 457 mm	2	20	46 lbs / 20.7 kg

Hammertooth®



- Great for straightening all 2x boards.
- Makes work with pneumatic nailers quick and safer.
- With our patented Shock Reduction Grip.
- Forged in one piece.

Grab and Straighten!

Straighten warped or twisted boards by securing 2x lumber between the tooth and the claw of the Hammertooth and twisting. Hold the lumber in position until it is nailed.

	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-22T	0 34139 62711 1	22 oz / 616 g	13.5" / 343 mm	4	24	35 lbs / 15.8 kg
Milled Face	E6-22TM	0 34139 62691 6	22 oz / 616 g	13.5" / 343 mm	4	24	35 lbs / 15.8 kg
Smooth Face	E6-24T	0 34139 62816 3	24 oz / 672 g	16" / 406 mm	4	24	54 lbs / 24.3 kg
Milled Face	E6-24TM	0 34139 62811 8	24 oz / 672 g	16" / 406 mm	2	24	54 lbs / 24.3 kg

Claw Hammer (English Pattern)



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-28C-24	0 34139 62841 5	24 oz / 672 g	13.5" / 343 mm	4	24	54 lbs / 24.3 kg



LEATHER GRIP HAMMERS

Claw Hammers



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E12C	0 34139 61081 6	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
Smooth Face	E16C	0 34139 61141 7	16 oz / 448 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
Smooth Face	E20C	0 34139 61201 8	20 oz / 560 g	12.5" / 318 mm	4	24	44 lbs / 19.9 kg

Rip Hammers



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E12S	0 34139 61101 1	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
Smooth Face	E16S	0 34139 61161 5	16 oz / 448 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
Smooth Face	E20S	0 34139 61221 6	20 oz / 560 g	12.5" / 318 mm	4	24	44 lbs / 19.9 kg

Claw Hammers (English Pattern)



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24C	0 34139 61281 0	24 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg
Smooth Face	E28C (24)	0 34139 61341 1	24 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg
Smooth Face	E28C (28)	0 34139 61361 9	28 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg

Rip Hammer (English Pattern)



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24S	0 34139 61301 5	24 oz / 672 g	13.5" / 343 mm	4	24	41 lbs / 18.5 kg



Weight Forward Hammer

with larger face




	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight ounces/grams
Smooth Face	WF21	0 34139 51161 8	21 oz / 595.3 g	13.5" / 343 mm	2	12	26 lbs / 11.8 kg
Milled Face	WF21LM	0 34139 51221 9	21 oz / 595.3 g	15.5" / 394 mm	2	12	26 lbs / 11.8 kg

Ahead of the curve.



Estwing's fiberglass "Weight Forward Hammer", is engineered for easier, more efficient nailing with 70% of the weight and power up front. Our exclusive design delivers maximum power, efficiency and handle protection while reducing shock up to 50% with our shock reduction grip. The new standard for strength in Fiberglass hammers. Now available in 17oz. and 21oz.

Available with the Milled face (shown left) or Smooth face.



Unique Design and Construction Features

Estwing's first and finest solid steel hammers are unsurpassed in quality, balance and finish. Forged one-piece tool steel is the strongest construction known. Fully polished head and handle neck. All with Estwing's exclusive Shock Reduction Grip.



The World's Best Shock Reduction Grip

Permanently molded and bonded to handle.


SHOCK REDUCTION GRIP

Estwing Hammers are also available in beautiful laminated leather grips. Laminated **leather** washers are pressed on and riveted. Grip is triple laquered for a beautiful finish.

Protect Your Eyes, Wear Safety Goggles



OSHA regulations 29 CFR 1910.133 requires the use of eye protection not only for workers using striking tools, but for nearby workers in the immediate working area. Similar requirements are contained in OSHA Construction Standards 29 CFR 1926.102. Mine Safety and Health Administration requires eye protection in the Mining environment 30-CFR 55.14-4, 30 CFR 56-15-4, 30 CFR 57-15-4, 30 CFR 75.1720 (a) and 30 CFR 77.1710 (a).



AXES / WOOD SPLITTING



- CAMPER'S AXE
- FIRESIDE FRIEND® SPLITTING TOOL
- SURE SPLIT WEDGE®
- SPORTSMAN'S AXE
- LEATHER SHEATHS





**Camper's Axe
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E45A	0 34139 67021 6	4" / 102 mm	26" / 660 mm	1	6	23 lbs / 10.4 kg

**Camper's Axe
(with Sheath)**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E44A	0 34139 67001 8	4" / 102 mm	16" / 406 mm	2	20	58 lbs / 26.1 kg

**Fireside Friend®
Splitting Tool**



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-FF4	0 34139 61031 1	2-3/8" / 60 mm	14" / 356 mm	2	12	52 lbs / 23.4 kg

Sure Split Wedge®



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E-5	0 34139 74001 8	1-7/8" / 48 mm	9" / 229 mm	2	12	57 lbs / 25.7 kg



LEATHER GRIP TOOLS

Sportsman's Axe (with Sheath)



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. inches/mm	Shelf Pack	Master Pack	Weight lbs/kilos
E24A	0 34139 61241 4	3-1/4" / 83 mm	14" / 356 mm	2	24	46 lbs / 20.7 kg
E14A	0 34139 61121 9	2-3/4" / 70 mm	12" / 305 mm	4	48	65 lbs / 29.3 kg

Leather Replacement Sheaths



#1 & #2



#5

Order Number	UPC Number	Replacement Sheaths	Pack
#1	0 34139 81001 8	Replacement Sheath for E24A Sportsman's Axe	Bulk
#2	0 34139 81021 6	Replacement Sheath for E14A Sportsman's Axe	Bulk
#5	0 34139 81081 0	Replacement Sheath for E44A and E45A Camper's Axe	Bulk



Protect Your Eyes, Always Wear Safety Goggles

OSHA regulations 29 CFR 1910.133 requires the use of eye protection not only for workers using striking tools, but for nearby workers in the immediate working area. Similar requirements are contained in OSHA Construction Standards 29 CFR 1926.102. Mine Safety and Health Administration requires eye protection in the Mining environment 30 CFR 55.14-4, 30 CFR 56-15-4, 30 CFR 57-15-4, 30 CFR 75.1720 (a) and 30 CFR 77.1710 (a).

BRICKLAYER HAMMERS



- BRICKLAYER MASON'S HAMMERS
- CROSS PEEN HAMMERS
- DRILLING HAMMERS
- ENGINEER'S HAMMER





NYLON VINYL SHOCK REDUCTION GRIP

Bricklayer Patented Grip and End Cap

Estwing's Patented grip is designed for rugged use. Super tough nylon end caps are molded and bonded into Estwing's exclusive Shock Reduction Grip.

SHOCK REDUCTION GRIP



Bricklayer or Mason's Hammer

with PATENTED Bricklayer Grip™



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-12BL*	0 34139 62241 3	12 oz / 336 g	10" / 254 mm	4	48	68 lbs / 30.6 kg
Smooth Face	E3-16BLC	0 34139 62251 2	16 oz / 448 g	11" / 279 mm	4	24	40 lbs / 18.0 kg
Smooth Face	E3-20BLC	0 34139 62451 6	20 oz / 560 g	11" / 279 mm	2	24	44 lbs / 19.8 kg
Smooth Face	E3-24BLC	0 34139 62771 5	24 oz / 672 g	11" / 279 mm	4	24	48 lbs / 21.6 kg

*End cap not available with this model

BIG BLUE Bricklayer or Mason's Hammer



Top view of the Big Blue Bricklayer Hammer

Wider Blade

Large Hammer Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-22BLC	0 34139 627661 1	22 oz / 616 g	10" / 254 mm	2	12	27 lbs / 11.97 kg

Bricklayer Hammer

Wooden Handle

Available Summer 2011!



Top view of the Big Blue Bricklayer Hammer

Wider Blade

Large Hammer Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	EW6-21BLC	0 34139 62770 8	21 oz / 588 g	12" / 305 mm	2	12	16 lbs / 7 kg

SPECIALTY TOOLS



- ENGINEER'S HAMMER
- LINEMAN'S HAMMER
- BALLPEEN HAMMERS
- WELDING CHIPPING HAMMER
- TINNER'S HAMMER





NYLON VINYL SHOCK REDUCTION GRIP

Cross Peen Hammers

with PATENTED End Cap



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E6-24CP	0 34139 62032 7	24 oz / 680 g	13" / 330 mm	4	16	40 lbs / 18.0 kg
Smooth Face	E6-32CP	0 34139 62033 4	32 oz / 907 g	14" / 356 mm	4	16	44 lbs / 19.8 kg
Smooth Face	E6-40CP	0 34139 62034 1	40 oz / 1134 g	14.25" / 362 mm	4	16	48 lbs / 21.6 kg

Drilling Hammers



	Order Number	UPC Number	Head Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish	B3-2LB	0 34139 62001 3	2 lb / .91 k	10.5" / 267 mm	4	20	56 lbs / 25.2 kg
Painted Finish	B3-3LB	0 34139 62021 1	3 lb / 1.3 k	11" / 279 mm	2	12	46 lbs / 20.7 kg
Painted Finish	B3-4LB	0 34139 62041 9	4 lb / 1.8 k	11.5" / 292 mm	4	12	55 lbs / 24.8 kg

Drilling Hammer

with long handle



	Order Number	UPC Number	Head Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish Long Handle	B3-4LBL	0 34139 62061 7	4 lb / 1.8 k	16" / 406 mm	4	8	44 lbs / 19.8 kg



Engineer's Hammer

with PATENTED End Cap



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-48E	0 34139 62031 0	48 oz / 1344 g	16" / 406 mm	4	12	36 lbs / 16.2 kg

Lineman's Hammer



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-40L	0 34139 62991 7	40 oz / 1134 g	13.5" / 343 mm	4	24	62 lbs / 27.9 kg

Ballpeen Hammers



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-8BP	0 34139 62311 3	8 oz / 224 g	11" / 279 mm	2	48	54 lbs / 24.3 kg
E3-12BP	0 34139 62331 1	12 oz / 336 g	11" / 279 mm	4	48	63 lbs / 28.4 kg
E3-16BP	0 34139 62341 0	16 oz / 448 g	13" / 330 mm	2	24	43 lbs / 19.4 kg
E3-24BP	0 34139 62781 4	24 oz / 672 g	13.5" / 343 mm	2	24	54 lbs / 24.3 kg
E3-32BP	0 34139 62961 0	32 oz / 896 g	14.5" / 368 mm	4	24	62 lbs / 27.9 kg



NYLON VINYL SHOCK REDUCTION GRIP

Welding Chipping Hammer



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-WC	0 34139 62181 2	14 oz / 392 g	11" / 279 mm	4	24	21 lbs / 9.5 kg

Tinner's Hammers



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
T3-12	0 34139 61451 7	12 oz / 340 g	11" / 279 mm	4	48	36 lbs / 16.3 kg
T3-18	0 34139 61471 5	18 oz / 510 g	12" / 305 mm	4	24	38 lbs / 17.1 kg

- Nail Hammers are for driving and withdrawing common nails only.
- Drilling Hammers are intended to be used for striking chisels, punches, star drills and hardened nails.
- Ball Peen Hammers have two separate uses. The striking face of the ball peen is used for striking punches and chisels. The ball peen end is used for riveting, shaping and straightening unhardened metals.
- Drywall Hammers are to be used for scoring and installing drywall.
- Shingler's Hatchets are to be used for installing and trimming composition, wood and fiberglass shingles.
- Bricklayer Hammers are used for setting or splitting bricks.



Always wear safety goggles when using striking or struck tools. Bystanders shall also wear safety goggles.

DRYWALL HAMMERS



• DRYWALL HAMMERS





NYLON VINYL SHOCK REDUCTION GRIP

Drywall Hammers

Round Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-11	0 34139 62221 5	11 oz / 308 g	13.5" / 343 mm	2	24	16 lbs / 7.5 kg

Drywall Hammers

Square Face



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-SQ11	0 34139 62231 4	14 oz / 392 g	13.5" / 343 mm	4	24	21 lbs / 9.5 kg

Square face drywall hammers make for easier corner and ceiling nailing.



HATCHETS AND ROOFING TOOLS



- SHINGLER'S HAMMERS
- SHINGLER'S HATCHETS
- RIGGER'S AXE
- BLADES, GAUGES, KNIVES



Shingler's Hammers

with Replaceable Blade and Gauge



	Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-CA	0 34139 62081 5	1.8125" / 46 mm	12.5" / 318 mm	2	24	63 lbs / 28.4 kg
Milled Face light weight	E3-UL	0 34139 62091 4	1.8125" / 46 mm	12.5" / 318 mm	4	24	49 lbs / 22.0 kg

Shingler's Hatchets

Replaceable Gauge



	Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-S	0 34139 62141 6	1.875" / 48 mm	12.5" / 318 mm	4	24	63 lbs / 28.4 kg
Milled Face light weight	E3-LS	0 34139 62161 4	1.625" / 46 mm	12.5" / 318 mm	4	24	49 lbs / 22.0 kg

Rigger's Axe



	Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled Face	E3-R	0 34139 62121 8	3.5" / 89 mm	16.75" / 425 mm	2	20	60 lbs / 27.0 kg



Blades and Gauges



B20



EG



CA-39R

Use With	Order Number	UPC Number	Shelf Pack	Master Pack	Weight lbs/kilos
E3-CA	B20	0 34139 73091 0	20 per pkg.	10 pkgs. per bag	2.25 lbs / 1.01 kg
E3-CA & E3-S	EG	0 34139 73041 5	10 per pkg.	5 pkgs. per bag	1.125 lbs / .51 kg
E3-CA & E3-39	CA-39R	0 34139 73081 1	1 card	20 cards	2 lbs / .90 kg

Roofing Knife

with Replaceable Blades



Order Number	UPC Number	Packaging	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
RK-7	0 34139 62111 9	Carded	7" / 18 mm	10	100	32 lbs / 14.4 kg

Replacement Blades



R-1



R-2

Order Number	UPC Number	Packaging	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
R-1	0 34139 62112 6	Carded	2.5" / 6 mm	10	100	4 lbs / 1.8 kg
R-2	0 34139 62113 3	Carded	2.5" / 6 mm	10	100	4 lbs / 1.8 kg

Carpenter's Hatchets

Shock Reduction Grip



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-1H	0 34139 62201 7	3.125" / 79 mm	12" / 305 mm	4	24	33 lbs / 14.9 kg
E3-2H	0 34139 62421 9	3.625" / 92 mm	13" / 330 mm	4	24	49 lbs / 22.2 kg

Carpenter's Hatchets

Leather Grip



Order Number	UPC Number	Cutting Edge approx. inches/mm	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E1H	0 34139 61041 0	3.125" / 79 mm	12" / 305 mm	4	24	33 lbs / 14.9 kg
E2H	0 34139 61181 3	3.625" / 92 mm	13" / 330 mm	4	24	49 lbs / 22.2 kg

Always discard tool if any of the following occur:



Chips or dents on face



Mushroom face



Crack in claw section



Dents in hammer handle

WARNING!

Never strike a hammer or any striking tool against another tool or hardened object.



BARS AND NAIL PULLERS



- WRECKING & PRY BARS
- HANDY BAR & HANDY CLAW
- NAIL & MOULDING PULLERS
- ROOFING, SIDING CONSTRUCTION BAR





BARS AND NAIL PULLERS

Handy Claw (carded)

The best tool for getting under and removing nails, with a comfortable vinyl grip.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
HC-10	0 34139 63001 2	10" / 254 mm	4	48	72 lbs / 32.4 kg

Lightweight I-Beam Construction Pry Bar

I-Beam Construction gives added strength and eliminates weight. Beveled nail slot. Rocking head provides maximum leverage.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
PB-18	0 34139 65021 8	18" / 457 mm	4	36	55 lbs / 24.8 kg

Handy Bar

Forged half round for added strength less weight. Wide, thin blade for easy prying.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
HB-15	0 34139 64001 1	15" / 381 mm	4	48	42 lbs / 18.9 kg
HB-21	0 34139 64001 1	21" / 533 mm	4	24	36 lbs / 16.2 kg

Nail Pullers

12" double end nail puller (DEP12) and the 15" nail puller with a chisel end (NPC15)



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
DEP12	0 34139 660019	11" / 279mm	4	24	29lbs / 13.2kg
NPC15	0 34139 665014	15 / 381mm	2	24	15lbs / 6.9kg

Gooseneck Wrecking Bars

Pulls, pries and straightens. A chisel on one end for prying, one end slotted for pulling nails, and a chisel end at an angle for lifting.



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack
EWB-12	0 34139 10001 0	12" / 304 mm	4
EWB-18	0 34139 10011 9	18" / 457 mm	4
EWB-24	0 34139 10021 8	24" / 610 mm	4
EWB-30	0 34139 10031 7	30" / 762 mm	4
EWB-36	0 34139 10041 6	36" / 914 mm	4

Gooseneck Wrecking Bars



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack
EWB-24PS	0 34139 20021 5	24" / 609 mm	2
EWB-36PS	0 34139 20041 3	36" / 914 mm	2

Pro-Claw™ Pry Bar



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
PC450	0 34139 10371 4	18" / 457 mm	6	24	50 lbs / 22.5 kg

BARS AND NAIL PULLERS

**Pro-Claw™
Roofing, Siding
& Construction
(RSC) Bar
(3-in-1)**



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
RSC	0 34139 10441 4	16.8" / 426.7 mm	4	36	72 lbs / 32.7 kg


Three tools in one!

Plus it offers a full 2-1/2" of lift.

Removes shingles, sheeting and siding.

Removes imbedded nails

Removes gutters and down spouts.



**Estwing
Moulding
Pullers**




Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
MP250G	0 34139 10406 3	10" / 254 mm	4	48	37 lbs / 16.7 kg
MP300G	0 34139 10426 1	12" / 305 mm	4	48	49 lbs / 22.2 kg

**Estwing
Nail Pullers**



Order Number	UPC Number	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
PC210G	0 34139 10276 2	9" / 228 mm	4	48	30 lbs / 13.6 kg
PC250G	0 34139 10296 0	10.6" / 269 mm	4	48	37 lbs / 16.8 kg
PC280G	0 34139 10326 4	11" / 279 mm	4	48	44 lbs / 19.9 kg
PC300G	0 34139 10426 1	12.5" / 317 mm	4	48	52 lbs / 23.4 kg
PC360G	0 34139 10386 8	15" / 381 mm	4	48	73 lbs / 33 kg

GEOLOGICAL TOOLS



- ROCK PICKS
- CHIPPING & CRACK HAMMERS
- CROSS PEEN & ENGINEER'S HAMMERS
- ROCK CHISELS
- PANS, ROCK BAGS, PACS AND MISCELLANEOUS





NYLON VINYL SHOCK REDUCTION GRIP

**Rock Pick
(Square Head)**

Larger striking face,
Shock Reduction Grip,
and protective end-cap



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-24PC	0 34139 62728 9	24 oz / 72 g	13" / 330 mm	2	12	24 lbs / 10.8 kg

**Rock Picks
(Pointed Tip)**



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-14P	0 34139 62321 2	14 oz / 392 g	11" / 279 mm	4	24	21 lbs / 9.5 kg
E3-22P	0 34139 62621 3	22 oz / 616 g	13" / 330 mm	4	24	51 lbs / 23.0 kg

**Rock Pick
(Pointed Tip)
Long Handle**



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-23LP	0 34139 62721 0	22 oz / 616 g	16.5" / 419 mm	4	24	53 lbs / 23.9 kg



**Lightweight
Rock Picks**



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-13P	0 34139 76361 1	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
E3-13PM	0 34139 76401 4	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg

**BIG BLUE
Rock Pick
(Chisel Edge)**



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face E6-22BLC	0 34139 627661 1	22 oz / 616 g	10" / 254 mm	2	12	27 lbs / 11.97 kg

**Rock Picks
(Chisel Edge)**



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face E3-12BL*	0 34139 62241 3	12 oz / 336 g	10.4" / 264 mm	4	24	34 lbs / 15.4 kg
Smooth Face E3-16BLC	0 34139 62251 2	16 oz / 448 g	11" / 279 mm	4	24	40 lbs / 18.0 kg
Smooth Face E3-20BLC	0 34139 62451 6	20 oz / 560 g	11" / 279 mm	4	24	44 lbs / 19.8 kg
Smooth Face E3-24BLC	0 34139 62771 5	24 oz / 672 g	11" / 279 mm	4	24	48 lbs / 21.6 kg

*No end cap.



GEOLOGICAL TOOLS

Rock Pick
(Pointed Tip)
Leather Grip



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E30	0 34139 61381 7	22 oz / 616 g	12.5" / 318 mm	4	36	70 lbs / 31.5 kg

Lightweight
Rock Picks
Leather Grip



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E13P	0 34139 76341 9	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg
E13PM	0 34139 76381 3	13 oz / 364 g	12.5" / 318 mm	4	24	36 lbs / 16.2 kg

Geo / Paleo
Pick™



Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
GP-100	0 34139 78491 3	4 lb / 1.8 k	25" / 625 mm	1	1	4 lbs / 1.8 kg



Chipping Hammer



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-WC	0 34139 62181 2	14 oz / 392 g	11" / 279 mm	4	24	68 lbs / 30.6 kg

Crack Hammer



	Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish	B3-2LB	0 34139 62001 3	2 lb / 896 g	10.5" / 267 mm	4	20	56 lbs / 25.2 kg
Painted Finish	B3-3LB	0 34139 62021 1	3 lb / 1.3 k	11" / 279 mm	2	12	46 lbs / 20.7 kg
Painted Finish	B3-4LB	0 34139 62041 9	4 lb / 1.8 k	11.5" / 292 mm	4	12	55 lbs / 24.8 kg

Crack Hammer Long Handle



	Order Number	UPC Number	Weight approx. lbs/kilos	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Painted Finish	B3-4LBL	0 34139 62061 7	4 lb / 1.8 k	16" / 406 mm	4	8	44 lbs / 19.8 kg

Estwing Geological Tools are the professional tools of geologists, archeologists and paleontologists worldwide.





NYLON VINYL SHOCK REDUCTION GRIP

Cross Peen Hammers

with PATENTED End Cap



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-24CP	0 34139 62032 7	24 oz / 680 g	13" / 330 mm	4	16	40 lbs / 18 kg
E6-32CP	0 34139 62033 4	32 oz / 907 g	14" / 356 mm	4	16	44 lbs / 19.8 kg
E6-40CP	0 34139 62034 1	40 oz / 1134 g	14.25" / 362 mm	4	16	48 lbs / 21.6 kg

Engineer's Hammer

with PATENTED End Cap



Order Number	UPC Number	Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E6-48E	0 34139 62031 0	48 oz / 1344 g	16" / 406 mm	4	12	36 lbs / 16.2 kg

Rock Chisels Vinyl Handles

with Hard Cap



Order Number	UPC Number	Cut Point	Stock	Overall Length approx. in./mm	Shelf Pack
ERC-12C	0 34139 69014 6	8 oz / 224 g		12" / 305 mm	6
ERC-9C	0 34139 69013 9	1.6 lbs / 7.2 kg		9" / 229 mm	6
ERC-8C	0 34139 69012 2	18 oz / 510 g		8" / 203 mm	6
ERC-7C	0 34139 69011 5	24 oz / 672 g		7" / 178 mm	6



**Steel
Gold Pans**



Order Number	UPC Number	Weight approx. oz / grams	Overall Length approx. in / mm	Pack
#10-10	0 34139 86001 3	8 oz / 224 g	10" / 254 mm	Bulk
#12-12	0 34139 86021 1	12 oz / 336 g	12" / 305 mm	Bulk
#14-14	0 34139 86041 9	20 oz / 560 g	14" / 356 mm	Bulk
#16-16	0 34139 86061 7	28 oz / 784 g	16" / 406 mm	Bulk

**Black Plastic
Gold Pans**




Order Number	UPC Number	Weight approx. oz / grams	Overall Length approx. in / mm	Pack
BP-10	0 34139 86071 6	5 oz / 140 g	10" / 254 mm	Bulk
BP-12	0 34139 86081 5	6 oz / 168 g	12" / 305 mm	Bulk
BP-14	0 34139 86101 0	9 oz / 252 g	14" / 356 mm	Bulk
BP-16	0 34139 86121 8	13 oz / 364 g	16" / 406 mm	Bulk

Geo Rock Bag



Order Number	UPC Number		Shelf Pack	Master Pack
GRB	0 34139 86141 6	Geo Rock Bag/1000 Denier Cordura Nylon	1	Bulk



GEOLOGICAL TOOLS

Geo Belt Pacs



GP1

GP2

pouches and hammer holder can be removed.


Order Number	UPC Number	Description	Shelf Pack	Master Pack
GP1	0 34139 86161 4	Geo Pac 1 /1000 Denier Cordura Nylon	1	Bulk (12)
GP2	0 34139 86181 2	Geo Pac 2 /1000 Denier Cordura Nylon	1	Bulk (12)

Safety Goggles



Order Number	UPC Number	Description	Shelf Pack	Master Pack
#6	0 34139 82001 7	Clear Safety Goggles	1	120

Hammer Holster
For all German
Pattern Hammers



Order Number	UPC Number	Shelf Pack	Master Pack	Weight lbs/kilos
LH-3	0 34139 82041 3	12	144	42 lbs / 18.9 k

Leather
Pick Sheaths



#3



#4

Order Number	UPC Number	Description	Master Pack
#3	0 34139 81041 4	Replacement Sheath for Pointed Tip Picks	Bulk
#4	0 34139 81061 2	Replacement Sheath for Chisel Edge Picks	Bulk

SOFT FACE HAMMERS




- DEADBLOW HAMMERS
- RUBBER MALLETS





NYLON VINYL SHOCK REDUCTION GRIP

Soft Face Hammers



One-piece hot cast polyurethane construction for longer life and more elasticity. Self-healing memory for high resistance to wear, even in tough applications. Oil and chemical tolerant.

Steel canister and rod are welded together for strength and safety. Fully encased in polyurethane—no exposed metal on head or handle. Plus a comfortable vinyl grip for ease of use and reduced fatigue.

Power from within through movement of hundreds of steel shot for maximum power and control.

Polyurethane Deadblow Hammers (with Vinyl Grip)



Order Number	UPC Number	Face Diameter in. / mm	Head Length in. / mm	Length approx. in. / mm	Weight approx. oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
14E*	0 34139 31201 7	1.25" / 32 mm	3.125" / 79 mm	10.125" / 257 mm	14 oz / 392 g	4	48	43 lbs / 19.4 kg
22E	0 34139 31221 5	1.625" / 41 mm	3.75" / 95 mm	11.25" / 286 mm	22 oz / 616 g	4	24	34 lbs / 15.3 kg
27E	0 34139 31241 3	2" / 51 mm	4.125" / 105 mm	12.75" / 324 mm	27 oz / 756 g	4	24	42 lbs / 18.9 kg
45E	0 34139 31261 1	2.25" / 57 mm	4.625" / 117 mm	14.375" / 365 mm	45 oz / 1.26 g	2	12	35 lbs / 15.8 kg
54E*	0 34139 31281 9	2.625" / 67 mm	5.625" / 137 mm	15.25" / 387 mm	54 oz / 1.51 g	2	12	42 lbs / 18.9 kg

Polyurethane Deadblow Hammers Slimline (with Vinyl Grip)



Order Number	UPC Number	Face Diameter in. / mm	Head Length in. / mm	Length approx. in. / mm	Weight approx. oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
9S*	0 34139 31301 4	.875" / 22 mm	2.875" / 73 mm	9.325" / 238 mm	9 oz / 252 g	4	48	28 lbs / 12.6 kg
18S	0 34139 31321 2	1.25" / 32 mm	4.1875" / 106 mm	10.625" / 270 mm	18 oz / 504 g	4	24	28 lbs / 12.6 kg
23S	0 34139 31341 0	1.5" / 38 mm	4.25" / 108 mm	12.125" / 308 mm	23 oz / 644 g	4	24	36 lbs / 16.2 kg
27S	0 34139 31361 8	1.625" / 41 mm	5.25" / 133 mm	12.75" / 324 mm	27 oz / 756 g	4	24	42 lbs / 18.9 kg

*No vinyl grip on these models.



Estwing's Deadblow Hammers

with all polyurethane
construction



Order Number	UPC Number	Face Diameter in. / mm	Length approx. in. / mm	Weight lbs / kilos	Shelf Pack	Master Pack	Weight lbs/kilos
CCD13	0 34139 32603 8	1.25" / 32 mm	10.12" / 257 mm	13 oz / 368 g	4	12	9.75 lbs / 4.4 kg
CCD21	0 34139 32604 5	1.75" / 44 mm	11.25" / 286 mm	21 oz / 595 g	4	12	15.7 lbs / 7.1 kg
CCD26	0 34139 32605 2	2" / 51 mm	12.75" / 324 mm	26 oz / 737 g	4	12	19.5 lbs / 8.8 kg
CCD45	0 34139 32601 4	2.25" / 57 mm	14.37" / 364 mm	45 oz / 1275 g	2	12	22.5 lbs / 10.2 kg
CCD53	0 34139 32700 4	2.75" / 70 mm	15.25" / 387 mm	53 oz / 1500 g	2	12	26.5 lbs / 12 kg

Polyurethane Deadblow Sledge Hammers



Order Number	UPC Number	Face Diameter in. / mm	Head Length approx. in. / mm	Length approx. in. / mm	Weight lbs / kilos	Shelf Pack	Master Pack	Weight lbs/kilos
88E	0 34139 31381 6	2.75" / 70 mm	7" / 178 mm	20" / 510 mm	5.5 lbs / 2.5 k	1	1	6 lbs / 27.0 kg
144E	0 34139 31401 1	2.75" / 70 mm	7" / 178 mm	30" / 760 mm	9 lbs / 4.0 k	1	1	9.5 lbs / 42.8 kg
176E	0 34139 31421 9	3.5" / 89 mm	8" / 203 mm	30" / 760 mm	11 lbs / 4.9 k	1	1	11.5 lbs / 51.8 kg
192E	0 34139 31441 7	3.5" / 89 mm	8" / 203 mm	36" / 915 mm	12 lbs / 5.4 k	1	1	12.5 lbs / 56.3 kg

Deadhead® Bounce Resistant Black Rubber Mallets

(with Hickory Handles)



Order Number	UPC Number	Face Diameter in. / mm	Head Length approx. in. / mm	Length approx. in. / mm	Weight oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
DH-12	0 34139 31101 0	2.325" / 60 mm	4.25" / 108 mm	13" / 330 mm	12 oz / 336 g	2	10	14 lbs / 6.3 kg
DH-18	0 34139 31121 8	2.5" / 64 mm	4.5" / 114 mm	14.5" / 368 mm	18 oz / 504 g	2	10	17 lbs / 7.7 kg



SOFT FACE HAMMERS

**Deadhead®
Bounce Resistant
Gray Rubber Mallets**

Non-marring
(with Hickory Handles)



Order Number	UPC Number	Face Diameter in. / mm	Head Length approx. in. / mm	Length approx. in. / mm	Weight oz / grams	Shelf Pack	Master Pack	Weight lbs/kilos
DH-12N	0 34139 31681 7	2.325" / 60 mm	4.25" / 108 mm	13" / 330 mm	12 oz / 336 g	2	10	14 lbs / 6.3 kg
DH-18N	0 34139 31701 2	2.5" / 64 mm	4.5" / 114 mm	14.5" / 368 mm	18 oz / 504 g	2	10	17 lbs / 7.7 kg

**Red and Yellow
Rubber Mallet
Hammers**



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
DFH12	0 34139 16032 8	12 oz / 340 g	12"	2	24	21 lbs / 9.5 kg

**Black and Grey
Rubber Mallet
Hammers**



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
DFH24	0 34139 16020 5	24 oz / 680 g oz	14"	2	24	42 lbs / 19.1 kg

**Steel Face
Ball Peen
Hammers**

with all
polyurethane
construction



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
CCBP26	0 34139 32701 1	26 oz	12.5"	4	16	26 lbs / 12 kg
CCBP36	0 34139 32602 8	36 oz	12.75"	4	16	36 lbs / 16 kg
CCBP47	0 34139 32703 5	47 oz	13.5"	4	8	23.5 lbs / 10 kg
CCBP50	0 34139 32704 2	50 oz	16.25"	4	8	25 lbs / 11.3 kg




INTERNATIONAL HAMMERS



- GERMAN PATTERN HAMMERS
- ENGLISH PATTERN HAMMERS
- HOLSTERS





INTERNATIONAL HAMMERS

Schlosserhammers
(German Pattern)

Leather Grip



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E300	0 34139 76001 6	11 oz / 308 g	12.5" / 318 mm	4	24	16 lbs / 7.5 kg
E400	0 34139 76011 5	14 oz / 392 g	13" / 330 mm	4	24	21 lbs / 9.5 kg
E600	0 34139 76031 3	21 oz / 588 g	14" / 356 mm	4	24	31.5 lbs / 14.1 kg

Schlosserhammers
(German Pattern)

Nylon Vinyl Grip



Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
E3-300	0 34139 76061 0	11 oz / 308 g	12.5" / 318 mm	4	24	16 lbs / 7.5 kg
E3-400	0 34139 76071 9	14 oz / 392 g	13" / 330 mm	4	24	21 lbs / 9.5 kg
E3-600	0 34139 76091 7	21 oz / 588 g	14" / 356 mm	4	24	31.5 lbs / 14.1 kg

Latthammers
(German Pattern)

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled - Magnet	E239MM	0 34139 76121 1	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg
Smooth - Magnet	E239MS	0 34139 76141 9	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg
Milled	E239M	0 34139 76161 7	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg
Smooth	E239S	0 34139 76181 5	21 oz / 588 g	13" / 330 mm	4	24	31.5 lbs / 14.1 kg



Latthammers (German Pattern)

Nylon Vinyl Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Milled - Magnet	E3-239MM	0 34139 76201 0	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg
Smooth - Magnet	E3-239MS	0 34139 76221 8	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg
Milled	E3-239M	0 34139 76241 6	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg
Smooth	E3-239S	0 34139 76261 4	21 oz / 588 g	13.5" / 343 mm	4	24	31.5 lbs / 14.1 kg

Dachdecker Spitzhammers (German Pattern)

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
	E13P	0 34139 76341 9	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg
Milled	E13PM	0 34139 76381 3	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg

Dachdecker Spitzhammers (German Pattern)

Nylon Vinyl Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
	E3-13P	0 34139 76361 1	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg
Milled	E3-13PM	0 34139 76401 4	13 oz / 364 g	12.5" / 318 mm	4	24	19.5 lbs / 8.7 kg

Hammer Holster For all German Pattern Hammers



Order Number	UPC Number	Shelf Pack	Master Pack	Weight lbs/kilos
LH-3	0 34139 82041 3	12	144	42 lbs / 18.9 k

Claw Hammer (English Pattern)

Nylon Vinyl Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E3-28C-24	0 34139 62841 5	24 oz / 672 g	13.5" / 343 mm	4	24	36 lbs / 16.2 kg

Claw Hammers (English Pattern)

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24C	0 34139 61281 0	24 oz / 672 g	13.5" / 343 mm	4	24	36 lbs / 16.2 kg

Rip Hammers (English Pattern)

Leather Grip



	Order Number	UPC Number	Head Weight approx. oz./grams	Overall Length approx. in./mm	Shelf Pack	Master Pack	Weight lbs/kilos
Smooth Face	E24S	0 34139 61301 5	24 oz / 672 g	13.5" / 343 mm	4	24	36 lbs / 16.2 kg




SURE STRIKE TOOLS



All tools in the Sure Strike Line are made to Estwing's demanding standards and specifications and yet are economically priced for value and service.





SURE STRIKE FIBERGLASS HANDLE HAMMERS

**Curve Claw
Hammers
Jacketed
Fiberglass Handle**
Injection Molded Grip



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRF16C	0 34139 93021 1	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRF20C	0 34139 92181 3	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

**Rip Claw
Hammers
Jacketed
Fiberglass Handle**
Injection Molded Grip




	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRF16S	0 34139 93001 3	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRF20S	0 34139 92161 5	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

**Framing
Hammers
Jacketed
Fiberglass Handle**
Injection Molded Grip



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRF22S	0 34139 92141 7	22 oz / 616 g	16"	4	24	33 lbs / 14.8 kg
Milled Face	MRF22SM	0 34139 92121 9	22 oz / 616 g	16"	4	24	33 lbs / 14.8 kg

SURE STRIKE WOOD HAMMERS



Curve Claw Hammers

Hickory Handle
Triple Wedge



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRW7C	0 34139 93041 9	7 oz / 196 g	11.5"	4	24	10.5 lbs / 4.7 kg
Smooth Face	MRW13C	0 34139 93061 7	13 oz / 364 g	12"	4	24	19.5 lbs / 8.7 kg
Smooth Face	MRW16C	0 34139 93081 5	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRW20C	0 34139 94021 0	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

Rip Claw Hammers

Hickory Handle
Triple Wedge



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRW16S	0 34139 94001 2	16 oz / 448 g	13"	4	24	24 lbs / 10.7 kg
Smooth Face	MRW20S	0 34139 94041 8	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

Framing Hammers


Hickory Handle
Triple Wedge



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Smooth Face	MRW20L	0 34139 94061 6	20 oz / 560 g	16"	4	24	30 lbs / 13.4 kg
Milled Face	MRW20LM	0 34139 94081 4	20 oz / 560 g	16"	4	24	30 lbs / 13.4 kg



	Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
Milled Face with Magnet	MRW25LM	0 34139 95001 1	25 oz / 708.7 g	17.5"	4	24	55.0 lbs / 25 kg



SURE STRIKE WOOD HANDLE HACHETS

Screw Gauge and Cutting Blade

Hickory Handle
Triple Wedge Construction
Replacement Parts Available



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW18R	0 34139 92441 8	18 oz / 510 g	14"	4	24	41.5 lbs / 18.8 kg

Adjustable Gauge and Cutting Blade

Hickory Handle
Triple Wedge Construction
Replacement Parts Available



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW20R	0 34139 92461 6	20 oz / 560 g	14"	4	24	30 lbs / 13.4 kg

Fixed Blade/ Replaceable Gauge


Hickory Handle
Triple Wedge Construction
Replacement Parts Available



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRWS	0 34139 92421 0	20 oz / 560 g	13"	4	24	30 lbs / 13.4 kg

Replaceable Gauges and Blades

Order Number	UPC Number	Package Description	Shelf Pack	Master Pack	Weight lbs
MR-01	0 34139 92661 0	Gauge for MRWS & MRW20R	50	300	7.4 lbs / 3.4 kg
MR-02	0 34139 92681 8	Gauge for MRW18R	50	300	9.7 lbs / 4.4 kg
MR-03	0 34139 92701 3	10 Pack of Replacement Blades	50	300	2.5 lbs / 1.1 kg
MR-04	0 34139 92721 1	Blade Keeper and 2 screws	50	300	10.1 lbs / 4.5 kg



3 lb. Drilling Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW-3LB	0 34139 92561 3	48 oz / 1,360 g	10.5"	2	12	55.5 lbs / 25.1 g

24 oz. Bricklayer Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW24BL	0 34139 92581 1	24 oz / 680 g	11"	2	24	38.9 lbs / 17.6 kg

5 oz. Tack Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRWT	0 34139 92641 2	5 oz / 141.7 g	10.5"	2	24	17.4 lbs / 7.9 kg

Wood Handle Ball Peen Hammers




Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW12BP	0 34139 92481 4	12 oz / 340 g	13"	4	24	34.9 lbs / 15.4 kg
MRW16BP	0 34139 92501 9	16 oz / 454 g	14"	4	24	38.9 lbs / 17.6 kg
MRW24BP	0 34139 92521 7	24 oz / 680 g	15"	4	24	55.5 lbs / 25.1 kg

Fiberglass Ball Peen Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF16BP	0 34139 92601 6	16 oz / 454 g	13"	4	24	43.7 lbs / 19.8 kg



SURE STRIKE SPECIALTY TOOLS

Wood Handle Drywall Hammers



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRW12	0 34139 92541 5	14 oz / 397 g	15.5"	4	24	21 lbs / 9.5 kg

Sure Strike Engineer's Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF40E	0 34139 926221	40oz / 1134g	14"	2	12	37.7lbs / 17.1kg
MRF64E	0 34139 926214	64oz / 1.81kg	14"	2	8	37.2lbs / 16.9kg

Sure Strike Blacksmith's Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF40BS	0 34139 926313	40oz / 1134g	14"	2	12	37.6lbs / 17.1kg
MRF64BS	0 34139 926320	64oz / 1.81kg	14"	2	8	37.2lbs / 16.9kg

Sure Strike 2lb and 3lb Drilling Hammer



Order Number	UPC Number	Head Weight approx. ounces	Overall Length approx. inches	Shelf Pack	Master Pack	Weight lbs
MRF2LB	0 34139 926702	2lb / 896g	11"	2	16	40lbs / 18.2kg
MRF3LB	0 34139 926429	3lb / 1360g	11"	2	12	42lbs / 19.1kg



Estwing 20 oz. Hammer Display Merchandiser

Display Estwing's popular 20 oz. hammers in an eye-catching merchandiser. Three single pack boxes, each holding 10 hammers are stacked to create this attractive display with product description and area for pricing. Perfect for aisle display.



DESCRIPTION	MODEL #	ORDER	WEIGHT	SIZE
20 oz. Solid Steel Hammer with Shock Reduction Grip™	E3-20S/SO	30 each	60 lbs.	18 3/4" x 16 1/2" x 39 1/2"

Sure Strike Hammer Quarter Pallet Display Merchandiser

Make our popular Sure Strike hammers easy to locate with this merchandiser. This display holds up to 30 hammers in the three individual boxes stacked on the base. For aisle or shelf display.



DESCRIPTION	ORDER	WEIGHT	SIZE
Sure Strike Display	30 each	60 lbs.	18 3/4" x 16 1/2" x 39 1/2"

AVAILABLE FOR THE FOLLOWING ITEMS:

MR16C	MRW16C	MRF16C
MR16S	MRW16S	MRF16S
MR20C	MRW20C	MRF20C
MR20S	MRW20S	MRF20S



Safety First

Nail hammers are made to drive or withdraw common nails only. ALWAYS WEAR SAFETY GOGGLES!

Estwing Hammers

Estwing's warranty does not apply to tools that have been misused, abused or are considered worn out. Misused tools and/or worn out tools will not be replaced.

Misuses include:

1. Chipping or denting the face against hardened steel such as other hammer faces, hatchets, drills, punches, chisels and hardened steel nails.
2. Pulling hardened nails, screws or nail sets.
3. Filing nicks or over-striking on the handle or claws, resulting in dents, and weakened steel at these points which can cause breakage.

Estwing all-steel tools have unbreakable handles in normal use. However, wooden handles are not unbreakable, nor are wooden handles covered under warranty.

Made in the U.S.A.

Estwing The logo for Estwing features the word "Estwing" in a bold, white, sans-serif font. To the right of the text is a stylized graphic of a wing, composed of several curved lines that sweep upwards and to the right, ending in a small hook-like shape.

Estwing Manufacturing Co., 2647 8th Street, Rockford, IL 61109

(815) 397-9558 • FAX (815) 397-8665 • www.estwing.com