
PRICE LIST
USP-108R



canplas[®]

SPECIALTY PLUMBING



JANUARY 9, 2012
SUPERCEDES USP-107R (MARCH 29, 2010)

www.canplasplumbing.com 1-800-461-5300

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

TERMS AND CONDITIONS OF SALE

TERMS

Cash discount 2% 35 days, net 45. The cash discount is allowed on merchandise only. Prices are subject to change and each order will be priced on the basis of prices in effect at the time of order. All orders are subject to approval of our office in Denver, CO. Possession of this price list does not necessarily constitute an offer by the Company to sell to the holder on the basis of the terms described hereon.

MINIMUM ORDER

\$150.00 net.

TAXES

Any and all sales, manufacturers' taxes and/or other charges levied or imposed by any governmental authority, foreign or domestic, upon any merchandise sold or contacted to be sold shall be paid by Customer and added to the purchase price unless satisfactory and appropriate tax exception certificates are supplied to the Seller.

OVERDUE INVOICES

Interest charged at a rate of 1.5% per month on all overdue invoices.

FREIGHT

\$500.00 net for prepaid freight.

All shipments are F.O.B. seller's factory or authorized warehouse.

Prepaid orders will be shipped via the most economical route of our choice. If the Customer selects a route with a higher rate, the difference will be charged to the Customer.

SHIPPING RESPONSIBILITY

Canplas' responsibility ceases when the carrier signs for the shipment in good order. We cannot be responsible for loss or damage to goods in transit, or delays or carriers in delivering shipments or for damages resulting from such delays as those caused by fire, explosion, act of God, strike or other difference with workmen, shortage of material or labor, delays in transportation, government restrictions, war, riot, civil commotion or cause beyond our control. Where shortage or damage is apparent, details should be noted by the carrier on the freight bill at the time of delivery. In case of concealed damage, carrier should be called at once to inspect the damaged shipment. Do not return damaged goods.

RETURNED GOODS

A Returned Goods Authorization Form issued by Canplas must accompany goods which are returned. We reserve the right to refuse the return of any item that is not a regular stock item with Canplas. On items that are acceptable for credit, a restocking charge of twenty-five percent (25%) will be assessed against the credit to cover our handling, and/or inspecting or repackaging. Freight on returned goods will be the responsibility of the customer unless the reason for the return is due to defective goods. All goods returned must be in a saleable condition.

WARRANTY

Seller's products are carefully inspected for manufacturing defects, however, it is not always possible to detect hidden defects. Said products are warranted only to the extent that Seller will replace without charge, products proven to have manufacturing defects within 6 months of the date of delivery thereof and provided Seller has been given an opportunity to inspect the product alleged to be defective and the installation or use thereof. NO WARRANTY IS INCLUDED AGAINST ANY EXPENSE FOR REMOVAL, REINSTALLATION OR OTHER CONSEQUENTIAL DAMAGES ARISING FROM ANY DEFECT. THE WARRANTIES SET OUT ABOVE ARE THE ONLY WARRANTIES MADE BY SELLER AND ARE EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

CANPLAS LLC reserves the right to change the aforementioned TERMS AND CONDITIONS OF SALE without notice.

CAUTION

The Seller does not recommend the use of thermoplastic piping systems for transport or storage of compressed air or other compressed gases or the testing of such systems with compressed air or other compressed gases, in exposed, above ground locations. Use of plastic piping products in exposed compressed gas systems voids our warranty for the products so used. For further information, contact your Canplas representative.

OTHER

In addition to sizes listed in this price list, other sizes may be available upon request.

The product names used in this price list are for identification purposes only. All trademarks and registered trademarks are the property of their respective owners.

TABLE OF CONTENTS Page

AIR ADMITTANCE VALVES	3
SPECIALTY REPAIR FLANGE RINGS CLOSET FLANGES	4
VENT PIPE CAP	4
CLOSET FLANGES	5
SHOWER DRAINS	6
UTILITY DRAINS & CLEANOUTS	8
FLOOR DRAINS	8
FLOOR SINKS	9
ROUND CATCH BASIN GRATES	9
BELL TRAP DRAINS	9
ACCESS PANELS	9
CLEANOUT PLUGS	9
CAST COVERALL DRAINS & CLEANOUTS	10
ADAPTERS	10
APPLIANCE FITTINGS/TERMINATION SCREENS	11
EXPANSION JOINTS	12
URINAL FLANGE KITS	13
REDUCING LINE CLEANOUT WITH TEST MEMBRANE	14
GASKETED LINE CLEANOUTS	14
WASHING MACHINE OUTLET BOXES	15
ICE MAKER OUTLET BOXES	16
WATER HEATER PANS	17
ABS & PVC BACKWATER VALVES	17
BACKWATER VALVE COMPONENTS	18
WASTE & OVERFLOW	21
ROOF FLASHINGS	22
ROOF DRAINS	25
ROUND VALVE BOXES & LIDS	26
RECTANGULAR VALVE BOXES	26

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012



Eliminate the hassle and expense of connecting drain fixtures to an external vent line

3" & 4" For stack type venting

Ideal for:

- Island kitchen sinks
- Bathroom sinks
- Bar sinks
- Bath tubs
- Renovation projects




canplas® PermOseal® AAV AIR ADMITTANCE VALVE

Allows air to enter the drainage system, while preventing sewer gases from escaping. The AAV only opens under negative pressure in the piping system, while remaining closed if there is positive or ambient air pressure - Eliminating the need for external venting!



1-1/2" & 2" For fixture and branch venting

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
Air Admittance Valves					
	ABS				
	13112011		10	1-1/2 & 2	31.20
	13112013		10	3 & 4	65.12
	PVC				
	13212011		10	1-1/2 & 2	31.20
	13212013		12	3 & 4	65.12

SPECIALTY PLUMBING PRODUCTS


PRICE LIST USP-108R JANUARY 9, 2012

SPECIALTY FLANGE REPAIR RINGS

U.S. Patent: 6,416,084 B


► installation instructions

1. Remove the damaged closet flange ring.
2. Slide the protruding lip on the interior edge of the Endura® Repair Ring into the grooved channel of the flange body, lay the ring flat on the floor, then rotate the ring until the closet bolt slots are in the desired position.
3. Using a screwdriver, bend the Endura® Repair Ring "claws" into the grooved channel of the closet flange body to clamp it in place.
4. Insert the toilet bolts in the closet bolt slots.
5. Fasten screws to the floor through the holes located on the ring and on the "claws". Re-install toilet.



DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
ENDURA® STAINLESS STEEL CLOSET FLANGE REPAIR RING					
	133608		15	4" x 3"	22.38

VENT PIPE CAP



► material

- Injection molded in Plastic.

► function

- Prevents debris from entering vent pipes without obstructing air flow.

► features & benefits

- Interior supports accommodate either 3" or 4" pipe in a variety of materials (ABS DWV, PVC DWV and PVC sewer). (No double stocking).
- Cap is secured to vent pipe by utilizing two self-tapping screws. (Reduces chance of unauthorized removal).
- Installation screws are recessed into the cap. (Eliminating a possible hazard due to protruding screws).
- Colours are designed to match those of the pipe (white and green) for a professional appearance.
- Stainless steel installation screws are secured into the cap, prior to shipping (prevents accidental loss or replacement).

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
VENT PIPE CAP					
	133070GN		15	3" and 4"	9.36
	133070W		15	3" and 4"	9.36


SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

CLOSET FLANGES

45° DISCHARGE CLOSET FLANGE - Hub



ABS (with adjustable plastic ring)					
113628	640	20	4 x 3		13.60
ABS (with adjustable stainless steel ring)					
113628SS	640	20	4 x 3		13.60
PVC (with adjustable plastic ring)					
213628W	640	20	4 x 3		14.36
PVC (with adjustable metal ring)					
213628MW	640	20	4 x 3		14.36
PVC (with adjustable stainless steel ring)					
213628WSS	640	20	4 x 3		14.36

OFFSET CLOSET FLANGE - Hub (Offset 1½")



ABS (with adjustable metal ring)					
113639M	600	25	3, 4		9.45
PVC (with adjustable plastic ring)					
213644W	600	25	3, 4		10.75
PVC (with adjustable stainless steel ring)					
213639WSS	600	25	3, 4		20.49

OFFSET CLOSET FLANGE - One-piece



ABS					
113645		20	3, 4		6.46

CLOSET FLANGE SPACER RING




ABS					
119180-002	3600	25	4		3.24
PVC					
219180-002W	3600	25	4		3.41

CLOSET FLANGE, One Piece Plastic - Hub - Flush Kit



PVC (without pipe stop) Fits over 3" DWV, Inside 4" DWV					
213631XW	800	25	4 x 3		6.08

CLOSET FLANGE, With Molded Test Plate



PVC Fits over 3" DWV, Inside 4" DWV					
213631TW	800	25	4 x 3		6.77


DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

CLOSET FLANGE, Adjustable, Hub-Flush Fit



ABS (without pipe stop) - Metal Adjustable Ring					
113627XSS	800	25	4 x 3		7.32
PVC (without pipe stop) - Stainless Steel Adjustable Ring					
213627XWSS	800	25	4 x 3		7.32

ADAPTER Only for Closet Flange Kit for Concrete H x Spg



ABS					
113650-1	576	12	4 x 3		14.23

canplas[®] EO
**No Hammer-
 Easy Open
 Test Cap Closet Flanges**

Tested to 15 PSI



• No more hammers
 • No more damage!

**Innovative
 test membrane**
 from Canplas[®]
 enables mess-free
 removal of the test
 membrane after a
 water test.

Simply remove the
 membrane with
 a knife after the
 system is tested.
 • Patent Pending

PART #	SIZE	SKID QTY.	CTN. QTY.	PRICE
ABS (with pipe stop, one-piece plastic)				
113631EO	4 x 3		25	4.20
ABS (without pipe stop, stainless steel ring)				
113627XSSEO	4 x 3		25	7.45
PVC (with pipe stop, one-piece plastic)				
213631WEO	4 x 3		25	4.20
PVC (without pipe stop, stainless steel ring)				
213627XWSSEO	4 x 3	-	25	7.45


SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

SHOWER DRAINS

GREAT WHITE® TILED SHOWER DRAIN For Tiled Shower Basins




4" SQUARE GRATE DRAIN

ABS with Stainless Steel Strainer					
	332342SS	480	10	2	22.03
PVC with Stainless Steel Strainer					
	322342WSS	480	10	2	22.03

ROUND GRATE DRAIN

ABS with White Strainer					
	332242	480	10	2	14.25
PVC with White Strainer					
	322242W	480	10	2	14.25
ABS with Stainless Steel Strainer					
	332242SS	480	10	2	22.03
PVC with Stainless Steel Strainer					
	322242WSS	480	10	2	22.03

GREAT WHITE® SHOWER DRAIN WITH FEMALE THREADED BODY, Solvent Weld, H x Drain Grate




ROUND GRATE DRAIN

ABS with White Strainer					
	332042	1800	25	2	11.66
PVC with White Strainer					
	322042W	1800	25	2	11.66
ABS with Stainless Steel Strainer					
	332042SS	1800	25	2	18.15
PVC with Stainless Steel Strainer					
	322042WSS	1800	25	2	18.15

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

GREAT WHITE® 45° OFFSET SHOWER DRAIN WITH FEMALE THREADED BODY Solvent Weld, H x Drain Grate




ROUND GRATE DRAIN

ABS with White Strainer					
	332542	1152	8	1½, 2	14.83
PVC with White Strainer					
	322542W	1152	8	1½, 2	14.83
ABS with Stainless Steel Strainer					
	332542SS	1152	8	1½, 2	19.69
PVC with Stainless Steel Strainer					
	322542WSS	1152	8	1½, 2	19.69

NOTE: Includes 2" x 1½" Flush Reducer Bushing

REPLACEMENT SNAP-IN STRAINER GRATE (FOR GREAT WHITE® SHOWER DRAINS) Fits 1½" and 2" Shower Drains



SQUARE GRATE

Stainless Steel				
	331943-2SS	160	-	5.59
Brushed Nickle Strainer				
	331943-2BN	160	-	15.22
Oil rubbed Bronze Strainer				
	331943-2ORB	160	-	16.07

ROUND GRATE

White PVC Plastic				
	321942-2W	0	-	1.97
Stainless Steel				
	331942-2SS	160	-	5.19
	331952-1SS	1	FOR 331952SS	5.19
Brushed Nickle Strainer				
	331942-2BN	160	-	15.22
Oil rubbed Bronze Strainer				
	331942-2ORB	160	-	15.22

GREAT WHITE® DRAIN PRODUCTS
Designed and manufactured with innovative features for
superior performance, quality and value above the competition.

SPECIALTY PLUMBING PRODUCTS


PRICE LIST USP-108R JANUARY 9, 2012

canplas®

European
Design Meets
North American
Plumbing

Ciclo

Designed to complement and enhance modern shower design, Ciclo drains at up to 21 gpm, removing water efficient and quietly using a unique design to optimally manage the waste water flow.



• Certified to C/IAPMO in compliance with ASME A112.18.2 & CSA B125.2

Using a common thread format the body can be fitted to most coarse thread shower drain bodies for retro-fit applications or be installed as a complete product in new or upgrade situations. The drain cover plate is removable for cleaning and maintenance and when installed to the shower base construction provides a clean and modern appearance to complement the fixtures.

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

CICLO SHOWER DRAINS



Ciclo Tiled Shower Drain, **Chrome, ABS**

332062C	-	16	2	54.68
---------	---	----	---	-------

Ciclo Tiled Shower Drain, **Chrome, PVC (white)**

322062WC	480	16	2	54.68
----------	-----	----	---	-------

CICLO ACCESSORY



Ciclo Retro Fit Accessory, **Chrome**

332062AC	-	50	2	40.11
----------	---	----	---	-------

Fits most coarse thread drain bodies.

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R **JANUARY 9, 2012**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

SHOWER DRAINS Continued

ECONOMY SHOWER DRAIN with strainer, solvent weld H x drain grate



ABS					
331982SS		20	2		10.34
PVC (white)					
321982WSS		20	2		10.34



BRASS NO-CAULK SHOWER DRAIN with snap-in stainless steel strainer



331952SS		1	2		30.55
----------	--	---	---	--	-------



ECONOMY LOW-PROFILE BOLT-DOWN SHOWER DRAIN with stainless steel strainer



ABS					
331957SS		20	2, 3		16.15
PVC (white)					
321957WSS		20	2, 3		17.04



ECONOMY OFFSET SHOWER DRAIN with stainless steel strainer, solvent weld - H x drain grate



ABS					
331962SS		30	2		10.99
PVC (white)					
321962WSS		30	2		10.99

UTILITY DRAINS & CLEANOUTS

GENERAL PURPOSE DRAIN with 4" stainless steel strainer, solvent weld fits over 2" or 3" Schedule 40 DWV pipe



ABS					
331972SS		20	2, 3		6.94
PVC (white)					
321972WSS		20	2, 3		6.94

GENERAL PURPOSE DRAIN with 5" stainless steel strainer, solvent weld fits over 3" or 4" Schedule 40 DWV pipe



ABS					
332147SS		10	3, 4		10.13

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

SNAP-IN CLEANOUT - Hub



ABS					
333153		30	3, 4		10.82
PVC					
323152		30	2, 3		9.02

INSERT DRAIN GRATE Spg x Drain Grate



PVC					
213863W	3600	50	3 DWV		6.48
213864W	1800	25	4 DWV		6.76

PIPE END DRAIN GRATE



PVC (white)					
321842W	17150	50	2		2.93
321843W	7200	50	3		3.24
321844W	3600	25	4		4.53
PVC (grey)					
321842	17150	50	2		2.93
321843	7200	50	3		3.24
321844	3600	25	4		4.53

Consult your local plumbing official or plumbing code to confirm compliance.

PVC FLOOR DRAINS

ENDURA® FLOOR DRAIN - NEW Flame & Smoke Speed Rated



PVC Gray					
384750	96	2	3		64.98
384751	96	2	4		64.98

ENDURA® FLOOR COMPONENTS

Drain Strainer					
384750-2		1	5		4.84
Floor Drain Grate					
384750-3		1	5		7.65

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------




FLOOR SINKS

STANDARD FLOOR (PVC-white body)



4" Hub					
394708	90	5	9 x 9 x 6	SEE U39 PRICE LIST	
4" Hub					
394713	90	5	12 x 12 x 6	SEE U39 PRICE LIST	
3" Hub					
394718	90	5	9 x 9 x 6	SEE U39 PRICE LIST	
3" Hub					
394723	90	5	12 x 12 x 6	SEE U39 PRICE LIST	

SINK GRATES (PVC White)



Full Grate					
394709A	420	5	9 x 9	SEE U39 PRICE LIST	
394712A	420	5	12 x 12	SEE U39 PRICE LIST	
Three Quarters Grate					
394709B	625	5	9 x 9	SEE U39 PRICE LIST	
Half Grate					
394709C	625	5	9 x 9	SEE U39 PRICE LIST	
394712C		5	12 x 12	SEE U39 PRICE LIST	

FLOOR SINK REPLACEMENT STRAINER



394712-4		0	5	SEE U39 PRICE LIST	
----------	--	---	---	--------------------	--

FLOOR SINK REPLACEMENT HARDWARE KIT

Kit Number	For Drains	Includes	List Price
3947NNH	324708	#10-16 x 1-1/2" Long Flat Head Screw (2) #10 x 5/8" Long Hex/Phillips Screw (12)	SEE U39 PRICE LIST
	324709		
	324712		
	324713		

ROUND CATCH BASIN GRATES

4" ROUND GRATES - polypropylene - Load Rating: A



Green					
321030GN	72	4	4		5.06
Black					
321030B	72	4	4		5.06
Grey					
321030G	72	4	4		5.06

Fits 4" Sewer & Drain Pipe/Fittings and 4" Corrugated Pip

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------


BELL TRAP DRAINS

BELL TRAP DRAIN SQUARE 6" - fits over 1 1/2" or into 2" hub connection - solvent weld



ABS					
332155		10	1 1/2, 2 Spg		9.06
PVC (white)					
322155W		10	1 1/2, 2 Spg		8.59


BELL TRAP DRAIN SQUARE 9" - fits over 3" or into 4" Schedule 40 DWV pipe - solvent weld



ABS					
332158		10	3, 4		21.77
PVC (white)					
322158W		10	3, 4		20.62

ACCESS PANELS


DELUXE ACCESS PANEL with frame



8" x 8"					
134608		25	8" x 8"		25.59
14" x 14"					
134614		10	14" x 14"		32.07


CLEANOUT PLUGS

BRASS RECESSED HEAD CLEANOUT PLUGS - MPT




333063BR		50	3		6.69
333067BR		50	3 1/2		7.93
333064BR		50	4		9.88
333068BR		10	6		28.33

BRASS RAISED HEAD CLEANOUT PLUGS - MPT



333053BR		50	3		6.14
333056BR		50	3 1/2		7.32
333054BR		50	4		9.64
333058BR		10	6		27.35

PLASTIC RECESSED HEAD CLEANOUT PLUGS - MPT



113061BL	8820	20	1 1/2		2.01
113062BL	8820	20	2		2.20
113063BL	3500	20	3		3.18
113065BL	3500	20	2 1/2		2.40
113067BL	2500	20	3 1/2		4.35
113068BL	2500	20	4 1/2		5.17
113069BL	1250	10	5 1/2		10.23
113070BL	1250	10	7		11.02

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R **JANUARY 9, 2012**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

CAST COVERALL CLEANOUTS

IPS SPUDS with 6" Round Cover & Ring



ABS - Nickle Bronze					
333502CRNB		4	3, 4		78.88
PVC - Nickle Bronze					
323502WCRNB		4	3, 4		78.88
PVC - Brass					
323502WCRPB		4	3, 4		78.88

IPS PLASTIC SPUDS with 6" Round Strainer & Ring



PVC - Nickle Bronze					
323502WNBMB		4	3, 4		76.13
PVC - Brass					
323502WPBMB		4	3, 4		76.13

IPS SPUDS with 7" Square & 5" Round Cover



PVC - Nickle Bronze					
323554WCNB		4	3, 4		116.15
PVC - Brass					
323554WCPB		4	3, 4		116.15

IPS PLASTIC SPUDS with 7" Square & 5" Round Strainer



PVC - Nickle Bronze					
323550WNBMB		4	3, 4		106.66
PVC - Brass					
323550WPBMB		4	3, 4		106.66

Visit our website
for more
information

- Specification Sheets
- E-Newsletter
- Price Lists




www.canplasplumbing.com

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

ADAPTERS

90° TRAP ADAPTER, H x Slip Joint , Ideal for Pedestal Sinks



ABS					
112286A	3600	50	1½ x 1¼		3.47
112281A	3600	50	1½ x 1½		3.47
PVC					
212286AW	3600	50	1½ x 1¼		3.66
212281AW	3600	50	1½ x 1½		3.66

90° SINK STRAINER ADAPTER, H x Strainer Adapters (with gasket)



ABS					
112291A	3600	50	1½		3.47
PVC					
212291AW	3600	50	1½		3.66

SANITARY TEE TRAP ADAPTER, H x H x Slip Joint



ABS					
112171A	1600	50	1½		4.09
PVC					
212171AW	1600	50	1½		4.32

SANITARY TEE SINK STRAINER ADAPTER, H x H x Strainer Adapter (with gasket)



ABS					
112191A	1600	50	1½		4.09
PVC					
212191AW	1600	50	1½		4.32

SINK STRAINER ADAPTER




ABS					
103215	640	20	1½		SEE U10 PRICE LIST
PVC					
213215W	8640	60	1½		3.69

P-TRAP PRIMER PORT, Spg x Spg x FPT



ABS					
112110-1	1440	20	3 x 3 x ½		7.78
PVC					
212110-1W	1440	20	3 x 3 x ½		8.21

PVC CAST IRON ADAPTER (Adapts PVC pipe to Cast Iron threaded connections) Hub x NPT



PVC					
213466W	3600	25	2 x 2½		16.96
213467W	1200	25	3 x 3½		19.41

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

canplas®

Appliance Fittings



APPLIANCE ADAPTER, Spg x Hose Barb

ABS				
DESC.	PART #	SKID QTY.	CTN. QTY.	PRICE EACH
	112320	80	1½ x 1½	6.48

Canplas provides the most extensive range of appliance fittings in the industry; giving you flexibility of installation for connecting appliances such as dishwashers and condensate lines.




APPLIANCE WYE, H x H x Hose Barb

Snap-in Plug is Molded on Fitting for Use During "Rough-In"

ABS				
112321	2880	40	1½ x 1½ x ½	2.60
112332	2880	40	1½ x 1½ x ¾	2.60
112333	2880	40	1½ x 1½ x 1	2.60
PVC				
212321W	2880	40	1½ x 1½ x ½	2.74
212332W	2880	40	1½ x 1½ x ¾	2.74
212333W	2880	40	1½ x 1½ x 1	6.83

Termination screen

To prevent foreign objects from entering a venting system and causing an obstruction. Obstructions can reduce efficiencies or cause the furnace/ water heater to shutdown.



TERMINATION SCREEN, Polypropylene

BLACK - PUSH FIT TO FITTING HUB				
112002	17150	50	2	2.22
112003	14400	100	3	3.64
WHITE - PUSH FIT TO FITTING HUB				
112002W	22050	50	2	2.22
112003W	14400	100	3	3.64
112004W	10080	70	4	6.17

SPECIALTY PLUMBING PRODUCTS


PRICE LIST USP-108R JANUARY 9, 2012

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

EXPANSION JOINTS

Now approved for Horizontal Applications

Allows for the expansion and contraction of pipe due to temperature change and the shrinkage of building materials that the pipe is connected to.



Installation Instructions


1. Locate unit (plunger side up). Preferably beneath lowest fixture.
2. Push plunger (inner section) until unit is fully closed.
3. Pull plunger back out specified distance according to temperature at time of installation.

Fahrenheit Degrees	Celsius Degrees	Distance
30	0	2.5" or 65mm
50	10	2.25" or 55mm
70	20	2" or 50 mm
85	30	1.75" or 45mm

Based on 20 feet (6 meters) installation.

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

EXPANSION JOINT - H x H



ABS TYPE I - 3" Travel

113811ABC	1728	12	1½	18.71
113812ABC	1080	15	2	37.11
113813ABC	480	15	3	40.66

PVC TYPE I - 3" Travel

213811AWBC	1728	12	1½	17.49
213812AWBC	1080	15	2	68.54
213813AWBC	480	15	3	84.45

ABS TYPE II - 8" Travel

113814ABC	128	4	4	94.98
-----------	-----	---	---	-------

PVC TYPE II - 8" Travel

213814AWBC	128	4	4	184.23
------------	-----	---	---	--------

EXPANSION JOINT - H x Spg End Piston



ABS TYPE I - 3" Travel

113811BBC	1728	12	1½	18.71
113812BBC	1080	15	2	37.11
113813BBC	480	15	3	40.66

Expansion Joints

- Injected molded in ABS (Black) and PVC (White).
- Nitrile Buna-N O-ring.
- PQAA Grease #2 lubricant.

Features

- Allows for up to 3" (7.6 cm) of travel (Type I) or 8" (20.3 cm) of travel (Type II).
- Flow direction and proper degree of extension indicated on expansion joint.
- Approved for use in vertical and horizontal applications.

Benefits

- Allows movement without leakage.
- Removes the stress from both pipe and fittings which could cause failure of the piping system.

Applications

- For Drain, Waste & Vent applications (non-pressure).
- For Log Homes.
- For straight pipe runs of 30 ft. (9.1 m) or longer.

Approvals

- CSA Certified, IAPMO Listed

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012


canplas®

Urinal Flange Kits

Used to provide a seal between 2" internally trapped urinals and drainage system.


- Flanges are made of corrosion resistant ABS and PVC plastic. They will not rot out like traditional urinal flanges providing longer life and fewer health concerns.
- 2" connections available in Hub and Spigot versions making Canplas urinal flange kits adaptable to a variety of systems.
- Complete with all the necessary mounting hardware eliminating missing or back-ordered parts.
- Adjustable 4" - 7" center which can be cut easily to accommodate the requirements of most applications.
- The flange is reinforced with a cross rib to prevent the fork from spreading.
- Thick foam gasket provides a positive seal, reducing the potential for leaks.

Exclusively
from **canplas®**



DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

URINAL FLANGE KIT



ABS - Spigot

113660††	1200	25	2	18.48
113661††	1440	20	2	20.31

ABS - Hub

113662††	1200	25	2	18.48
113663††	1440	20	2	20.31

PVC - Spigot

213660W††	1200	25	2	19.51
213661W††	1440	20	2	21.43

PVC - Hub

213663W††	1440	20	2	21.43
-----------	------	----	---	-------

†† with 4" Center †† with Adjustable Center: 4" - 7"


SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012



DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

PERMOSEAL® 4" X 3" REDUCING LINE CLEANOUT with Test Membrane



ABS					
112107AT	270	15	4 x 3 x 4		24.85
PVC					
212107WAT		15	4 x 3 x 4		24.85


REDUCING LINE CLEANOUT WITH TEST MEMBRANE

- No more glued in test plates
- No more mechanical test plugs or test balls



"Innovative test membrane from Canplas enables mess-free removal of the test membrane after a water test.

By puncturing the PVC membrane with a utility knife, wastewater is drained slowly, avoiding the typical torrent of wastewater mess with other test methods.

Simply remove the membrane with a knife after the system is fully drained."



GASKETED LINE CLEANOUTS



LINE CLEANOUTS WITH O-RING ON PLUG

PVC					
212114AW	2160	30	1½		10.20
212115AW	1440	20	2		11.49
212116AW	480	15	3		17.67
212117AW	240	10	4		25.73
PVC - REDUCING LINE CLEANOUT					
212107A	270	15	4 x 3		22.15

SPECIALTY PLUMBING PRODUCTS

WASHING MACHINE OUTLET BOXES



Innovative design provides left, center and right waste options.

1/4" thick intumescent protection.

WASHING MACHINE OUTLET BOXES

Features and Benefits:


- Knockouts accept either waste or water lines.
- E-Z Turn Quarter Turn Ball Valves. Durable brass resists cracking and corrosion.
- Valve meets or exceeds A112.18.1 standard.
- Built-in test cap.
- Easy to install -- adjustable faceplate.
- Available with or without hammer arrestors.
- IAPMO (UPC) Approved.



Dimensions:

Box 6-1/2" x 7-5/8"

Faceplate: 10-3/8" x 8-7/16".



FIRE RETARDANT WASHING MACHINE OUTLET BOXES

Features and Benefits:

- 1 hr and 2hr fire rated.
- Box constructed of fire resistant PVC.
- Deep faceplate accepts up to two sheets of 5/8" drywall.
- 1/4" thick intumescent pad for fire protection.
- Quarter Turn Ball Valves - Durable brass resists cracking and corrosion and allows for finger tip control of water flow.
- Valve has long lasting O-Ring and Teflon® seats.

Dimensions:

Box: 7-1/16" x 6-3/16" x 6-3/16"

Faceplate: 8-13/16" x 10-7/5"


Part #	Description	Ctn Qty	Price
Washing Machine Box with Valves			
134520WIR	Washing Machine Outlet Box with 1/2" Wirsbo valves	10	47.52
134505PEX	Washing Machine Outlet Box with 1/2" Pex valves	10	49.35
134513MIP	Washing Machine Outlet Box with 1/2" sweat/MIP valves	10	46.73
Washing Machine Box, Valves & Hammer Arrestors			
134521WIR	Washing Machine Outlet Box with 1/2" Wirsbo valves, hammer arrestors	10	122.08
134524PEX	Washing Machine Outlet Box with 1/2" Pex valves, hammer arrestors	10	117.66
134523MIP	Washing Machine Outlet Box with 1/2" sweat/MIP valves, hammer arrestors	10	113.13
134505FRAME	Frame For Outlet Box	1	11.39

Part #	Description	Ctn Qty	Price
FLAME RETARDANT Washing Machine Box with Valves			
134505PEXFR	Washing Machine Outlet Box with 1/2" Pex valves	10	113.99
134513MIPFR	Washing Machine Outlet Box with 1/2" sweat/MIP valves	10	110.76
FLAME RETARDANT, Valves & Hammer Arrestors			
134521WIRFR	Washing Machine Outlet Box with 1/2" Wirsbo valves, hammer arrestors	10	190.99
134524PEXFR	Washing Machine Outlet Box with 1/2" Pex valves, hammer arrestors	10	169.49
134523MIPFR	Washing Machine Outlet Box with 1/2" sweat/MIP valves, hammer arrestors	10	149.98

NOTE: PEX valves are for use with PEX piping only. Do not use PEX valves with copper or CPVC piping.

SPECIALTY PLUMBING PRODUCTS

ICE MAKER OUTLET BOXES



ICE MAKER OUTLET BOXES with valves

Features and Benefits:

- Slim-line profile for 1" backing.
- Ribbed walls add support for greater strength and better alignment.
- Adjustable faceplate accommodates up to 5/8" wall thickness.
- Front and back nailing tabs assure solid installation.
- Constructed of high-impact plastic.
- Valve meets or exceeds ASME A112.18.1 standard.
- Available with or without hammer arrestors.
- IAPMO (UPC) approved.
- Certified to NSF/ANSI 61-G

Dimensions:

Box: 5-3/16" x 5-3/16" x 2-1/2"

Faceplate: 6-13/16" x 6-13/16"



FIRE RETARDANT ICE MAKER OUTLET BOXES

Features and Benefits:

- 1hr and 2hr fire rated.
- Box constructed of fire resistant PVC.
- Deep faceplate accepts up to two sheets of 5/8" drywall.
- 1/4" thick intumescent pad for fire protection.
- Quarter Turn Ball Valves - Durable brass resists cracking and corrosion and allows for finger tip control of water flow.
- Valve has long lasting O-Ring and Teflon® seats.
- Certified to NSF/ANSI 61-G

Dimensions:

Box: 5-11/16" x 3-7/8" x 2-5/8"

Faceplate: 5-1/4" x 7-1/4"



Part #	Description	Ctn Qty	Price
Ice Maker Box with Valves			
135025WIR	Ice Maker Box with 1/2" Wirsbo ProPEX valves	10	30.20
135025PEX	Ice Maker Box with 1/2" PEX valves	10	28.81
135025MIP	Ice Maker Box with 1/2" sweat/MIP valves	10	26.98
Ice Maker Box with Valves & Hammer Arrestors			
135026WIR	Ice Maker Box with 1/2" Wirsbo ProPEX valves, hammer arrestors	10	64.28
135026PEX	Ice Maker Box with 1/2" PEX valves, hammer arrestors	10	68.43
135026MIP	Ice Maker Box with 1/2" sweat/MIP valves, hammer arrestors	10	72.74

Part #	Description	Ctn Qty	Price
FLAME RETARDANT Ice Maker Box with Valves			
135025WIRFR	Ice Maker Box with 1/2" Wirsbo ProPEX valves	10	73.68
135025MIPFR	Ice Maker Box with 1/2" sweat/MIP valves	10	56.56
FLAME RETARDANT, with Valves & Hammer Arrestors			
135026PEXFR	Ice Maker Box with 1/2" PEX valves, hammer arrestors	10	95.91

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R **JANUARY 9, 2012**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------


WATER HEATER PANS

ALUMINUM WATER HEATER PAN with 1" - 1½" PVC Outlet Adapter Fitting



2" Deep					
135020AP	-	6	20" ID		26.79
135022AP		6	22" ID		29.36
135030AP		6	30" ID		73.87
3" Deep					
135024AP		6	24" ID		31.04
135026AP		6	26" ID		38.67

PLASTIC WATER HEATER PAN with 1" - 1½" PVC Outlet Adapter Fitting



2" Deep					
135020P		6	20" ID		14.57
135022P		6	22" ID		16.83
3" Deep					
135024P		6	24" ID		18.61
135026P		6	26" ID		21.97


CORNER PLASTIC DRAIN PAN with 1" - 1½" PVC Outlet Adapter Fitting



3" Deep					
135024CP		6	24" ID		24.21

BACKWATER VALVES

CLEAN CHECK™ BACKWATER VALVE



PVC (white)					
223275W		1	6		609.29

The chart below outlines the nominal diameter of sewer pipe required for the Canplas Backwater Valve Sleeve Kits:

Backwater Valve Hub Size	Sewer Pipe Diameter
1½"	4"
2"	4"
3"	6"
4"	8"
6"	10"

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

BACKWATER VALVE



ABS - With DWV Hubs					
123281	1080	15	1½		31.58
123282	1080	15	2		31.58
123283	320	10	3		37.37
123284	128	4	4		42.63
123286	48	1	6		157.89
PVC (white) - With DWV Hubs					
223281W	1080	15	1½		31.58
223282W	1080	15	2		31.58
223283W	320	10	3		37.37
223284W	128	4	4		42.63
223286W	48	1	6		157.89
PVC - With Sewer Hubs					
223291W	288	4	3		40.00
223289W	144	2	4		47.37

6 BACKWATER VALVE SLEEVE LID



PVC					
223286-6W		15	6		30.32

BACKWATER VALVE with 16" access sleeve and ABS lid



ABS - With DWV Hubs					
123271		1	1½		40.00
123272	144	1	2		40.00
123287		1	3		47.89
123285	45	1	4		61.58
PVC (white) - With DWV Hubs					
223271W		1	1½		40.00
223272W	128	1	2		40.00
223287W		1	3		47.89
223285W	45	1	4		61.58
PVC (white) - With cast iron lid					
223287WSC		1	3		64.15
223285WSC	45	1	4		80.29
PVC (white) - With Sewer Hubs					
223290W	84	1	3		50.53
223288W	45	1	4		63.16

BACKWATER VALVE SLEEVE KIT - For use with Sewer Pipe (Standard, DR35 or DR28)



ABS					
123302	1440	10	For 1½" & 2" BWVs		13.26
PVC (white)					
223302W	1440	10	For 1½" & 2" BWVs		13.26

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R **JANUARY 9, 2012**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

BACKWATER VALVES Continued

LID FOR ABS (BLACK) ACCESS SLEEVES




ABS Lid					
123287-2		1	3		5.05
123285-2		1	4		6.98

LID FOR SEWER PIPE ACCESS SLEEVES



ABS (black)					
123302-2		100	1½ or 2		5.05
123303-2		0	3		5.05
123304-2		0	4		6.98
PVC (white)					
223302-2W		30	1½ or 2		5.05
223303-2W		20	3		5.05
223304-2W		20	4		6.98
223286-3W		1	6		30.62
Cast Iron Lid					
123287-2C		1	3		17.07
123285-2C		1	4		20.93

BACKWATER VALVE SLEEVE KIT for use with sewer pipe (Standard, DR35 or DR28)



ABS					
123303	1080	15	For 3" BWV		8.63
123304	480	10	For 4" BWV		12.11
PVC					
223303W	1080	15	For 3" BWV		8.63
223304W	480	10	For 4" BWV		12.11
PVC BWV Sleeve Kit with cast iron lid					
223303WC	1080	15	For 3" BWV		18.72
223304WC	480	10	For 4" BWV		25.22

REPLACEMENT FLAPPERS FOR BACKWATER VALVES Comes complete with O-ring

Flapper with Gasket and Retaining Ring					
123281-2A		500	1½ & 2		7.62
Flapper with O-Ring					
123283-2A	12960	90	3		4.63
123284-2A	6480	90	4		6.32
123286-2A		25	6		13.39

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

BACKWATER COMPONENTS

BACKWATER VALVE COMPONENTS

Flapper (ABS) with Gasket & Retaining Ring					
123281-2A		500	1½ & 2		7.62
Flapper (PVC) with Gasket & Retaining Ring					
223281-2WA		500	1½ & 2		7.62
Cleanout Lid (ABS - Black) with O-ring					
123281-3A		0	1½ & 2		6.41
Cleanout Lid (PVC - White) with O-ring					
223281-3WA		0	1½ & 2		6.41
O-ring for Cleanout Lid					
123281-4		1	1½ & 2		0.58
Lid for Sewer Pipe†† (Black) 4" pipe diameter					
123302-2		100	1½ & 2		5.05
Lid for Sewer Pipe†† (White) 4" pipe diameter					
223302-2W		30	1½ & 2		5.05
Flapper with O-ring					
123283-2A	12960	90	3		4.63
O-ring for Flapper					
123283-5		1	3		2.26
Cleanout Lid (ABS - Black) with O-ring					
123283-3A		0	3		8.57
Cleanout Lid (PVC - White) with O-ring					
223283-3WA		100	3		8.57
O-ring for Cleanout Lid					
123283-4		1	3		0.84
Access Sleeve†† with 5" pipe diameter					
123287-3		1	3		26.47
Sleeve Lid†† with 5" pipe diameter					
123287-2		1	3		5.05
Lid for Sewer Pipe†† (Black) with 6" pipe diameter					
123303-2		0	3		5.05
Lid for Sewer Pipe†† (White) with 6" pipe diameter					
223303-2W		20	3		5.05
Flapper with O-ring					
123284-2A	6480	90	4		6.32
Cleanout Lid (ABS - Black) with O-ring					
123284-3A		0	4		14.56
Cleanout Lid (PVC - White) with O-ring					
223284-3WA		50	4		14.56
Access Sleeve†† with 7" pipe diameter					
123285-3		1	4		36.85
Sleeve Lid†† with 7" pipe diameter					
123285-2		1	4		6.98

†† Sewer Pipe referenced above is Standard SDR35.

†† Canplas access sleeves and sleeve lids require a special diameter pipe; they will not work with Standard SDR35 pipe.

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

What's keeping
this...



Sewer and/or
stormwater drain

out of this?




To home drain
connections

A **canplas**
Backwater
Valve




These simple devices offer effective protection against the backflow of sewage and stormwater into homes and businesses.

Backwater Valves



Under Normal Operation, the lightweight flapper opens and allows waste water to exit to sewer line.



During a backflow, the flapper seals closed, stopping the flow from reaching interior drains entering the living space.

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012




MAINLINE

EXTENDABLE

ADAPT-A-VALVE Backwater Valves™

The plumbing code states that a Backwater Valve must be accessible for maintenance and servicing. The traditional way of accomplishing this for in-ground installations was to build a large concrete pit with an access lid, which was a very expensive and time consuming.


The ADAPT-A-VALVE solves this problem with an innovative removable flapper 'cassette' system which allows for easy ground level access at any depth.



PART #	CTN. QTY.	SIZE	PRICE EACH
ABS - ADAPT-A-VALVE			
123263	24	3	113.16
123264	8	4	147.37
PVC - ADAPT-A-VALVE			
223263W	24	3	118.42
223264W	8	4	155.26
REPLACEMENT FLAPPERS			
123263-2A	24	3	47.37
123264-2A	24	4	47.37

ADAPT-A-VALVE Test-Gate

Test gates can be used during pressure tests.



PART #	CTN. QTY.	SIZE	PRICE EACH
PVC extension pipe connection			
123263X	24	3	23.68
123264X	8	4	26.32



Adapt A Valve Is A Registered Trade Mark Of Mainline Backflow Products Inc.

CLEAR INSPECTION COVER

FULLPORT Backwater Valves

The Fullport BWV is designed to protect the entire home from hazardous sewage backflow. With a clear cover, you can be sure your backwater valve is operating properly. Designed to be installed as the last fitting on the outbound drain, this BWV can either be placed in a direct access location or recessed in-ground with the optional access box.

Once installed it becomes the first line of defense against costly and unsanitary backflow entering the property.




PART #	CTN. QTY.	SIZE	PRICE EACH
ABS - FULLPORT Backwater Valve			
123254	4	4	189.47
PVC - FULLPORT Backwater Valve			
223254W	4	4	207.89

4" DWV hub inlet & outlet connections

VALVE ACCESS BOX

Fullport Backwater valve access box can be easily trimmed to fit pipe for custom depth installations.



PART #	SIZE	PRICE EACH
Polypropylene Valve Access Box		
481200G	12	41.04

All images are for illustrative purposes only actual product may differ from that shown.



SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

MAINLINE EXTENDABLE Straight-Fit Backwater Valves

The Straight-Fit™ Backwater Valve features a patent pending flapper, designed to smoothly guide cleaning and surveying equipment through the BWV, also allowing for safe withdrawal of the same, minimizing risk of damage to the flapper. The addition of a Smart-Curve™ snake guide also prevents damage to the valve body during snaking from the main access.

The Straight-Fit™ Valve body design has minimal slope, making it ideal for new installations and retrofits.



PART #	CTN. QTY.	SIZE	PRICE EACH
ABS - STRAIGHT-FIT			
123264ST	6	4	149.60
123266ST	3	6	399.80
PVC - STRAIGHT-FIT			
223264WST	6	4	149.60
223266WST	3	6	399.80

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

BACKWATER COMPONENTS Continued

BACKWATER VALVE COMPONENTS					
Lid for Sewer Pipe†† (Black) 8" pipe diameter					
123304-2		0	4		6.98
Lid for Sewer Pipe†† (White) 8" pipe diameter					
223304-2W		20	4		6.98
Flapper with O-ring					
123286-2A		25	6		13.39
Cleanout Lid (ABS - Black) with O-ring					
123286-3A		0	6		35.85
Cleanout Lid (PVC - White) with O-ring					
223286-3WA		10	6		35.85
O-ring for Cleanout Lid					
123286-4		1	6		5.29
Lid for Sewer Pipe†† (White) with 10" pipe diameter					
223286-6W		15	6		30.32

†† Sewer Pipe referenced above is Standard SDR35.

‡‡ Canplas access sleeves and sleeve lids require a special diameter pipe; they will not work with Standard SDR35 pipe.

WASTE & OVERFLOW

ABS WASTE & OVERFLOW HALF-KIT - Lift & Turn (coarse thread)

	PVC (Chrome Lift-n-Turn Hardware)				
	332925LCP	25	1½		20.74
	ABS (Brush Nickel Trim Hardware)				
	332925BN	25	1½		47.77
	PVC (Brush Nickel Trim Hardware)				
	322925WBN	25	1½		47.77

Kit includes trim hardware, waste & overflow elbows (less pipe & tee)

WASTE & OVERFLOW TEST KIT (RE-USABLE) For use with Half-Kits

	332804TEST	200	-		6.07
--	------------	-----	---	--	------

LIFT-N-TURN TRIM KITS (COARSE THREAD) for Half-Kits

	Chrome plated Lift-n-Turn hardware and overflow covers				
	332925CPTRIM	20	Coarse Thread		16.85
	Oil Rubbed Bronze Trim Hardware				
	332925ORBTRIM	20	Coarse Thread		19.65
	Brushed Nickel Trim Hardware				
	332925BNTRIM	20	Coarse Thread		19.65

Kit includes strainer, hardware and overflow cover (less elbows)

PLEASE NOTE:

WASTE & OVERFLOW HALF-KITS INCLUDE COARSE THREAD TRIM HARDWARE WHICH ARE NOT INTERCHANGEABLE WITH GREAT WHITE® WASTE & OVERFLOW FINE THREAD HARDWARE

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

PermOseal® **StretchFit**

PIPE FLASHING



MODEL: 551222
1.5"-2"
Pipe Sizes

MODEL: 551224
3"-4"
Pipe Sizes

The PermOseal® StretchFit requires no adjustment, no cutting and no tearing!

The new PermOseal® StretchFit flashing is a breakthrough in flashing seal technology.

- UV and Extreme Cold Resistant
- Built in water deflectors
- Fits roof pitches from 2/12 to 12/12
- Patent Pending

Available in Black, Brown, Gray, Green, White & Weatherwood

**StretchFit seal fits
1.5" - 2" and 3" - 4" vent pipe sizes**

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 1.5" to 2" Flange Size 9 1/4" X 13"				
Black	551222BL**	12	576	9.27
Brown	551222BR**	12	576	9.27
Gray	551222G**	12	576	10.19
White	551222W**	12	576	12.98
Weatherwood	551222WW**	12	576	10.19
Pipe Size 3" to 4" Flange Size 12" X 15 1/2"				
Black	551224BL**	12	384	10.13
Brown	551224BR**	12	384	10.13
Gray	551224G**	12	384	11.14
White	551224W**	12	384	14.18
Weatherwood	551224WW**	12	384	11.14

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012



**3 Sizes
in 1!**

**PermOseal®
Multiple 3 in 1
Size**

**Cut and Peel for
1.5" to 3" vent
pipe sizes**

- UV and Extreme Cold Resistant
- Built in water deflectors
- Fits roof pitches from 2/12 to 12/12

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 1.5" to 3" Flange Size 12"X15"				
Black	551233BL*	12	384	6.00



Thermoplastic Base Flashing

Available in White, Brown, Green, Gray, Weatherwood & Black.

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 1.5" Flange Size 13" x 9 1/4"				
Black	551201BL**	12	576	6.35
Brown	551201BR**	12	576	6.35
Gray	551201G**	12	576	8.04
Green	551201GN**	12	576	8.90
White	551201W**	12	576	8.90
Weatherwood	551201WW**	12	576	8.09
Pipe Size 2" Flange Size 13" x 9 1/4"				
Black	551202BL**	12	576	6.53
Brown	551202BR**	12	576	6.53
Gray	551202G**	12	576	8.31
Green	551202GN**	12	576	9.14
White	551202W**	12	576	9.14
Weatherwood	551202WW**	12	576	8.31

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 3" Flange Size 15" x 12"				
Black	551203BL**	12	384	6.61
Brown	551203BR**	12	384	6.61
Gray	551203G**	12	384	8.41
Green	551203GN**	12	384	9.25
White	551203W**	12	384	9.25
Weatherwood	551203WW**	12	384	8.41
Pipe Size 4" Flange Size 15 1/2" x 12"				
Black	551204BL**	12	384	6.83
Brown	551204BR**	12	384	6.83
Gray	551204G**	12	384	8.69
Green	551204GN**	12	384	9.55
White	551204W**	12	384	9.55
Weatherwood	551204WW**	12	384	8.69

- **Fits roof pitches from 2/12 – 12/12**
- **UV and Extreme Cold Resistant**
- **Water Deflectors**

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

ROOF FLASHINGS

PermOseal® **Flexible** BASE FLASHING

Newly engineered material stays flexible in extreme cold conditions

- Built in water deflectors
- Fits roof pitches from 2/12 to 12/12

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 1.5" Flange Size 13"X15"				
Black	551141BL**	12	384	15.00
Pipe Size 2" Flange Size 13"X15"				
Black	551142BL**	12	384	15.00
Pipe Size 3" Flange Size 16 1/4" X 18"				
Black	551143BL**	12	192	15.00
Pipe Size 4" Flange Size 16 1/4" X 18"				
Black	551144BL**	12	192	15.00

Metal Base Flashing

- Fits Roof Pitches From 2/12 – 10/12

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Aluminum Base				
Pipe Size 1.5" Flange Size 12" x 8 3/4"				
Black	552201	12	N/A	7.44
Pipe Size 2" Flange Size 12" x 8 3/4"				
Black	552202	12	N/A	7.53
Pipe Size 3" Flange Size 14 1/2" x 10 3/4"				
Black	552203	12	N/A	9.40
Pipe Size 4" Flange Size 15 1/2" x 11 3/4"				
Black	552204	12	N/A	11.26
Galvanized Base				
Pipe Size 1.5" Flange Size 12" x 8 3/4"				
Black	552201GALV	12	N/A	7.88
Pipe Size 2" Flange Size 12" x 8 3/4"				
Black	552202GALV	12	N/A	8.53
Pipe Size 3" Flange Size 14 1/2" x 10 3/4"				
Black	552203GALV	12	N/A	11.20

Steep Roof Flashing

Works on pitches up to 20/12 (60°)

- Patented one-piece design
- Easy installation with thermoplastic base
- 2/12 (10°) up to 20/12 (60°)
- Tear away ring sizing for different pipe sizes
- Double seal, No-Calk® water tight collar

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 1.5" - 3" Flange Size 11 1/4" x 19"				
Black	5511930	6	180	22.82
Pipe Size 3" - 4" Flange Size 13" x 20 7/8"				
Black	5511931	6	180	22.82

O-Guard™ Roof Flashing Seal Protector

Protection from harmful UV rays and weather conditions

- Easy installation - simply slide down pipe over flashing
- Does not reduce pipe size
- Unique innovation protects the seal

COLOR	PART #	CTN. QTY.	SKID QTY.	PRICE
Pipe Size 3"				
Black	5503	12	960	4.55

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R **JANUARY 9, 2012**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

ROOF FLASHINGS Continued

FLEXIBLE BASE FLASHING



Black					
55FLEX3		12	PIPE SIZE 3"		12.47
Black					
55FLEX4		12	PIPE SIZE 4"		12.47


EXHAUST VENTS

BATHROOM EXHAUST VENT with flapper and attached collar




6011BL	108	6	Black	16.04
6011BR	108	6	Brown	16.04
6011G	108	6	Grey	17.64
6011WW	108	6	Weatherwood	17.64

BATHROOM EXHAUST VENT with flapper and unattached collar




6010BL	192	4	Black	15.11
6010BR	192	4	Brown	15.11
6010G	192	4	Grey	16.62

BATHROOM EXHAUST VENT with flapper



6008BL	192	4	Black	11.42
6008BR	192	4	Brown	11.42
6008G	192	4	Grey	12.56
6008W	192	4	White	15.99
6008WW	192	4	Weatherwood	12.56

ROOF DRYER VENT with flapper



6012BL	192	4	Black	11.42
6012BR	192	4	Brown	11.42

ROOF DRYER VENT with flapper and attached collar



6013BL	108	6	Black	16.04
6013BR	108	6	Brown	16.04
6013WW	108	6	Weatherwood	17.64

BATHROOM EXHAUST & ROOF DRYER VENT ADAPTER COLLAR



6010-1BC	576	8	Black	4.03
----------	-----	---	-------	------

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------


ROOF DRAINS

ROOF DRAIN - NEW Flame & Smoke Speed Rated



Body Dome - PVC Gray					
383552	90	5	2 Hub		63.16
383553	90	5	3 Hub		63.16
383554	90	5	4 Hub		70.18

ROOF DRAIN - NEW Flame & Smoke Speed Rated




Body Dome - PVC Gray					
383556	36	2	6 Spg		89.92
383558	36	2	8 Spg		105.19

ROOF DRAIN



Body PVC/Cast Iron Dome					
373552WCI		1	2 Hub		61.71
373553WCI		1	3 Hub		64.69
373554WCI		1	4 Hub		67.91

UNDER DECK CLAMP



Enamel-coated clamp collar, 6" long studs, washer and nuts					
383555	625	5	Drain Size 2, 3, 4		36.49
383557	360	5	Drain Size 6, 8		59.78

DOMESTRAINER



PVC - Gray					
383552-3		1	Drain Size 2, 3, 4		17.82

DOMESTRAINER




PVC - Gray					
383556-3		1	Drain Size 6, 8		18.56

FLASHING COLLAR



PVC - Gray					
383552-2		1	Drain Size 2, 3, 4		11.75
383556-2		1	Drain Size 6, 8		16.14

OVERFLOW UNIT



ABS - Gray					
383555-2		5	Drain Size 2, 3, 4		101.05

ROOF DRAIN REPLACEMENT HARDWARE KIT for drains 383552, 383553, 383554, 383556, 383558

Kit Number	Includes	List Price
38355NH	2 of #10 x 1-1/2" Grate Screws and 12 of #10 x 5/8" Flange Screws	7.72

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R **JANUARY 9, 2012**

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

ROUND VALVE BOXES & LIDS

ROUND VALVE BOXES

Material: Polypropylene, Load Rating A



Black with Green Lid					
480060G		1	6		6.91
Black with Green Sewer Lid					
480060GSEW		1	6		6.84

ROUND VALVE BOXES

Material: Polypropylene, Load Rating A



Black with Green Lid					
480100G		1	10		20.29
Black with Green Sewer Lid					
480100GSEW		1	10		23.34

ROUND VALVE LIDS


Material: Polypropylene, Load Rating A



Green					
480060-1G		1	6		5.37
Black					
480060-1B		1	6		4.65
Green Sewer Bolt Down Holes					
480060-1GSEW		1	6		5.82

ROUND VALVE LIDS

Material: Polypropylene, Load Rating A




Black					
480100-1B		1	10		10.84
Green Sewer Bolt Down Holes					
480100-1GSEW		1	10		12.11

DESC.	PART #	SKID QTY.	CTN. QTY.	SIZE	PRICE EACH
-------	--------	-----------	-----------	------	------------

RECTANGLE VALVE BOXES & LIDS

STANDARD RECTANGULAR VALVE BOX WITH LID


Material: Polypropylene, Load Rating A



Black with Green Lid					
481000G		0	10		29.24
Black with Green Sewer Lid					
481000GSEW		0	10		29.24

STANDARD RECTANGULAR VALVE BOX WITH LID


Material: Polypropylene, Load Rating A



Black with Green Sewer Lid					
481200GSEW		0	12		49.89
Black with Meter Lid					
481200RB		0	12		47.68

JUMBO RECTANGULAR VALVE BOX WITH LID


Material: Polypropylene, Load Rating A



Black with Green Lid					
481500G		1	12		72.62

RISERS FOR RECTANGULAR VALVE BOX WITH LID


Material: Polypropylene, Load Rating A



Body only (black)					
480600E		1	12		28.97

RISERS FOR RECTANGULAR VALVE BOX WITH LID

Material: Polypropylene, Load Rating A



Body only (black)					
480750E		0	12		42.80

SPECIALTY PLUMBING PRODUCTS

NUMERICAL INDEX

PART NO.	WEIGHT (Lbs.)	CARTON BAR CODE	LOCATION IN PRICE LIST	PART NO.	WEIGHT (Lbs.)	CARTON BAR CODE	LOCATION IN PRICE LIST
P/L 11				123304 †	0.952	10662671120356	18
112002	0.015	10662671110173	11	123304-2 †	0.459	10662671120677	18
112002W	0.015	10662671117578	11	P/L 13			
112003	0.035	10662671110272	11	13112011	0.306	10662671117158	3
112003W	0.035	10662671117585	11	13112013	0.441	10662671117479	3
112004W	0.046	10662671057454	11	13212011	0.282	10662671214185	3
112107AT	1.605	10662671117127	11	13212013	1.951	10662671214277	3
112110-1 †	0.375	10662671110012	10	133070GN †	0.525	10662671130232	4
112171A	0.269	10662671113501	10	133070W †	0.295	10662671130249	4
112191A	0.256	10662671113556	10	133608 †	0.789	10662671130027	4
112281A	0.154	10662671110586	10	134505FRAME	0.000	662671130594	15
112286A	0.141	10662671100594	10	134505PEX	1.609	10662671130263	15
112291A	0.139	10662671113549	10	134505PEXFR	3.726	10662671130454	15
112320 †	0.507	10662671110234	11	134513MIP	1.609	10662671130287	15
112321	0.148	10662671103304	11	134513MIPFR	4.303	10662671130430	15
112332	0.161	10662671103465	11	134520WIR	1.609	10662671130256	15
112333 †	0.168	10662671116700	11	134521WIR	2.436	10662671130294	15
113061BL	0.035	10662671110517	9	134521WIRFR	4.303	10662671130508	15
113062BL	0.037	10662671110524	9	134523MIP	2.712	10662671130324	15
113063BL	0.073	10662671110531	9	134523MIPFR	4.303	10662671130478	15
113062BL	0.037	10662671110524	9	134524PEX	2.712	10662671130300	15
113067BL	0.097	10662671110555	9	134524PEXFR	4.332	10662671130492	15
113068BL	0.154	10662671110562	9	134608 †	0.701	10662671130096	9
113069BL	0.278	10662671110579	9	134614 †	1.605	10662671130102	9
113070BL	0.384	10662671116755	9	135020AP	1.940	10662671130423	17
113627XSSEO	0.697	10662671009644	5	135020P	1.631	10662671130157	17
113627XS	0.694	10662671057164	5	135022AP	1.676	10662671130119	17
113628	0.659	10662671103311	5	135022P	1.080	10662671130164	17
113628SS	0.884	10662671119152	5	135024AP	2.403	10662671130133	17
113631EO	0.551	10662671057430	5	135024CP	1.940	10662671130416	17
113639M	0.961	10662671117110	5	135024P	1.940	10662671130171	17
113645 †	0.657	10662671110470	5	135025MIP	0.904	10662671130362	16
113650-1	0.694	10662671119015	5	135025MIPFR	1.903	10662671130515	16
113660 †	0.500	10662671118759	13	135025PEX	0.904	10662671130348	16
113661 †	0.525	10662671118766	13	135025WIR	0.904	10662671130331	16
113662 †	0.461	10662671110104	13	135025WIRFR	1.903	10662671130546	16
113663 †	0.481	10662671119213	13	135026AP	2.756	10662671130140	17
113811ABC	0.223	50662671102961	12	135026MIP	1.191	10662671130409	16
113811BBC	0.221	50662671102978	12	135026P	2.337	10662671130188	17
113812ABC	0.290	50662671102985	12	135026PEX	1.191	10662671130386	16
113812BBC	0.270	50662671102992	12	135026PEXFR	1.903	10662671130577	16
113813ABC	0.620	50662671103002	12	135026WIR	1.191	10662671130379	16
113813BBC	0.637	50662671103019	12	135030AP	2.998	10662671130126	17
113814ABC	1.676	50662671103333	12	P/L 21			
119180-002 †	0.227	10662671113532	5	212107A	2.229	10662671214161	14
P/L 12				212107WAT	2.231	10662671214260	14
123254	5.997	10662671120929	20	212110-1W	0.507	10662671210026	10
123263	1.191	10662671120943	20	212114AW	0.399	10662671214208	14
123263-2A	0.146	10662671010268	20	212115AW	0.529	10662671214215	14
123263X	0.150	10662671120950	20	212116AW	1.321	10662671214222	14
123264	2.601	10662671120967	20	212117AW	2.357	10662671214239	14
123264-2A	0.225	10662671010275	20	212171AW	0.362	10662671210095	10
123264ST	3.221	10662671063219	21	212191AW	0.346	10662671210101	10
123264X	0.243	10662671120974	20	212281AW	0.207	10662671210163	10
123266ST	6.427	10662671063202	21	212286AW	0.192	10662671210170	10
123271	0.966	10662671120370	17	212291AW †	0.187	10662671210187	10
123272	1.270	10662671120387	17	212321W	0.203	10662671210194	11
123281	0.511	10662671120011	17	212332W	0.218	10662671210200	11
123281-2A	0.057	10662671120400	18	212333W	0.229	10662671214154	11
123281-3A †	0.168	10662671120615	18	213215W	0.104	10662671214383	10
123281-4 †	0.020	662671120625	18	213627XWSS	-	-	5
123282	0.511	10662671120028	17	213627XWSSSEO	0.807	10662671012002	5
123283	1.433	10662671120035	17	213628MW	1.043	10662671210491	5
123283-2A	0.090	10662671120417	18	213628W	0.899	10662671210507	5
123283-3A †	0.392	10662671120608	18	213628WSS	1.157	10662671210996	5
123283-4 †	0.055	662671120632	18	213631TW	0.747	10662671214126	5
123283-5 †	0.033	662671120694	18	213631XW	0.728	10662671214147	5
123284	2.652	10662671120066	17	213631WEO	0.785	10662671057447	5
123284-2A	0.126	10662671120424	18	213639WSS	1.197	10662671214178	5
123284-3A †	0.699	10662671120592	18	213644W	1.043	10662671214345	5
123285	4.032	10662671120097	17	213660W †	0.558	10662671212891	13
123285-2 †	0.353	10662671120523	18	213661W †	0.586	10662671212907	13
123285-2C	3.858	10662671120783	18	213811AWBC	0.299	30662671190575	12
123285-3 †	1.030	10662671120530	18	213812AWBC	0.290	30662671190599	12
123286	7.022	10662671120196	17	213813AWBC	0.363	30662671190612	12
123286-2A	0.688	10662671120431	18	213814AWBC	2.230	30662671190636	12
123286-3A †	1.512	90662671120659	21	213863W †	0.324	10662671214246	8
123286-4 †	0.022	662671120663	21	213864W †	0.529	10662671214253	8
123287	2.299	10662671120103	17	219180-002W †	0.304	10662671210682	5
123287-2 †	0.192	10662671120332	18				
123287-3 †	0.677	10662671120547	18				
123302 †	0.456	10662671120363	17				
123302-2 †	0.106	10662671120394	18				
123303 †	0.481	10662671120349	18				
123303-2 †	0.249	90662671120680	18				

SPECIALTY PLUMBING PRODUCTS

PART NO.	WEIGHT (Lbs.)	CARTON BAR CODE	LOCATION IN PRICE LIST	PART NO.	WEIGHT (Lbs.)	CARTON BAR CODE	LOCATION IN PRICE LIST
P/L 22				331952SS	1.292	662671330864	8
223254W	7.011	10662671220643	20	331957SS	0.730	10662671330878	8
223263W	1.808	10662671220650	20	331962SS †	0.637	10662671330908	8
223264W	3.527	10662671220667	20	331972SS	0.384	10662671330885	8
223271W	1.512	10662671220223	17	331982SS	0.527	10662671330991	8
223272W	1.539	10662671220230	17	332042	0.470	10662671330175	6
223275W	14.992	10662671220520	17	332042SS	0.489	10662671330755	6
223281-2WA	0.068	10662671220278	18	332062C	0.761	10662671333480	7
223281-3WA †	0.212	10662671220384	18	332062BN	-	-	7
223281W	0.664	10662671220018	17	332062ORB	-	-	7
223282W	0.670	10662671220025	17	332062AC	0.044	10662671055627	7
223283-3WA †	0.498	10662671220391	18	332925ORB	-	-	21
223283W	1.885	10662671220032	17	332147SS	0.496	10662671330892	8
223284-3WA †	0.899	10662671220407	18	332155 †	0.463	10662671330939	9
223284W	3.521	10662671220056	17	332158 †	1.570	10662671330922	9
223285W	4.901	10662671220070	17	332242	0.860	10662671330359	6
223285WSC	9.559	10662671220490	17	332242SS	0.880	10662671330366	6
223286-3WA	2.011	10662671220377	21	332342SS	0.880	10662671330533	6
223286-6W †	1.680	10662671220155	17	332542	0.527	10662671330458	6
223286W	9.361	10662671220162	17	332542SS	0.545	10662671330465	6
223287W	2.751	10662671220094	17	332804TEST †	0.154	10662671333022	21
223287WSC	5.589	10662671220483	17	332925BN	0.816	10662671331325	21
223288W	5.278	10662671220117	17	332925BNTRIM	0.772	10662671333329	21
223289W †	3.898	10662671220124	17	332925CPTRIM	0.772	10662671333312	21
223290W †	2.992	10662671220179	17	332925LCP	0.816	10662671333039	21
223291W †	2.123	10662671220186	17	332925ORBTRIM	0.441	10662671333299	21
223264WST	4.299	10662671063233	21	333053BR	0.492	10662671331141	9
223266WST	8.770	10662671063226	21	333054BR	0.653	10662671331004	9
223302-2W †	0.152	10662671220414	18	333056BR	0.602	10662671331103	9
223302W †	0.608	10662671220216	17	333058BR	1.065	10662671333459	9
223303-2W †	0.344	10662671220261	18	333063BR	0.461	10662671331110	9
223303W †	0.650	10662671220193	18	333064BR	0.710	10662671331127	9
223303WC	2.842	10662671220506	18	333067BR	0.571	10662671331134	9
223304-2W †	0.650	10662671220247	18	333068BR	1.065	10662671333442	9
223304W †	1.299	10662671220209	18	333153 †	0.441	10662671331394	8
223304WC	4.502		18	333502CRNB	3.159	10662671333268	10
P/L 32				P/L 37			
321030B	0.176	10662671321173	9	373552WCI †	5.787	10662671370409	25
321030G	0.176	10662671321180	9	373553WCI †	5.732	10662671370393	25
321030GN	0.176	10662671321197	9	373554WCI †	5.820	10662671370386	25
321842 †	0.040	10662671320367	8	P/L 38			
321842W †	0.040	10662671320268	8	38355NH	0.220	662671380289	25
321843 †	0.066	10662671320374	8	383552	3.882	10662671380293	25
321843W †	0.066	10662671320206	8	383552-2	0.558	10662671380309	25
321844 †	0.137	10662671320381	8	383552-3	0.844	10662671380316	25
321844W †	0.143	10662671320213	8	383553	4.096	10662671380194	25
321942-2W	0.084	10662671320059	6	383554	4.262	10662671380200	25
321957WSS	0.992	10662671320671	8	383555	3.836	10662671380361	25
321962WSS	0.772	10662671320701	8	383555-2 †	1.984	10662671021301	25
321972WSS	0.481	10662671320688	8	383556	7.251	10662671380231	25
321982WSS	0.661	10662671320794	8	383556-2	0.979	10662671380323	25
322042W	0.540	10662671320251	6	383556-3	1.191	10662671380330	25
322042WSS	0.558	10662671320190	6	383557	5.507	10662671021363	25
322062WC	0.913	10662671055955	7	383558	7.844	10662671380347	25
322155W †	0.591	10662671320732	9	384750	5.800	30662671380211	8
322158W †	2.172	10662671320725	9	384750-2	0.681	10662671021479	8
322242W †	1.085	10662671320237	6	384750-3	1.252	10662671021493	8
322242WSS †	1.105	10662671320244	6	384751	5.937	30662671380228	8
322342WSS	1.105	10662671320626	6	P/L 39			
322542W	0.644	10662671320442	6	394708	3.660	10662671370119	8
322542WSS	0.664	10662671320459	21	394709A	2.105	10662671370072	8
322925WBN	0.816	10662671320848	21	394709B	2.249	10662671370140	8
323152	0.353	10662671320923	8	394709C	2.249	10662671370164	8
323502WCRNB	3.336	10662671321081	10	P/L 48			
323502WCRPB	3.336	10662671321074	10	480060-1B	0.331	10662671480016	26
323502WNB	2.904	10662671321043	10	480060G	1.179	10662671480061	26
324712A	3.790	10662671370133	8	480060GSEW	2.601	20662671481188	26
324712C	1.874	10662671370171	8	480100-1B	0.741	10662671480122	26
324712-4	0.201	10662671370744	8	480100-1GSEW	1.631	10662671481211	26
324713	4.583	10662671370126	8	480100G	3.300	10662671480214	26
324718	4.191	10662671370249	8	480100GSEW	7.275	10662671481242	26
324723	5.113	10662671370270	8	480600E	3.459	10662671480290	26
323502WPBM	2.879	10662671321036	10	480750E	4.709	10662671480306	26
323550WNB	4.193	10662671321067	10	481000G	4.381	10662671480610	26
323550WPBM	4.140	10662671321050	10	481000GSEW	9.656	10662671481327	26
323554WCB	4.625	10662671321104	10	481200GSEW	18.629	10662671481396	26
323554WCPB	4.669	10662671321098	10	481200RB	8.450	10662671480801	23
P/L 33				481500G	14.579	10662671481006	26
331942-2SS	0.104	10662671330786	6				
331942-2ORB	0.104	10662671333503	6				
331942-2BN	0.104	10662671333497	6				
331943-2SS †	0.104	10662671330809	6				
331943-2ORB †	0.104	10662671333527	6				
331943-2BN †	0.104	10662671333510	6				
331952-1SS	0.000	10662671333428	6				

All images are for illustrative purposes only actual product may differ from that shown.

SPECIALTY PLUMBING PRODUCTS

PART NO.	WEIGHT (Lbs.)	CARTON BAR CODE	LOCATION IN PRICE LIST	PART NO.	WEIGHT (Lbs.)	CARTON BAR CODE	LOCATION IN PRICE LIST
P/L 55				551233BL	0.681	10662671550382	23
55FLEX3	1.049	10662671610017	25	552201	0.419	10662671610451	24
55FLEX4	0.992	10662671610024	25	552201GALV	0.701	10662671610734	24
5503	0.194	10662671601404	24	552202	0.419	10662671610468	24
551141BL	0.780	10662671550504	24	552202GALV	0.701	10662671610741	24
551142BL	0.795	10662671550511	24	552203	0.573	10662671610475	24
551143BL	1.250	10662671550528	24	552203GALV	1.012	10662671610758	24
551144BL	1.210	10662671550535	24	552204	0.750	10662671610482	24
5511930	1.250	10662671610192	24	P/L 60			
5511931	1.182	10662671610208	24	6008BL	0.572	10662671600117	25
551201BL	0.403	10662671610215	23	6008BR	0.730	10662671600124	25
551201BR	0.403	10662671610376	23	6008G	0.730	10662671600131	25
551201G	0.403	10662671610291	23	6008W	0.739	10662671600148	25
551201GN	0.403	10662671610697	23	6008WW	0.730	10662671600155	25
551201W	0.403	10662671610635	23	6010BL	0.966	10662671600278	25
551201WW	0.403	10662671610550	23	6010BR	0.966	10662671600285	25
551202BL	0.399	10662671610222	23	6010G	0.966	10662671600315	25
551202BR	0.399	10662671610383	23	6010-1BC	0.234	10662671600964	25
551202G	0.399	10662671610307	23	6011BL	0.966	10662671601046	25
551202GN	0.399	10662671610703	23	6011BR	0.966	10662671601053	25
551202W	0.399	10662671610642	23	6011G	0.966	10662671601060	25
551202WW	0.399	10662671610567	23	6011WW	0.966	10662671601084	25
551203BL	0.666	10662671610239	23	6012BL	0.695	10662671601121	25
551203BR	0.666	10662671610390	23	6012BR	0.695	10662671601138	25
551203G	0.666	10662671610314	23	6013BL	0.928	10662671601169	25
551203GN	0.666	10662671610710	23	6013BR	0.928	10662671601176	25
551203W	0.666	10662671610611	23	6013WW	0.928	10662671602098	25
551203WW	0.666	10662671610574	23				
551204BL	0.701	10662671610246	23				
551204BR	0.703	10662671610406	23				
551204G	0.703	10662671610321	23				
551204GN	0.703	10662671610727	23				
551204W	0.703	10662671610659	23				
551204WW	0.703	10662671610581	23				
551222BL	0.404	10662671550368	22				
551222BR	0.404	10662671550399	22				
551222G	0.404	10662671550412	22				
551222W	0.404	10662671550436	22				
551222WW	0.404	10662671550405	22				
551224BL	0.692	10662671550375	22				
551224BR	0.692	10662671550443	22				
551224G	0.692	10662671550467	22				
551224W	0.692	10662671550481	22				
551224WW	0.692	10662671550450	22				

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

Notes:

SPECIALTY PLUMBING PRODUCTS

PRICE LIST USP-108R JANUARY 9, 2012

Notes:



SPECIALTY PLUMBING PRODUCTS



canplas®

Head Office and Customer Service Center

11402 EAST 53RD AVENUE

SUITE 200

DENVER, CO 80239

U.S.A.

TELEPHONE: 1-888-461-5307

FAX: 1-888-461-5309

EMAIL: denver.sales@canplas.com

www.canplasplumbing.com

1-888-461-5307

Visit our mobile website
canplasplumbing.com



FSC Logo goes here