

STANLEY

**BOSTITCH**<sup>®</sup>



**2010 CONSTRUCTION CATALOG**












# WHY BOSTITCH?

WE TORTURE OUR TOOLS TO MAKE THEM BETTER. WE DROP THEM, DRAG THEM, PUMMEL THEM, SHAKE THEM, AND EVEN FREEZE THEM UNDER SUB-ZERO CONDITIONS. WHY GO TO THESE EXTREMES? BECAUSE WE KNOW THAT YOU DEMAND SUPERIOR PERFORMANCE. BOSTITCH IS UP TO YOUR CHALLENGE; YOU CAN DEPEND ON US. . . NO EXCUSES.



## TABLE OF CONTENTS

This catalog was designed with the Industry Standard color-coding system. Finding the right tool and fastener for the right application is as easy as flipping to the appropriate color.

	<b>CORDLESS TOOLS</b> .....	<b>7-9</b>
	<b>FRAMING</b> .....	<b>11-14</b>
	<b>ROOFING</b> .....	<b>17</b>
	<b>FINISH AND TRIM</b> .....	<b>19-22</b>
	<b>FLOORING</b> .....	<b>25-27</b>
	<b>SPECIALTY CONSTRUCTION</b> .....	<b>29-30</b>
	<b>CONSTRUCTION STAPLERS</b> .....	<b>33-34</b>
	<b>MANUAL FASTENING</b> .....	<b>37-38</b>
	<b>COMPRESSORS &amp; COMBO KITS</b> .....	<b>41-43</b>
	<b>ACCESSORIES</b> .....	<b>45-49</b>
	<b>HAND TOOLS &amp; STORAGE</b> .....	<b>51-69</b>



# CONSTRUCTION TOOLS

## IMPORTANT – READ CAREFULLY

You, and others working around you, can be seriously injured by fastener driving tools if you do not follow the instructions provided on the tool and in the operations manual. Used properly, these tools provide easy, safe, and efficient methods for driving nails and staples for all kinds of construction projects.

REFER to your Operations Manual, Parts List, or call Bostitch® Customer Service: 1-800-556-6696 if any of the terms used below are unfamiliar to you.

EYE PROTECTION which conforms to ANSI Z87.1 specifications and provides protection against flying particles both from the FRONT and SIDE should ALWAYS be worn by the operator and others in the work area when connecting to air supply, loading, operating or servicing this tool. Eye protection is required to guard against flying fasteners and debris, which could cause severe eye injury.

## THE CONTACT TRIP, SEQUENTIAL TRIP AND SELECTABLE TRIGGER

Bostitch offers two types of triggers for pneumatic tools: Contact Trip (black trigger), Sequential Trip (silver-gray trigger) and Selectable Trigger. Each trigger has specific advantages. For example, the Contact Trip is best suited for high-volume, rapid nailing or stapling where exact placement of the fastener is not important. The Sequential Trip is best suited for applications where rapid nailing is not required or where the exact placement of the fasteners is important. You should evaluate your construction project to determine which trigger type is best for you. Tools equipped with selectable trigger allow easy selection of contact or sequential trip with the turn of a dial.

### CONTACT TRIP

A Bostitch® tool with the Contact Trip (black trigger) installed will drive a nail whenever both the trip and the trigger are depressed at the same time.

The tool can be used to rapidly drive nails by holding the trigger pulled and repeatedly bumping the trip against the work to be nailed (Bump Nailing). A nail is driven each time the trip is bumped against the work.

The Contact Trip (black trigger) will not prevent a nail from being accidentally driven if the trigger is held, pulled and the trip is bumped against any object or person. Never hold or carry the tool with your finger on the trigger unless driving fasteners.

The Contact Trip (black trigger) can also be operated by holding the tool against the work with the trip depressed and then pulling the trigger (Place Nailing).

When using a Contact Trip for Place Nailing, the tool may bounce due to recoil, and if the tool is allowed to recontact the work surface while you are holding the trigger pulled, a second nail will be driven. The operator should allow the tool to recoil far enough to release the trip and avoid a second cycle. Don't push the tool down extra hard; let the tool do the work.

### SEQUENTIAL TRIP

The Sequential Trip (silver-gray trigger) offers a positive safety advantage since it will not accidentally drive a nail if the tool is bumped against any surface or anybody while the operator is holding the tool with the trigger pulled.

It also allows Place Nailing without the possibility of driving a second nail on recoil as described under "Contact Trip."

The Sequential Trip (silver-gray trigger) gets its name from the "sequence" required to operate the tool. To drive a nail, the operator must first depress the trip against the work and then pull the trigger. To drive a second nail, the operator must lift the tool from the work, release the trigger, and then repeat the above sequence.

If further information is required, call Bostitch® Customer Service at 1-800-556-6696 or write to: Bostitch® Customer Service, 480 Myrtle Street, New Britain, Connecticut 06053.



## LIMITED WARRANTY — U.S. and Canada Only

Effective December 1, 2005 Bostitch, L.P. warrants to the original retail purchaser that the product purchased is free from defects in material and workmanship, and agrees to repair or replace, at Bostitch's option, any defective Bostitch branded pneumatic stapler or nailer for a period of seven (7) years from date of purchase, (two [2] years from the date of purchase for Bostitch branded cordless gas nailers and staplers, one [1] year from the date of purchase for compressors and tools used in production applications). Warranty is not transferable. Proof of purchase date required. This warranty covers only damage resulting from defects in material or workmanship; it does not cover conditions or malfunctions resulting from normal wear, neglect, abuse, accident or repairs attempted or made by other than our national repair center or authorized warranty service centers. Driver blades, bumpers, o-rings, pistons and piston rings are considered normally wearing parts. For optimal performance of your Bostitch tool, always use genuine Bostitch fasteners and replacement parts.

This warranty IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES AND with respect to compressors and tools used in production applications, limits to a period of one (1) year from the date of purchase all implied warranties INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. BOSTITCH SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Some states and countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state and country to country.


To obtain warranty service in the U.S., return the product, together with proof of purchase, to the U.S. Bostitch National Repair Center. In the U.S. you may call us at 1-800- 556-6696 or visit [www.bostitch.com](http://www.bostitch.com) for address information. In Canada please call us at 1-800-567-7705 or visit [www.bostitch.com](http://www.bostitch.com).

# CONSTRUCTION TOOLS


Stanley®-Bostitch® manufactures over 2000 types of fasteners. Each fastener is engineered for optimal performance in Stanley®-Bostitch® tools, and for exceeding the performance expectations of our customers. Our goal is to continually increase efficiency, productivity, and quality, and to ensure building code compliance through reports ESR-2020, ESR-1539, ESR-1482, ESR-2122 and ER-120. Our team of engineers leads the industry in innovation and design. Utilizing our advanced laboratory, our team of engineers conducts **environmental testing** to study the effects of storm forces and other weather conditions, **withdrawal testing** to evaluate new coatings, **penetration testing** to evaluate drive characteristics, and **development testing** to optimize withdrawal, shear and pull-through performance.

## Selecting the Proper Stanley®-Bostitch® Nails


### Examples of Stanley®-Bostitch® Stick Nails




Plastic Collation



Wire Collation




Paper Collation




Adhesive Collation

**Stanley®-Bostitch® Stick Nails** are designed, engineered and manufactured in four different forms and are generally identified by collation material – plastic, wire, paper or adhesive. Adhesive collation is used on finish nails and brads for trim and fine woodworking. Finish nails and brads range in length from 3/8" to 2-1/2" with diameters ranging from 15 to 23 gauge. The plastic, wire and paper collated nails are used for general framing and crating applications. Stick nails range in length from 1-1/2" to 6-1/4" with diameters ranging from 0.113" to 0.165".

### Examples of Stanley®-Bostitch® Coil Nails




Wire Collation



Plastic Collation


**Stanley®-Bostitch® Coil Nails** are made at a 15° angle, joined together with wire or plastic, and range from 3/4" to 4" in length with diameters ranging from 0.080" to 0.148". Applications typically include roofing, siding, fencing, framing and crating.



There are four types of **nail shanks** – smooth, ring, screw and HurriQuake®. A **smooth shank** has a withdrawal capacity that is adequate for most applications. During the manufacturing of smooth shank nails, a coating is applied, which eases penetration resistance and ultimately helps improve the holding power of the fastener. However, when more holding power is necessary, a ring or screw shank should be used. A **ring shank** is designed for increased withdrawal strength in softwoods. The **screw shank** works well at improving the withdrawal capacity in hardwoods. The **HurriQuake®** nail combines all three shanks for high performance sheathing and framing.

The metal and coating used on the shank of the nail are important when selecting the proper nail for the application. Bostitch offers nails manufactured out of cold worked carbon steel, cold worked hardened steel, aluminum and stainless steel. Cold worked carbon steel is most commonly used when corrosion resistance is not a concern; cold worked hardened steel is most commonly used when attaching material to very hard substrates; and aluminum and stainless steel are most commonly used when severe corrosion resistance is needed due to the wood or environment in which the nail is installed.


Exclusive to Bostitch is the THICKCOAT™ galvanization which provides a consistent, high-performance, corrosion-resistant coating. Bostitch THICKCOAT™, as recognized in the exclusive code report ESR-1482, is designed to meet or exceed the performance of ASTM A153 hot dipped galvanized nails. THICKCOAT™ fasteners are available in all sizes of wire weld, coil and stick, and are specifically designed for use in ALL pressure treated lumber and exterior applications.



### Shear Shank Technology (Patent-Pending)

- Screw shank fills voids in sheathing created by rings
- Smooth shank provides increased shear strength at primary stress points

- ### Deep Ring Technology
- Ring shank delivers outstanding holding power



### Easy to Identify Head


- Marked for easy identification during code inspection

### Up to 25% Larger Effective Head Area (Patented)

- Increase pull-through resistance
- Designed to decrease overdrive


## Nail Point

There are four basic point styles to consider for an application – diamond, blunt diamond, chisel, and blunt chisel. Proper selection is important as the nail point can cause the wood to split, rob the tool of power or affect the withdrawal capacity of the nail.




### Diamond Point

General purpose point with best holding power




### Blunt Diamond Point

Effective at reducing wood splitting in hardwood applications



### Chisel Point


Preferred point for trim applications



### Blunt Chisel Point

Effective at reducing wood splitting in hardwood applications

## Selecting the proper Stanley®-Bostitch® Staples



All staples are joined with an adhesive coating that holds the staple together, aids the staple in penetration and keeps it from withdrawing from the wood. Light wire staples are measured in thousandths and heavy wire staples are measured by gauge. Staple gauges range from 15 to 18 and the lengths range from 1/2" to 2-1/2". Both light wire and heavy wire staples are available in steel, coated, and stainless steel, and are typically classified by the crown width. In some cases, staples are less expensive and may reduce material splitting as compared to nails.





**CORDLESS**



## Cordless 28° Wire Weld Framing Nailer

- Energy efficient gas combustion engine
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable depth guide sets nails to desired depths
- Adjustable rafter hook allows users to hang tool from rafters and joists
- Low nail lock-out prevents dry fire and extends tool life
- Ni-Cd battery completes full charge in one hour



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>GF28WW</b>	8.3 lbs.	760 in-lbs.	66	28° Wire Weld	2" - 3-1/2"	.113" - .131"

## Cordless 33° Clipped Head Paper Tape Framing Nailer

- Energy efficient gas combustion engine
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable depth guide sets nails to desired depths
- Adjustable rafter hook allows users to hang tool from rafters and joists
- Low nail lock-out prevents dry fire and extends tool life
- Ni-Cd battery completes full charge in one hour



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>GF33PT</b>	8.2 lbs.	760 in-lbs.	58	33° Paper Framing	2" - 3-1/2"	.113" - .131"

## Cordless 15 Ga Angled Finish Nailer

- Energy efficient gas combustion engine
- Lightweight design
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Tool-free adjustable depth guide sets nails to desired depths
- Tool-free jam clearance allows for quick and easy fastener removal
- Belt hook allows user to hang tool when not in use
- Low nail lock-out prevents dry fire and extends tool life
- Li-ion battery completes full charge in one hour



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
GFN1564K	4.2 lbs.	332 in.-lbs.	100	"FN" 15 Ga Angled	1-1/4" - 2-1/2"

## Cordless 16 Ga Straight Finish Nailer

- Energy efficient gas combustion engine
- Lightweight design
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Tool-free adjustable depth guide sets nails to desired depths
- Tool-free jam clearance allows for quick and easy fastener removal
- Belt hook allows user to hang tool when not in use
- Low nail lock-out prevents dry fire and extends tool life
- Li-ion battery completes full charge in one hour



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
GFN1664K	4.0 lbs.	309 in.-lbs.	100	16 Ga Straight	1" - 2-1/2"

## Cordless 18 Ga Straight Brad Nailer

- Energy efficient gas combustion engine
- Lightweight design
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Tool-free adjustable depth guide sets nails to desired depths
- Tool-free jam clearance allows for quick and easy fastener removal
- Belt hook allows user to hang tool when not in use
- Li-ion battery completes full charge in one hour



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
GBT1850K	4.0 lbs.	185 in.-lbs.	100	18 Ga Brads	5/8" - 2"

## Framing Fuel Cell

- Fuel contains synthetic lubricants for optimal operation under high temperature conditions
- Red accented canister allow for easy identification of fuel type
- Comes in a package of two fuel cells



SKU #	COMPATABILITY
9B12061R	Bostitch® GF28WW Paslode® 900420, Hitachi® NR90GR, NR90GC, NR90GC2 and Senco® GT90CH, GT90FRH

Paslode is a registered trademark of Illinois Tool Works, Inc.  
Senco is a registered trademark of Senco Products, Inc.  
Hitachi is a registered trademark of Hitachi, Ltd.

## Finish Fuel Cell

- Fuel contains synthetic lubricants for optimal operation under high temperature conditions
- Yellow accented canister allow for easy identification of fuel type
- Comes in a package of four fuel cells



SKU #	COMPATABILITY
9B12062R	Bostitch® GFN1564K, GFN1664K, GBT1850K Paslode® 900600, 902000, 901000, Hitachi®: NT65GS, NT50GS

Paslode is a registered trademark of Illinois Tool Works, Inc.  
Senco is a registered trademark of Senco Products, Inc.  
Hitachi is a registered trademark of Hitachi, Ltd.



**FRAMING**



## Cordless 28° Wire Weld Framing Nailer

- Energy efficient gas combustion engine
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable depth guide sets nails to desired depths
- Adjustable rafter hook allows users to hang tool from rafters and joists
- Low nail lock-out prevents dry fire and extends tool life
- Ni-Cd battery completes full charge in one hour



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>GF28WW</b>	8.3 lbs.	760 in-lbs.	66	28° Wire Weld	2" - 3-1/2"	.113" - .131"

## Cordless 33° Clipped Head Paper Tape Framing Nailer

- Energy efficient gas combustion engine
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable depth guide sets nails to desired depths
- Adjustable rafter hook allows users to hang tool from rafters and joists
- Low nail lock-out prevents dry fire and extends tool life
- Ni-Cd battery completes full charge in one hour



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>GF33PT</b>	8.2 lbs.	760 in-lbs.	58	33° Paper Framing	2" - 3-1/2"	.113" - .131"

## Plastic Collated Framing/Metal Connector Nailer

- Two nailers in one: optional quick change nose pieces to convert tool to either framing or metal connector applications (sold separately)
- Designed to drive into engineered lumber
- Patented push button adjustable depth guide sets nail to desired depths
- Lightweight magnesium design for added durability



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
F21PL2	8.1 lbs.	1050 in-lbs.	60	21° Plastic Framing & Metal Connector	2" - 3-1/2" 1-1/2" - 2-1/2"	.113" - .162" .131" - .162"

## Wire Weld Framing Nailer

- Notched 16" layout indicator on magazine helps achieve correct distance between studs in a matter of seconds
- Designed to drive into engineered lumber
- Patented push button adjustable depth guide sets nail to desired depths
- Lightweight magnesium design for added durability



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
F28WW	7.6 lbs.	1050 in-lbs.	100	28° Wire Weld	2" - 3-1/2"	.113" - .131"

## Paper Tape Framing/Metal Connector Nailer

- Two nailers in one: includes two quick change nose pieces to convert tool to either framing or metal connector applications
- Designed to drive into engineered lumber
- Patented push button adjustable depth guide sets nail to desired depths
- Lightweight magnesium design for added durability



Nails available in brite and galvanized

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
F33PT	7.9 lbs.	1050 in-lbs.	80	33° Paper Framing & Metal Connector	2" - 3-1/2" 1-1/2" - 2-1/2"	.113" - .162" .131" - .162"

## Metal Connector Nailer

- Exposed nail tip places fastener point directly into connector holes for a faster, more precise application
- Compact design fits easily into hard to reach spaces - only 10-1/2" tall (MCN150)
- Up to 50% lighter than competitive models for reduced fatigue
- In-line magazine offers improved balance for added maneuverability



MCN250

Nails available in brite and galvanized

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>MCN150</b>	4.6 lbs.	450 in-lbs.	29	35° Paper Metal Connector	1-1/2"	.131" - .148"
<b>MCN250</b>	6.0 lbs.	600 in-lbs.	53	35° Paper Metal Connector	1-1/2" & 2-1/2"	.131" - .162"

## Coil Framing Nailer

- Lightweight magnesium design for added durability
- Patented push button adjustable depth guide sets nail to desired depths quickly and conveniently
- Aggressive wear guards protect the tool from damage on abrasive surfaces
- Adjustable exhaust directs air away from the user
- Coil magazine holds up to 300 nails for high production applications
- **N89C-HQ**: Large bore version optimized for HurriQuake® coil nails



N89C-HQ

Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>N89C-1</b>	8.0 lbs.	1050 in-lbs.	225 - 300	15° Coil Framing	2" - 3-1/2"	.099" - .148"
<b>N89C-HQ</b>	8.0 lbs.	1050 in-lbs.	225 - 300	15° Coil Framing / Coil HurriQuake®	2" - 3-1/2"	.099" - .148"

## Coil Framing Nailer

- Lightweight aluminum design for added durability
- Heavy duty quick-open canister designed to survive falls
- Aggressive toe-nailing teeth grip lumber for slip-free nailing
- Coil magazine holds up to 300 nails for high production applications



Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>N80CB-1</b>	8.4 lbs.	880 in-lbs.	225 - 300	15° Coil Framing	1-1/2" - 3-1/4"	.099" - .148"

## Coil Sheathing/Siding Nailer

- Perfect for high-volume nailing of wall and roof sheathing
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Lightweight aluminum design
- Drives 15° wire weld collated and plastic inserted nails with shank diameters of .090" - .131"



Nails available in brite, galvanized and stainless

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>N75C-1</b>	5.2 lbs.	630 in-lbs.	225 - 300	15° Coil Framing & Plastic Inserted Siding	1-1/2" - 3"	.090" - .131"

## Heavy-Duty Timber Framing Nailer

- Drives plastic collated framing nails for timber framing and crating
- Tool-free adjustable exhaust to direct air away from users
- Smooth trip design for fast cycling
- Secondary handle for improved ergonomics and control
- Built-in hanging hook for high-production
- No nail lockout to prevent dry fires and extend tool life



Nails available in brite

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>BRT130</b>	13.75 lbs.	1800 in-lbs.	50	21° Plastic Framing	4" - 5-1/8"	.131" - .165"







**ROOFING**



## Coil Roofing Nailer

- Zero nail lockout feature eliminates dry firing and indicates when to reload the magazine
- Nosepiece features carbide inserts for long-life performance
- Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- Quick-set adjustable depth guide sets nails to desired depths quickly and conveniently
- Patented, single-action, side load canister for fast, one-step nail loading
- Adjustable shingle guide for quick shingle spacing



Nails available in galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
<b>RN46-1</b>	4.9 lbs.	410 in-lbs.	120	15° Coil Roofing	3/4" - 1-3/4"	.120"

## Wide Crown Roofing Stapler

- Jam-free magazine
- Power control valve adjusts power by 30%
- Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
- Nosepiece features carbide inserts for long-life performance
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable shingle guide for quick shingle spacing



Staples available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
<b>438S2R-1</b>	4.7 lbs.	230 in-lbs.	160	1" Crown Staple	1/2" - 1-1/2"	16 Ga



**FINISH & TRIM**



## Cordless 15 Ga Angled Finish Nailer

- Energy efficient gas combustion engine
- Lightweight design
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Tool-free adjustable depth guide sets nails to desired depths
- Tool-free jam clearance feature allows for quick and easy fastener removal
- Belt hook allows user to hang tool when not in use
- Low nail lock-out prevents dry fire and extends tool life
- Li-ion battery completes full charge in one hour



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>GFN1564K</b>	4.2 lbs.	332 in-lbs.	100	"FN" 15 Ga Angled	1-1/4" - 2-1/2"

## Cordless 16 Ga Straight Finish Nailer

- Energy efficient gas combustion engine
- Lightweight design
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Tool-free adjustable depth guide sets nails to desired depths
- Tool-free jam clearance feature allows for quick and easy fastener removal
- Belt hook allows user to hang tool when not in use
- Low nail lock-out prevents dry fire and extends tool life
- Li-ion battery completes full charge in one hour



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>GFN1664K</b>	4.0 lbs.	309 in-lbs.	100	16 Ga Straight	1" - 2-1/2"

## Cordless 18 Ga Straight Brad Nailer

- Energy efficient gas combustion engine
- Lightweight design
- Overmolded rubber grip maximizes comfort and minimizes fatigue
- Tool-free adjustable depth guide sets nails to desired depths
- Tool-free jam clearance feature allows for quick and easy fastener removal
- Belt hook allows user to hang tool when not in use
- Li-ion battery completes full charge in one hour



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>GBT1850K</b>	4.0 lbs.	185 in-lbs.	100	18 Ga Brads	5/8" - 2"

## 15 Ga Angled Finish Nailer Kit

- Lightweight magnesium design for added durability
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Adjustable depth guide sets nails to desired depths quickly & conveniently
- Tool-free removable magazine for fast cleaning and jam clearing
- Kit includes: Finish Nailer, 1,000 2" Nails, 4 Profile Tips, Carrying Case & Hex Wrenches



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>N62FNK-2</b>	3.8 lbs.	380 in-lbs.	130	"FN" 15 Ga Angled	1-1/4" - 2-1/2"

## 16 Ga Straight Finish Nailer Kit

- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Rear trip design for precise fastener placement
- Ultra-quiet rear exhaust directs air away from the user
- Selectable trigger system converts from sequential to contact operation
- Low nail lockout prevents dry firing
- Swivel air fitting with internal filter improves maneuverability
- Kit Includes: Finish Nailer, 1/4" Swivel Air Fitting, 1000 2" Finish Nails, 4 Profile Tips, Carrying Case, Hex Wrenches & Belt Hook



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>FN1664K</b>	3.9 lbs.	285 in-lbs.	100	16 Ga Straight	1" -2-1/2"

## 16 Ga Straight Finish Nailer Kit

- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Quick release nose door for fast jam clearing
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Kit includes: Finish Nailer, 1,000 2" Nails, Carrying Case, Oil



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>SB-1664FN</b>	4.0 lbs.	300 in-lbs.	100	16 Ga Straight	1-1/4" - 2-1/2"

## 18 Ga Brad Nailer Kit

- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Selectable trigger system converts from sequential to contact operation
- Ultra-quiet rear exhaust directs air away from the user
- Low nail lockout prevents dry firing
- Swivel air fitting with internal filter improves maneuverability
- Kit Includes: Brad Nailer, 1/4" Swivel Air Fitting, 1000 2" Brads, Carrying Case, Hex Wrench & Belt Hook



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>BT1855K</b>	2.7 lbs.	160 in.-lbs.	100	18 Ga Brads	5/8" - 2-1/8"

## 18 Ga Brad Nailer Kit

- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- No-mar tip protects work surface
- Kit includes: Brad Nailer, 1,000 Brad Nails, Carrying Case & Oil



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>SB-1850BN</b>	2.7 lbs.	170 in.-lbs.	100	18 Ga Brads	5/8" - 2"

## 18 Ga Combo Brad Nailer/Finish Stapler Kit

- Drives both 18-gauge brads and narrow crown finish staples for ultimate versatility
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Kit includes: Nailer, 1/4" Air Fitting, 1,000 2" Brad Nails, 1,000 1" Staples, Carrying Case, Hex Wrench, Extra No-Mar Tip, Oil



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>SB-2IN1</b>	2.6 lbs.	135 in.-lbs.	100	18 Ga Brads	5/8" - 1-5/8"
				18 Ga "SX" Staples	1/2" - 1-1/2"

## 23 Ga Headless Pin Nailer Kit

- Adjustable high/low power control sets pin depth without changing compressor setting
- Low profile nosepiece tapers down to contact point for clear line-of-sight
- 19% greater pin capacity over competitive models for a wider range of fasteners
- Kit includes: Pin Nailer, 1/4" Air Fitting, 500 1/2" Pins, 500 3/4" Pins, 500 1" Pins, Carrying Case & Belt Hook



Nails available in coated

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
HP118K	2.3 lbs.	60 in-lbs.	200	23 Ga Pins	1/2" - 1-3/16"

## 18 Ga Finish Stapler Kit

- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Selectable trigger system converts from sequential to contact operation
- Ultra-quiet rear exhaust directs air away from the user
- Low nail lockout prevents dry firing
- Swivel air fitting with internal filter improves maneuverability
- Kit Includes: Finish Stapler, 1/4" Swivel Air Fitting, 1000 1" Finish Staples, Carrying Case, Hex Wrench & Belt Hook



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
SX1838K	3.0 lbs.	160 in-lbs.	100	18 Ga "SX" Staples	1/2" - 1-1/2"

## 18 Ga Finish Stapler Kit

- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- Bottom load magazine for fast loading and easy jam clearing
- No-mar tip protects work surface
- Kit includes: Stapler, 1/4" Air Fitting, 1,000 1" Staples, Carrying Case & Oil



Nails available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
SB-150SX	2.6 lbs.	135 in-lbs.	100	18 Ga "SX" Staples	1/2" - 1-1/2"







**FLOORING**



## 15.5 Ga Hardwood Flooring Stapler Kit

- High-speed mallet actuated pneumatic operation increases productivity over manual methods
- Extra-wide composite base plate for added stability (1/2", 5/8" and 3/4" base plates included)
- Long reach handle for improved comfort and control (short handle optional)
- Kit includes: Stapler, Graphite Mallet, Pre-Finished Flooring Adapter Foot



**Staples available in coated and stainless steel**

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>MIIFS</b>	11.2 lbs.	420 in-lbs.	92	15.5 Ga BCS Flooring Staple	1-1/2" - 2"

## 16 Ga Hardwood Flooring Cleat Nailer Kit

- High-speed mallet actuated pneumatic operation increases productivity over manual methods
- Extra-wide composite base plate for added stability (1/2", 5/8" and 3/4" base plates included)
- Long reach handle for improved comfort and control (short handle optional)
- Kit includes: Nailer, Graphite Mallet, Pre-Finished Flooring Adapter Foot



**Nails available in coated**

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>MIIFN</b>	11.2 lbs.	420 in-lbs.	110	16 Ga L-Shaped Flooring Cleat	1-1/2" - 2"

## 16 Ga Manual Hardwood Flooring Cleat Nailer Kit

- Selectable drive mode to choose between single or multi-blow options
- Graphite mallet with ergonomic comfort grip
- Installs 1/2", 5/8" and 3/4" flooring
- Rubber bumpers protect pre-finished floors against marring
- Kit includes: Nailer, Graphite Mallet, Flooring Adapters (for 1/2" & 5/8" flooring), Carrying Case & Hex Wrenches



**Nails available in coated**

SKU #	WEIGHT	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>MFN-201</b>	8.6 lbs.	120	16 Ga L-Shaped Flooring Cleat	1-1/2" - 2"

## 18 Ga Engineered Flooring Stapler Kit

- Adjustable knobs allow tool-free adjustment from 5/16" - 7/16" for solid hardwood and 1/2" - 5/8" for engineered hardwood and engineered bamboo
- High visibility tongue engagement for faster installation
- Non-marring profile tips to prevent floor scratches
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Swivel air fitting with internal filter improves maneuverability
- Ultra-quiet rear exhaust directs air away from the user



Staples available in coated and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
EHF1838K	3.47 lbs.	160 in-lbs.	100	18 Ga "SX" Staples	1" - 1-1/2"

## 20 Ga Engineered Flooring Stapler Kit

- Adjustable knobs allow tool-free adjustment from 1/4" to 1/2" engineered flooring
- High visibility tongue engagement for faster installation
- Non-marring profile tips to prevent floor scratches
- Oil-free operation requires no regular maintenance and eliminates the risk of oil stains
- Swivel air fitting with internal filter improves maneuverability
- Ultra-quiet rear exhaust directs air away from the user



Staples available in coated

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
LHF2025K	2.9 lbs.	122 in-lbs.	125	20 Ga 97 Series Staple	1"



## Graphite Hardwood Flooring Mallets

- Beveled face to set board ends and protect wear layer
- Soft replaceable face to protect flooring and tool
- Jacketed graphite handle adds strength and durability while providing the feel of wood
- Flared comfort fit handle ensures firm grip



SKU #	WEIGHT	LENGTH
<b>HFM-3</b>	45 oz.	14.8"
<b>HFM-4</b>	59 oz.	16.1"
<b>HFMF-SW</b>	Replacement Mallet Face	

## Flooring Cleat Nailer Conversion Kit

- Includes kit to easily convert the MIIIFS Flooring Stapler to an MIIIFN Flooring Cleat Nailer



SKU #	WEIGHT	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>MIIIFN-KIT</b>	4.0 lbs.	110	L-Shaped Flooring Cleat	1-1/2" - 2"



**SPECIALTY CONSTRUCTION**

## Coil Siding Nailer

- Drives wire weld and plastic inserted coil nails
- Adjustable depth guide sets nails to desired depths quickly and conveniently
- Lightweight aluminum design for added durability
- Soft rubber foot prevents damage to softer woods
- Tool-free adjustable exhaust conveniently directs exhaust away from the user



SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
N66C-1	4.7 lbs.	500 in.-lbs.	300	15° Coil Siding & Plastic Inserted Siding	1-1/4" - 2-1/2"	.080" - .092"

## Bostitch® Cap Stapler Kit

- Designed to be the preferred method of securing felt, house wrap and thin foam
- Adjustable depth of drive sets staples to desired depths quickly & conveniently
- Selectable trigger operation converts from sequential to contact operation
- Includes internal air filter for maximum reliability
- 1" diameter caps offer superior hold power and increased productivity
- The Bostitch® Cap method proves to be 10x faster than nailing by hand



### Staples available in coated

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
SL1838BC	3.9 lbs.	170 in.-lbs.	160	5/16" Crown Staples	1" - 1-1/2"	18 Ga
			100	Bostitch® Caps		

## Bostitch® Cap Nailer

- Tool-free "Dial-A-Depth" adjustment sets nails to desired depths quickly and conveniently
- Lightweight aluminum design for added durability
- Quick-load magazine feature provides fast and easy loading of caps and nails
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- 1" diameter caps offer superior hold power and increased productivity
- The Bostitch® Cap method proves to be 10x faster than nailing by hand



### Nails available in brite, galvanized and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
N66BC-1	5.8 lbs.	500 in.-lbs.	300	Coil Framing & Siding and Bostitch® Caps	1-1/4" -2-1/2"	.080" - .092"

## Mini Impact Nailer

- Rubber grip designed to insulate and reduce vibration
- Weighs only 1 pound
- 360° swivel exhaust fitting for maximum accessibility
- Front exhaust directs air away from users palm



SKU #	WEIGHT	FASTENER TYPE
PN50	1.0 lbs.	Bulk Finish, Framing & Timber Nails

## Impact Nailer Kit

- Ideal for driving common bulk nails into confined areas or nailing metal connectors and joist hangers
- Magnetic nose with recessed nail slot holds nails stable for accurate fastener placement
- Hardened steel nose for durability
- Kit Includes: Impact Nailer, Standard Nose, Finish Nail Nose, Large Bore Nose, Leather Comfort Glove, Nose Wrench, Hex Wrench, Tool Lubricant and Spare O-Rings



SKU #	WEIGHT	FASTENER TYPE
PN100K	2.9 lbs.	Bulk Finish, Framing & Timber Nails

## Concrete Nailer

- Lightweight aluminum design for added durability
- High-speed pneumatic power increases productivity over other fastening methods
- Makes fastening of wood furring strips to concrete fast and easy
- High-capacity magazine reduces reload time



Nails available in hardened & stiff

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER DIAMETER
MIII812CNCT	7.1 lbs.	420 in.-lbs.	66	T-Nail	9/16" - 2-1/4"	.097"









**CONSTRUCTION STAPLERS**

## Wide Crown Stapler

- AntiJam™ magazine to minimize downtime
- Power control valve adjusts power by 30% to set staples to desired depths quickly and conveniently
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Reduced height for stapling in tight areas
- Nosepiece features carbide inserts for long-life performance



Staples available in brite, galvanized, and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
438S2-1	4.5 lbs.	230 in.-lbs.	160	1" Crown Staple	1/2" - 1-1/2"	16

## Wide Crown Lathing Stapler

- AntiJam™ magazine to minimize downtime
- Power control valve adjusts power by 30% to set staples to desired depths quickly and conveniently
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Reduced height for stapling in tight areas



Staples available in brite, galvanized, and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
450S2-1	4.5 lbs.	230 in.-lbs.	160	1" Crown Staple	1/2" - 2"	16

## Construction Stapler

- AntiJam™ magazine to minimize downtime
- Power control valve adjusts power by 30% to set staples to desired depths quickly and conveniently
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Reduced height for stapling in tight areas



Staples available in brite, galvanized, and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
438S4-1	4.0 lbs.	230 in.-lbs.	160	1/2" Crown Staple	3/4" - 1-1/2"	16



## Construction Stapler

- AntiJam™ magazine to minimize downtime
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable exhaust conveniently directs exhaust away from user
- Adjustable depth guide sets staples to desired depths



Staples available in brite, galvanized, and stainless steel

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
650S4-1	4.5 lbs.	340 in-lbs.	160	1/2" Crown Staple	1" - 2"	16

## Construction Stapler

- AntiJam™ magazine to minimize downtime
- Over-molded rubber grip maximizes comfort and minimizes fatigue
- Adjustable exhaust conveniently directs exhaust away from user
- Adjustable depth guide sets staples to desired depths



Staples available in brite, and galvanized

SKU #	WEIGHT	POWER	MAGAZINE CAPACITY	FASTENER TYPE	FASTENER LENGTH	FASTENER GAUGE
650S5-1	4.5 lbs.	390 in-lbs.	160	7/16" Crown Staple	1" - 2"	16







**MANUAL FASTENING**

## PowerSlam™ PowerCrown™ Hammer Tacker

- Exclusive long-reach knuckle saver handle with comfortable non-slip grip
- High-capacity quick-load magazine holds up to two full sticks of staples, minimizing reloading
- Die-cast frame and through hardened steel components for durability
- AntiJam™ design for maximum productivity



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH
PC2K	2.25 lbs.	168	STCR5019	1/4" - 3/8"

## PowerCrown™ Hammer Tacker with Holster

- Die-cast frame and through hardened steel components for durability
- Quick load magazine
- Tool-free jam clearing



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH
H30-8D6	2.25 lbs.	84	STCR5019	1/4" - 3/8"

## PowerCrown™ Hammer Tacker

- Die-cast frame and through hardened steel components for durability
- Quick load magazine
- Tool-free jam clearing



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH
H30-8	1.8 lbs.	84	STCR5019	1/4" - 3/8"
H30-6	1.7 lbs	84	STCR2619	1/4" - 3/8"

## Heavy Duty Tackers

- Breathable AntiJam™ magazine
- Patented easy squeeze mechanism
- Lightweight die-cast aluminum design
- Steel handle with overmolded rubber grip for comfort
- Convenient bottom loading for quick and easy reloading
- Nickel chrome plated steel magazine and core provides smoother, more durable sliding surface for staples



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH	CLINCH TYPE
T6-8	1.9 lbs.	84	STCR5019	1/4" - 3/8"	Straight
T6-80C2	1.8 lbs.	84	STCR5019	1/4" - 3/8"	Outward
T6-60C2	1.8 lbs.	84	STCR2619	1/2"	Outward



## PowerCrown™ Stapling Plier

- Case hardened steel components for durability
- Ergonomic design and patented easy squeeze bearing system for ease of use
- Quick-load magazine



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>P6C-8</b>	1 lb.	84	STCR5019 Staples	1/4" -3/8"

## PowerCrown™ Light Wire Stapling Plier

- Case hardened steel components for durability
- Ergonomic design and patented easy squeeze bearing system for ease of use
- Quick-load magazine



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>P6C-6</b>	1 lb.	84	STCR2619 Staples	1/4" -3/8"

## Heavy Duty Light Wire Stapling Plier

- Case hardened steel components for durability
- Ergonomic design for ease of use
- AntiJam™ design for maximum productivity
- Quick-load magazine



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER LENGTH
<b>P3-CHROME</b>	0.5 lb.	208	SP191/4 Staple	1/4" -3/8"

## Collated Ring Plier

- Case hardened steel components for durability
- Easy one-hand operation
- Automatic feed system for ease of use and productivity



SKU #	WEIGHT	CAPACITY	FASTENER TYPE	FASTENER GAUGE
<b>P7</b>	0.8 lb.	50	C-Rings	16 Ga









**COMPRESSORS & COMBO KITS**

## 4 Gallon Oil-Lube Stack Tank Compressor

- Oil-lubricated pump delivers 4.0 CFM @ 90 PSI and 135 PSI max operating pressure for improved tool performance
- 1.5 HP running motor draws only 13.5 amps for easy start up without tripping circuit breakers
- 4-gallon reserve tank for multi-tool use
- Roll cage style handle protects components from jobsite damage
- Cold start valve for easy start up in cold weather climates
- Oil level site glass with cast in fill and drain funnels for added convenience



RECOMMENDED TOOL CAPACITY	
APPLICATION	NUMBER OF TOOLS
FRAMING	
ROOFING	
FINISH	

SKU #	WEIGHT	TANK SIZE	HORSEPOWER	SKID QUANTITY
<b>CAP2040ST-OL</b>	58 lbs.	4 Gallons	1.5 HP (Running)	12

## 6 Gallon Oil-Free Pancake Compressor

- Oil-free pump delivers 2.8 CFM @ 90 PSI and 150 PSI max operating pressure for improved tool performance
- 1.5 HP running motor draws 12 amps for easy start up without tripping circuit breakers
- Large 6-gallon tank and dual couplers for multi-tool use
- Integrated control panel protects gauges and pressure switch from jobsite damage
- Integrated hose/cord wrap (at the intersection of tank and shroud) from improved portability
- Includes: Compressor, 25' PVC hose with fittings and dual coupler



RECOMMENDED TOOL CAPACITY	
APPLICATION	NUMBER OF TOOLS
FRAMING	
ROOFING	
FINISH	

SKU #	WEIGHT	TANK SIZE	HORSEPOWER	SKID QUANTITY
<b>CAP2000P-OF</b>	38 lbs.	6 Gallons	1.5 HP (Running)	12

## 6 Gallon Oil-Free Pancake Compressor

- Powerful 1.6 HP running industrial induction motor with manual reset overload protection draws only 10.5 amps
- High capacity 6-gallon air tank and high flow regulator for multi-tool use
- Compact design for maximum portability and shop storage



RECOMMENDED TOOL CAPACITY	
APPLICATION	NUMBER OF TOOLS
FRAMING	
ROOFING	
FLOORING	
FINISH	

SKU #	WEIGHT	TANK SIZE	HORSEPOWER	SKID QUANTITY
<b>CAP2060P</b>	51 lbs.	6 Gallons	1.6 HP (Running)	12

## 1.2 Gallon Oil-Free High-Output Trim Compressor

- High-output oil-free pump delivers 2.8 CFM @ 90 PSI and 150 PSI max operating pressure for multiple finish tool operation
- 2.0 HP (Peak), 1.5 HP (Running) motor draws 12 amps for easy start up without tripping circuit breakers
- 1.2 gallon compact design weighs 23.5 lbs. for easy portability
- Integrated control panel with roll cage protects gauges from jobsite damage
- LED ON/OFF switch lets you know when the compressor is on to eliminate low-pressure misfires
- On-board tool and hose storage
- Convenient storage pocket for hand tools, fasteners and fittings
- Integrated cord wrap for improved portability
- No-marring rubber feet



TOOLS SOLD SEPARATELY



RECOMMENDED TOOL CAPACITY	
APPLICATION	NUMBER OF TOOLS
FINISH	

SKU #	WEIGHT	TANK SIZE	HORSEPOWER	SKID QUANTITY
<b>CAP1512-OF</b>	23.5 lbs.	1.2 Gallons	1.5 HP (Running)	12

## 1 Tool/Compressor Combo Pack

### CAP2000P-OF

- Oil-free pump requires less maintenance
- 2.8 CFM @ 90 PSI with 150 max. operating pressure for improved tool performance
- Large 6-gallon reserve tank with ball-type drain valve for easy drainage
- Impact-resistant composite shroud protects gauges against jobsite damage

### SB-1850BN

- Adjustable depth guide sets nails to desired depths quickly & conveniently
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- No mar tip protects work surface

### Included Accessories

- 1/4" x 40' PVC air hose with fittings, 1000 2" 18 Ga brads, tool lubricant & carrying case



SKU #	TOOL	COMPRESSOR	SKID QUANTITY
<b>CPACK1850BN</b>	SB-1850BN	CAP2000P-OF	8



## 2 Tool/Compressor Combo Pack

### CAP2000P-OF Air Compressor

- Oil-free pump requires less maintenance
- 2.8 CFM @ 90 PSI with 150 max. operating pressure for improved tool performance
- Large 6-gallon reserve tank with ball-type drain valve for easy drainage
- Impact-resistant composite shroud protects controls and gauges from jobsite damage

### 2 Tools (SB-1664FN 16 Ga Finish Nailer, SB-1850BN 18 Ga Brad Nailer)

- Adjustable depth guide sets nails to desired depths quickly & conveniently
- Tool-free adjustable exhaust conveniently directs air away from the user
- No-mar tip protects work surface

### Included Accessories

- 1/4" x 25' PVC air hose with fittings, 1,000 of 2" 16 Ga finish nails, 1,000 of 1-1/4" 18 Ga brad nails, tool lubricant, contractor's tool bag



SKU #	TOOLS	COMPRESSOR	SKID QUANTITY
<b>CPACK2A</b>	SB-1664FN, SB-1850BN	CAP2000P-OF	8

## 3 Tool/Compressor Combo Pack

### CAP2000P-OF Air Compressor

- Oil-free pump requires less maintenance
- 2.8 CFM @ 90 PSI with 150 max. operating pressure for improved tool performance
- Large 6-gallon reserve tank with ball-type drain valve for easy drainage
- Impact-resistant composite shroud protects controls and gauges from jobsite damage

### 3 Tools (SB-1850BN Brad Nailer, SB-150SX Finish Stapler, SB-1664FN Finish Nailer)

- Adjustable depth guide sets nails to desired depths quickly & conveniently
- Tool-free adjustable exhaust conveniently directs exhaust away from the user
- No-mar tip protects work surface

### Included Accessories

- 1/4" x 40' PVC air hose with fittings, 1,000 1-1/4" 18 Ga brads, 1,000 1" 18 Ga staples, 1,000 2" 16 Ga finish nails, tool lubricant, contractor's tool bag






SKU #	TOOLS	COMPRESSOR	SKID QUANTITY
<b>CPACK300</b>	SB-1664FN, SB-1850BN, SB-150SX	CAP2000P-OF	8




## **ACCESSORIES & HOSES**


## Hoses

SKU #	DESCRIPTION	
PRO-1450	1/4" x 50' Premium Quality Ribbed Polyurethane Air Hose	
PRO-14100	1/4" x 100' Premium Quality Ribbed Polyurethane Air Hose	
PRO-3850	3/8" x 50' Premium Quality Ribbed Polyurethane Air Hose	
PRO-38100	3/8" x 100' Premium Quality Ribbed Polyurethane Air Hose	
HOPU1450	1/4" x 50' Polyurethane Air Hose	
HOPU14100	1/4" x 100' Polyurethane Air Hose	
HOPU3850	3/8" x 50' Polyurethane Air Hose	
HOPU38100	3/8" x 100' Polyurethane Air Hose	
HOPB1450	1/4" x 50' PVC And Rubber Blend Air Hose	
HOPB14100	1/4" x 100' PVC And Rubber Blend Air Hose	
HOPB3850	3/8" x 50' PVC And Rubber Blend Air Hose	
HOPB38100	3/8" x 100' PVC And Rubber Blend Air Hose	

## Lubricants

SKU #	DESCRIPTION	
PREMOIL-4OZ	4 oz. Premium Grade Pneumatic Tool Lubricant	
PREMOIL-20OZ	20 oz. Premium Grade Pneumatic Tool Lubricant	
WINTEROIL-4OZ	4 oz. Winter Grade Pneumatic Tool Lubricant	
WINTEROIL-20OZ	20 oz Winter Grade Pneumatic Tool Lubricant	
PREMCOMOIL-32OZ	Non-Detergent Air Compressor Lubricant	
SYNCOMOIL-20OZ	All-Season Synthetic Lubricant	

## O-Ring Kits

SKU #	DESCRIPTION	
N880RK	N88 O-Ring Kit	
N890RK	F21PL, F28WW, F33PT, N89C O-Ring Kit	
ORK1	N50FN, N59FN, N60FN, T40, T50 O-Ring Kit	
ORK6	MIIIFS, MIIIFN O-Ring Kit	
ORK10	S32, BT35, BT50, PC5000 O-Ring Kit	
ORK11	N79, N80, N90, N95 O-Ring Kit	
ORK12	N63, N64, SDCN14 O-Ring Kit	
ORK13	RN45 O-Ring Kit	
120965	PN100 O-Ring Kit	
186190	PN50 O-Ring Kit	

## Rebuild Kits

SKU #	DESCRIPTION	
BOSCAP-RK	SB150SLBC, SB-1664FN Rebuild Kit	
BT55/SX38-RK	BT1855K/SX1838K Rebuild Kit	
B125K-RK	BT125 Rebuild Kit	
BT200-RK	BT200 Rebuild Kit	
FN16250K-RK	BT16250 Rebuild Kit	
FN1664-RK	FN1664K Rebuild Kit	
MCN-RK	MCN150/MCN250 Rebuild Kit	
MIISK	MIIFS, MIIFN Rebuild Kit	
N62-RK	N62 Rebuild Kit	
N66C-RK	N66BC, N66C, N66, N75 Rebuild Kit	
RN46-RK	RN46 Rebuild Kit	
SX150-RK	SX150 Rebuild Kit	

## Vinyl Siding & Depth Kits

SKU #	DESCRIPTION	
108551	650S4 Vinyl Siding Trip	
108550	438S4/538S4 Vinyl Siding Trip	
VSA4	RN46 Vinyl Siding Adaptor	
DC3	N80CB Dial-A-Depth Kit	



## INDUSTRIAL FITTINGS

**Pre-applied thread sealant** for airtight connections. Simplifies field installation by eliminating the need for thread sealant tape  
**Plated steel construction** with drag guard for jobsite durability and reliability (all plugs and couplers)  
**6-ball coupler design** for balanced, strong, secure connections  
**Up to 19% more compact and 29% lighter** than competitive couplers for improved tool ergonomics

SKU #	SPECIFICATION		NPT	
	SERIES	STYLE	SIZE	THREAD
<b>IP-14M</b>	1/4"	Plug	1/4"	Male
<b>IC-14M</b>	1/4"	Coupler	1/4"	Male
<b>IP-14M-B</b> Bulk Pack	1/4"	Plug	1/4"	Male
<b>IC-14M-B</b> Bulk Pack	1/4"	Coupler	1/4"	Male
<b>IP-14F</b>	1/4"	Plug	1/4"	Female
<b>IC-14F</b>	1/4"	Coupler	1/4"	Female
<b>IP-14F-B</b> Bulk Pack	1/4"	Plug	1/4"	Female
<b>IC-14F-B</b> Bulk Pack	1/4"	Coupler	1/4"	Female
<b>IP-38M</b>	1/4"	Plug	3/8"	Male
<b>IC-38M</b>	1/4"	Coupler	3/8"	Male
<b>IP-38F</b>	1/4"	Plug	3/8"	Female
<b>IP38-38M</b>	3/8"	Plug	3/8"	Male
<b>IP38-38F</b>	3/8"	Plug	3/8"	Female
<b>ISWIVEL-14M</b>	1/4"	Swivel Plug	1/4"	Male
<b>IHKIT-14F</b>	1/4"	Hose Coupler Kit	1/4"	Female



**Plug      Coupler**  
1/4" Series, 1/4" Male Thread



**Swivel Plug**  
1/4" Series, 1/4" Male Thread



**Plug      Coupler**  
1/4" Series, 1/4" Female Thread

## AUTOMOTIVE FITTINGS

Pre-applied thread sealant for airtight connections. Simplifies field installation by eliminating the need for thread sealant tape  
 Plated steel construction with drag guard for jobsite durability and reliability (all plugs and couplers)  
 8-ball coupler design for balanced, strong, secure connections

SKU #	SPECIFICATION		NPT	
	SERIES	STYLE	SIZE	THREAD
AP-14M	3/8"	Plug	1/4"	Male
AC-14M	3/8"	Coupler	1/4"	Male
AP-14M-B Bulk Pack	3/8"	Plug	1/4"	Male
AC-14M-B Bulk Pack	3/8"	Coupler	1/4"	Male
ASWIVEL-38M	3/8"	Swivel Plug	1/4"	Male
AP-14F	3/8"	Plug	1/4"	Female
AC-14F	3/8"	Coupler	1/4"	Female
AP-14F-B Bulk Pack	3/8"	Plug	1/4"	Female
AC-14F-B Bulk Pack	3/8"	Coupler	1/4"	Female
AP-38F	3/8"	Plug	3/8"	Female
AC-38F	3/8"	Coupler	3/8"	Female
AP-38M	3/8"	Plug	3/8"	Male
AC-38M	3/8"	Coupler	3/8"	Male
AP14-14M	1/4"	Plug	1/4"	Male
AC14-14M	1/4"	Coupler	1/4"	Male
AP14-14F	1/4"	Plug	1/4"	Female
AC14-14F	1/4"	Coupler	1/4"	Female
AHKIT-14F	3/8"	Hose Coupler Kit	1/4"	Female



**Plug      Coupler**

3/8" Series, 1/4" Male Thread



**Swivel Plug**

3/8" Series, 1/4" Male Thread



**Plug      Coupler**

3/8" Series, 1/4" Female Thread

## COMPRESSOR ACCESSORIES

SKU #	DESCRIPTION	NPT	
		SIZE	THREAD
<b>MREGULATOR</b>	Regulator & Gauge Kit	1/4"	
<b>IREGULATOR</b>	Industrial Regulator & Gauge	1/4"	Female
<b>GAUGE-2</b>	1-1/2" Pressure Gauge	1/4"	Female
<b>TIRE-14F</b>	Tire Chuck	1/4"	Female
<b>TEE-14F</b>	Tee Fitting	1/4"	Female
<b>LINELUBE-14</b>	Inline Lubricator	1/4"	Male
<b>BLOWGUN-14F</b>	Safety Blow Gun	1/4"	Female
<b>BLOWGUN-TIPK</b>	Blowgun Inflator Kit	1/4"	Male
<b>BALLVALVE</b>	Ball Type Drain Valve	1/4"	Male
<b>3WAY-HEX</b>	3-Way Hex Manifold	1/4"	Female
<b>3WAY-RND</b>	3-Way Manifold	3/8" NPT Inlet to 1/4" NPT Outlet	

## UNIVERSAL COUPLERS

SKU #	SPECIFICATION		NPT	
	SERIES	STYLE	SIZE	THREAD
<b>UC14-14F</b>	1/4"	Push-to-Connect	1/4"	Female
<b>UC14-14M</b>	1/4"	Push-to-Connect	1/4"	Male
<b>UC38-14F</b>	3/8"	Push-to-Connect	1/4"	Female
<b>UC38-14M</b>	3/8"	Push-to-Connect	1/4"	Male

## REDUCERS & BUSHINGS

SKU #	DESCRIPTION	NPT	
		SIZE	THREAD
<b>14M-14M</b>	Hex Nipple	1/4"	Male
<b>14F-14F</b>	Hex Coupler	1/4"	Female
<b>38M-38M</b>	Hex Nipple	3/8"	Male
<b>38M-14F</b>	Hex Reducer Bushing	3/8" Male Thread to 1/4" Female Thread	
<b>38M-14M</b>	Hex Reducer Nipple	3/8" Male Thread to 1/4" Male Thread	
<b>38F-14F</b>	Hex Reducer Coupler	3/8" Female Thread to 1/4" Female Thread	
<b>38F-14M</b>	Hex Adaptor	3/8" Female Thread to 1/4" Male Thread	

## REPAIR ACCESSORIES

SKU #	DESCRIPTION	NPT	
		SIZE	THREAD
<b>PRO-14 REPAIR</b>	1/4" Air Hose Repair Kit*	1/4"	Male
<b>PRO-38 REPAIR</b>	3/8" Air Hose Repair Kit*	3/8"	Male
<b>HREPAIR-38</b>	3/8" Air Hose Repair Kit*	1/4"	Male
<b>THREADTAPE</b>	Thread Sealant Tape	1 Roll	

\* only polyurethane hoses can be repaired






**HAND TOOLS**

## Bostitch® Tape Rules With BladeArmor™ Coating

- 1-1/4" blade width and world's best 13' of standout (patented)
- 150% larger\* end hook allows top & side grab capability (patented)
- AirLock™ rubber slide lock for comfort and extreme durability (patented)
- Mylar® with BladeArmor™ blade coating for increased product life (patented)
- Bi-material case for durability and comfort (patented)
- High visibility blade with large, easy to read graphics

\*Compared to traditional hooks  
Mylar is a registered trademark of DuPont Teijin Films



150% larger\* end hook

SKU #	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX / CARTON QTY	UPC
33-000	16'	1-1/4"	13'	4 / 24	076174338850
33-001	25'	1-1/4"	13'	4 / 24	076174338904
33-003	35'	1-1/4"	13'	4 / 24	076174 339000

## Bostitch® Tape Rules with BladeArmor™ Coating

- 1" blade width and 9' of standout (patented)
- Tru-zero end hook for accurate measurements
- Mylar® with BladeArmor™ blade coating for increased product life (patented)
- AirLock™ rubber slide lock for comfort and durability (patented)
- Ergonomic case design (patented)
- High visibility blade with large, easy to read graphics

Mylar® is a registered trademark of DuPont Teijin Films



SKU #	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX / CARTON QTY	UPC
33-007	16'	1"	8'	4 / 24	076174335163
33-008	25'	1"	8'	4 / 24	076174335255
33-009	30'	1"	8'	4 / 24	076174335309

## Bostitch® Twin Blade Knife

- Twin blade design allows the user to alternate between two blades quickly and easily
- InstantChange™ feature allows the user to replace dull blades in seconds
- Easy access blade storage holds up to 9 blades for fast and easy blade changes
- Knife Includes 2 straight and 2 hook blades
- Interlocking blade sliders ensure only one blade is extended at a time (patent-pending)



Twin blade design

SKU #	LENGTH		BOX / CARTON QTY	UPC
	IN	MM		
10-501	6.875	175	6 / 24	076174107890

## Bostitch® Carpet Knife

- Cast metal handle for strength and durability
- Rubberized handle grips for comfort and a sure grip
- Interlock nose prevents blade slippage and provides stability (patented)
- “D-Ring” fastener for quick blade change – no tools required
- Works with regular and heavy-duty carpet blades



SKU #	LENGTH		BOX / CARTON QTY	UPC
	IN	MM		
10-555	6.375	160	6 / 36	076174105551

## Bostitch® Scoring Knife

- Designed for scoring clean, true breaks in heavy laminates, Plexiglas® acrylic molding resin, plastic, roofing, flooring and more
- Extra long, heavy duty blade provides good visibility for use with a straight edge
- Comfortable, textured handle



Plexiglas® is a registered trademark of Arkema, Inc.

SKU #	LENGTH		BOX / CARTON QTY	UPC
	IN	MM		
10-133	6.875	175	6 / 36	076174101331

## Bostitch® Linoleum Knife

- For cutting and trimming vinyl or linoleum floor covering, roofing and similar materials
- Taper-ground cutlery steel blade permanently fastened to comfortable handle



SKU #	LENGTH		BOX / CARTON QTY	UPC
	IN	MM		
10-134	8.0	205	6 / 36	076174101345



## Bostitch® Utility Blades

- Blade edges are induction hardened at the very tip to make them tough and long lasting
- Custom heat treatment makes the blade strong and more resistant to breakage



SKU #	NUMBER OF BLADES	LENGTH		THICKNESS	BOX / CARTON QTY	UPC
		IN	MM			
11-506A	100	2-7/16	62	.024"	6 / 36	076174760590

## Bostitch® Small Hook Blade

- Edge protection blade for cutting and trimming roofing materials, linoleum, carpet, fabric, cartons and sheet materials
- Blade shape helps prevent damage to whatever is beneath material being cut
- Fits most standard utility knives



SKU #	NUMBER OF BLADES	LENGTH		THICKNESS	BOX / CARTON QTY	UPC
		IN	MM			
11-508A	100	2-1/16	53	.024"	6 / 24	076174119961

## Bostitch® Large Hook Blades

- Edge protection blade for cutting and trimming roofing materials linoleum carpet fabric cartons and sheet materials
- Blade shape helps prevent damage to whatever is beneath material being cut
- Similar to 11-508A, but with deeper hook for cutting thicker material
- Fits most standard utility knives



SKU #	NUMBER OF BLADES	LENGTH		THICKNESS	BOX / CARTON QTY	UPC
		IN	MM			
11-507L	50	1-7/8	48	.024"	4 / 24	076174762723
11-507A	100	1-7/8	48	.024"	4 / 24	076174762631

## Bostitch® Carpet Blade

- High carbon steel blade with double cutting edge
- Fits Stanley® and most other carpet knives



SKU #	NUMBER OF BLADES	LENGTH		THICKNESS	BOX / CARTON QTY	UPC
		IN	MM			
11-504A	100	2-1/4	55	.017"	100 / 1000	076174115307

## Bostitch® Scoring Blade

- Scored deep grooves for clean, true breaks in laminates, Plexiglas® acrylic molding resin and other sheet metals
- For use in fixed blade knives only

Plexiglas® is a registered trademark of Arkema, Inc.



SKU #	NUMBER OF BLADES	LENGTH		THICKNESS	BOX / CARTON QTY	UPC
		IN	MM			
11-101	1	3.25	80	.035"	10 / 200	076174111019

## Bostitch® Linoleum Blade

- Tempered high-carbon, steel blade
- Keen edge for clean, true cuts in vinyl or linoleum floor covering, roofing and similar materials
- For use in fixed blade knives only



SKU #	NUMBER OF BLADES	LENGTH		THICKNESS	BOX / CARTON QTY	UPC
		IN	MM			
11-103	1	3.5	90	.025"	6 / 36	076174111019

## Bostitch® InstantChange™ Saw Starter Kit

- InstantChange™ saw allows end user to quickly and easily replace the blade (patented)
- Includes two 15" blades – one fine finish and one aggressive
- Handle constructed from durable ABS / TPE / Aluminum Construction
- 7 Blade types available for a variety of applications



SKU #	WEIGHT		BOX / CARTON QTY	UPC
	LBS	KG		
20-113	2.054	.9317	0 / 4	076174201130

## BOSTITCH® Compound Action Aviation Snips

- Titanium Nitride coated cutting blades reduces wear and extends blade life by 2 times\*
- Forged Chrome Molybdenum steel cutting blades adds greater strength and durability
- Serrated cutting blades provides a sturdy bite, and prevents material from slipping during use
- Custom designed fasteners prevents loosening of the blades and never needs tightening or re-adjustment
- Streamlined design allows easy access in and out of the pouch
- Low profile hardware prevents cutting material from getting caught onto the tool during use.
- Internal latch design does not get in the way during use, and allows for a quick single handed operation
- Color coded slip-resistant bi-material grip for comfort and control

\*Compared to FatMax® compound action aviation snips



## BOSTITCH® Compound Action Aviation Snips

- Compound action snips for left, right and straight cuts
- Cuts up to 18-gauge cold rolled steel or 22-gauge stainless steel

SKU#	CUTTING DIRECTION	COLOR	HEIGHT IN	LENGTH IN	WIDTH IN	WEIGHT LBS	BOX / CTN QTY	UPC
14-255	Straight, Left & Right	Yellow	1.1	12.3	3.5	1.04	4 / 12	076174142556
14-256	Left Curve	Red	1.1	12.3	3.5	1.04	4 / 12	076174142563

## BOSTITCH® Compound Action Aviation Snips - Bulldog

- Shorter blades designed especially for notching and trimming heavy stock
- Cuts up to 16-gauge cold rolled steel or 18-gauge stainless steel



SKU#	CUTTING DIRECTION	COLOR	HEIGHT IN	LENGTH IN	WIDTH IN	WEIGHT LBS	BOX / CTN QTY	UPC
14-252	Straight	Yellow	1.1	12.3	3.5	1.04	4 / 12	076174142525

## BOSTITCH® Compound Action Aviation Snips - Offset

- Offset angled blade provides clearance between the handle and cutting material
- Cuts up to 18-gauge cold rolled steel or 22-gauge stainless steel



SKU#	CUTTING DIRECTION	COLOR	HEIGHT IN	LENGTH IN	WIDTH IN	WEIGHT LBS	BOX / CTN QTY	UPC
14-250	Left Curve	Red	1.1	12.3	3.5	1.04	4 / 12	076174142501
14-251	Right Curve	Green	1.1	12.3	3.5	1.04	4 / 12	076174142518



## BOSTITCH® Straight Pattern Tinner Snips

- Cuts straight and wide curves
- Titanium Nitride coated cutting blades reduces wear and extends blade life by 2X\*
- Cuts up to 25 gauge (0.56mm) cold rolled steel or 28 gauge (0.38mm) stainless steel
- Durable fully-polished steel blades are drop-forged to stay sharp longer, and extend cutting life
- Adjustment-free center pivot nylon nut prevents loosening of the blades
- Slip-resistant double cushion grip for added comfort
- Meets or exceeds ANSI standards

\*Compared to Stanley straight pattern tinner snips



SKU#	SIZE IN	CUTTING DIRECTION	HEIGHT IN	LENGTH IN	WIDTH IN	WEIGHT LBS	BOX / CARTON QTY	UPC
14-253	10	Straight	1.2	11.8	4.4	1.16	4 / 12	076174142532
14-254	12	Straight	1.2	14	4.4	1.5	4 / 12	076174142549
14-258	7	Straight	1.1	8.9	3.5	.064	4 / 12	076174142587

## Bostitch® Clamping Box Beam Levels

- Integrated clamp design grabs lumber with aggressive teeth for hands free leveling
- Clamp accommodates 2X dimensional lumber (1-1/2") as well as 4X dimensional lumber (3-1/2") for a variety of residential and commercial construction applications
- Solid acrylic block vials for impact-resistance and lifetime accuracy of 0.0005in/in (0.5mm/m)
- Heavy-duty profile design of 1-1/2" for durability and stability
- Magnified center vial for improved visibility
- Bridged center vial for a continuous marking surface



SKU #	DESCRIPTION	VIALS	HAND HOLES	LENGTH IN	LENGTH MM	BOX/CTN QTY	UPC
43-723	24" Bostitch® Clamping Box Beam Level	3	0	24	610	1 / 2	076174437232
43-747	48" Bostitch® Clamping Box Beam Level	3	2	48	1219	1 / 2	076174437478

## Bostitch® Heavy Duty Box Beam Levels

- Enlarged body and shape for added durability
- Block vials provide accuracy of 0.0005in/in (0.5mm/m)
- Bridged center vial for continuous marking surface
- Magnified center vial for improved visibility
- Screwed rubber hand grips for durability and more comfortable grip
- Reinforced rubber end caps provide an internal air space to improve impact resistance



SKU #	DESCRIPTION	VIALS	HAND HOLES	LENGTH		BOX/CTN QTY	UPC
				IN	MM		
43-724	24" Bostitch® Heavy Duty Level	3	1	24	610	1 / 2	076174437249
43-725	24" Bostitch® Heavy Duty Magnetic Level	3	1	24	610	1 / 2	076174437256
43-748	48" Bostitch® Heavy Duty Level	3	2	48	1219	1 / 2	076174437485
43-749	48" Bostitch® Heavy Duty Magnetic Level	3	2	48	1219	1 / 2	076174437492
43-772	72" Bostitch® Heavy Duty Level	3	2	72	1829	1 / 2	076174437720
43-780	78" Bostitch® Heavy Duty Magnetic Level	3	2	78	1981	1 / 2	076174437805
43-781	78" / 32" Bostitch® Heavy Duty Level Set	3	2	78 / 32	1981	1 / 2	076174437812
43-796	96" Bostitch® Heavy Duty Level	3	2	96	2538	1 / 2	076174437966

## Bostitch® Box Beam Levels

- Durable box beam construction is up to 5X stronger than other Stanley® levels
- Block vials provide accuracy of 0.0005 in/in (0.5mm/m)
- Magnified center vial for improved visibility
- Machined leveling surfaces improves accuracy
- Rare earth magnets for ultimate holding power



SKU #	DESCRIPTION	VIALS	HAND HOLES	LENGTH		BOX/CTN QTY	UPC
				IN	MM		
43-714	16" Box Beam Level	3	0	16	406	1 / 3	076174437140
43-722	24" Box Beam Level	3	1	24	610	1 / 3	076174437225
43-729	29" Box Beam Level	3	1	29	737	1 / 3	076174437294
43-730	32" Box Beam Magnetic Level	3	1	32	813	1 / 3	076174437300
43-738	32" Box Beam Level	3	1	32	913	1 / 3	076174437386
43-746	48" Box Beam Level	3	2	48	1219	1 / 3	076174437461
43-758	58" Box Beam Level	3	2	58	1473	1 / 3	076174437591
43-771	72" Box Beam Level	3	2	72	1829	1 / 3	076174437713
43-782	78" Box Beam Level	3	2	78	1981	1 / 3	076174437775
43-777	78" Box Beam Magnetic Level	3	2	78	1981	1 / 3	076174437775
43-795	96" Box Beam Level	3	2	96	2538	1 / 3	076174437959

## Bostitch® Magnetic Torpedo Level

- Die-cast aluminum body
- Solid block vial provides accuracy of 0.0005in/in (0.5mm/m)
- 180° rotating vial to duplicate angles
- Magnified center vial for improved visibility
- Pipe groove for use on rounded surfaces
- Rare earth magnets for ultimate holding power



180° Rotating Vial

SKU #	VIALS	LENGTH		BOX / CARTON QTY	UPC
		IN	MM		
43-709	3	9	229	1 / 6	076174437096

## Bostitch™ Chalk Reel Sets

- Aluminum housing for durability
- Rewinds 5X faster – has a 5:1 gear ratio
- Quick gear release – crank will not spin when pulling out line
- ChalkView™ case – see amount of chalk inside case (patented)
- Premium polymer string resists breakage and fraying
- Stainless steel interlocking hook for joining lines



SKU #	CONTAINS	STRING LENGTH		BOX / CARTON QTY	UPC
		FEET	METERS		
47-490L	100' Bostitch® Chalk Reel	100	30	1 / 6	076174474909
47-494L	100' Bostitch® Chalk Reel, Blue Chalk	100	30	1 / 6	076174474947
47-497L	100' Bostitch® Chalk Reel, Red Chalk	100	30	1 / 6	076174474978
47-498L	100' Bostitch® Chalk Reel, Black Chalk	100	30	1 / 6	076174474985

## Bostitch® Steel AntiVibe™ Hammers - Large Strike Face

- 75% larger\* strike face for improved striking accuracy (patent pending)
- AntiVibe™ technology minimizes vibration and shock at impact (patented)
- Torsion control stabilizers reduce arm-twisting fatigue (patented)
- Magnetic nail start feature for extended reach for one-handed nailing
- Exclusive rim temper reduces chipping or spalling
- Forged one-piece steel construction for increased strength and durability
- Slip-resistant handle for a secure grip and added comfort
- Precision balanced

\*Compared to traditional hammers



SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
			IN	MM	OZ	GRAMS		
<b>NAILING HAMMERS</b>								
51-853	Rip	Smooth	13-1/2	343	16	454	0 / 4	076174518535
51-854	Curve	Smooth	13-1/2	343	16	454	0 / 4	076174518542
51-855	Rip	Smooth	13-1/2	343	20	567	0 / 4	076174518559
<b>FRAMING HAMMERS</b>								
51-857	Rip	Smooth	16	406	22	624	0 / 2	076174518573
51-856	Rip	Checker	16	406	22	624	0 / 2	076174518566
51-858	Rip	Checker	16	406	28	794	0 / 2	076174518580

## Bostitch® Steel AntiVibe™ Hammers

- AntiVibe™ technology minimizes vibration and shock at impact (patented)
- Exclusive rim temper reduces incidences of chipping or spalling
- Forged one-piece steel construction for increased strength and durability
- Slip-resistant handle for a secure grip and added comfort
- Precision balanced



SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
			IN	MM	OZ	GRAMS		
<b>NAILING HAMMERS</b>								
51-224	Rip	Smooth	13-1/2	343	16	454	0 / 2	076174512243
51-859	Rip	Smooth	13-1/2	343	20	567	0 / 2	076174518597
<b>FRAMING HAMMERS</b>								
51-227	Rip	Smooth	16	406	22	624	0 / 2	076174512274
51-860	Rip	Checker	16	406	22	624	0 / 2	076174518603
51-861	Rip	Checker	16	406	28	794	0 / 2	076174518610



## Bostitch® Hickory Checkered Face Framing Hammer

- Traditional, high quality hickory handle Framing Hammer
- Forged and heat treated head for increased durability
- Rim temper reduces chipping or spalling
- Magnetic nail start feature for extended reach for one-handed nailing
- Flared head design results in a larger\* striking surface for better nail driving performance
- Long handle for extended reach
- Checker face design increases control and accuracy when driving nails
- Double wedge head-to-handle assembly for extremely secure fit



\*Compared to traditional hammers

SKU #	CLAW	FACE	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
			IN	MM	OZ	GRAMS		
51-851	Rip	Checker	18	457	22	624	2 / 2	076174518511

## Bostitch® Steel AntiVibe™ Shingler's Hatchet with Blade

- Ideal for installing shingles and other roofing material
- Blade ideal for cutting roofing materials
- AntiVibe™ technology minimizes vibration and shock at impact (patented)
- Exclusive rim temper reduces chipping or spalling
- Forged one-piece steel construction for increased strength and durability
- Slip-resistant handle for a secure grip and added comfort
- Precision balanced



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
	IN	MM	OZ	GRAMS		
56-510	12-3/4	324	15	425	2 / 8	076174565102

## Bostitch® Steel AntiVibe™ Drilling Hammer

- Ideal for striking chisels, punches, start drills and unhardened metals
- AntiVibe™ technology minimizes vibration and shock at impact (patented)
- Exclusive rim temper reduces chipping or spalling
- Forged one-piece steel construction for increased strength and durability
- Slip resistant handle for secure grip and added comfort
- Precision balanced



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
	IN	MM	LBS	KG		
56-513	11	280	3	1.36	2 / 8	076174565133

## Bostitch® Steel AntiVibe™ Drywall Hammer

- Ideal for installing drywall or gypsum board
- AntiVibe™ technology minimizes vibration and shock at impact (patented)
- Exclusive rim temper reduces chipping or spalling
- Forged one-piece steel construction for increased strength and durability
- Slip-resistant handle for a secure grip and added comfort
- Precision balanced



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
	IN	MM	OZ	GRAMS		
56-514	13-1/2	343	14	397	2 / 8	076174565140

## Bostitch® Steel AntiVibe™ Bricklayer's Hammer

- Ideal for cutting and setting brick, stone or masonry
- AntiVibe™ technology minimizes vibration and shock at impact (patented)
- Exclusive rim temper reduces chipping or spalling
- Forged, one-piece steel construction for increased strength and durability
- Slip-resistant handle for a secure grip and added comfort
- Precision balanced



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
	IN	MM	OZ	GRAMS		
56-515	11	280	20	567	2 / 8	076174565157

## Bostitch® Non-Marring Rubber Mallet

- Traditional, high-quality hickory handle rubber mallet
- Non-marring head for increased durability and reduced wear



SKU #	OVERALL LENGTH		HEAD WEIGHT		BOX/CTN QTY	UPC
	IN	MM	OZ	GRAMS		
57-535	13.3	337.82	18	510	0 / 5	076174575354

## Bostitch® Precision Molding Bar - 8"

- Ideal for reducing material damage when prying molding and trim
- Polished flat surface and beveled claws for precise penetration
- Forged, high-carbon spring steel for strength & durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Tempered for safety and heat treated for durability



SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
55-003	8	203	1.75	44	.7	.3	2 / 6	076174550030

## Bostitch® Precision Molding Bar - 10"

- Ideal for reducing material damage when prying molding and trim
- Polished flat surface and beveled claws for precise penetration
- Ergonomic grip provides a better grip and protects from extreme temperatures
- Forged, high-carbon spring steel for strength & durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Tempered for safety and heat treated for durability



SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
55-506	10	254	1.75	44	0.7	0.3	2 / 6	07617455506

## Bostitch® Claw Bars

- Ideal for precision nail pulling and prying
- Polished, beveled claws for precise penetration
- Ergonomic grip provides a better grip and protects from extreme temperatures
- Forged, high-carbon spring steel for strength & durability
- Flat striking face allows claw to be driven under deeply embedded nails
- Tempered for safety and heat treated for durability



SKU #	OVERALL LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	LBS	KG		
55-507	10	254	0.7	0.3	2 / 6	07617455507
55-508	12	305	1.1	0.48	2 / 6	07617455508

## Bostitch® Double End Claw Bar

- Ideal for general nail pulling and prying
- Double-end puller features 90° and 30° offset claws
- Fully sharpened claw tips
- Heat-treated for durability



SKU #	OVERALL LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	LBS	KG		
55-505	11	279	1.2	.54	5 / 6	076174555059

## Bostitch® Spring Steel Wrecking Bars

- Ideal for heavy demolition work
- Heat-treated 3/4" diameter spring steel for strength & durability
- Low weight for ease of use
- Precision ground edge for better penetration
- Wider prying edge for better leverage
- Flat striking face for demolition work
- High-visibility, powder-coated finish
- Slotted claw and beveled ends improve functionality and performance



SKU #	OVERALL LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	LBS	KG		
55-501	24	610	4	1.8	0 / 2	076174555501
55-502	36	914	6	2.7	0 / 2	076174555502

## Bostitch® Utility Bar

- Ideal for heavy demolition work
- Flat striking face for demolition work
- High-visibility, powder coated finish
- Slotted claw and beveled ends improve functionality and performance



SKU #	OVERALL LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	LBS	KG		
55-000	16.8	476.75	1.93	.8754	0 / 5	076174550009

## Bostitch® Wonder Bar

- Spring steel for strength & durability
- Low weight for ease of use
- Precision ground edge for better penetration
- Wider prying edge for better leverage
- Pointed prying edge for better penetration



SKU #	OVERALL LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	LBS	KG		
55-517	16.8	476.75	1.93	.8754	0 / 5	076174550009



## Bostitch® Floor Chisels

- Ideal for cutting, prying or ripping of hardwood flooring and nails
- Designed with offset blade and shorter bite for increased leverage



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-213	13.4	340.36	1.2	30.48	1.61	.7303	3 / 24	076174162134

## Bostitch® Mason's Chisels

- Ideal for cutting and splitting hard stone, brick and concrete



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-214	11	279.4	1.2	30.48	1.16	.5534	3 / 24	076174162141
16-219	11	279.4	1.2	30.48	1.22	.5534	3 / 24	076174162196

## Bostitch® Brick Chisels

- Ideal for cutting brick and masonry



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-221	11	279.4	1.15	29.21	1.23	.5579	3 / 24	076174162219
16-222	11	279.4	1.15	29.21	1.36	.6169	3 / 24	076174162226

## Bostitch® Cold Chisels

- One-piece construction forged for increased strength
- Hardened, quenched and tempered for long life and safety
- Powder coat finish for increased visibility



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-024	8.7	220.98	1.5	38.1	.24	.1089	3 / 24	076174160246
16-026	9.4	238.76	1.5	38.1	.65	.2948	3 / 24	076174160260
16-027	10.9	276.86	1.5	38.1	1.02	.4627	3 / 24	076174160277
16-029	14.5	368.3	1.5	38.1	1.6	.7257	3 / 24	076174160291

## Bostitch® Flat Utility Chisel

- One-piece construction forged for increased strength
- Hardened, quenched and tempered for long life and safety
- Powder coat finish for increased visibility



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-054	15.2	386.08	1.25	31.75	1.28	.5806	3 / 24	076174160543

## Bostitch® Brick Chisels with Bi-Material Hand Guard

- Ideal for cutting brick and masonry



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-375	8.5	215.9	1.15	29.21	1.58	.7167	3 / 24	076174163759

## Bostitch® Floor Chisels with Bi-Material Hand Guard

- Ideal for cutting, prying or ripping of hardwood flooring and nails
- Designed with offset blade and shorter bite for increased leverage



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-377	11	279.4	1.2	30.48	1.96	.889	3 / 18	076174163773

## Bostitch® Concrete Chisel with Bi-Material Hand Guard

- Ideal for cutting through and breaking up concrete
- Durable bull point that cuts fast, and lasts long



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-376	12	304.8	1.5	38.1	1.96	.889	3 / 18	076174163766

## Bostitch® Cold Chisels with Bi-Material Hand Guard

- One-piece construction forged for increased strength
- Hardened, quenched and tempered for long life and safety
- Powder coat finish for increased visibility



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-378	12	304.8	1.5	38.1	1.99	.9026	3 / 24	076174163780

## Bostitch® Mason's Chisels with Bi-Material Hand Guard

- Ideal for cutting and splitting hard stone, brick and concrete



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-379	8.5	215.9	1.15	29.21	1.58	.7167	3 / 24	0076174163797

## Bostitch® Electrician Chisel

- Ideal for rough cutting and trimming of wood, wallboard and masonry



SKU #	OVERALL LENGTH		BLADE LENGTH		WEIGHT		BOX/CTN QTY	UPC
	IN	MM	IN	MM	LBS	KG		
16-397	10	254	1.2	30.48	1.77	.8029	3 / 18	076174163971

## Bostitch® Scratch Awl


- Use for starting holes for screws and nails
- Scribes lines on wood and metal
- Single piece drop forging for maximum quality
- Total penetration heat treatment for strength
- Heat treated to meet or exceed all ANSI expectations
- Superior sharpness of handcrafted point for clean marks



SKU #	OVERALL LENGTH		WEIGHT		BOX/CARTON QTY	UPC
	IN	MM	LBS	KG		
<b>16-058</b>	9	228.6	.13	.059	6 / 72	076174160581

## Bostitch® Compass

- Used for marking precise hole locations
- 16" solid fiberglass rod
- Hold pivot scribe in place and move pencil holder around it to create perfect circles



SKU #	OVERALL LENGTH		WEIGHT		BOX/CARTON QTY	UPC
	IN	MM	LBS	KG		
<b>16-059</b>	16	406.4	.63	.2858	2 / 12	076174160598

## Bostitch® Punches

- Ideal for starting drill holes



SKU #	OVERALL LENGTH		WEIGHT		BOX/CARTON QTY	UPC
	IN	MM	LBS	KG		
<b>16-017</b>	7	177.8	.24	.1089	3 / 24	076174 16017
<b>16-018</b>	8.5	215.9	.14	.0635	3 / 24	07617416018
<b>16-019</b>	8	203.2	.21	.0953	3 / 24	07617416019



## Bostitch® 6 pc. Pin Punch Set

- Multi-tool sets are ideal for starting drill holes, marking metal or cutting/ splitting hard stone, brick and concrete
- Sets include re-usable packaging for storing products



SKU #	DESCRIPTION	BOX/CARTON QTY	UPC
16-021	1/16", 1/8", 5/32", 3/16", 1/4", 5/16"	3 / 24	076174160215

## Bostitch® 12 pc. Punch & Chisel Set

- Multi-tool sets are ideal for starting drill holes, marking metal or cutting/ splitting hard stone, brick and concrete
- Sets include re-usable packaging for storing products



SKU #	DESCRIPTION	BOX/CARTON QTY	UPC
16-023	3/4" Cold Chisel, 5/8" Cold Chisel, 5/16" Cold Chisel, 3/8" Prick Punch, 1/4" Center Punch, 1/16" Pin Punch, 1/8" Pin Punch, 5/32" Pin Punch, 3/16" Pin Punch, 1/4" Pin Punch, 5/16" Pin Punch, 7" Scratch Awl	3 / 12	076174160239

## Bostitch® Interchangeable Nail Set

- Ideal for setting nails into materials
- Interchangeable bit includes both 1/32" and 2/32" sizes (patent pending)
- Accepts conventional bits to be used as a screwdriver
- Fully hardened, precision-milled steel for long life
- Colored for quick identification
- Hex head prevents rolling when set down
- Able to be inserted into standard drill chuck



SKU #	OVERALL LENGTH		TIP SIZE		BOX/CARTON QTY	UPC
	IN	MM	IN	MM		
58-500	4-3/4	120.6	1/32, 2/32	.08, 1.6	4 / 36	076174585001

## Bostitch® Large Open Mouth Tool Bag

- Durable hard wearing 600 x 600 denier fabric
- Water proof plastic bottom provides internal protection from tool edges
- Ergonomic shoulder strap and rubber grip handle to help carry heavier loads
- Bulky structure allows easy access to tools



SKU #	LENGTH		WIDTH		HEIGHT		WEIGHT		BOX/CARTON QTY	UPC
	IN	CM	IN	CM	IN	CM	LBS	KG		
96-156B	18.9	48	15.35	39	10.63	27	5.14	2.33	0 / 4	07617496156

## Bostitch® Open Tote

- Durable hard wearing 600x600 denier fabric
- Reinforced plastic base keeps moisture and dirt off
- Ergonomic shoulder strap and steel handle bar with rubber grip to help carry heavier loads
- Bulky structure allows easy access to tools
- Multiple tool pockets and compartments for optimal organization



SKU #	LENGTH		WIDTH		HEIGHT		WEIGHT		BOX/CARTON QTY	UPC
	IN	CM	IN	CM	IN	CM	LBS	KG		
96-157B	18.9	48	9.84	25	13.0	33	4.34	1.97	0 / 4	07617496157

## Bostitch® Round Top Bag

- Durable hard wearing 600 x 600 denier fabric
- Water proof plastic bottom provides internal protection from tool edges
- Ergonomic shoulder strap and rubber grip handle to help carry heavier loads
- Bulky structure allows easy access to tools
- Rigid construction maintains shape
- Multiple use tool compartments provide organization



SKU #	LENGTH		WIDTH		HEIGHT		WEIGHT		BOX/CARTON QTY	UPC
	IN	CM	IN	CM	IN	CM	LBS	KG		
97-471B	21.26	54	13.78	35	14.17	36	5.97	2.71	0 / 4	07617497471

## CONSTRUCTION TOOL INDEX

438S2-1.....	33	HP118K.....	22
438S2R-1.....	17	LHF2025K.....	26
438S4-1.....	33	MCN150.....	13
450S2-1.....	33	MCN250.....	13
650S4-1.....	34	MFN-201.....	25
650S5-1.....	34	MIII812CNCT.....	30
9B12061R.....	9	MIIIFN.....	25
9B12062R.....	9	MIIIFN-KIT.....	27
BRT130.....	14	MIIIFS.....	25
BT1855K.....	21	N62FNK-2.....	20
CAP1512-OF.....	42	N66BC-1.....	29
CAP2000P-OF.....	41	N66C-1.....	29
CAP2060P.....	41	N75C-1.....	14
CAP2040ST-OL.....	41	N80CB-1.....	13
CPACK1850BN.....	42	N89C-1.....	13
CPACK2A.....	43	N89C-HQ.....	13
CPACK300.....	43	P3-CHROME.....	38
EHF1838K.....	26	P6C-6.....	38
F21PL.....	12	P6C-8.....	38
F28WW.....	12	P7.....	38
F33PT.....	12	PC2K.....	37
FN1664K.....	20	PN100K.....	30
GF28WW.....	7 & 11	PN50.....	30
GF33PT.....	7 & 11	RN46-1.....	17
GFN1564K.....	8 & 19	SB-150SX.....	22
GFN1664K.....	8 & 19	SB-1664FN.....	20
GBT1850K.....	8 & 19	SB-1850BN.....	21
H30-6.....	37	SB-2IN1.....	21
H30-8.....	37	SL1838BC.....	29
H30-8D6.....	37	SX1838K.....	22
HFM-3.....	27	T6-60C2.....	37
HFM-4.....	27	T6-8.....	37
HFMF-SW.....	27	T6-80C2.....	37



## HAND TOOL INDEX

10-133.....	52	16-221.....	64
10-134.....	52	16-222.....	64
10-501.....	52	16-375.....	65
10-555.....	52	16-376.....	65
11-101.....	54	16-377.....	65
11-103.....	54	16-378.....	66
11-504A.....	53	16-379.....	66
11-506A.....	53	16-397.....	66
11-507A.....	53	20-113.....	54
11-507L.....	53	33-000.....	51
11-508A.....	53	33-001.....	51
14-250.....	55	33-003.....	51
14-251.....	55	33-007.....	51
14-252.....	55	33-008.....	51
14-253.....	56	33-009.....	51
14-254.....	56	43-709.....	58
14-255.....	55	43-714.....	57
14-256.....	55	43-722.....	57
14-257.....	55	43-723.....	56
14-258.....	56	43-724.....	57
16-017.....	67	43-725.....	57
16-018.....	67	43-729.....	57
16-019.....	67	43-730.....	57
16-021.....	68	43-738.....	57
16-023.....	68	43-746.....	57
16-024.....	64	43-747.....	56
16-026.....	64	43-748.....	57
16-027.....	64	43-749.....	57
16-029.....	64	43-758.....	57
16-054.....	65	43-771.....	57
16-058.....	67	43-772.....	57
16-059.....	67	43-777.....	57
16-213.....	64	43-780.....	57
16-214.....	64	43-781.....	57
16-219.....	64	43-782.....	57



## HAND TOOL INDEX

43-795.....	57	55-000.....	63
43-796.....	57	55-003.....	62
47-490L.....	58	55-501.....	63
47-494L.....	58	55-502.....	63
47-497L.....	58	55-505.....	63
47-498L.....	58	55-506.....	62
51-224.....	59	55-507.....	62
51-227.....	59	55-508.....	62
51-851.....	60	55-517.....	63
51-853.....	59	56-510.....	60
51-854.....	59	56-513.....	60
51-855.....	59	56-514.....	61
51-856.....	59	56-515.....	61
51-857.....	59	57-535.....	61
51-858.....	59	58-500.....	68
51-859.....	59	96-156B.....	69
51-860.....	59	96-157B.....	69
51-861.....	59	97-941B.....	69



### LIMITED WARRANTY - U.S. Only

At Stanley®-Bostitch®, our high quality products are supported by an equally strong promise. If a product fails to perform due to defects in material or workmanship, we will replace it up to 100 years from the original date of purchase. This 100 year limited warranty is given in lieu of all other including the implied warranty of merchantability and fitness for a particular purpose and excludes all incidental or consequential damages. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so these limitations may not apply to you. This 100 year limited warranty gives you specific legal rights that may vary from state to state. Proof of purchase is required. Warranty is not transferable.





**STANLEY**  
**BOSTITCH®**  
[www.BOSTITCH.com](http://www.BOSTITCH.com)

**BOSTITCH**  
480 Myrtle Street, New Britain, CT 06053  
Customer Service 1-800-556-6696  
Fax 1-800-842-9360