
# Scotch<sup>®</sup> Duct Tapes







## Scotch<sup>®</sup> Duct Tapes

Scotch<sup>®</sup> Duct Tapes make all kinds of projects—from fixing heating and cooling systems to indoor and outdoor repairs—both quick and effective. Even though they're called "duct" tapes, Scotch duct tapes are a universal solution for a variety of jobs and quick repairs.

Scotch offers a full line of duct tapes to fit any job, from simple household repairs to professional HVAC applications. They are conformable, hold securely, and tear easily off the roll. They are also weather resistant to withstand the harmful effects of sunlight and moisture.

### Choosing the right duct tape

When selecting a duct tape, consider factors such as: strength, weatherability, application temperature and thickness. Scotch duct tapes are designed with specific applications in mind and perform best when used under correct conditions. Finding the best combination of features for a particular application is simple with easyto-read packaging that indicates the relative strength and weatherability of each tape.



### Strength

Strength is a combination of two factors: peel adhesion (the "stickiness" of the tape) and tensile strength (the "sturdiness" of the tape). Peel adhesion strength is the force required to remove the tape; the higher the peel adhesion, the stronger the bond between the tape and the surface. Tensile strength is an indication of how difficult it is to tear or break the tape. Overall, greater strength means faster stick with a stronger hold, resulting in repairs that last longer.

### Weatherability

Weatherability is the degree to which the tape avoids drying and cracking and holds up when exposed to the sun, wind, moisture and extreme temperatures.

### **Application temperature**

Application temperature affects the performance of the adhesive. Ideal application temperature should be between  $50^{\circ}$ F and  $100^{\circ}$ F.

### Thickness

Thickness can also influence tape performance, although greater thickness does not necessarily mean better tape strength. Thinner tapes are more flexible and conformable, which can lead to a tighter, longer-lasting hold. The key to tape performance is the *quality* of the components, not the *quantity* of ingredients. Other brands may use additional filler material to artificially increase the loft of the tape. But with quality components and superior technology, a thinner tape can match or outperform a thicker tape.

Scotch duct tapes are designed with the best combinations of strength, weatherability and thickness to work within a wide variety of applications.



For best performance, use Scotch duct tapes within one year of the date of purchase and store in the original package under normal conditions of  $70^{\circ}$ F ( $21^{\circ}$ C) and 50% relative humidity.

## Scotch<sup>®</sup> Core Duct Tapes



### **Scotch Heavy Duty All-Weather Duct Tape**

WEATHERABILITY

A heavy-duty duct tape for extreme conditions. Resists drying, cracking and peeling caused by the damaging effects of sunlight, heat, cold and moisture. Lasts three times longer than other gray heavy-duty duct tapes.

STRENGTH

#### **Recommended applications**

- Indoor and outdoor repairs
- Heavy-duty patching
- Masking rough surfaces
- Long-lasting repairs





Protecting outdoor items

Repairing plastic items



### **Scotch Pro Strength Duct Tape**

A professional-grade, multi-purpose duct tape suitable for light-industrial and HVAC applications. Meets UL-723 standards.

#### **Recommended applications**

- General repairs
- Industrial and HVAC applications
- Hanging poly sheeting
- Wrapping pipe insulation





Installing and repairing



Sealing areas



### Scotch Multi-Use Duct Tape

An all-purpose duct tape that is excellent for a variety of applications in and around the home and shop.

- Holding, securing and bundling
- Temporary repairs
- Regripping handles
- Reinforcing







Repairing appliances

Repairing household items

## Scotch<sup>®</sup> Core Duct Tapes (cont.) / Tartan<sup>™</sup>



### Scotch Colored Duct Tape

A multi-purpose duct tape available in vibrant colors for discrete repairs, crafts and decorating. Great for organization and color coding. Available in seven popular colors: black, white, red, blue, yellow, green and brown.

#### **Recommended applications**

- Color coding
- Color matching
- Decorating
- Temporary repairs







Color coding electronics

Labeling supplies



### Scotch Carded Duct Tape

Offered in short rolls (1.5 in x 5 yd), carded duct tapes are perfect for quick and easy jobs. Great for repairs and decorating, these tapes have durable, waterproof backings and tear easily, apply smoothly, hold well—even on curved surfaces. Available in Colored, Multi-Use and Transparent duct tapes.

#### **Recommended applications**

- General repairs
- Decorating and color coding



Color matching

The end of ugly repairs



**Tartan Utility Duct Tape** 

A utility-grade duct tape useful for light-duty repairs, bundling and holding.

- Box sealing
- Bundling
- Lightweight or temporary repairs





Sealing boxes

Wrapping cords

## Scotch<sup>®</sup> High Performance Duct Tapes

### **High Performance**

Scotch is revolutionizing the duct tape category with these new high performance tapes. They deliver the strength and versatility you've grown to expect from a Scotch Duct Tape. In addition to easy application, reliable hold and high-quality results, each high performance tape offers new and unique features. From tapes that virtually disappear when applied to tapes that remove with minimal adhesive transfer, Scotch High Performance Duct Tapes deliver results for demanding applications.



Transparent Duct Tape

No Residue Duct Tape



### **Scotch Transparent High Performance Duct Tape**

A high performance duct tape excellent for a variety of general household applications. It virtually disappears when applied, making repairs less obvious. Not just for indoor use, this tape lasts longer than heavy-duty gray duct tapes. With an improved formulation, Scotch High Performance Transparent Duct Tape has high stick and excellent holding power.

### **Recommended applications**

- Patio furniture
- Children's toys
- Decorations
- Home electronics





Discretely repairing household items



Fixing children's toys



### **Scotch No Residue High Performance Duct Tape**

A maximum strength, all-weather duct tape without the messy cleanup. Ideal for both permanent and temporary applications, whether indoor or outdoor. With a UV-resistant, waterproof backing, the tape is engineered to last longer in extreme conditions. Removes with little or no residue from most opaque surfaces up to six months after application.

- Bundling garden hoses
- Securing cords
- Hanging vinyl banners
- Securing floor mats





Labeling storage bins



Securing outdoor decorations

### Scotch<sup>®</sup> Stucco Tapes

Scotch stucco tapes stick securely and tear easily, making it quick and easy to prep buildings before the stucco process begins. They're tough enough to stand up to the damaging effects of UV rays from sunlight. With a waterproof backing, they resist moisture so a little rain won't cause your tape to fail. Scotch stucco tapes resist tearing upon removal. With little or no adhesive transfer from wood, aluminum, vinyl, and coated metal surfaces, cleanup is quick and easy.



Masking stucco exteriors



### Scotch Heavy Duty Poly Stucco Tape #3260

A heavy duty poly stucco tape with 30-day removal engineered to last through multiple steps in traditional three-coat or hard-coat stucco and EIFS. With a conformable, UV-resistant, waterproof poly backing, this tape will resist the damaging effects of weather and stay put until the job is done. Prepping one time instead of three saves time and money.

#### **Recommended applications**

- Traditional three-coat stucco
- Hard-coat stucco
- EIFS



### Scotch Heavy Duty Cloth Stucco Tape #3160

A heavy duty cloth stucco tape with 21-day removal engineered to last through multiple steps in traditional three-coat or hard-coat stucco and EIFS. With a conformable, UV-resistant, waterproof cloth backing, this tape will resist the damaging effects of weather and stay put until the job is done. Prepping one time instead of three saves time and money.

#### **Recommended applications**

- Traditional three-coat stucco
- Hard-coat stucco
- EIFS





A cloth stucco tape with 3-day removal best suited for the one-coat stucco process.

- One-coat stucco
- Hanging poly sheeting

## Scotch<sup>®</sup> Contractor Tapes (cont.)

### Scotch<sup>®</sup> Foil Tapes

Effective sealing of duct joints, insulation and flexible duct connections minimizes air leaks in HVAC systems. This helps maximize efficiency and reduce heating and cooling costs. Scotch Foil Tapes are engineered specifically to help maintain duct work integrity and optimize the cost effectiveness of expensive HVAC systems.





Sealing duct work

Inspection preparation



### Scotch Printed Foil Tape #3326

A foil tape with printed backing for code compliance verification. Specially formulated acrylic adhesive bonds quickly and holds even at -25°F. Meets UL-181A and UL-181B-FX standards.

#### **Recommended applications**

- Building inspection preparation
- Extreme temperature applications
- HVAC performance optimization



### Scotch Foil Tape #3311

A conformable tape with aggressive adhesive to seal seams and joints for long-term durability. Soft aluminum foil conforms to irregular surfaces and provides a reliable vapor barrier. Flexible for application in tight spaces.

#### **Recommended applications**

- Ductwork maintenance
- Extreme temperature applications
- General repairs



### **Scotch High Temperature Duct Tape**

A high temperature duct tape with a maximum working temperature of 200°F. Designed for wrapping and attaching insulation to ductwork and pipes.

- Duct/refrigeration systems
- Wrapping/holding/splicing
- Reinforcing

## Scotch<sup>®</sup> Painter's Duct Tapes

### Scotch® Painter's Duct Tapes

Scotch painter's duct tapes are strong and conformable. They tear and unwind easily, making application on a variety of surfaces hassle-free. From quick temporary repairs, to long-lasting hold with reliable removal, Scotch painter's duct tapes are engineered to meet everyday needs on the jobsite.



Hanging poly on rough surfaces



Securing cords



### Scotch No Residue Painter's Duct Tape

A maximum strength, all-weather duct tape without the messy cleanup. No residue left behind for up to six months. Meets UL-723 standards.



### **Recommended applications**

- Masking and holding bulk poly
- Holding/securing cords and mats



### **Scotch Professional Painter's Duct Tape**

WEATHERABILITY

A professional, multi-purpose duct tape with high adhesion to heavyweight polyethylene.

STRENGTH

### **Recommended applications**

- Splicing and sealing
- Hanging poly
- Jobsite repairs



Scotch Basic Painter's Duct Tape

An all-purpose, utility-grade tape that applies between  $40^{\circ}$ – $100^{\circ}$ F.

- Bundling
- Patching
- Protecting
- Temporary repairs

## *Guide to Selecting the Right Scotch<sup>®</sup> Duct Tape*

Find the product features or application you desire. When more than one tape is recommended ( $\star$ ), consider strength and weatherability needs to help determine the right tape for the project.

	Tartan™ Utility	Scotch® Multi-Use	Scotch <sup>®</sup> Colored	Scotch <sup>®</sup> Pro Strength	Scotch <sup>®</sup> Heavy Duty All-Weather	Scotch® Transparent	Scotch® No Residue
Strength	Average	Good	Good	Great	Excellent	Excellent	Excellent
Weatherability	Average	Good	Good	Great	Excellent	Great	Exceptional
Performance							
Hand tears easily	~	<i>•</i>	<b>v</b>	~	~	~	<ul> <li>✓</li> </ul>
Applies smoothly	~	~	<b>v</b>	~	~	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Wraps and stretches	~	<ul> <li></li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>	~	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Conformable		<ul> <li>✓</li> </ul>	<b>v</b>	v	~	<ul> <li></li> </ul>	<ul> <li>✓</li> </ul>
Writable surface for marking and identifying		<b>`</b>	~	~	~	~	~
Durable waterproof backing		<ul> <li>✓</li> </ul>	<b>~</b>	<i>v</i>	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Aggressive adhesive for quick and reliable use				~	~	~	~
High tensile strength for demanding applications				<i>v</i>	~	~	~
Meets UL-723 standards				~	~		<ul> <li>✓</li> </ul>
High adhesion to polyethylene sheeting				<i>v</i>			
Heavy duty holding power					~	<ul> <li>✓</li> </ul>	<ul> <li>✓</li> </ul>
Resists weathering in sun, wind and moisture					~		<ul> <li>✓</li> </ul>
Holds in extreme temperatures (0–150°F)					~		
Transparent						<ul> <li>✓</li> </ul>	
No residue removal for up to six months							~
Application							
Bundling and securing	*	*	•	•	•	•	•
Patching and protecting	*	*	•	•	•	•	•
Labeling, marking and identifying		*	*	•	•	•	•
Sealing boxes for storage, mailing and shipping		*	•	•	•	•	•
General repairs		*	•	•	•	•	•
General indoor use		•	•	•	•	*	*
General outdoor use					*	•	*
Temporary applications	•		•			•	*
Long-term applications				•	*	•	•
Regripping handles		•	•	•	*	•	•
Masking rough surfaces like concrete, cement, grout and brick				•	*		•
Industrial and HVAC applications, like wrapping pipes				*	•		•
Hanging/draping polyethylene sheeting				•			•
Electrical applications				*	•		•
Automotive applications					•	•	•
Color coding, decorating and crafts			*			•	
Applications where appearance matters			•			*	
Long-lasting all-weather applications					*		*
Long-lasting applications with reliable removal							*



\* Test Adhesion Compatibility Before Use

## **Product Specifications**

Cat. No.	Description	Case Qty.	Stock Number	ltem UPC	Case UPC	Case Dim. (in.) (L x W x H)	Case Wt. (lbs.)	Case Cu/Ft.
Scotch® Co	re Duct Tapes							
Scotch® Multi-U	lse Duct Tape							
1110-A	1.88 in x 10 yd	24	70-0714-8258-5	000-51131-98002-0	000-51135-80877-1	12 x 8.1 x 8.5	5.86	0.480
1110-C	1.88 in x 10 yd	12	70-0714-1663-3	000-51131-98002-0	500-51131-98002-5	11.5 x 4.7 x 8.5	3.05	0.264
1130-A	1.88 in x 30 yd	24	70-0714-7618-1	000-51131-98004-4	000-51131-98193-5	14.1 x 9.6 x 8.5	13.51	0.660
1130-C	1.88 in x 30 yd	12	70-0714-1665-8	000-51131-98004-4	500-51131-98004-9	13.8 x 5.4 x 8.5	6.86	0.369
1145-A	1.88 in x 45 yd	24	70-0714-7626-4	000-51131-98201-7	500-51131-98201-2	15.5 x 10.5 x 8.5	19.60	0.799
1160-A	1.88 in x 60 yd	24	70-0714-7627-2	000-51131-98009-9	000-51131-98202-4	16.9 x 11.4 x 8.5	25.95	0.942
1160-C	1.88 in x 60 yd	9	70-0714-1670-8	000-51131-98009-9	500-51131-98009-4	16.6 x 6.1 x 6.6	9.80	0.386
1160-B	1.88 in x 60 yd, Mini-Pallet	54	70-0715-0131-9	000-51131-98009-9	500-51131-99849-5	17.4 x 12.4 x 18.3	63.00	2.280
Scotch <sup>®</sup> Pro Str	ength Duct Tape							
1210-A	1.88 in x 10 yd	24	70-0714-7661-1	000-51131-98235-2	500-51131-98235-7	12.3 x 8.4 x 8.5	7.25	0.500
1230-A	1.88 in x 30 yd	24	70-0714-7647-0	000-51131-98010-5	000-51131-98222-2	14.9 x 10 x 8.5	17.79	0.730
1230-C	1.88 in x 30 yd	9	70-0714-1671-6	000-51131-98010-5	500-51131-98010-0	14.8 x 5.4 x 6.6	6.40	0.308
1260-A	1.88 in x 60 yd	24	70-0714-7648-8	000-51131-98005-1	000-51131-98223-9	18 x 12.2 x 8.5	31.59	1.080
1260-C	1.88 in x 60 yd	9	70-0714-1666-6	000-51131-98005-1	500-51131-98005-6	17.9 x 6.5 x 6.6	12.20	0.446
	Duty All-Weather Duct Tape							
2230-C	1.88 in x 30 yd	9	70-0714-1667-4	000-51131-98006-8	500-51131-98006-3	15.4 x 5.6 x 6.6	7.00	0.330
2245-A	1.88 in x 45 yd	12	70-0714-7662-9	000-51131-98236-9	500-51131-98236-4	11.7 x 11.7 x 6.6	10.53	0.520
2245-B	1.88 in x 45 yd, Mini-Pallet	54	70-0715-0135-0	000-51131-98236-9	500-51131-99853-2	17.6 x 12.7 x 18.3	47.00	2.370
	gh Performance Duct Tap	85						
	·	00						
	arent High Performance Duct Tape	12	70.0715.0005.0	000 51101 00044 5	E00 E1101 00044 0	0.7 × 0.70 × 0.01	1 00	0.070
2105-CD	1.5 in x 5 yd, Carded		70-0715-0095-6	000-51131-99844-5	500-51131-99844-0	8.7 x 6.76 x 8.21	1.82	0.279
2120-A	1.88 in x 20 yd	12	70-0715-0123-6	000-51131-98011-2	000-51131-99847-6	9.4 x 9.4 x 6.4	5.17	0.327
2120-C	1.88 in x 20 yd	6	70-0715-0096-4	000-51131-98011-2	000-51131-99845-2	9.4 x 5.1 x 6.4	2.84	0.178
2120-N	1.88 in x 20 yd	18	70-0715-0097-2	000-51131-98011-2	000-51131-99846-9	9.4 x 13.6 x 6.4	8.37	0.473
2120-B	1.88 in x 20 yd, Mini-Pallet	54	70-0715-0132-7	000-51131-98011-2	500-51131-99850-1	18.2 x 13.4 x 9.0	23.39	1.267
2120-G	1.88 in x 20 yd, Gravity Feed	12	70-0715-0133-5	000-51131-98011-2	000-51131-99851-3	6.38 x 31 x 5.75	6.84	0.658
2120-SK	1.88 in x 20 yd, Sidekick	30	70-0715-0134-3	000-51131-98011-2	000-51131-99852-0	13.1 x 5.3 x 23.9	7.01	0.955
	idue High Performance Duct Tape							
2420	1.88 in x 20 yd	12	70-0715-0052-7	000-51131-99837-7	500-51131-99837-2	10 x 10 x 6.6	4.83	0.380
2420-SK	1.88 in x 20 yd, Sidekick	30	70-0715-0160-8	000-51131-99837-7	000-51131-99856-8	23.3 x 13.8 x 5.4	15.65	0.990
Scotch <sup>®</sup> Co	lored Duct Tapes							
Scotch® Colorec	d Duct Tape, 1.88 in x 60 yd						,	
1060-BLK-A	1.88 in x 60 yd, Black	9	70-0714-7637-1	000-51131-98212-3	500-51131-98212-8	16.9 x 6.1 x 6.6	8.66	0.400
1060-RED-A	1.88 in x 60 yd, Red	9	70-0714-7638-9	000-51131-98213-0	500-51131-98213-5	16.9 x 6.1 x 6.6	8.66	0.400
1060-WHT-A	1.88 in x 60 yd, White	9	70-0714-7639-7	000-51131-98214-7	500-51131-98214-2	16.9 x 6.1 x 6.6	8.66	0.400
1060-BLU-A	1.88 in x 60 yd, Blue	9	70-0714-7641-3	000-51131-98216-1	500-51131-98216-6	16.9 x 6.1 x 6.6	8.66	0.400
1060-BRN-A	1.88 in x 60 yd, Brown	9	70-0714-7642-1	000-51131-98217-8	500-51131-98217-3	16.9 x 6.1 x 6.6	8.66	0.400
1060-GRN-A	1.88 in x 60 yd, Green	9	70-0714-7643-9	000-51131-98218-5	500-51131-98218-0	16.9 x 6.1 x 6.6	8.66	0.400
1060-YLW-A	1.88" x 60 yd. Yellow	9	70-0714-7644-7	000-51131-98219-2	500-51131-98219-7	16.9 x 6.1 x 6.6	8.66	0.400
Scotch® Colorec	d Duct Tape, 1.88 in x 20 yd							
1020-BLK-A	1.88 in x 20 yd, Black	12	70-0714-7619-9	000-51131-98008-2	000-51131-98194-2	8.9 x 8.9 x 6.6	5.44	0.300
1020-BLU-A	1.88 in x 20 yd, Blue	12	70-0714-7620-7	000-51131-98195-9	500-51131-98195-4	8.9 x 8.9 x 6.6	5.44	0.30
1020-BRN-A	1.88 in x 20 yd, Brown	12	70-0714-7621-5	000-51131-98196-6	500-51131-98196-1	8.9 x 8.9 x 6.6	5.44	0.30
1020-GRN-A	1.88 in x 20 yd, Green	12	70-0714-7622-3	000-51131-98197-3	500-51131-98197-8	8.9 x 8.9 x 6.6	5.44	0.30
1020-RED-A	1.88 in x 20 yd, Red	12	70-0714-7623-1	000-51131-98198-0	500-51131-98198-5	8.9 x 8.9 x 6.6	5.44	0.30
1020-WHT-A	1.88 in x 20 yd, White	12	70-0714-7624-9	000-51131-98199-7	500-51131-98199-2	8.9 x 8.9 x 6.6	5.44	0.300
						+		

## Product Specifications (cont.)

Cat. No.	Description	Case Qty.	Stock Number	ltem UPC	Case UPC	Case Dim. (in.) (L x W x H)	Case Wt. (lbs.)	Case Cu/Ft.
Scotch® Col	ored Duct Tapes (cont.)				•			
Scotch® Colored	Duct Tape, Inner Packs, 1.5 in x 5 yd							
1005-DEAL	Deal - 48 rolls of #1005	1	70-0715-0130-1	500-51131-56380-8	500-51131-56380-8	27.3 x 12 x 8	8.57	1.510
1005-GRY-IP	1.5 in x 5 yd, Gray	72	70-0714-8908-5	000-51135-81079-8	500-51135-81079-3	9.9 x 7.5 x 10.3	0.47	0.440
1005-BLK-IP	1.5 in x 5 yd, Black	72	70-0714-7862-5	000-51135-80977-8	500-51135-80977-3	9.9 x 7.5 x 10.3	0.47	0.440
1005-BLU-IP	1.5 in x 5 yd, Blue	72	70-0714-7863-3	000-51135-80978-5	500-51135-80978-0	9.9 x 7.5 x 10.3	0.47	0.440
1005-BRN-IP	1.5 in x 5 yd, Brown	72	70-0714-7864-1	000-51135-80979-2	500-51135-80979-7	9.9 x 7.5 x 10.3	0.47	0.440
1005-GRN-IP	1.5 in x 5 yd, Green	72	70-0714-7865-8	000-51135-80980-8	500-51135-80980-3	9.9 x 7.5 x 10.3	0.47	0.440
1005-RED-IP	1.5 in x 5 yd, Red	72	70-0714-7866-6	000-51135-80981-5	500-51135-80981-0	9.9 x 7.5 x 10.3	0.47	0.440
1005-WHT-IP	1.5 in x 5 yd, White	72	70-0714-7867-4	000-51135-80982-2	500-51135-80982-7	9.9 x 7.5 x 10.3	0.47	0.440
1005-YLW-IP	1.5 in x 5 yd, Yellow	72	70-0714-7868-2	000-51135-80983-9	500-51135-80983-4	9.9 x 7.5 x 10.3	0.47	0.440
Scotch® Carded	Duct Tape, 1.5 in x 5 yd							
1005-BLK-CD	1.5 in x 5 yd, Black	12	70-0714-8905-1	000-51135-81076-7	500-51135-81076-2	8.1 x 6.8 x 8.8	1.13	0.280
1005-RED-CD	1.5 in x 5 yd, Red	12	70-0714-8909-3	000-51135-81080-4	500-51135-81080-9	8.1 x 6.8 x 8.8	1.13	0.280
1005-WHT-CD	1.5 in x 5 yd, White	12	70-0714-8910-1	000-51135-81081-1	500-51135-81081-6	8.1 x 6.8 x 8.8	1.13	0.280
1105-CD	1.5 in x 5 yd, Multi-Use	12	70-0714-8907-7	000-51135-81078-1	500-51135-81078-6	8.1 x 6.8 x 8.8	1.13	0.280
Scotch® Cor	ntractor Duct Tapes							
Scotch® Cloth St								
3060-A	1.88 in x 60 yd	12	70-0714-7810-4	000-51131-92121-4	500-51131-92121-9	16.2 x 5.8 x 8.4	13.35	0.456
3060-BULK	1.88 in x 60 yd, Bulk	24	70-0714-9654-4	000-51131-92121-4	000-51135-81457-4	16.3 x 11 x 8.5	26.59	0.876
Scotch <sup>®</sup> Heavy D	uty Cloth Stucco Tape							
3160-A	1.88 in x 60 yd	12	70-0713-7175-4	000-51131-93948-6	500-51131-93948-1	18.2 x 6.4 x 8.4	19.06	0.566
3160-BULK	1.88 in x 60 yd, Bulk	24	70-0714-7869-0	000-51131-93948-6	000-51135-80984-6	18.3 x 12.4 x 8.5	38.02	1.110
Scotch <sup>®</sup> Heavy D	uty Poly Stucco Tape							
3260-A	1.88 in x 60 yd	12	70-0714-9706-2	000-51131-93947-9	500-51131-93947-4	17.1 x 6.1 x 8.4	13.44	0.507
3260-BULK	1.88 in x 60 yd, Bulk	24	70-0714-9564-5	000-51131-93947-9	000-51135-81401-7	15.7 x 10.5 x 8.6	26.67	0.819
Scotch® Foil Tape	e							
3311-10A	2 in x 10 yd	24	70-0713-5239-0	000-51131-85492-5	500-51131-85492-0	12 x 8.1 x 8.5	7.38	0.474
3311-50A	2 in x 50 yd	12	70-0713-5240-8	000-51131-85493-2	500-51131-85493-7	15.5 x 5.6 x 8.5	15.28	0.422
Scotch <sup>®</sup> Printed I	Foil Tape							
3326-A	2.5 in x 60 yd	12	70-0713-5241-6	000-51131-85494-9	500-51131-85494-4	22 x 6.1 x 11	26.94	0.861
Scotch <sup>®</sup> High Ten	nperature Duct Tape							
1160-HT-A	1.88 in x 60 yd	24	70-0714-7694-2	000-51131-98290-1	500-51131-98290-6	16.9 x 11.4 x 8.5	31.70	0.944
Scotch® Pai	nter's Duct Tapes							
	ainter's Duct Tape							
P0030	1.88 in x 30 yd	24	70-0714-7556-3	000-51131-76943-4	000-51131-86810-6	13.8 x 9.3 x 8.2	21.16	0.608
	onal Painter's Duct Tape							
P1230	1.88 in x 30 yd	12	70-0714-7557-1	000-51131-98152-2	500-51131-98152-7	14.9 x 5.4 x 8.5	8.90	0.397
	due Painter's Duct Tape							
P2425 (US)	1.88 in x 25 yd	12	70-0714-7569-6	000-51131-98154-6	500-51131-98154-1	16.3 x 6.1 x 8.4	5.81	0.482
P2425-B3 (US)	1.88 in x 25 yd, Mini-Pallet Display	54	70-0714-8965-5	000-51131-98154-6	500-51131-81116-5	16.6 x 13.3 x 18.9	27.22	2.405
	ity Duct Tape							
	ity Duot lape				500-51131-66241-9			

**IMPORTANT NOTICE TO PURCHASER:** All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, expressed or implied. Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith, NEITHER SELLER NOR MANUFACTURER SHALL BE LIABLE EITHER IN TORT OR IN CONTRACT FOR ANY LOSS OR DAMAGE, DIRECT, INCIDENTAL, OR CONSEQUENTIAL, ARISING OUT OF THE USE OF OR THE LIABILITY TO USE THE PRODUCT. No statement or recommendation not contained herein shall have any force or effect unless in an Agreement signed by officers of sellers or manufacturers.

### Making your job a whole lot easier.



Construction and Home Improvement Markets Division

3M Center, Building 223-4S-02 St. Paul, MN 55144-1000 1 800 494-3552 www.3M.com

3M, Scotch, Tartan and the Plaid Design are trademarks of 3M.

Please recycle. Printed in U.S.A. © 3M 2007. All rights reserved. 70-0713-2958-8