

Quality Tools for Smart Cleaning

PRODUCT ASSORTMENT & PRICE LIST 2014

Valid from 01.01.2014









50 YEARS OF PROFESSIONAL QUALITY

In 1964, a young window cleaner decided that he would take a chance. It was in that year that Henry Unger took the latest window cleaning innovations from the United States and introduced them to German window cleaners. With the unwavering support of his wife, he launched his new business from his grandmother's attic in Hamburg. From this dream, a business that now spans the globe was born. Henry's discerning eye for quality products and tireless pursuit of new and better ways to clean still serve as inspiration for **UNGER**, and continue through his three sons, who reaffirm their father's core values of quality, trust and customer service in **UNGER** today.

The fact that Henry Unger started as a window cleaner gave him the deep understanding and knowledge that would drive the business from its humble Hamburg beginning to the global company that **UNGER** is today. Today, we continue to build on Henry's belief that knowing your customers is the only way to serve them. A key to our success has always been working in partnership with cleaning professionals to develop the very best cleaning solutions that deliver the right results, every time. Our customer's priorities are **UNGER's** priorities – we share the same goals in wanting to make cleaning better, easier and more efficient. Together with our customers, we are shaping the next generation of cleaning solutions.

THE 50TH ANNIVERSARY EDITION

As a special "Thank you" for all faithful customers over last 50 years we offer an exclusive and limited product range as well as nice "50 years" branded clothes.

ErgoTec[®] SQUEEGEE

- Green soft rubber
- Premium grey colour with metallic effect and 50 years laser engraved stamp
- Ergonomic bi-component handle
- S-Spring for quick replacement of rubber and channel

ESA30	30 cm	5 Pack	14,86 €/pcs
ESA35	35 cm	5 Pack	16,08 €/pcs
ESA45	45 cm	5 Pack	17,48 €/pcs

2 SQUEEGEE RUBBER "SOFT" GREEN

- Highly durable and efficient
- Sharp edges enable thorough wiping for superior finish

RR30V	30 cm	10 Pack	2,04 €/pcs
RR35V	35 cm	10 Pack	2,16 €/pcs
RR45V	45 cm	10 Pack	2,32 €/pcs

8 ErgoTec® WASHER

- Premium grey colour with metallic effect and 50 years logo on velcro tag
- Ergonomic bi-component handle with water wells
- High performance Ninja sleeve Highly absorbent material with with built-in scrub pad, superior cleaning performance with minimum effort

EHA35 35 cm 5 Pack 18,16 €/pcs



LIMITED EDITION exclusive 2014

ErgoTec[®] SQUEEGEE

SQUEEGEE RUBBER "SOFT" GREEN in stock from 01.04.14

3 ErgoTec[®] WASHER

6 ErgoTec® KIT

- Includes all 50 years anniversary products including BUCKET ON A BELT, ErgoTec[®] Squeegee and ErgoTec[®] Washer (35 cm)
- High value grey color with metallic effect
- Bucket fits 1 washer, 2 squeegees, 1 scraper

 Ideal for use indoors or in narrow spaces, clip for quick fastening

EKA30	30 cm	1 Pack	48,50 €/pcs
EKA35	35 cm	1 Pack	48,90 €/pcs
EKA45	45 cm	1 Pack	49,90 €/pcs



SOFTSHELL JACKET

Versatile, wind resistant and water repellent jacket with warm lining for greater comfort. Features two zipped handwarmer pockets and one zipped chest pocket.

WW053	L	1 Pack	39,90 €/pcs*
WW054	XL	1 Pack	39,90 €/pcs*
WW055	XXL	1 Pack	39,90 €/pcs*



HOODIE

Practical hooded jacket with two front kangaroo pockets and inner headphone pocket.

WW056	L	1 Pack	29,90 €/pcs*
WW057	XL	1 Pack	29,90 €/pcs*
WW058	XXL	1 Pack	29,90 €/pcs*



SOFTSHELL WAISTCOAT

Wind resistant and water repellent waistcoat with warm lining for greater comfort. Features two zipped handwarmer pockets and one zipped chest pocket.

WW050	L	1 Pack	29,90 €/pcs*
WW051	XL	1 Pack	29,90 €/pcs*
WW052	XXL	1 Pack	29,90 €/pcs*



*Special terms of payment apply

TABLE OF CONTENTPRODUCT ASSORTMENT

WINDOW CLEANING

Introduction...... 6

HIFLO[™] WATER FED POLE SYSTEMS

Overview HIFLOTM Water Fed Pole System	
A: Water Fed Pole Systems	
B: Brushes	
C: Goosenecks	
D: Pure Water Filter	11
A: <i>HiFlo</i> [™] Water Fed Pole System	
• mLitte	
Introduction	12
A: Master Poles, Extensions & Spare Parts	14
B: Brushes	17
C: Goosenecks	19
• CarbonTec	
Introduction	20
Modular Poles & Accessories	
Spare Parts	
•	
• Advance	
Introduction	
Telescopic Poles	
Spare Parts	23
B: <i>HiFLo[™]</i> Brushes	25
C: HıF∟o ™Goosenecks	26
D: HiFio [™] Pure Water Filter	
RO Filter	28
RO Filter Spare Parts	
DI Filter	
DI Filter Spare Parts	
Accessories	

CLASSICAL WINDOW CLEANING

Introduction Classical Window Cleaning Icons and Overview	38
ErgoTec® Ninja System	40
Squeegees	41
Washers	46
Indoor Cleaning	50
Telescopic Poles Adapters & Maintenance	
Scrapers	56
Cloths	58
Gloves	59
Belts & Pouches	60
Buckets & Soap	62
Cleaning Sets	63







LITTER PICKING & REACHING AIDS

Introduction	64
Waste Collection NIFTYNABBER® Bagger	64
Paper Picker	
Grabber NiftyNabber® Pro	65
NiftyNabber® Trigger	65



MAINTENANCE

Introduction	66
Floor Cleaning	
Floor Squeegees	
Floor Handles	
Floor Scrapers	
Double Bucket & Mopholder	
Microfibre Mops	74
Mophandles, Brushes, Sets	
Microfibre Cloth System Microfibre Cloths, Grading System Cloths & Sprayer	
Restroom Cleaning	
Toilet Cleaning	
Surface Cleaning	
Inspection Tools	
Dusting & Brushes	
Brushes & Dusters	80
Microfibre Dusters	









Professional Window Cleaning

50 years expertise – expert solutions – best service

UNGER is driven to continually develop new products that offer real value to cleaning professionals. All products are customer-oriented developed and approved by customers, before going to the market. The past 50 years have been filled with major milestones, many of which you will find in this catalogue.

MARKET LEADER UNGER has gained considerable international reputation as leading manufacturer of professional cleaning and maintenance tools. Cleaning contractors in more than 80 countries around the world trust in **UNGER** quality.

UNGER BRAND STANDS FOR

- → INNOVATION
- → QUALITY → SERVICE
- SERVICE

Every **UNGER** product is designed with end user safety, comfort and efficiency in mind.

100 % Customer Satisfaction Guarantee

At **UNGER**, we aim to stand apart from the rest thanks to our special "Yes We Can!" service spirit. We love what we do and as proof of that, we promise to deliver a 100 % Customer Satisfaction Guarantee

on every product and service we offer. This ensures that every **UNGER** product you purchase meets your high standards – or you can return it for a replacement or refund.

We have been manufacturing cleaning products and systems since 1964. In that time we've learned a lot about what makes great tools. Plus, we listen to your feedback – all of it. You can count on everything we offer to be highly functional and provided with an exceptional service level at all times. Which means you can't go wrong with products from **UNGER**, this is our promise to you... or you get your money back.



HIFLO[™] WATER FED POLE SYSTEMS

WATER FED – PURE WATER: applied with water fed pole system such as **HiFlo™** is the most efficient way of cleaning at heights of up to 20 m safely from the ground. What's more, it requires no chemicals or drying the glass – saving time and money!

MULTI COMPONENT SYSTEM: A **HiFlo™** System is a modular system. The individual items can be chosen and combined according to the working requirements.

TYPICAL APPLICATIONS: Residential or commercial window cleaning, large areas of glass, building facades, vehicles, signs and solar panels.

CLASSICAL WINDOW CLEANING

CLEANING TOOLS: Traditional handheld tools, designed to meet the demands of the professional window cleaning industry.

TYPICAL APPLICATIONS: Suitable for most types of window and glass cleaning, outdoors or indoor. Perfect for hard to reach areas and low level cleaning.

WINDOW CLEANING > WATER FED POLE SYSTEMS





The innovative Water Fed Pole Cleaning System from UNGER

TYPICAL APPLICATIONS



WINDOW AND FACADE CLEANING:

- Fast and effective method great results!
- Easy access to hard to reach areas

÷Ċ́-

- PV- AND SOLAR PANEL CLEANING:
- Solar yield can be increased by up to 30 %!
- Regular cleaning prevents build up of dirt for greater energy output
- Cleaning with 100 % pure water leaves no streaks or detergent residue

ADVANTAGES



- **UNGER** Pole Systems allow to clean at heights of up to 20 m safely from the ground
- No need to use dangerous ladders or hire expensive equipment


LABOUR EFFICIENCY

- One step cleaning no need to dry windows
- Large areas can be cleaned faster than using traditional methods

ECONOMIC BENEFITS

- Improved safety = lower insurance cost
- Greater efficiency more work can be done in the same time
- No need to use expensive chemicals good for environment too!





CHOSING THE POLE

When selecting the pole, the following points have to be considered:


- required pole height greater heights require poles with greater rigidity
- duration of the job the longer you work, the lighter pole you need to reduce fatigue.

MODULAR, TELESCOPIC OR EVEN BOTH!

The overview of each pole type below will help you to identify the best system for any cleaning challenge.



Modular Poles – individual sections can be added to each other to build up the pole to required reach.



TeleMod Poles – the best of both! Telescopic Master Pole can be further extended by adding one or several telescopic Extension Poles. This means that operator holds minimum required weight and length of the pole at any time, with a flexibility to quickly increase the reach at any time.

SELECTING THE RIGHT MATERIAL

CAR

HYB



100% carbon fibre pole.

The ultimate in rigidity,

Superior rigidity.

super light pole.

HYBRID



Glass Fibre / Carbon Composite Pole. Excellent rigidity and value.

GLASS FIBRE



High rigidity and maximum working comfort.

ALU



Aluminium pole with excellent rigidity thanks to modern construction technology.

WINDOW CLEANING > WATER FED POLE SYSTEMS



HIFLO[™] WATER FED POLE SYSTEMS



TELESCOPIC & MODULAR WATER FED POLE SYSTEM

With 5 grades of material to choose from, **HiFlo™ nLite** provides perfect balance between weight and rigidity.

The four section Master Pole can be used on its own, or in combination with Extension Pole(s) for greater reach.

Crucially, the Extension Poles don't add anything to the width, grip and feel of the Pole which always measures 35 mm in diameter – an optimum size that fits easily into the hands of the professional for quick and comfortable cleaning.

- HiFlo[™] nLite meets the highest standards in terms of comfort, value and cleaning results
- HiFlo[™] nLite is the ultimate system for professional and No. 1 in Europe





MODULAR WATER FED POLE SYSTEM

This Award Winning modular water fed Pole System with internal hose in every section, capable of reaching heights up to 15 metres. It's every pole size you will ever need, in one portable Gear Bag that you can carry.



p. 20



TELESCOPIC WATER FED POLE SYSTEM

These durable glass and carbon fibre Poles with internal hose, extending up to 20 metres high, are light, very strong and offer optimum Pole stiffness and Brush control. Perfect for users who have frequent high level cleaning jobs or long periods of continual Pole work.









Superlight **UNGER** Brushes are designed to get into the smallest corners and effectively lift dirt from the surfaces with scrubbing action. Depending on the cleaning task, you can choose from universally applicable rectangular shaped brush or radius brush, designed for easy cleaning of sills and other angled objects.

Brush Bristles types:



NATURAL BOAR BRISTLE: Coarse to the touch, naturally split along the length, each fibre cleans the surface with its entire body, effectively removing dirt from the tiniest of crevices.



POLYESTER BRISTLES are highly durable, with a choice of flagged or unflagged structure.



YELLOW POLYESTER, featured on solar brushes, will remove even stubborn dirt yet are gentle enough not to damage delicate surface of the PV-/Solar panels.



Strong yet lightweight angle adapters enable you to achieve any working angle, keeping weight to a minimum. HIFLO[™] PURE WATER FILTER

REVERSE OSMOSIS FILTERS (RO)



These filter apply mechanical filtration process, where water is purified of minerals by being pushed under pressure through a semipermeable Reverse Osmosis membrane.

Despite comparatively substantial set up cost, RO filters require minimal maintenance and offer a costeffective way for constant, high volume production of pure water.

Mobile for immediate set up anywhere with electricity and tap water supply.

Incoming water is split into pure and waste water during filtration process, requiring drainage facility for waste water.

p. 28

DEIONISATION FILTERS (DI)



These filters utilise ion exchange resins which removes ionised salts from water, producing 100 % deionised water.

Though DI filters require relatively inexpensive initial investment, regular repurchase of the new resin is necessary for pure water production.

Mobile for immediate set up anywhere – all you need is tap water supply.

All generated water can be consumed.

p. 32

WINDOW CLEANING > WATER FED POLE SYSTEMS

Evolutionary Pole Technology for Professionals



- Innovative engineering
- Ease of use
- Adaptability

Light, modular and easy to use. Our **HiFlo™ nLite** System sets a new benchmark in professional cleaning technology. The use of modern materials delivers perfect balance between weight and rigidity. With 5 different mix and match pole materials, the **HiFlo™ nLite** System is the perfect choice for every cleaning challenge and budget. "Made in Germany", of course.

- The Length Deflection Ratio (LDR) has been developed to provide a quantifiable way of measuring the perfect balance between length and rigidity of water fed poles.
- Strong carbon angle adapters enable you to achieve any working angle, keeping weight to a minimum.
- Superlight Brushes feature high quality polyester or natural bristles designed to get into the smallest corner and help with scrubbing actions. With up to 12 different Jet locations, depending on the Brush size, hundreds of spray patterns are possible.

The perfect 4-Step-System:

A DLITE WATER FED POLE SYSTEM	🔎 p. 14
	🔎 p. 17
C mliff goosenecks	🔎 p. 19
D PURE WATER FILTER	🔎 p. 28

DLITE ONLINE CONFIGURATOR

Build your personal HiFlo™ nLite System at www.ungerglobal.com!






DLITE WATER FED POLE SYSTEM

MASTER POLE

Length	4 sections (Ø 26 / 29 / 32 / 35 mm) 6,63 m/22 ft – or 6,00 m/20 ft or 4,50 m/15 ft.
Endcap	Durable plastic with rubber insert. Pre- vents accidental damage to the end of the pole. Features side aperture for Hose.
Print	Complete specifications, including Length Deflection Ratio for measuring Pole rigidity.
Clamps	Easy one handed operation to change pole length. Yellow clamps identify the next modular component to prevent uninten- tional separation.
Water fed	The water hose can be led inside or outside the pole in guiding clamps.

EXTENSION POLE

Length	2 sections (Ø 32 / 35 mm) 3,41 m/11 ft – or 3,00 m/10 ft.
Application	Add on up to 4 Extension Poles to Master Pole to reach the required height (number of Extension Poles depends on pole material).
Colour	Yellow visual warning area at the top of Extension Pole helps to avoid unintentional separation from the Master Pole.
Print	Complete specifications, including Length Deflection Ratio for measuring Pole rigidity.



WINDOW CLEANING > WATER FED POLE SYSTEM > TELE MOD > MLITE





Indd Thread	ded for worki	The ultimate i							scopic Extensi ea to avoid unir		aration.		
Part No.	Adapter and Size ext.	Size short	Elements	Waight	Pack	E Iniana	Part No.	Size ext.	Size short	Elements	Waight	Pack	6/minor
UC67G	6,63 m	1,87 m	4	Weight 1,5 kg	1	€/piece 826,17	UC35G	3,41 m	1,91 m	2	Weight 0,7 kg	1	€/piece 443,59
000,0	0,00 111	1,07 111		1,0 119	·	020,17	00000	0,1111	.,,	-	5,7 Kg		110,0
HiFlo™ nl	L ITE CARE	BON MASTI	ER POLE				> HiFlo	o™ nLITE C.	ARBON EX	TENSION P	OLE		
Recomment		Superior rigid ing at heights o Endcap							scopic Extensi ea to avoid unir		aration.		
Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piece	Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piec
CT67G	6,63 m	1,87 m	4	1,6 kg	1	515,97	CT35G	3,41 m	1,91 m	2	0,8 kg	1	257,4
U∶Elo™nl								M					
HIFLO NL		RID MASTE	RPULE						YBRID EXT	ENSION PU	JLE		
Recomment		Excellent rigit ing at heights of Endcap							scopic Extensi ea to avoid unir		aration.		
Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piece	Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piec
HT67G	6,63 m	1,87 m	4	1,7 kg	1	309,17	HT35G	3,41 m	1,91 m	2	0,9 kg	1	154,0
							AK081	1,10 m	0,81 m	2	0,5 kg	1	71,3
HiFlo™nl		S FIBRE M	ASTER PO	IF			► HiFla	nLITE G	LASS FIBR	E EXTENSI			
-		Superior rigid							scopic Extensi				
Recomment		ing at heights o							ea to avoid unir		aration.		
Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piece	Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piec
GF60G	6,00 m	1,71 m	4	1,7 kg	1	129,00	GF30G	3,00 m	1,69 m	2	0,9 kg	1	79,0
GF45G	4,50 m	1,34 m	4	1,4 kg	1	119,00							
HiFlo [™] nl	LITE ALUN		STER POL	E			> HiFla	o [™] nLITE A	LUMINIUM	EXTENSIO	N POLE		
Recommend		Excellent rigit ing at heights o			truction techr	nology.			scopic Extensi ea to avoid unir		aration.		
Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piece	Part No.	Size ext.	Size short	Elements	Weight	Pack	€/piec
AN60G	6,00 m	1,71 m	4	2,0 kg	1	69,00	AN30G	3,00 m	1,69 m	2	1,1 kg	1	42,00
AN45G	4,50 m	1,34 m	4	1,6 kg	1	59,00							
FTTHR		HFNLC	тос	l o™ nLITE DL ADAPTE	ER		L	-		HiFlo ENDC	™ nLITE CAP		
		r for attaching		cleaning tool			- F - S	Prevents dama Side opening f	on cap with rul age of the lowe or the hose 1 the pole and f	r pole end	mp		
Plastic adap – FTTHR: Th – HFNLC: Co		J		Pag		ece 5,07		irt No.				Deals	€/piec
Plastic adap – FTTHR: Th – HFNLC: Co Part No.		j		1	C							Pack	
Plastic adap - FTTHR: Th - HFNLC: Co Part No. FTTHR				1				1ECP				Pack 1	•
Plastic adap - FTTHR: Th - HFNLC: Co Part No. FTTHR						5,90							5,0
Plastic adap – FTTHR: Th – HFNLC: Co Part No. FTTHR		Un	iversal Vel	1 Icro Straps	5		TM		rol				•
Plastic adap – FTTHR: Th		Un	iversal Vel or Ø 20-70	1 Icro Straps	5		TN Hi Ins - C - C - F	IECP IFLo [™] Conti stant water fla Easy hose fit n Complete wate	ow control at t nechanism er flow control ith clips or velo 20–70 mm				•

HiFlo™ nLite Clips for Ø 35 mm poles

1

l

l

.

Art. Nr.	Info	VPE	€/Stück
TMOOV	Complete with nLite Clips + Velcro Straps	1	24,90
TMOON	Clips for fitting to Ø 35 mm nLite pole	1	2,90
TMOOT	Universal Velcro Straps	1	2,90

WINDOW CLEANING > WATER FED POLE SYSTEM >

))=	-					5.4
10			19	and the second s						1.0	
HiFlo™nL	ITE POLE TU	JBE, HIMOD N	IASTER		Q	HiFlo	nLITE POL	E TUBE, HIM	OD EXTENSI	ON	1
Part No.	Ømm	Segment	Clamp	Pack	€/piece	Part No.	Ømm	Segment	Clamp	Pack	€/piece
17254	26	1	•	1	186,33	17279	32 35	1	-	1	226,44
17260 17266	29 32	2		1	202,40 216,79	17396	30	Z	– –	I	247,16
17272	35	4	••	1	247,16						
			-100	U ^V		-				107- A	
HiFlo™ nL	ITE POLE TU	JBE, CARBON	I MASTER	¥*	0	HiFlo	nLITE POL	E TUBE, CAR	BON EXTEN	SION	
Part No.	Ømm	Segment	Clamp	Pack	€/piece	Part No.	Ømm	Segment	Clamp	Pack	€/piece
17253	26	1	•	1	112,61	17278	32	1	-	1	126,04
17259	29	2	•	1	118,70	17394	35	2	•	1	156,24
17265 17271	32 35	3	•	1 1	123,90 156,27						
			101		h =	-				10	
HiFlo™nL	ITE POLE TU	JBE, HYBRID	MASTER		0	HiFlo	nLITE POL	E TUBE, HYB	RID EXTENS	SION	(
Part No.	Ømm	Segment	Clamp	Pack	€/piece	Part No.	Ømm	Segment	Clamp	Pack	€/piece
17252	26	1	•	1	64,20	17277	32	1	-	1	71,34
17258	29 32	2	•	1	69,20	17395	35	2	•	1	96,59
		.1	•	1	69,66						
17264 17270	35	4	•	1	96,59						
			•	1		-					-
17270	35	4		1 ER		HiElo"	ni ite pol	E TUBE GLA	SS FIRRE FY	TENSION	
17270 HiFlo™ nL	35	4 JBE, GLASS F	IBRE MAST	1 ER Pack		HiFlo ^{TT} Part No.	¹ nLITE POL Ømm	E TUBE, GLA	SS FIBRE EX	KTENSION Pack	€/piece
17270 HiFlo™nL Part No.	35 ITE POLE TU	4			96,59						•
17270 HiFlo [™] nL Part No. 17818	35 ITE POLE TU Ømm	4 JBE, GLASS F Segment	Clamp	Pack	96,59 ★ €/piece	Part No.	Ømm	Segment		Pack	€/piece 37,90 41,90
17270 HiFlo™ nL Part No. 17818 17819	35 ITE POLE TU Ømm 26	4 JBE, GLASS F Segment 1 (4,50 m)	Clamp	Pack 1	96,59	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821	35 ITE POLE TU Ømm 26 29	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m)	Clamp	Pack 1 1	96,59	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821 17814	35 ITE POLE TU Ømm 26 29 32 35 26	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m)	Clamp	Pack 1 1 1 1 1 1	96,59	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821 17814 17815	35 ITE POLE TU Ømm 26 29 32 35 26 29	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m)	Clamp	Pack 1 1 1 1 1 1 1 1	96,59	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821 17814 17815 17816	35 ITE POLE TU Ømm 26 29 32 35 26	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m) 3 (6,00 m)	Clamp	Pack 1 1 1 1 1 1	96,59	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821 17814 17815 17816	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 32	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m)	Clamp • • • • • • • • • • • • •	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 32	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m) 3 (6,00 m)	Clamp • • • • • • • • • • • • •	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90	Part No. 17822	Ø mm 32	Segment 3 (6,00 m)	Clamp -	Pack 1	37,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821 17814 17815 17816 17817 	35 ITE POLE TU 26 29 32 35 26 29 32 35 26 29 32 35	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m) 3 (6,00 m)	Clamp Clamp	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90	Part No. 17822 17823	Ø mm 32 35	Segment 3 (6,00 m)	Clamp -	Pack 1 1	37,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17815 17815 17816 17817 WiFlo [™] nL Part No.	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 35 32 35	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m) 3 (6,00 m) 4 (6,00 m) 4 (6,00 m)	Clamp Clamp Clamp Clamp	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 Pack	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 C/piece	Part No. 17822 17823 17823 ■ HiFLo [™] Part No.	Ø mm 32 35 * nLITE POL Ø mm	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment	Clamp -	Pack 1 1	37,90 41,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17814 17815 17816 17817 URENT Part No. 17828	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 35 35 ITE POLE TU Ømm 26	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m) 3 (6,00 m) 4 (6,00 m) 4 (6,00 m)	Clamp Clamp	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 Pack 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 C/piece 15,50	Part No. 17822 17823 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	Ø mm 32 35 * nLITE POL Ø mm 32	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment 3 (6,00 m)	Clamp - • • • • • • • • • • • • •	Pack 1 1 1 1 V V Pack 1	37,90 41,90 41,90 €/piece 18,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17814 17815 17816 17817 WiFlo [™] nL Part No. 17828 17829	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 35 ITE POLE TU Ømm 26 29	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 2 (6,00 m) 3 (6,00 m) 4 (6,00 m) 4 (6,00 m) 4 (4,50 m) 2 (4,50 m) 2 (4,50 m) 2 (4,50 m)	Clamp Clamp Clamp Clamp	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 C/piece 15,50 15,50 15,90	Part No. 17822 17823 17823 ■ HiFLo [™] Part No.	Ø mm 32 35 * nLITE POL Ø mm	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment	Clamp - • • • • • • • • • • • • •	Pack 1 1	37,90 41,90 41,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17821 17814 17815 17816 17817 HiFlo [™] nL Part No. 17828 17829 17830	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 35 26 29 32 35 ITE POLE TU Ømm 26 29 32 35	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (4,50 m) JBE, ALU MAS Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m)	Clamp Clamp O O O O O O O O O O O O O	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 C/piece 15,50 15,50 15,50 16,50	Part No. 17822 17823 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	Ø mm 32 35 * nLITE POL Ø mm 32	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment 3 (6,00 m)	Clamp - • • • • • • • • • • • • •	Pack 1 1 1 1 V V Pack 1	37,90 41,90 41,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17821 17814 17815 17816 17817 HiFlo [™] nL Part No. 17828 17829 17830 17831	35 ITE POLE TU Ømm 26 29 32 35 26 29 32 35 ITE POLE TU Ømm 26 29 32 35	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 3 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (4,50 m) 4 (4,50 m) 2 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 3 (4,50 m) 4 (4,50 m)	Clamp Clamp Clamp Clamp	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 C/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 C/piece 15,50 15,90 16,50 19,90	Part No. 17822 17823 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	Ø mm 32 35 * nLITE POL Ø mm 32	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment 3 (6,00 m)	Clamp - • • • • • • • • • • • • •	Pack 1 1 1 1 V V Pack 1	37,90 41,90 41,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17821 17814 17815 17816 17817 HiFlo [™] nL Part No. 17828 17829 17830 17831 17824	35 ITE POLE TU Ømm 26 29 32 35 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 32 35 26 29 32 32 35 26 29 32 32 32 32 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 35 26 29 35 26 29 35 26 29 35 26 26 29 35 26 26 26 29 35 26 26	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (4,50 m) 2 (4,50 m) 2 (4,50 m) 3 (4,50 m) 3 (4,50 m) 1 (6,00 m)	Clamp Clamp O O O O O O O O O O O O O	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 €/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 €/piece 15,50 15,50 15,50 16,50 19,90 17,50	Part No. 17822 17823 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	Ø mm 32 35 * nLITE POL Ø mm 32	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment 3 (6,00 m)	Clamp - • • • • • • • • • • • • •	Pack 1 1 1 1 V V Pack 1	37,90 41,90
17270 HiFlo™ nL Part No. 17818 17819 17820 17821 17821 17814 17815 17816 17817 HiFlo™ nL Part No. 17828 17829 17830 17831 17824 17825	35 ITE POLE TU Ømm 26 29 32 35 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 29 35 26 29 29 20 29 20 29 20 20 20 20 20 20 20 20 20 20	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (4,50 m) 2 (4,50 m) 2 (4,50 m) 3 (4	Clamp Clamp O O O O O O O O O O O O O	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 €/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 €/piece 15,50 15,50 15,50 16,50 19,90 17,50 17,90	Part No. 17822 17823 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	Ø mm 32 35 * nLITE POL Ø mm 32	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment 3 (6,00 m)	Clamp - • • • • • • • • • • • • •	Pack 1 1 1 1 V V Pack 1	37,90 41,90 41,90
17270 HiFlo [™] nL Part No. 17818 17819 17820 17821 17821 17814 17815 17816 17817 HiFlo [™] nL Part No. 17828 17829 17830 17831 17824	35 ITE POLE TU Ømm 26 29 32 35 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 35 26 29 32 35 26 29 32 32 35 26 29 32 32 32 32 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 32 35 26 29 35 26 29 35 26 29 35 26 29 35 26 26 29 35 26 26 26 29 35 26 26	4 JBE, GLASS F Segment 1 (4,50 m) 2 (4,50 m) 3 (4,50 m) 4 (4,50 m) 1 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (6,00 m) 4 (6,00 m) 3 (4,50 m) 2 (4,50 m) 2 (4,50 m) 3 (4,50 m) 3 (4,50 m) 1 (6,00 m)	Clamp Clamp O O O O O O O O O O O O O	Pack 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96,59 €/piece 30,90 31,90 32,90 35,90 31,90 32,90 33,90 39,90 €/piece 15,50 15,50 15,50 16,50 19,90 17,50	Part No. 17822 17823 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	Ø mm 32 35 * nLITE POL Ø mm 32	Segment 3 (6,00 m) 4 (6,00 m) E TUBE, ALU Segment 3 (6,00 m)	Clamp - • • • • • • • • • • • • •	Pack 1 1 1 1 V V Pack 1	37,91 41,91 41,91 €/piec 18,91

Image: Constraint of the second se



Ō

€/piece

6,20



HiFlo™ nl	LITE CLAM	IP COMPLI	ETE, 26 mr	n 🖸
Yellow				
Part No.	Version	Hose Clip	Pack	€/piece
17152	26 mm	\checkmark	1	4,89
17282	26 mm	-	1	4,37



HiFlo™ nLIT	E CLAMP CO	MPLETE, 29	mm 🗘
Grey			
Part No.	Version	Pack	€/piece
17157	29 mm	1	5,00

HiFlo [™] nLl	TE CLAMP COI	MPLETE, 32 i	mm 🗘
Grey			
Part No.	Version	Pack	€/piece
17162	32 mm	1	5,03



HiFlo[™] nLITE

HOSE Water hose to connect nLite pole with water filter.

- High pressure hose

 Provides 	 Provides standard male hose connector, alu for water filter connection 						
Part No.	Length	Pack	€/piece				
NL11G	11 m	1	16,44				
NL20G	20 m	1	23,69				
NL25G	25 m	1	26,79				

Rectangular, Radius and Solar

MLITE BRUSHES

GENERAL INFORMATION

Types

Sizes 27 / 40 / 60 cm

Bristle Guide

Lightweight, solvent resistant synthetic bristles are hard wearing and effective in removing even the most stubborn dirt.

Application







Pencil Jets for Hydrophilic Glass Fan Jets for Hydrophobic Glass





The brush can be rotated by 180°, using the built-in adapter.

Changing the position provides greater flexibility and control over cleaning and rinsing different surfaces, angles and structures.



Pressure Guide

Adding more Jets allows you to clean larger areas quicker and better. The higher the water pressure, the higher number of Jets you can use at one time.

	Grey
and the second	Part No.
	17170
	1

Ō

O

HiFlo™nl	LITE CLAMP CO	MPLETE, 35	mm Ö
Yellow			
Part No.	Version	Pack	€/piece
17169	35 mm	1	6,20

HiFlo[™] nLITE CLAMP COMPLETE, 35 mm

Pack

1

Version

35 mm



HiFlo™nLI	E CLAMP HOSE CLIP	0
Part No.	Pack	€/piece
17149	10	0,50

		B		li Flo™ nLITI IOSE EXTEN	_	N KIT		
– Simply pu between t	For quick connection of two hoses Simply push the adapter parts into hose and get a quick release connection between two hoses - Includes 2x hose end piece adapter, 1x quick connector							
Part No.						Pack	€/piece	
NLQUI						1	11,37	

WINDOW CLEANING > WATER FED POLE SYSTEM >



HIFIO[™] nLITE BOARS BRISTLE BRUSH

Super light water fed brush with best cleaning power. - Best cleaning power as bristles clean with full length - High quality boars bristles

Chartheistles less weight less heistles for his surfaces

- 5001000	isiles, less w	eigni, iong bi	istles for big	surfaces		
Part No.	Size	Weight	Jet Pos.	Bristles	Pack	€/piece
NLE27	27 cm	280 g	4	short	1	69,00
NLE40	40 cm	360 g	8	short	1	89,00
NLB27	27 cm	295 g	4	long	1	89,00
NLB40	40 cm	415 g	8	long	1	119,00

1 BOARS BRISTLE

UNGER has selected the best quality bristles from the boar, which are close to the body.

Watching these under a microscope the bristles look like a fly leg with many side hairs that pick up dirt over the whole bristle length.

Short Bristles: Daily usage, big areas

Long bristles: Special usage, heavy soiled windows.

HiFlo[™] nLITE RADIUS BRUSH/SOLAR RADIUS BRUSH

916 g

Superlight Water Fed Brush with jet connections.

- Radius shape for bigger surface and angled bristles for sills etc.

Multiple jet locations

NL60Y

- One set of pencil jets included as standard

- Yellow sola	ar bristles: unsp	out			
Part No.	Size	Weight	Jet Pos.	Pack	€/piece
NLR27	27 cm	408 g	4	1	36,19
NLR40	40 cm	579 g	8	1	46,51
NL27Y	27 cm	408 g	4	1	36,19
NL40Y	40 cm	579 g	8	1	46,51

12

1

56.86

6,20

HiFlo[™] nLITE RECTANGULAR BRUSH

Superlight Water Fed Brush with jet connections.

- Multiple jet locations for interchangeable jets

60 cm

One set of pencil jets included as standard
 Green unsplit bristles, especially for windows and surfaces

Part No.	Size	Weight	Jet Pos.	Pack	€/piece

NL27A	27 cm	314 g	4	1	31,01
NL40A	40 cm	452 g	8	1	41,34
NL60A	60 cm	850 g	12	1	51,69



RADIUS BRUSH

Angled brush body creates bigger surface
Optimal for big areas or window sills or frames






HiFlo[™] nLITE BRUSH SOCKET

NLBRS

	o connect brush to goose d to change angle of the l t of jets	
Part No.	Pack	€/piece

IDLITE > BRUSHES, GOOSENECKS





MLITE GOOSENECKS

GENERAL INFORMATION

Length	20 and 30 cm / 150 cm
Material	Carbon / Hybrid

Use

Strong carbon fibre gooseneck attachments enable you to achieve any working angle, keeping weight to a minimum. Modern carbon material ensures long life and high rigidity. The angle adapters are available in sizes of 20 cm, 30 cm and 150 cm. Choose between the different versions depending on the size, type and angle of the surface on which you want to work.



HiFlo [™] nLITE MULTILINK GOOSENECKS					
Superlight carbon fibre goosenecks. – Achieve any working angle – Keeps weight to a minimum – Includes HiFlo™ nLite thread adapter to screw brush on (NLG20 & NLG30) – NLG15 includes plastic adjustable angle adapter					
Part No.	Size	Weight	Material	Pack	€/piece
NLG20	20 cm	130 g	Carbon	1	61,00
NLG30	30 cm	140 g	Carbon	1	66,17
NLG15	150 cm	390 g	Hybrid	1	71,34

WINDOW CLEANING > WATER FED POLE SYSTEM > MODULAR POLES > **C**ARBON**T**EC

HIFLO[™] CARBONTEC WATER FED POLE SYSTEM

This Award Winning modular water fed pole system, capable of reaching heights up to 15 metres / 50 feet and beyond, is by far the best on the market. Quality engineered and manufactured in Germany, the patent pending carbon fibre system is extremely rigid and lightweight. It's every pole size you will ever need, in one portable Gear Bag that you can carry.

FEATURES:

- Carbon fibre sections are super-lightweight, yet extremely rigid
- Easily assembled, sections screw together with robust and durable hard anodized aluminium connectors
- Internal hose in every section quickly connected.
- Comfortable to hold slip resistant textured connections between sections

• Convenient Waterfeed Adapter with on-off water control – saves water

• Fully compatible with **HiFlo™** MultiLink Goosenecks, Extensions and Brushes

WHY CHOOSE MODULAR?

Adding individual sections allows user to build up their Pole to the exact length required to reach a specific height. This means that you work with the exact Pole length required but with the least Pole weight necessary – the sections you don't need can stay in the Gear Bag!

SECTION INFO:

- Diameter: 45 mm
- 2 Lengths available: 1,5 m and 0,75 m



- Solid carbon fibre Pole sections, reinforced with glass fibre.
- Light, yet extremely robust and durable
 Strong, with secure connection
- Internal hose quick connection

– Available in 2 size	es		
Part No.	Size	Pack	€/piece
CT15B	1,50 m	1	235,87

0,75 m

– Made from so – Can be carrie	HiFlo [™] (tid nylon material din hand or over shoulder mpartments for accessories	CarbonTec GE, bonTec Pole Kit.	AR BAG
Part No.	Size (H x W x D)	Pack	€/piece
CTBA2	20 x 160 x 30 cm	1	188,46



HiFlo[™] CarbonTec MODULAR POLE KIT

Complete Kit consisting of poles and all accessories. Comes in durable Gear Bag. Includes: 10 x (or 6 x) CT15B CarbonTec Pole sections 1,50 m, 1 x CT27A Brush, 1 x FTGOA Adapter, 1 x FTMGS Gooseneck short, 1 x CTWFC Waterfeed Adapter, 1 x CTH10 Hose 10 m, 1 x CTECP Endcap.

Part No.	Size	Sections	Pack	€/piece
СТКІЗ	15 m	10	1	2.487,87
CTKI6	9 m	6	1	1.783,16



HiFlo[™] CarbonTec HOSE COMPLETE

Durable hose for water supply from water filter to the Brush.

- High pressure hose


 Complete with standard hose connector for water supply and CarbonTec waterfeed

Part No.	Size	Pack	€/piece
CTH10	10 m	1	41,50
CTH25	25 m	1	53,09

176,61

CT075





Part No.	Pack	€/piece
CTWFC	1	81,79



HiFlo[™] CarbonTec END CAP

- Anodised aluminium end cap for secure positioning of the Pole.

- Strong, with secure connection
 Attaches to the last pole section
 Slip resistant to help user manage the Pole
 Solid rubber end protects the connector

Part No.	Pack	€/piece
CTECP	1	41,50



HiFlo™ Carb BRUSH JET		Q
Part No.	Pack	€/piece
CTBRJ	2	11,74

|--|


HiFlo™ Carb POLE/WATE	oonTec ER ADAPTER	0
Part No.	Pack	€/piece
CTHPC	1	10,24

r.l.	H H
1997	Pa
w.	C.

HiFlo™ Carb HOSELOCK	IONTEC CONNECTOR	0
Part No.	Pack	€/piece
CTHLC	10	5,07

0	HiFlo ™ HOSE EXTE	0	
	Part No.	Pack	€/piece
0 🐔	16900	1	14,37

\bigcirc	HiFlo ™ CONNECTI	0		
	Part No.	Info	Pack	€/piece
	16474	1 m + CTHPC	1	10,86
	16475	2 m + CTHPC	1	11,69





	HiFlo™ Carb WATER VAL	0		
	Part No.		Pack	€/piece
0	CTWFV	complete	1	16,47
	14259	connection to pole	1	1,97
	14260	valve	1	7,13
	14261	water connection	1	2,49

WINDOW CLEANING > WATER FED POLE SYSTEM > TELESCOPIC > HIFLO™ ADVANCE

HIFLO[™] Advance WATER FED POLE SYSTEM

NUMEROUS ADVANTAGES:

- Safely clean up to 20 metres high, without ladders, from the ground
- Significant time savings: no setup times for ladders or lift trucks
- Quick access to hard to reach areas
- Easily adjustable due to clamp system
- Twice as fast as conventional glass
- cleaning • Saves money: lower rental and
- personnel costs
- More efficiency in less time
- Image improvement modern presentation to the client, convincing results and a better price

TOP FEATURES:

- Pole sections made of strong and sturdy material • Robust and easy to operate clamp
 - connections quick adjustment of height • Internal hose, including standard
 - connector for water filter
 - 4 metres extra length when pole is fully extended.
 - Ideal for high and narrow buildings
 - Ultra-compatible thanks to numerous MultiLink adapters and a great range of **HiFlo™** brushes
 - Glass Fibre and Hybrid (Glass Fibre & Carbon)

HiFlo[™] Advance POLES

Extremely flexible HiFlo™ Advanced Poles reach up to 10,00 m / 45 ft high. Complete with Internal Hose and Hoselock Connector. Ready to use with HiFlo™ MultiLink Gooseneck System and Brushes.

- Very solid and lightweight due to carbon and glass fibre - Resistant against chemicals
- Solid clamps permit one-handed operation

HiFlo[™] Advance Glass Fibre

HiFlo™ Advance Glass Fibre				HiFlo™ Adv	vance+ Hybri	id (Glass Fib	re + Carbon)				
Part No.	Sections	Weight	Length	Pack	€/piece	Part No.	Sections	Weight	Length	Pack	€/piece
FT28G	2	1,1 kg	2,80 m	1	71,00	FT94H	7	3,7 kg	9,40 m	1	574,30
FT40G	3	1,5 kg	4,00 m	1	93,89	FT1XH	8	4,3 kg	10,00 m	1	688,67
FT52G	4	2,0 kg	5,20 m	1	128,21						
FT70G	5	3,0 kg	7,00 m	1	162,53						
FT84G	6	3,6 kg	8,40 m	1	208,29						

CARBONTER TELESCOPIE

HiFlo[™] CarbonTec TELESCOPIC POLES

Flexible and long carbon fibre telescopic Poles reach up 20 m / 65 ft high. Complete with Internal Hose and Hoselock Connector.

Ready to use with HiFlo™ MultiLink Gooseneck System and Brushes. Stiff and robust. Entirely made from carbon fibre

- High accessibility, work up to 20 metres high

- Easy to use: convenient height adjustment with clamps

Part No.	Sections	Weight	Length	Material	Pack	€/piece	
FT5XC	9	5,7 kg	13,50 m	Carbon Fibre	1	1.062,91	
FT6XC	9	6,6 kg	16,00 m	Carbon Fibre	1	1.328,90	
FT7XC	10	8,2 kg	20,00 m	Carbon Fibre	1	1.594,91	

HIFLO™ ADVANCE SPARE PARTS



HiFlo [™] Adv	0							
Pole Section 1, FT28G (2 Section FT40G (3 Section FT52G (4 Section	ons, 2,80 m) ons, 4,00 m)							
Part No.	Ø	Segment	Pack	€/piece				
16342	22 mm	1	1	27,57				
16343	26 mm	2	1	29,69				
16344	30 mm	3	1	31,81				
16345	34 mm	4	1	32,89				
FT70G (5 Section	Pole Section 1,80 m, green FT70G (5 Sections, 7,00 m) FT84G (6 Sections, 8,40 m)							
16274	22 mm	1	1	30,76				
16275	26 mm	2	1	33,94				
16276	30 mm	3	1	35,01				
16277	34 mm	4	1	36,07				
16278	38 mm	5	1	37,13				
16279	42 mm	6	1	38,20				

				'
HiFlo [™] Adv	ance HYBRID			C
Pole Section 1 FT84H (6 Secti FT94H (7 Secti FT1XH (8 Secti	ons, 8,40 m) ons, 9,40 m)			
Part No.	Ø	Segment	Pack	€/piece
16280	22 mm	1	1	65,87
16281	26 mm	2	1	90,33
16282	30 mm	3	1	97,79
16283	34 mm	4	1	103,10
16284	38 mm	5	1	112,67
16285	42 mm	6	1	117,99
16286	46 mm	7	1	123,31
16287	50 mm	8	1	125,43
Pole Section 1 FT2XH (8 Secti				
16346	22 mm	1	1	76,50
16347	26 mm	2	1	100,99
16348	30 mm	3	1	108,43
16349	34 mm	4	1	113,74
16350	38 mm	5	1	123,31
16351	42 mm	6	1	128,63
16352	46 mm	7	1	133,97
16353	50 mm	8	1	136,09

Black, for FT5 FT5XC (9 Secti				
Part No.	Ø	Segment	Pack	€/piece
16354	22 mm	1	1	158,4
16355	26 mm	2	1	160,54
16356	30 mm	3	1	165,8
16357	34 mm	4	1	293,5
16358	38 mm	5	1	313,7
16359	42 mm	6	1	325,4
16360	46 mm	7	1	197,8
16361	50 mm	8	1	200,9
16379	54 mm	9	1	204,1
Black, for FT6 FT6XC (9 Secti				
16289	22 mm	1	1	178,6
16290	26 mm	2	1	180,7
16291	30 mm	3	1	188,2
16292	34 mm	4	1	336,1
16293	38 mm	5	1	360,5
16294	42 mm	6	1	378,6
16295	46 mm	7	1	229,7
16296	50 mm	8	1	235,0
16297	54 mm	9	1	240,3
Black, for FT7 FT7XC (10 Sec				
16380	22 mm	1	1	178,6
16381	26 mm	2	1	180,7
16382	30 mm	3	1	188,2
16383	34 mm	4	1	336,1
16384	38 mm	5	1	360,5
16385	42 mm	6	1	378,6
16386	46 mm	7	1	241,4
16387	50 mm	8	1	247,8
16388	54 mm	9	1	251,0
16389	58 mm	10	1	254,1

WINDOW CLEANING > WATER FED POLE SYSTEM > **HIFLO[™] ADVANCE SPARE PARTS**

2,76

2,86



HiFlo™ Advance LEVER				
Part No.	Size	Segment	Pack	€/piece
16255	small	2 + 3	1	1,80
16260	medium	4 + 5	1	2,03
16265	big	6 - 9	1	2,34
16272	XXL (FT7XC)	10	1	2,56



16269

16273

50/54

54/58

	HiFlo™ #	0			
	Part No.	Diameter	Segment	Pack	€/piece
)	16256	22/26	2	1	2,56
	16257	26/30	3	1	2,56
	16261	30/34	4	1	2,66
	16262	34/38	5	1	2,66
	16266	38/42	6	1	2,76
	16267	42/46	7	1	2,76
	16268	46/50	8	1	2,76



HiFlo™	Q			
Part No.	Size	Segment	Pack	€/piece
16258	A4 M3-26 mm	2 + 3	1	0,53
16263	A4 M4-30 mm	4 + 5	1	0,53
16270	A4 M5-32 mm	6 - 10	1	0,53

9

10

1

1

Ø	HiFlo™	O.			
	Part No.	Size	Segment	Pack	€/piece
	16259	M3	2 + 3	1	0,53
	16264	M4	4 + 5	1	0,53
	16271	M5	6 – 10	1	0,53

Ö	Ö
•	0
	H

HiFlo™	0			
Part No.	Size	Segment	Pack	€/piece
15728	small	2 + 3	1	21,17
15729	medium	4 + 5	1	23,30

$\hat{\mathbf{O}}$	HiFlo [™] Advance LEVER KIT (3 EACH)					
$\mathbf{\nabla}$	Part No.	Size	Segment	Pack	€/piece	
υüů	15730	big	6 – 10	1	27,57	

|--|

HiFlo™ Advance BRUSH JET C				
Part No.		Pack	€/piece	
14875	for FTxxx Brushes	1	3,09	

0		HiFlo™ Advar	ice T-PIECE	0
ce	I I	Part No.	Pack	€/piece
80		14954	1	0,96
03				
34		1		~
56		HiFlo™ Advar	ice VELCROBAND	<u></u>
		Part No.	Pack	€/piece
		10790	1	0,73
0				
ce		HiFlo [™] Advar	ce HOSE CONNECTOR	0
56		2 x 11 cm hose pi	eces + T-piece	
56		Part No.	Pack	€/piece
66		16221	1	1,27

HiFlo™ A	HiFlo™ Advance ENDCAP				
Part No.	Ø	Segment	Pack	€/piece	
15721	25 mm	2	1	9,04	
15722	30 mm	3	1	9,47	
15723	34 mm	4	1	10,10	
15724	38 mm	5	1	10,54	
15725	42 mm	6	1	11,17	
15726	45 mm	7	1	11,59	
15727	50 mm	8	1	12,23	
16240	54 mm	9	1	12,66	
16241	58 mm	10	1	13,30	

HiFlo [™] Advance HOSE					
Green					
Part No.	Size	For Pole	Pack	€/piece	
15438	1/4 x 7,02 m	FT28G	1	16,91	
15439	1/4 x 8,22 m	FT40G	1	19,04	
15440	1/4 x 9,44 m	FT52G	1	20,10	
15441	1/4 x 11,22 m	FT70G	1	22,23	
15442	1/4 x 12,66 m	FT84G/H	1	24,36	
15443	1/4 x 13,66 m	FT94H	1	25,44	
15437	1/4 x 14,22 m	FT1XH	1	26,50	
16299	17,50 m	FT2XH/5XC	1	29,69	
16300	21,00 m	FT6XC	1	35,01	
16301	24,00 m	FT7XC	1	38,20	

HiFlo™	0	
Part No.	Pack	€/piece
15831	1	20,90

HI**F**Lo[™] BRUSHES







HiFlo[™] BRUSH RECTANGULAR

oft polyester brush.	
Square edges ideal for corners	
Very strong	
Complete with hose connection	

Part No.	Size	Brushes	Pack	€/piece
FTS27	27 cm	Soft	1	48,04



HiFlo™ ANGLE BRUSH

Soft or hard	nolvostor	hruch
Joit of Haru	polycater	bi u 3ii.

– Angled back

_ _

- Ideal for sills, corners and frames

- Complete with hose connection

Part No.	Size	Brushes	Pack	€/piece
FTR27	27 cm	Soft	1	53,76
FBR27	27 cm	Hard	1	53,76



	HiFlo™ OVAL BRUSH				
Soft polyester I – Very strong – Complete with – Available in tv – 40 cm ideal fo	n hose connection vo sizes	I			
Part No.	Size	Brushes	Pack	€/piece	
FT027	27 cm	Soft	1	40,03	
FT040	40 cm	Soft	1	54,90	



Nylon grey monofilament bristles.

Back made of robust solid plastic
 Complete with 1 x FTCBA and hose connection

– Available in two sizes


Part No.	Size	Pack	€/piece
CT27A	27 cm	1	55,33
CT40A	40 cm	1	69,16

WINDOW CLEANING > WATER FED POLE SYSTEM > *HIFLo™* MULTILINK









WINDOW CLEANING > PURE WATER FILTER > HIFLO[™] RO FILTER



R060S



REVERSE OSMOSIS FILTERS (RO)

These filters purify water by flushing out the minerals with high pressure through a semipermeable membrane.

HIFLO[™] RO FILTER

THE ULTIMATE REVERSE-OSMOSIS FILTER Perfect for constant, high capacity, pure water production.

Easy Operation: No switch, "Plug & Play"

- Automatic pump control with dry run protection for added safety
- Pure water output improved to 60 % at 350 l/hr
- Built in resin filter ensures 100 % water purity
- Economic way of pure water production for general cleaning purposes
- Built in TDS meter monitors water and resin quality
- Includes robust trolley frame for complete mobility
- Weight app. 50 kg
- No control valves or covers that could accidentally be adjusted
- R030C: Special Carbon Pre-Filter against chlorine in the water (lasts app. 100.000 l at 2 ppm chlorine)

HiFlo[™] R0 FILTER

Part No.	Product	Pack	€/piece
R030G	Mobile RO Filter	1	4.651,97
R030C	Mobile RO Filter "Chlorine"	1	4.807,07

HIFLO[™] HIGH PERFORMANCE RO FILTER

HIGH PERFORMANCE FOR BIG AREAS OR WHERE MANY WATER IS NEEDED


→ Top Features like R030G plus more:


- Double Membrane for extended water output (more than 700 l/h)
- Extra high power pump to support high water flow
- Big Pre-Filter, optimal security for the membranes
- Big Carbon Pre-Filter (instead of resin polisher) to save membranes from chlorine
- Ideal for two workers with no loss of water capacity or one worker with increased performance
- Perfect for solar cleaning more water on the panel, better rinsing and cleaning
- Carbon filter lasts app. 200.000 litres at 2 ppm chlorine


HIFLo[™] RO HIGH PERFORMANCE FILTER

Part No.	Pack	€/piece
R060S	1	7.227,66

WINDOW CLEANING > PURE WATER FILTER > **HIFLO™ RO FILTER > SPARE PARTS**







WATER IN & OUT

WAIERING	x 001				
		WATER CONNECTOR, E (R030G/R030C/R060S)	0	
	Part No.	Size	Pack	€/piece	
	14393	3/4"	1	5,90	
٠		WATER CONNECTOR, R030G/R030C/R060S)		0	
-	Part No.	Size	Pack	€/piece	
	17915	1"	1	4,50	
	17024	1/2"	1	4,10	
	HiFlo™\	WATER IN COMPONENT	S	0	
	Part No.	Position	Pack	€/piece	
3	17199	Before Prefilter (R030G)	1	43,90	
	17510	Before Prefilter (R030C)	1	51,90	
		MANOMETER INCOMING (R030C/R060S)	PRESS	URE 🗘	
1.1	Part No.		Pack	€/piece	
Ŧ	16636		1	11,90	
\bigcirc	HiFlo [™] WATER IN COMPONENTS (RO30G)				
Ă.	Part No.	Position	Pack	€/piece	
1	17200	After Prefilter	1	27,90	
	HiFlo™ WATER IN COMPONENTS (RO30C)				
1	Part No.	Position	Pack	€/piece	
	17511	After Prefilter	1	34,90	
a	HiFlo™\	WATER OUT COMPONEN	IT 2 (RO	60S) 🗘	
	Part No.		Pack	€/piece	
	17607		1	48,90	
	HiFlo™\	WATER IN COMPONENT	S (R060	s) 🗘	
(and a state of the	Part No.	Position	Pack	€/piece	
	17922	Before Prefilter	1	99,90	
P	HiFlo™\	WATER IN COMPONENT	S (R060	s) 🗘	
	Part No.	Position	Pack	€/piece	
U	17923	After Prefilter	1	142,90	
		WATER OUT COMPONEN	IT 1	0	
	Part No.	Product	Pack	€/piece	
	17924	R060S	1	189,90	

PREFILTER

HiFla (RO3	[™] PREFILTER CASE 2,5″ x IG)	10"	0
Part N). Info	Pack	€/piece
16574	No drilling	1	39,90
18075	w/drilling & manometer	1	51,90
HiFle	[™] PREFILTER (R030G)		0
Part N	. Size	Pack	€/piece
17188	2,5" x 10"	1	11,80
HiFle	[™] PREFILTER CASE (R030	C/R0609	5) O
Part N	. Size	Pack	€/piece
17522	4,5" x 10"	1	139,00
HiFle	[™] CHLORINE FILTER (R03	0C)	0
Part N	. Size	Pack	€/piece
17509	4,5" x 10"	1	81,90
	PREFILTER (R030C)		0
Part N	FION: Does not filter chlorine!	Pack	6/minan
17521	4,5" x 10"	гаск 1	€/piece 28,90
17321	4,5 X IU	I	20,90
HiFlo	PRE-FILTER "CHLORINI	E" (R060	s) Ö
Part N	. Size	Pack	€/piece
17919	20"	1	110,90
HiFl a (R03	[™] O-RING FOR PREFILTEF IG)	CASE	Q
Part N).	Pack	€/piece
15886		1	7,90
HiFle	[™] FILTER KEY (PRE-FILTE	R) (R030)G) 🗘
HiFle Part N	•	R) (RO30 Pack)G) C €/piece

9,50

1



	1			
	HiFlo ™ P	UMP CONTROL (R030G	(R030C)	
100	Part No.		Pack	€/piece
	17192		1	62,90
	HiFlo ™ P	RESSURE PUMP (R030	G/R0300	c) 🖸
	Part No.	Product	Pack	€/piece
and the second s	17193	R030G/R030C	1	690,00
	17918	R060S	1	830,00
MEMBRAN	IE			
	HiFlo™ M	EMBRANE (R030G/R0	30C/R06	osi C
7189	Part No.	Size	Pack	€/piece
	17189	4" x 40" (Membrane)	1	425,90
17190	17190	4" x 40" (Pressure Tube)	1	417,90
A		IANOMETER WORKING R030C/R060S)	PRESSU	JRE C
	Part No.		Pack	€/piece
	17191		1	46,90
0		IEMBRANE PRESSURE TE (R030G/R030C)	TUBE	¢
	Part No.		Pack	€/piece
	18041		1	97,90
8.		IEMBRANE PRESSURE I PLATE (R030G/R030C,		0
	Part No.		Pack	€/piece
	18042		1	95,90
0		IEMBRANE PRESSURE TE, CPL (R060S)	TUBE	¢
- P	Part No.		Pack	€/piece
	18043		1	141,90
		IEMBRANE PRESSURE TE (R060S)	TUBE	¢
0	Part No.		Pack	€/piece
	18044		1	95,90
SIN FIL	TER			
		ESIN FILTER HOUSING R030C/R060S)		¢
	Part No.	Info	Pack	€/piece
100	17195	without drilling	1	199,50
100	17196	with drilling	1	275,90
	HiFlo ™ C (RO30G/	ARTRIDGE 20" CLEAR R030C)		¢
	Part No.	Size	Pack	€/piece
	17197	empty	1	28,90
7 17201	17201	filled with resin	1	83,90
2		ILTER KEY (RESIN) R030C/R060S)		¢
-	Part No.	Info	Pack	€/piece
		() (F ²		

für 4,5" cups

11,90

TUBES						
\square	HiFlo™ (CAPILLARY TUBE (R030	G/R0300	o O		
1	Part No.	Info	Pack	€/piece		
	17198	concentrate	1	47,46		
\smile	17202	Membrane to Pump	1	35,06		
\cap	HiFlo™ (CAPILLARY TUBE (R060	S)	0		
()	Part No.	Info	Pack	€/piece		
1 1	17920	Membrane to Pump, black	1	57,80		
\sim	17921	concentrate		39,19		
	HiFlo™ (HOSE C	D-RING ONNECTION		Q		
	Part No.	Size	Pack	€/piece		
	18045	1" (R060S)	1	2,35		
	18074	3/4" (R030G/R030C)	1	1,90		
ACCESSOR	IES					
		HiFlo [™] MEMBRANE MAINTENANCE (R030G/R030C/R060S)				
	Part No.	Size	Pack	€/piece		
	15436	11	1	19,90		
	HiFlo ™ F (R030G/		¢			
	Part No.		Pack	€/piece		
	17605		1	9,83		
		DI TDS-MONITOR /R030C/R060S)		Q		
11	Part No.	Туре	Pack	€/piece		
1	16576	DM-2	1	54,90		
		DOUBLE THREAD R030C/R060S)		Q		
and the second	Part No.	Size	Pack	€/piece		
	18164	3/4"	1	2,70		
		REPLACEMENT WHEEL /R030C/R060S)		¢		
1920	Part No.		Pack	€/piece		
	15961		2	32,99		
A COMPANY OF	HiFlo [™] (CHLORINE TESTSTRIPE	S (R030	a O		
And in case of the local division of the loc	Part No.	Content	Pack	€/piece		
	17512	50 stripes	1	82,61		
	-	ENDPLUGS FOR CART H /R030C/R060S)	ANDLE	Q		
	Part No.		Pack	€/piece		
1						

1,90

WINDOW CLEANING > PURE WATER FILTER > **H**I**F**LO[™] DI FILTER



DEIONISATION FILTERS (DI)

These filters utilise ion exchange resins which remove ionised salts from water, producing 100% deionised water.

HIFLO[™] DI FILTER

THE ULTIMATE RESIN FILTER FOR LARGER CLEANING JOBS.

The UNGER resin filter produces 100 % pure water immediately. Ideal for mobile and quick use.

By way of a chemical process, water is being purified and desalted. This allows glass cleaning without any detergents, using only a water pole and a brush.

- 2 Bottle sizes available: 25 l, 50 l
- Water production (at water hardness of 180 ppm): 25 litre bottle = 4,000 litre
 - 50 litre bottle = 8,000 litre
- Produces 100 % Ultra-pure water (<10µS/cm)
- Including fine filter, for pre-filtering of the water
- Immediately usable on site
- Mounted on convenient trolley with big rubber wheels and anti-tipping device
- No electricity required
- Standard hosepipe connection

HiFlo[™] DI FILTER

Part No.	Bottle (Resin)	Capacity*	Pack	€/piece
DI400	25 l	4000 l	1	1.735,89
D1800	50 l	8000 l	1	2.232,20

* at 180 ppm



HIFLo[™] DI140-FILTER

IDEAL ENTRY LEVEL SYSTEM FOR SMALLER CLEANING JOBS.

- Immediately produces 100 % pure water
- Ready to use: "Plug & Play" just connect the hoses and turn on the System! No electricity required
- Includes two 4,5 l cartridges filled with Premium Grade Resin
- Produces 1,440 l of pure water before the resin has to be replaced
- Built in TDS meter monitors water and resin quality
- Air release buttons speed up first time pure water production and increase resin longevity



HiFlo[™] DI140-FILTER

Part No. Bo	ttle (Resin)	Capacity*	Pack	€/piece
DI140	2 x 4,5 l	1440 l	1	722,77

* at 180 ppm



High capacity mixed bed ion echange resin.

Immediately produces 100% pure water for streak free glass cleaning
 Ideal for all UNGER HiFlo™ DI cartridges

 Consisting of a mixture of a gel, Type I strong base anion resin and a gel strong acid cation resin for direct purification of water. 40% cation, 60% anion.
 pH range: 0–14

Part No.	Product	Pack	€/piece
DIB25	Bag 25 litres	1	92,03
DIP25	Bucket 25 litres	1	102,37

HIFLo[™] DI100-FILTER

EASY & CONVENIENT STARTER SYSTEM. VALUE FOR MONEY.

- New water distribution system: 30% more output, much more effective use of resin
- Easy to use: Just connect hoses
- No Power required
- Immediately 100% pure water production
- Lightweight bottle, can be hand carried
- Contains 4,7 litres resin
- Produces app. 1.000 l pure water (at 180 ppm)
- Standard 3/4" hose connectors
- Easy to change resin
- Accessory: special resin exchange funnel. Quickest way to fill resin into bottle



HiFlo[™] DI100 FILTER

Part No.	Bottle (Resin)	Capacity*	Pack	€/piece
DI100	4,7 l	1000 l	1	205,77

* at 180 ppm



FUNNEL FOR RESIN CHANGE

Pack	€/piece
1	51,60

f

Part No.

PWFUN

WATER DISTRIBUTION SYSTEM

Special construction, that leads the water through the complete bottle. So the complete resin is used = 30 % more output of pure water.

WINDOW CLEANING > PURE WATER FILTER > HIFLO[™] SPARE PARTS



HIFLo[™] DI400/DI800

and a local sector of the sect	HiFlo™ F	PREFILTER CASE		0
100	Part No.	Size	Pack	€/piece
1	16574	2,5" x 10"	1	39,90
	18075	2,5" x 10" w/ drilling & manometer	1	51,90
	HiFlo™ F	PREFILTER 80 mµ		0
	Part No.		Pack	€/piece
	16575		1	30,50
\bigcap	HiFlo™ (D-RING FOR PREFILTER	CASE	0
	Part No.		Pack	€/piece
	15886		1	7,90
	HiFlo [™] \	WATER CONNECTOR, MA	ALE	0
-	Part No.	Size	Pack	€/piece
	17024	1/2"	1	4,10
	HiFlo ™ F FEMALE	PLASTIC CONNECTOR,		0
	Part No.	Size	Pack	€/piece
	14393	3/4"	1	5,90
	HiFlo™ \	s	0	
and the second second	Part No.		Pack	€/piece
	16583		1	67,90
A				
	HiFlo™ \	WATER OUT COMPONEN	ITS	0
	HiFlo™ \ Part No.	WATER OUT COMPONEN	ITS Pack	© €/piece
		NATER OUT COMPONEN		€/piece 41,90
	Part No. 16585	NATER OUT COMPONEN	Pack 1	
	Part No. 16585		Pack 1	
	Part No. 16585 HiFlo™ [DI HOSE WITH CONNECT	Pack 1 TORS	41,90
	Part No. 16585 HiFlo™ [Part No.	DI HOSE WITH CONNECT Product	Pack 1 TORS Pack	41,90 © €/piece
	Part No. 16585 HiFlo™ [Part No. 16578 16579	DI HOSE WITH CONNECT Product DI400	Pack 1 TORS Pack 1 1	41,90 €/piece 34,90 38,90
	Part No. 16585 HiFlo™ [Part No. 16578 16579	DI HOSE WITH CONNECT Product D1400 D1800	Pack 1 TORS Pack 1 1	41,90 €/piece 34,90 38,90
	Part No. 16585 HiFlo [™] [Part No. 16578 16579 HiFlo [™] [DI HOSE WITH CONNECT Product DI400 DI800 DI TENSION BAND FOR	Pack 1 TORS Pack 1 1 THE BOT	41,90 €/piece 34,90 38,90 TLE

15509 251 empty bottle, no accessories DIA00 1 169,00 DR40 251 complete, wresin DIA00 1 379,00 DR40 251 complete, wresin DIA00 1 379,00 DR40 251 complete, wresin DIA00 1 379,00 DR80 501 DIA00 1 619,00 DIR80 501 DIA00 1 57,90 DIR80 DITDS-MONITOR Park C/piece 16572 1 7,10 7,10 DIR90 HiFlo* DI NOZZLE ROD Part No. Park C/piece 16576 DH-2 1 56,90 1 1,90 DIA00 1 1,90 1 1,90 1 DIA00 1 1,90 1 1,90 1 <th>15509 251 empty bottle, no accessories 1 169,00 DR40 251 complete, w/resin 1 379,00 DR40 251 complete, w/resin 1 379,00 DR80 501 no accessories DI800 1 219,00 DR80 501 DI800 - complete, w/resin 1 619,00 DR80 501 DI800 - complete, bi800 1 619,00 DR80 501 DI800 - complete, bi800 1 619,00 DR80 501 DI800 1 619,00 DI800 13/4 without inserts 1 57,90 DI70 Size Info Pack €/piece 16572 1 2,100 1 1,900 DI750 DM-2 1 54,90 1 DI750 DM-2 1 54,90 1 DI800 1 17,90 1 19,90 HiFlo* DI NOZZLE ROD DI4000 1 19,90 <</th> <th></th> <th>HiFlo™ F</th> <th>REPLAC</th> <th>EMENT BOTTLE</th> <th>S</th> <th>0</th>	15509 251 empty bottle, no accessories 1 169,00 DR40 251 complete, w/resin 1 379,00 DR40 251 complete, w/resin 1 379,00 DR80 501 no accessories DI800 1 219,00 DR80 501 DI800 - complete, w/resin 1 619,00 DR80 501 DI800 - complete, bi800 1 619,00 DR80 501 DI800 - complete, bi800 1 619,00 DR80 501 DI800 1 619,00 DI800 13/4 without inserts 1 57,90 DI70 Size Info Pack €/piece 16572 1 2,100 1 1,900 DI750 DM-2 1 54,90 1 DI750 DM-2 1 54,90 1 DI800 1 17,90 1 19,90 HiFlo* DI NOZZLE ROD DI4000 1 19,90 <		HiFlo ™ F	REPLAC	EMENT BOTTLE	S	0
15509 25 l no accessories DIA00 1 169,00 DIR40 25 l complete, wiresin, DIA00 1 379,00 15510 50 l mo accessories DI800 1 219,00 DIR80 50 l DI800 - complete, DI800 1 619,00 Image: Signal Action of the accessories DI800 1 62,00 Image: Signal Action of the accessories DI800 1 62,00 Image: Signal Action of the accessories DI800 1 16,90 Image: Signal Action of the accessories DI800 1 16,90 Image: Signal Action of the accessories DI800 1<	15509 25 l no accessories DIA00 1 169,00 DIR40 25 l complete, w/resin 1 379,00 15510 50 l mo accessories DI800 1 219,00 DIR80 50 l DI800 - complete, DI800 1 619,00 Image: Sol L DI800 - Complete, DI800 1 21,00 Image: Sol L DIR00 - Complete, DI800 1 21,00 Image: Sol L DIR00 - Complete, DI800 1 21,00 Image: Sol L DIR00 - Complete, DI800 1 21,00 <		Part No.	Size	Info	Pack	€/piece
DIR40 25 I w/resin DI400 1 379,00 15510 50 I mo accessories DI800 1 219,00 DIR80 50 I DI800 - complete, W/resin DI800 1 619,00 Image: Sol I Di800 - complete, W/resin DI800 1 619,00 Image: Sol I Di800 - complete, W/resin DI800 1 619,00 Image: Sol I Di800 - complete, W/resin DI800 1 619,00 Image: Sol I Di800 - complete, W/resin DI800 1 619,00 Image: Sol I Di800 - complete, W/resin DI800 1 619,00 Image: Sol I Di800 - complete, W/resin DI TDS-MONITOR 1 2,10 Image: Sol I Di800 - Pack C/piece 1 2,10 Image: Sol I DI TDS-MONITOR Image: Sol I 1 2,10 Image: Sol I DI TDS-MONITOR Image: Sol I 1 2,10 Image: Sol I DI ROZZLE ROD Image: Sol I 1 1,90 Image: Sol I DI RONSPORT PLUG Image: Sol I 1 1,90 <td>DIR40 25 I w/resin DIR00 1 379,00 15510 50 I empty bottle, no accessories DIR00 1 219,00 DIR80 50 I DIR00 - complete, W/resin DIR00 1 619,00 HiFlo^m BOTTLE LOCK Image: Solid Complete, W/resin DIR00 1 619,00 HiFlo^m O-RING FOR BOTTLE LOCK Image: Solid Complete, Part No. 1 57,00 HiFlo^m O-RING FOR BOTTLE LOCK Pack C/piece Complete, 16572 1 2,10 HiFlo^m DI TDS-MONITOR Pack C/piece Complete, 16576 DM-2 1 54,90 HiFlo^m DI TDS-MONITOR Pack C/piece Complete, 16576 DM-2 1 54,90 HiFlo^m DI TDS-MONITOR Pack C/piece Complete, 16576 DM-2 1 54,90 HiFlo^m DI TDS-MONITOR Pack C/piece Complete, 16577 DIR00 1 16,90 HiFlo^m DI NOZZLE ROD Pack C/piece Complete, 16577 1/2" 1 9,90 HiFlo^m DI TRANSPORT PLUG Pack C/piece Complete 1 9,90</td> <td></td> <td>15509</td> <td>25 l</td> <td>no accessories</td> <td>1</td> <td>169,00</td>	DIR40 25 I w/resin DIR00 1 379,00 15510 50 I empty bottle, no accessories DIR00 1 219,00 DIR80 50 I DIR00 - complete, W/resin DIR00 1 619,00 HiFlo ^m BOTTLE LOCK Image: Solid Complete, W/resin DIR00 1 619,00 HiFlo ^m O-RING FOR BOTTLE LOCK Image: Solid Complete, Part No. 1 57,00 HiFlo ^m O-RING FOR BOTTLE LOCK Pack C/piece Complete, 16572 1 2,10 HiFlo ^m DI TDS-MONITOR Pack C/piece Complete, 16576 DM-2 1 54,90 HiFlo ^m DI TDS-MONITOR Pack C/piece Complete, 16576 DM-2 1 54,90 HiFlo ^m DI TDS-MONITOR Pack C/piece Complete, 16576 DM-2 1 54,90 HiFlo ^m DI TDS-MONITOR Pack C/piece Complete, 16577 DIR00 1 16,90 HiFlo ^m DI NOZZLE ROD Pack C/piece Complete, 16577 1/2" 1 9,90 HiFlo ^m DI TRANSPORT PLUG Pack C/piece Complete 1 9,90		15509	25 l	no accessories	1	169,00
15510 50.1 no accessories DI800 1 219,00 DIR80 50.1 DI800-complete, w/resin DI800 1 619,00 Image: Sola info Pack C/piece 1 619,00 Image: Sola info Pack C/piece 1 57,90 Image: Sola info Pack C/piece 16570 DM-2 1 59,90 Image: Sola info DI400 1 16,90 1 <t< td=""><td>15510 50.1 no accessories DI800 1 219,00 DIR80 50.1 DI800 1 619,00 DIR80 50.1 DI800 1 619,00 Image: Sola Disol Disolo 1 619,00 Image: Sola Disol Disolo 1 619,00 Image: Sola Disol Disolo 1 57,00 Image: Sola Disol Disolo 1 57,90 Image: Sola Disol Disolo 1 57,90 Image: Sola Disol Disol 1 57,90 Image: Sola Disol Disol 1 57,90 Image: Sola Disol Disol 1 2,100 Image: Sola Disol Disol 1 2,100 Image: Sola Disol Disol 1 1,500 Image: Sola Disol Disol 1 1,500 Image: Sola Disol Disol 1 1,900 Image: Sola Disol Disol 1 1,900 Image: Sola Disol Disol 1</td><td>NUX.</td><td>DIR40</td><td>25 l</td><td>w/resin</td><td>1</td><td>379,00</td></t<>	15510 50.1 no accessories DI800 1 219,00 DIR80 50.1 DI800 1 619,00 DIR80 50.1 DI800 1 619,00 Image: Sola Disol Disolo 1 619,00 Image: Sola Disol Disolo 1 619,00 Image: Sola Disol Disolo 1 57,00 Image: Sola Disol Disolo 1 57,90 Image: Sola Disol Disolo 1 57,90 Image: Sola Disol Disol 1 57,90 Image: Sola Disol Disol 1 57,90 Image: Sola Disol Disol 1 2,100 Image: Sola Disol Disol 1 2,100 Image: Sola Disol Disol 1 1,500 Image: Sola Disol Disol 1 1,500 Image: Sola Disol Disol 1 1,900 Image: Sola Disol Disol 1 1,900 Image: Sola Disol Disol 1	NUX.	DIR40	25 l	w/resin	1	379,00
DIR80 50.1 w/resin DI800 1 619,00 HiFlo" BOTTLE LOCK Park C/piece Part No. Size Info Pack C/piece 16571 3/4" without inserts 1 57,90 O Part No. Size Info Pack C/piece 16572 1 2,10 Part No. Type Pack C/piece 16576 DM-2 1 54,90 Part No. Type Pack C/piece 16576 DM-2 1 54,90 Part No. Part No. <td>DIR80 50 l w/resin DI800 1 619,00 HiFlo" BOTTLE LOCK Pack C/piece Part No. Size Info Pack C/piece 16571 3/4" without inserts 1 57,90 OO Part No. Size Info Pack C/piece 16572 1 2,10 Part No. Type Pack C/piece 16576 DM-2 1 54,90 Part No. Type Pack C/piece 16576 DM-2 1 54,90 Part No. Part No.<td></td><td>15510</td><td>50 l</td><td>no accessories</td><td>1</td><td>219,00</td></td>	DIR80 50 l w/resin DI800 1 619,00 HiFlo" BOTTLE LOCK Pack C/piece Part No. Size Info Pack C/piece 16571 3/4" without inserts 1 57,90 OO Part No. Size Info Pack C/piece 16572 1 2,10 Part No. Type Pack C/piece 16576 DM-2 1 54,90 Part No. Type Pack C/piece 16576 DM-2 1 54,90 Part No. Part No. <td></td> <td>15510</td> <td>50 l</td> <td>no accessories</td> <td>1</td> <td>219,00</td>		15510	50 l	no accessories	1	219,00
Part No. Size Info Pack €/piece 16571 3/4" without inserts 1 57,90 HiFlo [™] O-RING FOR BOTTLE LOCK Pack €/piece Part No. 1 2,10 HiFlo [™] DI TDS-MONITOR Pack €/piece Part No. Type Pack €/piece 16572 1 2,10 HiFlo [™] DI TDS-MONITOR Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 1 HiFlo [™] DI WATER-OUT-CONDUCTIVITY Pack €/piece 16584 29,90 1 15,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY Pack	Part No. Size Info Pack C/piece 16571 3/4" without inserts 1 57,90 HiFlo [™] O-RING FOR BOTTLE LOCK Part No. Pack C/piece 16572 1 2,10 HiFlo [™] DI TDS-MONITOR Pack C/piece Part No. Type Pack C/piece 16572 1 54,90 HiFlo [™] DI TDS-MONITOR Part No. Part No. C/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Part No. Part No. 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack C/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack C/piece 16749 1 0,90 1 9,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY Pack C/piece 16584 29,90 16584 29,90 1 15,90		DIR80	50 l	w/resin	1	619,00
16571 3/4" without inserts 1 57,90 HiFlo [™] O-RING FOR BOTTLE LOCK Park €/piece Part No. Pack €/piece 16572 1 2.10 HiFlo [™] DI TDS-MONITOR Part No. Pype Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Park €/piece 16750 DI400 1 16,90 1 17,90 HiFlo [™] DI NOZZLE ROD Part No. Park €/piece 16,90 1 17,90 MiFlo [™] DI NOZZLE ROD HiFlo [™] DI B00 1 17,90 10,90 1 17,90 MiFlo [™] DI NATER METRE Part No. Size Park €/piece 16577 1/2" 1 79,90 MiFlo [™] DI TRANSPORT PLUG Part No. Park €/piece 16749 1 0,90 Part No. Park €/piece 16584 29,90 Part No. Park €	16571 3/4" without inserts 1 57,90 HiFlo [™] O-RING FOR BOTTLE LOCK Part No. Pack €/piece 16572 1 2,10 HiFlo [™] DI TDS-MONITOR Part No. Part No. Part No. Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Part No. Part No. 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16749 1 0,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY Part No. 16584 29,90 Part No. Pack €/piece 16586 1 15,90 Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER		HiFlo™	BOTTLE	LOCK		0
HiFlo" O-RING FOR BOTTLE LOCK Part No. Pack C/piece 16572 1 2.10 HiFlo" DI TDS-MONITOR Part No. Type Pack C/piece 16576 DM-2 1 54,90 HiFlo" DI NOZZLE ROD Part No. Product Pack C/piece 16750 DH-2 1 16,90 16751 DI800 1 16,90 16751 DI800 1 17,90 HiFlo" WATER METRE Part No. Size Pack C/piece 16577 1/2" 1 79,90 HiFlo" DI TRANSPORT PLUG Part No. Pack C/piece 16749 1 0,90 1 0,90 HiFlo" ELECTRODE WATER IN Pack C/piece 16584 29,90 MiFlo" DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack C/piece 16586 1 15,90 Pack C/piece 16586 1 15,90 1 15,90 HiFlo" DI WATER-OUT-SAMPLE VALVE Pack C/piece	HiFlo" O-RING FOR BOTTLE LOCK Part No. Pack C/piece 16572 1 2.10 HiFlo" DI TDS-MONITOR Pack C/piece Part No. Type Pack C/piece 16576 DM-2 1 54,90 HiFlo" DI NOZZLE ROD Part No. Product Pack C/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo" WATER METRE Part No. Size Pack C/piece 16577 1/2" 1 79,90 HiFlo" DI TRANSPORT PLUG Part No. Pack C/piece 16749 1 0,90 1 0,90 HiFlo" ELECTRODE WATER IN Pack C/piece C/piece 16584 29,90 1 0,90 1 1,90 HiFlo" DI WATER-OUT-CONDUCTIVITY Pack C/piece 16586 1 1,90 Part No. Pack C/piece 16586 1 1,90 Part No. Pack C/piece 16586		Part No.	Size	Info	Pack	€/piece
Part No. Pack C/piece 16572 1 2,10 HiFlo ^m DI TDS-MONITOR Part No. Type Pack C/piece 16576 DM-2 1 54,90 HiFlo ^m DI NOZZLE ROD Part No. Product Pack C/piece 16576 DM-2 1 16,90 16576 DH400 1 16,90 16751 D1800 1 17,90 16751 D1800 1 17,90 HiFlo ^m WATER METRE Part No. Size Pack C/piece 16577 1/2" 1 79,90 HiFlo ^m DI TRANSPORT PLUG Part No. Part No. Pack C/piece 16749 1 0,90 1 0,90 HiFlo ^m DI TRANSPORT PLUG Part No. Pack C/piece 16584 29,90 WiFlo ^m DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack C/piece 16584 29,90 HiFlo ^m DI WATER-OUT-SAMPLE VALVE Pack C/piece 16586 1 15,90 1	Part No. Pack €/piece 16572 1 2,10 HiFlo [™] DI TDS-MONITOR Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16576 DM-2 1 16,90 Part No. Product Pack €/piece 16576 DH400 1 16,90 Part No. Product Pack €/piece 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16749 1 0,90 1 0,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16584 29,90 1 0,90 1 Part No. Pack €/piece 1586 2,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY Pack €/piece 16586 1		16571	3/4"	without inserts	1	57,90
Part No. Pack €/piece 16572 1 2,10 HiFlo [™] DI TDS-MONITOR Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16576 DM-2 1 16,90 16576 DH00 1 16,90 16576 DH00 1 16,90 16576 DH00 1 16,90 16576 DH00 1 17,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Part No. Pack €/piece 16584 29,90 1 0,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack €/piece 16584 29,90 1 15,90 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Part No. Pack	Part No. Pack €/piece 16572 1 2,10 HiFlo [™] DI TDS-MONITOR Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16576 DM-2 1 16,90 Part No. Product Pack €/piece 16576 DH400 1 16,90 HiFlo [™] DI NOZZLE ROD Part No. Part No. E/piece 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16749 1 0,90 1 0,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16584 29,90 1 0,90 1 1,90 Part No. Pack €/piece 16584 29,90 15,90 15,90 15,90 15,90		HiFlo™)-RING		ск	Ö
Interface Interface Interface Interface	Interface Interface Interface Interface						£/niece
HiFlo [™] DI TDS-MONITOR Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DH400 1 16,90 1 16,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE ItiFlo [™] DI WATER-OUT-CONDUCTIVITY Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece	HiFlo [™] DI TDS-MONITOR Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DH-2 1 54,90 Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 1 0,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 15,90						
Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16749 1 0,90 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16584 29,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16584 29,90 MiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 15,90	Part No. Type Pack €/piece 16576 DM-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16749 1 0,90 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16584 29,90 1 0,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 1,590 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 1,590	the second second			MONITOD	I	
Image: No. Part No. Product Pack €/piece 16576 DH-2 1 54,90 HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 1 Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece	Image: No. Image: Part No. Product Pack C/piece 16576 DH-2 1 54,90 Part No. Product Pack C/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack C/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack C/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack C/piece 16584 29,90 1 1,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY Pack C/piece 16586 1 15,90 1 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack C/piece 16586 1 15,90 1		-	-20110			<u></u>
HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Part No. Pack €/piece 16749 1 0,90 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 6/piece 16749 1 0,90 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 6/piece 16584 29,90 1 50,90 1 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 1 15,90	HiFlo [™] DI NOZZLE ROD Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 Pack €/piece 16586 1 15,90 Pack €/piece 16586 1 15,90 Pack €/piece 16586 1 15,90 Pack €/piece						•
Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 15,90	Part No. Product Pack €/piece 16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 1 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 15,90		16576		DM-2	1	54,90
16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 1 0,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 15,90	16750 DI400 1 16,90 16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 1 10,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 15,90		HiFlo™[DI NOZZ	LE ROD		0
16751 DI800 1 17,90 HiFlo [™] WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. Pack €/piece 16749 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 29,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece	16751 DI800 1 17,90 HiFlo [™] WATER METRE Pack €/piece Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 Part No. Pack €/piece 16584 29,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack €/piece 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece 16586 1 15,90					Pack	€/piece
HiFlo" WATER METRE Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo" DI TRANSPORT PLUG Pack €/piece Part No. Part No. Pack €/piece 1679 1 0,90 HiFlo" ELECTRODE WATER IN Pack €/piece 16584 29,90 Imit Io" DI WATER-OUT-CONDUCTIVITY Pack €/piece 16586 1 15,90 HiFlo" DI WATER-OUT-SAMPLE VALVE Imit Io Pack €/piece 10586 1 15,90 15,90	HiFlo [™] WATER METRE C/piece Part No. Size Pack C/piece 16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG C/piece C/piece C/piece 1679 1 0,90 1 0,90 HiFlo [™] DI TRANSPORT PLUG Pack C/piece C/piece 16749 1 0,90 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack C/piece C/piece 16584 29,90 1 1584 29,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack C/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE C/piece 16586 1 15,90						16,90
Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo™ DI TRANSPORT PLUG Image: Comparison of the system Pack €/piece Part No. Part No. Pack €/piece 16749 1 0,90 HiFlo™ ELECTRODE WATER IN Image: Comparison of the system Pack €/piece 16584 29,90 Image: Comparison of the system 29,90 Image: Comparison of the system Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE Image: Comparison of the system Pack €/piece	Part No. Size Pack €/piece 16577 1/2" 1 79,90 HiFlo™ DI TRANSPORT PLUG Pack €/piece Part No. Pack €/piece 16749 1 0,90 HiFlo™ ELECTRODE WATER IN Pack €/piece 16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE Comparison Part No. Pack €/piece 16586 1 15,90	<i>•</i>	16751		D1800	1	17,90
16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. Pack €/piece 16577 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece Part No. Pack €/piece 16584 29,90 Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE C Wifflo [™] DI WATER-OUT-SAMPLE VALVE Pack €/piece C	16577 1/2" 1 79,90 HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. Pack €/piece 16577 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece Part No. Pack €/piece 16584 29,90 Part No. Pack €/piece 16586 1 15,90 Part No. Pack €/piece HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Pack €/piece E/piece 16586 1 15,90 Part No. Pack €/piece MiFlo [™] DI WATER-OUT-SAMPLE VALVE E/piece E/piece E/piece E/piece MiFlo [™] DI WATER-OUT-SAMPLE VALVE E/piece E/piece E/piece E/piece E/piece MiFlo [™] DI WATER-OUT-SAMPLE VALVE E/piece E/piece E/piece E/piece E/piece E/piece		HiFlo [™] \	WATER	METRE		Q
HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. Pack €/piece 16749 1 0,90 HiFlo [™] ELECTRODE WATER IN Pack €/piece 16584 29,90 HiFlo [™] DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Electrone Part No. Pack €/piece 16586 1 15,90	HiFlo [™] DI TRANSPORT PLUG Pack €/piece Part No. 1 0,90 16749 1 0,90 Image: Part No. Pack €/piece 16584 29,90 Image: Part No. Pack €/piece 16584 29,90 Image: Part No. Pack €/piece 16586 1 15,90 Image: Part No. Pack €/piece 16586 1 15,90 Image: Part No. Pack €/piece 16586 1 15,90 Image: Part No. Pack €/piece	the second	Part No.		Size	Pack	€/piece
Part No. Pack €/piece 16749 1 0,90 HiFlo™ ELECTRODE WATER IN Ø Part No. Pack €/piece 16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY Ø Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE Ø Part No. Pack €/piece 16586 1 15,90	Part No. Pack €/piece 16749 1 0,90 HiFlo™ ELECTRODE WATER IN Ø Part No. Pack €/piece 16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY Ø Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE Ø Part No. Pack €/piece 16586 1 15,90	a car	16577		1/2"	1	79,90
16749 1 0,90 HiFlo™ ELECTRODE WATER IN Image: Comparison of the state of the	16749 1 0,90 HiFlo™ ELECTRODE WATER IN Image: Comparison of the state of the		HiFlo™ [DI TRAN	ISPORT PLUG		Q
HiFlo [™] ELECTRODE WATER IN Contraction Part No. Pack €/piece 16584 29,90 Image: Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Contraction Contraction Image: Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Contraction Image: Part No. Pack €/piece	HiFlo [™] ELECTRODE WATER IN Contraction Part No. Pack €/piece 16584 29,90 Image: Part No. Pack €/piece 16586 1 15,90 HiFlo [™] DI WATER-OUT-SAMPLE VALVE Contraction Contraction Image: Part No. Pack €/piece 16586 1 15,90 Image: Part No. Pack €/piece		Part No.			Pack	€/piece
Part No. Pack €/piece 16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY ELECTRODE C Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE C Part No. Pack €/piece	Part No. Pack €/piece 16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY ELECTRODE C Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE C Part No. Pack €/piece		16749			1	0,90
16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE Part No. Pack €/piece	16584 29,90 HiFlo™ DI WATER-OUT-CONDUCTIVITY ELECTRODE Image: Constraint of the second seco		HiFlo™ E	ELECTR		Q	
HiFlo™ DI WATER-OUT-CONDUCTIVITY C ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE C Part No. Pack €/piece	HiFlo™ DI WATER-OUT-CONDUCTIVITY C ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE C Part No. Pack €/piece		Part No.			Pack	€/piece
ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE C Part No. Pack €/piece	ELECTRODE Part No. Pack €/piece 16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE C Part No. Pack €/piece		16584				29,90
16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE € Part No. Pack €/piece	16586 1 15,90 HiFlo™ DI WATER-OUT-SAMPLE VALVE € Part No. Pack €/piece						Q
HIFLo [™] DI WATER-OUT-SAMPLE VALVE Part No. Pack €/piece	HIFLo [™] DI WATER-OUT-SAMPLE VALVE Part No. Pack €/piece						€/piece
Part No. Pack €/piece	Part No. Pack €/piece		16586			1	15,90
			HiFlo™ [DI WATE	R-OUT-SAMPLE	VALVE	0
	16573 1 25,74		Part No.			Pack	€/piece
16573 1 23,74			16573			1	25,74
HIFLO™ REPLACEMENT WHEEL				REPLAC	EMENT WHEEL		0
D. J.M. D. J. Olivin							€/piece
	15961 2 32,99		100/1			2	22.00

www.ungerglobal.com



2

22,90



HiFlo[™] DI140

HiFlo ™ F	ILTER HOUSING		0
Part No.	Info	Pack	€/piece
17019	blue, empty, no drilling	1	89,90
18076	blue, empty, with drilling	1	89,90
17195	transparent, empty, no drilling	1	199,50



1

HiFlo [™] SEALING FOR FILTER H	DUSING	0
Part No.	Pack	€/piece
17020	1	13,96



IN CARTDRIDGE		Q
Content	Pack	€/piece
empty	1	28,90
filled	1 pair	169,90
	Content empty	Content Pack empty 1



HiFlo [™] SEALING FOR CARTRIDGE		0
Part No.	Pack	€/piece
17079	1	3,93
		A



liFlo™ FOAM FOR CARTRIDGE		0
art No.	Pack	€/piece
7080	1	7,13



	ILTER KEY (RESIN) R030C/R060S)		Q
Part No.	Info	Pack	€/piece
17194	für 4,5" cups	1	11,90



HiFlo [™] TDS-MONITOR		O.
Part No.	Pack	€/piece
17021	1	27,90

-	HiFlo™ V	VATER-IN-COMPONENT	Ī	O.
The second se	Part No.		Pack	€/piece
	17022		1	83,80
9	HiFlo™ V	VATER CONNECTOR, MA	ALE	0
-	Part No.	Size	Pack	€/piece
	17024	1/2"	1	4,10
	HiFlo ™ P FEMALE	LASTIC CONNECTOR,		0
	Part No.	Size	Pack	€/piece
	14393	3/4"	1	5,90
	HiFlo™ M	10UNTING SCREWS KIT	-	0
11111111	Part No.		Pack	€/piece
AND COMPANY	17028		1	13,34
	HiFlo ™ R	EPLACEMENT WHEEL		0
	Part No.		Pack	€/piece

WINDOW CLEANING > PURE WATER FILTER > **HIFLO[™] SPARE PARTS**

HI**F**Lo[™] DI100





HiFlo™ CLOSURE STOPPER INN	ER PIPE	. O
Part No.	Pack	€/piece
12346	1	0,30



HiFlo ™ F	PRESSURE VESSEL		0
Part No.	Material	Pack	€/piece
17413	Polypropylen	1	166,37



HiFlo™ DISTRIBUTION HEAD, CPL.		Q
Part No.	Pack	€/piece
17414	1	52,63



HiFlo [™] 0-RING FOR VESSEL PL	UG	Q
Part No.	Pack	€/piece
17417	1	3,90

 HiFlo [™] MOLDED PIPE ADAPTER		0
 Part No.	Pack	€/piece
17418	1	20,57






Hiflo [™] Securing CLIP, Red		
Part No.	Pack	€/piece
17420	1	4,03


Ō

1

13,34


	HiFlo [™] HOSE CONNECTOR MALE			0
	Part No.	Size	Pack	€/piece
	17421	3/4"	1	5,70





HIFLO™ ACCESSORIES





- Battery Power

- Protection Cap
- Hang Clip and Protection pouch

. .		
Part No.	Pack	€/piece
ROTDS	1	23,90

WINDOW CLEANING > **CLASSICAL WINDOW CLEANING**



All **UNGER** products are expertly designed to meet the high demands of the Professional Window Cleaning Industry.

Innovation and ergonomics are always at the forefront of our research and product development to enable professionals to work faster, more efficiently and above all safely.

Today our range includes wide selection of traditional, handheld tools and accessories, built to last and withstand continuous use, day after day.

From the classic washer and squeegee to the latest microfiber pads for indoor cleaning - we have a solution to any cleaning challenge. What's more, all of our tools can be fitted to **UNGER** telescopic pole, allowing you to clean at heights of up to 10 m safely from the ground.

Look out for the **ErgoTec**[®] Locking Cone symbol, identifying products that can be locked securely on the pole with a quick-release button preventing falling off or spinning.



PREMIUM Top of the range product, loaded with features.



High on features bestseller.



BETTER Standard version.



Basic version. Good value option.

SOLID CONNECTION



PUSH ON / SCREW ON

These tools are simply attached to the UNGER cone, hence hard to reach areas can easily be cleaned. The special grooves on the cone ensure a secure fit of the tools. These tools are screwed onto the Acme thread of the **UNGER** cone to ensure tight and secure fit. Hard to reach areas can be cleaned easily and safely.



CLICK ONTO LOCKING CONE

All tools with a slot in the handle and "LOCK" inscribed on it, securely lock into the **ErgoTec**[®] Locking Cone. Eliminating twisting or dropping during work the ErgoTec® Locking Cone is a standard feature on all **OptiLoc™** and **TelePlus™** poles.



Professional Window Cleaning

p. 41

p. 52



JNGER squeegees feature

UNGER squeegees feature comfortable handles, high quality rubber and special locking mechanism for quick and easy change of the channel.

Ninija, ErgoTec®, ErgoTec® SwivelLoc, S, Pro, VISAVERSA, GC, UNITEC, UNITEC Light



WASHERS

UNGER washers are available in a choice of materials with different features and absorbency, as well as various T-Bar designs.

p. 46

NINIA, ErgoTec®, Alu, Swivel, UniTec, MicroStrip™, Monsoon, Original, Pad, Klett



Easy-to-use, one step system, ideal for every day cleaning as well as polishing of glass and mirrors. Perfect for any user without window cleaning experience.



TELESCOPIC POLES

Lightweight, yet durable telescopic pole in various lengths put everything within arm's reach. Clean at heights of up to 10 m safely from the ground, without ladders.



UNGER scrapers are perfect for removing stubborn dirt and glue reside. With various designs, safety features and blade sizes, there is an option to suit any budget and task.



Our extensive range includes everything to build up a professional kit – from waterproof gloves, belts and pouches to specialist detergents, buckets and cloth.





ErgoTec[®] NINJA SQUEEGEE

The ultimate performance

Clips

T6 Alu

Ergonomic bi-component swivel

handle with TriLoc mechanism

for secure hold of the channel.

Extruded Aircraft Aluminium T6

channel will not bend or break.

Complete with Soft Rubber.

Alu





Strong yet lightweight hard anodised aluminium T-Bar with 180° swivel.

Highly absorbent sleeve with 2 abrasive side pads features builtin rows of scrubbing fibres.

ErgoTec® NINJA BUCKET ON A BELT

2.

ErgoTec® NINJA MICRO WIPE High performance microfibre cloth

ErgoTec® NINJA WASHER

Makes tough jobs a lot easier

4 x Scrub Edges





Made of highly absorbent, lint free microfibre with 4 scrubbing corners for removing stubborn dirt or hanging the cloth on the pole for easy spot and corner cleaning at height. Machine washable up to 500 times. Available in 3 sizes.





2 x

A.

Fits all **UNGER** squeegees. Holds 2 squeegees, 1 washer and 1 scraper. Suitable for left or right handed work. Clip lock for quick fitting to any belt.

WINDOW CLEANING > CLASSICAL WINDOW CLEANING



SQUEEGEES



PRODUCT OVERVIEW

Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks and budget.

	BUDGET	HAN	IDLE	SWIVEL		CHANNEL			RUB	BER*		
		Material	Fits to Locking Cone	Tension adjust- ment	Fitting	Sizes	Material	Туре	Soft	Hard	Fitting	
The ultimate high performance squeegee, featuring TriLoc mecha- nism for reliable hold of channel and freely adjustable and lockable swivel head.	***	2k (Plastic with rubber insert)		Metal screw needs coin or screw- driver	TriLoc: clip press & release	25 – 105 cm	T6 Alu- minium	Molded	1	-	Side Clips on Ninja Channel	p. 42
ERGOTEC Stainless steel squeegee with bi-component handle. Advanced ergonomic design for comfortable use every day. Quick and simple channel change.	***	2k (Plastic with rubber insert)		-	S-Spring: press & release	25 – 55 cm	Stainless Steel	Molded	1	1	Press S-Spring	p. 43
ERGOTEC® SwivelLoc	***	Metal + Rubber sleeve		Plastic screw turn 0° position fixable with button	0° screwed plate 30° S-Spring	only handle 0° / 30°	Stainless Steel	Only handle	-	-	0°: screw off plate 30° press S-Spring	p. 43
Solid, stainless steel squeegee with rubber coated handle. S-Spring for easy & quick channel and rubber change.	**	Metal + Rubber sleeve		-	S-Spring: press & release	25 – 55 cm	Stainless Steel	Molded	1	1	Press S-Spring	p. 43
Pro Standard Squeegee for daily work. Clip for easy & quick channel and rubber change. Rubber sleeve for comfortable grip.	**	Metal + Rubber sleeve		-	Clip lock easy release	25 – 55 cm	Stainless Steel	Molded	1	1	Open clip	p. 43
VISA- VERSA VERSA Squeegee and washer in one tool. Great time saving choice for clean- ing at height – no need to change the tool!	**	Plastic Finger grooves		-	S-Spring: press & release	25 – 45 cm	Stainless Steel	Molded	1	1	Press S-Spring	p. 43
Classic style brass. Sturdy and durable.	*	Brass	J.	-	Screwed Plate needs screwdriver	25 – 55 cm	Brass	Extruded	1	-	Screw off plate	p. 45
UNITEC Basic metal squeegee. Quick channel release.	*	Metal	<u>II</u>	-	Squeezed by button	25 – 55 cm	Stainless Steel	Extruded	1	-	Turn button	p. 45
UniTEC Light Lightweight squeegee for glass or flat surfaces, ideal for house- hold use.	*	Plastic		-	Channel hold by handle	30 cm	Alu- minium	Extruded	1	-	Fixed to channel	p. 45

* Soft and Hard Rubber are interchangeable and available to order separately.

PURCHASING GUIDE You have to take 5 decisions:

1. BUDGET:

i

How long do you work, how big is the area, how many extra features do you need? Weight, Feature, Ergonomics

2. HANDLE: 3. SWIVEL FUNCTION:

4. CHANNEL:

- 5. RUBBER:
- Do you need to reach hard to reach areas? Do you work with telescopic poles? How big is the surface to be cleaned? How important is a quick channel change? Soft or hard rubber? Professional quality or is standard quality enough?



This product securely locks on ErgoTec® Locking cone.

This product fits on **UNGER** Poles without safety locking mechanism.

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > SQUEEGEES

📆 🐩



ErgoTec® NINJA WINDOW SQUEEGEE

Complete with Ninja-channel and Soft rubber.

– Ergonomic swivel handle
– Extruded Aircraft Aluminum T6 Channel:

- will not bend or break
- Professional Soft Rubber
- Fits securely to pole with Locking Cone

Part No.	Size	Rubber	Pack	€/piece
EN300	30 cm	Soft	5	25,00
EN350	35 cm	Soft	5	26,26
EN450	45 cm	Soft	5	27,70

ErgoTec® NINJA SQUEEGEE CHANNELS

Complete with soft rubber and SmartClip end clips.

- Extruded Aircraft Aluminum T6 Channel: will not bend or break

- Perfect pressure distribution
- Fast and easy rubber change

r dot and edoy	rubber enange			
Part No.	Size	Rubber	Pack	€/piece
AC200	20 cm	Soft	5	8,18
AC250	25 cm	Soft	5	8,60
AC300	30 cm	Soft	5	9,48
AC350	35 cm	Soft	5	10,02
AC400	40 cm	Soft	5	10,76
AC450	45 cm	Soft	5	11,46
AC500	50 cm	Soft	5	12,24
AC550	55 cm	Soft	5	13,14
AC600	60 cm	Soft	5	15,86
AC650	65 cm	Soft	5	17,32
AC750	75 cm	Soft	5	19,52
AC920	92 cm	Soft	5	22,78
AC105	105 cm	Soft	5	24,96



ErgoTec® NI	NJA CLIPS	0
Part No.	Pack	€/piece
PPLUG	5 Sets	7,52







1 RUBBER INFO





- Shore hardness: 53 ± 2
- Ideal for colder temperatures
- Adjusts better to uneven surfaces



- Shore hardness: 60 ± 2
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces



(i) **

₽/ **





ErgoTec[®] SWIVEL LOC HANDLE

Swivel squeegee head, freely adjustable and lockable.

Problem solver for hard to-reach places.

Advanced ergonomic bi-component handle for comfortable use
 Available in two head angles (0°, 30°)
 Compatible with S-Channel
 Fits securely to pole with Locking Cone for extra safety

- Fits securety to pole with Locking Cone for extra safety					
Part No.	Version	Pack	€/piece		
LS000	0°	5	14,16		
LA000	30°	5	14,16		

ErgoTec® S	***			
Complete with – Comfortable: – Quick: Simple	-component hand S-channel and So Optimal handling, replacement of r ting or dropping (L	o ft rubber. , less injuries ubber and channe	શ	
Part No.	Size	Rubber	Pack	€/piece
ES250	25 cm	Soft	10	14,76
ES350	35 cm	Soft	10	16,08
ES450	45 cm	Soft	10	17,48
ES550	55 cm	Soft	10	18,92
ES25H	25 cm	Hard	10	14,76
ES35H	35 cm	Hard	10	16,08
ES45H	45 cm	Hard	10	17,48
ES55H	55 cm	Hard	10	18,92
ETG00		Handle	10	10,20
ETX00	+ 2,5 cm	Handle XL	10	10,90

S SQUEEGEE

Stainless steel squeegee with rubber coating.

Complete with S-channel.

- Comfortable: Ergonomically designed handle

- Simple: Clip lock, quick channel change - Convenient: Fits on telescopic pole

Part No.	Size	Rubber	Pack	€/piece
SE250	25 cm	Soft	10	11,70
SE350	35 cm	Soft	10	12,94
SE450	45 cm	Soft	10	14,38
SE25H	25 cm	Hard	10	11,70
SE35H	35 cm	Hard	10	12,94
SE45H	45 cm	Hard	10	14,38
SG000		Handle	10	7,54

VisaVersa®

Squeegee and washer in one tool. Complete with

S-Channel, Original Sleeve and Rubber.

Time saving performance without changing tool
 Fits securely to pole with Locking Cone for extra safety

Part No.	Size	Rubber	Pack	€/piece
VP250	25 cm	Soft	10	25,72
VP350	35 cm	Soft	10	27,58
VP450	45 cm	Soft	10	30,44

[i] ** **Pro** SQUEEGEE

Stainless steel squeegee with rubber coating. Complete with S-channel.

- Comfortable: Ergonomically designed handle
- Simple: Clip lock, quick channel change
 Convenient: Fits on telescopic pole

Part No.	Size	Rubber	Pack	€/piece
PR250	25 cm	Soft	10	11,70
PR350	30 cm	Soft	10	12,94
PR450	45 cm	Soft	10	14,38
PR000		Handle	10	7,54

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > **SQUEEGEES**

**:



Pro SQUEEGEE RUBBER

25 rubbers per storage box. Professional quality.

- Highly durable and efficient
 Sharp edges enable thorough wiping for superior finish
- Sturdy plastic box for dirt and bending free storage

Part No.	Size	Rubber	Pack	€/piece
RP300	30 cm	Soft	25	2,01
RP350	35 cm	Soft	25	2,18
RP450	45 cm	Soft	25	2,36
RP35H	35 cm	Hard	25	2,18
RP45H	45 cm	Hard	25	2,36



Pro SQUEEGEE RUBBER

10 rubbers per bag. Professional quality.

Highly durable and efficient
Sharp edges enable thorough wiping for superior finish

Part No. Soft	Part No. Hard	Size	Pack	€/piece
RR200	RR20H	20 cm	10	1,86
RR250	RR25H	25 cm	10	1,94
RR300	RR30H	30 cm	10	2,04
RR350	RR35H	35 cm	10	2,16
RR400	RR40H	40 cm	10	2,24
RR450	RR45H	45 cm	10	2,32
RR500	RR50H	50 cm	10	2,42
RR550	RR55H	55 cm	10	2,48
RR600	RR60H	60 cm	10	2,58
RR650	RR65H	65 cm	10	2,70
RR750	RR75H	75 cm	10	2,90
RR920	RR92H	92 cm	10	4,16
RR990	RR99H	106 cm	10	4,72


RUBBER INFO

Soft

- Shore hardness: 53 ± 2
- Ideal for colder
- temperatures
- Adjusts better to uneven surfaces

Hard

- Shore hardness: 60 ± 2 – Ideal for warmer
- temperatures
- Ideal for large, smooth surfaces



S CHANNEL

Stainless steel channel with variable positioning options. Complete with soft and hard rubber. - Strong and durable

- Easy change of rubber.

- Fits on ErgoTec, S and Pro squeegees

Part No.	Size	Rubber	Pack	€/piece
NE250	25 cm	Soft	10	4,58
NE300	30 cm	Soft	10	5,08
NE350	35 cm	Soft	10	5,92
NE450	45 cm	Soft	10	7,30
NE550	55 cm	Soft	10	8,76
NE15H	15 cm	Hard	10	3,86
NE25H	25 cm	Hard	10	4,58
NE30H	30 cm	Hard	10	5,08
NE35H	35 cm	Hard	10	5,92
NE45H	45 cm	Hard	10	7,30
NE55H	55 cm	Hard	10	8,76



Plastic Clips™

- Effectively tensions and secures squeegee rubber

Detachable one at a time
 Practical sturdy storage box

Therefore startay storage box						
Part No.	Info	Pack	€/piece			
PCLIP	Plastic Clips 40/Box	10	3,60			
MCLIP	Brass Clips 100/Box	1	19,24			



Ergo HANDLE EXTENSION

•					
Additional 14 cm reach for cleaning glass. – Offers additional reach for safer cleaning without ladders – Fits to all cone tools					
Part No.	Size	Pack	€/piece		
HH000	14 cm	10	6,00		

www.ungerglobal.com





Safe: Firm channel fit, screwed down. Channel with soft rubber
 Durable: Stainless

Rubber

Brass Handle

Brass Channel

Brass Channel

Brass Channel

Brass Channel

Brass Channel

Pack

10

10

10

10

10

10

GC SQUEEGEE

Part No.

GS000

GC250

GC300

GC350

GC450

GC550

The classic. Brass handle. Brass channels, complete with soft rubber. - Quality: Particularly sturdy

Size

25 cm

30 cm

35 cm

45 cm

55 cm

*

€/piece

10,50

4,74 5,32

5,80

6,92

8,32

[i] *





HIGHWAY RUBBER						
Cut to fit 15 m rubber roll. Household quality. – Convenient and practical – Good value deal – Cardboard box with easy rubber access.						
Part No.	Size	Pack	€/piece			
HIXXL	15 m	10	46,02			



VisaVersa [®] HANDLE				
Part No.	Info	Pack	€/piece	
VH000	for VPxxx	1	5,38	







UniTec™ SQUEEGEE	
-------------------------	--

Convenient metal	queegee, good va	lue.
– Sturdy		

Julia	'y			
– Firm	channel	fit with	screws	

- Fits on telescopic pole

Part No.	Size	Info	Pack	€/piece
OW250	25 cm	Complete	10	8,32
OW350	35 cm	Complete	10	9,16
OW450	45 cm	Complete	10	10,22
0G000		Handle	10	5,40

Extra light squ		r flat surfaces in h	ousehold area.	/it/ *
	lesign for comfort oth surfaces			
Part No.	Size	Info	Pack	€/piece
US300	30 cm	Complete	10	

Ô

0,74

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > WASHERS

WASHERS



PRODUCT OVERVIEW

Use the guide below to compare various models of **UNGER** washers and sleeves and identify the right one for your cleaning tasks and budget.

T-BARS BUDGET HANDLE SWIVEL FUNCTION T-BAR 0 Fits to Locking Cone Swivel Head Tension adjustment Material Material Weight Available Sizes Function 2k (Plastic, rubber) NINJA *** 1 screw Alu Very light 25 – 75 cm Swivel head p. 48 2k (Plastic, rubber) *** p. 48 **ErgoTec**® Plastic Light 25 – 45 cm Water wells _ _ plastic finger rills Ì ** p. 48 ALU _ Alu Very light 15 – 55 cm Low weight plastic finger rills ** SWIVEL 35 – 45 cm Swivel head 1 knob Alu Very light p. 48 plastic ergonomic shape li UNITEC \star Light 25 – 45 cm Water wells _ _ Plastic p. 48

	SLEEVES						
	BUDGET	MATERIAL	FEATURES	AVAILABLE SIZES	CLOSING	SCRUB PAD	Ď
Ninja	***	Microfibre Extra long blend fibres Scrub fibres	Superb water absorbtion and scrubbing action	25 – 75 cm	Velcro	2 x	p. 49
MicroStrip™	***	Microfibre	High water retention 6 times its own weight	25 – 55 cm	Velcro	1 x	p. 49
Monsoon	***	Long blend fibres	High water retention	15 – 55 cm	Velcro	1 x	p. 49
Original	**	Blend fibres	Good cleaning power	25 – 55 cm	Velcro	1 x	p. 49
Pad	**	Scrub Surface Blend fibres	Removes tough dirt	35 + 45 cm	Velcro	-	p. 49
Klett	**	Velcro surface Blend fibres	Brings microfibre cloths to height	35 cm	Velcro	-	p. 49
UNITEC	*	Synthetic fibres	Standard cleaning power	25 – 45 cm	snap fasteners	-	p. 49



Ergo Tec®



i

ErgoTec® WASHER 50TH ANNIVERSARY EDITION

🚀 🐩

/i) ***

ErgoTec® NINJA WINDOW WASHER

Complete with Ninja Washer Sleeve and Black Alu T-Bar.

- Superior water retention and cleaning power
- Extra long fibre with built-in scrubbing bristles incl. microfibre
- Lightweight and solid anodised aluminium T-Bar - Swivel function T-Bar securely locks onto UNGER telescopic poles

Part No.	Size	Pack	€/piece
NA350	35 cm	5	23,34
NA450	45 cm	5	25.96



Complete squeegee with sleeve, extra long fibres (blend).

StripWasher® MONSOON STRIP PAC

High water retention
Excellent cleaning power

€/piece

14,20

/i] **

16,44

- Handles large areas
- Machine washable up to 500 times sleeve with side scrub pad

Part No.	Size	Material	Pack	€/piece
MC350	35 cm	Blended fabric	10	12,80
MC450	45 cm	Blended fabric	10	14,82



StripWasher® PADSTRIP PAC

Complete squeegee with multifunctional sleeve. Sleeve features scrub pad and standard fabric sides.
 Removes tough dirt
 Lightweight plastic T-bar with water wells
 Machine washable up to 500 times sleeve

l	- Machine washable up to 500 times steeve					
	Part No.	Size	Material	Pack	€/piece	
	RC350	35 cm	Scrub Pad + Fabric	10	12,98	
	RC450	45 cm	Scrub Pad + Fabric	10	14,82	



StripWasher® MICROSTRIP PAC Complete washer with microfibre sleeve.

- Superior cleaning power - Lightweight plastic T-bar with water wells

Size

35 cm

45 cm

- Machine washable up to 500 times sleeve with side scrub pad

Material

Microfibre

Microfibre

Pack

10

10

- High water retention

Part No.

NC350

NC450

StripWasher® ORIGINAL STRIP PAC

Complete squeegee with blended fabric standard sleeve.

- Good cleaning power
 Lightweight plastic T-bar with water wells
 Machine washable up to 500 times sleeve

Part No.	Size	Material	Pack	€/piece
WC250	25 cm	Blended fabric	10	10,16
WC350	35 cm	Blended fabric	10	11,62
WC450	45 cm	Blended fabric	10	13,14

** آد*ا*

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > **WASHERS**



ErgoTec® NINJA T-BAR



₽/ĵ] ***

[] **

Durable, super solid T-Bar.

 Lightweight yet strong anodized aluminium T-Bar
 Purposeful design guarantees superior performance without causing excessive strain on arms and shoulders

- 180° Swivel function

Part No.	Size	Pack	€/piece
NI250	25 cm	5	11,02
NI350	35 cm	5	11,56
NI450	45 cm	5	11,96
NI550	55 cm	5	12,50
NI750	75 cm	5	13,54

StripWasher® ErgoTec® T-BAR

Ergonomic bi-component washer handle.

Ergonomic bi-component handle
Water wells for increased water retention

- Fits securely to pole with Locking Cone for extra safety

Part No.	Size	Pack	€/piece
EH250	25 cm	10	5,66
EH350	35 cm	10	6,34
EH450	45 cm	10	6,90

StripWasher® ALU T-BAR

- Lightweight aluminium washer handle. Lightweight solid aluminium with plastic handle Finger grooves on the handle for secure grip Fits securely to pole with Locking Cone for extra safety

Part No.	Size	Pack	€/piece
AT150	15 cm	10	3,54
AT250	25 cm	10	3,92
AT350	35 cm	25	4,40
AT450	45 cm	25	4,82
AT550	55 cm	10	5,26



Lightweight plastic washer handle.

- Water wells for increased water retention

- l	_ightw	reight	mono	lit	hic	plas	tic
-----	--------	--------	------	-----	-----	------	-----

5 5			
Part No.	Size	Pack	€/piece
0E250	25 cm	10	2,80
0E350	35 cm	10	3,14
0E450	45 cm	10	3,42

 – Ängle adjustable to 7 positions with set screw – Lightweight solid aluminium with plastic handle 					
Part No.	Size	Pack	€/piece		
SV350	35 cm	5	10,30		
SV450	45 cm	5	10,66		

Lightweight aluminium T-bar with adjustable head.

StripWasher® SWIVEL T-BAR

**

[i]



19,54



ErgoTec[®] NINJA WASHER SLEEVE

Ultimate Performance Washer Sleeve. - Long, Absorbent Fibre Mix, including scrub material and microfibre - Two Side Scrub Pads

Valena Fasta

NJ750

- Machine washable up to 500 times					
Part No.	Size	Pack	€/piece		
NJ250	25 cm	5	11,02		
NJ350	35 cm	5	11,80		
NJ450	45 cm	5	14,02		
NJ550	55 cm	5	16,36		

5

StripWasher® MICR0 SLEEVE

Microfibre sleeve with scrub pad and Velcro fastener.

75 cm

High water retention – up to 6 times its own weight
Superior cleaning power
Machine washable up to 500 times

	· · · · · - · · · · · · · · · · · ·					
Part No.	Size	Material	Pack	€/piece		
NS250	25 cm	Microfibre	10	8,68		
NS350	35 cm	Microfibre	10	9,30		
NS450	45 cm	Microfibre	10	11,04		
NS550	55 cm	Microfibre	10	12,88		

StripWasher® MONSOON SLEEVE

Blended fabric sleeve with extra long fibres, scrub pad and Velcro fastener.

- High water retention

Excellent cleaning power
 Machine washable up to 500 times

– Machine washable up to 500 times				
Part No.	Size	Material	Pack	€/piece
MS150	15 cm	Blended fabric	10	7,36
MS250	25 cm	Blended fabric	10	7,86
MS350	35 cm	Blended fabric	10	8,40
MS450	45 cm	Blended fabric	10	9,94
MS550	55 cm	Blended fabric	10	10,92

StripWasher® ORIGINAL SLEEVE

**

€/piece

**

Blended fabric standard sleeve with Velcro fastener. Good cleaning power
Machine washable up to 500 times

Part No. Size Material Pack

WS250	25 cm	Blended fabric	10	6,28
WS350	35 cm	Blended fabric	10	7,26
WS450	45 cm	Blended fabric	10	8,48
WS550	55 cm	Blended fabric	10	9,40



- Good cleaning power
 Time efficient cleaning
 Machine washable up to 500 times

Part No.	Size	Material	Pack	€/piece
RS350	35 cm	Scrub Pad + Fabric	10	9,00
RS450	45 cm	Scrub Pad + Fabric	10	10,06

	StripWasher [®]	KLETT SLEEVE	**		
Synthetic fibre washer sleeve with snap fasteners. – Rough textured, non-abrasive nylon cleaning pad removes tough dirt – Perfect for bringing a microfibre cloth to height					
Part No.	Size	Pack	€/piece		
KS350	35 cm	10	9,00		
and the second second					

Part No.	Size	Material	Pack	€/piece		
ON250	25 cm	Synthetic fibre	10	4,38		
0N350	35 cm	Synthetic fibre	10	5,14		
ON450	45 cm	Synthetic fibre	10	5,90		

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > INDOOR CLEANING SYSTEM

EFFECTIVE WINDOW CLEANING

EASY OPERATION:





THE UNGER INDOOR WINDOW CLEANING SYSTEM

Indoor windows are not as dirty as outdoors. The **UNGER** Indoor Cleaning System provides effective and easy tools to clean light soiled windows in one step. Also perfect for unexperienced persons.

- Extends the reach up to 2,50 m high safely from the floor
- Quick Window Cleaning at hard to reach areas
- Saves Water
- Only one cleaning step no wiping of windows
- Windows dry streakfree by cleaning with pure water
- Flexible aluminium padholder with velcro and microfibre pads



STARTER SET

INDOOR CLEANING STARTER SET

Content: PHL20 (5 x) PHW20 PHH20 AFAET	Microfi Padhol	bre Cleaning Pad 20 cm bre Wash Pad 20 cm der 20 cm I adapter for Alu-Poles	
Part No.		Pack	€/piece
PFK20		1	62,78



INDOOR CLEANING MASTER SET

PHW20 PHH20 AFAET TZ250 SOABG BSTBT BSP0U	Microfibre Cleaning Pad 20 cm Microfibre Wash Pad 20 cm Padholder 20 cm Thread adapter for Alu-Poles TelePlus TM Telescopic pole 2,50 m, 2-sections Sprayer On A Belt, 1 Liter ErgoTec [®] Belt ErgoTec [®] Pouch	
Part No.	Pack	€/piece
IDKTE	1	137,26





Part No.	Pack	€/piece
AFAET	5	14,08

7,42

0.84

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > TELESCOPIC POLE SYSTEM

TELESCOPIC POLE SYSTEM

The UNGER Telescopic Pole System puts everything within arm's reach.

Telescopic poles in various lengths and with ergonomic handles allow for secure operation from the ground – without ladder – and in addition save time and money.

OptiLoc™

- 2 or 3 section telescopic pole
- Available in 9 different lengths
- Reach in excess of 9 m (30 ft) (max. pole length 9 m (30 ft) + body height)
- ErgoTec[®] Locking Cone included

TelePlus™ System

- Extendable modular telescopic pole
- 2 or 3 section unit
- Extensions 1,25 m (4 ft) or 2,00 m (6,5 ft) simply attach
- Reach in excess of 10 m (32 ft) (max. pole length 10 m (32 ft) + body height)
- ErgoTec[®] Locking Cone included

UniTec™

- 2 section telescopic pole
- Available in 3 different lengths
- Interior lock, twist right or left for locking
- Reach in excess of 4 m (13 ft) (max. pole length 4 m (13 ft) + body height)





1 AVOID WORKING ON LADDERS

- **UNGER** telescopic poles allow you to work safely reaching up to 10 m height, while standing on the ground.
- The **UNGER** Locking Cone ensures safer operation, since the tools lock in place and cannot drop.
- Most accidents with ladders are caused by wrong handling, and not their damage.
- Always check whether cleaning from the ground is a safe option. If not, discuss safe alternatives and corresponding costs with your client.
- Always insist on safe working conditions. Do not risk your life just because the client does not accept certain services!
- Always choose the safest way. Ladders should not automatically be first choice simply due to convenience.
- Ladders become extremely unsafe under certain conditions: Rain makes the ground slippery; uneven ground or contaminations can result in tilting, or even falling.



Put together your own 10 pack



OptiLoc™ 2 SECTIONS

Telescopic pole with ErgoTec [®] Locking Cone.				
Part No.	Size	€/piece		
EZ120	1,25 m	17,46		
EZ250	2,50 m	23,90		
EZ300	3,00 m	27,72		
EZ400	4,00 m	32,12		
EZ500	5,00 m	37,98		
EZ600	6,00 m	43,72		

TelePlus™ 1,25 m SECTIONS

Modular Telescopic pole with ErgoTec® Locking Cone.					
Part No.	Size	Sections	€/piece		
TZ250	2,50 m	2	26,12		
TD370	3,70 m	3	45,16		
TV500	5,00 m	4	65,70		
TF620	6,20 m	5	88,66		

TelePlus™ 2,00 m SECTIONS

Modular Telescopic pole with ErgoTec[®] Locking Cone.

Part No.	Size	Sections	€/piece
TZ400	4,00 m	2	35,14
TD600	6,00 m	3	64,52
TV800	8,00 m	4	95,84
TF100	10,00 m	5	129,88

OptiLoc™ 3 SECTIONS

Telescopic pole with ErgoTec [®] Locking Cone.					
Part No.	Size	€/piece			
ED180	1,85 m	22,32			
ED370	3,75 m	36,44			
ED450	4,50 m	47,62			
ED600	6,00 m	58,58			
ED750	7,50 m	78,46			
ED900	9,00 m	98,44			

TelePlus3™ EXTENSION

Extension for 2 section units.				
Part No.	Size	€/piece		
T3120	1,25 m	19,06		
T3200	2,00 m	29,32		

TelePlus4™ EXTENSION

Extension for 3 section units.				
Part No.	Size	€/piece		
T4120	1,25 m	20,44		
T4200	2,00 m	31,34		

TelePlus5™ EXTENSION						
Extension for 4 sec	tion units.					
Part No.	Size	€/piece				
T5120	1,25 m	22,96				
T5200	2,00 m	34,04				

UniTec™ 2 SECTIONS

Telescopic pole with standard nylon cone.					
Part No.	Size	€/piece			
OS210	2,00 m	14,26			
OS250	3,00 m	17,46			
OS260	4,00 m	21,38			

ONE STAGE POLE, 1 SECTION

With ErgoTec® Lock	ing cone.	
Part No.	Size	€/piece
HH240	60 cm	8,62

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > **TELESCOPIC POLE SYSTEM**

SWITCH YOUR ALUMINIUM POLE **TO A WATERFED POLE**

i

Practical entry level system that allows you to turn your **UNGER** aluminium pole into a waterfed pole for a minimum investment. Available as ready to use Pole Kits or a Conversion Kit to adapt your current pole. Combined with UNGER's best selling HiFlo™ MultiLink Connectors and Brushes, these innovate Pole Kits deliver all the benefits of pure water cleaning at a low cost.

TelePlus™ CONVERTING KIT				
Content: AFAET TPH10 FTGOS FTS27	HiFlo™ HiFlo™	adapter for Alu-Poles 4 Water hose 10 m, cpl. w/ connector 4 Plastic angle adapter, adjustable 4 Rectangular brush, soft		
Part No.		Pack	€/piece	
HAPCK		1	89,14	



- High pressure hos	Durable hose for water supply from resin filter to the Brush. – High pressure hose – Standard hose connector for water filter included				
Part No.	Size	Pack	€/piece		
TPH10	10 m	1	21,18		

/	OptiLoc™ 3-SECTION, OUTER TUBE Ø 29 mm					
	Part No.	Size	For	Pack	€/piece	
	AP100	1,00 m	ED180, ED370	1	22,02	
	AP200	2,00 m	ED600	1	33,20	

			/
	/	/	/
/			

OptiLoc™ 3-SECTION, MIDDLE TUBE Ø 25 mm 🛛						
Part No.	Size	For	Pack	€/piece		
MR125	1,25 m	ED370	1	7,98		
MR150	1,50 m	ED450	1	17,04		
MR200	2.00 m	ED600	1	18.84		

OptiLoc™ INNER TUBE Ø 21 mm				0
Part No.	Size	For	Pack	€/piece
IR060	0,60 m	EZ120, ED180	1	7,76
IR110	1,00 m	ED370	1	9,82
IR125	1,25 m	EZ250	1	10,90
IR150	1,50 m	EZ300, ED450	1	12,88
IR200	2,00 m	EZ400/500, ED600/750	1	15,66
IR300	3,00 m	EZ600, ED900	1	21,44



HiFlo™ KIT

For cleaning walls, boats, caravans, etc. Complete with 11 m hose, brush, cleaning pills, angle & thread adapter.

Part No.	Content	Pack	€/piece
HF10G	HiFlo™ Kit Complete	1	132,24






Ideal for paint rollers, scrapers and other tools with handle.

- Enables safe operation from the ground with secure tool handle lock Adjustable angle that locks securely via bolt with nut

- Fits to telesconic nole

This to tetescopie		
Part No.	Pack	€/piece
PBR00	5	12,42



OptiLoc [™] GRIP						
Part No.	Size	For	Pack	€/piece		
GR250	25 mm	OptiLoc & Lance+	5	1,26		
GR300	29 mm		5	1.78		

1

	OptiLoc	™ LOCKI	NG COLLAR		0
Va	Part No.	Size	For	Pack	€/piece
	VS250	25 mm	OptiLoc & Lance+	5	4,44
	VS300	29 mm		5	6,30







TelePlu	Q			
Part No.	Size	For	Pack	€/piece
GKL29	29 mm	TelePlus 3+4+5	10	1,42

ADAPTERS & MAINTENANCE



	TelePlu	- O		
	Part No.	Size	Pack	€/piece
(and the second	TPG25	25 mm	5	1,26
	TPG29	29 mm	5	1,78
	TPG33	33 mm	5	2,30
	TPG37	37 mm	5	2,34



ANGLE JOINTS

Freely adjustable angle allows access to hard-to-reach places. – Available in sturdy zinc version or lightweight plastic version – Fits to telescopic pole							
Part No.	Version	Pack	€/piece				
CJA00	Zinc	5	12,58				
CJN00	Plastic	5	9,24				

-	THREAD ADAPTER 1/2"	
	its conventional brooms. d into pole and locks in place via stand spring	
Part No.	Pack	€/piece
BE000	5	5,32
1.	ErgoTec® LOCKING CONE	PATENTED
- Compatible with a	s on the telescopic pole. Il UNGER systems ol change via release button	
Part No.	Pack	€/piece
NCANO	5	5,06
	CONE	
For attaching or sc – Cone is inserted i	rewing on tools. nto pole and locks in place via stand spring	
Part No.	Pack	€/piece
NCA00	5	4,54

	SPRING	Q		
	Part No.	Size	Pack	€/piece
2	STF00	for NCA00	10	0,58

	TelePlu	s™ LOCKING	COLLAR		O O
	Part No.	Size	Info	Pack	€/piece
	YE250	25 mm	Sect. 2	5	3,82
•	YE290	29 mm	Plus 3	5	4,44
	YE330	33 mm	Plus 4	5	6,30
	YE370	37 mm	Plus 5	5	7,90



 Easy to use – simply pick up and remove leaves and debri Fits securely to UNGER poles with Locking Cone to prevent falling off Angle adjustable, robust construction for durability 					
Part No.	Pack	€/piece			
79600	10	12,90			

BULB CHANGER For changing round light bulbs in high access areas without ladders. Rubber coated

spring steel fingers.	
 Enables safer and faster bulb change from the ground 	
- Fits to telescopic pole	

Part No.	Pack	€/piece
BS010	5	19,22

FLOOD SUCKER For changing flat light bulbs in high access areas without ladders.

With suction cups. – Enables safer and – Fits to telescopic	faster bulb change from the ground pole	
Part No.	Pack	€/piece
FS000	5	14,50



Innovative cleaning system, ideal for cleaning large and high surfaces such as

boats and vehicles.

Firmly retains sponge, cloth, by tightening the locking collar
 Fits on telescopic pole
 Stiff bristle brush effectively removes stubborn dirt

	,		
Part No.	Version	Pack	€/piece
FIXI0	Clamp	5	20,08
HBR00	Brush	5	7,26
SP010	Sponge	10	2,24

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > GLASS SCRAPERS





SRB20

SRBDB

4 cm

4 cm

1 box = 250 blades

1 box =10 blades in dispenser

1 Box

48 Box

61.68

3,92

SURFACE SCRAPERS





- Reversible sharp/blunt blade

Part No.	Size	Pack	€/piece
STMAX	10 cm	10	7,48



BLADE	S FOR	SURFACE S	CRAPE	R
For STMA – Sharp er instance	X, LH12 dges for	/blunt edge bla 0, SH000, SH25 removal of glue emoval of stucce	0. and carp	
Part No.	Size	Info	Pack	€/piece
RB100	10 cm	1 dispenser =	10 disp	5,72

10 blades



SCRAPER INFO

→ BLADES

- Made of extra-sharp carbon steel and each blade is 4-way sharpened.
- Two sharp sides for twice the wear on selected scraper blades.
- Both sides lacquered for longer rust protection.
- Individual wrapping in wax paper helps to protect blades from rusting and sticking together.
- Safely packed and stored in convenient plastic dispenser. Blades remain dry and always available in safe dispenser.

ATTENTION! **UNGER** blades are razor-sharp. Always handle with greatest care.

→ EXPERT TIPS

- Check if glass is scratch-resistant and suitable for scraper use. Unsuitable for use - e.g Plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions.
- Perform a scrape test in advance on an inconspicuous section.
- · Before starting work, check the glass for damage and report it, if necessary.
- Check the blade for damage and change it, if necessary, or reverse it.
- The surface to be scraped should always be wet.
- It is best to use a release agent, e.g. "UNGER's Liquid".
- Always scrape in one direction! Never pull the scraper back scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade.

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > **CLOTHS, GLOVES**

WINDOW MICROFIBRE CLOTH SYSTEM



WHY MICROWIPES ARE BETTER CLEANING TOOLS

Conventional cleaning tools often just redistribute dirt, creating dust (and more work!) leaving behind chemical residues and odor-causing bacteria.

Wet or dry, each **UNGER** MicroWipe is a powerful tool: it absorbs much water and even collects fine dust through static charge when used dry.

WHY DIFFERENT QUALITY GRADES?

- Purchase the right cloth for your needs and budget get best ROI
- Decide between advanced features, standard quality or the basic version



- 300 g/m² material thickness

- Withstands 200 wash cycles

Part No.	Size	Pack	€/piece
MF40E	40 x 40 cm	5	1,58
MF60E	60 x 80 cm	5	3,98



HAMOIS	BEST	QUALITY	

Professional quality sheepskin chamois. Available in two sizes. Excellent for glass cleaning ١d

Part No.	Size	Pack	€/piece
FS450	ca. 0,4 m ²	5	29,00
FS550	ca. 0,5 m ²	5	33,70



ErgoTec[®] NINJA MICROWIPE™

Best in Class premium Microfibre cloth.

- 400 g/m² material thickness (very high water absorption)
- Withstands 500 wash cycles
- Extra reinforced edge seam
- Corner pockets for detailing at height (fits on telescopic pole)
- Scrubbing corners for spot cleaning

Part No.	Size	Info	Pack	€/piece
MN40H	40 x 40 cm	Standard size	5	4,80
MN55H	55 x 55 cm	Medium size	5	7,80
MN60H	80 x 60 cm	Extra size	5	12,80
MN40B	40 x 40 cm	5 cloths in a washbag	5	5,80
MN55B	55 x 55 cm	5 cloths in a washbag	5	8,80
MN60B	80 x 60 cm	5 cloths in a washbag	5	13,80





For polishing and spot cleaning of glass surfaces.

- Robust and durable - Generous size for large surface

Versatile best seller.

Part No.	Size	Pack	€/piece
SCRM1	92 x 92 cm	10	9,28

SCRIM



WINDOW GLOVES



PROTECTIVE GLOVES

- Two quality grades of neoprene gloves to protect your hands in winter from cold.
- Tip 1: Slip in with wet hands. Body warmth will warm the water and keep hands warm.
- Tip 2: The gloves are smaller than usual sizes. Order one size bigger than you wear normally.
- Pole gloves protect your hands when working with telescopic poles.
- No more injuries and no problem with hot poles in summer.



ErgoTec® NEOPRENE GLOVES

- Protective gloves against cold, Textile Neoprene.
- Tear resistant stitching and glue seal along seams for durability
 Knuckle inserts and flexible curved shape for ultra comfort
- Non slip palm with screened-on silicone for secure grip - Adjustable Velcro wrist strap

, ajaotabio		·P		
Part No.	Size	Info	Pack	€/piece
GL02S	S	Small	5	39,60
GLO2L	L	Medium	5	39,60
GLO2X	XL	Large	5	39,60
GL02Z	XXL	Extra Large	5	39,60

NOTE

i

The gloves are relatively small. In case of doubt, please order one size larger.



Protective gloves against cold. Rubber Neoprene.

- Tear resistant stitching and glue seal along seams for durability
- Soft and comfortable on inside
- Non slip palm for secure grip

– Adjustable velcro wrist strap					
Part No.	Size	Info	Pack	€/piece	
GLOV1	S	Small	10	29,04	
GLOV2	L	Medium	10	29,04	
GLOV3	XL	Large	10	29,04	
GLOV4	XXL	Extra Large	10	29,04	



Protective gloves for pole work.

- Reinforced, tripple seams, water resistant coating
- Security and protection combined with extremely high durability - Knuckle inserts and flexible curved shape for ultra comfort

- Superior comfort

**

- Hook and loop for secure fitting

- Webbing loop for added ease while putting glove on

Part No.	Size	Info	Pack	€/piece
GLOC1	S	Small	5	42,46
GLOC2	L	Medium	5	42,46
GLOC3	XL	Large	5	42,46
GLOC4	XXL	Extra Large	5	42,46

WINDOW CLEANING > CLASSICAL WINDOW CLEANING > BELTS, POUCHES

Solid belt for car	rying tool holders. 4 eyes,	padding, quick release	2.
Part No.	Size	Pack	€/piece
	43		
Supports the bel Fits into eyes of	t and distributes the weigh	STRAPSPAIR t. With padding and so	lid spring hooks.
Part No.	Size	Pack	€/piece
in the second se	7		
and the second s	ErgoTec®	РОИСН	
3 compartments flap and Velcro fa	. Dry and damp cloths can I		Front pocket with
3 compartments flap and Velcro fa Part No. BSPOU	. Dry and damp cloths can I		Front pocket with €/piece 17,24

	ErgoTeo	® PERSONAL BA	G	
For personal items, like note pad, mobile phone, pen. Includes key hook.				
Part No.	Size	Pack	€/piece	
BSPBG	15 x 20 cm	1	13,24	



ErgoTec® SCRAPER HOLDER 3 compartments for all UNGER scrapers. Locks with Velcro fastener.

5 compartments for all onock scrapers. Locks with vertro lastener.				
Part No.	Size	Pack	€/piece	
BSSCH	18 x 22 cm	1	26,62	



	ErgoTeo	® BOTTLE HOLDI	ER				
Perfect for carrying	Perfect for carrying along cleaning agents, soap, etc.						
Part No	Sizo	Pack	£/n				

Part No.	Size	Pack	€/piece
BSBTH	10 x 18 cm	1	10,56



ErgoTec®	DOUBLE HOLSTER
----------	----------------

Strong leather holster with two loops. With snap fasteners for easy attachment to belt.				
Part No.	Size	Pack	€/piece	
BSDHR	8 x 13 cm	1	19,94	

ErgoTec® BELT SYSTEM MASTERKIT

Complete – all 7 parts Belt, Strapspair, Pouch, Personal Bag, Scraper Holder, Bottle Holder, Double Holster

Part No.	Pack	€/piece
BSMKT	1	120,24



BUCKET ON A BELT

Holder for s – Convenien – Ideal for us – Clip lock fo			
Part No.	Info	Pack	€/piece
BB010	Ninja: 1 washer, 2 squeegees, 1 scraper	5	21,12
BB020	Classic: 1 squeegee, 1 washer, 1 scraper	5	21,12



Made of solid nylon with 2 large compartments for cloths, scraper, etc. – All cloths quickly available – Protected storage for cloths and leather

- Sturdy, solid and very durable.

Part No.	Pack	€/piece
SRZ10	10	29,06







WINDOW CLEANING > CLASSICAL WINDOW CLEANING > BUCKETS, SOAP





Bucket for glass cleaning.	
I for here to be a set of a second	

- Lightweight and easy to handle
 Metal handle with plastic enclosure
- Includes plastic holder for washer and squeegee

Part No.	Content	Info	Pack	€/piece
QB120	18 ltr	Complete w/ accessories	10	12,42



ACCESSORIES FOR BUCKET 28 L

Part No.	Product	Pack	€/piece
QB060	Bucket Sieve	5	11,96
QB080	Lid	5	13,24
QB070	Set of Castors (1 Set = 4 casters)	5 Sets	11,20
QB230	Bucket Barge	5	31,60



Window cleaning soap, liquid. Concentrate. Mixing ratio 1:100.

Economic and eco-friendly
 Excellent cleaning power

- Simply add to water

Part No.	Size	Pack	€/bottle
FR100	1 ltr	12	6,04
FR500	5 ltr	2	22,96

UNGER's LIQUID



THE PILL

Window cleaner. 1 pill for 10 litres of water.

- Economic and eco-friendly

– Excellent cleaning	g power		
Part No.	Info	Pack	€/strip
PL100	10 pills on a strip	10 strips	3,68

Professional	stain	remover.	

Removes hard-water stains, rust, mineral deposits, lime scale and scrum
 Scrubs stains without barming the surface

RUB OUT


Part No.	Size	Pack	€/bottle	
RUB20	0,5 ltr	12	13,74	

CLEANING SETS

PWK00

1





77,34



LITTER PICKING & REACHING AIDS

NiftyNabber® GRABBER AND BAGGER SYSTEM

Perfect for eco-friendly waste removal, indoor and outdoors, in industrial or domestic environment. Durable, ergonomic and reliable **UNGER** grabbers are also perfect for easy reach and bend-free pick up of many daily objects.



NiftyNabber® BAGGER

A durable and weatherproof 180 l waste carrier that is a great multi-tasking alternative to plastic bags and the perfect companion to **UNGER**'s super tough litter pickers. **Robust**

Can be pulled across the floor, asphalt or ground due to solid plastic bottom and carry loops. Protects plastic bags from splitting.

Practical

Collapses flat and fastens with Velcro for compact storage and transportation. Can be used indoors or outdoors as a temporary waste disposal or recycling unit during the event.

Ergonomic

Allows to avoid unnecessary bending or lifting heavy bags. Always open for easy and safe access without touching litter.

Made of robust material for reduced injury risk from sharp waste.

Part No.	Size	Colour	Pack	€/piece
NB300	180 l	٠	1	33,08
NB30B	180 l	•	1	33,08



PAPER PICKER

A lightweight tool with a strong metal pin for removing debris such as paper and cans.

Ergonomic Design

No bending or back strain.

Handle design positions arm and hand in the optimal position for reaching debris. **Carbon Steel Shaft**

Lightweight and rust resistant.

Strong Metal Pin

Long enough for picking up several pieces of debris at once. Will punch through and hold even thick, aluminium cans.

Part No.	Size	Pack	€/piece
PPPP0	100 cm	10	10,48
PINP0	Replacement Pin Plugs for Picker	10	3,14



NiftyNabber® TRIGGER GRIP

Durable litter picker with a strong internal metal bar, a 360 $^\circ$ fully rotating head and a highly responsive trigger grip handle. Available in 4 lengths.

Robust metal bar inside

For extra durability and grab power. Will not stretch or snap, like string mechanism on other grabbers.

Trigger Grip Handle

Responsive mechanism for greater comfort. Made with glass-reinforced plastic for increased durability.

Rubber Claws

Reliable grip even with most difficult shapes. Opens up to 13 cm wide and holds items up to 4,5 kg.

Rotating Head

Access narrow areas with 360° rotating head. Locks securely every 90°.

Aluminum Shaft

Durable and rust-resistant. Lightweight, designed to decrease fatigue.

Part No.	Size	Pack	€/piece
NT060	60 cm	5	14,26
NT080	80 cm	5	16,48
NT090	90 cm	5	18,70
NT100	100 cm	5	19,82

NiftyNabber® PR0

A heavy duty litter picker with a strong internal metal bar, poweful claws and robust steel shaft. Available in 4 lengths, including 2,50 m long reach version!

Steel Claws

Molded rubber overlay for an extra-secure grip. Powerful hold of small or oddly shaped objects – broken glass, cigarettes or coins. Opens up to 15 cm wide.

Rugged Design

Shaft made from durable steel with rust resistant coating for dependable use over long time. Strong enough for heavy-duty work, light enough to protect from back and arm strain. Overall steel construction wears well under the rigours of every day use.

Part No.	Size	Pack	€/piece
NN400	40 cm	5	16,52
NN900	90 cm	10	22,12
NN140	140 cm	5	26,56
NN960	250 cm	6	46,06



MAINTENANCE CLEANING

Professional Tools for daily and project cleaning tasks.

Efficient, Ergonomic, Hygienic

UNGER Maintenance Cleaning tools provide simple solutions for many cleaning tasks. They help professionals to perform their job better, faster and easier. Their ergonomic design and state of the art functionality ensure full compliance with modern cleaning requirements.



COLOUR CODING Products are coded or can be coded for usage in specific area.

RECOMMENDED USAGE

Restroom Cleaning
 Wash basin and Mirror
 Food and Bar Area
 General Low Risk Area
 Bespoke or Site Specific

www.ungerglobal.com



p. 78

The World of Maintenance



FLOOR CLEANING

UNGER Floor Care & Maintenance Tools provide simple solutions for many cleaning tasks. This range includes Floor Squeegees, Floor Scrapers and a Waxing System.



RESTROOM CLEANING

ErgoTec®

NIFTYNABBER[®]

p. 68

p. 80

The **UNGER** Bathroom and Toilet Cleaning System consists of ideally matched and ergonomically designed tools with an effective flow process for highly hygienic daily and project cleaning. The System is colour coded in red to prevent bacterial cross contamination.

SMART**F**IT[™] **A**QUA**D**OZER[®]

WATERWAND[™] **SmartC**olor[™]



DUSTING & BRUSHES

A wide range of helpful and innovative dusting tools. Can be used as hand tools or on telescopic poles. Always work safe and quick from the ground.

StarDuster®



Five-colour system for optical coding optimises cleaning by dividing tools and areas... Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination.

SMART**C**OLOR[™] **MICROWIPE**[™]

With microfibre **Guideline!**

MAINTENANCE CLEANING > FLOOR CARE > SmartFit[™] > FLOOR SQUEEGEES



FLEXIBLE **COLOUR CODING**

- Prevents cross contamination
- Clear assignment of cleaning areas
- Flexible chip system
- One item with 4 colour options
- Smart inventory control

RECOMMENDED USAGE

- Restroom Cleaning
- Wash basin and Mirror
- Food and Bar Area
- General Low Risk Area
- Bespoke or Site Specific

FLOOR CLEANING

A Global Revolution in Floor Cleaning: **SmartFit**[™]

The innovative Floor Squeegee System, designed to save money and built to last.

Solid design for many floor types. Move large volumes of debris with high quality closed cell twin foam rubber blades.



UNIVERSAL POWER SOCKET

- Secure hold, squeegee stays attached
- Easy tightening and loosening of socket
- Fits wide range of industry handle
- Longer product life cycle, no breaking



EASY FLUSH & RINSE

- Open socket design
- Fast cleaning and drying of socket
- Minimizes bacteria build up
- Washable in dishwasher

i **FLOOR RUBBER INFO**

- EPDM = Ethylen-Propylen-Dien Characteristics High weather and water resistance. Ozone and thermo resistance. High elasticity. Also frequently used for seals or roof coverings. When applied for floor care, best characteristics due to hardness and resistance in AquaDozer squeegee.
- SBR = Styrol-Butadien Characteristics Good resistance to water, alcohol, acids and bases, low moisture expansion, not suitable for oil, etc.
- Thermal application range: Approx. -40 °C to +70 °C. Natural Foam rubber All-purpose application on uneven surfaces. Good abrasion resistance. Primary use in water. Only medium resistance against acid solvents and oil.



www.ungerglobal.com

FLOOR SQUEEGEES

-



	1		
-	SmartFit™ STANDARD		
– Universal Pov – Flexible Colo	e with double black foam rubber a wer Socket, fits all standard handle: ur Coding with colour chips design for hygienic maintenance		
Part No.	Size	Pack	€/piece
PM45G	45 cm	10	18,02
PM55G	55 cm	10	21,74



Floor Squeegee with double black foam rubber and plastic body with brush. 2 in 1. Complete Kit with 3-SectionPole. Ready to work. Heavy Duty Squeegee. - Universal Power Socket, fits all standard handles Ø 20-29,5 mm - Red foam rubber, oil and acid resistant

– Open socket design	for hygienic maintenance
----------------------	--------------------------

Part No.	Size	Pack	€/piece
PB45G	45 cm	10	23,96
PB55G	55 cm	10	26,90



SANITARY SQUEEGEE

Squeegee with twin foam rubber blade, black. ACME thread.

 Plastic body for increased hygiene.
 Acid proof rust proof scratch pro nof

- Acia-	-prooi, i	ust-proor,	scratch-prot
14/11			

- with splasn-g	uard		
Part No.	Size	Pack	€/piece
PM45A	45 cm	10	14,98
PM55A	55 cm	10	18,76



Scrubber to remove dirt

Foam rubber blade for drying floors and joints
Very sturdy, but lightweight

very starty, but agrititely in				
Part No.	Size	Pack	€/piece	
PB45A	45 cm	10	21,02	
PB55A	55 cm	10	23,98	



WaterWand™ HEAVYDUTY

Reinforced version for heavier jobs with double-lip black rubber.

- Great for cleaning joints

Sturdy metal body

- For streak free floor drying

	, , ,		
Part No.	Size	Pack	€/piece
HM450	45 cm	10	7,82
HM550	55 cm	10	8,54
HM750	75 cm	10	12,40



WaterWand™ HEAVYDUTY RED

Reinforced version for heavy duty jobs with double-lip red foam rubber, oil and acid resistant.

– Great for cleaning joints

- Sturdy metal body - For streak free floor drying


	, 5		
Part No.	Size	Pack	€/piece
HW550	55 cm	10	11,10
HW750	75 cm	10	16,42



WaterWand™ ACME-THREAD-INSERT

For all WaterWand™.		
Part No.	Pack	€/piece
FWAI0	10	2,98

MAINTENANCE CLEANING > FLOOR CARE > FLOOR SQUEEGEES, MAINTENANCE



Solid handle socket

– Optimal for industrial application

Part No.	Size	Version	Pack	€/piece
FP600	60 cm	straight	6	33,08
FP900	90 cm	straight	6	41,34
FP60C	60 cm	curved	6	37,62
FP90C	90 cm	curved	6	45,80



_	SPARE RUBBER				
Black EPDM rubber, for all AquaDozer®.					
Part No.	Size Pack €/p				
FRR60	60 cm	10	14,96		
FRR90	90 cm	10	22.54		

AquaDozer®





Part No.	Size	Pack	€/piece
FH600	60 cm	10	16,84
FH800	80 cm	10	20,54




ERGO DUST PAN

For quick and thorough waste removal.

Ergonomic and convenient
 Dust pan opens when raised, and retains the waste

- Telescopic handle (EDTBG), fits perfect to body size

l				
Part No.	Size	Туре	Pack	€/piece
EDTBG	83 x 30 cm	telescopic	6	53,08
EDPBR	83 x 30 cm	standard	6	51,08



wonderwaxer REPLACEMENT SLEEVE					
Part No.	Size	Pack	€/piece		
QS010	40 cm	10	11,68		

1 WONDER WAXER

The super light and flexible WonderWaxer is ideal to reach almost all floor areas. Its flexible head can be angled as required. The sleeve is replaceable and due to a special holding fixture sits firmly on the T-bar. Makes a perfect team, together with the large bucket.

> FLOOR HANDLES



HANDLES				
	•			0
HANDLE DIAGRAMM				
	AL140	AL14A	AL14T	AL14G
AquaDozer®				
with ACME thread insert		•	•	
without thread insert			•	
WaterWand™				
with ACME thread insert		•	•	
without thread insert	•			•
SANITARY & COMBI		•	•	
PUSH PULL	•			٠
SmartFit®	•	•	•	•

ProAlu ACM	l		
– Lightweight an – Ø 25 mm, leng	c alloy, ACME thread. 1,40 m, Ø 25 nd solid aluminium th 1,40 m aterWand™ Squeegee	i mm.	
Part No.	Size	Pack	€/piece
AL14A	1,40 m	10	13,50

ProAlu 3,0°			
Conical handle soc – Lightweight and s – Ø 25 mm, length – Optimal for Wate	1,40 m	0 m, Ø 25 mm.	
Part No.	Size	Pack	€/piece
AL14T	1,40 m	10	14,98



ProAlu 1,5° HANDLE, 3 SECTIONS					
– Aluminium, lig	socket, 1,40 m, Ø 25 mm. Jhtweight and solid ock down, for better transport aterWand™				
Part No.	Size	Pack	€/piece		
AL14G	1,40 m	5	9,32		

MOP HANDLE			
For Standard Mop – Lightweight and – Ø 23 mm, length – To snap in mop h	1,40 m		
Part No.	Size	Pack	€/piece
MH140	1,40 m	20	5,28

ProAlu 1,5° HANDLE					
– Lightweight a – Ø 25 mm, leng	socket, 1,40 m, Ø 25 mm. nd solid aluminium gth 1,40 m ary and Sanitary Combi Brush				
Part No.	Size	Pack	€/piece		
AL140	1,40 m	10	9,32		

MAINTENANCE CLEANING > FLOOR CARE > FLOOR SCRAPERS

FLOOR SCI	RAPER LIGHT [υυτγ		11
 Efficient for I Convenient c 	with ergonomic two light-duty jobs operation while stan harp/blunt blade	-	andle.	
Part No.	Handle	Blade	Pack	€/piece
LH120	1,20 m	10 cm	10	16,70
oorScraper Bl	ades 10 cm – Doubl	e sided blade s	harp/dull.	
RB100	1 Dispenser :	= 10 blades	10 disp.	5,72
	RAPER MEDIUN	-		
For medium-d – Efficient for i – For industria	luty jobs, alu handle medium-duty jobs	-		•
For medium-o – Efficient for i – For industria – Reversible sl	luty jobs, alu handl o medium-duty jobs al scraping	-	Pack	€/piece
For medium-d – Efficient for I – For industria – Reversible sl Part No.	luty jobs, alu handlo medium-duty jobs al scraping harp/blunt blade	e 1,50 m.	Pack 10	€/piece 30,04
For medium-c - Efficient for i - For industria - Reversible sl Part No. MDSC0	luty jobs, alu handle medium-duty jobs al scraping harp/blunt blade Handle	e 1,50 m. Blade 15 cm	10	•
For medium-c – Efficient for i – For industria – Reversible sl Part No. MDSC0 oorScraper Bl	luty jobs, alu handl medium-duty jobs I scraping harp/blunt blade Handle 1,50 m	Blade 15 cm	10	•
For medium-c - Efficient for 1 - For industria - Reversible sl Part No. MDSC0 porScraper Bl MDSB0	Juty jobs, alu handl medium-duty jobs al scraping harp/blunt blade Handle 1,50 m ades 15 cm – Doubl	e 1,50 m. Blade 15 cm Ie-edged blade = 10 blades	10 sharp/dull.	30,04
For medium-c – Efficient for 1 – For industria – Reversible sl Part No. MDSC0 oorScraper Bl MDSB0 FLOOR SCI For heavy dut – Efficient for 1 – Convenient co	Juty jobs, alu handl medium-duty jobs al scraping harp/blunt blade Handle 1,50 m ades 15 cm – Doubl 1 Dispenser -	Blade 15 cm e-edged blade = 10 blades DUTY , 1,50 m.	10 sharp/dull.	30,04
For medium-c – Efficient for 1 – For industria – Reversible sl Part No. MDSC0 oorScraper Bl MDSB0 FLOOR SCI For heavy dut – Efficient for 1 – Convenient co	Auty jobs, alu handle medium-duty jobs al scraping harp/blunt blade 1,50 m Ades 15 cm - Doubl 1 Dispenser - RAPER HEAVY y jobs, steel handle, heavy duty jobs pperation while stan	Blade 15 cm e-edged blade = 10 blades DUTY , 1,50 m.	10 sharp/dull.	30,04



HANG UP

All-purpose tool holder. Tools are inserted from front. Available in 2 versions (3 or 6 holders). – Tools snap into rubber rolls in front – Practical and ideal for quick access – Simply attach to wall, using dowels						
Part No.	Size	Info	Pack	€/piece		
H0350 35 cm 3 holders 5 13,98						
H0700	70 cm	6 holders	5	23,24		



HOLD UP

– Simply attach	ted from the bottom and held in plat to wall, using dowels small hooks on front to hang up su		ber grips.
Part No.	Size	Pack	€/piece

Part No.	Size	Pack	€/piece
HU450	45 cm	5	21,16
HU900	90 cm	5	35,24

HOLD UP REPLACEMENT RUBBER		0	
Part No.	Pack	€/piece	
EG450	10	3,12	

FLOOR SCRAPER HEAVY DUTY TELE	
LEGGIN SONAL ENTITE AT DOTT THEE	

For heavy duty jobs, telescopic pole, 0,90–1,50 m. – Efficient for heavy duty jobs – Extendable – Reversible sharp/dull blade				
Part No.	Handle	Blade	Pack	€/piece
HDSC0	0,90-1,50 m	20 cm	5	75,22

Floor Scraper Blades 20 cm - Double-edged blade sharp/dull

Part	No.	Info F	Pack €/piece
HDS	B0 1 Dispens	ser = 10 blades 5	disp. 28,52

DOUBLE BUCKET & MOPHOLDER





	SmartColor™ COMB0 15 L	
- Two compartments keep clean and dirty v	vater separated	
	 Two compartments keep clean and dirty v Convenient handle, keeps bucket straight 	COMBO 15 L Compact complete dual bucket with press Two compartments keep clean and dirty water separated - Convenient handle, keeps bucket straight

Complete with vertical press
 Available accessories: Adapter hose WH180, side bucket SMSBG

Part No.	Content	Colour	Pack	€/piece
COMSG	15 l	•	1	99,00
COMSR	15 l	•	1	99,00



SmartColor™ MOPHOLDER							
 UNGER mops Universal join Reduces clear Folds at the p 	Flat mop holder with holding clips. – UNGER mops fit securely and can stay on mop holder during wringing – Universal joint; reaches all corners and is flat – Reduces cleaning time by up to 10% – Folds at the push of a button, for wringing or replacing mop – New handle socket, for cone or handles with 23 and 25 mm diameter, respectively						
Part No.	Size	Colour	Pack	€/piece			
SM40G	40 cm	•	5	33,22			
SM40R	40 cm	•	5	33,22			



EASY ADPATER WATERHOSE

Heavy duty adapter hose for dual bucket. – Fits on every standard water tap – Bucket is filled on site – Prevents unnecessary walks						
Part No.	Size	Pack				
WH180 180 cm 10						



SmartC	0		
Part No.	Colour	Pack	€/piece
SPREG	•	1	66,56
SPRER	•	1	66,56

€/piece

12,60

MAINTENANCE CLEANING > FLOOR CARE > **MICROFIBRE MOPS**



SmartColor™ MICR0 M0P 15.0

Microfibre mop for severe contamination and rough floors.

- 15 mm long fibres, ideal for tiles and stone floors - Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contaminations up to 96%
 Holds 6 times its own weight in water manages large areas
 Easy to wash (machine wash and dry up to 500 times)
- Available in 4 colours for proper colour coding
- Fits on UNGER flat mop holder SM40G

Part No.	Size	Colour	Pack	€/piece
MM40R	40 cm	•	5	11,34
MM40Y	40 cm		5	11,34
MM400	40 cm	٠	5	11,34
MM40B	40 cm	•	5	11,34



SmartColor™ MICR0 M0P 7.0

Microfibre mop for medium contamination and rough floors.

- 7 mm long fibres ideal for floors with rough surface and flat joints
- Cut microfibre for improved dirt absorption and streak-free cleaning
 Reduces bacterial contaminations up to 96 %
- Holds 6 times its own weight in water manages large areas
- Easy to wash (machine wash and dry up to 500 times)

- Fits on UNGER flat mop holder SM40G

Part No.	Size	Colour	Pack	€/piece
MD40R	40 cm	•	5	10,00
MD40Y	40 cm		5	10,00
MD400	40 cm	•	5	10,00
MD40B	40 cm	•	5	10,00



SmartColor™ DAMP MOP

Microfibre mop for damp cleaning of smooth floors.

- Optimal in areas that need to dry quickly
- Cleans streak-free and uniformly
- High absorption and low moisture release. High loop density
- Easy to wash (machine wash and dry up to 500 times)
 Fits on UNGER flat mop holder SM40G

- Fits on UNGER flat mop holder SM40

Part No.	Size	Colour	Pack	€/piece
DM40R	40 cm	٠	5	8,78
DM40Y	40 cm		5	8,78
DM400	40 cm	٠	5	8,78
DM40B	40 cm	•	5	8,78

SmartColor™ SPILL MOP 1 L

Microfibre mop for absorption of large amounts of liquid.

- 14 mm long microfibres, extra-large surface
- Absorbs up to 1 l liquid immediately
- Easy to wash (machine wash and dry up to 500 times)
- Fits on **UNGER** flat mop holder SM40G

Part No.	Size	Colour	Pack	€/piece
MA45R	47 x 21 cm	•	5	15,18
MA45Y	47 x 21 cm		5	15,18
MA450	47 x 21 cm	•	5	15,18
MA45B	47 x 21 cm	•	5	15,18



SmartColor™ DAMP MOP PADHOLDER

- Swivel head glides easily across floors
- Features Velcro backing for easy pad fitting
 Use with SmartColor DV40 Series damp mop pads

Part No.	Size	Pack	€/piece
SV40G	50 cm	5	20,80



SmartColor™ DAMP MOP PAD

- 100 % microfibre pad features high density looped pile for streak free results
- Machine washable up to 500 times

50 cm

50 cm

- Uses less water and solution so floors dry quicker
- Attaches to PadHolder with Velcro backing - Use with SV40G DampMop Pad Holder or any standard 40 cm pad holder

Part No.	Size	Colour	Pack	€/piece
DV40R	50 cm	•	5	8,78
DV40Y	50 cm		5	8,78

5

5

8,78

8,78

DV400

DV40B



> MOPHANDLES, BRUSHES, SETS







SmartColor™ MICROFIBRE STRING MOP

- Microfibre strings increase liquid and dirt absorption
- Looped ends provide greater floor coverage and control;
- no tangling while laundering
- Faster and streak free floor drying
- Use with UNGER String Mop Holder Clip or any standard mop holder and handle - Heavy duty weights 450 g, 32 strands; medium duty weights 310 g, 22 strands

Part No.	Colour	Quality	Pack	€/piece		
ST30R	•	310 g	5	11,42		
ST30Y		310 g	5	11,42		
ST300	•	310 g	5	11,42		
ST30B	•	310 g	5	11,42		
ST45R	•	450 g	5	17,16		
ST45Y		450 g	5	17,16		
ST450	•	450 g	5	17,16		
ST45B	•	450 g	5	17,16		
FC02G		StringMop Holder	5	4,42		

1		••

SmartColor™ TELEPOLE 250

Ergonomic aluminium telescopic handles.

- 2 sections, 2,50 m long. (2 x 1,25 m)
- Can be adapted to body height
- Solid and light, made of aluminium, with screw mechanism
- Cone with thread and hole for fixture on mop holder Also for accessing higher places, without ladder
 Labels included for colour coding

Part No.	Size	Colour	Pack	€/piece
EZ25G	1,30 – 2,50 m	•	10	23,14
EP24R	1,30 – 2,50 m	•	10	23,14



Telescopic + extra pieces

SmartColor™ MOPHANDLE

Lightweight aluminium mop handles.

- Mop holder snaps into place
- Solid and light, made of aluminium, with ergonomic plastic handle
- Labels included for colour coding

Part No.	Size	ø	Colour	Pack	€/piece
MH14G	1,40 m	21 mm	•	10	5,08
HH13R	1,30 m	23 mm	•	10	13,62
MS14G	1,40 m	21 mm	•	10	14,74
MS18G	1,30 – 1,80 m	25 mm	•	10	13,34



Part No.	Size	Pack	€/piece
SB20G	20 x 8 cm	10	13,18
CB20G	22 cm	10	10,96



ERGO WALL SQUEEGEE, 35 cm

- Light twin blade foam rubber for drying tiles and grout lines
- Streak-free cleaning
- T-bar material made of acid proof polypropylene

– Ergonomic handle, delachable – squeegee also his on pole					
Part No.	Size	Colour	Pack	€/piece	
EW35G	35 cm	•	10	14,26	
EW35R	35 cm	•	10	14,26	

MAINTENANCE CLEANING > MICROFIBRE CLOTH SYSTEM > MICROFIBRE CLOTHS




MICROFIBRE CLOTH SYSTEM

AVOID BACTERIAL CONTAMINATION!

- Five-colour system for optical coding optimises cleaning by dividing tools and areas.
- Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination.
- Colour-coding facilitates the application of specific chemicals, thus protecting valuables like furniture and floor coverings.

CLOTH SURFACE GUIDE


- Guidelines for choosing the right microfibre for the right task.
- Optimization of your return on investment (ROI) by purchasing the best grade for your needs.
- Best Quality Microfibre available in each grade.



i WHY A GRADING SYSTEM?

The range of cleaning products that microfibre may be used for is dictated by many qualities, including fibre thickness, length, finishing, abrasiveness, absorbency, cloth dimension, edging and quality manufacturing techniques. **UNGER** has established several

DURABILITY



performance factors that have been tested, measured and validated by ASTM independent laboratories and other US standard industry tests. This criteria is designed to assist end users in the selection process when purchasing microfibre cloths.

TEST DESCRIPTIONS

- Durability (Wear Cycles)** The higher the factor, the greater number of times the microfibre cloth can be moved across an abrasive surface before wearing through and degrading or developing holes.
- Scrub Factor (Abrasiveness)** The higher the scrub factor, the better the performance of the cloth in removing dirt and bacteria from surfaces and microscopic crevices.
- Absorbency* The higher the factor, the more liquid the cloth will absorb and hold.
- Wash Cycles A higher number of wash cycles indicates the longevity of the cloth through machine wash and dry cycles before deteriorating.
- ** ASTM Tests *Standard US Industry Tests

GRADING SYSTEM CLOTHS & SPRAYER



** ASTM Tests, * Standard US Industry Tests, Details p. 76



SmartColor™ MicroWipe™

High quality microfibre cloth. Resistant against frequent commercial wash cycles. Use the table below to choose the right grade to maximise the return on your investment.

					•				
Part No.	Size	Colour	Weight/m ²	Durability	Scrub Factor (Abrasivness)	Absorbency	Wash Cycles	Pack	€/piece
4000									
MF40R	40 x 38 cm	•	450 g	4000**	38**	1700 ml/5,2 oz.*	1500	10	5,02
MF40J	40 x 38 cm	•	450 g	4000**	38**	1700 ml/5,2 oz.*	1500	10	5,02
MF400	40 x 38 cm	•	450 g	4000**	38**	1700 ml/5,2 oz.*	1500	10	5,02
MF40B	40 x 38 cm	٠	450 g	4000**	38**	1700 ml/5,2 oz.*	1500	10	5,02
2000									
MB40R	40 x 40 cm	•	350 g	2000**	36**	1400 ml/4,4 oz.*	1000	10	3,40
MB40J	40 x 40 cm	•	350 g	2000**	36**	1400 ml/4,4 oz.*	1000	10	3,40
MB400	40 x 40 cm	•	350 g	2000**	36**	1400 ml/4,4 oz.*	1000	10	3,40
MB40B	40 x 40 cm	٠	350 g	2000**	36**	1400 ml/4,4 oz.*	1000	10	3,40
500									
MC40R	40 x 40 cm	•	300 g	500**	34**	1100 ml/3,3 oz.*	500	10	2,42
MC40J	40 x 40 cm	•	300 g	500**	34**	1100 ml/3,3 oz.*	500	10	2,42
MC400	40 x 40 cm	•	300 g	500**	34**	1100 ml/3,3 oz.*	500	10	2,42
MC40B	40 x 40 cm	٠	300 g	500**	34**	1100 ml/3,3 oz.*	500	10	2,42
200									
ME40R	40 x 40 cm	•	250 g	200**	39**	250 ml/0,8 oz.*	200	10	0,98
ME40J	40 x 40 cm	•	250 g	200**	39**	250 ml/0,8 oz.*	200	10	0,98
ME400	40 x 40 cm	•	250 g	200**	39**	250 ml/0,8 oz.*	200	10	0,98
ME40B	40 x 40 cm	٠	250 g	200**	39**	250 ml/0,8 oz.*	200	10	0,98
ME40W	40 x 40 cm	0	250 g	200**	39**	250 ml/0,8 oz.*	200	10	0,98

SmartColor™ MICRO MITT HD

Pack

5

€/piece

8,74

ŏĕ

€/piece

30,62

- Perfect for cleaning countertops, wood, glass metal and paintwork. - Thick, soft strands on one side have increased surface area for incredible
- absorbency and dirt pick up.
- Premium grade low pile microfibre on the other side is good for dusting and polishing

Size

22 cm

- Ideal for washing cars

Part No.

MMIRG



- Compatible with standard bottles - Includes colour coding labels Part No. Content Pack SOABG 1 l 5

Fits to the belt for optimum weight support. - Flexible hose allows upside down spraying




BELT FOR SPRAYER ON A BELT

SPRAYER ON A BELT

– 1 l bottle included– Cloth storage compartment

Strong Nylon Belt with quick snap closing.				
Part No.	Pack	€/piece		
BSOAB	5	13,62		



RECOMMENDED USAGE



MAINTENANCE CLEANING > RESTROOM CLEANING > **TOILET, SURFACE, INSPECTION**



ERGO TOILETBRUSH/SWAB COMPLETE

Complete kit.

- Ergonomic toilet brush for professional application (66 cm handle)
- No bending, distance to bowl, no splashes on
- clothing - Increased productivity - replaceable brush heads and 360° cleaning radius
- Swab for optimal application of cleaning products
- Hygienic and ergonomic holder Brush stands firmly; holder can be hand-carried or
- hung on cart Detachable base, brush remains dry, holder can be
- disinfected

Part No.	Content	Pack	€/piece
BBWHR	Brush, cpl., holder, repl. head	5	22,30
BSWHR	Swab, cpl., holder,	5	21,08



Erongomic toilet brush.

- Ergonomic toilet brush for professional application (66 cm handle)
- No bending, distance to bowl
- Increased productivity replaceable brush heads and 360° Cleaning radius
- Swab for optimal application of cleaning products

Part No.	Content	Pack	€/piece
BBCOR	2 x Brush, handle	5	13,14
BSCOR	2 x Swab, handle	5	11,92
BBHLR	Brush Holder	5	9,84
BBRHR	2 x Brush heads	5	7,86
BSRHR	2 x Swab heads	5	6,64

-	RESTROOM SAN	IITARY BRUSH	l			
2 tools in one: Brush with polypropylene bristles and squeegee with black twin foam rubber blade and ACME Thread.						
Part No.	Size	Pack	€/piece			
PB45R	45 cm	10	20,34			
\$	NiftyNabber® F	RESTROOM, 45	cm			
		The hygienic all-purpose grabber.				

(eeps refuse at a distance – 45 cm long handle

- Solid design made of aluminium and metal
- Powerful rubber-coated claws for firm and precise grip of objects

Part No.	Size	Pack	€/piece
NN40R	45 cm	10	15,98



EC45R	NS45R
	NS45R

35 cm

StripWasher® RESTROOM 45 cm

10

2,16

For cleaning of mirrors and walls.

RR350

- Superior cleaning power
- High water retention up to 6 times its own weight, ideal for cleaning larger areas
- Machine washable up to 500 times sleeve with side scrub pad
- Lightweight plastic T-bar with water wells

Part No.	Size	Pack	€/piece
EC45R	45 cm	10	13,62
NS45R	45 cm	10	10,70



Part No.	Size	Pack	€/piece
IMIRR	29 – 46 cm	5	10,46



INSPECTION KIT **UV BLACKLIGHT**

Shows markings, as well as traces of calcium and urine.

- Shows markings, as well as traces of calcium and urine
- Convenient pocket size
- UV blacklight and pen with invisible ink
- Power supply: 4 x AA batteries (not included)


Part No.	Size	Pack	€/piece
IKITR	16 cm	1	24,90






MAINTENANCE CLEANING > DUSTING BRUSHES & DUSTERS

For dusting of walls, su - Electrostatic energy af - Split-tipped soft poly f - Fits on telescopic pole	tracts and hol ibres for effec	StarDuster® COBWEB rners. Perfect on telescopi dds dust tive dusting	ic pole.
Part No.	Size	Pack	£/piece
COBW0	20 cm	б	€/piece 7,64
		StarDuster®	
		WALL BRUSH	J.
Oval shape ideal for cle – Perfect for dusting rou – Fits on telescopic pole	igh surfaces a	alls, etc. nd removing dust on flat ol	bjects
Part No.		Pack	€/piece
WALB0		5	13,64
Round and bendable for			J.
 Perfect for dusting on Fits on telescopic pole 	cui veu surrac	e5	
Part No.		Pack	€/piece
PIPE0		5	13,50



MICROFIBRE DUSTERS







Part No.	Size	Pack	€/piece
PXD7G	75 cm	10	27,14



StarDuster® **PRO FLAT/FLEX SLEEVES**

Disposable and reusable microfibre spare sleeves.

- Optimal dirt absorption

- Machine washable

- Standard with microfibre sleeve

Part No.	Size	Info	Pack	€/piece
PS50W	75 cm	Disposable Sleeve	1 Bag (50)	11,06
PM05W	75 cm	Microfibre Sleeve	1 Bag (5)	42,82





Part No.	Size	Info	Pack	€/piece
LWDUR	70 – 150 cm	Duster + 1 Disp. Sleeves	10	23,80
DS10Y	46 x 18 cm	Disposable Sleeve	1 Bag (10)	3,76
DS50Y	46 x 18 cm	Disposable Sleeve	1 Bag (50)	12,18




NOTES









ICONS

	Window and facade cleaning
<u>ò</u>	PV- and solar panel cleaning
X	Safety
Μ	Modular Poles
Т	Telescopic Poles
T₄M	TeleMod Poles
0 0	
-[]	Product securely locks on
N.	ErgoTec [®] Locking cone.
Ĩ	Product fits on UNGER Poles without safety locking mechanism.
***	Premium products
***	Best products
**	Better products
*	Good products

COLOUR CODING

	Restroom Cleaning
	Wash basin and Mirror
	Food and Bar Area
	General Low Risk Area
\bigcirc	Bespoke or Site Specific



Quality Tools for Smart Cleaning

Terms of delivery and payment: This price list replaces all previous price lists - All prices are recommended retail prices, plus VAT The general terms of delivery and payment of UNGER Germany GmbH apply - No responsibility accepted for accuracy; subject to change without notice.

UNGER Germany GmbH Piepersberg 44 D-42653 Solingen GERMANY Tel.: (49) 212 2207 0 Fax: (49) 212 2207 222
 GERMAINT
 USA

 Tel.: [49] 212 2207 0
 Tel.: [1] 800 431 2324

 Fax: [49] 212 2207 222
 Fax: [1] 800 367 1988

 ungereurope@ungerglobal.com
 unger@ungerglobal.com

UNGER Enterprises Inc. 425 Asylum Street Bridgeport, CT 06610

UNGER UK Ltd.

9 Planetary Ind. Est. Willenhall, WV13 3XA UNITED KINGDOM Tel.: [44] 01902 306633 Fax: [44] 01902 306644 ungeruk@ungerglobal.com

UNGER France SARL UNGER France SARL 114 bis rue Michel-Ange 75016 Paris FRANCE Tél.: (33) 1 40 71 28 70 Fax: (33) 1 40 71 28 45 ungerfrance@ungerglobal.com



ungerglobal.com