



Residential Insulation – USA

Retail Load Data Guide

Effective January 6, 2016

Building Insulation Products

Retail Price List and Product Availability Guide

Retail Rolls

Unfaced Retail Rolls															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Code	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-11	3½"	15"	40'	1	50.00	12	36	5	0.064	1,560	529099	UR07E	725387000503		Non-Standard
	3½"	15"	40'	1	50.00	12	36	6	0.063	1,584	523897	UR07TAK	725387000176	Non-Standard	
	3½"	15"	70.5'	1	88.13	9	18	4	0.107	936	529119	UR01E	725387000534		Non-Standard
	3½"	15"	70.5'	1	88.13	6	18	6	0.107	936	523898	UR01TAK	725387000183	Standard	
	3½"	16"	70.5'	1	94.00	9	18	4	0.107	936	516291	UR129	725387162911		MTO
	3½"	16"	70.5'	1	94.00	6	18	6	0.107	936	523901	UR129TAK	725387000190	MTO	
	3½"	23"	70.5'	1	135.13	6	12	4	0.160	624	529128	UR02E	725387000558		Non-Standard
	3½"	23"	70.5'	1	135.13	6	12	4	0.160	624	523904	UR02TAK	725387000206	Non-Standard	
	3½"	24"	70.5'	1	141.00	6	12	4	0.160	624	516307	UR130	725387163079		MTO
	3½"	24"	70.5'	1	141.00	6	12	4	0.160	624	523906	UR130TAK	725387000213	Non-Standard	
R-13	3½"	15"	62.66'	1	78.33	9	18	4	0.107	936	529131	UR03E	725387000589		Non-Standard
	3½"	15"	62.67'	1	78.33	6	18	6	0.107	936	523907	UR03TAK	725387000282	Non-Standard	
	3½"	24"	62.67'	1	125.34	6	12	4	0.160	624	516354	UR134	725387163543		MTO
	3½"	24"	62.67'	1	125.34	6	12	4	0.160	624	523908	UR134TAK	725387000299	MTO	
R-19	6¼"	12"	39.16'	2	78.32	6	12	4	0.160	624	516179	UR122	725387161792		MTO
	6¼"	12"	39.16'	2	78.32	6	12	4	0.160	624	523909	UR122TAK	725387000343	Non-Standard	
	6¼"	15"	39.16'	1	48.96	9	18	4	0.107	936	428674	UR05E	725387286747		Non-Standard
	6¼"	15"	39.16'	1	48.96	6	18	6	0.107	936	524176	UR05TAK	725387000350	Standard	
	6¼"	23"	39.16'	1	75.06	6	12	4	0.160	624	428600	UR06E	725387286006		Non-Standard
	6¼"	23"	39.16'	1	75.06	6	12	4	0.160	624	524177	UR06TAK	725387000367	Standard	
	6¼"	24"	39.16'	1	78.32	6	12	4	0.160	624	516180	UR123	725387161808		MTO
	6¼"	24"	39.16'	1	78.32	6	12	4	0.160	624	524178	UR123TAK	725387000374	Non-Standard	
R-25	8½"	15"	25'	1	31.25	9	18	4	0.107	936	529133	UR11E	725387000596		Non-Standard
	8½"	15"	25'	1	31.25	6	18	6	0.107	936	524179	UR11TAK	725387000435	Non-Standard	
	8½"	23"	25'	1	47.92	6	12	4	0.160	624	529135	UR12E	725387000619		MTO
	8½"	23"	25'	1	47.92	6	12	4	0.160	624	524180	UR12TAK	725387000442	Non-Standard	
R-30	10"	23"	25'	1	47.92	6	12	4	0.160	624	529136	UR13E	725387000633	MTO	Non-Standard
Kraft Faced Retail Rolls															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Code	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-11	3½"	15"	40'	1	50.00	12	36	5	0.064	1560	529089	KR91E	725387000497		Non-Standard
	3½"	15"	40'	1	50.00	12	36	6	0.063	1584	524181	KR91TAK	725387000220	Non-Standard	
	3½"	15"	70.5'	1	88.13	9	18	4	0.107	936	529106	KR41E	725387000527	Standard	Standard
	3½"	15"	70.5'	1	88.13	6	18	6	0.107	936	524182	KR41TAK	725387000237	Standard	
	3½"	16"	70.5'	1	94.00	9	18	4	0.107	936	516321	KR131	725387163215		MTO
	3½"	16"	70.5'	1	94.00	6	18	6	0.107	936	524183	KR131TAK	725387000244	Non-Standard	
	3½"	23"	70.5'	1	135.12	6	12	4	0.160	624	529126	KR42E	725387000541		Non-Standard
	3½"	23"	70.5'	1	135.12	6	12	4	0.160	624	524184	KR42TAK	725387000251	Standard	
	3½"	24"	40'	1	80.00	6	18	5	0.128	780	516334	KR132	725387163345		MTO
	3½"	24"	40'	1	80.00	12	24	4	0.095	1056	524186	KR132TAK	725387000268	Non-Standard	

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Greyed areas: Not Available

Retail Rolls

Kraft Faced Retail Rolls															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Code	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-13	3½"	15"	32'	1	40.00	12	36	6	0.053	1872	5004870	KR94E	725387048703		Standard
	3½"	15"	32'	1	40.00	12	36	6	0.053	1872	524187	KR94TAK	725387000305	Standard	
	3½"	15"	62.66'	1	78.33	9	18	4	0.107	936	529129	KR43E	725387000565		Non-Standard
	3½"	15"	62.66'	1	78.33	6	18	6	0.107	936	524188	KR43TAK	725387000312	Standard	
	3½"	23"	32'	1	61.33	8	24	6	0.080	1248	428722	KR93E	725387287225		Non-Standard
	3½"	23"	32'	1	61.33	12	24	4	0.080	1248	524189	KR93TAK	725387000329		Non-Standard
	3½"	23"	62.67'	1	120.12	6	12	4	0.160	624	516358	KR135	725387163581		Non-Standard
	3½"	23"	62.67'	1	120.12	6	12	4	0.160	624	524190	KR135TAK	725387000336		Non-Standard
R-19	6¼"	15"	24'	1	30.00	12	36	5	0.064	1560	516362	KR138	725387163628		Non-Standard
	6¼"	15"	24'	1	30.00	12	36	6	0.063	1584	524191	KR138TAK	725387000381		Non-Standard
	6¼"	15"	39.16'	1	48.96	9	18	4	0.107	936	428701	KR45E	725387287010		Non-Standard
	6¼"	15"	39.16'	1	48.96	6	18	6	0.107	936	524192	KR45TAK	725387000398	Standard	
	6¼"	16"	39.16'	1	52.21	9	18	4	0.107	936	516182	KR124	725387161822		MTO
	6¼"	16"	39.16'	1	52.21	6	18	6	0.107	936	524193	KR124TAK	725387000404		Non-Standard
	6¼"	23"	39.16'	1	75.06	6	12	4	0.160	624	428642	KR46E	725387286426		Non-Standard
	6¼"	23"	39.16'	1	75.06	6	12	4	0.160	624	524195	KR46TAK	725387000411	Standard	
	6¼"	24"	39.16'	1	78.32	6	12	4	0.160	624	516186	KR125	725387000169		MTO
	6¼"	24"	39.16'	1	78.32	6	12	4	0.160	624	524194	KR125TAK	725387000428		Non-Standard
R-25	8½"	16"	25'	1	33.33	9	18	4	0.107	936	516191	KR126	725387161914		MTO
	8½"	16"	25'	1	33.33	6	18	6	0.107	936	524196	KR126TAK	725387000459		MTO
	8½"	23"	25'	1	47.92	6	12	4	0.160	624	516193	KR127	725387161938		MTO
	8½"	23"	25'	1	47.92	6	12	4	0.160	624	524197	KR127TAK	725387000466		Non-Standard
Faced Retail Rolls - Foil															
R-11	3½"	15"	70.5'	1	88.13	9	18	4	0.107	936	516277	FSR128	725387162775		MTO
	3½"	15"	70.5'	1	88.13	6	18	6	0.107	936	524198	FSR128TAK	725387000275		MTO

Pro Cut Batt Insulation (Availability may be limited - consult your KI Representative for more information)

Unfaced Pro Cut Batts															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Code	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-11	3½"	15¼"	93"	9	88.64	6	18	6	0.107	936	515505	PR110	725387155050		Non-Standard
	3½"	23¼"	93"	9	135.14	6	12	4	0.160	624	515504	PR109	725387155043		Non-Standard MTO
R-13	3½"	15"	93"	9	87.19	6	18	6	0.107	936	516456	PR117	725387164564		Non-Standard
R-19	6¼"	15¼"	94"	5	49.77	6	18	6	0.107	936	515506	PR111	725387155067	Standard	
	6¼"	23¼"	94"	5	75.89	6	12	4	0.160	624	513353	PR112	725387133539		Non-Standard
Kraft Faced Pro Cut Batts															
R-11	3½"	15"	93"	9	87.19	6	18	6	0.107	936	515507	PR113	725387155074	Standard	Non-Standard
	3½"	23"	93"	9	133.69	6	12	4	0.160	624	515759	PR114	725387157597		Non-Standard
R-13	3½"	15"	93"	9	87.19	6	18	6	0.107	936	516457	PR118	725387164571	Standard	
	3½"	23"	93"	8	118.83	6	12	4	0.160	624	516458	PR119	725387164588		Non-Standard
R-19	6¼"	15"	94"	5	48.96	6	18	6	0.107	936	516454	PR115	725387164540	Standard	
	6¼"	23"	94"	5	75.07	6	12	4	0.160	624	516455	PR116	725387164557	Standard	

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Greyed areas: Not Available

Wood Frame Batt Insulation

Kraft Faced Batts															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-11	3½"	11"	105"	32	256.67	4	8	4	0.284	352	516115	B107	725387161150	MTO	
	3½"	15"	93"	16	155.00	5	15	6	0.128	780	505904	B02VAK	725387059044	Standard	
	3½"	15"	105"	16	175.00	5	15	6	0.152	660	506062	X02VAK	725387060620	Standard	
	3½"	19"	93"	16	196.33	4	12	5	0.192	520	506656	X03AK	725387066561	MTO	
	3½"	23"	93"	16	237.67	4	8	4	0.240	416	506484	B04AK	725387064840	Standard	
R-13	3½"	11"	93"	22	156.29	4	8	4	0.240	416	506969	B34AK	725387069692	Non-Standard	MTO
	3½"	11"	105"	22	176.46	4	8	4	0.284	352	506657	X13AK	725387066578	Non-Standard	MTO
	3½"	15"	93"	12	116.25	5	15	6	0.128	780	505912	B06VAK	725387059129	Standard	
	3½"	15"	105"	12	131.25	5	15	6	0.147	680	505907	X06VAK	725387059075	Standard	MTO
	3½"	19"	93"	11	134.98	4	12	5	0.192	520	506970	X07AK	725387069708	MTO	
	3½"	23"	93"	11	163.40	4	8	4	0.240	416	506576	B07AK	725387065762	Standard	
R-19	6¼"	11"	48"	28	102.67	4	8	4	0.240	416	5003393	B38E	725387033938	Non-Standard	MTO
	6¼"	15"	48"	20	100.00	4	12	6	0.160	624	5001499	B08E	725387014999	Standard	Non-Standard
	6¼"	15"	94"	10	97.92	4	12	6	0.160	624	5001500	B09E	725387015002	Standard	
	6¼"	15"	106"	10	110.42	4	12	6	0.189	528	5003766	X09E	725387037660	Standard	MTO
	6¼"	19"	48"	18	114.00	4	12	5	0.192	520	5006922	B55E	725387069227	Standard	MTO
	6¼"	23"	48"	18	138.00	4	8	4	0.240	416	5001469	B10E	725387014692	Standard	Non-Standard
	6¼"	23"	94"	9	135.13	4	8	4	0.240	416	5001472	B11E	725387014722	Standard	Non-Standard
R-20	5½"	15"	93"	8	77.50	5	15	6	0.128	780	468752	B35EV	725387687520	Non-Standard	MTO
	5½"	23"	93"	8	118.83	4	8	4	0.240	416	468755	B41E	725387687551	MTO	
R-22	6½"	15"	48"	16	80.00	4	12	6	0.160	624	5003938	B12E	725387039381	Non-Standard	MTO
	6½"	23"	48"	16	122.67	4	8	4	0.240	416	5003807	B13E	725387038070	MTO	
R-25	8"	15"	48"	16	80.00	4	12	6	0.160	624	5000862	B40E	725387008622	Non-Standard	
	8"	23"	48"	16	122.67	4	8	4	0.240	416	5000870	B39E	725387008707	MTO	Non-Standard
R-30	10"	12"	48"	22	88.00	4	8	4	0.240	416	5004561	X45E	725387045610	Non-Standard	MTO
	10"	16"	48"	13	69.33	4	12	6	0.160	624	5001485	B16E	725387014852	Standard	
	10"	19"	48"	11	69.67	4	12	5	0.192	520	5009062	X16E	725387090627	Non-Standard	MTO
	10"	24"	48"	11	88.00	4	8	4	0.240	416	5001489	B17E	725387014890	Standard	
R-38	12"	16"	48"	11	58.67	4	12	6	0.160	624	5001490	B18E	725387014906	Standard	Non-Standard
	12"	19"	48"	8	50.67	4	12	5	0.192	520	5001270	E1270	725387012704	Non-Standard	MTO
	12"	24"	48"	8	64.00	4	8	4	0.240	416	5001491	B19E	725387014913	Standard	
R-49	13¾"	16"	48"	6	32.00	4	12	6	0.160	624	5004735	B29E	725387047355	Non-Standard	MTO
	13¾"	19"	48"	6	38.00	4	12	5	0.192	520	511251	B64	725387112510	Non-Standard	MTO
Kraft Faced Batts - High Density															
R-15	3½"	15"	93"	8	77.50	5	15	6	0.128	780	468051	B45EVX	725387680514	Standard	Non-Standard
	3½"	15"	105"	8	87.50	4	12	6	0.184	544	468148	X45EX	725387681481	Non-Standard	MTO
	3½"	23"	93"	6	89.13	4	8	4	0.240	416	5001403	B46E	725387014036	Non-Standard	MTO
R-21	5½"	15"	93"	7	67.81	5	15	6	0.128	780	5001671	B47EV	725387016719	Standard	
	5½"	23"	93"	7	103.98	4	8	4	0.240	416	5003929	B48E	725387039299	Standard	
R-30	8¼"	15"	48"	11	55.00	4	12	6	0.160	624	5006564	B49E	725387065649	Non-Standard	MTO
	8¼"	23"	48"	11	84.33	4	8	4	0.240	416	5006567	B50E	725387065670	Non-Standard	MTO
R-38	10¼"	15"	48"	8	40.00	5	15	6	0.128	780	5006286	B51EV	725387062860	Non-Standard	MTO
	10¼"	23"	48"	8	61.33	4	8	4	0.240	416	5006287	B52E	725387062877	Non-Standard	

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Wood Frame Batt Insulation

Staple-Free Batts															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-13	3½"	15¼"	93"	12	118.19	5	15	6	0.128	780	5004654	SF13EVX	725387046549	Standard	MTO
	3½"	15¼"	105"	12	133.44	5	15	6	0.147	680	5004655	SF13XEVS	725387046556	Standard	
R-15	3½"	15¼"	93"	8	78.79	5	15	6	0.128	780	468157	SF15EVX	725387681573	Standard	MTO
	3½"	15¼"	105"	8	88.96	4	12	6	0.184	544	468158	SF15XEX	725387681580	Standard	MTO
R-19	6¼"	15¼"	93"	10	98.49	4	12	6	0.160	624	5004155	SF19E	725387041551	Standard	MTO
	6¼"	15¼"	106"	10	112.26	4	12	6	0.184	544	5009586	SF19XE	725387095868	Non-Standard	MTO
R-21	5½"	15¼"	93"	7	68.94	4	12	6	0.160	624	5000576	SF21E	725387005768	Non-Standard	
	5½"	15¼"	105"	7	77.84	5	15	6	0.147	680	5009801	SFX21EV	725387098012	Standard	Non-Standard
Unfaced Batts															
R-11	3½"	11"	93"	32	227.33	4	8	4	0.240	416	506586	N6OAK	725387065861	Non-Standard	MTO
	3½"	15¼"	93"	16	157.58	5	15	6	0.128	780	505906	B61VAK	725387059068	Standard	
	3½"	15¼"	105"	16	177.92	5	15	6	0.152	660	506065	X66VAK	725387060002	Standard	Non-Standard
	3½"	19"	93"	16	196.33	4	12	5	0.192	520	506614	X62AK	725387066141	Non-Standard	MTO
	3½"	23¼"	93"	16	240.25	4	8	4	0.240	416	506767	B63AK	725387067674	Standard/MTO	
R-13	3½"	23¼"	105"	16	271.25	4	8	4	0.284	352	516459	B120	725387164595	MTO	
	3½"	11"	93"	22	156.29	4	8	4	0.240	416	506654	B87AK	725387066547	Non-Standard	MTO
	3½"	11"	105"	22	176.46	4	8	4	0.240	416	506964	4618AK	725387069647	MTO	
	3½"	15"	93"	12	116.25	5	15	6	0.128	780	505915	B65VAK	725387059150	Standard	
	3½"	15"	105"	12	131.25	5	15	6	0.152	660	505911	X17VAK	725387059112	Standard	Non-Standard
R-19	3½"	19"	93"	11	134.98	4	12	5	0.192	520	516124	B121	725387161242	MTO	
	3½"	23"	93"	11	163.40	4	8	4	0.240	416	506579	B66AK	725387065793	Standard	Non-Standard
	6¼"	11"	94"	14	100.53	4	8	4	0.240	416	5005083	N67E	725387050836	MTO	
	6¼"	12"	96"	18	144.00	4	8	4	0.240	416	513230	B101	725387132303	Non-Standard	MTO
	6¼"	15"	48"	20	100.00	4	12	6	0.160	624	5001577	B67E	725387015774	Standard	
	6¼"	15¼"	94"	10	99.55	4	12	6	0.160	624	5001581	B68E	725387015811	Standard	
	6¼"	15¼"	106"	10	112.26	4	12	6	0.189	528	5003448	X20E	725387034485	Standard	Non-Standard
	6¼"	19"	48"	18	114.00	4	12	5	0.192	520	5005079	X67E	725387050799	Non-Standard	
R-20	6¼"	19"	94"	9	111.63	4	12	5	0.192	520	514123	B102	725387141237	Non-Standard	
	6¼"	23¼"	48"	18	139.50	4	8	4	0.240	416	513231	B103	725387132310	Non-Standard	MTO
	6¼"	23¼"	94"	9	136.59	4	8	4	0.240	416	5001589	B70E	725387015897	Standard	
	5½"	15"	93"	8	77.50	5	15	6	0.128	780	468753	B22EV	725387687537	Non-Standard	MTO
	5½"	23"	93"	8	118.83	4	8	4	0.240	416	468768	B37E	725387687681	MTO	
R-22	6½"	15"	48"	16	80.00	4	12	6	0.160	624	5009991	B71E	725387099910	MTO	
	6½"	23"	48"	16	122.67	4	8	4	0.240	416	5006297	B72E	725387062976	Standard	MTO
R-25	8"	16"	48"	16	85.33	4	12	6	0.160	624	5000865	B60E	725387008653	Non-Standard	Standard
	8"	24"	48"	16	128.00	4	8	4	0.240	416	5000873	B62E	725387008738	Non-Standard	Standard

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Wood Frame Batt Insulation

Unfaced Batts																
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability		
	Thickness	Width	Length											East	West	
R-30 Attic	10"	16"	48"	13	69.33	4	12	6	0.160	624	5001631	B75E	725387016313	Standard		
	10"	19¼"	48"	11	70.58	4	12	5	0.192	520	5005111	N76E	725387051116	Non-Standard		
	10"	24"	48"	11	88.00	4	8	4	0.240	416	5001641	B76E	725387016412	Standard		
R-30 Floor	9½"	16"	48"	11	58.67	4	12	6	0.160	624	5007456	B30E	725387045666	MTO	Non-Standard	
	9½"	19¼"	48"	10	64.17	4	12	5	0.192	520	5007559	B32E	725387075594	MTO	Non-Standard	
	9½"	24"	48"	10	80.00	4	8	4	0.240	416	5007560	B31E	725387075600	MTO	Non-Standard	
R-38	12"	16"	48"	11	58.67	4	12	6	0.160	624	5001644	B77E	725387016443	Standard		
	12"	19"	48"	8	50.67	4	12	5	0.192	520	515500	B104	725387155005	Non-Standard	MTO	
	12"	24"	48"	8	64.00	4	8	4	0.240	416	5001657	B78E	725387016573	Standard		
R-49	13¾"	16"	48"	6	32.00	4	12	6	0.160	624	511250	B58	725387112503	Non-Standard	MTO	
	13¾"	24"	48"	6	48.00	4	8	4	0.240	416	5004347	B14E	725387043470	Standard	Non-Standard	
Unfaced Batts - High Density																
R-15	3½"	15"	93"	8	77.50	5	15	6	0.128	780	468142	B92EVX	725387681429	Standard		
	3½"	15"	105"	8	87.50	4	12	6	0.189	528	468153	X42EX	725387681535	Non-Standard	MTO	
	3½"	23"	93"	6	89.13	4	8	4	0.240	416	5002895	B93E	725387028958	Non-Standard	Standard	
R-21	5½"	15"	93"	7	67.81	5	15	6	0.128	780	5001401	B94EV	725387014012	Standard		
	5½"	15"	105"	7	76.56	5	15	6	0.152	660	506594	X92VAK	725387065946	Standard		
	5½"	19"	93"	7	85.90	4	12	5	0.192	520	515503	B106	725387155036	Non-Standard		
	5½"	23"	93"	7	103.98	4	8	4	0.240	416	5003816	B95E	725387038162	Standard		
R-23	5½"	15"	93"	4	38.75	5	15	6	0.128	780	5003716	B73EV	725387037165	Non-Standard	MTO	
R-30	8¼"	15"	48"	11	55.00	5	15	6	0.128	780	5001946	B96EV	725387019468	Non-Standard		
	8¼"	23"	48"	11	84.33	4	8	4	0.240	416	5007256	B97E	725387072562	Non-Standard		
R-38	10¼"	15"	48"	8	40.00	5	15	6	0.128	780	5001955	B98EV	725387019550	Non-Standard		
	10¼"	23"	48"	8	61.33	4	8	4	0.240	416	5006276	B99E	725387062761	Non-Standard	Standard	

Metal Frame Batt Insulation

Metal Frame Construction - Standard Foil Faced Batts (Not Rated for Flame Propagation)																
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability		
	Thickness	Width	Length											East	West	
R-11	3½"	16"	96"	16	170.67	5	15	6	0.128	780	5001421	FB01EV	725387014210	Non-Standard	MTO	
	3½"	24"	96"	16	256.00	4	8	4	0.240	416	5004849	FB02E	725387048499	MTO		
R-13	3½"	16"	96"	10	106.67	5	15	6	0.128	780	5000100	FB03EV	725387001005	Non-Standard	MTO	
R-19	6¼"	16"	96"	10	106.67	4	12	6	0.160	624	5004857	FB05E	725387048574	Non-Standard		
	6¼"	24"	96"	9	144.00	4	8	4	0.240	416	5004858	FB06E	725387048581	Non-Standard	MTO	
R-30	10"	16"	48"	13	69.33	4	12	6	0.160	624	516034	FB108	725387048611	Non-Standard	MTO	
R-38	12"	24"	48"	8	64.00	4	8	4	0.240	416	5006545	FB11E	725387065458	MTO		

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Metal Frame Batt Insulation

Metal Frame Construction - Unfaced Batts															
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	Pkgs/ Half Stack*	Units/ Stack	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length											East	West
R-8	2½"	16"	96"	22	234.67	5	15	6	0.128	780	5001673	B79EV	725387016733	Standard	Non-Standard
	2½"	24"	96"	22	352.00	4	8	4	0.240	416	5001760	B80E	725387017600	Standard	Non-Standard
R-11	3½"	16"	96"	16	170.67	5	15	6	0.128	780	5001405	B81EV	725387014050	Standard	
	3½"	24"	48"	32	256.00	4	8	4	0.240	416	5001761	B83E	725387017617	Standard	Non-Standard
	3½"	24"	96"	16	256.00	4	8	4	0.240	416	5005820	B82E	725387058207	Standard	
R-13	3½"	16"	96"	12	128.00	5	15	6	0.128	780	5004657	X43EVX	725387058207	Standard	
	3½"	24"	96"	11	176.00	4	8	4	0.240	416	5006257	X44E	725387062570	Standard	
R-15	3½"	16"	48"	16	85.33	5	15	6	0.128	780	515501	B105V	725387155012	Non-Standard	MTO
R-19	6¼"	16"	96"	10	106.67	4	12	6	0.160	624	5001817	B90E	725387018171	Standard	
	6¼"	24"	48"	16	128.00	4	8	4	0.240	416	5005851	B85E	725387058511	Standard	
	6¼"	24"	96"	9	144.00	4	8	4	0.240	416	5001825	B91E	725387018256	Standard	MTO
R-21	5½"	16"	96"	7	74.67	4	12	6	0.160	624	5000393	B23E	725387003931	Non-Standard	
	5½"	24"	96"	7	112.00	4	8	4	0.240	416	5004410	B27E	725387044101	Non-Standard	
Metal Frame Construction - Kraft Faced Batts															
R-11	3½"	16"	96"	16	170.67	5	15	6	0.128	780	5001616	B24EV	725387016160	Non-Standard	MTO
	3½"	24"	48"	32	256.00	4	8	4	0.240	416	5001501	B26E	725387015019	Non-Standard	MTO
	3½"	24"	96"	16	256.00	4	8	4	0.240	416	5003600	B100E	725387036007	Non-Standard	MTO
R-13	3½"	16"	96"	12	128.00	5	15	6	0.128	780	5004656	B43EVX	725387046563	Standard	MTO
	3½"	24"	96"	11	176.00	4	8	4	0.240	416	5001062	B44E	725387010625	Non-Standard	MTO
R-19	6¼"	16"	96"	10	106.67	4	12	6	0.160	624	5001561	B53E	725387015613	Standard	Non-Standard
	6¼"	24"	48"	16	128.00	4	8	4	0.240	416	5005840	B28E	725387058405	Standard	Non-Standard
	6¼"	24"	96"	8	128.00	4	8	4	0.240	416	5006808	B54E	725387068084	Non-Standard	MTO
R-21	5½"	16"	96"	7	74.67	4	12	6	0.160	624	5001297	E1297	725387012971	Non-Standard	MTO
	5½"	24"	96"	7	112.00	4	8	4	0.240	416	5004406	B25E	725387044064	MTO	
Metal Frame Construction - FSK Foil Faced Batts (Flame Rated FSK Foil)															
R-11	3½"	16"	96"	16	170.67	5	15	6	0.128	780	5001446	FS29EV	725387014463	Non-Standard	MTO
	3½"	24"	96"	16	256.00	4	8	4	0.240	416	5005812	FS30E	725387058122	MTO	
R-13	3½"	16"	96"	10	106.67	5	15	6	0.128	780	5001593	FS37EV	725387015934	Non-Standard	
	3½"	24"	96"	10	160.00	4	8	4	0.240	416	5005132	FS38E	725387051321	MTO	
R-19	6¼"	16"	96"	10	106.67	4	12	6	0.160	624	5002646	FS31E	725387026466	Non-Standard	MTO
	6¼"	24"	48"	18	144.00	4	8	4	0.240	416	5001864	FS40E	725387018645	Non-Standard	
	6¼"	24"	96"	9	144.00	4	8	4	0.240	416	5003827	FS32E	725387038278	MTO	
R-21	5½"	16"	96"	7	74.67	5	15	6	0.128	780	516135	FS136V	725387161358	Non-Standard	MTO
	5½"	24"	96"	7	112.00	4	8	4	0.240	416	516146	FS137	725387161464	MTO	
R-30	10"	16"	48"	13	69.33	4	12	6	0.160	624	5006338	FS41E	725387063386	MTO	
	10"	24"	48"	11	88.00	4	8	4	0.240	416	5001866	FS42E	725387018669	Non-Standard	
R-30 Extended Flange	10"	24"	48"	11	88.00	4	8	4	0.240	416	5001731	FS44E	725387017310	MTO	Non-Standard
R-38	12"	16"	48"	8	42.67	4	12	6	0.160	624	517060	FS139	725387170602	Non-Standard	MTO
	12"	24"	48"	8	64.00	4	8	4	0.240	416	5001778	FS48E	725387017785	Non-Standard	MTO

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Insulation Board

Insulation Board FSK - Carton													
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Product Code	UPC	Product Availability	
2.25	1"	4.3	24" x 48"		12	96	8	0.260	384	5004681	725387046815	Non-Standard	
	2"	8.7			6	48	8	0.260	384	5003355	725387033556	MTO	
3.0	1"	4.3	24" x 48"		12	96	8	0.260	384	5000116	725387001166	MTO	
	1½"	6.5			8	64	8	0.260	384	5000117	725387001173	MTO	
	2"	8.7			6	48	8	0.260	384	5000118	-	MTO	
	2"	8.7	48" x 96"	4	128	1	0.646	154	5000842	725387008424	MTO		
	3"	13.0	24" x 48"	4	32	8	0.260	384	5001372	725387013725	MTO		
	4"	17.4	24" x 48"	3	24	8	0.260	384	5003718	725387037189	MTO		
6.0	1"	4.5	24" x 48"		12	96	8	0.260	384	5000119	725387001197	MTO	
	1½"	6.7	24" x 48"		8	64	8	0.260	384	5000120	725387001203	MTO	
	2"	8.9	24" x 48"		6	48	8	0.260	384	5000121	725387001210	MTO	
Insulation Board ASJ+ - Carton													
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Carton	Sq. Ft./ Carton	Cartons/ Unit	53' TL Load Factor	Cartons/ 53' TL	Old Product Code	New Product Code	UPC	Product Availability
3.0	1"	4.3	24" x 48"		12	96	8	0.260	384	5001519	526487	72538705264870	MTO
	1½"	6.5	24" x 48"		8	64	8	0.260	384	5001563	526491	72538705264917	MTO
	2"	8.7	24" x 48"		6	48	8	0.260	384	5001564	526495	72538705264955	MTO
	2"	8.7	48" x 96"		4	128	1	0.649	154	5006578	526501	72538705265013	MTO
6.0	2"	8.9	24" x 48"		6	48	8	0.260	384	5001520	526561	72538705265617	MTO
Insulation Board PSK - Carton													
All PSK faced Insulation Board products are Made-to-Order.													
Insulation Board Unfaced - Cartons													
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/ Pkg.	Sq. Ft./ Pkg.	Pkgs/Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC	Product Availability	
3.0	1"	4.3	24" x 48"		12	96	8	0.260	384	5000107	725387001074	MTO	
	1½"	6.5	24" x 48"		8	64	8	0.260	384	5000108	725387001081	MTO	
	2"	8.7	24" x 48"		6	48	8	0.260	384	5000109	725387001098	MTO	
6.0	1"	4.5	24" x 48"		12	96	8	0.260	384	5003425	725387034256	MTO	
	1½"	6.7	24" x 48"		8	64	8	0.260	384	5000111	725387001111	MTO	
	2"	8.9	24" x 48"		6	48	8	0.260	384	5000112	725387001128	MTO	

This product does not contain polybrominated diphenyl ethers (PBDE) such as; Penta-BDE, Octa-BDE, or Deca-BDE.

Standard Products (Std): Listed in bold. Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Insulation Board

Insulation Board Unfaced - Sleeves												
Density (PCF)	Thickness	R-Value	Width	Length	Pieces/Pkg.	Sq. Ft./Pkg.	Pkgs/Unit	53' TL Load Factor	Pkgs/53' TL	Product Code	List Price/MSF	Product Availability
1.6	1½"	6.3	24" x 48"		18	144	6	0.360	276	5004426	725387044262	MTO
	2"	8.3	24" x 48"		13	104	6	0.300	336	5004453	725387044538	MTO
	3"	12.5	24" x 48"		8	64	6	0.300	336	5004455	725387044552	Non-standard
2.25	2"	8.7	24" x 48"		12	96	6	0.360	276	5004430	725387044309	MTO
	3"	13.0	24" x 48"		8	64	6	0.300	336	5004446	725387044460	MTO
	4"	17.4	24" x 48"		6	48	6	0.300	336	5004461	725387044613	MTO
3.0	1"	4.3	24" x 48"		20	160	6	0.330	300	5002407	725387024073	MTO
	1"	4.3	48" x 120"		12	480	1	1.430	70	5003961	725387039619	MTO
	1½"	6.5	24" x 48"		14	112	6	0.330	300	5002408	725387024080	MTO
	2"	8.7	24" x 48"		10	80	6	0.330	300	5002367	725387023670	MTO
	2½"	10.9	24" x 48"		8	64	6	0.330	300	5006270	725387062709	MTO
	3"	13.0	24" x 48"		7	56	6	0.330	300	5002348	725387023489	MTO

MTO Minimums for Insulation Board							
	1"	1½"	2"	2½"	3"	3½"	4"
1.6#	-	32 msf	18 msf	15 msf	12 msf	11 msf	10 msf
2.25#	34 msf	22 msf	17 msf	12 msf	10 msf	10 msf	9 msf
3.0#	24 msf	16 msf	12 msf	10 msf	9 msf	7 msf	6 msf
4.25#	18 msf	12 msf	9 msf	7 msf	-	-	-
6.0#	12 msf	9 msf	6 msf	-	-	-	-

Standard Products (Std): Listed in bold. Minimum order per SKU is 1 unit.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.

Basement Wall Insulation

Basement Wall Insulation Unfaced													
R-Value	Dimensions			Pieces/ Pkg	Sq. Ft./ Pkg	Pkgs/ Unit	53' TL Load Factor	Pkgs/ 53' TL	Product Code	Item Reference Number	UPC	Product Availability	
	Thickness	Width	Length									East	West
R-11	3½"	48"	90'	1	360	4	0.446	224	5003447	E3447	725387000756	Standard	MTO
	3½"	88"	90'	1	660	4	0.962	104	524785	-	-	Standard	MTO
Basement Wall Insulation FSK-Perforated													
R-11	3½"	48"	70.5'	1	282	4	0.481	208	480343	GLF11	735276241856	Non-Standard	MTO
	3½"	88"	50'	1	366.7	4	0.893	112	480345	GLF88	735276252326	Non-Standard	MTO
Basement Wall Insulation WMP-VRR-Perforated													
R-10	3"	48"	100'	1	400	4	0.446	224	480346	GLW10	735276277190	Non-Standard	MTO
R-11	3½"	48"	70.5'	1	282	4	0.463	216	480348	GLW11	735276241863	Standard	MTO
	3½"	72"	40'	1	240	9	0.337	297	480369	GLW72	735276241955	Non-Standard	MTO
	3½"	88"	50'	1	366.7	4	0.893	112	480375	GLW88	735276252173	Standard	MTO
R-19	6"	48"	40'	1	160	4	0.463	216	480352	GLW1948	735276279477		MTO

Blowing Wool Insulation

EcoFill® Wx Blowing Insulation										Product Availability	
Description	Pieces/ Pkg	Pkgs/ Half Stack*	Pkgs/ Stack	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC		East	West
EcoFill® Wx bag	1	21	42	30	0.095	1050	5003384	725387033846		Standard	
EcoFill® Wx pack	42	-	1	1260	4.000	25	5003385	725387033853		Standard	

Loose Fill Insulation

ULTRA FIT DS										Product Availability	
Description	Pieces/ Pkg	Units/ Half-Stack*	Lbs/Pkg	53' TL Load Factor	Pkgs/ 53' TL	Product Code	UPC		East	West	
ULTRA FIT bag	1	21	32	0.095	1050	480426	735276275578		Standard	MTO	

*Ultra Fit DS requires a special ordering process and extra lead time. Please contact your Territory Manager for information on how to order this product.

Spray On Sealant

ECOSEAL™ Plus Elastomeric Sealant								Product Availability	
Material	Material Description	Package	Buckets/ Pallet	53' TL Load Factor	Pallets/ 53' TL	Weight	UPC	East	West
498620	ECOSEAL Plus™ 36 pails/pallet	5 gal. bucket	36	5.263	19	2052	725387986203	Standard	
498622	ECOSEAL Plus™ 12 pails/pallet	5 gal. bucket	12	1.754	57	684	725387986227	Non-Standard	

Standard Products (Std): Listed in bold. *Minimum order per SKU is ½ stack.

Non-Standard Products (Non-Std): Generally available from stock, but may require a lead time of up to 21 days.

Made-to-Order (MTO) Products: For items listed in this price book as MTO, minimum quantities apply and will require extended lead times of up to 30 days. All product must be shipped at time of production. Minimum run quantities for all MTO material is a full truckload.



Knauf Insulation, Inc.
One Knauf Drive
Shelbyville, IN 46176

Sales (800) 748-0035

Technical Support (317) 421-8512

Fax (317) 398-3675

Information info.us@knaufinsulation.com

Website www.knaufinsulation.us

© 2016 Knauf Insulation, Inc.



ECOSE Technology® is a revolutionary binder chemistry that makes Knauf Insulation® products even more sustainable than ever. It is based on rapidly renewable bio-based materials rather than non-renewable petroleum-based chemicals traditionally used in fiberglass insulation products. ECOSE Technology® reduces binder embodied energy and does not contain phenol, formaldehyde, acrylics or artificial colors.

UL Environment GREENGUARD Gold

Knauf Insulation achieved UL Environment GREENGUARD Gold Certification.

UL Environment GREENGUARD Certification Program

Products are certified to UL Environment GREENGUARD standards for low chemical emissions into indoor air during product usage.

For more information, visit ul.com/gg.

At Knauf Insulation®, we manufacture a wide variety of products that serve a common goal, helping to make the most of our planet's energy resources. A family-owned global company, we understand and are committed to high standards in quality, performance and environmental responsibility. Every step we take today toward energy conservation helps ensure better lives for generations to come.

LEED Eligible Product

Use of this product may help building projects meet green building standards as set by the Leadership in Energy and Environmental Design (LEED) Green Building Rating System.

LEED v2009

MR Credit 4.1 - 4.2 Recycled Content
MR Credit 5.1 - 5.2 Regional Materials

LEED v4

Knauf Insulation offers several products for both envelope and mechanical systems that have ingredient disclosure and transparency. Please contact transparency@knaufinsulation.com for products that currently contribute to MR credits.