STANLEY[®] FATMAX XTREME[®] TWIN BLADE RETRACTABLE KNIFE

- Two knives in one new twin blade design allows the user to alternate between two blades without carrying more than one knife.
- InstantChange[™] feature allows the user to replace dull blades in seconds.
- Easy access blade storage holds up to 9 blades for fast and easy blade changes.
- Safety mechanism Interlocking blade sliders ensure only one blade is extended at a time.
- Rubber comfort grip minimizes fatigue and reduces slippage.
- Knife includes 2 utility and 2 hook blades.
- Works with most standard utility blades.

Product #	Length	Body Color
10-789	6-3/4 in (171 mm)	Gray

STANLEY® FATMAX® RETRACTABLE UTILITY KNIFE

- Designed for repetitive heavy-duty cutting applications.
- Push button for instant blade change no tools required.
- Blade storage holds up to 5 blades.
- Thermoplastic Rubber (TPR) soft touch panels and grips for better control and fewer slips.
- Thumb pad and ergonomically designed cutting angle for more comfortable use.
- Supplied with "5" FatMax[®] blades.
- Works with most standard utility blades.

Product #	Length	Body Color
10-778	6-3/4 in (171 mm)	Yellow/Black



XTREME



- Durable, all-metal knife body construction.
- Quick one-button blade change no tools required.
- Thumb pad and ergonomically designed cutting angle for more comfortable use.

STANLEY[®] INSTANTCHANGE[™] RETRACTABLE BLADE UTILITY KNIFE

- Interlocking nose design helps secure blade and helps prevent body separation.
- Integrated string cutter when blade is retracted.
- Swing-out blade storage for easy blade access.
- Blades included (11-921): 3.
- Retractable Blade Positions: 3.
- Works with most standard utility blades.

Product #	Length	Body Color
10-788	6-1/2 in (165 mm)	Gray/Black





Accurate at time of printing, consult www.protoindustrial.com for updated information.



STANLEY[®] QUICKCHANGE[™] RETRACTABLE BLADE UTILITY KNIFE

- Durable, all-metal knife body construction.
- Quick one-button blade change no tools required.
- Interlocking nose design helps secure blade and helps prevent body separation.
- Integrated string cutter when blade is retracted.
- Comes with hang-hole for adding a wrist strap or lanyard.
- Swing-out blade storage for easy blade access.
- Blades Included (11-921): 3.
- Retractable Blade Positions: 3.
- Works with most standard utility blades.

Product #	Length	Body Color
10-499	6-1/2 in (165 mm)	Gray



Push Button Blade Change No Tools Required.

Blade Storage Area.





STANLEY[®] SWIVEL-LOCK[®] RETRACTABLE BLADE UTILITY KNIFE

- Durable, all-metal knife body construction.
- Knife body swivels open for guick blade
- change no tools required.
- Magnetic nose holds blade in place for stability during blade change.
- Interlocking nose design helps secure blade and helps prevent body separation.
- Blades Included (11-921): 3.
- Retractable Blade Positions: 3.
- Works with most standard utility blades.

Product #	Length	Body Color
10-989	7 in (178 mm)	Yellow



Quick Blade Change. No Tools Required.

Nose Feature.



STANLEY[®] ERGONOMIC RETRACTABLE BLADE UTILITY KNIFE

- No tools required thumb screw stavs attached to knife and allows for easy blade change.
- Durable, simple and comfortable shape.
- Narrow nose ideal for accurate cutting applications.
- Robust all-metal construction.
- Comfortable thumb rest.
- Blade storage in handle.
- Works with most standard utility blades.

Product #	Length	Body Color
10-707	6-3/8 in (162 mm)	Yellow





STANLEY® HAND TOOLS



⁄ନ୍ତ\

STANLEY® RETRACTABLE BLADE KNIVES

- Patented interlocking nose to hold blade securely.
- Three-position, retractable blade.
- Contoured handle with diagonal ribs for a slip-resistant grip.
- Blade storage in handle.
- Works with most standard utility blades.





Product #	Length	Body Color
10-079	6 in (152 mm)	Gray
10-179	6 in (152 mm)	Green Hi-Vis

STANLEY® CLASSIC 99® RETRACTABLE BLADE UTILITY KNIFE

- Durable, all-metal knife body construction.
- Machine screw firmly holds knife body together Screwdriver required for blade change.
- Interlocking nose design helps secure blade and helps prevent body separation.
- Blades included (11-921): 3.
- Retractable Blade Positions: 3.
- Works with most standard utility blades.

Product #	Length	Body Color
10-099	6 in (152 mm)	Gray
10-099U	6 in (152 mm)	Unpainted





STANLEY® HOMEOWNER'S RETRACTABLE BLADE UTILITY KNIFE

- Lightweight, versatile plastic knife body construction.
- For light duty use only.
- Machine screw firmly holds knife body together Screwdriver required for blade change.
- Comes with hang-hole for adding a wrist strap or lanyard
- Blades Included (11-921): 1.
- Retractable Blade Positions: 3.
- Works with most standard utility blades.

Product #	Length	Body Color
10-175	6 in (152 mm)	Gray







STANLEY[®] DYNAGRIP[®] RETRACTABLE BLADE UTILITY KNIFE

- Durable, all-metal knife body construction.
- Machine screw firmly holds knife body together Screwdriver required for blade change.

Body Color

Yellow/Black

- Contoured handle with Bi-Material grip for slip-resistance.
- Interlocking nose design helps secure blade and helps prevent body separation.
- Comes with hang-hole for adding a wrist strap or lanyard.

Length

6 in (152 mm)

- Blades Included (11-921): 3. .
- Retractable Blade Positions: 3.
- Works with most standard utility blades.





STANLEY® HANDY	RETRACTABLE	UTILITY KNIFE

- Metal body with diamond pattern for better grip.
- Blade storage in handle.
- Compact size.

Product #

10-779

- Patented interlocking nose to hold blade securely.
- Works with most standard utility blades.

Product #	Length	Body Color
10-016	5 in (122 mm)	Gray



STANLEY[®] FATMAX[™] FIXED BLADE UTILITY KNIFE



- Specially designed for repetitive cutting applications.
- Magnetic nose holds blade in place for stability during blade change.
- Blade clamp to reduce blade wobble for added control.
- Steel wear plate for longer life and reduced wear on the nose of the knife.
- Blade storage holds up to 5 blades.
- Thermoplastic Rubber (TPR) soft touch panels and grips for better control and fewer slips.
- Thumb pad and ergonomically designed cutting angle for more comfortable use.
- Supplied with "5" FatMax[®] blades.
- Works with most standard utility blades, except 11-931.

Product #	Length	Body Color
10-780	5-3/4 in (146 mm)	Yellow/Black

STANLEY® SWIVEL-LOCK® FIXED BLADE UTILITY KNIFE

- Durable, all-metal knife body construction.
- Knife body swivels open for quick blade change no tools required.
- Interlocking nose design helps secure blade and helps prevent body separation.
- Blades Included (11-921): 3.
- Fixed Blade Positions: 1.
- Works with most standard utility blades, except 11-931.



Car FatMax

Nose Feature









STANLEY® HAND TOOLS



STANLEY® ERGONOMIC FIXED BLADE UTILITY KNIFE

- No tools required thumb screw stays attached to knife and allows for easy blade change.
- Durable, simple and comfortable shape.
- Narrow nose ideal for accurate cutting applications.
- Blade storage in handle.
- Robust all-metal construction.
- Comfortable thumb rest.
- Works with most standard utility blades, except 11-931.



STANLEY[®] 299[®] FIXED BLADE UTILITY KNIFE

Machine screw firmly holds knife body together - Screwdriver

Comes with hang-hole for adding a wrist strap or lanyard.

Contoured handle and textured, die-cast body for slip-resistance.

Interlocking nose design helps secure blade and helps prevent body separation.

Durable, all-metal knife body construction.

required for blade change.

Blades Included (11-921): 1.
 Fixed Blade Positions: 2.



Interlocking Nose Features

First Fixed Blade Second Blade Position. Position.



Product #	Length	Body Color	
10-299	5-1/2 in (140 mm)	Gray	

Works with most standard utility blades, except 11-931.



- Durable, all-metal aluminum knife body construction.
- Machine screw firmly holds knife body together Screwdriver required for blade change.
- Textured, die-cast body for better slip-resistance.
- Comes with hang-hole for adding a wrist strap or lanyard.
- Fixed Blade Positions: 2.

Product #	Length	Body Color
10-199B	5-1/2 in (140 mm)	Gray

Works with most standard utility blades, except 11-931.



STANLEY® CLASSIC 199® FIXED BLADE UTILITY KNIFE - ZINC BODY

- Durable, all-metal zinc knife body construction.
- Machine screw firmly holds knife body together Screwdriver required for blade change.
- Textured, die-cast body for better slip-resistance.
- Comes with hang-hole for adding a wrist strap or lanyard.
- Blades included (11-921): 3.
- Fixed Blade Positions: 1.
- Works with most standard utility blades, except 11-931.

Product #	Length	Body Color
10-209	5-1/2 in (140 mm)	Gray



Not intended for use in industrial manufacturing applications.



STANLEY® FOLDING FIXED BLADE UTILITY KNIFE

- Durable aluminum handle with belt clip.
- Quick change blade mechanism.
- One-hand opening operation.
- Folds to convenient carrying size.
- Works with most standard utility blades, except 11-931.



Product #	Length	Height	Width	Weight	Body Color
10-036	4.25 in (107 mm)	4.38 in (111 mm)	0.63 in (16 mm)	0.33 lbs	Gold

STANLEY® RETRACTABLE BLADE CARPET KNIFE

- Heavy-duty all-metal knife body construction.
- Knife body swivels open for quick blade change - no tools required.
- Retractable blade controls depth of cut.
- Carpet Blades Included (11-525): 3.



Product #	Blade Width	Length	Handle Length	Blade Storage Capacity	Fits Blades
10-525	3/4 in (19 mm)	6-1/2 in (165 mm)	6-1/2 in (165 mm)	10 regular duty 0.015" blades	11-525 & 11-530

STANLEY® FATMAX® HOOK KNIFE

- Taper ground cutlery steel blade permanently fastened to handle.
- Ergonomically designed non-slip grip handle.
- Cuts and trims vinyl or linoleum floor covering, roofing material, and similar materials.



Product #	Blade Length	Handle Length	Overall Length
10-510	2-5/8 in (67 mm)	5-1/2 in (140 mm)	8 in (203 mm)

STANLEY® LINOLEUM FLOORING KNIFE

- Taper ground cutlery steel blade permanently fastened to handle.
- Comfortable hardwood handle.
- Cuts and trims vinyl or linoleum floor covering, roofing material, and similar materials.



Product #	Blade Length	Handle Length	Overall Length
10-509	3 in (76 mm)	4-1/2 in (114 mm)	7-1/2 in (191 mm)





STANLEY[®] SPORTUTILITY[™] OUTDOORSMAN KNIFE

- Durable, all-metal knife body construction.
- Quick one-button blade change no tools required.
- Thumb stud and liner lock for one-handed 'sport' blade open / close.
- 3-1/2" Partial serrated "sport" blade for cutting rope / twine.
 Built in safety feature prevents both blades from simultaneous presentation / use.
- Bi-Material handles for comfort and slip-resistance.
- Interlocking nose design helps secure blade
- and helps prevent body separation.Comes with nylon/sheath pouch for
- holding blade dispenser.Blades Included (11-921): 10.
- Retractable Blade Positions: 3.
- Works with most standard utility blades, except 11-931.



Product #	Blade Length	Overall Length	Body Color
10-804	3-1/2 in (90 mm)	6-1/2 in (165 mm)	Gray/Black

STANLEY® FOLDING UTILITY KNIFE

- Foldable, compact design fits easily into a pocket.
- Quick change fixed blade thumb stud for easy release.
- One-hand open and close using the push lever handle.
- Aluminum design, lightweight and durable.
- Stainless steel belt clip.
- Works with most standard utility blades, except 11-931.

Product #	Product # Length		
10-855	4-1/4 in (108 mm)	Black	

STANLEY[®] QUICKSLIDE[™] UTILITY KNIFE

- Durable, all-metal knife body construction.
- Quick change blade tab no tools required.
- True one-handed open/close.
- Stainless steel belt clip.
- Blades included (11-921): 1.
- Retractable Blade Positions: 1.
- Works with most standard utility blades, except 11-931.

Product #	Length	Body Color	
10-810	5-1/4 in (133 mm)	Gray/Black	

STANLEY[®] QUICKSLIDE[™] 2 UTILITY KNIFE

- Durable all-metal, die-cast zinc construction.
- Quick change blade tab no tools required.
- True one-handed open/close.
- Stainless steel belt clip.
- Top mounted, zinc slider button for durability.
- Compact and ergonomically designed.
- Works with most standard utility blades, except 11-931.

Product #	Length	Body Color	
10-812	4-5/16 in (109 mm)	Gray	





Quick Change Blade Tab. No Tools Required.





KNIVES & BLADES

STANLEY[®] QUICKSLIDE[™] SPORT UTILITY KNIFE

- Standard utility blade for multipurpose cutting.
- 3" / 75mm stainless steel serrated sport blade for those tough cutting jobs.
- Patented Interlock[®] mechanism allows only one blade to be exposed at a time.
- Spine lock button that locks and releases the sport blade for safety.
- Interlock[®] nose designed to help prevent spreading.
- Utility knife features a quick "no tools" blade change.
- Thumb slider for easy operation.
- Cast zinc body for increased durability.
- Uses any standard Stanley[®] utility or hook blade.
- Works with most standard utility blades, except 11-931.

Product #	Length	Length with Blades Extended	Body Color
10-813	4-3/4 in (121 mm)	9 in (229 mm)	Gray

STANLEY® POCKET KNIFE

- Powder-coated, epoxy handle.
- Blade folds into handle for safe storage.
- Replaceable stainless-steel blade.
- Safety blade lock.
- Blades Included (11-040): 1.

Product #	Length	Body Color
10-049	4-1/4 in (108 mm)	Gray





STANLEY® SELF-RETRACTING SAFETY BLADE UTILITY KNIVES

Body Color

Orange

Unpainted

- Durable, all-metal knife body construction.
- Machine screw firmly holds knife body together -Screwdriver required for blade change.

Length

5-7/8 in (149 mm)

5-7/8 in (149 mm)

- Contoured handle and textured, die-cast body for slip-resistance.
- Interlocking nose design helps secure blade and helps prevent body separation.
- Comes with hang-hole for adding a wrist strap or lanyard.
- Auto-retracting blade: spring-loaded. Retracts when slide button is released.
- Blades included (11-987): 1.
- Works with most standard utility blades.



Blade Feature.





STANLEY® SAFETY KNIFE

Product #

10-189C

10-189P

- Heavy-duty spring activated blade automatically retracts the instant the blade loses contact with the cutting surface.
- Accepts both Stanley[®] and OLFA[®] safety blades (round tip and regular).
- Ergonomic slip-resistant handle.
- Chemical resistant handle.
- Durable, smooth stainless steel barrel.
- Blades Included (11-921): 1
- Replacement blades: 11-921.



Product #	Blade Length	Overall Length	Body Material	Body Color
STHT10193	2-29/64 in (61.3 mm)	6-1/2 (165 mm)	Zinc	Yellow/Black

OLFA® is a registered trademark of OLFA® Corporation.



946

KNIVES & BLADES

STANLEY® HAND TOOLS



STANLEY® HOBBY KNIFE

- Available with a strong, yet lightweight aluminum body.
- For light and medium duty precision work.
- Positive metal barrel blade locks.
- Works with standard hobby and craft blades.
- Blades included (11-401): 1.

STANLEY® 12-IN-1 MULTI-TOOL WITH HOLSTER

- Stainless steel construction.
- High-quality nylon holster.

Product #	Length	Contents
84-519K	6-1/2 in	(1) Long Nose Pliers
	(165 mm)	(1) Curve Jaw Pliers
		(1) Wire Cutter
		(1) Saw
		(1) 🕀 Phillips®Screwdriver
		(3) \ominus 1/4, 5/16, 1/8 in
		Standard Screwdrivers
		(1) Small knife
		(1) Large knife
		(1) Bottle Opener
		(1) File



STANLEY® FATMAX XTREME® SNAP-OFF KNIFE

- Heavy-duty all-metal knife body construction.
- Rigid stainless steel barrel provides smooth action and corrosion resistance.
- Smooth slider mechanism features an audible "click" and is self-locking for security.
- Safety machine screw allows for locking blade in place for added blade security and heavy-duty applications.
- Removable blade snapper included in cap of knife.
- Blade cartridge automatically slides new blade into position after old blade is removed.
- Comes with hang-hole for adding a wrist strap or lanyard.



Built-In Blade Snapper



Screw Allows for Locking Blade.

Automatic Reload Blade Cartridge.

STANLEY FatMax

Product #	Size	Length	Body Color	Points per Blade	Blades Included
10-817	25 mm (1 in)	8 in (203 mm)	Bright Aluminum	7	(4) 11-325

STANLEY® FATMAX® SNAP-OFF KNIVES

- Stainless-steel barrel is durable and rust resistant.
- Comfortable Bi-Material slider with soft grip.
- Removable blade snapper for removal of a worn segment.
- Thumb dial clamps down on blade to minimize blade movement for control.
- Instant blade release functionality for quick blade changes.



Product #	Size	Length	Body Color	Points per Blade	Blades Included
10-481	18 mm (0.709 in)	7 in (178 mm)	Yellow/Black	8	(6) 11-718
10-486	25 mm (1 in)	7 in (178 mm)	Yellow/Black	7	(4) 11-725



Fat Max

STANLEY® FATMAX® SNAP-OFF KNIFE

- Heavy-duty all-metal knife body construction.
- Rigid stainless steel barrel provides smooth action and corrosion resistance.
- Smooth slider mechanism features an audible "click" and is self-locking for security.
- Removable blade snapper included in cap of knife.



Fat Max

Product #	Size	Length	Body Color	Points per Blade	Blades Included
10-421	18 mm (0.709 in)	6-1/4 in (159 mm)	Gray	8	(1) 11-301

STANLEY® DYNAGRIP® SNAP-OFF KNIFE

High impact, yellow ABS body with soft-grip panels.

Size

25 mm (1 in)

Length

7 in (178 mm)

- Safety machine screw clamp secures blade
- in place for added blade security.

Product #

10-425



STANLEY[®] QUICK-POINT[™] SNAP-OFF KNIVES

- High impact ABS construction.
- Smooth slider mechanism features an audible "click" and is self-locking for security.
- Removable blade snapper included in cap of knife.



Product #	Size	Length	Body Color	Points per Blade	Blade Included
10-150	9 mm (0.354 in)	5-1/8 in (206 mm)	Yellow/Black	13	(1) 11-300
10-151	18 mm (0.709 in)	6-1/2 in (165 mm)	Yellow/Black	8	(1) 11-301

STANLEY[®] QUICK-POINT[™] STANDARD SNAP-OFF KNIFE

High impact ABS construction.

/ଚ୍ଚ\

- Rigid stainless steel barrel provides smooth action and corrosion resistance.
- Smooth slider mechanism features an audible "click" and is self-locking for security.
- Removable blade snapper included in cap of knife.
- Comes with hang-hole for adding a wrist strap or lanyard.



Product	# Size	Length	Body Color	Points per Blade	Blade Included
10-280	18 mm (0.709 in)	6-3/4 in (171 mm)	Yellow/Black	8	2 (11-301)



STANLEY[®] INSTANTCHANGE[™] SNAP-OFF KNIVES

- Load blades through traditional method or through front loading quick change function.
- Dial wheel functions as locking mechanism during use and blade release mechanism when changing blades.
- Comfortable one-piece elastomer plastic body.
- Durable, smooth stainless steel barrel.
- Chemical resistant handle.



Product #	Size	Length	Body Color	Points per Blade	Blade Included
STHT10186	18 mm (0.709 in)	6-19/64 in (160 mm)	Yellow/Black	8	(1) 11-301
STHT10187	25 mm (1 in)	7-1/2 in (191 mm)	Yellow/Black	7	(1) 11-325

STANLEY® AUTO LOCKING SNAP-OFF KNIFE WITH PRY PICK

- Automatic blade lock.
- Angled back for easier blade loading.
- Polypropylene body with slip-resistant over molded rubber grip.
- Chemical resistant handle.
- Durable, smooth stainless steel barrel.
- Hard metal pry pick.

		~
Body Color	Points per Blade	Blade Included

Product #	Size	Length	Body Color	Points per Blade	Blade Included
STHT10191	18 mm (0.709 in)	7-1/8 in (181 mm)	Yellow/Silver/Black	8	(1) 11-301

STANLEY[®] QUICK-POINT[™] SNAP-OFF KNIFE

- Light-duty, retractable cutter with Quick-Point[™] snap-off blades.
- Blade sections snap off, providing a fresh, sharp cutting point.
- Hang hole for storage or lanyard.

Product #	Size	Length	Body Color	Points per Blade	Blade Included
10-143P	18 mm (0.709 in)	6 in (152 mm)	Yellow/Black	8	(1) 11-301

STANLEY[®] QUICKCHANGE[™] ROTARY CUTTER

- Cuts through vinyl, paper, foamcore and more.
- Accepts both Stanley[®] and OLFA[®] 45 mm rotary blades.
- Heavy-duty blade made of high quality tool steel.
- Designed for both left and right handed use.
- Polypropylene handle with slip-resistant over molded rubber grip.



Product #	Blade Diameter	Overall Length	Blade Thickness	Color	Blade Included
STHT10194	1-3/4 in (44 mm)	6-5/8 in (168 mm)	0.3 in (7.6 mm)	Yellow/Gray	(1) STHT11942

OLFA® is a registered trademark of OLFA® Corporation.



STANLEY[®] QUICKCHANGE[™] ROTARY CUTTER REPLACEMENT BLADE

Heavy-duty blade made of high quality tool steel.

Product #	Blade Diameter	Blade Thickness
STHT11942	1-3/4 in (44 mm)	0.3 in (7.6 mm)

STANLEY® CARBIDE™ BLADES

- Blade stays sharper 5X* longer.
- Steel body allows flexibility to help prevent breakage.
- Laser deposited carbide lines the blade edge delivering a long lasting blade.

*Blade stays sharper 5X longer than traditional competitive blades.



Product #	Blades per Pack	Blade Length	Blade Thickness
11-800	5	2-13/32 in (61 mm)	1/40 in (0.635 mm)
11-800T	10	2-13/32 in (61 mm)	1/40 in (0.635 mm)
11-800L	50 with Dispenser	2-13/32 in (61 mm)	1/40 in (0.635 mm)

STANLEY® FATMAX® BLADES

- The precision grinding of the cutting bevel angles and the improved honing on cutting edge angles make this blade - up to +35% sharper*.
- Specially heat-treated for a more flexible blade – up to +20% stronger*.
- Induction hardened edge up to +75% longer cutting life*.
- Versatile cutting applications drywall, carpet, roofing felt, house wrap, tar paper, insulation.

*Based on average values compared with Stanley® 1992® blades.



Product #	Blades per Pack	Length	Blade Thickness
11-700	3	2-7/16 in (62 mm)	0.024 in (0.61 mm)
11-700T	10	2-7/16 in (62 mm)	0.024 in (0.61 mm)
11-700A	100	2-7/16 in (62 mm)	0.024 in (0.61 mm)

STANLEY® DRYWALL ASB UTILITY BLADES

- Edge is engineered to easily cut abrasive drywall material.
- Blade made of high carbon steel.
- S3 technology double hardens the blade edge for increased* cutting life.
- 100% longer life on average compared to Stanley[®] 11-921 Heavy-Duty Blade, resulting in far fewer blade changes.
- Cuts and scores drywall, ceiling tile, wallboard and similar materials.
- "DRYWALL" call-out is laser etched on blade to help prevent mixing with standard blades.
 *Based on average values compared with Stanley[®] 1992[®] blades.



Product #	Blades per Pack	Length	Blade Thickness
11-937	3	2-3/8 in (60 mm)	1/40 in (62 mm)
11-937L	50 with Dispenser	2-3/8 in (60 mm)	1/40 in (62 mm)

950



STANLEY® EXTRA HEAVY-DUTY UTILITY BLADES

- Blade made of high carbon steel.
- Precision honed edge.
- Cuts thick, dense materials.
- Designed for use in fixed blade knives only.

Product #	Blades per Pack	Length	Blade Thickness
11-931	5	2-3/8 in (60.32 mm)	0.035 in (0.889 mm)
11-931D	70 with Dispenser	2-3/8 in (60.32 mm)	0.035 in (0.889 mm)
11-931A (Bulk)	10	2-3/8 in (60.32 mm)	0.035 in (0.889 mm)

STANLEY® HEAVY-DUTY UTILITY BLADES

- Blade made of high carbon steel.
- Precision honed edge.
- Blade is made for general purpose cutting.
- Fits most standard utility knives.

Product #	Blades per Pack	Length	Blade Thickness
11-921	5	2-7/16 in (62 mm)	0.024 in (0.061 mm)
11-921T	10 with Dispenser	2-7/16 in (62 mm)	0.024 in (0.061 mm)
11-921L	50 with Dispenser	2-7/16 in (62 mm)	0.024 in (0.061 mm)
11-921A	100 with Dispenser	2-7/16 in (62 mm)	0.024 in (0.061 mm)
11-921B (Bulk)	400	2-7/16 in (62 mm)	0.024 in (0.061 mm)

STANLEY® ROUND POINT UTILITY BLADES

- Rounded edges help reduce risk of accidental cuts.
- Blade is used in applications where safety is a concern and for preventing damage to carton contents when opening boxes.
- Blade made of high carbon steel.
- Fits most standard utility knives.

Product #	Blades per Pack	Length	Blade Thickness
11-987	5	2-3/16 in (56 mm)	0.024 in (0.61 mm)
11-988	100 with Dispenser	2-3/16 in (56 mm)	0.024 in (0.61 mm)

STANLEY® REGULAR DUTY UTILITY BLADES

- Blade made of high carbon steel.
- Precision honed edge.
- Blade is made for light sheet materials, paper, and cardboard.
- Fits most standard utility knives.

Product #	Blades per Pack	Length	Blade Thickness
11-911	5	2-7/16 in (62 mm)	1/40 in (0.635 mm)
11-911A	100 with Dispenser	2-7/16 in (62 mm)	1/40 in (0.635 mm)



STANLEY® MITEY-KNIFE® BLADE

- Blade made of high carbon steel.
- Precision honed edge.
- Blade fits Mighty-Knife® products.



 Product #
 Blades per Pack
 Length
 Blade Thickness

 11-031
 3
 1-1/8 in (29 mm)
 0.017 in (0.432 mm)

STANLEY® ROOFING ASB HOOK UTILITY BLADES

- Edge is engineered to withstand the rigors of cutting today's heavier and thicker roofing materials.
- 75% stronger than Stanley[®] 11-983 Hook Blade, resulting in fewer blade changes.
- Cuts roofing shingles, felt paper, Tyvek[®], foam board, insulation, shingles and other building materials.
- Designed for use in fixed blade knives only.
- "ROOF" callout is laser etched on blade to prevent accidental mixing with standard blades.
- Blade made of high carbon steel.



Product #	Blades per Pack	Length	Blade Thickness
11-939	5	1-7/8 in (48 mm)	0.032 in (0.83 mm)
11-939A	70 with Dispenser	1-7/8 in (48 mm)	0.032 in (0.83 mm)

STANLEY® LARGE HOOK BLADES

- Blade made of high carbon steel.
- Blade shape helps prevent damage to surface beneath the material being cut.
- Blade is used for cutting and trimming roofing materials, linoleum, carpet, fabric and sheet materials.



Product #	Blades per Pack	Length	Blade Thickness
11-983	5	1-7/8 in (48 mm)	0.024 in (0.61 mm)
11-983L	50 with Dispenser	1-7/8 in (48 mm)	0.024 in (0.61 mm)
11-983A	100 with Dispenser	1-7/8 in (48 mm)	0.024 in (0.61 mm)
11-984 (Bulk)	100	1-7/8 in (48 mm)	0.024 in (0.61 mm)

STANLEY® REGULAR HOOK BLADES

- Blade shape helps prevent damage to surface beneath the material being cut.
- Blade is used for cutting and trimming roofing materials, linoleum, carpet, fabric and sheet materials.
- Blade made of high carbon steel.
- Fits most standard utility knives.



Product #	Blades per Pack	Blade Length	Blade Thickness
11-961	5	2-1/16 in (52 mm)	0.024 in (0.61 mm)
11-961A	100 with Dispenser	2-1/16 in (52 mm)	0.024 in (0.61 mm)

Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.



STANLEY[®] CARPET BLADES

- High carbon steel blade with double cutting edge.
- Fits Stanley[®] and most other carpet knives.



Product #	Туре	Blades per Pack	Blade Length	Blade Thickness
11-525	Standard	5	2-1/4 in (57 mm)	0.015 in (0.380 mm)
11-530 (Bulk)	Heavy-duty	100	2-1/4 in (57 mm)	0.017 in (0.432 mm)

STANLEY® FATMAX® SNAP-OFF BLADES

18 MM

- Induction hardened for 25% longer life*.
- Ideal for cutting drywall, styrofoam, insulation, foam backed carpet, reinforced carpet, linoleum, cork, tar paper, house wrap.
- Fits all Stanley[®] 18 mm snap-off knives.
- Fits Olfa[®]L-series snap-off knives.

25 MM

- Induction hardened for 50% longer life*.
- Ideal for cutting drywall, styrofoam,
- insulation, foam backed carpet, reinforced carpet, linoleum, cork, tar paper, house wrap.
- Fits all Stanley[®] 25 mm snap-off knives.
- Fits Olfa[®] H-series snap-off knives.

*Based on average values in comparison to standard Stanley® snap-off blades.

Product #	Size	Blades per Pack	Length	Blade Thickness	Points per Blade
11-718	18 mm (0.709 in)	5	4-1/4 in (108 mm)	1/50 in (0.508 mm)	8
11-718T	18 mm (0.709 in)	10	4-1/4 in (108 mm)	1/50 in (0.508 mm)	8
11-718L	18 mm (0.709 in)	20	4-1/4 in (108 mm)	1/50 in (0.508 mm)	8
11-725	25 mm (1 in)	5	5-1/2 in (140 mm)	1/50 in (0.508 mm)	7
11-725T	25 mm (1 in)	10	5-1/2 in (140 mm)	1/50 in (0.508 mm)	7
11-725L	25 mm (1 in)	20	5-1/2 in (140 mm)	1/50 in (0.508 mm)	7

OLFA® is a registered trademark of OLFA® Corporation.

STANLEY[®] HEAVY-DUTY QUICK-POINT[™] SNAP-OFF BLADES

- Replacement blade for the Stanley[®] 1" snap-off knife (10-425).
- Fits most 25 mm snap-off blade knives.
- Blade made of high carbon steel.
- Blade sections snap-off providing fresh, sharp cutting points.

Product #	Size	Blades per Pack	Length	Blade Thickness	Points per Blade
11-325	25 mm (1 in)	3	5-7/16 in (138 mm)	0.027 in (0.686 mm)	7
11-325T	25 mm (1 in)	10 with Dispenser	5-7/16 in (138 mm)	0.027 in (0.686 mm)	7

STANLEY[®] QUICK-POINT[™] SNAP-OFF BLADES

- Blade made of high carbon steel.
- Blade sections snap off providing fresh, sharp cutting points.

Product #	Size	Blades per Pack	Length	Blade Thickness	Points per Blade
11-300	9 mm (0.354 in)	3	3-1/4 in (83 mm)	0.017 in (0.432 mm)	13
11-301	18 mm (0.709 in)	3	4-1/4 in (108 mm)	1/50 in (0.508 mm)	8
11-301L	18 mm (0.709 in)	50	4-3/4 in (121 mm)	1/50 in (0.508 mm)	8





STANLEY FatMax



STANLEY® SNAP-OFF HOOK BLADES

- 4 cutting points per blade.
- Each snap-off hook blade is equivalent to 2 regular hook blades.
- Ideal for cutting asphalt shingles, roofing felt, tar paper.
- 18 MM: Fits Olfa[®] L-series snap-off knives. Fits all Stanley[®] 18 mm snap-off knives.
- 25 MM: Fits Olfa[®] H-series snap-off knives.



Product #	Size	Blades per Pack	Blade Length	Blade Thickness	Points per Blade
11-618	18 mm (0.709 in)	5	4-1/8 in (105 mm)	0.065 in (1.6 mm)	4
11-618L	18 mm (0.709 in)	20	4-1/8 in (105 mm)	0.065 in (1.6 mm)	4
11-625	25 mm (1 in)	5	5-1/4 in (133 mm)	0.065 in (1.6 mm)	4
11-625L	25 mm (1 in)	20	5-1/4 in (133 mm)	0.065 in (1.6 mm)	4

OLFA® is a registered trademark of OLFA® Corporation.

STANLEY® SHEEPFOOT BLADE

Sheepfoot-style blade made of cutlery stainless steel.

Blade per Pack

1

- Blade used for heavy-duty cutting and carving.
- For use in 10-049.

Product #

11-040

arving.	and the second second	ALL UNA		
	- Contraction of the	0162-01-001920-	All sectors of a sector	801
	Length		Blade Thickness	
	2-9/16 in (65 mm)		0.040 in (1.02 mm)	

STANLEY® UTILITY BLADE

 Utility blade made of cutlery stainless steel. Blade used for fine cutting. For use in 10-049. 		Lines Lines	
Product #	Blade per Pack	Length	Blade Thickness
11-041	1	2-9/16 in (65 mm)	0.040 in (1.02 mm)

STANLEY® WHITTLING CRAFT BLADES

- Blade made of high carbon steel.
- Blade used for whittling and scoring.

Product #	Blade Length	Blade Thickness
11-111A	2-3/8 in	0.023 in
(Bulk)	(60 mm)	(0.58 mm)

STANLEY® LOW ANGLE CRAFT BLADES

- Low angled blade for fine cutting work such as veneering, trimming, precision cutting and stripping.
- Blade made of high carbon steel.

Product #	Blades	Blade	Blade
	per Pack	Length	Thickness
11-113A	400	2-1/8 in	0.024 in
(Bulk)		(54 mm)	(0.61 mm)



954

STANLEY[®] RAZOR BLADES

- Blade made of high carbon steel with steel backing.
- Blade fits standard razor blade tools.



Product #	Blades per Pack	Blade Length	Blade Thickness
28-510	10	1-1/2 in (38 mm)	0.009 in (0.229 mm)
11-515	100	1-1/2 in (38 mm)	0.009 in (0.229 mm)

STANLEY® BLADE DISPOSAL CONTAINER

- High impact, puncture resistant container.
- Snap-on lid locks tight for safety and is tethered to the container.
- Container can be placed on a flat surface or fixed to a wall with the metal rack.



Product #	Description	Length	Width	Height
11-080	Blade Disposal Container	-	-	-
11-085	Metal Wire Rack	6-5/8 in (168 mm)	6-1/2 in (165 mm)	9-3/16 in (235 mm)
11-081	Blade Disposal Container with Metal Wire Rack	-	-	-

STANLEY® ALL-PURPOSE SHEARS

- Serrated blade holds material in place.
- Ideal for a wide range of cutting needs.
- Cuts twine, heavy fabric, strapping and other heavy-duty materials.
- Carbon steel blades provide long life and smooth cutting.
- Ergonomic handles allow for effortless and comfortable cutting.

0

Product #	Overall Length	Blade Length	Depth	Width
STHT14102	9-7/8 in (251 mm)	5-5/32 in (131 mm)	1 in (25 mm)	1 in (25 mm)

