



RETAIL PRODUCTS DIVISION

**Hooked on
SERVICE**

**Chains
Ropes
Steel Cables
Tie Wires
Accessories**



Dear customers,

Over the years, it has been our privilege to build close relationships with our customers enabling us to work together for mutual success.

Our attention to in-store marketing combined with our experience as an industrial manufacturer has enabled us to set up a program fine tuned to the current market.

Our dedication to the customer is a tremendous source of motivation for all members of the Ben-Mor team and is behind the spirit and determination with which we boast that we are *“Hooked on Service”*.

The whole team hopes that the efforts we are putting into our work will always be worthy of your confidence.



*“Hooked
on
Service”*

Benoît Frappier, President and CEO of Ben-Mor
with his associates
Lyne-Mireille Leduc, V-P Finances & Human Resources,
Richard Plante, V-P Sales & Marketing,
and Éric Rompré, V-P Production.

TABLE OF CONTENTS


Chains	PAGE 2
Tools	PAGE 11
Transport	PAGE 12
Pre-cut Chains	PAGE 14
Steel Cables	PAGE 16
Carded Accessories	PAGE 18
Lifting	PAGE 22
Bulk Accessories	PAGE 23
Tie Wires	PAGE 30
Ropes	PAGE 32
Marine Ropes	PAGE 42
Pet Products	PAGE 43
Merchandising	PAGE 44



Chains


Grade 30 Proof Coil Chain – low carbon steel

A general utility chain for farm, industry and home applications.



Self colored						
Drum						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53000	1/8	1,250	0.69	.25	325	20
53001	3/16	800	0.98	.34	630	29
53002	1/4	450	1.34	.48	1,100	52
53003	5/16	275	1.24	.50	1,900	85
53004	3/8	200	1.35	.57	2,650	124
53005	1/2	100	1.70	.75	4,500	234
Pail						
52000	1/8	250	0.69	.25	325	20
52001	3/16	150	0.98	.34	630	29
52002	1/4	100	1.34	.48	1,100	52
52003	5/16	75	1.24	.50	1,900	85
52004	3/8	45	1.35	.57	2,650	124
52005	1/2	25	1.70	.75	4,500	234
52006	5/16	90	1.24	.50	1,900	85
Safety factor 4:1						

Test certificate available – Do not use for overhead lifting



Zinc plated						
Drum						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53010	1/8	1,250	0.69	.25	325	20
53011	3/16	800	0.98	.34	630	29
53012	1/4	450	1.34	.48	1,100	52
53013	5/16	275	1.24	.50	1,900	85
53014	3/8	200	1.35	.57	2,650	124
53015	1/2	100	1.70	.75	4,500	234
Pail						
52009	1/8	250	0.69	.25	325	20
52010	3/16	150	0.98	.34	630	29
52011	1/4	100	1.34	.48	1,100	52
52012	5/16	75	1.24	.50	1,900	85
52013	3/8	45	1.35	.57	2,650	124
52014	1/2	25	1.70	.75	4,500	234
Reel						
51009	1/8	150	0.69	.25	325	20
51000	3/16	100	0.98	.34	630	29
51001	1/4	65	1.34	.48	1,100	52
51002	5/16	60	1.24	.50	1,900	85
51003	3/8	35	1.35	.57	2,650	124
Safety factor 4:1						


Test certificate available – Do not use for overhead lifting

Grade 30 Proof Coil Chain — low carbon steel



Hot dipped galvanized

Drum						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53020	1/8	1,250	0.69	.25	325	20
53021	3/16	800	0.98	.34	630	29
53022	1/4	450	1.34	.48	1,100	52
53023	5/16	275	1.24	.50	1,900	85
53024	3/8	200	1.35	.57	2,650	124
53025	1/2	100	1.70	.98	4,500	234
Metal drum						
53027	5/8	150	2.20	.79	6,900	390
53028	3/4	100	2.76	.98	10,600	537
Pail						
52020	1/8	250	0.69	.25	325	20
52021	3/16	150	0.98	.34	630	29
52022	1/4	100	1.34	.48	1,100	52
52023	5/16	75	1.24	.50	1,900	85
52024	3/8	45	1.35	.57	2,650	124
52025	1/2	25	1.70	.75	4,500	234



Safety factor 4:1


Test certificate available – Do not use for overhead lifting

Harrow Chain



Self colored

Special Pail						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
56008	5/16	100	2.12	.90	1,900	85



Safety factor 4:1


Test certificate available – Do not use for overhead lifting



Grade 40 High Tensile Chain — carbon steel



Grade 40 high tensile chain has a higher resistance to wear than grade 30. It is a perfect product for farming, heavy duty trucking and similar tasks.



Self colored						
Drum						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53030	1/4	400	0.90	.44	2,600	71
53031	5/16	275	1.12	.48	3,900	102
53032	3/8	200	1.35	.57	5,400	140
53033	1/2	100	1.70	.75	9,200	234

Safety factor 3:1

Test certificate available – Do not use for overhead lifting



Hot dipped galvanized						
Drum						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53035	5/16	275	1.12	.48	3,900	102
53036	3/8	200	1.35	.57	5,400	140
53037	3/8	400	1.35	.57	5,400	140
53038	1/2	200	1.70	.75	9,200	234

Safety factor 3:1


Test certificate available – Do not use for overhead lifting



Zinc plated						
Special Pail						
Code	Diameter in.	Packaging ft.	inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
52039	1/4	100	0.90	.44	2,600	71
51159	5/16	75	1.12	.48	3,900	102
52041	3/8	45	1.35	.57	5,400	140

Safety factor 3:1

Stainless Steel Chain



Code	Diameter		Working load limit lbs.	Inside Dimensions in.		Weight / 100 ft. lbs.	Packaging ft.
	in.	mm		A	B		
53996	1/4	7	1,300	1.18	0.43	66	50
53997	5/16	8	1,700	1.26	0.50	86	35
53998	3/8	10	2,650	1.31	0.60	142	15

Safety factor 4:1

Test certificate available – Do not use for overhead lifting

Passing Link Chain — low steel carbon

A general utility chain that resists kinking due to the link design.



Zinc								
Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51035	2/0	120	.190	.88	.47	450	32	Reel
52037	2/0	225	.190	.88	.47	450	32	Pail

Machine Chain — low carbon steel

Machine chain is a short link chain used mainly where flexibility in a compact chain is required.



Straight link								
Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
56007	#2 (galv.)	100	.150	.61	.26	325	19	Reel
51011	#2 (zinc)	125	.150	.61	.26	325	19	Reel
51012	#3 (brass)	80	.140	.59	.24	270	15	Reel
51010	#4 (zinc)	100	.120	.55	.21	215	11	Reel



Twist link								
Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51020	#2 (zinc)	125	.150	.58	.22	310	20	Reel
51021	#4 (zinc)	100	.120	.52	.17	200	13	Reel
51022	2/0 (zinc)	75	.190	.73	.28	520	34	Reel
51063	2/0 (zinc)	150	.190	.73	.28	520	34	Pail
51023	#250 (nickel)	100	.095	.42	.20	45	9	Reel

Double Loop Chain – steel



An economical utility chain used for swings, dog tie-outs, cow ties, etc... (also called Tenso and Lion)

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51145	# 1 (zinc)	125	.105	1.54	.281	155	8	Reel
51052	# 1 (zinc)	250	.105	1.54	.281	155	8	Reel
51067	# 1 (zinc)	425	.105	1.54	.281	155	8	Pail
51057	# 2 (zinc)	200	.091	1.33	.16	115	12	Reel
51053	# 3 (zinc)	200	.080	1.10	.187	90	6	Reel
51059	# 3 (zinc)	700	.080	1.10	.187	90	6	Pail*
51054	# 4 (zinc)	250	.072	1.02	.171	70	5	Reel
51051	# 1/0 (zinc)	200	.120	1.78	.312	200	13	Reel
51146	# 1/0 (White polycoat)	100	.120	1.78	.312	200	13	Reel
51050	# 2/0 (zinc)	75	.135	1.82	.340	255	17	Reel
52059	# 2/0 (White polycoat)	200	.135	1.82	.340	255	17	Pail
52146	# 2/0 (zinc)	275	.135	1.82	.340	255	17	Pail
51062	# 3/0 (zinc)	150	.148	2.17	.415	305	20	Pail

*Note: Pail without standard sizes



Vinyl coated

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51055	# 1/0 (green)	100	.120	1.78	.312	200	17	Reel
51056	# 2 (blue)	125	0.091	1.33	0.167	115	11	Reel

Electrical Fixture Chain – zinc plated



51039
Single Jack



51049
Double loop

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51054	#4 Double loop	250	.072	1.02	.171	70	12.5	Reel
51049	#4 Double loop	800 (8 x 100)	.072	1.02	.171	70	40	Box
51039	#10T Single Jack	500 (10 x 50)	.125	1.26	–	43	60	Box
52113	#10T Single Jack	250	.125	1.26	–	43	30	Reel

Lock Link Chain – steel



The strongest weldless chain.
Provides a flat suspension surface.

Zinc							
Code	Trade size #	Packaging ft.	Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length			
51077	2/0	50	.140	1.48	340	23	Reel

Endweld Utility Chain – steel

A standard chain for all purpose usage except lifting.



Zinc plated								
Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51030	#14	250	.080	0.50	0.19	75	5	Reel

Handylink Chain – zinc



Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51150	N/A	175	.12	1.35	.34	255	12	Reel
52151	N/A	450	.12	1.35	.34	255	12	Pail

Coil Chain – Low Carbon Steel

Coil chains have longer links than machine chain. This product is perfect for animal tie chains, platforms barriers and other similar tasks.



Straight link								
Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51018	#2 (zinc)	125	.148	1.18	.26	310	18	Reel
51015	#4 (zinc)	100	.120	1.11	.21	205	10	Reel
51016	2/0 (zinc)	125	.190	1.29	.32	520	27	Reel
51017	2/0 (zinc)	200	.190	1.29	.32	520	27	Pail



Twist link								
Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51025	#3 (Bronze)	50	.140	1.14	.21	240	13	Reel

Sash Chain — steel



This chain is designed to operate smoothly over pulleys, it is ideal for many applications such as hanging and suspending double hung sashes.

Zinc

Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51060	#8	200	.029	75	4	Reel
51061	#35	100	.035	106	6	Reel

Furnace Chain — steel



Light duty chain.

Zinc

Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51070	#91	250	.023	41	2.5	Reel

Safety Chain — brass



This flat link chain is commonly used for plumbing fixtures.

Brass

Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51065	1/0	200	.023	35	2	Reel

Decorative Oval Chain (Swag)



Code	Trade size #	Packaging ft.	Dimension in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51105	#4 (Zinc plated)	90	.12	.58	.21	70	11	Reel
51080	#10 (Brass plated)	50	.109	1.25	.625	45	7	Reel
51081	#10 (Black)	50	.109	1.25	.625	45	7	Reel
51082	#10 (Antique silver)	50	.109	1.25	.625	45	7	Reel
51083	#10 (White)	50	.109	1.25	.625	45	7	Reel
51084	#10 (Aged bronze)	50	.109	1.25	.625	45	7	Reel
51085	#10 (Antique copper)	50	.109	1.25	.625	45	7	Reel
51086	#100 (Bronze)	197	.087	.63	.24	13	3	Reel
51088	#10 (Satin chrome)	50	.109	1.25	.625	45	7	Reel
51089	#10 (Oil rubbed bronze)	50	.109	1.25	.625	45	7	Reel
51125	#19 (Brass plated)	82	.043	.205	.110	7	2	Reel
51127	#100 (Black)	197	.087	.63	.24	13	3	Reel

Single Jack Chain — steel

Ideal chain for hanging lighting fixtures, flower pots and other domestic type light objects.



Code	Trade size #	Packaging ft.	Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length			
51141	#10 (brass)	100	.135	.93	43	14	Reel
51040	#10 (zinc)	150	.135	.93	43	12	Reel
51041	#12 (zinc)	100	.105	.77	29	9	Reel
51044	#12 (brass)	100	.105	.77	29	9	Reel
51140	#14 (black polycoat)	190	.080	.66	16	5	Reel
51047	#14 (black)	200	.080	.66	16	5	Reel
51042	#14 (zinc)	200	.080	.66	16	5	Reel
51043	#16 (zinc)	250	.062	.52	11	2.75	Reel
51046	#16 (brass)	250	.062	.52	11	2.75	Reel
51038	#18 (zinc)	200	.047	.39	5	1.7	Reel

Double Jack Chain — steel

Chain similar to the single jack chain with a sturdier construction.



Code	Trade size #	Packaging ft.	Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length			
51075	#16 (Brass plated)	200	.058	.22	11	6	Reel
51076	#16 (Zinc plated)	200	.058	.22	11	6	Reel

Dimpled Oval Chain — steel




Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51100	#50 (Brass plated)	66	.118	1.10	.552	20	8	Reel

Cathedral Chain — steel




Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51090	#31 (Brass plated)	98	.087	.985	.552	35	6	Reel
51091	#31 (White)	98	.087	.985	.552	35	6	Reel

Plastic Chain



Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
54000	#6 (1-1/2") (White)	130	.230	1.00	.30	50	5	Pail
54001	#6 (1-1/2") (Black)	130	.230	1.00	.30	50	5	Pail
54006	#6 (1-1/2") (Yellow)	130	.230	1.00	.30	50	5	Pail
54002	#8 (2") (White)	70	.290	1.50	.40	75	7	Pail
54003	#8 (2") (Black)	70	.290	1.50	.40	75	7	Pail
54007	#8 (2") (Yellow)	70	.290	1.50	.40	75	7	Pail



Hobby / Craft Chain — steel

Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
			Dia.	Inside length	Inside width			
51110	#3 Clock (Brass plated)	164	.043	.300	.092	7	.9	Reel
51111	#5 Clock (Brass plated)	82	.051	.315	.105	13	1.3	Reel
51112	#5 Clock (Nickel plated)	82	.051	.315	.105	13	1.3	Reel
51113	#7 Clock (Brass plated)	82	.063	.315	.130	18	1.6	Reel
51114	#7 Clock (Nickel plated)	82	.063	.315	.130	18	1.6	Reel
51115	#2 Sash (Chrome plated)	164	.043 ga	—	.532	29	.7	Reel
51116	#2 Sash (Brass plated)	164	.043 ga	—	.532	29	.7	Reel
51117	#3 Sash (Chrome plated)	82	.059 ga	—	.519	35	2.0	Reel
51118	#70 Twist (Brass plated)	82	.047	.154	.030	15	2.6	Reel
51119	#90 Twist (Brass plated)	82	.059	.260	.122	20	3.5	Reel
51120	#90 Twist (Nickel plated)	82	.059	.260	.122	20	3.5	Reel
51121	#200 Twist (Brass plated)	49	.079	.360	.122	29	4.7	Reel
51122	#200 Twist (Nickel plated)	49	.079	.360	.122	29	4.7	Reel
51123	#250 Twist (brass plated)	33	.099	.284	.170	35	8.5	Reel
51124	#250 Twist (Nickel plated)	33	.099	.284	.170	35	8.5	Reel
51125	#19 Oval link (Brass plated)	82	.043	.205	.110	7	2.1	Reel
51126	#36 Ball chain (Chrome plated)	164	.142	—	—	11	1.6	Reel

Bead Chain



Code	Trade size #	Packaging ft.	Diameter in.	Working load limit lbs.	Weight / 100 ft. lbs.	Packaging
51130	#6 (Steel nickel plated)	100	.125	6	2	Reel
51132	#6 (Brass bright)	100	.125	6	2	Reel
51131	#10 (Steel nickel plated)	100	.178	12	3	Reel
51135	#10 (Brass nickel plated)	100	.178	12	3	Reel

Bead Chain Kit



Code	Features	Trade size # Finish	Packaging ft.	Packaging	QTY / Pack	Pack / CTN
NEW 55253	End link and coupling connector	#6 (Brass)	2	Card	2	6
NEW 55254	End link and coupling connector	#10 (chrome)	2	Card	2	6

Bead Chain Connectors — steel



Code	Trade size # Finish	Weight lbs.	Packaging	Qty / Pack	Pack / CTN
55000	#6 (Brass bright)	0.05	Bag	100	1
55002	#6 (Nickel)	0.06	Bag	100	1
55030	#6 (Brass)	0.03	Card	8	10
55004	#6 (Nickel)	0.03	Card	6	10
55003	#10 (Nickel)	0.16	Bag	100	1
55031	#10 (Nickel)	0.04	Card	8	10
55032	#10 (Brass bright)	0.03	Card	8	10



Code	Features	Trade size # Finish	Weight lbs.	Packaging	QTY / Pack	Pack / CTN
NEW 55033	Connectors & End links	#10 & #6 (Brass)	0.84	Card	8	6
NEW 55034	Connectors & End links	#10 & #6 (Chrome)	0.84	Card	8	6

Wire Rope Cutters & Swagers

Code	For Cable Diameter in.	Length in.	Type	Weight lbs.	Pack / CTN
70290	Up to 3/16	8	Cutter	0.66	1
70292	Up to 3/16	24	Swager	5.40	1
70293	Up to 3/16	8	Cutter	0.66	1
70291	Up to 1/2	19	Cutter	3.00	1



70290



70292



70291 70293

Chain Cutters

Code	Product	For Diameter Maximum in.	Weight lbs.	Pack / CTN
55020	#25	MAX 1/4 G30	5	1
55021G	#44	3/8 G40	35	1
55023G	#88	1/2 G40 - 3/8 G70	46	1
55024G	#88 Kit	N/A	2	1
55025	#88 (Carbide Teeth)	1/2 G40 - 3/8 G70	-	2



25



88
44


BEN-MOR

It's also ...

Industrial and Aeronautics Products

See industrial catalog









Our products meet military specifications required by the aeronautic industry.

Transport


Load Binders



Code	Product	Diameter chain in.	Capacity lbs.	Weight lbs.	Packaging	QTY / Packaging
55005	BX 270 Style	3/16 (G30)	375	1.0	Box	1
55006	BX 271 Style	1/4 (G30 - G40) 5/16 (G30)	2 600	3.5	Box	1
55007	BX 320 Style	5/16 (G40 - G70) 3/8 (G40)	5 400	7.0	Box	1
55008	BX 400 Style	3/8 (G40 - G70) 1/2 (G40)	9 200	10.5	Box	1
55009	BX 600 Style	5/16 (G40 - G70) 3/8 (G40)	5 400	10.25	Box	1
55010	BX 800 Style	3/8 (G40 - G70) 1/2 (G40)	9 200	14.0	Box	1
55014	Ratchet type	1/4 (G40 - G70) 5/16 (G30)	2 600	3.85	Box	1
55015	Ratchet type	5/16 (G40 - G70) 3/8 (G40)	6 600	10.8	Box	1
55016	Ratchet type	3/8 (G40 - G70) 1/2 (G40)	9 200	12.75	Box	1
55017	Ratchet type	1/2 (G40 - G70) 5/8 (G40)	13 000	14.55	Box	1

Grade 70 Transport Chain — yellow chromate carbon steel

Grade 70 chain is extremely strong and resistant to wear. It is mainly used for transport tie downs, towing, lumbering and other similar tasks.



Yellow Chromate						
Drum						
Code	Diameter in.	Packaging ft.	Inside Dimensions in.		Working load limit lbs.	Weight / 100 ft. lbs.
			A	B		
53040	1/4	400	1.22	.51	3,150	71
53041	5/16	275	1.29	.53	4,700	102
53042	3/8	200	1.36	.57	6,600	143
53043	1/2	100	1.77	.75	11,300	234
53047	1/2	200	1.77	.75	11,300	234
Pail						
52030	1/4	65	1.22	.51	3,150	71
52031	5/16	50	1.29	.53	4,700	102
52032	3/8	45	1.36	.57	6,600	143
52033	1/2	25	1.77	.75	11,300	234
Safety factor 4:1						

Test certificate available – Do not use for overhead lifting

FOR MORE PRODUCTS

GRADE 80

SEE OUR INDUSTRIAL CATALOG



Logging Chain

Code	Diameter in.	Grade	Finish	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56001	1/4	30	Self Colored	14	1,100	8	Pail
56002	5/16	30	Self Colored	14	1,900	12	Pail
56003	3/8	30	Self Colored	14	2,650	17	Pail
56006	1/2	30	Self Colored	14	4,500	33	Pail
Safety factor 4:1							



Tie Down Chain Grade 70 – chromate gold

Code	Diameter in.	Grade	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56004	5/16	70	14	4,700	14	Pail
56029	5/16	70	16	4,700	16	Pail
56032	5/16	70	20	4,700	20	Pail
56022	5/16	70	25	4,700	25	Pail
56021	3/8	70	10	6,600	15	Pail
56024	3/8	70	12	6,600	18	Pail
56025	3/8	70	14	6,600	21	Pail
56030	3/8	70	16	6,600	24	Pail
56005	3/8	70	20	6,600	30	Pail
Safety factor 4:1						

Test certificate available – Do not use for overhead lifting



Tie Down Chain Grade 40 – self colored

Code	Diameter in.	Grade	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56061	5/16	40	14	3,900	14	Pail
56068	3/8	40	20	5,400	28	Pail
Safety factor 3:1						

Test certificate available – Do not use for overhead lifting



Agricultural Safety Chain For Towed Machines Grade 70 – Yellow Chromate

Code	Diameter in.	Length ft.	Tow capacity lbs.	Weight lbs.	Packaging
56011	1/4	5	10,000	5.5	Pail
56013	1/4	6	10,000	5.5	Pail
56012	5/16	5	16,100	8.5	Pail
56014	5/16	6	16,100	8.5	Pail
56009	3/8	5	20,000	11.5	Pail
56015	3/8	6	20,000	11.5	Pail
56010	1/2	5	40,000	18.5	Pail
56016	1/2	6	40,000	19.5	Pail

Custom sizes available on request.



Tow Chain Grade 70 – Yellow Chromate

Code	Diameter in.	Length ft.	Working load limit lbs.	Weight lbs.	Packaging
56115	5/16	14	4,300	15.0	Pail
56116	3/8	16	5,250	24.0	Pail
Safety factor 4:1					



Pre-Cut Chains

Single Jack Chain – steel



Code	Trade size #	Packaging ft.	Dimensions in.		Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
			Dia.	Inside length				
55208	#12 (zinc)	12	.105	.77	29	1.1	Clamshell	6
55212	#14 (black)	12	.080	.66	16	0.6	Clamshell	6
55213	#16 (zinc)	12	.062	.52	11	0.3	Clamshell	6

Safety Chain – brass



Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55251	1/0	8	.023	35	0.2	Clamshell	6

Sash Chain – steel, zinc plated



Code	Trade size #	Packaging ft.	Thickness in.	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55250	#35	12	.035	106	0.7	Clamshell	6

Machine Chain – low carbon steel, zinc plated



Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
			Dia.	Inside length	Inside width				
55200	#2 Straight link	12	.150	.61	.26	325	2.3	Clamshell	6
NEW 55201	#4 Straight link	10	.120	.55	.21	215	3.2	Clamshell	6
55202	#4 Twist link	12	.120	.52	.17	200	1.6	Clamshell	6

Decorative Oval Chain (Swag)



Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
			Dia.	Inside length	Inside width				
55227	#4 Zinc plated	10	.12	.58	.21	70	1.1	Clamshell	6
55217	#10 Brass plated	8	.109	1.25	.625	45	0.6	Clamshell	6
55218	#10 Black	8	.109	1.25	.625	45	0.6	Clamshell	6
55219	#10 White	8	.109	1.25	.625	45	0.6	Clamshell	6
55220	#10 Satin chrome	8	.109	1.25	.625	45	0.6	Clamshell	6
55221	#10 Oil rubbed bronze	8	.109	1.25	.625	45	0.6	Clamshell	6

Coil Chain – low carbon steel



Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
			Dia.	Inside length	Inside width				
55203	#2 Straight link (zinc)	12	.148	1.18	.26	310	2.2	Clamshell	6
55205	2/0 Straight link (zinc)	12	.190	1.29	.32	520	3.2	Clamshell	6

Double Loop Chain – steel



Code	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
			Dia.	Inside length	Inside width				
55235	#1 (zinc)	12	.105	1.54	.281	155	1.0	Clamshell	6
55242	2/0 (zinc)	12	.135	1.82	.340	255	2.0	Clamshell	6

Double Loop Chain Kit



Code	Features	Trade size #	Packaging ft.	Dimensions in.			Working load limit lbs.	Weight lbs.	Packaging	QTY / Packaging
				Dia.	Inside length	Inside width				
NEW 55241	"S" Hook & Open Chain Snap	#1 (zinc)	6	0.105	1.4	0.281	155	0.7	Clamshell	6
NEW 55246	"S" Hook & Open Chain Snap	#4 (zinc)	12	0.8	1.1	0.187	90	0.6	Clamshell	6
NEW 55247	"S" Hook & Open Chain Snap	#3 (zinc)	20	0.072	1.02	0.171	70	1.2	Clamshell	6

Pre-Cut Chains

Bead Chain – brass

Code	Trade size #	Packaging ft.	Dia. & Inside dimension in.	Working load limit lbs.	Weight lbs.	Packaging	Qty/ Pack
55252	#10 Brass nickel plated	8	.178 dia.	12	0.3	Clamshell	6



Code	Description	Finish	Dia. in.	Trade size #	Package ft.	Dimensions in.			Working load limit lbs.	Weight lbs.	Packaging	Pack/ CTN
						Dia.	Inside length	Inside width				
55260	G30	Zinc	1/8	-	16	-	0.69	.25	325	3.2	Pail	6
55261	G30	Zinc	3/16	-	16	-	0.97	.33	630	4.6	Pail	6
55262	G30	Zinc	1/4	-	10	-	1.14	.43	1,100	5.2	Pail	4
55263	G30	Zinc	5/16	-	8	-	1.24	.50	1,900	6.8	Pail	4
55264	G30	Zinc	3/8	-	5	-	1.35	.57	2,650	6.2	Pail	4
NEW 55265	G30 with Quick Link included	zinc	3/16	-	10	-	0.97	0.33	630	4.6	Clamshell	6
NEW 55266	G30 with Quick Link included	zinc	1/4	-	10	-	1.14	0.43	1,100	5.2	Clamshell	6
55270	G30	Galvanized	1/8	-	16	-	0.69	.25	325	3.2	Pail	6
55271	G30	Galvanized	3/16	-	16	-	0.97	.33	630	4.6	Pail	6
55272	G30	Galvanized	1/4	-	10	-	1.14	.43	1,100	5.2	Pail	4
55273	G30	Galvanized	5/16	-	8	-	1.24	.50	1,900	6.8	Pail	4
55274	G30	Galvanized	3/8	-	5	-	1.35	.57	2,650	6.2	Pail	4
55280	Passing Link	Zinc	-	2/0	10	.190	.88	.47	450	3.2	Pail	6
NEW 55281	Passing Link	Zinc	-	2/0	6	.190	.88	.47	450	1.9	Clamshell	6
55204	Machine Chain Twist Link	Zinc	-	2/0	10	.190	.73	.28	520	3.4	Pail	6
55206	Coil Chain Straight Link	Zinc	-	2/0	10	.190	1.29	.32	520	2.7	Pail	6
55243	Double Loop	Zinc	-	2/0	16	.135	1.82	.34	255	2.7	Pail	6
55245	Double Loop	Zinc	-	3/0	16	.148	2.17	.415	305	3.2	Pail	4
55285	Plastic Chain	Black	-	6	12	0.23	1	3	50	0.6	Clamshell	6
55286	Plastic Chain	Black	-	8	12	0.29	1.5	4	75	0.83	Clamshell	6
55288	Plastic Chain	White	-	8	12	0.29	1.5	4	75	0.83	Clamshell	6



Steel Cables

Galvanized Cables




<i>Reel</i>						
Code	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight / 100 ft. lbs.	Pack/ CTN
80031	7 x 7	1/16	500	480	0.75	1
80033	7 x 7	3/32	500	920	1.60	1
80034	7 x 7	1/8	500	1,700	2.85	1
80042	7 x 19	1/8	500	2,000	2.90	1
82042	7 x 19	1/8	250	2,000	2.90	1
80043	7 x 19	5/32	500	2,800	4.50	1
82043	7 x 19	5/32	250	2,800	4.50	1
80044	7 x 19	3/16	500	4,200	6.50	1
82044	7 x 19	3/16	250	4,200	6.50	1
80045	7 x 19	1/4	500	7,000	11.00	1
82045	7 x 19	1/4	250	7,000	11.00	1
80046	7 x 19	5/16	500	9,800	24.30	1
82046	7 x 19	5/16	250	9,800	24.30	1
85046	7 x 19	5/16	125	9,800	24.30	1
80047	7 x 19	3/8	500	14,400	0.75	1
82047	7 x 19	3/8	250	14,400	0.75	1
<i>Coated cable</i>						
82334	7 x 7	3/32 - 1/8 Clear PVC	250	920	1.60	1
82364	7 x 7	1/8 - 3/16 Clear PVC	250	1,700	2.85	1
82354	7 x 7	3/32 - 3/16 Clear PVC	250	1,700	2.85	1
82414	7 x 19	3/16 - 1/4 Clear PVC	250	4,200	6.50	1

Other sizes available upon request.




<i>Pre-Cut</i>						
Code	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight / 100 ft. lbs.	Pack/ CTN
83031	7 x 7	1/16	50	480	0.75	6
83033	7 x 7	3/32	50	920	1.60	6
83034	7 x 7	1/8	50	1,700	2.85	6
84044	7 x 19	3/16	25	4,200	6.50	6
83044	7 x 19	3/16	50	4,200	6.50	6
83045	7 x 19	1/4	50	7,000	11.00	6
81045	7 x 19	1/4	100	7,000	11.00	3

Other sizes available.



7 x 7



7 x 19



Stainless Steel Cables

<i>Reel</i>						
Code	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight / 100 ft. lbs.	Pack/ CTN
80131	7 x 7	1/16	500	480	0.75	1
80133	7 x 7	3/32	500	920	1.6	1
80134	7 x 7	1/8	500	1,700	2.9	1
80136	7 x 7	3/16	500	3,700	6.2	1
80141	7 x 19	3/32	500	920	1.6	1
80142	7 x 19	1/8	500	1,760	2.9	1
82144	7 x 19	3/16	250	3,700	6.5	1
80144	7 x 19	3/16	500	3,700	6.5	1
82145	7 x 19	1/4	250	6,400	11.0	1
80145	7 x 19	1/4	500	6,400	11.0	1
82146	7 x 19	5/16	250	9,000	17.3	1
80146	7 x 19	5/16	500	9,000	17.3	1
82147	7 x 19	3/8	250	12,000	24.3	1
80147	7 x 19	3/8	500	12,000	24.3	1

* Other sizes available.

<i>Pre-Cut</i>						
Code	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight / 100 ft. lbs.	Pack/ CTN
84134	7 x 7	1/8	25	1,700	2.85	6
84142	7 x 19	1/8	25	1,760	2.90	6
84144	7 x 19	3/16	25	3,700	6.50	6
84145	7 x 19	1/4	25	6,400	11.00	6



Tow cables

Code	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight lbs.	Packaging	Pack/ CTN
90301	7 x 19	5/16	25	9,800	7.37	Clamshell	6
90300	7 x 19	7/32	25	5,600	3.17	Clamshell	6
90304	7 x 19	7/32	50	5,600	4.87	Clamshell	6

* For high performance synthetic winch cable (UHMWPE), see page 38.



Winch Cables

Code	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight lbs.	Packaging	Pack/ CTN
90305	7 x 19	3/16	50	4,200	3.80	Clamshell	6
ASY-WC-20R	7 x 7	1/8	20	2,000	1.03	Clamshell	12
ASY-WC-25	7 x 7	3/16	25	4,200	2.10	Clamshell	12



Galvanized Cable Kit

Code	Features	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight / 100 ft. lbs.	Pack/ CTN
84631	2 aluminum sleeves	7 x 7	1/16	50	95	480	6
84633	4 clips & 2 thimbles	7 x 7	3/32	50	184	920	6
84632	4 clips & 2 thimbles	7 x 19	1/8	50	340	2,000	6



Galvanized, PVC Aircraft Cable Kit

Code	Features	Construction	Diameter	Length ft.	Breaking Strength lbs.	Weight / 100 ft. lbs.	Pack/ CTN
84634	4 clips & 2 thimbles	7 x 7	3/32 - 1/8 Clear PVC	50	184	920	6





Carded Accessories

Stop Sleeve — aluminum



Code	Dimension in.	Qty / Pack	Pack / CTN
73175	1/16	10	12
73176	3/32	8	12
73177	1/8	6	12
73178	5/32	4	12
73179	3/16	4	12
73180	1/4	4	12

Wire Rope Clip — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73002	1/8	2	12
73003	3/16	2	12
73019	1/4	1	12
73005	5/16	1	12
73006	3/8	1	12
73007	7/16	1	12
73008	1/2	1	12
73009	5/8	1	12

Double Wire Rope Clamp — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73015	1/8	2	12
73016	3/16	2	12
73017	1/4	2	12

NEW

Wire Rope Clip & Thimble Kit



Code	Description	Dimension in.	Qty / Pack	Pack / CTN
73011	2 wire clips & 1 thimble	3/16	3	6
73010	2 wire clips & 1 thimble	1/4	3	6
73012	2 wire clips & 1 thimble	1/4	3	6

Standard Thimble — galvanized



Code	Dimension in.	Qty / Pack	Pack / CTN
73220	1/8	2	12
73221	3/16	2	12
73223	5/16	1	12
73224	3/8	1	12

NEW

Standard Thimble — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73228	1/4	2	12
73225	1/2	1	12

NEW

Standard Thimble — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73240	1/8	1	6
73241	3/16	1	6
73242	1/4	1	6

Oval Sleeve — aluminum



Code	Dimension in.	Qty / Pack	Pack / CTN
73102	1/16	10	12
75104	3/32	8	12
75105	1/8	6	12
73103	5/32	6	12
75107	3/16	4	12
73111	1/4	2	12

Wire Rope Clip — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73022	1/8	1	12
73039	3/16	1	12
73040	1/4	1	12
73025	5/16	1	12
73026	3/8	1	12

NEW

Rope Clamp — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73029	3/8	2	6
73028	1/2	2	12

Screw Pin Shackle — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73339	1/8	2	12
73345	3/16	1	6
73347	1/4	1	6
73342	5/16	1	12
73096	3/8	1	12

Screw Pin Shackle — galvanized



Code	Dimension in.	Qty / Pack	Pack / CTN
73300	3/16	2	12
73301	1/4	2	12
73302	5/16	1	12
73303	3/8	1	12

NEW

Screw Pin — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73310	3/16	2	12
73316	1/4	2	12
73317	5/16	1	12
73318	3/8	1	12

Quick Link — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73700	1/8	2	12
73701	3/16	2	12
73702	1/4	2	12
73703	5/16	1	12
73704	3/8	1	12
73706	7/16	1	12
73705	1/2	1	12



Quick Link — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73109	1/8	1	12
NEW 73074	3/16	1	6
73110	1/4	1	12
73095	5/16	1	12
73097	3/8	1	12

Carbine Snap Hook — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73854	3/16	1	6
73845	3/16	2	12
73087	1/4	1	12
73088	5/16	1	12
73848	3/8	1	12

Carbine Snap Hook — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73808	3/16	1	12
73801	1/4	1	12
73802	5/16	1	12
73803	3/8	1	12

Lap Link — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73759	1/8	2	12
73760	3/16	2	12
73761	1/4	2	12
73762	5/16	1	12
73763	3/8	1	12

Eye & Eye Swivel — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73780	5/8	1	12
73781	3/4	1	12

Malleable Swivel — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73736	3/16 x 1-1/2	2	12
73737	1/4 x 2-3/8	1	12
73738	5/16 x 2-3/4	1	12

Swivel Eye Single Pulley — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73721	3/4	1	12
73722	1	1	12
73723	1-1/4	1	12
73724	1-1/2	1	12
73725	2	1	12

NEW

“S” Hook — plastic



Code	Dimension in.	Color	Qty / Pack	Pack / CTN
73958	1-1/2	White	2	12
73959	1-1/2	Black	2	12

“S” Hook — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73960	1/8 x 1.30	3	12
73961	5/32 x 1.5	3	12
73962	3/16 x 1.44	3	12
73963	1/4 x 1.75	2	12
73964	5/16 x 2.34	1	12

Round Ring — nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
75000	3/16 x 1	2	12
75001	3/16 x 1-1/4	2	12
75012	1/4 x 1-1/2	1	12
75003	1/4 x 2	1	12

NEW

Round Ring — stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
75009	3/16 x 1	1	6
75010	1/4 x 1-1/2	1	6
75011	1/2 x 2	1	6

Rope Binding Hook — zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73796	3-1/8	1	12

Cleat Rope — zinc, nickel plated, brass



Code	Dimension in.	Qty / Pack	Pack / CTN
73790	2-1/2	2	12
NEW 73792	2-1/2	2	12
NEW 73789	4-1/2	1	6

Swivel Eye Double Pulleys — zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73731	3/4	1	12
73732	1	1	12
73733	1-1/4	1	12
73734	1-1/2	1	12



Fixed Eye Single Pulley – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
NEW 73078	1/2	1	6
73081	3/4	1	12
NEW 73079	1	1	12
73090	1-1/4	1	12
73084	1-1/2	1	12
73089	2	1	12



Tow Hook 800 lbs. Eye diameter 3/4" – zinc plated

Code	Dimension in.	Qty / Pack	Pack / CTN
73900	1.77 x 2.55	1	12



Simplex Snap – zinc

Code	Dimension in.	Qty / Pack	Pack / CTN
73849	1-1/4	2	12
NEW 73851	1-5/8	2	12
NEW 73852	2	2	12
73831	3-1/4	1	12



Spring Snap Round Eye 3/8" – nickel plated, zinc, brass

Code	Dimension in.	Qty / Pack	Pack / CTN
73810	3/8 x 1-3/4	2	12
NEW 73811	2 x 3/8	1	12

NEW

Spring Snap Round Eye – stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
73973	2	1	6



Spring Snap Square Eye 1" – nickel plated

Code	Dimension in.	Qty / Pack	Pack / CTN
NEW 73866	5/8	1	6
73871	3/4 x 3	1	12
73825	1 x 3	1	12

NEW

Spring Snap, Round Eye – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73809	3/8	1	12

NEW



Security Snap Hook – zinc

Code	Dimension in.	Qty / Pack	Pack / CTN
73975	3/4	1	6

NEW



Security Snap Hook – stainless steel

Code	Dimension in.	Qty / Pack	Pack / CTN
73974	3/4 x 4	1	6

NEW

Panic Snap – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73827	1/2	1	6

Swivel Spring Snap – nickel plated, brass



Code	Dimension in.	Qty / Pack	Pack / CTN
NEW 73867	3/8 x 2-1/16	1	12
73868	3/8 x 2-5/8	1	12

Swivel Lever Snap – zinc, nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73816	5/8 x 3-1/4	1	12
73853	3/4 x 3-3/4	1	12
73823	1 x 3-1/2	1	12

Swivel Snap Link Open – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
73813	3/8 x 2-1/4	1	12

Heavy Duty Swivel Snap – nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73824	1 x 3-3/4	1	12



Swivel Lock Snap – zinc, nickel plated, brass and stainless steel



Code	Dimensions in.	Qty / Pack	Pack / CTN
NEW 73836	3/8 x 2-1/2	1	6
73859	3/8 x 3	1	12
73829	1/2 x 3	1	12
NEW 73818	1/2 x 3	1	12
NEW 73071	1/2 x 3-1/8	1	6
73861	5/8 x 3	1	12
73862	5/8 x 3-1/8	1	12
73820	3/4 x 3	1	12
73828	3/4 x 3-1/2	1	12
NEW 73864	1 x 4	1	6
73858	1 x 4-1/4	1	12
73863	1-1/8 x 4-1/2	1	12

Swivel Boat Snap & Boat Snap Fixed Eye – zinc and brass



Code	Dimensions in.	Qty / Pack	Pack / CTN
NEW 73839	2-3/4 x 5/8	1	6
NEW 73073	3-1/4 x 7/8	1	6
73082	3-5/16 x 5/8	1	12
NEW 73821	3-3/8 x 3/4	1	12
NEW 73830	3-3/4 x 7/8	1	6
73080	4-1/4 x 3/4	1	12

Scissor Snap – nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73819	5/8 x 2-1/2	1	12

Square Swivel Lock Snap – zinc plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73840	3/4	1	12

Double Lock Snap – zinc, nickel plated



Code	Dimension in.	Qty / Pack	Pack / CTN
73833	3-1/2	2	12

Swivel Boat Snap & Boat Snap Fixed Eye – stainless steel



Code	Dimension in.	Qty / Pack	Pack / CTN
NEW 73070	2-3/4	1	6
73844	3-5/16	1	12
73085	3-7/8	1	12

Rope Snap – zinc



Code	Dimension in.	Qty / Pack	Pack / CTN
NEW 73072	2-7/8	1	12

NEW

Contractor Pack Kit



79962

79976

79010

79832

Code	Features	Diameter in.	Qty / Pack	Packaging	Pack / CTN
79010	14x Wire rope clips & 7x Thimbles	1/8	21	Clamshell	6
79011	12x Wire rope clips & 6x Thimbles	3/16	18	Clamshell	6
79112	Duplex sleeve (aluminum)	1/16	65	Clamshell	6
79114	Duplex sleeve (aluminum)	3/32	55	Clamshell	6
79117	Duplex sleeve (aluminum)	3/16	20	Clamshell	6
79699	Quick Link (zinc)	3/16	14	Clamshell	6
79809	Carbine snap (zinc)	1/4	5	Clamshell	6
79828	Swivel Lock snap (zinc)	3/4 X 3-1/2	6	Clamshell	6
79832	Swivel Lock snap (zinc)	3/8 X 2-1/2	6	Clamshell	6
79837	Swivel Lock snap (zinc)	5/8 X 3-5/16	5	Clamshell	6
79960	"S" Hook (zinc)	1/8	40	Clamshell	6
79961	"S" Hook (zinc)	5/32	30	Clamshell	6
79962	"S" Hook (zinc)	3/16	20	Clamshell	6
79976	Snap link (aluminum)	2 3/4	100	Clamshell	100

NEW



Slinger Round Sling - SL60 – polyester

The most flexible sling available.

Code	Length		Width		Working Load Limit lbs.			Packaging	Pack/CTN	Qty/Pack
	m.	ft.	cm	in.	Vertical	Choker	Basket			
57009	0,9	3	5,8	2	6,000	4,800	12,000	card	1	4
57010	1,2	4	5,8	2	6,000	4,800	12,000	card	1	4
57011	1,8	6	5,8	2	6,000	4,800	12,000	card	1	4
57012	2,4	8	5,8	2	6,000	4,800	12,000	card	1	4
Safety Factor 5:1										

NEW



Web Sling - 1 ply – polyester






Code	Length		Width		Working Load Limit lbs.			Packaging	Pack/CTN	Qty/Pack
	m.	ft.	cm	in.	Vertical	Choker	Basket			
57013	0,9	3	5,8	2	3,100	2,480	6,200	card	1	4
57014	1,2	4	5,8	2	3,100	2,480	6,200	card	1	4
57015	1,8	6	5,8	2	3,100	2,480	6,200	card	1	4
57016	2,4	8	5,8	2	3,100	2,480	6,200	card	1	4
Safety Factor 5:1										

NEW



Web Sling - 2 ply – polyester

Code	Length		Width		Working Load Limit lbs.			Packaging	Pack/CTN	Qty/Pack
	m.	ft.	cm	in.	Vertical	Choker	Basket			
57017	0,9	3	5,8	2	6,200	4,960	14,200	card	1	4
57018	1,2	4	5,8	2	6,200	4,960	14,200	card	1	4
57019	1,8	6	5,8	2	6,200	4,960	14,200	card	1	4
57020	2,4	8	5,8	2	6,200	4,960	14,200	card	1	4
Safety Factor 5:1										





* Each product is labeled individually.

Accessories

Aluminum Stop Sleeves – chamfered



Code	Dimension in.	Pack / CTN
72175	1/16	12
72176	3/32	12
72177	1/8	12
72179	3/16	12
72180	1/4	12

Aluminum Oval Sleeves



Code	Dimension in.	Pack / CTN
72102	1/16	12
72104	3/32	12
72105	1/8	12
72106	5/32	12
72107	3/16	12
72109	1/4	12
72110	5/16	12

Wire Rope Clips – malleable, zinc plated



Code	For cable diameter in.	Pack / CTN
70001	1/16	12
70002	3/32 – 1/8	12
70003	3/16	12
70004	1/4	12
70005	5/16	12
70006	3/8	12
70007	7/16	12
70008	1/2	12
70009	5/8	12
70010	3/4	12
70011	7/8	12
70012	1	12
70013	1 1/8	12
70014	1 1/4	12

Wire Rope Clips – stainless steel



Code	For cable diameter in.	Pack / CTN
70020	1/16	12
70021	1/8	12
70022	5/32	12
70023	3/16	12
70024	1/4	12
70025	5/16	12
70026	3/8	12

Standard Thimbles – galvanized



Code	For cable diameter in.	Pack / CTN
70220	1/8 - 5/32	12
70221	3/16	12
70222	1/4	12
70223	5/16	12
70224	3/8	12
70225	1/2	12
70226	5/8	12

Screw Pin Anchor Shackles, Non-rated – galvanized



Code	Size in.	Pack / CTN
70300	3/16	12
70301	1/4	12
70302	5/16	12
70303	3/8	12
70304	7/16	12
70305	1/2	12
70306	5/8	12
70307	3/4	12

An Thimbles – zinc plated



Code	For cable diameter in.	Pack / CTN
70200	3/64 – 1/16 – 5/64	12

Screw Pin Shackles Chain – galvanized



Code	Size in.	Pack / CTN
70311	1/4	12
70312	5/16	12
70313	3/8	12
70314	7/16	12
70315	1/2	12

Standard Thimbles – stainless steel



Regular code 304	For cable diameter in.	Pack / CTN
70240	1/8	12
70241	3/16	12
70242	1/4	12
70243	5/16	12
70244	3/8	12

Screw Pin Shackles, Bow Type – stainless steel



Code	Size in.	Pack / CTN
70340	3/16	12
70341	1/4	12
70342	5/16	12
77096	3/8	12

* Each product is labeled individually.



Zinc Swivel Eye Pulleys – single



Code	Size in.	Pack / CTN
70720	1/2	6
70721	3/4	6
70722	1	6
70723	1 1/4	6
70724	1 1/2	6
70725	2	6

Zinc Fixed Eye Pulleys – single



Code	Size in.	Pack / CTN
77078	1/2	6
77079	1	6
77081	3/4	6
77090	1 1/4	6
77084	1 1/2	6
77089	2	6

Zinc Swivel Eye Pulleys – double



Code	Size in.	Pack / CTN
70731	3/4	6
70732	1	6
70733	1 1/4	6
70734	1 1/2	6

Zinc Fixed Eye Pulleys – double



Code	Size in.	Pack / CTN
77083	1 1/2	6

Jaw & Eye Swivels – forged steel, galvanized



Code	Diameter in.	Pack / CTN
70752	5/16	12
70755	5/8	12
70756	3/4	12

Round Rings – zinc plated



Code	Size in.	Pack / CTN
71005	11/64	12
71000	3/16	12
71001	3/16	12
71002	1/4	12
71003	1/4	12

Malleable Swivel – zinc plated



Code	Diameter in.	Pack / CTN
70736	3/16	12
70740	1/4	12
70737	1/4	12
70738	5/16	12
70739	3/8	12

Round Rings – galvanized



Code	Size in.	Pack / CTN
71015	5/16	12
71016	3/8	12

Eye & Eye Swivels – forged steel, galvanized



Code	Diameter in.	Pack / CTN
70741	1/4	12
70742	5/16	12
70743	3/8	12
70744	1/2	12
70745	5/8	6



**Complete
merchandising
solution.**

See page 43



* Each product is labeled individually.

Quick Links — zinc plated



Code	Size in.	Pack / CTN
70700	1/8	12
70699	5/32	12
70701	3/16	12
70702	1/4	12
70703	5/16	12
70704	3/8	12
70706	7/16	12

Quick Links — stainless steel



Code	Size in.	Pack / CTN
77099	1/8	6
77100	5/32	6
77077	3/16	6
77094	1/4	6
77095	5/16	6
77097	3/8	6

Lap Links — zinc plated



Code	Chain size in.	Pack / CTN
70759	1/8	50
70760	3/16	50
70761	1/4	50
70762	5/16	25
70763	3/8	25
70764	1/2	10

Cold Shuts — zinc plated



Code	Chain size in.	Pack / CTN
70765	3/16	50
70766	1/4	50
70767	5/16	25
70768	3/8	25
70770	7/16	10
70769	1/2	10

Replacement Links — galvanized



Code	Chain size in.	Pack / CTN
70772	1/4	6
70773	5/16	6
70774	3/8	6

Carbine Snap Hooks — zinc plated



Code	Dimension in.	Pack / CTN
70800	3/16	12
70801	1/4	12
70802	5/16	12
70803	3/8	12
70804	7/16	12
70805	1/2	12

Carbine Snap Hooks — stainless steel



Code	Dimension in.	Pack / CTN
70845	3/16	12
77087	1/4	6
77088	5/16	6
70848	3/8	12
70840	1 1/8	8



"S" Hooks — zinc plated

Code	Size in.	Packaging	Qty / Pack	Pack / CTN
72960	1/8	Bag	5	12
72961	5/32	Bag	5	12
72962	3/16	Bag	5	12
70963	1/4	-	-	12
70964	5/16	-	-	12
70965	3/8	-	-	12



"S" Hooks For Fixture Chain — #105

Code	Diameter in.	Packaging	Qty / Pack	Pack / CTN
70929	1/8	Box	1000 (10x100)	1

Cleat Rope — nickel plated



Cleat Rope — nickel plated

Code	Dimension in.	Packaging	Qty / Pack	Pack / CTN
70791	6	Box	6	-

* Each product is labeled individually.



Swivel Lever Snaps – zinc plated



Code	Eye dimension in.	Length in.	Pack / CTN
70816	5/8	3 1/4	12
70817	3/4	3 1/4	12
70853	3/4	3 1/2	12
70823	1	3 1/2	6
70814	1 1/8	4 3/4	6

Simplex Snaps – zinc plated



Code	Length in.	Pack / CTN
70849	1 1/4	6
70851	2	6
70850	2 5/8	6
70831	3 1/4	6

Swivel Lock Snaps



Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70832	3/8	2	Zinc	6
70859	3/8	3	Zinc	12
70829	1/2	3	Zinc	12
70861	5/8	3	Zinc	12
70828	3/4	3 1/2	Zinc	12
70875	1	3 1/2	Zinc	6
70858	1	4 1/4	Zinc	6
70818	1/2	3	Brass	6
70820	3/4	3	Brass	6
70864	1	3 1/2	Brass	6
70865	1 1/4	4 3/4	Brass	6

Spring Snaps – zinc plated



Code	Eye dimension in.	Length in.	Eyes	Pack / CTN
70810	3/8	1 3/4	Round eye	12
70873	3/4 x 1/4	2 3/8	Square eye	12
70825	1	3	Square eye	6

Double Lock Snaps



Code	Length in.	Finish	Pack / CTN
70833	3 1/2	Zinc plated	6
70822	4	Zinc plated	6
70834	3 1/2	Brass	6
70835	4 1/2	Brass	6

Panic Snaps



Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70827	1/2	3 3/4	Zinc	6
70860	1 1/8	4 1/4	Brass	6

Scissor Snaps – zinc plated



Code	Eye dimension in.	Length in.	Pack / CTN
70819	5/8	2 1/2	12
70838	3/4	4	12

Security Snaps – zinc plated, heavy duty



Code	Eye dimension in.	Length in.	Pack / CTN
70824	1	3 3/4	6

Swivel Spring Snaps – zinc plated



Code	Eye dimension in.	Length in.	Pack / CTN
70813	3/8	2 1/2	12
70812	3/8	2 1/4	12
70868	3/8	2 1/4	12

Swivel Boat Snaps



Code	Eye dimension in.	Length in.	Finish	Pack / CTN
70843	3/4	2 7/8	Fix eye stainless steel	12
70847	3/4	3	Fix eye brass	6
70846	11/16	3 1/4	Fix eye brass	6
77085	3/4	3 7/8	Swivel eye stainless steel	6
70821	5/8	3 3/8	Swivel eye brass	6
70830	3/4	3 3/4	Swivel eye brass	6
77080	3/4	4 1/4	Swivel eye brass	6
77082	5/8	3 1/4	Swivel eye zinc	6



* Each product is labeled individually.

Clevis Slip Hooks Grade 70 – gold chromate



Without latch



With latch

Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70940	70950	1/4	6
70941	70951	5/16	6
70942	70952	3/8	6
70944	70954	7/16	6
-	70953	1/2	6

Clevis Grab Hooks With Latch Grade 70 – gold chromate



Code	For chain diameter in.	Pack / CTN
70955	1/4	6
70956	5/16	6
70957	3/8	6
70958	1/2	6

Clevis Grab Hooks Grade 70 – gold chromate



Code	For chain diameter in.	Pack / CTN
70945	1/4	6
70946	5/16	6
70947	3/8	6
70948	1/2	6

Double Clevis Chain Midlink Grade 70 – gold chromate



Code	For chain diameter in.	Pack / CTN
70991	5/16	6
70992	3/8	6
70993	1/2	6

Swivel Hooks With Latch – alloy, zinc plated



Code	Dimension in.	Pack / CTN
70911	1.25	6
70912	1.50	6

Eye Grab Hooks Grade 40 – zinc plated



Code	For chain diameter in.	Pack / CTN
70930	1/4	6
70931	5/16	6
70932	3/8	6

Clevis Grab Hooks Grade 40 – zinc plated



Code	For chain diameter in.	Pack / CTN
70925	1/4	6
70926	5/16	6
70927	3/8	6
70924	7/16	12
70928	1/2	6

Clevis Slip Hooks Grade 40 – zinc plated



Without latch



With latch

Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70920	70959	1/4	6
70921	70960	5/16	6
70922	70961	3/8	6
70923	70966	1/2	6

Eye Slip Hooks Grade 40 – zinc plated



Without latch



With latch

Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70935	70985	1/4	6
70936	70986	5/16	6
70937	-	3/8	6

NEW

Eye Slip Hooks Grade 40 – red



Code without latch	Code with latch	For chain diameter in.	Pack / CTN
70983	-	5/16	6
70984	-	3/8	6



Eye Hooks With Latch – alloy, zinc plated



Code	Dimension in.	Pack / CTN
70902	.75	6
70903	.91	6
70904	1.13	6
70905	1.25	6

Swivel Hooks – stainless steel



Code	Dimension in.	Pack / CTN
70977	4.210	6

Hair Pin Clip



Code	Dimensions in.		Qty / Pack	Pack / CTN
	Length	Diameter		
70470	1 5/8	5/64	1	6
70473	3	5/32	1	12
70472	2 5/8	1/8	1	12
70471	1 3/4	3/32	1	12
70474	4 1/4	1/4	1	12
70475	4 5/8	1/4	1	12
79470	1 5/8	5/64	10	6
79473	3	5/32	5	6
79472	2 5/8	1/8	5	6
79471	1 3/4	3/32	10	6
79474	4 1/4	1/4	3	6

Hitch Pin – Premium



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70450	2 1/2	3/8	6
70451	3 1/2	1/2	6
70452	4	5/8	6
70456	4 1/2	3/4	6
70458	4 1/2	7/8	6
70454	5 1/2	5/8	1
70457	6 1/2	3/4	6
70459	6 1/2	7/8	1
70461	7 1/2	1	4
70463	8 1/2	1 1/8	4
70464	8 1/2	1 1/4	4

Hitch Pin Round Ring



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70411	3	3/8	6

Eye Slip Tow – zinc plated



Code	Inside eye diameter in.	Throat opening in.	Pack / CTN
70900	3/4	1/2	6

Safety Snap Hooks – stainless steel



Code	Dimension in.	Pack / CTN
77086	4 3/4	6

Linch Pin Yellow



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70430	1	3/16	6
70431	1 1/4	1/4	6
70432	1 1/4	5/16	6
70433	1 1/4	3/8	6
70434	1 3/4	7/16	6

Square Quick Pin



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70421	2 1/2	1/4	6
70422	2 1/2	5/16	6
70423	2 1/2	3/8	6

Round Quick Pin



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70415	1 3/8	1/4	6
70416	1 3/4	1/4	6
70417	1 3/8	5/16	6
70418	1 3/4	5/16	6
70419	1 3/8	3/8	6



* Each product is labeled individually.

Regular Nut Eye Bolts – drop-forged, galvanized



Code	Dimensions in.		Pack / CTN
	Length	Diameter	
70401	4 3/4	1/4	6
70403	5 1/4	5/16	6
70406	7 1/4	3/8	6
70407	4 7/8	1/2	6
70408	7 5/8	1/2	6
70409	9 5/8	1/2	6
70410	11 5/8	1/2	6
70412	6	5/8	6
70413	8	5/8	6

Galvanized Turnbuckles (Hook & Hook) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70530	1/4 x 4	1
70532	3/8 x 6	6
70533	1/2 x 6	6
70534	1/2 x 9	1
70535	1/2 x 12	1

Safety factor 5:1


Galvanized Turnbuckles (Eye & Eye) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70502	3/8 x 6	6
70511	3/8 x 12	1
70503	1/2 x 6	1
70504	1/2 x 9	1
70506	5/8 x 6	1
70508	5/8 x 12	1
70509	3/4 x 6	1

Safety factor 5:1

Zinc Die Cast Turnbuckles Ben-Mor



HOOK & EYE

Code H & E	Thread diameter x take-up in.	Pack / CTN
70556	1/4 x 2 1/8	6
70557	5/16 x 2 5/8	6
70555	3/8 x 3	6



EYE & EYE

Code E & E	Thread diameter x take-up in.	Pack / CTN
70558	1/4 x 2 1/8	6
70559	5/16 x 2 5/8	6
70554	3/8 x 3	6

Heavy Duty Pulley



77091



77092

77075

Code	Dimension in.	Pack / CTN
NEW 77075	3.125	6
77091	4.920	6
77092	4.208	6

NEW

Heavy Duty Single Swivel Eye Pulleys – zinc



Code	Dimension in.	Pack / CTN
70726	1.5	6
70727	2.5	6

Galvanized Turnbuckles (Jaw & Jaw) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70560	1/4 x 4	1
70562	3/8 x 6	6
70563	1/2 x 6	6
70568	5/8 x 12	1
70571	3/4 x 12	1

Safety factor 5:1

Galvanized Turnbuckles (Hook & Eye) – drop-forged



Code	Thread diameter x take-up in.	Pack / CTN
70523	1/4 x 4	1
70524	3/8 x 6	1
70525	1/2 x 6	1

Safety factor 5:1

Tie Wires

Galvanized Steel Wire



Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93000	14	15	0.90	Coiled	5
93001	16	15	0.52	Coiled	5
93002	18	30	0.66	Coiled	5
93003	19	15	0.50	Coiled	5
93004	19	50	0.84	Coiled	5
93005	20	15	0.18	Coiled	5
93006	20	50	0.55	Coiled	5
NEW 93007	20	30	0.308	Hand reel	6
NEW 93008	16	15,24	0.402	Hand reel	6
NEW 93009	18	30	0.454	Hand reel	6
NEW 93013	14	15,24	0.558	Hand reel	6
93020	20	50	0.57	Mini-reel	5



Braided Galvanized Steel Wire

Code	Diameter #	Length m.	Weight lbs.	Packaging	Pack / CTN
93010	2	7,6	0.12	Coiled	5
93011	3	7,6	0.14	Coiled	5
93012	4	7,6	0.20	Coiled	5



Stainless Steel Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93031	20	7	0.09	Coiled	5



Aluminum Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93035	18	15,4	0.11	Coiled	5
93036	20	7,5	0.04	Coiled	5
93037	20	50	0.22	Coiled	5
NEW 93039	20	30	0.136	Hand reel	6



Brass Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93040	20	6.4	0.01	Coiled	5
93043	22	10.4	0.08	Coiled	5
93041	20	50	0.57	Mini-reel	5
93042	21	8.4	0.08	Coiled	5
NEW 93045	20	25	0.286	Hand reel	6

Copper Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93055	20	7,5	0.10	Coiled	5



Black Steel Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
NEW 93064	19	50	0.6	Hand reel	6
93065	16	Approx. 85 (3.5 lbs.)	3.13	Coiled	5
93066	19	15	0.18	Coiled	5
93067	19	50	0.68	Coiled	5
93068	20	50	0.57	Coiled	5



Green PVC Coated Steel Wire

Code	Diameter Ga.	Length m.	Weight lbs.	Packaging	Pack / CTN
93070	16	15	0.40	Coiled	5
93071	18	30	0.46	Coiled	5
93080	20	30	0.24	Mini-reel	5



TIE WIRES

For all types
of usages...

Different material description

- Nylon** Nylon is the strongest of all ropes. It is recognized for its shock resistance and elasticity. Otherwise, after it has been stretched, it returns to its original length. Nylon lasts five times longer than natural fibers because it resists abrasion, chemicals, gas, oil, rotting and UV rays.
- Polyester** Polyester is almost as strong as nylon, but it does not stretch as much. Consequently, its shock resistance is reduced. It is resistant to humidity, mould, chemicals and abrasion. Polyester is more resistant to sun rays than nylon.
- Polypropylene** Generally flexible and very light, polypropylene floats, making it particularly popular with the nautical industry. This type of rope is the most popular among average consumers, since it is resistant to humidity, mould, gas, oil and other chemicals. However, it tends to deteriorate when exposed to sun. Polypropylene is weaker than nylon and polyester, but is more economical. On the other hand, it is stronger than natural fibers.
- Manila** This cable is a solid long natural fiber that is resistant to heat and UV rays, unlike synthetic fibers. However, it is vulnerable to humidity and chemicals. It is biodegradable and resists stretching and is the strongest of natural fibers.
- Sisal** Sisal is also a natural biodegradable fibre, but it is much less resistant than manila. It is resistant to UV rays, but is vulnerable to chemicals and mould. It is often used as parcel string, for gardening and for other applications that do not require extreme resistance.
- Jute** This short natural fiber offers very little resistance. Jute is biodegradable and is perfect for parcel string and gardening. Unlike sisal, it is a soft fiber that does not damage plants or bushes.
- Cotton** This short natural fiber is not very resistant. It is biodegradable and is often used as household string for the kitchen, workshop or garage. This fiber has an attractive white appearance, is soft and is very easy to knot.

	Polypropylene	Nylon	Polyester	Manila	Sisal/Jute	Cotton
Resistance to rotting	● ● ● ●	● ● ● ●	● ● ● ●	●	●	●
Resistance to mould	● ● ● ●	● ● ● ●	● ● ● ●	●	●	●
Resistance to oil and gas	● ● ● ●	● ● ●	● ● ● ●	● ●	● ●	● ●
Resistance to acid	● ● ● ●	● ● ●	● ● ● ●	●	●	●
Handling	● ● ●	● ● ● ●	● ● ● ●	● ●	● ●	● ● ● ●
Durability	● ● ●	● ● ● ●	● ● ● ●	● ●	●	● ●
Abrasion	● ●	● ● ● ●	● ● ● ●	● ●	●	●
Shock load	● ● ●	● ● ● ●	● ● ●	● ●	●	●
Storage	Dry / Humid	Dry / Humid	Dry / Humid	Dry	Dry	Dry
Floatation	Yes	No	No	No	No	No
Resistance to heat	Weakens at 65°C / 150°F	Weakens at 180°C / 350°F	Weakens at 180°C / 350°F	No effect	No effect	No effect
Resistance to the sun	● ●	● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●

Polyester Seine Twine, Mason And Chalkline

Made mainly of polyester, this rope resists abrasion and stretching. It is a common, general-purpose rope.



Code	Size	Length m.	ft.	Color	Packaging	Pack/ CTN
60100	#18	76	250	White	Tube wrapped	6
NEW 60105	#18	150	492	White	Tube wrapped	12
60102	#18	300	984	White	Tube wrapped	6
60104	#36	76	250	White	Tube wrapped	6



Twisted Nylon, Seine, Mason And Chalkline Twine

Made mainly of nylon, this rope resists shocks, offers good elasticity and is resistant to UV rays. It is a common, general-purpose rope.



Code	Size	Length m.	ft.	Color	Packaging	Pack/ CTN
60111	#18	76	250	White	Tube wrapped	6
60112	#18	152	500	White	Tube wrapped	6
60116	#18	228	750	Green	Tube wrapped	6
60114	#18	76	250	Pink	Tube wrapped	6
60113	#18	152	500	Pink	Tube wrapped	6
60115	#18	76	250	Orange	Tube wrapped	6
60119	#18	152	500	Orange	Tube wrapped	6
60117	#18	76	250	Bright yellow	Tube wrapped	6
60118	#18	152	500	Bright yellow	Tube wrapped	6

Contractor Grade – Twisted Nylon, Seine, Mason And Chalkline Twine

Made mainly of nylon, this rope resists shocks, offers good elasticity and is resistant to UV rays. It is a common, general-purpose rope.

Code	Size	Length m.	ft.	Color	Packaging	Pack/ CTN
60120	#18	76	250	White	Tube wrapped	6
60121	#18	152	500	White	Tube wrapped	6
60122	#18	76	250	Pink	Tube wrapped	6
60123	#18	152	500	Yellow	Tube wrapped	6



Braided Nylon, Seine, Mason And Chalkline Twine

Made mainly of nylon, this rope resists shocks, offers good elasticity and is resistant to UV rays. It is a common, general-purpose rope.



Code	Size	Length m.	ft.	Color	Packaging	Pack/ CTN
60127	#18	76	250	White	Tube wrapped	6
60125	#18	61	200	Pink	Tube wrapped	6
60132	#18	61	200	Yellow	Tube wrapped	6
60128	#18	152	500	Pink	Tube wrapped	6
60130	#18	152	500	Orange Fluo	Tube wrapped	6
60133	#18	152	500	Yellow	Tube wrapped	6



Contractor Grade – Nylon, Seine, Mason And Chalkline Twine

Code	Size	Length m.	ft.	Color	Construction	Packaging	Pack/ CTN
60173	#18	76	250	Orange	Twisted	Plastic hand reel	1
60175	#18	76	250	Yellow	Twisted	Plastic hand reel	1
60176	#18	152	500	Yellow	Twisted	Plastic hand reel	1
60177	#18	61	200	Pink	Braided	Plastic hand reel	1
60178	#18	152	500	Pink	Braided	Plastic hand reel	1
60179	#18	76	250	Orange	Braided	Plastic hand reel	1
60180	#18	76	250	Yellow	Braided	Plastic hand reel	1



Braided Polyester Awning Twine



Code	Size mm	Length m. ft.	Color	Packaging	Pack/ CTN
60550	Medium	11 36	White	Tube wrapped	6

Polypropylene Twine



This string is the only one that floats. It is economical for general use and is durable, light and resistant to oil, gas and mould.

Code	Size	Length m. ft.	Color	Packaging	Pack/ CTN
60640	Medium	153 500	White/blue	Tube wrapped	6
60641	Medium	461 1 500	White/blue	Coil wrapped	6
60643	Medium	49 160	White	Tube wrapped	6
60646	Medium	2 153 7 000	White	Coil wrapped	1
60722	Medium	140 1 000	White/green	Coil wrapped	1

Twisted Cotton Twine



One-hundred percent biodegradable cotton easy to handle. It is easy to knot, is ideal for the kitchen and is excellent for general use.

Code	Size	Length m. ft.	Color	Packaging	Pack/ CTN
60528	Fine - #15	91 300	White	Tube wrapped	6
60529	Fine - #16	61 200	White	Tube wrapped	6
60532	Fine- for butcher	122 400	White	Tube wrapped	6
60534	Medium	128 420	White	Tube wrapped	6
60540	Large - for kitchen	61 200	White	Tube wrapped	6
60542	Large - for butcher	100 328	White	Tube wrapped	6
60543	Large - for butcher	256 840	White	Tube wrapped	6

Jute Twine



Softer than sisal, jute is an economical household string. It is ideal for gardening, wrapping and other uses that do not require extreme resistance.



Code	Size	Length m. ft.	Color	Packaging	Pack/ CTN
60560	2 strands thin	90 295	Brown	Tube wrapped	6
60570	2 strands medium	50 165	Brown	Tube wrapped	6
60571	2 strands medium	79 260	Green	Tube wrapped	6
60572	2 strands medium	151 495	Brown	Tube wrapped	6
60574	2 strands medium	79 260	Brown	Tube wrapped	6
60562	2 strands large	35 115	Brown	Tube wrapped	6
60564	2 strands large	61 200	Green	Tube wrapped	6
60576	3 strands large	68 222	Brown	Tube wrapped	6
60578	3 strands large	338 1 110	Brown	Tube wrapped	1

Twisted Sisal Twine To Tie



Not as soft as jute, this string is economical for household use. Ideal for gardening, wrapping and other uses that do not require extreme resistance.



Code	Size	Length m. ft.	Color	Packaging	Pack/ CTN
60500	1 strand	30 100	Natural	Tube wrapped	6
60513	1 strand	183 600	Natural	Tube wrapped	6
60515	1 strand	183 600	Natural	Tube wrapped	36
60517	2 strands	91 300	Natural	Tube wrapped	36
60514	2 strands	91 300	Natural	Tube wrapped	6
60516	2 strands	431 1 400	Natural	Tube wrapped	6

Braided Cotton Rope

Economical, general-purpose household rope. Ideal for awnings and frames but also for gardening, wrapping and more.



Code	Usage	Size		Length		Color	Packaging	Pack/CTN
		mm	in.	m.	ft.			
60600	General	4,8	3/16	15	50	White	Hank	6
60614	Sash	3,6	1/8	15	50	White	Hank	6
60625	Sash	4,8	3/16	30	100	White	Hank	6
60606	Sash	5,6	7/32	30	100	White	Hank	12
60603	Sash	6,4	1/4	30	100	White	Hank	6
60611	Venetian blind	3,6	9/64	9	30	White	Hank	12

3 Strand Twisted Cotton Rope

One-hundred percent cotton that handles well. It is easy to knot, and is ideal for equestrian centers and for general use.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60549	16	5/8	61	200	White	Reel	1

Sisal Rope

Not as soft as jute, this string is economical for household use. Ideal for gardening, wrapping and other uses that do not require extreme resistance.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60502	6,4	1/4	15	50	Natural	Wrapped mini-coil	6
60503	6,4	1/4	30	100	Natural	Wrapped mini-coil	6
60508	9,5	3/8	15	50	Natural	Wrapped mini-coil	6
60510	12,7	1/2	15	50	Natural	Wrapped mini-coil	6



3 Strand Twisted Manila Rope

Made of natural fibre, it is resistant to heat and UV rays. It will not melt in contact with heat as synthetics will. It is highly resistant to stretching; however, it is vulnerable to mould.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60586	6,4	1/4	30	100	Brown-beige	Wrapped mini-coil	6
60588	9,5	3/8	15	50	Brown-beige	Wrapped mini-coil	6
60590	9,5	3/8	183	600	Brown-beige	Reel	1
60592	12,7	1/2	61	200	Brown-beige	Reel	1
60596	16	5/8	61	200	Brown-beige	Reel	1
60598	19	3/4	48	150	Brown-beige	Reel	1
60597	25,4	1	48	150	Brown-beige	Reel	1

Ground Stake – plastic

Code	Length		Color	Pack/CTN
	cm	in.		
60800	27,9	11	orange	15



NEW

Diamond Braided Polypropylene Rope



General use, durable and lightweight.



Code	Size		Length		Color	Packaging	Pack/CTN	Promo
	mm	in.	m.	ft.				
60240	4	5/32	15	50	Grey	Hank	6	-
60242	4	5/32	23	75	Khaki	Plastic hand reel	6	-
60066	4	5/32	23	75	Mixed	Reel	12	-
60067	4,8	3/16	23	75	Mixed	Reel	24	Yes
60239	5,6	7/32	30	100	White	Hank	6	-
60230	6,4	1/4	30	100	Multicolor	Plastic hand reel	8	-
60241	6,4	1/4	30	100	Multicolor	Hank	24	Yes
60252	7,9	5/16	15	50	Yellow with orange marks	Hank	6	-
60253	7,9	5/16	30	100	Yellow with orange marks	Hank	6	-
60235	9,5	3/8	15	50	Multicolor	Hank	24	Yes
60249	9,5	3/8	30	100	Multicolor	Hank	12	Yes
60552	Medium		15	50	Orange	Hank	6	-

Camouflage Diamond Braided Polypropylene Rope



Code	Size		Length		Color	Packaging	Pack/CTN	Promo
	mm	in.	m.	ft.				
60245	4	5/32	15	50	Camouflage	Plastic hand reel	24	-
60246	4	5/32	30	100	Camouflage	Plastic hand reel	24	Yes
NEW 60250	4,8	3/16	30	100	Camouflage	Hank	18	-
60243	9,5	3/8	15	50	Camouflage	Plastic hand reel	12	-
60244	9,5	3/8	30	100	Camouflage	Plastic hand reel	24	Yes

High Visibility Polypropylene Rope



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60044	4,8	3/16	15	50	Green (Glow in the dark)	Plastic hand reel	12
60043	6,4	1/4	15	50	Green (Glow in the dark)	Plastic hand reel	12
NEW 60041	6,4	1/4	15	50	Yellow (reflective)	Hank	6

Solid Braided Polypropylene (derby)



Rope with velvety soft texture often used for horse halters and leashes.
Much more durable and resistant to abrasion because of its unique design.
It floats and is used in the nautical industry.

Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60261	9,5	3/8	91	300	Red and white	Reel	1
60262	9,5	3/8	91	300	Blue and white	Reel	1
60263	9,5	3/8	122	400	Blue and white	Reel	1
NEW 60267	12,7	1/2	15	50	Blue	Hank	6
60265	12,7	1/2	46	150	Blue	Reel	1
60269	12,7	1/2	46	150	Red	Reel	1
60271	16	5/8	61	200	Green and white	Reel	1

3 Strand Twisted Polypropylene Rope

An economical, durable, lightweight, general-purpose cord that floats. It is also resistant to oil, gas and mould. It is used widely in industry, business and construction and for residential use.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m	ft.			
60140	4,8	3/16	15	50	Yellow	Hank	6
60142	4,8	3/16	30	100	Yellow	Hank	6
60165	4,8	3/16	274	900	Yellow	Mini-reel	1
60167	4,8	3/16	648	2,125	Yellow	Reel	1
NEW 60159	6,4	3/16	7,5	25	Yellow	Hank	12
60160	6,4	1/4	15	50	Yellow	Hank	6
60148	6,4	1/4	30	100	Yellow	Hank	6
60181	6,4	1/4	168	550	Yellow	Mini-reel	1
60191	6,4	1/4	400	1,300	Yellow	Reel	1
60193	7,9	5/16	183	400	Yellow	Mini-reel	1
60196	7,9	5/16	300	975	Yellow	Reel	1
60152	9,5	3/8	15	50	Yellow	Hank	6
60154	9,5	3/8	30	100	Yellow	Hank	6
60199	9,5	3/8	76	250	Yellow	Mini-reel	1
60213	9,5	3/8	183	630	Yellow	Reel	1
NEW 60163	19	3/8	7,5	25	Yellow	Hank	4
NEW 60155	12,7	1/2	7,5	25	Yellow	Hank	8
60156	12,7	1/2	15	50	Yellow	Hank	6
60215	12,7	1/2	102	335	Yellow	Reel	1
60223	16	5/8	61	200	Yellow	Reel	1
NEW 60164	19	3/4	15	50	Yellow	Sealed mini-reel	4
60229	19	3/4	48	150	Yellow	Reel	1
60228	25	1	48	150	Yellow	Reel	1

Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m	ft.			
NEW 60168	4,8	3/16	274	900	White	Mini-reel	1
60144	6,4	1/4	15	50	White	Hank	6
60145	6,4	1/4	15	50	Blue	Hank	6
60150	6,4	1/4	30	100	Tan	Hank	6
60149	6,4	1/4	30	100	White	Hank	6
60183	6,4	1/4	168	550	White	Reel	1
NEW 60153	12,7	1/2	15	50	White	Sealed mini-reel	6
60157	12,7	1/2	15	50	Black	Hank	6
60218	12,7	1/2	102	335	Green	Reel	1
60219	12,7	1/2	102	335	Blue	Reel	1
60222	12,7	1/2	102	335	Black	Reel	1
60220	16	5/8	61	200	Green	Reel	1
60217	16	5/8	61	200	Black	Reel	1

Hollow Braided Polypropylene Rope

Durable, lightweight, general-purpose rope that floats and resists abrasion. It is also resistant to oil, gas and mould. It is easy to splice and is often used for water skiing and for dog sleigh.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60200	6,4	1/4	15	50	Yellow	Hank	6
60202	6,4	1/4	30	100	Yellow	Hank	6
60208	6,4	1/4	305	1,000	Yellow	Reel	1
60204	9,5	3/8	15	50	Yellow	Hank	6
60212	9,5	3/8	15	50	Blue and white	Hank	6
60214	9,5	3/8	152	500	Yellow	Reel	1
60216	12,7	1/2	91	300	Yellow	Reel	1

Diamond Braided Nylon Rope

NEW



PARACORD 550

Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60730	4	5/32	15,25	50	Black	Hank	12
60731	4	5/32	15,25	50	Black (reflective)	Hank	12
60732	4	5/32	15,25	50	Red	Hank	12
60733	4	5/32	15,25	50	Camouflage	Hank	12
60734	4	5/32	15,25	50	Blue	Hank	12
60735	4	5/32	122	400	Blue	Reel	1
60736	4	5/32	122	400	Red	Reel	1



PARACORD 310

Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60737	4	5/32	15,25	50	Black (reflective)	Hank	12
60738	4	5/32	15,25	50	Red	Hank	12

High Performance Synthetic Winch Cable (UHMWPE*)




UHMWPE*: Ultra-High Molecular Weight Polyethylene

An alternative to wire rope at 1/7th the weight of same size wire rope. This synthetic cable will not rust, is non-rotational and has same stretch attributes as wire rope.

Code	Size mm in.	Length m. ft.	Color	Packaging	Pack/ CTN
NEW 80499	4,8 3/16	7,6 25	Blue	Clamshell	4
80500	4,8 3/16	15 50	Blue	Clamshell	4
80502	6,4 1/4	15 50	Blue	Clamshell	4

Diamond Braided Polyester Rope



Rope that is often used for clotheslines and general applications. Made of polyester, this rope resists stretching, UV rays and abrasion.



Code	Usage	Size mm in.	Length m. ft.	Color	Packaging	Pack/ CTN
60630	General	4 5/32	14 45	Orange	Hank	6
60633	General	4 5/32	30 100	White	Hank	6
60282	Clothesline	5,6 7/32	15 50	White with black and yellow stripes	Hank	6
60635	General	5,6 7/32	30 100	White	Hank	6
60013	Clothesline	4,8 3/16	30 100	White	Hank	6
60012	Clothesline	6,4 1/4	30 100	White with blue stripes	Hank	6
60011	Clothesline	6,4 1/4	46 150	White with blue stripes	Hank	6
60019	Clothesline	6,4 1/4	274 900	White	Reel	1

Elastic Stretch Rope



An elastic rope with a rubber centre covered by a mix of nylon and polyester strands. It is often used for commercial, nautical and domestic applications.

Code	Size mm in.	Length m. ft.	Color	Packaging	Pack/ CTN
60475	3,2 1/8	152 500	White with black stripes	Mini-reel	1
60481	6,4 1/4	152 500	White with black stripes	Mini-reel	1

Starting Nylon Rope



Tightly manufactured starting rope that resists abrasion and shocks related to starting a motor.

Code	Size mm in.	Length m. ft.	Color	Packaging	Pack/ CTN
60443	3,2 1/8	76 250	White with black stripes	Mini-reel	1
60444	3,2 1/8	305 1 000	White	Reel	1
60439	4 5/32	76 250	White	Mini-reel	1
60445	4,8 3/16	145 475	White	Mini-reel	1
60446	7,9 5/16	53 175	White	Mini-reel	1

NEW

Rope Tightener – plastic



Designed for 3/16" to 1/4" diameter rope.

Code	Length cm in.	Width cm in.	Packaging	Pack/ CTN
60799	10,8 4-1/4	5,9 2-3/8	Card	6

3 Strand Twisted Nylon Rope

Rope with a superior resistance to abrasion and shocks. Ideal in the nautical industry, as towing cable and other uses that require a great strength.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60300	6,4	1/4	15	50	White	Hank	6
60302	6,4	1/4	30	100	White	Hank	6
60307	6,4	1/4	400	1 300	White	Reel	1
60304	9,5	3/8	15	50	White	Hank	6
60309	9,5	3/8	192	630	White	Reel	1
NEW 60306	12,7	1/2	15	50	White	Sealed Mini-reel	6
60312	12,7	1/2	61	200	White	Reel	1
60313	16	5/8	61	200	White	Reel	1

Double Braided Nylon Rope

The strongest general-purpose rope it effectively resists abrasion. It is frequently used commercially and industrially and is also used as rope for Venetian blinds, awnings, pulleys as well as for towing, mooring and anchoring boats and other extreme applications.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60391	7,9	5/16	76	250	White	Mini-reel	1
60392	9,5	3/8	76	250	White	Reel	1
NEW 60347	12,7	1/2	7,5	25	White	Hank	8
NEW 60348	12,7	1/2	15	50	White	Hank	8
60393	12,7	1/2	122	400	White	Reel	1

Diamond Braided Nylon Rope

The strongest general-purpose rope, it is very resistant to abrasion. It is frequently used as rope for Venetian blinds, pulleys and lawn umbrellas and as start-up rope.



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60350	3,2	1/8	15	48	White	Hank	6
60377	3,2	1/8	76	250	White	Mini-reel	1
60410	4,8	3/16	15	50	White	Hank	6
60412	4,8	3/16	30	100	White	Hank	6
60411	4,8	3/16	122	400	White	Mini-reel	1
60387	4,8	3/16	152	500	White	Mini-reel	1
60354	6,4	1/4	15	50	White	Hank	6
60356	6,4	1/4	30	100	White	Hank	6
60423	6,4	1/4	61	200	White	Mini-reel	1
60388	7,9	5/16	76	250	White	Mini-reel	1
60422	9,5	3/8	61	200	White	Reel	1
60427	12,7	1/2	91	300	White	Reel	1

Solid Braided Nylon Rope



Code	Size		Length		Color	Packaging	Pack/CTN
	mm	in.	m.	ft.			
60363	4,8	3/16	370	1 200	White	Reel	1
60369	9,5	3/8	183	600	White	Reel	1
60390	6,4	1/4	305	1 000	White	Reel	1

ROPE - 1/4 pallet



60241p

Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60241	60241p	1/4" x 100'	Diamond braided	24	72



60235p

Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60235	60235p	3/8" x 50'	Diamond braided	6	60



60249p

Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60249	60249p	3/8" x 100'	Diamond braided	12	48



60246p

Camouflage Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60246	60246p	5/32" X 100' Hand reel	Diamond braided	12	60



60067p

Fluo Polypropylene Rope

Code	QP Code	Description	Specification	Qty Min.	Qty in QP
60067	60067p	3/16" x 75' Hand reel	Diamond braided	12	72



Complete Merchandising Solutions

See page 32

SYNTHETIC ROPE

NYLON

- Rot & mildew resistance
- Abrasion resistance
- Easy to handle
- Good shock load resistance
- Very good strength and durability

POLYESTER

- Rot & mildew resistance
- Oil, gas and chemicals resistance
- UV and abrasion resistance
- Easy to handle
- Medium shock load resistance
- Good strength and durability

POLYPROPYLENE

- Rot & mildew resistance
- Oil, gas and chemicals resistance
- UV and abrasion resistance
- Floats and lightweight
- Good price value

NATURAL ROPE

MANILA

- Biodegradable
- Heat and UV resistance
- Knots well
- Strongest of natural fibre

SISAL

- Biodegradable
- Heat and UV resistance
- Knots easily

JUTE

- Biodegradable
- Heat and UV resistance
- Knots easily
- Soft fibre

COTTON

- Biodegradable
- Heat and UV resistance
- Knots very easily
- Very easy to handle



See page 2

CHAIN BUYER'S GUIDE

WARNING: Do not exceed the working load limits. Do not use for overhead lifting.

Product	Size	Working Load Limit
AIRCRAFT CABLE	1/16" - 1/4"	7 x 7 - 7 x 19
GRADE 30 PROOF COIL CHAIN	1/8" - 1 1/2"	250 lbs - 4500 lbs
GRADE 70 TRANSPORT CHAIN	1/4" - 1 1/2"	2500 lbs - 4500 lbs
GRADE 40 HIGH TENSILE CHAIN	1/4" - 1 1/2"	2500 lbs - 4500 lbs
DOUBLE LOOP CHAIN	3/16" - 1 1/2"	250 lbs - 4500 lbs
PASSING LINK CHAIN	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Twist Link Chain	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Safety Chain	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Plastic Chain	1/4" - 1 1/2"	2500 lbs - 4500 lbs
SASH CHAIN	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Decorative Oval Chain (swag)	1/4" - 1 1/2"	2500 lbs - 4500 lbs
BEAD CHAIN	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Single Jack Chain	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Straight Link Coil Chain	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Grade 70 5/16"	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Grade 30 1/4"	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Double Loop 1/4"	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Grade 70 3/8"	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Single Jack Suspension	1/4" - 1 1/2"	2500 lbs - 4500 lbs
Coil Chain 2/0	1/4" - 1 1/2"	2500 lbs - 4500 lbs



See page 18

ACCESSORIES AND HARDWARE

STAINLESS STEEL

- Corrosion and chemicals resistance

LINK ACCESSORIES

- To assemble chain and rope

CABLE ACCESSORIES

- For cable assemblies

SNAPS

- Light duty applications

PULLEYS

- Single or double sheaves
- Salvage or right eye

HOOKS

- Industrial application
- Not for overhead lifting

PINS

- Farm and general applications



Marine Ropes



Dock Line (Pre-spliced) – nylon

Code	Diameter in.	Length ft.	Color	Packaging	Pack/ CTN
63064	1/2	15	White	Clamshell	6
63065	1/2	20	White	Clamshell	6
63240	3/8	10	White	Clamshell	6
63241	3/8	15	White	Clamshell	6
63300	5/8	10	White	Clamshell	6
63301	5/8	15	White	Clamshell	6



Dock Line (Pre-spliced) – polypropylene

Code	Diameter in.	Length ft.	Color	Packaging	Pack/ CTN
63340	3/8	10	White/Red/Blue	Clamshell	6
63341	3/8	15	White/Red/Blue	Clamshell	6




Anchor Line (With Thimble Spliced) – nylon

Code	Diameter in.	Length ft.	Color	Construction	Packaging	Pack/ CTN
64000	3/8	100	White	Double braided	Reel	1
64200	3/8	50	White	Twist	Reel	1
64201	3/8	100	White	Twist	Reel	1



Anchor Line (With Carbine Snap Hook) – polypropylene

Code	Diameter in.	Length ft.	Color	Packaging	Pack/ CTN
64300	1/4	50	Yellow	Clamshell	6
64301	1/4	100	Yellow	Clamshell	6






Defense Line – nylon

Code	Diameter in.	Length ft.	Color	Construction	Packaging	Pack/ CTN
64310	1/4	6	White	Double braided	Bag	6
64320	3/8	6	White	Double braided	Bag	6
64330	1/4	6	White	Twist	Bag	6
64340	3/8	6	White	Twist	Bag	6




Avoid unpleasant surprises...

...We become so attached to them!

	Code	Description	Packaging	Pack/CTN
 	10000	10' Puppy and Cat Cable Tie-Out	Clamshell	6
	10001	15' Puppy and Cat Cable Tie-Out	Clamshell	6
	10002	20' Puppy and Cat Cable Tie-Out	Clamshell	6
	10003	30' Puppy and Cat Cable Tie-Out	Clamshell	6
 	10004	10' Super Cable Tie-Out for small dogs, blue	Clamshell	6
	10005	15' Super Cable Tie-Out for small dogs, blue	Clamshell	6
	10006	20' Super Cable Tie-Out for small dogs, blue	Clamshell	6
	10007	30' Super Cable Tie-Out for small dogs, blue	Clamshell	6
 	10008	10' Super Cable Tie-Out for medium dogs, red	Clamshell	6
	10009	15' Super Cable Tie-Out for medium dogs, red	Clamshell	6
	10010	20' Super Cable Tie-Out for medium dogs, red	Clamshell	6
	10011	30' Super Cable Tie-Out for medium dogs, red	Clamshell	6
 	10016	10' Super Cable Tie-Out for large dogs, clear	Clamshell	6
	10017	15' Super Cable Tie-Out for large dogs, clear	Clamshell	6
	10018	20' Super Cable Tie-Out for large dogs, clear	Clamshell	6
	10019	30' Super Cable Tie-Out for large dogs, clear	Clamshell	6
 	10020	25' Dog Trolley System	Clamshell	6
	10021	50' Dog Trolley System	Clamshell	6
 	10024	14' Portable Trolley System	Clamshell	6
	10025	18" X 5/16" Spiral Stake	-	12
	10026	Spiral Stake Combo	-	12
	10027	12' Swivel Chain Tie-Out	-	6

Pre-cut chain rack

NEW CONFIGURABLE RACK !



Better presentation ! Less waiting for cutting !
More profits !


Merchandising



Drying Products



...on a gondola...





Index

Product # Page

10000.....	43	51080.....	8	52151.....	7	55206.....	15	57013.....	22	60191.....	37	60410.....	39	60737.....	37
10001.....	43	51081.....	8	53000.....	2	55208.....	14	57014.....	22	60193.....	37	60411.....	39	60738.....	37
10002.....	43	51082.....	8	53001.....	2	55212.....	14	57015.....	22	60196.....	37	60412.....	39	60799.....	38
10003.....	43	51083.....	8	53002.....	2	55213.....	14	57016.....	22	60199.....	37	60422.....	39	60800.....	35
10004.....	43	51084.....	8	53003.....	2	55217.....	14	57017.....	22	60200.....	37	60423.....	39	63064.....	42
10005.....	43	51085.....	8	53004.....	2	55218.....	14	57018.....	22	60202.....	37	60427.....	39	63065.....	42
10006.....	43	51086.....	8	53005.....	2	55219.....	14	57019.....	22	60204.....	37	60439.....	38	63240.....	42
10007.....	43	51088.....	8	53010.....	2	55220.....	14	57020.....	22	60208.....	37	60443.....	38	63241.....	42
10008.....	43	51089.....	8	53011.....	2	55221.....	14	60011.....	38	60212.....	37	60444.....	38	63300.....	42
10009.....	43	51090.....	9	53012.....	2	55227.....	14	60012.....	38	60213.....	37	60445.....	38	63301.....	42
10010.....	43	51091.....	9	53013.....	2	55235.....	14	60013.....	38	60214.....	37	60446.....	38	63340.....	42
10011.....	43	51100.....	9	53014.....	2	55241.....	14	60019.....	38	60215.....	37	60475.....	38	63341.....	42
10016.....	43	51105.....	8	53015.....	2	55242.....	14	60041.....	36	60216.....	37	60481.....	38	64000.....	42
10017.....	43	51110.....	10	53020.....	3	55243.....	15	60043.....	36	60217.....	37	60500.....	34	64200.....	42
10018.....	43	51111.....	10	53021.....	3	55245.....	15	60044.....	36	60218.....	37	60502.....	35	64201.....	42
10019.....	43	51112.....	10	53022.....	3	55246.....	14	60066.....	36	60219.....	37	60503.....	35	64300.....	42
10020.....	43	51113.....	10	53023.....	3	55247.....	14	60067.....	36	60220.....	37	60508.....	35	64301.....	42
10021.....	43	51114.....	10	53024.....	3	55250.....	14	60067P.....	40	60222.....	37	60510.....	35	64310.....	42
10024.....	43	51115.....	10	53025.....	3	55251.....	14	60100.....	33	60223.....	37	60513.....	34	64320.....	42
10025.....	43	51116.....	10	53027.....	3	55252.....	15	60102.....	33	60228.....	37	60514.....	34	64330.....	42
10026.....	43	51117.....	10	53028.....	3	55253.....	10	60104.....	33	60229.....	37	60515.....	34	64340.....	42
10027.....	43	51118.....	10	53030.....	4	55254.....	10	60105.....	33	60230.....	36	60516.....	34	70001.....	23
51000.....	2	51119.....	10	53031.....	4	55260.....	15	60111.....	33	60235.....	36	60517.....	34	70002.....	23
51001.....	2	51120.....	10	53032.....	4	55261.....	15	60112.....	33	60235P.....	40	60528.....	34	70003.....	23
51002.....	2	51121.....	10	53033.....	4	55262.....	15	60113.....	33	60239.....	36	60529.....	34	70004.....	23
51003.....	2	51122.....	10	53035.....	4	55263.....	15	60114.....	33	60240.....	36	60532.....	34	70005.....	23
51009.....	2	51123.....	10	53036.....	4	55264.....	15	60115.....	33	60241.....	36	60534.....	34	70006.....	23
51010.....	5	51124.....	10	53037.....	4	55265.....	15	60116.....	33	60241P.....	40	60540.....	34	70007.....	23
51011.....	5	51125.....	10	53038.....	4	55266.....	15	60117.....	33	60242.....	36	60542.....	34	70008.....	23
51012.....	5	51125.....	8	53040.....	12	55270.....	15	60118.....	33	60243.....	36	60543.....	34	70009.....	23
51015.....	7	51126.....	10	53041.....	12	55271.....	15	60119.....	33	60244.....	36	60549.....	35	70010.....	23
51016.....	7	51127.....	8	53042.....	12	55272.....	15	60120.....	33	60244.....	42	60550.....	34	70011.....	23
51017.....	7	51130.....	10	53043.....	12	55273.....	15	60121.....	33	60245.....	36	60552.....	36	70012.....	23
51018.....	7	51131.....	10	53047.....	12	55274.....	15	60122.....	33	60246.....	36	60560.....	34	70013.....	23
51020.....	5	51132.....	10	53996.....	4	55280.....	15	60123.....	33	60246P.....	40	60562.....	34	70014.....	23
51021.....	5	51135.....	10	53997.....	4	55281.....	15	60125.....	33	60249.....	36	60564.....	34	70020.....	23
51022.....	5	51140.....	9	53998.....	4	55285.....	15	60127.....	33	60249P.....	40	60570.....	34	70023.....	23
51023.....	5	51141.....	9	54000.....	9	55286.....	15	60128.....	33	60250.....	36	60571.....	34	70024.....	23
51025.....	7	51145.....	6	54001.....	9	55288.....	15	60130.....	33	60252.....	36	60572.....	34	70025.....	23
51030.....	7	51146.....	6	54002.....	9	56001.....	13	60132.....	33	60253.....	36	60574.....	34	70026.....	23
51035.....	5	51150.....	7	54003.....	9	56002.....	13	60133.....	33	60261.....	36	60576.....	34	70200.....	23
51038.....	9	51159.....	4	54006.....	9	56003.....	13	60140.....	37	60262.....	36	60578.....	34	70220.....	23
51039.....	6	52000.....	2	54007.....	9	56004.....	13	60142.....	37	60263.....	36	60586.....	35	70221.....	23
51040.....	9	52001.....	2	55000.....	10	56005.....	13	60144.....	37	60265.....	36	60588.....	35	70222.....	23
51041.....	9	52003.....	2	55002.....	10	56006.....	13	60145.....	37	60267.....	36	60590.....	35	70223.....	23
51042.....	9	52004.....	2	55003.....	10	56007.....	5	60148.....	37	60269.....	36	60592.....	35	70224.....	23
51043.....	9	52005.....	2	55004.....	10	56008.....	3	60149.....	37	60271.....	36	60596.....	35	70225.....	23
51044.....	9	52006.....	2	55005.....	12	56009.....	13	60150.....	37	60282.....	38	60597.....	35	70226.....	23
51046.....	9	52009.....	2	55006.....	12	56010.....	13	60152.....	37	60300.....	39	60598.....	35	70240.....	23
51047.....	9	52010.....	2	55007.....	12	56011.....	13	60153.....	37	60302.....	39	60600.....	35	70241.....	23
51049.....	6	52011.....	2	55008.....	12	56012.....	13	60154.....	37	60304.....	39	60603.....	35	70242.....	23
51050.....	6	52012.....	2	55009.....	12	56013.....	13	60155.....	37	60306.....	39	60606.....	35	70243.....	23
51051.....	6	52013.....	2	55010.....	12	56014.....	13	60156.....	37	60307.....	39	60611.....	35	70244.....	23
51052.....	6	52014.....	2	55014.....	12	56015.....	13	60157.....	37	60309.....	39	60614.....	35	70290.....	11
51053.....	6	52020.....	3	55015.....	12	56016.....	13	60159.....	37	60312.....	39	60625.....	35	70291.....	11
51054.....	6	52021.....	3	55016.....	12	56021.....	13	60160.....	37	60313.....	39	60630.....	38	70292.....	11
51055.....	6	52022.....	3	55017.....	12	56022.....	13	60163.....	37	60347.....	39	60633.....	38	70293.....	11
51056.....	6	52023.....	3	55020.....	11	56024.....	13	60164.....	37	60348.....	39	60635.....	38	70300.....	23
51057.....	6	52024.....	3	55025.....	11	56025.....	13	60165.....	37	60350.....	39	60640.....	34	70301.....	23
51059.....	6	52025.....	3	55030.....	10	56029.....	13	60167.....	37	60354.....	39	60641.....	34	70302.....	23
51060.....	8	52030.....	12	55031.....	10	56030.....	13	60168.....	37	60356.....	39	60643.....	34	70303.....	23
51061.....	8	52031.....	12	55032.....	10	56032.....	13	60173.....	33	60363.....	38	60646.....	34	70304.....	23
51062.....	6	52032.....	12	55033.....	10	56061.....	13	60175.....	33	60369.....	38	60722.....	34	70305.....	23
51063.....	5	52033.....	12	55034.....	10	56068.....	13	60176.....	33	60377.....	39	60730.....	37	70306.....	23
51065.....	8	52037.....	5	55200.....	14	56115.....	13	60177.....	33	60387.....	39	60731.....	37	70307.....	23
51067.....	6	52039.....	4	55201.....	14	56116.....	13	60178.....	33	60388.....	39	60732.....	37	70311.....	23
51070.....	8	52041.....	4	55202.....	14	57009.....	22	60179.....	33	60390.....	39	60733.....	37	70312.....	23
51075.....	9	52059.....	6	55203.....	14	57010.....	22	60180.....	33	60391.....	39	60734.....	37	70313.....	23
51076.....	9	52113.....	6	55204.....	15	57011.....	22	60181.....	37	60392.....	39	60735.....	37	70314.....	23
51077.....	6	52146.....	6	55205.....	14	57012.....	22	60183.....	37	60393.....	39	60736.....	37	70315.....	23

49



www.ben-mor.com
info@ben-mor.com

Head Office

1105, Lemire, St-Hyacinthe, Quebec, Canada, J2T 1L8

☎ 1-800-481-0022 • 450-778-0022

☎ 1-800-498-0022 • 450-778-0033

Ontario Plant

690, Bay View Dr, Barrie, Ontario, Canada, L4N 9A6

☎ 1-800-423-4423

Western Distribution Center

7018, 30th Street S.E., Calgary, Alberta, Canada, T2C 1N9

☎ 403-279-9631

☎ 403-279-6907

Retail Products Distribution Center

1400, Nobel, Boucherville, Quebec, Canada, J4B 5H3



253 Monument Road, Hinsdale, New Hampshire, 03451, USA

99044
DECEMBER 2016

