

The Gilmour Experience

Gilmour brand exists to meet the needs of gardeners and home owners who demand the very best for their lawns and gardens. With its combined 350 years of lawn and garden service, Gilmour is proud of its heritage rooted in quality, innovation, and value. The brand is committed to remaining the leading water and gardening producer through continuous

improvement in these areas

Gilmour is committed to environmental excellence by offering products that are environmentally friendly and supported by responsible manufacturing. All Gilmour products strive to be in compliance with global standards of sustainability.

Encouraging joyful gardening, Gilmour offers its consumers user-friendly and meaningfully designed products, no matter the scope of the project.



Trust.

Satisfaction.

Enjoyment.



CONTENTS

| desire of | Name of the last o | 49 | 4 |
|-----------|--|----|----|
| N | IEW Innovation | 4 | 4 |
| H | loses | 8 | |
| HOW H | lose End | | |
| | Nozzles | 16 | |
| | Sprinklers | 24 | |
| Shirt A | Timers | 35 | N. |
| | Accessories | 37 | |
| T | ank Sprayers | 48 | |
| P | runing Tools | 57 | |
| | | | |

Evolution in durability and comfort

Gilmour Master SeriesTM nozzles elevate the consumer experience with a combination of durability and comfort features. Master SeriesTM nozzles improve quality through the use of sturdy zinc and high quality polymers. Soft grip handle and ergonomic design provide comfort in use. The durable metal tip is adjustable for controlled spray pressure.





Product Information

- Zinc body and handle for added durability
- Flow control regulates force of water stream
- Comfort grip over-mold for comfort during extended use
- Ergonomic handle provides a perfect fit in the hand
- Zinc coupling for superior resistance to galvanic corrosion (vs. aluminum)
- Adjustable metal tip alters the water stream for multiple watering/cleaning needs

UPC: 0 34411 02730 1

Inner Pack Quantity: 12
Master Pack Quantity: 48

| Tec | | | |
|-----|--|--|--|

| Catalog # | 440 |
|-----------------------|-----------------|
| Construction Material | Zinc |
| Pressure Rating | 125psi |
| Spray Pattern | Adjustable Flow |



Evolution in durability and comfort

Gilmour Master SeriesTM nozzles elevate the consumer experience with a combination of durability and comfort features. Master SeriesTM nozzles improve quality through the use of sturdy zinc and high quality polymers. Soft grip handle and ergonomic design provide comfort in use. To assure the ease of usage, 8 pre-set patterns are intuitive in operation.





Product Information

- Flow control regulates force of water stream
- Comfort grip over-mold for comfort during extended use
- Ergonomic handle provides a perfect fit in the hand
- Zinc coupling for superior resistance to galvanic corrosion (vs. aluminum)
- 8 pre-set patterns for multiple watering needs

UPC: 0 34411 02729 5

Inner Pack Quantity: 10
Master Pack Quantity: 40

| - | | | _ | |
|------|----|--------|----|-----|
| Tecl | nn | IC 2 L | വാ | ta. |
| コロし | | ICai | Da | ιa |
| | | | | |

| Catalog # | 438 |
|-----------------------|---------------------------|
| Construction Material | Metallic finished polymer |
| Pressure Rating | 60psi |
| Spray Pattern | Multi-pattern (8) |



Evolution in durability and comfort

Gilmour Master SeriesTM nozzles elevate the consumer experience with a combination of durability and comfort features. Master SeriesTM nozzles improve quality through the use of sturdy zinc and high quality polymers. Soft grip handle and ergonomic design provide comfort in use. The durable metal tip is adjustable for controlled spray pressure.





Product Information

- Flow control regulates force of water stream
- Comfort grip over-mold for comfort during extended use
- Ergonomic handle provides a perfect fit in the hand
- Zinc coupling for superior resistance to galvanic corrosion (vs. aluminum)
- Adjustable metal tip alters the water stream for multiple watering/cleaning needs

UPC: 0 34411 02728 8

Inner Pack Quantity: 12
Master Pack Quantity: 48

| Technical Data | |
|-----------------------|---------------------------|
| Catalog # | 436 |
| Construction Material | Metallic finished polymer |
| Pressure Rating | 60psi |
| Spray Pattern | Adjustable Flow |



Inspired by professional power

Inspired by professional power washers, the NEW Gilmour **Power Jet Wand** was designed with cleaning in mind. The innovative design focuses on quality and control. The Gilmour **Power Jet Wand** tackles tough outdoor cleaning tasks with comfort and ease.



Product Information


- Power jet spray tip delivers a focused jet spray to tackle outdoor cleaning tasks
- Stabilizing grip for added control during cleaning applications
- Solid metal body for added durability and quality
- Flow control regulates force of water stream
- Ergonomic handle provides a perfect fit in the hand
- Zinc coupling for superior resistance to galvanic corrosion (vs. aluminum)
- Metal trigger for added durability
- Metal loop enclosure prevents accidental discharge
- Aluminum tube

UPC: 0 34411 02778 3

Master Pack Quantity: 10

| Technical Data | |
|-----------------------|-----------|
| Catalog # | 300GPJ |
| Construction Material | Metal |
| Pressure Rating | 60psi |
| Spray Pattern | Power Jet |





8 PLY FLEXOGEN

Gilmour FlexogenTM has long been regarded by the industry as a gold standard for quality and durability. With its 8-ply, polyester cord reinforcement and high burst-strength construction of 500 PSI, this hose is built to last. The FlexogenTM Advantage construction provides superior flexibility and kink-resistance. The Flow Guard Plus protective collar helps resist kinks at faucet, while the crush-resistant Full-Flo machined metal couplings provide a durable and tight seal. FlexogenTM hose features polished surface treatment for superior resistance to dirt-collecting abrasions. Made in the USA and backed by a lifetime guarantee, FlexogenTM is indeed "The Last Hose You'll Ever Buy".

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY |
|--------------|----------|-----------------|----------------|---------|---|
| | 10-12025 | 0 34411 11199 4 | 1/2 In. | 25 Ft. | 6 |
| HEXOGEN | 10-12050 | 0 34411 11288 5 | 1/2 In. | 50 Ft. | 6 |
| Burnauer . | 10-12075 | 0 34411 11289 2 | 1/2 In. | 75 Ft. | 4 |
| N I III | 10-12100 | 0 34411 11291 5 | 1/2 In. | 100 Ft. | 3 |
| | 10-58025 | 0 34411 11202 1 | 5/8 ln. | 25 Ft. | 6 |
| 133), Chance | 10-58050 | 0 34411 11203 8 | 5/8 ln. | 50 Ft. | 6 |
| HEOGEN | 10-58075 | 0 34411 11204 5 | 5/8 ln. | 75 Ft. | 4 |
| | 10-58100 | 0 34411 11205 2 | 5/8 In. | 100 Ft. | 2 |
| | 10-58250 | 0 34411 60088 7 | 5/8 ln. | 250 Ft. | 1 |
| | 10-34025 | 0 34411 11206 9 | 3/4 In. | 25 Ft. | 5 |
| HIEROGERY | 10-34050 | 0 34411 11207 6 | 3/4 In. | 50 Ft. | 4 |
| Con security | 10-34075 | 0 34411 11208 3 | 3/4 In. | 75 Ft. | 2 |
| | 10-34100 | 0 34411 11209 0 | 3/4 In. | 100 Ft. | 1 |
| FULKOZUS | 10-10050 | 0 34411 60090 0 | 1 ln.* | 50 Ft. | 2 |
| | 10-10100 | 0 34411 60092 4 | 1 ln.* | 100 Ft. | 1 |
| | 10573TFS | 0 34411 10573 3 | 5/8 ln. | 50 Ft. | 6 - combination of Flexogen™ hose and 573TF full-size zinc pistol grip nozzle with threaded front |

^{*1} In. diameter hoses to remain 6-ply construction



HEAVY DUTY (5 PLY)

Superior strength and durability are at heart of Gilmour heavy-duty hose. With its 5-ply, vinyl reinforcement and its high burst strength of 475 PSI, this hose is built to last. The FlexogenTM Advantage construction delivers flexibility and kink resistance. The protective collar helps resist kinks at faucet, while the crush-resistant Full-Flo machined metal couplings provide a durable and tight seal. Gilmour heavy-duty hose features an EZ-On coupler for easy faucet connection. The hose has a polished surface treatment for superior resistance to dirt-collecting abrasions.

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY |
|-------|----------|-----------------|----------------|--------|-----------------|
| | 26-58025 | 0 34411 60155 6 | 5/8 ln. | 25 Ft. | 6 |
| | 26-58050 | 0 34411 60156 3 | 5/8 ln. | 50 Ft. | 6 |
| | 26-58075 | 0 34411 60157 0 | 5/8 ln. | 75 Ft. | 6 |

MEDIUM DUTY (4 PLY)

Gilmour medium-duty hose is lightweight yet durable with its 4-ply construction and vinyl reinforcement. The FlexogenTM Advantage construction delivers flexibility and kink resistance, while the crush-resistant Full-Flo machined metal couplings provide a durable and tight seal. The hose features polished surface treatment for superior resistance to dirt-collecting abrasions.

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY |
|---|----------|-----------------|-------------------|-----------------------------------|-----------------|
| Citmoni VEDIVA Division of the Citmonian | 15-12025 | 0 34411 60068 9 | 1/2 In. | 25 Ft. | 6 |
| | 15-12050 | 0 34411 11260 1 | 1/2 In. | 50 Ft. | 6 |
| | 15-12075 | 0 34411 11261 8 | 1/2 In. | 75 Ft. | 4 |
| | 15-58025 | 0 34411 60070 2 | 5/8 In. | 25 Ft. | 10 |
| | 15-58050 | 0 34411 11259 5 | 5/8 In. | 50 Ft. | 6 |
| | 15-58075 | 0 34411 11262 5 | 5/8 In. | 75 Ft. | 4 |
| | 15-58100 | 0 34411 60071 9 | 5/8 In. | 100 Ft. | 2 |
| | 15-58150 | 0 34411 60318 5 | 5/8 In. | 150 Ft. (ideal for hose reel use) | 2 |
| | 15-34050 | 0 34411 60073 3 | 3/4 In. | 50 Ft. | 4 |



WEEPER/SOAKER

Unique construction provides gentle, even and efficient watering as the water "weeps" through thousands of pores. These reduce evaporation and waste of water by slowly weeping through the whole length of the hose. Lightweight and flexible, these hoses are ideal for watering new plantings, shrubs, bushes and raised garden beds.

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY | PRODUCT FEATURES |
|--|----------|--------------------|-------------------|---------|--------------------|--|
| | 27-58025 | 0 34411 60083 2 | 5/8 ln. | 25 Ft. | 6 | Use above ground or buriedDurable nickel plated couplingsMade of 100% recycled vinylWeather and wear resistant |
| Gilmour Page 1112 | 27-58050 | 0 34411 60084 9 | 5/8 ln. | 50 Ft. | 6 | Use above ground or buriedDurable nickel plated couplingsMade of 100% recycled vinylWeather and wear resistant |
| | 27-58250 | 0 34411 60085 6 | 5/8 ln. | 250 Ft. | 1 | Use above ground or buriedDurable nickel plated couplingsMade of 100% recycled vinylWeather and wear resistant |
| - | 27025G | 0 34411 92773 1 | Flat | 25 Ft. | 12 | Best performance with low water pressure |
| | 27050G | 0 34411 92774 8 | Flat | 50 Ft. | 12 | Best performance with low water pressure |
| | 27075G | 0 34411 92775 5 | Flat | 75 Ft. | 12 | Best performance with low water pressure |
| Cilmous Security Secu | 27141 | 0 34411 11263 2 | Flat | 25 Ft. | 10 | Three tube sprinkler/soaker hose – 2 in 1 sprinkler and hose Full Flo brass couplings for unrestricted water flow White stripe indicates proper positioning Includes removable end cap for flushing |
| | 27142 | 0 34411 11264 9 | Flat | 50 Ft. | 10 | Three tube sprinkler/soaker hose – 2 in 1 sprinkler and hose Full Flo brass couplings for unrestricted water flow White stripe indicates proper positioning Includes removable end cap for flushing |



SPECIALTY

Gilmour marine & recreation hose is ideal for use during boating, camping, and other leisure activities. Its liner material complies with FDA standards and ensures no impurities are imparted to water, making it safe for drinking. The 5-ply construction makes it abrasion resistant and virtually impervious to bursting. It is kink resistant, flexible, and easy to coil in all weather conditions, and the blue-striped white cover will not mar surfaces. Nickel-plated couplings allow for unrestricted water flow, while the EZ-On coupler makes for quick attachment to the water source.

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY |
|--|----------|-----------------|-------------------------------|--------|--------------------|
| 66-24th | 12-12025 | 0 34411 11235 9 | 1/2 ln. | 25 Ft. | 6 |
| | 12-12050 | 0 34411 11236 6 | 1/2 ln. | 50 Ft. | 6 |
| | 12-58025 | 0 34411 11237 3 | 5/8 ln. | 25 Ft. | 6 |
| | 12-58050 | 0 34411 11238 0 | 5/8 ln. | 50 Ft. | 6 |
| Glince SPACE SAVER BOTTON OF THE PROPERTY OF T | 12-58075 | 0 34411 11239 7 | 5/8 ln. | 75 Ft. | 4 |
| O O O CAN | 11-12025 | 0 34411 60115 0 | 1/2 In Space saving flat hose | 25 Ft. | 6 |



COMMERCIAL

Gilmour assortment of commercial hoses is designed specifically for commercial use. Heavy-duty construction and high burst strength make these hoses ideal for extreme working conditions.

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY | PRODUCT FEATURES |
|------------------|----------|--------------------|-------------------|---------|----------------------------------|---|
| | 28-34075 | 0 34411 60320 8 | 3/4 In. | 75 Ft. | 2 | 800 PSI burst strength designed to withstand the high pressure surges Abrasion-resistant cover for added durability Heavy-duty machined metal couplings constructed |
| | 28-34100 | 0 34411 60321 5 | 3/4 In. | 100 Ft. | 1 | specifically to prevent coupling separation Great for everyday uses such as watering greens and equipment cleaning |
| RLXOGEN | 50-58050 | 0 34411 60164 8 | 5/8 ln. | 50 Ft. | 3 | Hot water Flexogen™ withstands hot water up to 200°F, yet weights 33% less than traditional rubber hose 400 PSI burst strength Double reinforced with year-round flexibility Flow Guard Plus protective collar resists kinks at faucet Heavy-duty machined metal couplings with O-ring for tight seals Abrasion-resistant cover |
| | 25-34025 | 0 34411 60152 5 | 3/4 ln. | 25 Ft. | 5 | 6-ply construction and 500 PSI burst strengthDouble reinforced for commercial strength |
| | 25-34050 | 0 34411 60153 2 | 3/4 In. | 50 Ft. | 4 | Large 3/4 In. inner diameter for increased flow Heavy-duty machined metal couplings with O-ring for tight seals |
| | 25-34075 | 0 34411 60154 9 | 3/4 In. | 75 Ft. | 2 | Kink-resistant; easy to handle and flexible in all weather Metal spring protective collar prevents |
| Chimitan Service | 25-34100 | 0 34411 60204 1 | 3/4 In. | 100 Ft. | 1 | kinks at faucet • Abrasion-resistant cover |
| | 29-58025 | 0 34411 60158 7 | 5/8 ln. | 25 Ft. | 6 | 6-ply construction and 500 PSI burst strength |
| | 29-58050 | 0 34411 60159 4 | 5/8 In. | 50 Ft. | 6 | Double reinforced for commercial strengthProtective collar prevents kinks at faucet |
| | 29-58075 | 0 34411 60160 0 | 5/8 ln. | 75 Ft. | 4 | Heavy-duty machined metal couplings with O-ring for tight seals Kink-resistant |
| | 29-58100 | 0 34411 60205 8 | 5/8 ln. | 100 Ft. | Rugged grey cover resists mino 2 | Rugged grey cover resists minor abrasions |



COMMERCIAL

| IMAGE | ITEM | UPC | INNER DIAMETER | LENGTH | CARTON QUANTITY | PRODUCT FEATURES | |
|---------------|----------|--------------------|-------------------|---------|--------------------|--|--|
| Canac Andrews | 29-58090 | 0 34411 60246 1 | 5/8 ln. | 90 Ft. | 3 | Farm hose 6-ply construction and 500 PSI burst strength Double reinforced for commercial strength Protective collar prevents kinks at faucet Heavy-duty machined metal couplings with O-ring for tight seals Kink-resistant Rugged red cover resists minor abrasions | |
| | 38-34050 | 0 34411 11271 7 | 3/4 ln. | 50 Ft. | 3 | Reinforced rubber hose for commercial and hot water use Handles hot water up to 180°F 400 PSI burst strength Full-Flo metal couplings for unrestricted water flow Kink-resistant and flexible Resists minor abrasions and weather | |
| | 18-58025 | 18-58025 0 : 11 | | 5/8 In. | 25 Ft. | 4 | Reinforced rubber hose for commercial and hot water use |
| SUE | 18-58050 | 0 34411 11226 7 | 5/8 ln. | 50 Ft. | 4 | Handles hot water up to 180°F400 PSI burst strength | |
| | 18-58075 | 0 34411 11227 4 | 5/8 In. | 75 Ft. | 2 | Full-Flo metal couplings for unrestricted water flow Double cord reinforced | |
| | 18-58100 | 0 34411 11230 4 | 3/4 In. | 50 Ft. | 3 | Kink-resistant and flexibleResists minor abrasions and weather | |



HOSE HANGERS

Gilmour durable hose hangers offer a perfect storage solution.


| IMAGE | ITEM | UPC | MATERIAL | CAPACITY | PRODUCT FEATURES |
|-------|-------|-----------------|---|--|---|
| A | 8015 | 0 34411 08015 3 | Durable polymer construction | Up to 200 Ft. of 1/2 In. or 150 Ft. of 5/8 In. hose | Storing rack for nozzles, sprayers, gloves |
| | 80115 | 0 34411 08115 0 | Durable, rust-resistant baked enamel finish | Holds up to 100 Ft. of hose | Keyhole design for easy installation |
| | 8215 | 0 34411 08215 7 | Durable rust-proof aluminum construction | Holds up to 100 Ft. of hose | Keyhole design for easy installation |

OTHER HOSE ACCESSORIES

Gilmour hose accessories complement the extensive range of hose offerings. The product line is designed to address consumer needs for hose repair, tree protection and faucet extension.

| IMAGE | ITEM | UPC | DESCRIPTION | USE | PRODUCT FEATURES |
|----------------|----------|--------------------|------------------------------------|--|---|
| * | 15-12025 | 0 34411 60095 5 | Hose cutter | Cuts rubber and vinyl hose and thin wall plastic pipe Cuts clean, no ragged edges | Blades close into sturdy vinyl handle Lightweight and easy to use |
| | 15-12050 | 0 34411 11298 4 | Tree ties | Durable reinforced hose to protect trees from guide wire damage | Available in 18 In. lengths50 per cartonGuide wires and stakes not included |
| | 15-12075 | 0 34411 01076 1 | Faucet extension / Flow Control | Flexogen hose extends faucet 6 Ft. to front of hedge for easier connection and flow control | Heavy-duty 500 PSI burst strength hose with metal couplings Easy step-impact-resistant polymer spike holds hose faucet securely |
| 新加斯斯斯斯斯 | 15-58025 | 0 34411 01082 2 | Kink protector | Prevents kinking at faucet | Coiled spring faucet extension with metal couplings allows hose to bend and maintain even water flow |





SPECIALTY NOZZLES

Durable and long-lasting, Gilmour specialty nozzles are comfortable in handling and easy to operate. The nozzles are available in a wide range of designs to fit consumers' specific needs.

| IMAGE | ITEM | UPC | TYPE | ON/OFF CONTROL | SPRAY HEAD | PRODUCT FEATURES | |
|-------|------|--------------------|--|--|---|---|--|
| | 323 | 0 34411 12323 2 | Pistol Nozzle with Metal Pistol Grip | Rear trigger | Adjustable spray pattern | Molded grip for cushioned comfort Hold-open button for | |
| | 327 | 0 34411 12327 0 | Multi-Pattern Nozzle with Metal Pistol Grip | Rear trigger | | continuous spraying • Handle loop for easy storage | |
| T | 1223 | 0 34411 14223 3 | Pistol Nozzle with Poly Pistol Grip | Rear trigger | Adjustable spray pattern | Molded grip for cushioned comfortHold-open button for | |
| * | 1227 | 0 34411 14227 1 | Multi-Pattern Nozzle with Poly Pistol Grip | Rear trigger | 8 spray patterns (shower, stream, soaker, center, full, cone, mist, flat) | continuous spraying Handle loop for easy storage | |
| O) | FD1 | 0 34411 12641 7 | Metal Fireman's Nozzle | Large grip handle controls water flow | Adjustable spray pattern – fireman's design | ON/OFF and Flow Control all in one easy move of the handle Molded grip for cushioned comfort | |
| | FD2 | 0 34411 02596 3 | Mid-Size Fireman's Nozzle | Large grip handle controls water flow | Adjustable spray pattern – fireman's design | ON/OFF and Flow Control all in one easy move of the handle Smaller than full size unit — ideal for weaker grips Dual soft grip over-mold for comfortable handling | |
| T | 413 | 0 34411 00413 5 | Pistol Nozzle with Comfort Grip and Front Trigger | Front trigger | Adjustable spray pattern | All-metal bodies Curved design for better hand fit Over-mold for comfortable handling | |
| | 417 | 0 34411 00417 3 | Multi-Pattern Nozzle with Comfort Grip and Front Trigger | Front trigger | 8 spray patterns (shower, stream, soaker, center, full, cone, mist, flat) | Flow control built-in Lock-open for extended watering Front trigger nozzles require less effort* | |
| T | 423 | 0 34411 00423 4 | Pistol Nozzle with Comfort Grip and Rear Trigger | Rear trigger | Adjustable spray pattern | All-metal bodies Curved design for better hand fit Over-mold for comfortable | |
| | 427 | 0 34411 00427 2 | Multi-Pattern Nozzle with Comfort Grip and Rear Trigger | Rear trigger | 8 spray patterns (shower, stream, soaker, center, full, cone, mist, flat) | handling • Flow control built-in • Lock-open for extended watering | |

* Compared to standard rear trigger nozzle



INSULATED & COMFORT GRIPS

Quality-built Gilmour nozzles are designed to handle the toughest cleaning jobs. With heavy-duty construction, the insulated grip models withstand hot water and deliver high pressure water levels, while protecting the user's hands from excessive temperatures. The comfort grip models provide ease of handling during extended use.

| IMAGE | ITEM | UPC | ТҮРЕ | ON/OFF CONTROL | SPRAY HEAD | PRODUCT FEATURES |
|-------|----------|--------------------|---|-------------------|------------------------|---|
| K | 572 | 0 34411 00572 9 | Commercial Pistol Nozzle with Insulated Grip | Rear trigger | Standard spray head | For spraying hot or cold water Rust-resistant stainless steel spring Self-adjusting "duck" packing for a leak-proof seal Solid brass valve stem with permanent adjusting nut |
| K | 593 | 0 34411 00593 4 | Pistol Nozzle with Comfort Grip and Threaded Front | Rear trigger | Standard spray head | Molded on, black vinyl grip for cushioned comfort Male hose threaded front for attaching accessories Rust-resistant stainless steel spring Self-adjusting "duck" packing for a leak-proof seal Solid brass valve stem with permanent adjusting nut |
| R | 391 | 0 34411 12391 1 | Pistol Nozzle with Comfort Grip and Adjustable Tip | Rear trigger | Standard spray head | Heavy-duty metal body with black vinyl grip for cushioned comfort and adjustable brass tip Solid brass valve stem with permanent adjusting nut |
| T | 571 | 0 34411 00571 2 | Pistol Nozzle with Insulated Grip | Rear trigger | Standard spray head | For spraying hot or cold water Rust-resistant stainless steel spring Self-adjusting "duck" packing for a leak-proof seal Solid brass valve stem with permanent adjusting nut |
| N | 571TFR | 0 34411 05711 7 | Pistol Nozzle with Insulated Grip and Threaded Front | Rear trigger | Standard spray head | For spraying hot or cold water Male hose threaded front for attaching accessories Rubber head guard to protect threads Rust-resistant stainless steel spring Self-adjusting "duck" packing for a leak-proof seal Solid brass valve stem with permanent adjusting nut |
| K | 571TFARM | 0 34411 25714 2 | Metal Pistol Nozzle with Insulated Grip and Threaded Front | Rear trigger | Standard spray head | Male hose threaded front for attaching accessories Insulated molded grip for spraying hot or cold water Solid brass valve stem with permanent adjusting nut Self-adjusting "duck" packing for a leak-proof seal Solid brass valve stem with permanent adjusting nut |



PISTOL GRIP NOZZLES

Simple design with heavy-duty construction, Gilmour pistol grip nozzles provide a tough-cleaning sharp stream with adjustable spray. These nozzles feature self-adjusting "duck" packing for a leak-proof seal, putting quality in the palm of your hand.

| IMAGE | ITEM | UPC | TYPE | ON/OFF CONTROL | SPRAY HEAD | PRODUCT FEATURES |
|-------|---------|--------------------|--|-------------------|--------------------------|--|
| T | 573TF | 0 34411 05731 5 | Full size Metal Pistol Nozzle with Threaded Front | Rear trigger | Adjustable spray pattern | Male hose threaded front for attaching accessories Solid metal valve stem with permanent adjusting nut Hold-open clip for continuous spraying Rust-resistant stainless steel spring |
| T | 573 | 0 34411 00573 6 | Full size Metal Pistol Nozzle with | Rear trigger | Adjustable spray pattern | Solid metal valve stem with permanent adjusting nut Hold-open clip for continuous spraying Rust-resistant stainless steel spring |
| K | 563 | 0 34411 00563 7 | Mid-Size Metal Pistol Nozzle | Rear trigger | Adjustable spray pattern | Solid metal valve stem with permanent adjusting nut Hold-open clip for continuous spraying Rust-resistant stainless steel spring |
| R | 564 | 0 34411 00564 4 | Mid-Size Metal Pistol Nozzle | Rear trigger | Adjustable spray pattern | Polymer valve assembly with fixed nut Hold-open clip for continuous spraying |
| K | 501 | 0 34411 00501 9 | Mid-Size Polymer Pistol Nozzle | Rear trigger | Adjustable spray pattern | Polymer valve assembly with fixed nut Impact-resistant, rust-proof, mid-size polymer body |
| K | 474 | 0 34411 00474 6 | Full size Polymer Pistol Nozzle with Threaded Front | Rear trigger | Adjustable spray pattern | Male hose threaded front for attaching accessories Polymer valve assembly with fixed nut Hold-open clip for continuous spraying Impact-resistant, rust-proof, full-size polymer body |
| K | 474FARM | 0 34411 24742 6 | Polymer Pistol Nozzle with Threaded Front | Rear trigger | Standard spray | Male hose threaded front for attaching accessories Polymer valve assembly with fixed nut and riveted handle Self-adjusting "duck" packing for a leak-proof seal |



SELECT-A-SPRAY NOZZLES

The Select-A-Spray nozzle delivers the right pattern for every watering need. It is smart choice for an economical and environmentally-conscious consumer. All Select-A-Spray nozzles have a hold-open clip for continuous spraying, rust-resistant stainless steel spring and self-adjusting "duck" packing for a leak-proof seal.

Full action (cone, sharp stream, full flow)



Gentle shower

| IMAGE | ITEM | UPC | ON/OFF CONTROL | SPRAY HEAD | MATERIAL | PRODUCT FEATURES |
|-------|------|--------------------|-------------------|-----------------------------|--------------------------------------|--|
| T | 594 | 0 34411 00594 1 | Rear trigger | 7 Pattern Select-A-Spray | Heavy-duty die cast metal | Comfortable cushioned vinyl grip All-brass valve stem with permanent adjusting nut |
| A. | 584 | 0 34411 00584 2 | Rear trigger | 7 Pattern Select-A-Spray | Heavy-duty die cast metal | All-brass valve stem with permanent adjusting nut |
| M | 586 | 0 34411 00586 6 | Rear trigger | 7 Pattern Select-A-Spray | Impact-resistant, rust-proof polymer | Polymer value assembly with fixed nut |

FANS

Delivering gentle and even watering, Gilmour fan sprayers are best for newly planted flowers and vegetables.

| IMAGE | ITEM | UPC | SPRAY HEAD | OVERALL LENGTH | CONSTRUCTION | PRODUCT FEATURES |
|-------|------|--------------------|----------------|-------------------|---|---|
| | 314 | 0 34411 00314 5 | Shower Head | N/A | Durable, rust-proof polymer construction | Gentle shower spray pattern for delicate plants and seedlings Attaches to hose, hose end valve or threaded front nozzle |
| R | 403M | 0 34411 00403 6 | Fan | N/A | Durable, rust-proof polymer head and metal handle | Water-saving shut-off valve Angled for ease of use Front trigger nozzles require less effort* |
| 7 | 305 | 0 34411 00305 3 | Fan | N/A | Durable, rust-proof polymer head and handle | Moveable head for more precise watering Water-saving shut-off valve |

* Compared to standard rear trigger nozzle



STRAIGHT NOZZLES

Gilmour quality-built straight nozzles are designed to deliver powerful and precise water streams to do the toughest cleaning jobs. Durable and dependable, the nozzles feature flow control and adjustable spray and are offered in a variety of designs and materials.

| IMAGE | ITEM | UPC | SPRAY HEAD | CONSTRUCTION | PRODUCT FEATURES |
|-------|------|--------------------|-----------------------------|--|---|
| | 4TW | 0 34411 11400 1 | Adjustable spray pattern | All-metal body with over-mold for comfortable handling | Curved design for better hand fitBuilt-in flow controlLarge easy-turn dial |
| 1 | 06BJ | 0 34411 00061 8 | Jet stream | Heavy-duty solid brass construction | Attaches to threaded front nozzles or hose end Ideal for cleaning driveways and walkways |
| | 06WJ | 0 34411 00006 9 | Jet stream | Impact-resistant, rust-proof polymer construction | Attaches to threaded front nozzles or hose end Built-in flow control |
| | 528 | 0 34411 00528 6 | Adjustable spray pattern | Heavy-duty solid brass construction with comfortable rubber grip | All-brass valve stem Full flow nozzle tip Precise tip angle eliminates side spray Front and rear O-ring seals for leak-proof shut-off 3 quick turns from closed to open |
| | 528T | 0 34411 12528 1 | Adjustable spray pattern | Heavy-duty solid brass construction | All-brass valve stem Full flow nozzle tip Precise tip angle eliminates side spray Front and rear O-ring seals for leak-proof shut-off 3 quick turns from closed to open |
| | 529 | 0 34411 00529 3 | Adjustable spray pattern | Heavy-duty solid brass construction with comfortable rubber grip | All-brass valve stem Full flow nozzle tip Precise tip angle eliminates side spray Front and rear O-ring seals for leak-proof shut-off 2 turns from closed to open |
| | 428 | 0 34411 00428 9 | Adjustable spray pattern | Impact-resistant, rust-proof polymer construction | Two O-ring seals for leak-proof operation Precise tip angle eliminates side spray |



WATER WANDS

Gilmour water wands are ideal for the hard-to-reach plants and tall foliage. The products feature options spanning from adjustable heads to telescoping poles and comfort grip triggers.

| IMAGE | ITEM | UPC | SPRAY HEAD | OVERALL LENGTH | CONSTRUCTION | PRODUCT FEATURES |
|-------|---------|--------------------|---------------------|--------------------------------------|---|---|
| | 1309 | 0 34411 14309 4 | Shower | 33.5 ln. | Durable, rust- proof polymer head and handle | Basic gentle shower wand Built-in flow control |
| * | 317R | 0 34411 40317 4 | Shower | 39 ln. | Durable, rust- proof polymer head and metal handle | Adjustable angle head for just the right watering angle Front trigger nozzles require less effort* Built-in flow control |
| * | 317TSCR | 0 34411 43177 1 | Shower | Telescopes from 39 to 55.5 In. | Durable, rust- proof polymer head and metal handle | Adjustable angle head and telescoping pole allow you to customize the wand according to your watering needs Front trigger nozzles require less effort* Built-in flow control |
| | 318R | 0 34411 02597 0 | 3 spray patterns | 36 ln. | Durable, rust- proof polymer head and handle | Adjustable angle head Thumb-flip flow control/shut-off Shower, soaker and jet spray patterns offer watering options in an easy to use platform Built-in flow control |

^{*} Compared to standard rear trigger nozzle



WATER WANDS

| IMAGE | ITEM | UPC | SPRAY HEAD | OVERALL LENGTH | CONSTRUCTION | PRODUCT FEATURES |
|-------|---------|--------------------|---------------------|--------------------------------------|---|--|
| M | 1310 | 0 34411 14310 0 | 8 spray patterns | 33.5 ln. | Durable, rust- proof polymer head and handle | Basic Select-A-Spray wand offers 8 pre-set patterns for you watering and cleaning needs Built-in flow control |
| * | 217R | 0 34411 91217 1 | 8 spray patterns | 39 ln. | Durable, rust- proof polymer head and metal handle | 8 pre-set patterns and an adjustable angle head provide the ultimate watering versatility Front trigger nozzles require less effort* Built-in flow control |
| * | 217TSCR | 0 34411 93217 9 | 8 spray patterns | Telescopes from 39 to 55.5 In. | Durable, rust- proof polymer head and metal handle | Adjustable angle head and telescoping pole allow you to customize the wand according to your watering needs Front trigger nozzles require less effort* Built-in flow control |
| | 217SW | 0 34411 12217 4 | 8 spray patterns | 16 ln. | Durable, rust- proof polymer head and handle | Thumb flip ON/OFF and flow control knob Convenient size, yet better reach than standard nozzles Ideal for those with weaker grips Built-in flow control |
| 9 | 424SW | 0 34411 00424 1 | 8 spray patterns | 16 ln. | Durable, rust- proof polymer head and metal handle | Adjustable angle head Convenient size, yet better reach than standard nozzles Front trigger nozzles require less effort* Built-in flow control |

* Compared to standard rear trigger nozzle





IMPULSE SPRINKLERS

Gilmour impulse sprinklers with full or partial coverage are ideal for medium and large lawns. Patented impulse arm saves water by eliminating back and side splash. Diffuser screw allows easy fingertip adjustment of water stream for even coverage.

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES |
|-------|--------|--------------------|-------------------------------------|--|---|
| | 196SPB | 0 34411 01196 6 | Up to 5,800 sq. Ft. (86 Ft. dia) | Impact-resistant, rust- proof polymer Sled base for stability | Pattern Master – uniquely able to adjust to the contours of a yard to eliminate waste and maximize water delivery where needed the most Programming disc with 12 points of adjustment |
| 3 | 193TPB | 0 34411 01191 1 | Up to 5,800 sq. Ft. (86 Ft. dia) | Impact-resistant, rust- proof polymer Sled base for stability | Built-in timer shuts off water automatically (up to 2 hrs of watering) "ON" setting for continuous watering |
| - | 193SPB | 0 34411 01192 8 | Up to 5,800 sq. Ft. (86 Ft. dia) | Impact-resistant, rust- proof polymerSled base for stability | Serial connection |
| | 193MPS | 0 34411 01195 9 | Up to 5,800 sq. Ft. (86 Ft. dia) | Impact-resistant, rust-proof polymer Triple spike base with foot step | Serial connection |
| | 193MMS | 0 34411 01194 2 | Up to 5,800 sq. Ft. (86 Ft. dia) | Impact-resistant, rust- proof polymer head Metal triple spike base with foot step | Serial connection |
| | 193H | 0 34411 01193 5 | Up to 5,800 sq. Ft. (86 Ft. dia) | Impact-resistant, rust- proof polymer | • Head only |



IMPULSE SPRINKLERS

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES |
|-------|--------|--------------------|--------------------------------------|--|---|
| | 167PWB | 0 34411 01174 4 | Up to 5,800 sq. Ft. (86 Ft. dia) | Long-lasting brass and zinc head Impact-resistant, rust-proof polymer wheel base | Wheel base for easy mobility |
| | 167SMB | 0 34411 01170 6 | Up to 5,800 sq. Ft. (86 Ft. dia) | Long-lasting brass and zinc head Heavy-duty die cast metal sled base | Serial connection |
| | 167SPB | 0 34411 01169 0 | Up to 5,800 sq. Ft. (86 Ft. dia) | Long-lasting brass and zinc head Impact-resistant, rust-proof polymer sled base | Serial connection |
| | 167MMS | 0 34411 01168 3 | Up to 5,800 sq. Ft. (86 Ft. dia) | Long-lasting brass and zinc head Heavy-duty die cast metal triple spike base with foot step | Serial connection |
| 9 | 167H | 0 34411 01167 6 | Up to 5,800 sq. Ft. (86 Ft. dia) | Long-lasting brass and zinc | • Head only |
| | 198LMS | 0 34411 01992 4 | Up to 8,500 sq. Ft. (106 Ft. dia) | Impact-resistant, rust-proof polymer head Heavy-duty die cast metal three prong spike with extra wide foot step | Extra large coverage Sprinkler head has 3/4 In. NPT' connection to base Trip levers for full or partial coverage with reversible setting Deflector dial to set distance |
| | 199LMS | 0 34411 01993 1 | Up to 8,500 sq. Ft. (106 Ft. dia) | Long-lasting metal head Heavy-duty die cast metal three prong spike with extra wide foot step | Extra large coverage Sprinkler head has 3/4 In. NPT' connection to base Trip levers for full or partial coverage with reversible setting Deflector dial to set distance |

*National Pipe Thread



TRIPOD SPRINKLERS

Gilmour telescoping tripod impulse sprinkler designed to cover extra large distances and heights.

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES | QUANTITY |
|-------|---------|--------------------|--------------------------------------|---------------------------------------|--|------------------------|
| | 167TRI1 | 0 34411 01173 7 | Up to 5,800 sq. Ft. (86 Ft. dia) | Large heavy-duty metal head | Telescoping tripod reaches height of 58 In. for extra high coverage and even larger distances Spiked feet for added stability | 1 pc. shelf carton |
| | 167TRI | 0 34411 01172 0 | Up to 5,800 sq. Ft. (86 Ft. dia) | Large heavy-duty metal head | Telescoping tripod reaches height of 58 In. for extra high coverage and even larger distances Spiked feet for added stability | 6 pc. floor display |
| | 199TRI1 | 0 34411 01995 5 | Up to 8,500 sq. Ft. (106 Ft. dia) | Extra large heavy- duty metal head | Telescoping tripod reaches height of 58 In. for extra high coverage and even larger distances Spiked feet for added stability | 1 pc. shelf carton |
| + | 199TRI | 0 34411 01994 8 | Up to 8,500 sq. Ft. (106 Ft. dia) | Extra large heavy- duty metal head | Telescoping tripod reaches height of 58 In. for extra high coverage and even larger distances Spiked feet for added stability | 6 pc. floor display |



OSCILLATING SPRINKLERS

Versatile and efficient, Gilmour oscillating sprinklers are ideal for watering medium-sized areas. The product line features easy-to-adjust settings for precision or width control. Proprietary AquaDrive[™] motor provides Gilmour oscillating sprinklers with superior performance and durability.

AquaDriveTM uses an innovative water-powered switching mechanism to reverse the direction of the spray tube more quickly, eliminating lag, and saving water. With fewer parts and larger gears, the AquaDriveTM also tolerates particle contaminants better and lasts up to three times as long as the planetary gear drive in typical oscillators.

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES |
|-------|--------|--------------------|------------------------|---|--|
| | 7900MP | 0 34411 07951 5 | Up to 4,000 sq. Ft. | Heavy-duty metal base Unique flexible spray tube for more control | Pattern Master flexible spray tube with width control Adjusts quickly – 8 to 59 Ft. Easy-to-use rotation dials AquaDriveTM motor |
| | 7900PP | 0 34411 07952 2 | Up to 4,000 sq. Ft. | Heavy-duty polymer base Unique flexible spray tube for more control | Pattern Master flexible spray tube with width control Adjusts quickly − 8 to 59 Ft. Easy-to-use rotation dials AquaDrive™ motor |
| | 7700PM | 0 34411 07700 9 | Up to 3,800 sq. Ft. | Heavy-duty metal base Spray tube with 20 jets | "Water Saver" – low profile spray reduces water usage by up to 25% Easy-to-use rotation dial |
| | 7500PM | 0 34411 07503 6 | Up to 3,400 sq. Ft. | Heavy-duty polymer base Spray tube with 18 jets | "Water Saver" – low profile spray reduces water usage by up to 25% Easy-to-use rotation dial |
| | 7800MV | 0 34411 07805 1 | Up to 3,500 sq. Ft. | Heavy-duty metal base 12 adjustable jets and one stationary jet | • AquaDrive [™] motor • Jet control dials offer exceptional precision and width control |
| | 7900PV | 0 34411 07956 0 | Up to 4,000 sq. Ft. | Heavy-duty polymer base18 adjustable jets and one stationary jet | • AquaDrive™ motor • Jet control dials offer exceptional precision and width control |



OSCILLATING SPRINKLERS

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES |
|-------|---------|--------------------|---------------------|---|--|
| | 7800PMT | 0 34411 07806 8 | Up to 3,500 sq. Ft. | Heavy-duty polymer base Metal spray tube with 17 brass jets | Built-in timer shuts off water automatically (up to 2 hrs of watering) "ON" setting for continuous watering AquaDrive™ motor |
| | 7900MM | 0 34411 07950 8 | Up to 4,000 sq. Ft. | Heavy-duty metal base Metal spray tube with 19 brass jets | • AquaDrive™ motor • Easy-to-use rotation dials |
| | 7800MM | 0 34411 07804 4 | Up to 3,500 sq. Ft. | Heavy-duty metal base Metal spray tube with 17 brass jets | • AquaDrive™ motor • Easy-to-use rotation dials |
| | 7900PM | 0 34411 07953 9 | Up to 4,000 sq. Ft. | Heavy-duty polymer baseMetal spray tube with19 brass jets | • AquaDrive [™] motor • Easy-to-use rotation dials |
| | 7900PS | 0 34411 07955 3 | Up to 3,600 sq. Ft. | Polymer base17 precision spray jets on molded spray tube | • AquaDrive™ motor • Even coverage |
| | 7800PS | 0 34411 07808 2 | Up to 3,000 sq. Ft. | Polymer base15 precision spray jets on molded spray tube | AquaDrive™ motor Even coverage Extra wide base for added stability |
| | 7100PM | 0 34411 02590 1 | Up to 3,000 sq. Ft. | Durable polymer baseMetal spray tube with15 jets | • Easy-to-use rotation dial |
| | 7000PS | 0 34411 02589 5 | Up to 2,600 sq. Ft. | Durable polymer baseMolded spray tube with 16 jets | • Easy-to-use rotation dial |



TURBINE ROTOR SPRINKLERS

Turbine rotor sprinkles are equipped with a water-driven motor for quiet, long-lasting performance. The sprinklers provide full or partial circular coverage up to 70 ft. diameter. Multi-stream nozzle provides even coverage, while distance control knob controls the flow. All Gilmour turbine rotors feature impact-resistant, rust-proof polymer construction with three different types of base.

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION |
|-------|--------|--------------------|--------------------------------------|---|
| - | 200SPB | 0 34411 02002 9 | Up to 4,000 sq. Ft. (70 Ft. dia.) | Impact-resistant, rust-proof polymer head and sled base |
| | 200MPS | 0 34411 02001 2 | Up to 4,000 sq. Ft. (70 Ft. dia.) | Impact-resistant, rust-proof polymer head Triple spike base with foot step |
| Color | 200MMS | 0 34411 02000 5 | Up to 4,000 sq. Ft. (70 Ft. dia.) | Impact-resistant, rust-proof polymer head Heavy-duty die cast metal triple spike with foot step |



WHIRLING SPRINKLERS

Perfect for urban settings, Gilmour whirling sprinklers are designed to cover smaller areas with a gentle rain-like spray. The product line is ideal for spot watering and re-seeding and is available in a variety of designs.

| IMAGE | ITEM | UPC | AREA | HEAD | BASE | PRODUCT FEATURES |
|--|--------|--------------------|--------------------------------------|-------------------------------|--|--|
| | WS46 | 0 34411 59046 1 | Up to 45 x 45 Ft., square pattern | Metal 3 arm | Impact-resistant, rust- proof polymer wheel base | Wheel base for easy mobility |
| The state of the s | WS45OS | 0 34411 00340 4 | Up to 48 Ft. dia., circle pattern | Metal 3 arm | Metal wheel base | Wheel base for easy mobility Serial connection |
| | 184SPB | 0 34411 08845 6 | Up to 50 x 50 Ft., square pattern | Polymer 3 arm | Impact-resistant, rust- proof polymer sled base | Adjustable spray tips (from a fine mist to a sharp stream) |
| | 181SPB | 0 34411 08816 6 | Up to 60 Ft. dia., circle pattern | Polymer 2 arm | Impact-resistant, rust- proof polymer sled base | Adjustable spray tips (from a fine mist to a sharp stream) |
| 3 | 883 | 0 34411 00883 6 | Up to 50 Ft. dia., circle pattern | Polymer 3 arm | Impact-resistant, rust- proof polymer sled base | Gentle spray tips |
| | 832 | 0 34411 00832 4 | Up to 32 x 32 Ft., square pattern | Metal spray plate and vane | Metal base | • Vane sprinkler |



STATIONARY SPRINKLERS

The best ideas are the simple ones. Basic in construction and easy in operation, Gilmour stationary sprinklers know their place and to get the job done.

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES |
|-------|--------|--------------------|--|---|--|
| | 775 | 0 34411 00775 4 | Circle up to 35 Ft., large square up to 30 x 30 Ft., small square up to 18 x 18 Ft., rectangle up to 20 x 40 Ft., long strip up to 10 x 50 Ft. | Impact-resistant, rust-proof polymer construction | Versatile five pattern turret sprinkler |
| | 306UPC | 0 34411 03061 5 | Up to 900 sq. Ft., circle pattern | Polymer construction | Gentle, even watering |
| 3 | 876S | 0 34411 08761 9 | Up to 30 x 30 Ft., square pattern | Metal construction | Works well in low water pressure areas |
| | 876R | 0 34411 08762 6 | Up to 15 x 30 Ft., rectangle pattern | Metal construction | Works well in low water pressure areas |
| 3 | 876C | 0 34411 08763 3 | Up to 30 Ft. dia., circle pattern | Metal construction | Works well in low water pressure areas |
| | 875 | 0 34411 00875 1 | Up to 30 Ft. dia., circle pattern | Metal construction | Works well in low water pressure areas Twin, no-clog spray openings |
| | 315MTL | 0 34411 03157 5 | N/A | Aluminum construction | Allows water to gently soak into ground with minimal erosion Waters delicate plants that will not tolerate direct spray |



MY DESIGN SPRINKLER KIT

Water conservation is at heart of Gilmour My Design Sprinkler Kits. The kits equip consumers with all the right components to save money and time on watering, while providing better results. Gilmour My Design Sprinkler Kit is a much-needed alternative to intimidating and complicated sprinkler sets. The kit set-up has three easy steps - (1) attach hose and valve to faucet, (2) roll out hose to area to be watered, (3) attach sprinkler. Continue steps 2 & 3 as needed. Parts are reusable and can be repositioned as plants are moved.


| IMAGE | ITEM | UPC | COMPONENTS | PRODUCT FEATURES |
|--------|------|--------------------|--|---|
| | MD1 | 0 34411 90071 0 | 1/4 In. x 30 Ft. hose 6 adjustable mini sprinklers 6 goof plugs 5 T-connectors Back flow regulator and faucet adapter 3 flow restrictors | Flow range of 1 to 10 gallons per minute Operates at 20-40 PSI |
| A TIME | MD3 | 0 34411 90073 4 | 1/2 In. x 50 Ft. hose 6 mini sprinklers with flow control 5 goof plugs 1 tube punch tool 1 faucet adapter 1 back flow valve 3 flow restrictors 1 tube connector 1 tube end cap | • Flow range of 1 to 10 gallons per minute |



SPECIALTY SPRINKLERS


Gilmour specialty sprinklers are designed to address varying watering and gardening needs.

| IMAGE | ITEM | UPC | AREA | CONSTRUCTION | PRODUCT FEATURES |
|----------|------------------------------|--------------------|--|---|--|
| | 898 | 0 34411 02598 7 | Up to 40 Ft. dia. | Metal head with polymer deflector and stable metal dual spike base | Telescopes up to 48 In. heightGentle, rain-like spray |
| 7 | 894 0 34411 Up to 50 Ft. dia | Up to 50 Ft. dia. | Polymer 2 arm head and single spike base | Telescopes 24 to 40 In.Spray tips provide gentle spray | |
| | 896 | 0 34411 10896 3 | Up to 20 Ft. dia., quarter circle pattern | All-metal construction | 12 In. ground spikeGentle side spray |
| F | 897 | 0 34411 10897 0 | Up to 20 Ft. dia., half circle pattern | All-metal construction | 12 In. ground spikeHigh-angle spray |
| | 4011 | 0 34411 02719 6 | Up to 13,500 sq. Ft., travels up to 200 Ft. | Heavy-duty die-cast iron body | Adjustable spray arms cover from 15 to 55 Ft. diameter Sprinkler propels itself along the pattern laid out by the hose Shut-off ramp stops sprinkler and automatically shuts off water |



Simple set-up instructions with diagrams are included in a separate instruction sheet.






WATER TIMERS

Gilmour timers are a must-have to support consumers' water conservation and money saving efforts. Intuitive in design, they are simple to set and easy to use. Each timer contains multiple programs and start times based on varying watering needs.

| IMAGE | ITEM | UPC | ТҮРЕ | SAFEGUARD | FUNCTIONS | COUPLING |
|----------|--------|--------------------|---------------------------------|---|---|----------------------|
| | 200GTM | 0 34411 02798 1 | Mechanical timer | N/A | Automatically turns water OFF 2 functions: timed automatic "OFF", manual "ON" Run time from 1 to 120 minutes Full flow outlet No display No batteries required | Swivel |
| 05:00- + | 300GTS | 0 34411 02800 1 | Single outlet electronic timer | Valve closes if battery is low and will not open | Automatically turns water ON and OFF Run time from 1 to 360 minutes Rain Delay feature Easy to set and use, no tools needed 2 AA batteries required (not included) Large, easy-to-read LCD | Metal easy swivel |
| Colorour | 400GTD | 0 34411 02801 8 | Dual outlet electronic timer | Valve closes if battery is low and will not open | Automatically turns water ON and OFF on BOTH outlets Run time from 1 to 360 minutes Saves time - both outlets can run simultaneously Rain Delay feature Easy to set and use, no tools needed 2 AA batteries required (not included) Large, easy-to-read LCD | Metal easy swivel |





MENDERS

Save money by extending the life of any hose with Gilmour menders and couplings. Featuring premium construction, these products are among the strongest in their class. Gilmour menders and couplings are leak-and rust-proof, durable, reusable, and easy to install. Each product features patented impact-resistant clamp design, non-corroding high grade stainless steel screws.

| IMAGE | ITEM | UPC | ТҮРЕ | MATERIAL | PRODUCT FEATURES |
|-------|-------|-----------------|-----------------|----------|-----------------------|
| 60 | 01HMZ | 0 34411 00166 0 | Hose Mender | Brass | Fits all 5/8" or 3/4" |
| | 01HM | 0 34411 00001 4 | Hose Mender | Plastic | Fits all 5/8" or 3/4" |
| - | 05HM | 0 34411 00005 2 | Hose Mender | Plastic | Fits all 1/2" |
| 6 | 01FZ | 0 34411 00165 3 | Female Coupling | Brass | Fits all 5/8" or 3/4" |
| | 01F | 0 34411 00012 0 | Female Coupling | Plastic | Fits all 5/8" or 3/4" |
| | 05F | 0 34411 00052 6 | Female Coupling | Plastic | Fits all 1/2" |
| - | 01MZ | 0 34411 00164 6 | Male Coupling | Brass | Fits all 5/8" or 3/4" |
| | 01M | 0 34411 00011 3 | Male Coupling | Plastic | Fits all 5/8" or 3/4" |
| - | 05M | 0 34411 00051 9 | Male Coupling | Plastic | Fits all 1/2" |



MENDER & COUPLERS

| IMAGE | ITEM | UPC | TYPE | MATERIAL | PRODUCT FEATURES |
|---|-------|-----------------|---------------------------|----------------------------------|---|
| 1 | 58CPH | 0 34411 00258 2 | Compression Mender | Durable metal body and collar | Repairs 5/8" garden hoses Ergonomic soft grip sleeves No tools required – complete in 15 sec or less |
| | 58CPF | 0 34411 00259 9 | Compression Female | Durable metal body and collar | Repairs 5/8" garden hoses Ergonomic soft grip sleeves No tools required – complete in 15 sec or less Includes washer |
| 0 | 58CPM | 0 34411 00260 5 | Compression Male | Durable metal body and collar | Repairs 5/8" garden hoses Ergonomic soft grip sleeves No tools required – complete in 15 sec or less Includes washer |
| | C12M | 0 34411 00200 1 | Male Coupler | Brass | • For 1/2" hose • Recommended for rubber hot water hose |
| | C58M | 0 34411 00212 4 | Male Coupler | Brass | • For 5/8" hose • Recommended for rubber hot water hose |
| | C34M | 0 34411 00224 7 | Male Coupler | Brass | • For 3/4" hose • Recommended for rubber hot water hose |
| A. | C12F | 0 34411 00201 8 | Female Coupler | Brass | • For 1/2" hose • Recommended for rubber hot water hose |
| | C58F | 0 34411 00213 1 | Female Coupler | Brass | • For 5/8" hose • Recommended for rubber hot water hose |
| | C34F | 0 34411 00225 4 | Female Coupler | Brass | • For 3/4" hose • Recommended for rubber hot water hose |
| 是 | C12HM | 0 34411 00202 5 | Mender | Brass | • For 1/2" hose • Recommended for rubber hot water hose |
| | C58HM | 0 34411 00214 8 | Mender | Brass | • For 5/8" hose • Recommended for rubber hot water hose |
| _ | С34НМ | 0 34411 00226 1 | Mender | Brass | • For 3/4" hose • Recommended for rubber hot water hose |
| () () () () () () () () () () | C12MF | 0 34411 00203 2 | Male & Female Couplers | Brass | • For 1/2" hose • Recommended for rubber hot water hose |
| | C58MF | 0 34411 00215 5 | Male & Female Couplers | Brass | • For 5/8" hose • Recommended for rubber hot water hose |
| | C34MF | 0 34411 00227 8 | Male & Female Couplers | Brass | • For 3/4" hose • Recommended for rubber hot water hose |



BRASS CONNECTORS

Strong and long-lasting, Gilmour threaded solid brass connectors allow a variety of links between standard pipes and garden hoses.

| IMAGE | ITEM | UPC | ТҮРЕ | MATERIAL | PRODUCT FEATURES |
|-------|----------|--------------------|----------------------|----------|---|
| | 5FPS7FH | 0 34411 00107 3 | Double Female Swivel | Brass | Thread Size 1/2" NPT x 3/4" NH |
| | 7FPS7FH | 0 34411 00108 0 | Double Female Swivel | Brass | Thread Size 3/ 4" NPT x 3/4" NH |
| 40 | 7FHS7FH | 0 34411 00103 5 | Double Female Swivel | Brass | Thread Size Swivel 3/4" NH x 3/4" NH |
| 6 | 5FP7FH | 0 34411 00101 1 | Double Female | Brass | Thread Size 1/2" NPT x 3/4" NH |
| 9 | 7FP7FH | 0 34411 00102 8 | Double Female | Brass | Thread Size 3/ 4" NPT x 3/4" NH |
| (O) | 7MH5FP | 0 34411 00109 7 | Male (M) Female (F) | Brass | Thread Size 1/2" NPT (F) x 3/4" NH (M) |
| 10 | 7MP7FH | 0 34411 00110 3 | Male (M) Female (F) | Brass | Thread Size 3/4" NPT (M) x 3/4" NH (F) |
| | 7MH7FP | 0 34411 00119 6 | Male (M) Female (F) | Brass | Thread Size 3/4" NPT (F) x 3/4" NH (M) |
| Co | 7MH5MP | 0 34411 00104 2 | Double Male | Brass | Thread Size 1/2" NPT x 3/4" NH |
| 6 | 7MH7MP5P | 0 34411 00105 9 | Double Male | Brass | Thread Size 3/4" NH x 3/4" NPT x 1/2" NPT (F) |
| (| 7МН7МН | 0 34411 00106 6 | Double Male | Brass | Thread Size 3/4" NH x 3/4" NH |



FULL FLOW QUICK CONNECTORS

Gilmour offers a collection of durable quick connectors with 45% more water flow than standard accessories. Each connector is easily interchangeable with most polymer quick connector systems.

| IMAGE | ITEM | UPC | TYPE | MATERIAL | PRODUCT FEATURES | CONTENT |
|-------|---------|--------------------|--------------------------------------|----------|--|---|
| TII | 2939QFF | 0 34411 12629 5 | Complete Connector Starter Kit | Plastic | Provides quick and easy connections to faucet, hose and hose end accessories | 1 female hose end connector with water shut-off valve 2 male hose end adapters 1 female faucet connector 1 male faucet adapter |
| | 29QFF | 0 34411 12229 7 | Hose End Quick Connector Set | Plastic | Easily connects hose to sprinkler, nozzle or other hose end accessories | 1 female hose end connector with shut-off2 male hose end adapters |
| | 29QFFF | 0 34411 12429 1 | Female Hose End Shut-Off | Plastic | Easily connects hose to sprinkler, nozzle or other hose end accessories | •1 female hose end connector with built-in water shut-off valve |
| 33 | 29QMFF | 0 34411 12529 8 | Male Hose End Quick Connectors | Plastic | Easily attaches to nozzle or sprinkler for quick connection to hose | •2 male hose end adapters |
| | 39QFF | 0 34411 12239 6 | Faucet Connector Set | Plastic | Easily connects hose to faucet | 1 female faucet connector1 male faucet adapter |
| | 39QFFF | 0 34411 12339 3 | Female Faucet Connector | Plastic | Attaches to hose for quick, easy connection to faucet | •1 female faucet connector |
| 1 | 39QMFF | 0 34411 12349 2 | Male Faucet Connector | Plastic | • Easily threads into faucet | •1 male faucet connector |



POLY QUICK CONNECTORS

Gilmour Poly Quick Connectors have impact-resistant, rust-proof polymer construction and are interchangeable with most polymer quick connectors systems.

| IMAGE | ITEM | UPC | ТҮРЕ | PRODUCT FEATURES | CONTENT |
|-------|--------|--------------------|-----------------------------------|---|---|
| | 2939AQ | 0 34411 08294 2 | Connector Starter Kit | Provides quick and easy connections to faucet, hose, and hose end accessories | 1 female hose end connector with automatic water shut-off 2 male hose end adapters 1 male faucet adapter 1 female faucet connector |
| | 29AQ | 0 34411 08293 5 | Hose End Connector Set | Easily connects hose to sprinkler, nozzle, or other hose end accessories | 1 female hose end connector with automatic water shut-off2 male hose end adapters |
| 100 | 2939Q | 0 34411 08295 9 | Complete Connector Starter Kit | Provides quick and easy connections to faucet, hose, and hose end accessories | 1 female hose end connector with water shut-off valve 2 male hose end adapters 1 female faucet connector 1 male faucet adapter |
| 1 | 29Q | 0 34411 08290 4 | Hose End Quick Connector Set | Easily connects hose to sprinkler, nozzle, or other hose end accessories | 1 female hose end connector with shut-off2 male hose end adapters |
| | 29QF | 0 34411 08291 1 | Female Hose End Shut-Off | Easily attaches hose to sprinkler, nozzle, or other hose end accessories | • 1 female hose end connector with built-in water shut-off valve |
| 11 | 29QM | 0 34411 08292 8 | Male Hose End Quick Connectors | Easily attaches to nozzle or sprinkler for quick connection to hose | •2 male hose end adapters |
| | 39Q | 0 34411 03925 0 | Faucet Connector Set | • Easily connects hose to faucet | 1 female faucet connector2 male faucet adapter |
| | 39QF | 0 34411 03926 7 | Female Faucet Connector | Attaches to hose for quick, easy connection to faucet | •1 female faucet connector |
| 4 | 39QM | 0 34411 03927 4 | Male Faucet Connector | • Easily threat onto faucet | •1 male faucet connector |



BRASS QUICK CONNECTORS

Gilmour heavy-duty connectors feature solid brass construction with comfortable rubber grips.

| IMAGE | ITEM | UPC | TYPE | PRODUCT FEATURES |
|-------|-------|--------------------|---------------------------------|---|
| | 09QCF | 0 34411 00092 2 | Brass Female Quick Connector | Push-pull ring to connect/disconnect hose and hose end attachments easily Allows the most water flow of any quick connector systems Use with 07V or 05V water shut-off valves for ON/OFF water flow control |
| | 09QCM | 0 34411 00091 5 | Brass Male Quick Connector | Allows the most water flow of any quick connector systems Easily attaches to nozzle or sprinkler for quick connection to hose |
| | 09QC | 0 34411 00009 0 | Brass Connector Set | 1 x 09QCF brass female quick connector 1x 09QCM male quick connector |



FULL FLOW SHUT-OFF VALVES

Get optimized performance from sprinklers and nozzles. Gilmour full flow shut-off valves allow for 45% more water flow than standard accessories. They feature large handles for easy grip, while easy swivel connectors assure accurate attachment to faucet.

| IMAGE | ITEM | UPC | ТҮРЕ | MATERIAL | NO. OF VALVES |
|-------------|--------|-----------------|---|---|---------------|
| | AS1FFM | 0 34411 20515 0 | Full Flow Metal Single Connector | Metal body with plastic shut-off | 1 |
| | AY2FFM | 0 34411 20516 7 | Full Flow Metal Dual Connector | Metal body with plastic shut-offs | 2 |
| | AT4FFM | 0 34411 20517 4 | Full Flow Metal Manifold Connector | Metal body with plastic shut-offs | 4 |
| | AS1FF | 0 34411 20522 8 | Full Flow Polymer Single Connector | Impact-resistant, rust- proof construction | 1 |
| A | AY2FF | 0 34411 20510 5 | Full Flow Polymer Dual Connector | Impact-resistant, rust- proof construction | 2 |
| TOTAL STATE | AY4FF | 0 34411 20524 2 | Full Flow Polymer Manifold Connector | Impact-resistant, rust- proof construction | 4 |



BRASS SHUT-OFF VALVES

Gilmour heavy-duty shut-off valves feature solid brass construction, large handles for easy grip, and swivel connectors for accurate attachment to faucet.

| IMAGE | ITEM | UPC | ТҮРЕ | MATERIAL | NO. OF VALVES | PRODUCT FEATURES |
|---------|-------|-----------------|---------------------------------------|-------------------------------|------------------|---|
| • | 03VHF | 0 34411 20703 1 | High Flow Brass Single Connector | Heavy-duty brass construction | 1 | High flow – 35% more flow for optimized performance from sprinklers and nozzles |
| | 13HF | 0 34411 20713 0 | High Flow Brass Dual Connector | Heavy-duty brass construction | 2 | High flow – 35% more flow for optimized performance from sprinklers and nozzles |
| | 43HF | 0 34411 20743 7 | High Flow Brass Manifold Connector | Heavy-duty brass construction | 4 | High flow – 35% more flow for optimized performance from sprinklers and nozzles |
| | 03V | 0 34411 00703 7 | Brass Single Connector | Heavy-duty brass construction | 1 | Withstands hot water temperatures |
| | 13 | 0 34411 00713 6 | Brass Dual Connector | Heavy-duty brass construction | 2 | Withstands hot water temperatures |
| War and | 44GF | 0 34411 21044 4 | Brass Manifold Connector | Heavy-duty brass construction | 4 | Withstands hot water temperatures |



METAL & POLY SHUT-OFF VALVES

Gilmour metal and polymer shut-off valves feature cap-type handles that resist breakage, while longer legs prevent hose kinks at faucet.

| IMAGE | ITEM | UPC | TYPE | MATERIAL | NO. OF VALVES | PRODUCT FEATURES |
|-------|------|--------------------|--|---|------------------|---|
| X | 17 | 0 34411 00017 5 | Polymer Dual Shut-Off Connector | Durable, rust-proof polymer construction | 2 | Cap type valve handles resist breakage Longer legs prevent hose kinks at faucet Full ball and retainer rings reduce leakage, even at low pressure Not recommended for hot water use |
| 人 | 15 | 0 34411 00015 1 | Metal Dual Shut-Off Connector | Rugged metal construction with plastic shut-offs | 2 | Cap type valve handles resist breakage; Longer legs prevent hose kinks at faucet; Full ball and retainer rings reduce leakage, even at low pressure |
| | 07V | 0 34411 00007 6 | Nylon Single Water Shut-Off Valve | Premium nylon construction for maximum strength and durability | 1 | Cap type valve handles resist breakage Not recommended for hot water use |
| • | 05V | 0 34411 00003 8 | Metal Single Water Shut-Off Valve | Rugged metal construction with plastic shut-off | 1 | Cap type valve handles resist breakage |
| | 08Y | 0 34411 00008 3 | Metal Dual Connector | Rugged metal construction with plastic cap | 2 | Longer legs at less angle reduce hose kinking Includes durable, impact-resistant, rust-proof polymer end cap for single hose use |
| | 16G | 0 34411 00016 8 | Metal Single Goose-Neck Hose Connector | Rugged die cast metal construction | 1 | Angles hose or accessories away from hose bib Swivel nut for easy connection |




HOSE END ACCESSORIES

Gilmour offers a wide variety of accessories to keep nozzles and sprinklers performing their best.

| IMAGE | ITEM | UPC | ТҮРЕ | CONTENT | PRODUCT FEATURES |
|------------|----------|--------------------|-----------------------------------|--|--|
| - | 0124WC | 0 34411 12124 5 | Hose Cap & Washer Kit | 4 Flexogen hose seals 10 rubber hose washers 4 filter washers 2 hose caps | Replacement washers fit most hoses, nozzles and sprinklers |
| 404 | 02FW | 0 34411 00002 1 | Hose Coupling Filter Washers | 3 per package | Molded-in metal screen Fits all hose couplings |
| QDO | 01ORS | 0 34411 00010 6 | Flexogen Hose Seals | 6 per package | Replacement seals for Flexogen [™] hose Fits most hex style female couplings Long life construction |
| @ O | 01RW | 0 34411 00018 2 | Rubber Hose Washers | 10 per package | Heavy-duty rubber construction |
| | 01CWBAG | 0 34411 00022 9 | Vinyl Hose Washers | 10 per package | Vinyl construction |
| 00 | 09QSRBAG | 0 34411 00098 4 | Seals for Brass Quick Couplers | 3 per package | • For 09QC series female connector • Heavy-duty rubber construction |
| | 05HCC | 0 34411 00500 2 | Brass Hose Cap | 2 per package | Heavy-duty solid brass hose cap Includes hose washer For use with any standard male hose end |
| | 04HCC | 0 34411 00040 3 | Polymer Hose Cap | 2 per package | Durable, rust-proof polymer construction For use with any standard male hose end Not for hot water use |
| | 011BBSP | 0 34411 11011 9 | BSP Male Adapter | Single package | Male threads and 3-stage slip-in male adapter Durable, rust-proof polymer construction |
| | 012BNHT | 0 34411 11012 6 | ASH Male Adapter | Single package | Male threads and 3-stage slip-in male adapter Durable, rust-proof polymer construction |
| | 013BBSP | 0 34411 11013 3 | BSP Female Adapter | Single package | Converts female American hose connection to female British Standard Pipe Thread connection Male ASH and female BSP nipple Vinyl hose washer Durable rust-proof polymer construction |





BACK SAVER SPRAYERS

Gilmour Back Saver sprayers feature easy pump design which allows for less bending than an average sprayer. The sprayers have built-in measuring cup with easy-to-read measurements. Built-in wand storage, extra tip holder and comfortable thumb control valve make the usage easy and convenient. All Back Saver sprayers come with 16 In. flexible wand with polymer adjustable tip.

| IMAGE | ITEM | UPC | OPERATING CAPACITY | MATERIAL | PRODUCT FEATURES |
|-------|------|-----------------|--------------------|----------|--|
| | GP1 | 0 34411 23306 1 | 1 gallon | Plastic | |
| | GP2 | 0 34411 23304 7 | 2 gallon | Plastic | Built-in measuring cup and wand storage Extra tip holder 16" flexible wand with polymer adjustable tip |
| | GP3 | 0 34411 23301 6 | 3 gallon | Plastic | |

UTILITY SPRAYERS

Gilmour utility sprayers can be used for a variety of needs such as weed control, pest control, and liquid fertilizing. The products feature a funnel top for easy fill and a manual pressure release valve for more control. Translucent plastic body allows for a convenient fluid level check.

| IMAGE | ITEM | UPC | ACTUAL CAPACITY | OPERATING CAPACITY | MATERIAL | PRODUCT FEATURES |
|-------|------|--------------------|--------------------|-----------------------|--|---|
| (| 1P | 0 34411 10551 1 | 1-1/4 gallon | 1 gallon | Translucent plastic to check fluid level | • 16" flexible wand with adjustable tip |
| | 2P | 0 34411 10555 9 | 2-1/4 gallon | 2 gallon | Translucent plastic to check fluid level | Manual pressure release valve |



PREMIUM SPRAYERS

Gilmour Premium sprayers offer a durable design with numerous feature upgrades compared to standard sprayers such as ultraviolet resistant polyethylene tank and a heavy-duty 18 ln. rotating brass wand with adjustable brass nozzle.

| IMAGE | ITEM | UPC | ACTUAL CAPACITY | OPERATING CAPACITY | PRODUCT FEATURES |
|------------|-------|--------------------|--------------------|-----------------------|---|
| Citeraisis | 1000P | | 1-1/2 gallon | 1 gallon | Ultraviolet resistant, translucent polyethylene tank |
| Glincol | 2000P | 0 34411 11200 7 | 2-1/2 gallon | 2 gallon | Extra-wide 3-1/4" mouth opening for easy fill and cleaning Manual and automatic pressure relief valve Fast pressurizing, 10" polymer pump Replaceable pump cup Polymer discharge valve with comfort grip Chemical resistant Viton* seals in discharge valve and tip Extra long 52" premium PVC hose |
| | 3000P | 0 34411 11300 4 | 3-1/2 gallon | 3 gallon | Wand storage clips on pump handle and carrying handle |

*Viton or generic equivalent used.

MULTI-PURPOSE SPRAYERS

| IMAGE | ITEM | UPC | ACTUAL CAPACITY | OPERATING CAPACITY | PRODUCT FEATURES |
|---------|------|--------------------|--------------------|-----------------------|---|
| | 101P | 0 34411 10101 8 | 1-1/3 gallon | 1 gallon | Ultraviolet resistant, translucent polyethylene tank Extra-wide 3-1/4" mouth opening for easy fill and cleaning |
| Glimad | 201P | 0 34411 10201 5 | 2 gallon | 1-1/2 gallon | Automatic and manual pressure relief valve Fast pressurizing, 10" polymer pump Replaceable pump cup Polymer discharge valve with comfort grip Chemical resistant Viton* seals in discharge valve and tip Flexible 16" rotating polymer wand with adjustable polymer nozzle |
| Ginelal | 301P | 0 34411 10301 2 | 3 gallon | 2-1/2 gallon | 33" premium PVC hose Wand storage clip on locking "D" type pump handle |
| | | | | | *Viton or generic equivalent used |

*Viton or generic equivalent used.



SPECIALTY SPRAYERS

Built with the highest quality materials, Gilmour Back Pack and Wheel Pump sprayers are ideal for those jobs requiring extended spraying time.

| IMAGE | ITEM | UPC | TYPE | CAPACITY | PRODUCT FEATURES |
|---------|------|--------------------|--------------------------|------------|--|
| Gilmour | BP4 | 0 34411 00274 2 | Back Pack Sprayer | 4.5 gallon | 4-1/4" wide mouth opening with filter Screen External pressure control valve for easy adjustment Fast pressurizing polymer piston pump with adjustable pump seal and built-in filter screen can easily be serviced in field No tools required Pump handle easily adjusts for right or left hand or to any angle Viton* seals in pump, discharge valve and pressure control valve 56" reinforced PVC hose Molded contour frame with lumbar support Storage compartment on service panel for extra spray tips Built-in carry handle No assembly required Flexible polymer wand telescopes from 16" to 30" Fixed fan spray tip and adjustable cone to stream tip Extra-wide, adjustable padded shoulder straps |
| | W4 | 0 34411 20014 8 | Wheel Pump Sprayer | 4 gallon | Pressurizes as you walk or roll it back and forth Easier to handle, wheels carry the weight Ultraviolet resistant, translucent tank Built-in automatic pressure relief valve Extra-wide 4-1/4" mouth opening for easy fill and cleaning Polymer discharge valve with comfort grip Flexible 16" rotating polymer wand with adjustable polymer nozzle 72" premium PVC hose Wand and hose storage on handle |

*Viton or generic equivalent used.



COMMERCIAL SPRAYERS

Ideal for medium to heavy-duty use, Gilmour Commercial sprayers work well with concentrates and a wide range of chemicals.

| IMAGE | ITEM | UPC | ACTUAL CAPACITY | OPERATING CAPACITY | PRODUCT FEATURES |
|---------|---------|--------------------|--------------------|-----------------------|--|
| Gilmoit | 100HDPI | 0 34411 16100 5 | 1-1/2 gallon | 1 gallon | Durable polymer tanks Rigid thermoplastic polymer tank Extra-wide 3-1/4" mouth opening Fast pressurizing, 10" polymer pump Discharge valve Automatic and manual pressure relief valve |
| | 300HDPI | 0 34411 16300 9 | 3-1/2 gallon | 3 gallon | 42" reinforced polyethylene-lined hose Flexible 16" polymer wand for easy spraying Hose spring to prevent kinks at tank In-line filter prevents clogs in spray tip Polymer adjustable and fixed fan spray tips Pivoting external carry handle for easy pouring and carrying 300 HDPI model features convenient carry strap |



COMMERCIAL HOSE END SPRAYERS

Ideal for cleaning, degreasing or disinfecting when a foam is desired to increase surface contact time.

| IMAGE | ITEM | UPC | TYPE | SPRAYING RATIO | PRODUCT FEATURES | |
|--------|---------|--------------------|------------------------------|--|---|--|
| | 73QG2 | 0 34411 16073 2 | Heavy-Duty Wash Gun | 2 oz. per gallon | Water pressure operated hose end sprayer Accurately mixes cleaners with water while spraying at a pre-set 2 oz. per gallon ratio Adjustable fan deflector for covering large areas, removable for a solid stream up to 30 ft. | |
| | 75QGF4 | 0 34411 16075 6 | Foamaster Cleaning Gun | 4 oz. per gallon | Accurately mixes and sprays foaming chemicals Foaming attachment provides fan spray, solid | |
| | 75QGFMR | 0 34411 16751 9 | Foamaster Cleaning Gun | Adjustable to 1, 2, 4, 6, or 12 oz. per gallon | stream without attachment | |
| | 95QGF4 | 0 34411 19502 4 | Foamaster II Cleaning Gun | 4 oz. per gallon | Chemical resistance Accurately mixes and sprays foaming chemicals | |
| THAY D | 95QGFMR | 0 34411 19503 1 | Foamaster II Cleaning Gun | Adjustable multi-ratio dial | Fan spray deflector included Quick-set dial selects mixing ratio or mixing off setting | |



HOSE END SPRAYERS

Gilmour hand-held hose end sprayers spray the right amount of material to help protect and control lawn and garden problems the right and most efficient way.

| IMAGE | ITEM | UPC | TYPE | PRODUCT FEATURES |
|--|------|--------------------|---|--|
| | 362 | 0 34411 00362 6 | Professional No Pre-Mix Sprayer | Set metering dial for required dilution, concentrate and water will automatically be mixed at set rate – up to 100 gallons Metering dial selects from 16 mixing ratios - 1 teaspoon up to 10 tablespoons Operates on water pressures ranging from 40 PSI to 60 PSI Built-in anti-siphon device prevents back flow Remove the deflector for solid stream coverage up to 30 ft. |
| 4.1 | 499 | 0 34411 00499 9 | No Pre-Mix Sprayer with Spray Pattern Dial | Mixing dial eliminates confusion – each setting shown in teaspoons, tablespoons and ounces per gallon 12 specially selected mixture settings meet the needs of most popular garden treatments – 1-1/2 tsp./gal. to 8 oz./gal. Four pattern spray dial selects patterns for lawn, shrub, tree and garden applications Built-in anti-siphon device prevents back flow |
| | 486 | 0 34411 00486 9 | No Pre-Mix Sprayer | Set metering dial for required dilution; concentrate and water will automatically be mixed at set rate – up to 132 gallons Metering dial easily adjusts up to 11 dilution rates, from 1 to 21 teaspoons Built-in anti-siphon device prevents back flow Fan spray attachment for large areas Gentle spray attachment included for spraying herbicides Sprays solid stream up to 25 ft. |
| The state of the s | 405 | 0 34411 00405 0 | Fertilizing Feeder | Very accurate mixing of water soluble plant food Dial control for 4 different spray patterns Large capacity bottle holds up to one pound of water soluble fertilizer Thumb control on/off |
| | 390 | 0 34411 00390 9 | Lawn Sprayer | Up to 20 gallons of finished spray Continuous siphoning at fixed rate (1-1/2 oz. per gal.) Fan spray for quick coverage of large areas Sprays a solid stream up to 30 ft. Fingertip on/off control Durable, chemical resistant, polymer construction |
| | 385 | 0 34411 00385 5 | Insecticide Sprayer | Up to 6 gallons of finished spray Continuous siphoning at fixed rate (5 oz. per gal.) Fan spray for quick coverage of large areas Sprays a solid stream up to 30 ft. Fingertip on/off control Durable, chemical resistant, polymer construction |



HOSE END / SPECIALTY SPRAYERS

| IMAGE | ITEM | UPC | TYPE | CAPACITY | PRODUCT FEATURES |
|-----------------------------|------|--------------------|----------------------------|--|---|
| Gilmout | 050P | 0 34411 11061 4 | Hand Sprayer | 1/2 gallon actual 1/3 gallon operating | Ultraviolet resistant, translucent polyethylene tank Extra-wide 3-1/4" mouth opening for easy fill and cleaning Convenient thumb lever spray control Fast pressurizing, 7" non-corroding polymer pump Polymer discharge valve 2" rotating polymer wand with adjustable polymer nozzle Spray wand interchanges with longer Gilmour Spray Doc wands for greater reach |
| Gilmour | 030P | 0 34411 51030 8 | Hand Sprayer | 1-1/2 quart operating | Nozzle rotates for directional control Automatic pressure relief valve Convenient thumb lever spray control Wide mouth for easy fill and cleaning |
| S Distriction of the second | 046Q | 0 34411 00461 6 | Hand Trigger Sprayer | 1 quart | Nozzle adjusts for fine mist to solid stream spray Durable, rust-proof polymer construction Quart size, multi-purpose trigger sprayer |
| | 046P | 0 34411 00046 5 | Hand Trigger Sprayer | 1 pint | Nozzle adjusts for fine mist to solid stream spray Durable, rust-proof polymer construction Pint size, multi-purpose trigger sprayer |
| | D1 | 0 34411 41100 1 | Duster | Up to 1 lb. of dust | Will not dent or corrode Better reach with extra long tube with deflector Fast working, large diameter pump Extra large opening for easy fill and cleaning |




REPLACEMENT PARTS

Gilmour provides an extensive range of sprayer parts and accessories to easily replace or repair worn-out parts.

| IMAGE | | ITEM | UPC | TYP | E | | CONTENT | | |
|-------|------|--------------------|-------------------------------------|-----------|-----------|------|--|--|--|
| | | RPA10 | 0 34411 Service 14100 7 Displ | | | | | 10 10 5 5 10 10 10 5 5 | |
| IMAGE | ITEM | UPC | TYP | E | MATE | RIAL | PRODUCT FEATURES | | |
| | R10C | 0 34411 14010 9 | Brass N Replacem | | Met | al | For all Gilmour Spray-Doc sprayers | | |
| © | R11C | 0 34411 14017 8 | Pump Repair Kit | | | | For all Gilmour Spray-Doc sprayers | | |
| | R14C | 0 34411 14014 7 | Brass Wand Replacement | | Metal | | For all Gilmour Spray-Doc sprayers | | |
| | R15C | 0 34411 14015 4 | Polymer Wand Replacement | | | | For all Gilmour Spray-Doc sprayers | | |
| | R16C | 0 34411 14016 1 | Polymer Nozzle Replacement Tip | | | | For all Gilmour Spray-Doc sprayers | | |
| 6 | R17C | 0 34411 14017 8 | Brass Fan S | Spray Tip | Tip Metal | | For all Gilmour Spray-Doc sprayers | | |
| 90 | R30C | 0 34411 14030 7 | Complete Ma Kit | | | | For all Gilmour Spray-Doc sprayers | | |
| 0 | R51C | 0 34411 14030 7 | Hose and Clam | | | | • For all Gilmour Spray-Doc sprayers | | |
| W/s | R58C | 0 34411 14058 1 | Discharge Replacem | | | | For all Gilmour Spray-Doc sprayers | | |
| 000 | R66C | 0 34411 14066 6 | Pressure Relief Valve Repair Kit | | | | For all Gilmour Spray-Doc sprayers | | |
| \ | R12C | 0 34411 14013 0 | Telescoping Wan | Sprayer | | | Provides reach for spraying trees, hanging baskets Telescopes from 16" to 30" Adjustable polymer tip Flat spray tip and foaming options also available For use with any Gilmour Spray Doc chemical resistant polymer discharge valve | | |





HAND PRUNERS

Gilmour hand pruners are the right choice for multiple gardening activities. Hand pruners with a bypass blade design are ideal for new growth or green wood, providing a close clean cut. Anvil blade design features a flat surface, distributing the cutting force and keeping blade from twisting. It works best on dry, hard-to-cut wood. Gilmour hand pruners are constructed with premium steel for lasting quality, while being lightweight for handling comfort.

| IMAGE | ITEM | UPC | TYPE | CUTTING CAPACITY | OVERALL LENGTH | MATERIAL | PRODUCT FEATURES |
|-----------|-------|--------------------|--|---------------------|------------------------|--|--|
| | 924 | 0 43063 00924 5 | Sure Cut Bypass Pruner | 3/4 ln. | 8-1/2 ln. | Coated steel blade Comfort grip over-mold | Premium, precision ground steel blade with Super Slick Plus coating for exceptionally smooth, easy cutting Heavy-duty steel components Locking handles for safety Ideal for new/green branches |
| | 919 | 0 43063 00919 1 | Sure Cut Anvil Pruner | 3/4 ln. | 8-1/2 ln. | Coated steel blade Comfort grip over-mold | Premium, precision ground steel blade with Super Slick Plus coating for exceptionally smooth, easy cutting Heavy-duty steel components Locking handles for safety Ideal for dry/hard branches |
| 9 | 910 | 0 43063 00910 8 | Garden Scissors | N/A | 9 In. (3 In. blade) | Stainless steel blade Comfort grip over-mold | Multi-purpose garden tool Blade notch for larger stems Internal spring for easier, more comfortable cutting Locking handles for safety |
| ** | 2010A | 0 43063 02010 3 | Trim EZ Anvil Pruner | 1/2 ln. | 7 ln. | Coated steel blade TPR over-mold grip | Angled, lighter weight handle reduces hand fatigue Slip resistant, shock absorbing grips Ideal for dry/hard branches |
| | 2020B | 0 43063 02020 2 | Trim EZ Bypass Pruner | 1/2 ln. | 7 ln. | Coated steel blade TPR over-mold grip | Angled, lighter weight handle reduces hand fatigue Slip resistant, shock absorbing grips Ideal for new/green growth |
| | 2030 | 0 43063 71344 9 | Trim EZ Plant & Flower Shears | N/A | 7-1/2 ln. | Coated steel blade TPR over-mold grip | Angled, lighter weight handle reduces hand fatigue Slip resistant, shock absorbing grips |
| | 123 | 0 43063 71326 5 | Commercial Bypass Hand Pruner | 3/4 In. | 8-1/2 ln. | Ground steel blade Cast aluminum handles with vinyl coated grip | Adjustable tensionHeavy-duty external springIdeal for new/green branches |
| | 128 | 0 43063 71321 0 | Commercial Bypass Hand Pruner | 5/8 in. | 8 ln. | Forged steel body and bladesVinyl coated grip | Adjustable tensionDual sided safety catchIdeal for new/green growth |



HAND PRUNERS

| IMAGE | ITEM | UPC | TYPE | CUTTING CAPACITY | OVERALL LENGTH | MATERIAL | PRODUCT FEATURES |
|--------|------|--------------------|--------------------------------|---------------------|-------------------|--|---|
| | 124T | 0 43063 71328 9 | Large Bypass Pruner | 3/4 ln. | 8-1/2 ln. | Coated steel blade Heavy-duty steel body Cushioned TPR overmold grips | Dual sided safety catch Sap groove prevents sticky build-up on blade Ideal for new/green growth |
| | 19T | 0 43063 71213 8 | Traditional Anvil Pruner | 3/4 ln. | 8 ln. | Coated steel bladeHeavy-duty steel bodyCushioned TPR over-mold grips | Replaceable brass anvil Replacement parts kit available (model no. K119) Ideal for dry/hard branches |
| | 17T | 0 43063 12117 6 | Ratchet Anvil Pruner | 1/2 ln. | 8 ln. | Coated steel blade Molded plastic grip | Ratchet action requires less hand strength for cutting Ideal for dry/hard branches |
| | 18T | 0 43063 71215 2 | Mid-Size Anvil Pruner | 1/2 ln. | 6-1/2 ln. | Coated steel blade Heavy-duty steel body Cushioned TPR over-mold grips | Replaceable brass anvil Ideal for dry/hard branches |
| | 16A | 0 43063 71218 3 | Basic Anvil Pruner | 1/2 ln. | 7 ln. | Coated steel blade Molded plastic grip | Dual sided safety catch Adjustable tension Convenient hanging hole for storage Ideal for dry/hard branches |
| | 126B | 0 43063 71324 1 | Basic Bypass Pruner | 1/2 ln. | 7 ln. | Coated steel blade Molded plastic grip | Dual sided safety catch Adjustable tension Convenient hanging hole for storage Ideal for new/green growth |
| Cannon | K119 | 0 43063 71881 9 | Repair Parts Kit | 3/4 ln. | N/A | Coated steel | Repair kit for model 19T |



LOPPERS

Gilmour premium precision ground blades stay sharp and resist rust providing smooth easy cuts on tree branches. Comfort grip handles provide an easier, non-slip grip while cutting at awkward angles.

| IMAGE | ITEM | UPC | TYPE | CUTTING CAPACITY | OVERALL LENGTH | MATERIAL | PRODUCT FEATURES |
|-------|-------|--------------------|--------------------------------------|---------------------|-------------------------|---|---|
| | 2070B | 0 43063 02072 1 | Gear Max Folding Lopper | 1-5/8 ln. | 19-1/2 ln. | Coated steel blade Durable glass-filled nylon and metal handles with comfort grip over-mold to absorb shock | Premium, precision ground steel blade with Super Slick Plus coating for exceptionally smooth, easy cutting Folds for safe, compact storage Lighter weight reduces fatigue with extended use Ideal for new/green growth |
| 8 | 955 | 0 43063 00955 9 | Gear Max Heavy Duty Lopper | 2 ln. | 30-1/2 ln. | Coated steel blade Oval aluminum handles with comfort grip over-mold to absorb shock | Premium, precision ground steel blade with Super Slick Plus coating for exceptionally smooth, easy cutting Lighter weight reduces fatigue with extended use Ideal for new/green growth |
| | 25AT | 0 43063 72121 5 | Telescoping Gear Driven Anvil | 1-1/4 ln. | Telescopes up to 37 ln. | Coated steel blade Oval aluminum handles with comfort grip over-mold | Gear driven action for triple cutting power Reversible and replaceable brass anvil for lasting performance Ideal for dry/hard branches |
| | 65T | 0 43063 72129 1 | Telescoping Gear Driven Bypass | 1-1/4 ln. | Telescopes up to 37 In. | Coated steel blade Oval aluminum handles with comfort grip over-mold | Gear driven action for triple cutting power Ideal for new/green growth |



LOPPERS

| IMAGE | ITEM | UPC | TYPE | CUTTING CAPACITY | OVERALL LENGTH | MATERIAL | PRODUCT FEATURES |
|-------|------|--------------------|-----------------------|---------------------|-------------------------|--|--|
| | 155 | 0 43063 72436 0 | Basic Bypass | 1-1/4 ln. | 27 ln. | Coated steel blade Wooden handles with cushioned grips | Shock absorbing bumpers Sap groove to prevent sticky build-up Ideal for new/green growth |
| | 1149 | 0 43063 72311 0 | Telescoping Anvil | 1-1/4 ln. | Telescopes up to 37 In. | Coated steel blade Oval steel handles with comfort grip over-mold | Replaceable anvil Ideal for dry/hard branches |
| | 1155 | 0 43063 72432 2 | Telescoping Bypass | 1-1/4 ln. | Telescopes up to 38 ln. | Coated steel blade Oval steel handles with comfort grip over-mold | Shock absorbing bumpers Sap groove to prevent sticky build-up Ideal for new/green growth |
| | 49 | 0 43063 72513 8 | Basic Anvil | 1-1/4 ln. | 27 ln. | Coated steel blade Oval steel handles with comfort grip over-mold | Replaceable anvil Ideal for dry/hard branches |
| | 45 | 0 43063 72512 1 | Basic Bypass | 1-1/4 ln. | 28 ln. | Coated steel blade Oval steel handles with comfort grip over-mold | Sap groove to prevent sticky build-up Ideal for new/green growth |



HEDGE & GRASS SHEARS

Innovative features and designs are at heart of Gilmour Snap-Cut grass shears. In 1964 Snap-Cut introduced the first vertical blade grass shear. This innovative design allows a vertical blade to sweep across the bed knife blade for an efficient slice-cut action. In addition, Gilmour Snap-Cut grass shears feature automatic blade tension for precise and clean cutting.

| IMAGE | ITEM | UPC | TYPE | BLADE LENGTH | OVERALL LENGTH | MATERIAL | PRODUCT FEATURES |
|-------|-------|--------------------|--|-----------------|-------------------------|--|---|
| === | 938 | 0 43063 00938 2 | Hedge Shears | 10 ln. | 23 ln. | Stainless steel blades Oval aluminum handles with comfort grip over-mold | Blade notch for larger branches Angled handles increase comfort and performance Shock absorbing bumpers for easier use Lighter weight reduces fatigue with extended use |
| >- | 354-9 | 0 43063 74111 4 | Telescoping All Purpose | 9 ln. | Telescopes up to 31 In. | Coated steel blade Aluminum handles with comfort grip over-mold | Shock absorbing bumpers Serrated and notched bottom blade Coated top blade |
| | 8 | 0 43063 74521 1 | Basic Hedge Shears | 8 ln. | 21 ln. | Coated steel blades Steel handles with comfort grip over-mold | Precision ground blade |
| 700 | 707T | 0 43063 73212 9 | 5" Traditional Snap-Cut Grass Shears | 5 ln. | 13 ln. | Coated steel blades Vinyl grip | Edge hardened blades with nonstick coated blades Self -adjusting blade tension Blades rotate 45° and 90° |
| | 727 | 0 43063 73214 3 | 5" Lightweight Snap-Cut Grass Shears | 5 ln. | 12 ln. | Hardened and tempered steel blades with non-stick coating | Hardened and tempered steel blades with nonstick coated blades Self-adjusting blade tension Unique sweeping blade prevents clogging |

REEL MOWER

Precision cutting isn't limited to hand shears and loppers. Reel mowers provide a crisp, clean cut with a slicing action. They are environmentally friendly and ideal for small yards. The Gilmour reel mower offers premium features and adjustments that will provide exceptional results.

| IMAGE | ITEM | UPC | TYPE | MOWING WIDTH | PRODUCT FEATURES |
|-------|------|--------------------|------------|-----------------|---|
| | RM30 | 0 34411 12230 3 | Reel Mower | 20" | Self sharpening 5 blade reel with ball bearings for smooth cutting Adjustable bed knife - height adjusts from 1 to 3 inches easily Extra wide shrub/blade guard for safety Dual wheel design is more stable and tracks evenly,10" front wheels - cleated to reduce slippage Large loop handle with comfort grip Grass catcher included |



HOMEOWNER SAWS

Gilmour durable and lightweight hand saws are ideal for brushing and pruning. The hardened and tempered blade makes cutting through large branches easy season after season.

| IMAGE | ITEM | UPC | TYPE | BLADE | PRODUCT FEATURES |
|-----------|------|--------------------|--------------------------|---|---|
| | 521 | 0 43063 76451 9 | 21" Bow Saw | Hardened and tempered raker tooth blade for fast cuts and long life | |
| | 524 | 0 43063 76453 3 | 24" Bow Saw | Hardened and tempered raker tooth blade for fast cuts and long life | Strong tubular steel frame with rounded handle for comfort Open throated bow for extra blade clearance to cut larger |
| | 530 | 0 43063 76455 7 | 30" Bow Saw | Hardened and tempered raker tooth blade for fast cuts and long life | branches • Tension lever to ensure a tight blade for accurate cutting • Easy blade replacement |
| | 536 | 0 43063 76457 1 | 36" Bow Saw | Hardened and tempered raker tooth blade for fast cuts and long life | |
| | 521B | 0 43063 76831 9 | 21" Replacement Blade | Hardened and tempered raker tooth blade for fast cuts and long life; easy replacement | N/A |
| | 524B | 0 43063 76833 3 | 24" Replacement Blade | Hardened and tempered raker tooth blade for fast cuts and long life; easy replacement | N/A |
| | 530B | 0 43063 76835 7 | 30" Replacement Blade | Hardened and tempered raker tooth blade for fast cuts and long life; easy replacement | N/A |
| | 536B | 0 43063 76836 4 | 36" Replacement Blade | Hardened and tempered raker tooth blade for fast cuts and long life; easy replacement | N/A |
| 30 | 318 | 0 43063 76212 6 | Double Edge Saw | 18" double edged steel blade with 8 point for fine cutting plus 5-1/2 point for large limbs | Durable hard wood handle;Sharp, deep-set teeth |
| | 570 | 0 43063 76129 7 | Curved Saw | 16" curved lacquered steel blade | Durable hard wood handle |
| | 618 | 0 43063 12618 8 | Dual Action Saw | 18" blade | Comfort grip handle;Storage pouch included |
| | 610 | 0 43063 76122 8 | Folding Saw | 10" folding blade | Plastic handle Cuts on the push and pull stroke |



HOMEOWNER TREE PRUNERS

Gilmour offers a variety of pruners to suit majority of consumers' needs. Flexible, adjustable and durable, Gilmour tree pruners are made to last.

| IMAGE | ITEM | UPC | TYPE | BLADE LENGTH | POLE | CUTTING CAPACITY | MATERIAL | PRODUCT FEATURES |
|--|--------|--------------------|----------------------------------|--|--|---------------------|--|---|
| The state of the s | 418TCS | 0 43063 75318 6 | Gear Driven Tree Pruner | 16" curved saw blade | Fiberglass poles telescopes from 6 to 18 Ft. | 1-1/4" | Heavy-duty solid steel head Hardened and tempered steel lopper blade | Gear driven action and dual pulley system TRIPLES cutting power Poles securely lock with convenient thumb screw 13'6" solid braid polyester cord Clam shell packaging |
| No. of the last of | 312TCS | 0 43063 75113 7 | Gear Driven Tree Pruner | 16" curved saw blade | Fiberglass poles telescopes from 6 to 12 Ft. | 1-1/4" | Heavy-duty solid steel head Hardened and tempered steel lopper blade | Gear driven action and dual pulley system TRIPLES cutting power Poles securely lock with convenient thumb screw 13'6" solid braid polyester cord Clam shell packaging |
| X | 333SW | 0 43063 75214 1 | Tree Pruner | 16" curved saw blade with non- stick coating | Fiberglass poles telescopes from 6 to 12 Ft. | 1" | Heavy-duty solid steel head | Dual-power dual pulley system increases cutting power 13'6" solid braid polyester cord Clam shell packaging |
| 1 | 507 | 0 43063 76837 1 | Tree Pruner Head Only | 16" | N/A | N/A | Heavy-duty cast aluminum head | • 16" curved saw blade with nonstick coating |
| | 502 | 0 43063 75833 4 | Replace- ment Saw Blade | 16" | N/A | N/A | • 16" replacement blade with nonstick coating | • For 507 and 570 pruning saw and Vermont American tree pruners |
| | 2011B | 0 43063 75831 0 | Replace- ment Saw Blade | 16" | N/A | N/A | • 16" replacement blade with nonstick coating | • For 418TCS, 312TCS and 333SW tree pruners |



COMMERCIAL TREE PRUNERS

| IMAGE | ITEM | UPC | TYPE | BLADE | POLE | CUTTING CAPACITY | MATERIAL | PRODUCT FEATURES |
|-------|-------|--------------------|------------------------------------|----------------------------------|---|---------------------|--|--|
| - | 20-18 | 0 43063 77611 6 | Commercial Pole Saw | 16" curved saw blade | Three 6' by 1-1/4" dia. Fiberglass poles | N/A | Durable cast aluminum saw head | Hook for pulling down cut branches Paint brush holder |
| to ! | 11-18 | 0 43063 77411 2 | Commercial Tree Pruner | Chain operated | Three 6' by 1-1/4" dia. Fiberglass poles | 1" dia. | Malleable iron casting with center cut action | Chain-operated pruner head Operating rope included |
| | 11 | 0 43063 77413 6 | Commercial Pruner Head | Chain operated | N/A | 1" dia. | Malleable iron casting with center cut action | Chain-operated pruner head For use with 1-1/4" dia. poles (models 102 and 103 or 3FG and 106FG) |
| 1 | 20 | 0 43063 77613 0 | Commercial Saw Head | 16" with non-stick coating | N/A | N/A | Cast aluminum saw head | Hook for pulling down cut branches For use with 1-1/4" dia. poles (models 102 and 103); paint brush holder |
| X | 2011 | 0 43063 77811 0 | Commercial Pruner Head & Saw | 16" with non-stick coating | N/A | 1" dia. | Consists of model no. 11 head and model no. 2011B saw blade with nonstick coating | Combination pruner + saw For use with 1-1/4" dia. poles (models102 and 103) |
| | 20B | 0 43063 77616 1 | Replacement Saw Blade | 16" | N/A | N/A | Cast aluminum | Replacement blade for model no. 20 head |
| | 2011B | 0 43063 75831 0 | Replacement Saw Blade | 16" | N/A | N/A | Steel with nonstick coating | Replacement blade for model no. 2011 head |
| | 102 | 0 43063 77415 0 | Head Extension Pole | N/A | 5-3/4' by 1-1/4" dia. | N/A | Fiberglass head section pole | For use with models11, 20, or 2011 heads Includes snap connectors for extension poles |
| | 103 | 0 43063 77417 4 | Extension Pole | N/A | 6' by 1-1/4" dia. | N/A | Fiberglass head section pole | For use with models 102,103, or 3FG Includes snap connectors – both ends for head poles and other extension poles |
| 1 | 3FG | 0 43063 77845 5 | Pole Adapter | N/A | 5-3/8" | N/A | Adapter to mount head to pole | For use with models 11, 20, or 2011 heads Connects to models 103 or 106FG poles |



PROFESSIONAL SAWS

Gilmour professional hand saws are ideal for cutting small to medium branches. The straight blades are best for horizontal cuts, while the curved blades perform the best at vertical cuts close to tree collar. Made with premium steel, Gilmour professional saws are extremely durable, while a well-designed grip makes them comfortable and easy to handle.

| IMAGE | ITEM | UPC | TYPE | BLADE | HANDLE | PRODUCT FEATURES |
|-------|------|--------------------|------------------|---|---------------------|---|
| | 624 | 0 43063 78523 1 | 24" Curved Blade | 24" steel blade with 4-1/2 points per inch | Durable hardwood | Sharp deep-set teethCuts on pull strokeLarge branches |
| | 1826 | 0 43063 78531 6 | 24" Straight Saw | 24" steel blade | Durable hardwood | Triple edge saw tooth design cuts fast and easy Cuts on the push & pull stroke Large branches |
| 0 | 620 | 0 43063 78527 9 | 20" Curved Blade | 20" steel blade with 4-1/2 points per inch | Durable hardwood | Sharp deep-set teethCuts on pull strokeMedium branches |
| | 514S | 0 43063 78643 6 | 14" Curved Blade | 14" steel blade with 8 points per inch | Durable hardwood | Sharp deep-set teethCuts on pull strokeSmall branches |



Headquarters

Robert Bosch Tool Corp. One Sprinkler Lane Peoria, IL 61615 (309) 690-2200 (800) 635-7668 Fax: (309) 693-0363

Customer Service

(800) 458-0107

Fax/Orders: (800) 682-0002 Parts: (800) 852-2723

Canadian office

Robert Bosch Tool Corp. 6975 Creditview Rd., Unit #3 Mississauga, Ontario Canada L5N 8E9 (800) 363-6332 (905) 567-0044

Fax: (800) 565-0487 Fax: (905) 826-4572

EDI capable

Contact us for full information: (800) 458-0107

www.gilmour.com



www.facebook.com/GilmourGardenAndWatering



www.twitter.com/GilmourGarden



www.pinterest.com/gilmourgarden

© Robert Bosch Tool Corp., 2012

