

ABBOTT RUBBER

CATALOG AG-4



ABBOTT RUBBER COMPANY, INC

# ABBOTT RUBBER COMPANY, INC.

AGRICULTURAL HOSE AND ACCESSORIES

**UDP** *ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS*



**1700 NICHOLAS BLVD. ELK GROVE VILLAGE, IL 60007**  
**(847) 952-1800 (800) 852-1855 FAX (847) 952-0156**  
**E-MAIL [sales@abbottrubber.com](mailto:sales@abbottrubber.com) WEBSITE [www.abbottrubber.com](http://www.abbottrubber.com)**

<b>Item</b>	<b>Page</b>
PVC Water Suction/Transfer Hose & Assemblies	3
EPDM Rubber/Plastic Fertilizer Solution Hose	3
EPDM Rubber Fertilizer Solution Hose	4
PVC Discharge Hose & Assemblies	4
Heavy-Duty PVC Pump Discharge Hose	5
Water Pump Transfer Hose Kits	5
EVA Applicator Tubing	6
Clear PVC Vinyl Tubing	6
EPDM Agricultural Spray Hose	7
Farm Fuel Transfer Hose Assemblies	7
Air Tool Hose Assemblies	8
600/800# PVC Agricultural Spray Hose	8
Hydraulic Hose Assemblies	9
Agricultural Hose Couplings	10
Agricultural Hose Accessories	11


## PVC WATER SUCTION/TRANSFER HOSE

General purpose water suction and transfer hose. Will handle full vacuum.

### PVC Water Suction/Transfer Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1241-1000	708289302982	1"	80#	100 Ft.
1240-1250	708289273886	1-1/4"	70#	100 Ft.
1240-1500	708289017701	1-1/2"	70#	100 Ft.
1240-2000	708289017800	2"	65#	100 Ft.
1240-3000	708289273985	3"	55#	100 Ft.
1240-4000	708289274081	4"	50#	100 Ft.

Also available in clear construction  
Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.



### PVC Water Suction/Transfer Hose Assemblies

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1241-1000-10	708289420402	1"	10 Ft.	Male & Female
1240-1500-20	708289003704	1-1/2"	20 Ft.	Male & Female
1240-2000-20	708289003803	2"	20 Ft.	Male & Female
1240-3000-20	708289268080	3"	20 Ft.	Male & Female
1240-4000-20	708289274289	4"	20 Ft.	Male & Female

Also available in clear construction  
Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.




## EPDM RUBBER/PLASTIC FERTILIZER SOLUTION HOSE

General purpose water and fertilizer solution transfer hose. Will handle full vacuum.

### EPDM Rubber/Plastic Fertilizer Solution Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1220-1000	708289274388	1"	50#	100 Ft.
1220-1250	708289015608	1-1/4"	50#	100 Ft.
1220-1500	708289015707	1-1/2"	50#	100 Ft.
1220-2000	708289015806	2"	50#	100 Ft.
1220-3000	708289274487	3"	45#	100 Ft.
1220-4000	708289274586	4"	40#	100 Ft.

Temperature Range: -40°F to 140°F  
Do Not Use with Petroleum Based Products.



## EPDM RUBBER FERTILIZER SOLUTION HOSE




Heavy duty fertilizer or water suction/transfer hose. Will handle agricultural chemicals including Lasso®. Rated for full vacuum.

### EPDM Rubber Fertilizer Solution Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1210-1250	708289274685	1-1/4"	125#	100 Ft.
1210-1500	708289274784	1-1/2"	125#	100 Ft.
1210-2000	708289274883	2"	125#	100 Ft.
1210-3000	708289274982	3"	100#	100 Ft.
1210-4000	708289275088	4"	75#	100 Ft.

Temperature Range: -20°F to 180°F  
Do Not Use with Petroleum Based Products.

## PVC PUMP DISCHARGE HOSE



General purpose reinforced PVC lay-flat water hose designed for open end discharge service.

### PVC Pump Discharge Hose - Packaged

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1147-1000-100	708289295581	1"	70#	100 Ft.
1147-1500-100	708289013109	1-1/2"	65#	100 Ft.
1147-2000-100	708289013208	2"	65#	100 Ft.
1147-3000-100	708289295680	3"	60#	100 Ft.
1147-4000-100	708289295789	4"	50#	100 Ft.

Temperature Range: -10°F to 150°F  
Do Not Use with Petroleum Based Products.

### PVC Pump Discharge Hose Assemblies - Packaged



PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1147-1000-25	708289420501	1"	25 Ft	Male & Female
1147-1500-25	708289001304	1-1/2"	25 Ft.	Male & Female
1147-1500-50	708289275583	1-1/2"	50 Ft.	Male & Female
1147-2000-25	708289001502	2"	25 Ft.	Male & Female
1147-2000-50	708289275682	2"	50 Ft.	Male & Female
1147-3000-25	708289275781	3"	25 Ft.	Male & Female
1147-3000-50	708289667005	3"	50 Ft.	Male & Female
1147-4000-25	708289302883	4"	25 Ft.	Male & Female
1147-4000-50	708289275880	4"	50 Ft.	Male & Female

Temperature Range: -10°F to 150°F  
Do Not Use with Petroleum Based Products.

# HEAVY DUTY PVC PUMP DISCHARGE HOSE

Heavy duty medium pressure reinforced PVC lay-flat hose for water transfer in open end discharge applications.

## Heavy-Duty PVC Pump Discharge Hose - Packaged



PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1152-1500	708289275989	1-1/2"	150#	100 Ft.
1152-2000	708289276085	2"	150#	100 Ft.
1152-3000	708289276184	3"	125#	100 Ft.
1152-4000	708289276283	4"	100#	100 Ft.

Temperature Range: -10°F to 150°F  
Do Not Use with Petroleum Based Products.

# SUCTION/TRANSFER PUMP HOSE KIT - BOXED

Hose kits that contain everything you need to connect to your pump for your application. All kits are boxed and labeled.

## Fertilizer Solution Pump Suction/Transfer Hose Kit



SIZE	PART #	UPC CODE	QTY	EACH KIT CONTAINS
2"	KIT-200A	708289303088	1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
			1	PVC Discharge Hose x 25 Ft. Assembly w/ 'C' & 'E'
			1	Poly Strainer 'SPS'
			1	Poly Pump Adapter 'F'
			1	90° Poly Pump Adapter 'F'
			2	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.

## Water Pump Suction/Transfer Hose Kit

SIZE	PART #	UPC CODE	QTY	EACH KIT CONTAINS
1-1/2"	1240-1500-20-KIT	708289295888	1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
2"	1240-2000-20-KIT	708289295987	1	PVC Discharge Hose x 50 Ft. Assembly w/ 'SU'
3"	1240-3000-20-KIT	708289296083	1	Steel Strainer 'SRHS'
4"	1240-4000-20-KIT	708289296182	1	Spanner Wrench 'SW'
			1	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F  
Do Not Use with Petroleum Based Products.



## EVA APPLICATOR TUBING



*Suitable for use with aqueous-based agricultural chemicals including anhydrous ammonia, aqua ammonia, ammonium nitrate, herbicides, phosphates and liquid fertilizers.*

### EVA Applicator Tubing - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH
3110-0254-25	708289385954	1/4"	25 Ft.
3110-0384-25	708289111607	3/8"	25 Ft.
3110-0384-50	708289111706	3/8"	50 Ft.
3110-0384-100	708289386005	3/8"	100 Ft.
3110-0504-25	708289111805	1/2"	25 Ft.
3110-0504-50	708289111904	1/2"	50 Ft.
3110-0504-100	708289386104	1/2"	100 Ft.
3110-0634-50	708289295383	5/8"	50 Ft.
3110-0754-25	708289112901	3/4"	25 Ft.
3110-0754-50	708289295482	3/4"	50 Ft.

*Open End Applications Only  
Temperature Range: -20°F to 150°F  
Do Not Use with Petroleum Based Products.*



### Braid Reinforced EVA Tubing - Boxed

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
3120-0375-100	708289296281	3/8"	250#	100 Ft.
3120-0500-100	708289296380	1/2"	250#	100 Ft.
3120-0750-100	708289396489	3/4"	150#	100 Ft.
3120-1000-100	708289296588	1"	150#	100 Ft.

*Temperature Range: -20°F to 150°F  
Do Not Use with Petroleum Based Products.*

## CLEAR PVC VINYL TUBING



*Crystal clear heavy wall flexible tubing used as a sight gauge and other agricultural applications.*

### Clear PVC Vinyl Tubing - Boxed

PART #	UPC CODE	SIZE	LENGTH
3010-0254	708289276382	1/4" I.D. x 1/8" Wall	100 Ft.
3010-0384	708289276481	3/8" I.D. x 1/8" Wall	100 Ft.
3010-0504	708289276580	1/2" I.D. x 1/8" Wall	100 Ft.
3010-0754	708289276689	3/4" I.D. x 1/8" Wall	100 Ft.
3010-1004	708289276788	1" I.D. x 1/8" Wall	100 Ft.

*Open End Applications Only  
Temperature Range: 25°F to 150°F*



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

**ABBOTT** RUBBER  
COMPANY, INC.

www.abbottrubber.com

## EPDM AGRICULTURAL SPRAY HOSE

Suitable for use with aqueous-based agricultural chemicals, including Lasso®. Black cover - Red cover also available.



### EPDM Agricultural Spray Hose - Packaged

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1110-0251-10	708289384803	1/4"	150#	10 Ft.
1110-0251-25	708289296687	1/4"	150#	25 Ft.
1110-0381-10	708289384902	3/8"	150#	10 Ft.
1110-0381-25	708289385305	3/8"	150#	25 Ft.
1110-0381-50	708289385701	3/8"	150#	50 Ft.
1110-0501-10	708289385008	1/2"	150#	10 Ft.
1110-0501-25	708289385404	1/2"	150#	25 Ft.
1110-0501-50	708289385800	1/2"	150#	50 Ft.
1110-0631-25	708289296783	5/8"	150#	25 Ft.
1110-0751-10	708289385107	3/4"	150#	10 Ft.
1110-0751-25	708289385503	3/4"	150#	25 Ft.
1110-0751-50	708289385909	3/4"	150#	50 Ft.
1110-1002-10	708289385206	1"	150#	10 Ft.
1110-1002-25	708289385602	1"	150#	25 Ft.
1110-1252-25	708289296885	1-1/4"	150#	25 Ft.
1110-1502-25	708289296984	1-1/2"	150#	25 Ft.
1110-2002-25	708289297080	2"	150#	25 Ft.

### EPDM Agricultural Spray Hose - Reels

PART #	UPC CODE	SIZE I.D.	PRESSURE	REEL
1110-0251	708289302685	1/4"	150#	500 Ft.
1110-0381	708289276887	3/8"	150#	500 Ft.
1110-0501	708289276986	1/2"	150#	500 Ft.
1110-0631	708289272087	5/8"	150#	500 Ft.
1110-0751	708289277082	3/4"	150#	500 Ft.
1110-1002	708289302784	1"	150#	450 Ft.
1110-1252	708289277181	1-1/4"	150#	350 Ft.
1110-1502	708289277280	1-1/2"	150#	300 Ft.
1110-2002	708289287189	2"	150#	200 Ft.

Temperature Range: -20°F to 190°F  
Do Not Use with Petroleum Based Products.



ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS

**ABBOTT** RUBBER  
COMPANY, INC.

www.abbottrubber.com

## FARM FUEL TRANSFER HOSE ASSEMBLIES

Oil and gasoline resistant tube and cover. Designed to deliver low pressure or gravity feed fuel to agricultural and construction equipment.



### Farm Fuel Transfer Hose - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1729-0750-10	708289297288	3/4"	10 Ft.	Male & Male
1729-0750-12	708289297387	3/4"	12 Ft.	Male & Male
1729-0750-15	708289297486	3/4"	15 Ft.	Male & Male
1729-0750-20	708289297585	3/4"	20 Ft.	Male & Male
1729-1000-10	708289297684	1"	10 Ft.	Male & Male
1729-1000-12	708289297783	1"	12 Ft.	Male & Male
1729-1000-15	708289297882	1"	15 Ft.	Male & Male
1729-1000-20	708289297981	1"	20 Ft.	Male & Male

Temperature Range: -30°F to 150°F

## AIR TOOL HOSE ASSEMBLIES

Low and medium pressure air hose assemblies in PVC, Rubber and Low-Temp constructions.



### 300 PSI PVC Air Tool Hose Assembly - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1048-0250B-25-4MM	708289277389	1/4"	25 Ft.	1/4" NPT Brass Males
1048-0250B-50-4MM	708289277488	1/4"	50 Ft.	1/4" NPT Brass Males
1048-0375B-25-4MM	708289271486	3/8"	25 Ft.	1/4" NPT Brass Males
1048-0375B-50-4MM	708289271585	3/8"	50 Ft.	1/4" NPT Brass Males

Temperature Range: 25°F to 150°F  
Do Not Use with Petroleum Based Products.



### 250 PSI Rubber Air Tool Hose Assembly - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1010-02525-25-4MM	708289277587	1/4"	25 Ft.	1/4" NPT Brass Males
1010-02525-50-4MM	708289277686	1/4"	50 Ft.	1/4" NPT Brass Males
1010-03825-25-4MM	708289277785	3/8"	25 Ft.	1/4" NPT Brass Males
1010-03825-50-4MM	708289277884	3/8"	50 Ft.	1/4" NPT Brass Males

Temperature Range: -20°F to 190°F  
Do Not Use with Petroleum Based Products.



### 300 PSI Low-Temp Air Tool Hose Assembly - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1044-0250Y-25-4MM	708289298087	1/4"	25 Ft.	1/4" NPT Brass Males
1044-0250Y-50-4MM	708289298186	1/4"	50 Ft.	1/4" NPT Brass Males
1044-0375Y-25-4MM	708289298285	3/8"	25 Ft.	1/4" NPT Brass Males
1044-0375Y-50-4MM	708289298384	3/8"	50 Ft.	1/4" NPT Brass Males

Temperature Range: -40°F to 150°F  
Features Oil Resistant Tube and Non-marking Cover

## 600/800 PVC AGRICULTURAL SPRAY HOSE

Agricultural, weed and pest control spray applications. PVC/Polyurethane blend tube for use with spray chemicals.



### 600/800 PSI PVC Agricultural Spray Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
2036-0375-300	708289298483	3/8"	600 PSI	300 Ft.
2036-0375-400	708289298582	3/8"	600 PSI	400 Ft.
2036-0500-300	708289298681	1/2"	600 PSI	300 Ft.
2036-0500-400	708289298780	1/2"	600 PSI	400 Ft.
2036-0750-300	708289298889	3/4"	600 PSI	300 Ft.
2038-0375-300	708289298988	3/8"	800 PSI	300 Ft.
2038-0375-400	708289299084	3/8"	800 PSI	400 Ft.
2038-0500-300	708289299183	1/2"	800 PSI	300 Ft.
2038-0500-400	708289299282	1/2"	800 PSI	400 Ft.
2038-0750-300	708289299381	3/4"	800 PSI	300 Ft.

Temperature Range: +15°F to 150°F



## HYDRAULIC HOSE ASSEMBLIES

Hydraulic hose assemblies with crimped steel male NPTF end fittings.  
Exceeds SAE 100R2 AT specifications.

### 1/4" Hydraulic Hose Assemblies - 5800 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0250-18	708289299480	1/4" I.D. x 18" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-24	708289299589	1/4" I.D. x 24" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-36	708289299688	1/4" I.D. x 36" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-48	708289299787	1/4" I.D. x 48" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-60	708289299886	1/4" I.D. x 60" Long w/ 1/4" NPTF Solid Males Both Ends.

### 3/8" Hydraulic Hose Assemblies - 5000 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0375-12	708289299985	3/8" I.D. x 12" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-18	708289300087	3/8" I.D. x 18" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-24	708289300186	3/8" I.D. x 24" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-30	708289300285	3/8" I.D. x 30" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-36	708289300384	3/8" I.D. x 36" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-48	708289300483	3/8" I.D. x 48" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-60	708289300582	3/8" I.D. x 60" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-72	708289300681	3/8" I.D. x 72" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-84	708289300780	3/8" I.D. x 84" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-96	708289300889	3/8" I.D. x 96" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-120	708289300988	3/8" I.D. x 120" Long w/ 3/8" NPTF Solid Males Both Ends.

### 1/2" Hydraulic Hose Assemblies - 4500 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0500-12	708289301086	1/2" I.D. x 12" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-18	708289301183	1/2" I.D. x 18" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-24	708289301282	1/2" I.D. x 24" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-30	708289301381	1/2" I.D. x 30" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-36	708289301480	1/2" I.D. x 36" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-42	708289301589	1/2" I.D. x 42" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-48	708289301688	1/2" I.D. x 48" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-60	708289301787	1/2" I.D. x 60" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-72	708289301886	1/2" I.D. x 72" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-84	708289301985	1/2" I.D. x 84" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-96	708289302084	1/2" I.D. x 96" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-120	708289302183	1/2" I.D. x 120" Long w/ 1/2" NPTF Solid Males Both Ends.

### 3/4" Hydraulic Hose Assemblies - 3500 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0750-18	708289302289	3/4" I.D. x 18" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-24	708289302388	3/4" I.D. x 24" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-36	708289302487	3/4" I.D. x 36" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-48	708289302586	3/4" I.D. x 48" Long w/ 3/4" NPTF Solid Male Both Ends.



# AGRICULTURAL HOSE COUPLINGS

**'A'**



## Adapter x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QA-050-DC	QA-050-PP
3/4"	QA-075-DC	QA-075-PP
1"	QA-100-DC	QA-100-PP
1-1/4"	QA-125-DC	QA-125-PP
1-1/2"	QA-150-DC	QA-150-PP
2"	QA-200-DC	QA-200-PP
3"	QA-300-DC	QA-300-PP
4"	QA-400-DC	QA-400-PP

Also Available in Stainless Steel or Nylon

**'E'**



## Adapter x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QE-050-DC	QE-050-PP
3/4"	QE-075-DC	QE-075-PP
1"	QE-100-DC	QE-100-PP
1-1/4"	QE-125-DC	QE-125-PP
1-1/2"	QE-150-DC	QE-150-PP
2"	QE-200-DC	QE-200-PP
3"	QE-300-DC	QE-300-PP
4"	QE-400-DC	QE-400-PP

Also Available in Stainless Steel or Nylon

**'B'**



## Coupler x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QB-050-DC	QB-050-PP
3/4"	QB-075-DC	QB-075-PP
1"	QB-100-DC	QB-100-PP
1-1/4"	QB-125-DC	QB-125-PP
1-1/2"	QB-150-DC	QB-150-PP
2"	QB-200-DC	QB-200-PP
3"	QB-300-DC	QB-300-PP
4"	QB-400-DC	QB-400-PP

Also Available in Stainless Steel or Nylon

**'F'**



## Adapter x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QF-050-DC	QF-050-PP
3/4"	QF-075-DC	QF-075-PP
1"	QF-100-DC	QF-100-PP
1-1/4"	QF-125-DC	QF-125-PP
1-1/2"	QF-150-DC	QF-150-PP
2"	QF-200-DC	QF-200-PP
3"	QF-300-DC	QF-300-PP
4"	QF-400-DC	QF-400-PP

Also Available in Stainless Steel or Nylon

**'C'**



## Coupler x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QC-050-DC	QC-050-PP
3/4"	QC-075-DC	QC-075-PP
1"	QC-100-DC	QC-100-PP
1-1/4"	QC-125-DC	QC-125-PP
1-1/2"	QC-150-DC	QC-150-PP
2"	QC-200-DC	QC-200-PP
3"	QC-300-DC	QC-300-PP
4"	QC-400-DC	QC-400-PP

Also Available in Stainless Steel or Nylon

**'DC'**



## Dust Cap

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QDC-050-DC	QDC-050-PP
3/4"	QDC-075-DC	QDC-075-PP
1"	QDC-100-DC	QDC-100-PP
1-1/4"	QDC-125-DC	QDC-125-PP
1-1/2"	QDC-150-DC	QDC-150-PP
2"	QDC-200-DC	QDC-200-PP
3"	QDC-300-DC	QDC-300-PP
4"	QDC-400-DC	QDC-400-PP

Also Available in Stainless Steel or Nylon

**'D'**



## Coupler x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QD-050-DC	QD-050-PP
3/4"	QD-075-DC	QD-075-PP
1"	QD-100-DC	QD-100-PP
1-1/4"	QD-125-DC	QD-125-PP
1-1/2"	QD-150-DC	QD-150-PP
2"	QD-200-DC	QD-200-PP
3"	QD-300-DC	QD-300-PP
4"	QD-400-DC	QD-400-PP

Also Available in Stainless Steel or Nylon

**'DP'**



## Dust Plug

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QDP-050-DC	QDP-050-PP
3/4"	QDP-075-DC	QDP-075-PP
1"	QDP-100-DC	QDP-100-PP
1-1/4"	QDP-125-DC	QDP-125-PP
1-1/2"	QDP-150-DC	QDP-150-PP
2"	QDP-200-DC	QDP-200-PP
3"	QDP-300-DC	QDP-300-PP
4"	QDP-400-DC	QDP-400-PP

Also Available in Stainless Steel or Nylon

**'SU'**



## Pin-Lug Coupling - Set

SIZE	ALUMINUM / BRASS	NYLON
1-1/4"	SU-125-SB	SU-125-N
1-1/2"	SU-150-SB	SU-150-N
2"	SU-200-SB	SU-200-N
3"	SU-300-SB	-----
4"	SU-400-SB	-----

**'CN'**



## Combination Hose Nipple

SIZE	STEEL	POLYPROPYLENE
1/2"	CN-050-S	CN-050-PP
3/4"	CN-075-S	CN-075-PP
1"	CN-100-S	CN-100-PP
1-1/4"	CN-125-S	CN-125-PP
1-1/2"	CN-150-S	CN-150-PP
2"	CN-200-S	CN-200-PP
3"	CN-300-S	CN-300-PP
4"	CN-400-S	CN-400-PP

Also Available in Stainless Steel or Nylon

# AGRICULTURAL HOSE ACCESSORIES

## Brass Ball Valve



SIZE	PART #
1/4"	VFBV-025
3/8"	VFBV-038
1/2"	VFBV-050
3/4"	VFBV-075
1"	VFBV-100
1-1/2"	VFBV-150
2"	VFBV-200
3"	VFBV-300
4"	VFBV-400

## Bolted Poly Full Port Ball Valve



SIZE	PART #
1-1/2"	VBV-150-PP
2"	VBV-200-PP
3"	VBV-300-PP

## Single Union Poly Valve



SIZE	PART #
1"	VSU-100-PP
1-1/2"	VSU-150-PP
2"	VSU-200-PP

## Poly Nozzle Ball Valve



SIZE	PART #
1-1/2"	VNV-150-PP
2"	VNV-200-PP

## Steel Strainer



SIZE	PART #
1"	SRHS-100
1-1/2"	SRHS-150
2"	SRHS-200
3"	SRHS-300
4"	SRHS-400

## Poly-Strainer



SIZE	PART #
1"	SPS-100
1-1/2"	SPS-150
2"	SPS-200

## Rubber Washer



SIZE	PART #
1-1/4"	SRW-125
1-1/2"	SRW-150
2"	SRW-200
3"	SRW-300
4"	SRW-400

## Rubber Gasket



SIZE	PART #
1-1/4"	QRG-125
1-1/2"	QRG-150
2"	QRG-200
3"	QRG-300
4"	QRG-400

For SU Series Couplings

For Cam & Groove Style Couplings

## T-Bolt Clamp



SIZE	PART #
1-1/4"	HTBC-125
1-1/2"	HTBC-150
2"	HTBC-200
3"	HTBC-300
4"	HTBC-400

## Spanner Wrench



SIZE	PART #
1-1/2"	SW-150
2"	SW-200
3"	SW-300
4"	SW-400

## Punch-Lock Clamp Tool



PART #
BCP-P1000

## Punch-Lock Clamp



SIZE	PART #
1-1/4"	BCP-6
1-1/2"	BCP-8
2"	BCP-10
3"	BCP-14
4"	BCP-18

# **ABBOTT** RUBBER COMPANY, INC.

**AGRICULTURAL HOSE AND ACCESSORIES**

**UDP**

*ULTRA DYNAMIC AGRICULTURAL HOSE PRODUCTS*

1700 NICHOLAS BLVD. ELK GROVE VILLAGE, IL 60007

(800) 852-1855 FAX (847) 952-0156

E-MAIL [sales@abbottrubber.com](mailto:sales@abbottrubber.com) WEBSITE [www.abbottrubber.com](http://www.abbottrubber.com)