



NON-METALLIC SHEATHED CABLE



SADDLE TYPE CONNECTORS - ONE SCREW - FOR BX and NON-METALLIC CABLE

Use to connect non-metallic sheathed cable to a box or an enclosure.

Catalogue Number	Trade Size	Material
NMS038	3/8 (12)	Zinc
NMS050	1/2 (16)	Zinc
NMS075	3/4 (21)	Zinc
NMS100	1 (27)	Zinc



SADDLE TYPE CONNECTORS - TWO SCREW - FOR NON-METALLIC CABLE

Use to connect non-metallic sheathed cable to a box or an enclosure.


Catalogue Number	Trade Size	Material
NMC038	3/8 (12)	Zinc
NMC075	3/4 (21)	Zinc
NMC100	1 (27)	Zinc
NMC125	1-1/4 (35)	Zinc
NMC150	1-1/2 (41)	Zinc
NMC200	2 (53)	Zinc



2 PIECE CLAMP CONNECTORS - BUTTERFLY STYLE

Use to secure #14 - #10 non-metallic sheathed cable to a steel outlet box or other metal enclosure. No locknut is required.

Catalogue Number	Trade Size	Material
NMB038	3/8 (12)	Steel
NMB075	3/4 (21)	Steel



DUPLEX CONNECTORS

Use to secure non-metallic sheathed cable to a steel outlet box or other metal enclosure.

Catalogue Number	Trade Size	Material
DUP038	3/8 (12)	Zinc




PUSH-IN CONNECTORS - NON-METALLIC

Use to connect non-metallic sheathed cable to a box or an enclosure.

Catalogue Number	Trade Size	Material
NMPI050	1/2 (16)	Plastic
NMPI050B (Bucket)	1/2 (16)	Plastic


NON-METALLIC SHEATHED CABLE



SNAP-IN CONNECTORS - NON-METALLIC

Use to connect non-metallic sheathed cable to a box or an enclosure.


Catalogue Number	Trade Size	Material
NMSI050	1/2 (16)	Plastic



SQUEEZE BOX CONNECTORS - STEEL

Use to connect non-metallic sheathed cable to a box or an enclosure.

Catalogue Number	Trade Size	Material
NMSQ038	3/8 (12)	Steel



CABLE STAPLES

Use to secure non-metallic sheathed or armoured cable to wood surfaces.

Catalogue Number	Trade Size	Material
TES1	1 (27) NMD 14/2-12/2	Galvanized Steel
TES2	2 (53) NMD 14/2-12/2, 14/3-12/3	Galvanized Steel
TES3	3(78) NMD 10/2-8/2, 14/3-8/3	Galvanized Steel
TES4	4 (103) NMD 8/3-6/3	Galvanized Steel



PLASTIC HANDY STRAPS

Use to secure non-metallic sheathed or armoured cable to wood surfaces.

Catalogue Number	Trade Size	Material
NSP050P	1/2 (16) 14/2-12/2	Polyethylene
NSP075P	3/4 (21) 14/2-8/2	Polyethylene




CABLE STRAPS

Use to secure non-metallic sheathed or armoured cable to wood surfaces.

Catalogue Number	Trade Size	Material
CS1	NMD 14/2-10/3	Aluminum
CS10	NMD 14/2	Aluminum
CS11	NMD 12/2 -10/2	Aluminum
CS2	NMD 12/2 - 8/3	Aluminum
CS3	NMD 10/2 - 6/3	Aluminum
CS4	NMD 4/3	Aluminum
CS5	NMD 3/3-233	Aluminum
CSC1	NMD 14/2-12/2, 14/3-12/3	Aluminum


ARMOURED CABLE




90 DEGREE ANGLE CONNECTORS FOR FLEX/BX CABLE Use to connect flexible metal conduit or AC90 cable to a steel outlet box or other metal enclosure.		
Catalogue Number	Trade Size	Material
SQ90038	3/8 (12)	Zinc
SQ90050	1/2 (16)	Zinc
SQ90075	3/4 (21)	Zinc
SQ90100	1 (27)	Zinc
SQ90125	1-1/4 (35)	Zinc
SQ90150	1-1/2 (41)	Zinc
SQ90200	2 (53)	Zinc
SQ90250	2-1/2 (63)	Zinc
SQ90300	3 (78)	Zinc
SQ90350	3-1/2 (91)	Zinc
SQ90400	4 (103)	Zinc




DUPLEX CONNECTORS Use to connect two pieces of flexible metal conduit or BX cable to a steel outlet box or other metal enclosure where using only one knockout opening.		
Catalogue Number	Trade Size	Material
DUP038	3/8 (12)	Zinc



COUPLINGS - EMT TO FLEX Use to join EMT conduit to flexible metal conduit.		
Catalogue Number	Trade Size	Material
EFK5038	1/2 (16) EMT to 3/8 (12) Flex	Zinc
EFK5050	1/2 (16) EMT to 1/2 (16) Flex	Zinc
EFK7575	3/4 (21) EMT to 3/4 (21) Flex	Zinc




CONNECTORS - EMT TO FLEX Use to bond flexible metal conduit to a box or enclosure.		
Catalogue Number	Trade Size	Material
SF038	3/8 (12)	Zinc
SF050	1/2 (16)	Zinc



COUPLINGS - FLEX TO FLEX Use to bond flexible metal conduit to flexible metal conduit.		
Catalogue Number	Trade Size	Material
SFK050	1/2 (16) to 1/2 (16)	Zinc

ARMoured CABLE



STRAIGHT SQUEEZE CONNECTOR, UNINSULATED, 1 SCREW - FOR FLEX CABLE Use to bond flexible metal conduit to a box or enclosure.

Catalogue Number	Trade Size	Material
SQ038	3/8 (12)	Zinc
SQ050	1/2 (16)	Zinc
SQ075	3/4 (21)	Zinc
SQ100	1 (27)	Zinc
SQ125	1-1/4 (35)	Zinc
SQ150	1-1/2 (41)	Zinc
SQ200	2 (53)	Zinc
SQ250	2-1/2 (63)	Zinc
SQ300	3 (78)	Zinc
SQ350	3-1/2 (91)	Zinc
SQ400	4 (103)	Zinc




ONE HOLE STRAP


Use to secure flex conduit or cable to wood, masonry or similar surfaces.

Catalogue Number	Trade Size	Material
SIF038	3/8 (12)	Steel

LIQUIDTIGHT CONDUIT




STRAIGHT UNINSULATED CONNECTORS		
Use to connect liquidtight conduit to a Steel/Malleable Iron outlet box or other metal enclosure.		
Catalogue Number	Trade Size	Material
LTM038	3/8 (12)	Steel/Malleable Iron
LTM050	1/2 (16)	Steel/Malleable Iron
LTM075	3/4 (21)	Steel/Malleable Iron
LTM100	1 (27)	Steel/Malleable Iron
LTM125	1-1/4 (35)	Steel/Malleable Iron
LTM150	1-1/2 (41)	Steel/Malleable Iron
LTM200	2 (53)	Steel/Malleable Iron
LTM250	2-1/2 (63)	Steel/Malleable Iron
LTM300	3 (78)	Steel/Malleable Iron
LTM400	4 (103)	Steel/Malleable Iron
LTZ038	3/8 (12)	Zinc
LTZ050	1/2 (16)	Zinc
LTZ075	3/4 (21)	Zinc
LTZ100	1 (27)	Zinc
LTZ125	1-1/4 (35)	Zinc
LTZ150	1-1/2 (41)	Zinc
LTZ200	2 (53)	Zinc
LTZ250	2-1/2 (63)	Zinc
LTZ300	3 (78)	Zinc
LTZ400	4 (103)	Zinc



STRAIGHT INSULATED CONNECTORS		
Use to connect liquidtight conduit to a steel outlet box or other metal enclosure.		
Catalogue Number	Trade Size	Material
LTMi038	3/8 (12)	Steel/Malleable Iron
LTMi050	1/2 (16)	Steel/Malleable Iron
LTMi075	3/4 (21)	Steel/Malleable Iron
LTMi100	1 (27)	Steel/Malleable Iron
LTMi125	1-1/4 (35)	Steel/Malleable Iron
LTMi150	1-1/2 (41)	Steel/Malleable Iron
LTMi200	2 (53)	Steel/Malleable Iron
LTMi250	2-1/2 (63)	Steel/Malleable Iron
LTMi300	3 (78)	Steel/Malleable Iron
LTMi400	4 (103)	Steel/Malleable Iron


LIQUIDTIGHT CONDUIT



90 DEGREE UNINSULATED CONNECTORS

Use to connect liquidtight conduit to a steel outlet box or other metal enclosure or hub.


Catalogue Number	Trade Size	Material
LTZ90038	3/8 (12)	Zinc
LTZ90050	1/2 (16)	Zinc
LTZ90075	3/4 (21)	Zinc
LTZ90100	1 (27)	Zinc
LTZ90125	1-1/4 (35)	Zinc
LTZ90150	1-1/2 (41)	Zinc
LTZ90200	2 (53)	Zinc
LTZ90250	2-1/2 (63)	Zinc
LTZ90300	3 (78)	Zinc
LTZ90400	4 (103)	Zinc



90 DEGREE INSULATED CONNECTORS

Use to connect liquidtight conduit to a steel outlet box or other metal enclosure.

Catalogue Number	Trade Size	Material
LTM90038	3/8 (12)	Malleable Iron
LTM90050	1/2 (16)	Malleable Iron
LTM90075	3/4 (21)	Malleable Iron
LTM90100	1 (27)	Malleable Iron
LTM90125	1-1/4 (35)	Malleable Iron
LTM90150	1-1/2 (41)	Malleable Iron
LTM90200	2 (53)	Malleable Iron
LTM90250	2-1/2 (63)	Malleable Iron
LTM90300	3 (78)	Malleable Iron
LTM90400	4 (103)	Malleable Iron




45 DEGREE INSULATED CONNECTORS


Use to connect liquidtight conduit to a steel outlet box or other metal enclosure.

Catalogue Number	Trade Size	Material
LTM45038	3/8 (12)	Maleable Iron
LTM45050	1/2 (16)	Maleable Iron
LTM45075	3/4 (21)	Maleable Iron
LTM45100	1 (27)	Maleable Iron
LTM45125	1-1/4 (35)	Maleable Iron
LTM45150	1-1/2 (41)	Maleable Iron
LTM45200	2 (53)	Maleable Iron


EMT



COMPRESSION CONNECTORS - RAIN-TIGHT - UNINSULATED		
Use to connect EMT conduit to a steel outlet box, load center, or other metal enclosure.		
Catalogue Number	Trade Size	Material
CCZ050	1/2 (16)	Zinc
CCZ075	3/4 (21)	Zinc
CCZ100	1 (27)	Zinc
CCZ125	1-1/4 (35)	Zinc
CCZ150	1-1/2 (41)	Zinc
CCZ200	2 (53)	Zinc
CCZ250	2-1/2 (63)	Zinc
CCZ300	3 (78)	Zinc
CCZ400	4 (103)	Zinc




COMPRESSION CONNECTORS - RAIN-TIGHT - INSULATED		
Use to connect EMT conduit to a steel outlet box, load center, or other metal enclosure.		
Catalogue Number	Trade Size	Material
CCZI050	1/2 (16)	Zinc
CCZI075	3/4 (21)	Zinc
CCZI100	1 (27)	Zinc
CCZI125	1-1/4 (35)	Zinc
CCZI150	1-1/2 (41)	Zinc
CCZI200	2 (53)	Zinc
CCZI250	2-1/2 (63)	Zinc
CCZI300	3 (78)	Zinc
CCZI400	4 (103)	Zinc



COMPRESSION CONNECTORS - RAIN-TIGHT - UNINSULATED		
Use to connect EMT conduit to a steel outlet box, load center, or other metal enclosure.		
Catalogue Number	Trade Size	Material
CCS050	1/2 (16)	Steel
CCS075	3/4 (21)	Steel
CCS100	1 (27)	Steel
CCS125	1-1/4 (35)	Steel
CCS150	1-1/2 (41)	Steel
CCS200	2 (53)	Steel
CCS250	2-1/2 (63)	Steel
CCS300	3 (78)	Steel
CCS400	4 (103)	Steel


EMT



COMPRESSION CONNECTORS - RAIN-TIGHT - INSULATED

Use to connect EMT conduit to a steel outlet box, load center, or other metal enclosure.


Catalogue Number	Trade Size	Material
CCSI050	1/2 (16)	Steel
CCSI075	3/4 (21)	Steel
CCSI100	1 (27)	Steel
CCSI125	1-1/4 (35)	Steel
CCSI150	1-1/2 (41)	Steel
CCSI200	2 (53)	Steel
CCSI250	2-1/2 (63)	Steel
CCSI300	3 (78)	Steel
CCSI400	4 (103)	Steel



COMPRESSION COUPLINGS - RAIN-TIGHT

Use to join two lengths of EMT conduit.

Catalogue Number	Trade Size	Material
CKZ050	1/2 (16)	Zinc
CKZ075	3/4 (21)	Zinc
CKZ100	1 (27)	Zinc
CKZ125	1-1/4 (35)	Zinc
CKZ150	1-1/2 (41)	Zinc
CKZ200	2 (53)	Zinc
CKZ250	2-1/2 (63)	Zinc
CKZ300	3 (78)	Zinc
CKZ400	4 (103)	Zinc
CKS050	1/2 (16)	Steel
CKS075	3/4 (21)	Steel
CKS100	1 (27)	Steel
CKS125	1-1/4 (35)	Steel
CKS150	1-1/2 (41)	Steel
CKS200	2 (53)	Steel
CKS250	2-1/2 (63)	Steel
CKS300	3 (78)	Steel
CKS400	4 (103)	Steel



ONE HOLE STRAP (EMT)

To support EMT conduit where greater load bearing is required.

Catalogue Number	Trade Size	Material
E1S050	1/2 (16)	Zinc
E1S075	3/4 (21)	Zinc
E1S100	1 (27)	Zinc
E1S125	1-1/4 (35)	Zinc
E1S150	1-1/2 (41)	Zinc
E1S200	2 (53)	Zinc


EMT



TWO HOLE STRAP COMBINATION RIGID/EMT

To support EMT conduit where greater load bearing is required.


Catalogue Number	Trade Size	Material
E2S250	2-1/2 (63)	Steel
E2S300	3 (78)	Steel
E2S400	4 (103)	Steel



PULL ELBOWS

Use to bond EMT conduit to a box or enclosure, or to couple two ends of EMT conduit.

Catalogue Number	Trade Size	Material
PEEB050	1/2 (16) EMT to Box	Zinc
PEEB075	3/4 (21) EMT to Box	Zinc
PEEB100	1 (27) EMT to Box	Zinc
PEEE050	1/2 (16) EMT to EMT	Zinc
PEEE075	3/4 (21) EMT to EMT	Zinc
PEEE100	1 (27) EMT to EMT	Zinc




SET SCREW COUPLINGS

Use to join two lengths of EMT conduit.

Catalogue Number	Trade Size	Material
SKZ050	1/2 (16)	Zinc
SKZ075	3/4 (21)	Zinc
SKZ100	1 (27)	Zinc
SKZ125	1-1/4 (35)	Zinc
SKZ150	1-1/2 (41)	Zinc
SKZ200	2 (53)	Zinc
SKZ250	2-1/2 (63)	Zinc
SKZ300	3 (78)	Zinc
SKZ400	4 (103)	Zinc


EMT



SET SCREW CONNECTORS INSULATED

To bond EMT conduit to a steel outlet box, load center or other metal enclosure.

Catalogue Number	Trade Size	Material
SCSI050	1/2 (16)	Steel
SCSI075	3/4 (21)	Steel
SCSI100	1 (27)	Steel
SCSI125	1-1/4 (35)	Steel
SCSI150	1-1/2 (41)	Steel
SCSI200	2 (53)	Steel
SCSI250	2-1/2 (63)	Steel
SCSI300	3 (78)	Steel
SCSI400	4 (103)	Steel



SET SCREW CONNECTORS INSULATED

Use to connect EMT conduit to a steel outlet box, or other metal enclosure.

Catalogue Number	Trade Size	Material
SCZI050	1/2 (16)	Zinc
SCZI075	3/4 (21)	Zinc
SCZI100	1 (27)	Zinc
SCZI125	1-1/4 (35)	Zinc
SCZI150	1-1/2 (41)	Zinc
SCZI200	2 (53)	Zinc
SCZI250	2-1/2 (63)	Zinc
SCZI300	3 (78)	Zinc
SCZI400	4 (103)	Zinc



SET SCREW CONNECTORS UNINSULATED


Use to connect EMT conduit to a steel outlet box, load center or other metal enclosure.

Catalogue Number	Trade Size	Material
SCS050	1/2 (16)	Steel
SCS075	3/4 (21)	Steel
SCS100	1 (27)	Steel
SCS125	1-1/4 (35)	Steel
SCS150	1-1/2 (41)	Steel
SCS200	2 (53)	Steel
SCS250	2-1/2 (63)	Steel
SCS300	3 (78)	Steel
SCS400	4 (103)	Steel

EMT




SET SCREW CONNECTORS UNINSULATED		
Use to connect EMT conduit to a steel outlet box, or other metal enclosure.		
Catalogue Number	Trade Size	Material
SCZ050	1/2 (16)	Zinc
SCZ075	3/4 (21)	Zinc
SCZ100	1 (27)	Zinc
SCZ125	1-1/4 (35)	Zinc
SCZ150	1-1/2 (41)	Zinc
SCZ200	2 (53)	Zinc
SCZ250	2-1/2 (63)	Zinc
SCZ300	2 (53)	Zinc
SCZ400	2-1/2 (63)	Zinc



SET SCREW COUPLINGS		
Use to couple two ends of EMT conduit.		
Catalogue Number	Trade Size	Material
SKS050	1/2 (16)	Steel
SKS075	3/4 (21)	Steel
SKS100	1 (27)	Steel
SKS125	1-1/4 (35)	Steel
SKS150	1-1/2 (41)	Steel
SKS200	2 (53)	Steel
SKS250	2-1/2 (63)	Steel
SKS300	3 (78)	Steel
SKS400	4 (103)	Steel




RIGID CONDUIT



CONDUIT BODIES - "C" TYPE COMBINATION RIGID/EMT

Use to gain access to raceway interior for wire pulling, splicing and maintenance.


Catalogue Number	Trade Size	Type	Material
CBC50COM	1/2 (16)	C	Aluminum
CBC75COM	3/4 (21)	C	Aluminum
CBC100COM	1 (27)	C	Aluminum
CBC125COM	1-1/4 (35)	C	Aluminum
CBC150COM	1-1/2 (41)	C	Aluminum
CBC200COM	2 (53)	C	Aluminum



CONDUIT BODIES - "LB" TYPE COMBINATION RIGID/EMT

Use to gain access to raceway interior for wire pulling, splicing and maintenance.


Catalogue Number	Trade Size	Type	Material
CBLB50COM	1/2 (16)	LB	Aluminum
CBLB75COM	3/4 (21)	LB	Aluminum
CBLB100COM	1 (27)	LB	Aluminum
CBLB125COM	1-1/4 (35)	LB	Aluminum
CBLB150COM	1-1/2 (41)	LB	Aluminum
CBLB200COM	2 (53)	LB	Aluminum



CONDUIT BODIES - "LB" TYPE, RIGID ONLY

Use to gain access to raceway interior for wire pulling, splicing and maintenance.


Catalogue Number	Trade Size	Type	Material
CBLB250RIG	2-1/2 (63)	LB	Aluminum
CBLB300RIG	3 (78)	LB	Aluminum
CBLB400RIG	4 (103)	LB	Aluminum



CONDUIT BODIES - "LRL" TYPE COMBINATION RIGID/EMT

Use to gain access to raceway interior for wire pulling, splicing and maintenance.

Catalogue Number	Trade Size	Type	Material
CBLRL50COM	1/2 (16)	LRL	Aluminum
CBLRL75COM	3/4 (21)	LRL	Aluminum
CBLRL100COM	1 (27)	LRL	Aluminum
CBLRL125COM	1-1/4 (35)	LRL	Aluminum
CBLRL150COM	1-1/2 (41)	LRL	Aluminum
CBLRL200COM	2 (53)	LRL	Aluminum




CONDUIT BODIES - "T" TYPE COMBINATION RIGID/EMT

Use to gain access to raceway interior for wire pulling, splicing and maintenance.

Catalogue Number	Trade Size	Type	Material
CBT50COM	1/2 (16)	T	Aluminum
CBT75COM	3/4 (21)	T	Aluminum
CBT100COM	1 (27)	T	Aluminum
CBT125COM	1-1/4 (35)	T	Aluminum
CBT150COM	1-1/2 (41)	T	Aluminum
CBT200COM	2 (53)	T	Aluminum

RIGID CONDUIT



CONDUIT BODIES - "LL" TYPE, RIGID ONLY

Use to gain access to raceway interior for wire pulling, splicing and maintenance.


Catalogue Number	Trade Size	Type	Material
CBLL250RIG	2-1/2 (63)	LL	Aluminum
CBLL300RIG	3 (78)	LL	Aluminum
CBLL400RIG	4 (103)	LL	Aluminum



CONDUIT BODIES - "LR" TYPE, RIGID ONLY

Use to gain access to raceway interior for wire pulling, splicing and maintenance.


Catalogue Number	Trade Size	Type	Material
CBLR250COM	2-1/2 (63)	T	Aluminum
CBLR300COM	3 (78)	T	Aluminum
CBLR400COM	4 (103)	T	Aluminum



CHASE NIPPLES - UNINSULATED

Use to terminate threaded conduit to a knockout box or enclosure, where space within the box is limited.

Catalogue Number	Trade Size	Material
CN050	1/2 (16)	Zinc
CN075	3/4 (21)	Zinc
CN100	1 (27)	Zinc
CN125	1-1/4 (35)	Zinc
CN50	1-1/2 (41)	Zinc
CN200	2 (53)	Zinc
CN250	2-1/2 (63)	Zinc
CN300	3 (78)	Zinc
CN400	4 (103)	Zinc




3/4 OFFSET NIPPLES

Use when connecting two boxes or panels where the knockouts are not in line.

Catalogue Number	Trade Size	Material
ON050	1/2 (16)	Zinc
ON075	3/4 (21)	Zinc
ON100	1 (27)	Zinc
ON125	1-1/4 (35)	Zinc
ON150	1-1/2 (41)	Zinc
ON200	2 (53)	Zinc


RIGID CONDUIT



ONE HOLE STRAPS (RIGID)

Use to secure rigid conduit to wood, masonry or similar surfaces where greater load bearing is required.


Catalogue Number	Trade Size	Material
R1S050	1/2 (16)	Steel
R1S075	3/4 (21)	Steel
R1S100	1 (27)	Steel
R1S125	1-1/4 (35)	Steel
R1S150	1-1/2 (41)	Steel
R1S200	2 (53)	Steel
R1S250	2-1/2 (63)	Steel
R1S300	3 (78)	Steel
R1S350	3-1/2' (91)	Steel
R1S400	4 (103)	Steel



TWO HOLE STRAPS (RIGID)

Use to secure rigid conduit to wood, masonry or similar surfaces where greater load bearing is required.

Catalogue Number	Trade Size	Material
R2S050	1/2 (16)	Steel
R2S075	3/4 (21)	Steel
R2S100	1 (27)	Steel
R2S125	1-1/4 (35)	Steel
R2S150	1-1/2 (41)	Steel
R2S200	2 (53)	Steel
R2S250	2-1/2 (63)	Steel
R2S300	3 (78)	Steel
R2S350	3-1/2' (91)	Steel
R2S400	4 (103)	Steel




INSULATED BUSHINGS

Used on threaded rigid conduit to protect the wires.

Catalogue Number	Trade Size	Material
BP050	1/2 (16)	Polypropylene
BP075	3/4 (21)	Polypropylene
BP100	1 (27)	Polypropylene
BP125	1-1/4 (35)	Polypropylene
BP150	1-1/2 (41)	Polypropylene
BP200	2 (53)	Polypropylene
BP250	2-1/2 (63)	Polypropylene
BP300	3 (78)	Polypropylene
BP350	3-1/2' (91)	Polypropylene
BP400	4 (103)	Polypropylene
BP500	5 (129)	Polypropylene
BP600	6 (155)	Polypropylene


RIGID CONDUIT



INSULATED GROUNDING BUSHINGS

For use on threaded rigid conduit to provide a means of grounding conduit through an insulated bushing.

Catalogue Number	Trade Size	Material
BIG050	1/2 (16)	Zinc
BIG075	3/4 (21)	Zinc
BIG100	1 (27)	Zinc
BIG125	1-1/4 (35)	Zinc
BIG150	1-1/2 (41)	Zinc
BIG200	2 (53)	Zinc
BIG250	2-1/2 (63)	Zinc
BIG300	3 (78)	Zinc
BIG350	3-1/2' (91)	Zinc
BIG400	4 (103)	Zinc




REDUCING BUSHINGS

Use to reduce the entry size of a run of threaded conduit.

Catalogue Number	Trade Size	Material
RB0705	3/4 (21) - 1/2 (16)	Steel
RB1005	1 (27) - 1/2 (16)	Steel
RB1007	1-1/4 (35) - 1/2 (16)	Steel
RB1205	1-1/4 (35) - 3/4 (21)	Steel
RB1207	1-1/4 (35) - 1 (27)	Steel
RB1210	1-1/2 (41) - 1/2 (16)	Steel
RB1505	1-1/2 (41) - 3/4 (21)	Steel
RB1507	1-1/2 (41) - 1 (27)	Steel
RB1510	1-1/2 (41) - 1-1/4 (35)	Steel
RB1512	2 (53) - 1/2 (16)	Steel
RB2005	2 (53) - 3/4 (21)	Steel
RB2007	2 (53) - 3/4 (21)	Steel
RB2010	2 (53) - 1 (27)	Steel
RB2012	2 (53) - 1-1/4 (35)	Steel
RB2015	2 (53) - 1-1/2 (41)	Steel


RIGID CONDUIT



THREE PIECE COUPLINGS

Use to couple conduit end when the conduit end cannot be turned.


Catalogue Number	Trade Size	Material
EK050	1/2 (16)	Steel/ Malleable Iron
EK075	3/4 (21)	Steel/ Malleable Iron
EK100	1 (27)	Steel/ Malleable Iron
EK125	1-1/4 (35)	Steel/ Malleable Iron
EK150	1-1/2 (41)	Steel/ Malleable Iron
EK200	2 (53)	Steel/ Malleable Iron
EK250	2-1/2 (63)	Steel/ Malleable Iron
EK300	3 (78)	Steel/ Malleable Iron
EK350	3-1/2 (91)	Steel/ Malleable Iron
EK400	4 (103)	Steel/ Malleable Iron
EK500	5 (129)	Steel/ Malleable Iron
EK600	6 (155)	Steel/ Malleable Iron



THREADED HUBS - RAIN-TIGHT INSULATED THROAT

Use with threaded rigid/IMC conduit, to connect and bond conduit to a threadless opening in a box or enclosure.

Catalogue Number	Trade Size	Material
THI050	1/2 (16)	Zinc
THI075	3/4 (21)	Zinc
THI100	1 (27)	Zinc
THI125	1-1/4 (35)	Zinc
THI150	1-1/2 (41)	Zinc
THI200	2 (53)	Zinc
THI250	2-1/2 (63)	Zinc
THI300	3 (78)	Zinc
THI350	3-1/2 (91)	Zinc
THI400	4 (103)	Zinc



COMBINATION COUPLINGS

Use to couple threaded rigid conduit to EMT.

Catalogue Number	Trade Size	Material
REK050	1/2 (16)	Steel
REK075	3/4 (21)	Steel
REK100	1 (27)	Steel

RIGID CONDUIT




LOCKNUTS
Use to secure rigid conduit or various threaded fittings to a steel outlet box or other metal enclosure.

Catalogue Number	Trade Size	Material
LNS050	1/2 (16)	Steel
LNS075	3/4 (21)	Steel
LNS100	1 (27)	Steel
LNS125	1-1/4 (35)	Steel
LNS150	1-1/2 (41)	Steel
LNS200	2 (53)	Steel
LNS250	2-1/2 (63)	Steel
LNS300	3 (78)	Steel
LNS350	3-1/2 (91)	Steel
LNS400	4 (103)	Steel
LNS500	5 (129)	Steel
LNS600	6 (155)	Steel



90 DEGREE PULL ELBOWS - RIGID TO RIGID
Use to bond conduit to a box or enclosure or to couple two ends of rigid conduit.

Catalogue Number	Trade Size	Material
PERR050	1/2 (16) Rigid to Rigid	Zinc
PERR075	3/4 (21) Rigid to Rigid	Zinc
PERR100	1 (27) Rigid to Rigid	Zinc
PERR125	1-1/4 (35) Rigid to 1-1/4 (35) Rigid	Zinc



90 DEGREE PULL ELBOWS - RIGID TO BOX
Use to bond conduit to a box or enclosure or to couple two ends of rigid conduit.

Catalogue Number	Trade Size	Material
PERB050	1/2 (16) Rigid to Box	Zinc
PERB075	3/4 (21) Rigid to Box	Zinc
PERB100	(27) Rigid to Box	Zinc



ACCESSORIES



KNOCKOUT CLOSURES

Use to cover exposed knockout holes in steel outlet boxes and other metal enclosures.

Catalogue Number	Trade Size	Material
KO050	1/2 (16)	Steel
KO075	3/4 (21)	Steel
KO100	1 (27)	Steel
KO125	1-1/4 (35)	Steel
KO150	1-1/2 (41)	Steel
KO200	2 (53)	Steel


REDUCING WASHERS

Use to reduce the size of the knockout in a steel outlet box or other metal enclosure. Must use one on inside enclosure opening and one on outside.


Catalogue Number	Trade Size	Material
RW0705	3/4 (21) x 1/2 (16)	Steel
RW1005	1 (27) x 1/2 (16)	Steel
RW1007	1 (27) x 3/4 (21)	Steel
RW1205	1-1/4 (35) x 1/2 (16)	Steel
RW1207	1-1/4 (35) x 3/4 (21)	Steel
RW1210	1-1/4 (35) x 1 (27)	Steel
RW1505	1-1/2 (41) x 1/2 (16)	Steel
RW1507	1-1/2 (41) X 3/4 (21)	Steel
RW1510	1-1/2 (41) x 1 (27)	Steel
RW1512	1-1/2 (41) x 1-1/4 (35)	Steel
RW2005	2 (53) x 1/2 (16)	Steel
RW2007	2 (53) X 3/4 (21)	Steel
RW2010	2 (53) x 1 (27)	Steel
RW2012	2 (53) x 1-1/4 (35)	Steel
RW2015	2 (53) x 1-1/2 (41)	Steel
RW2505	2-1/2 (63) x 1/2 (16)	Steel
RW2507	2-1/2 (63) X 3/4 (21)	Steel
RW2510	2-1/2 (63) x 1 (27)	Steel
RW2512	2-1/2 (63) x 1-1/4 (35)	Steel
RW2515	2-1/2 (63) x 1-1/2 (41)	Steel
RW2520	2-1/2 (63) x 2 (53)	Steel
RW3010	3 (78) x 1 (27)	Steel
RW3020	3 (78) x 2 (53)	Steel
RW3025	3 (78) x 2-1/2 (63)	Steel




ACCESSORIES



CONDUIT HANGERS WITH BOLTS Use to support runs of rigid and EMT conduit from ceilings and walls.		
Catalogue Number	Trade Size EMT/RIGID	Material
CH050	1/2 (16) / 1/2 (16)	Steel
CH075	3/4 (21) / 3/4 (21)	Steel
CH100	1 (27) / 1 (27)	Steel
CH125	1-1/4 (35) / N/S	Steel
CH150	1-1/2 (41) / 1-1/4 (35)	Steel
CH150R	N/S / 1-1/2 (16)	Steel
CH200	2 (53) / 2 (53)	Steel
CH250	2-1/2 (63) / 2-1/2 (63)	Steel
CH300	3 (78) / 3 (78)	Steel
CH400	4 (103) / 4 (103)	Steel



GROUND CLAMPS For use in grounding wire or conduit to water pipes or ground rods.		
Catalogue Number	Trade Size EMT/RIGID	Material
GCZ0510	1/2 (16) - 1 (27)	Zinc
GCB0510	1/2 (16) - 1 (27)	Brass
GCB1220	1-1/4 (35) - 2 (53)	Brass



BEAM CLAMPS For use in grounding wire or conduit to water pipes or ground rods.		
Catalogue Number	Trade Size	Material
BC100	1" tapped hole, 1/4 -20	Iron
BC200	2" tapped hole, 3/8 -16	Iron
BC250	2-1/2" tapped hole, 1/2 -13	Iron



JACK CHAIN and LION CHAIN Use to support light fixtures, etc.	
Catalogue Number	Trade Size
JC10	#10
JC10B (Bucket)	#10
LC3	#3
LC3B	#3



S-HOOKS Use to connect chain to light fixtures, etc.	
Catalogue Number	Trade Size
S105	#105